

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
31 October 2002 (31.10.2002)

PCT

(10) International Publication Number
WO 02/086443 A2

- (51) International Patent Classification⁷: G01N (81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (21) International Application Number: PCT/US02/12476
- (22) International Filing Date: 18 April 2002 (18.04.2002)
- (25) Filing Language: English
- (26) Publication Language: English
- (30) Priority Data:
- | | | |
|------------|-------------------------------|----|
| 60/284,770 | 18 April 2001 (18.04.2001) | US |
| 60/290,492 | 10 May 2001 (10.05.2001) | US |
| 60/339,245 | 9 November 2001 (09.11.2001) | US |
| 60/350,666 | 13 November 2001 (13.11.2001) | US |
| 60/334,370 | 29 November 2001 (29.11.2001) | US |
| 60/372,246 | 12 April 2002 (12.04.2002) | US |
- (84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).
- (71) Applicant (*for all designated States except US*): EOS BIOTECHNOLOGY, INC. [US/US]; 225A Gateway Boulevard, South San Francisco, CA 94080 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (*for US only*): AZIZ, Natasha [US/US]; 411 California Avenue, Palo Alto, CA 94306 (US). MURRAY, Richard [US/US]; 22643 Woodbridge Court, Cupertino, CA 95014 (US).
- (74) Agents: BASTIAN, Kevin, L. et al.; Townsend and Townsend and Crew LLP, Two Embarcadero Center, Eighth Floor, San Francisco, CA 94111-3834 (US).
- Declaration under Rule 4.17:
— of inventorship (Rule 4.17(iv)) for US only
- Published:
— without international search report and to be republished upon receipt of that report
- For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: METHODS OF DIAGNOSIS OF LUNG CANCER, COMPOSITIONS AND METHODS OF SCREENING FOR MODULATORS OF LUNG CANCER

(57) Abstract: Described herein are methods and compositions that can be used for diagnosis and treatment of lung cancer and similar pathologies. Also described herein are methods that can be used to identify modulators of lung cancer and similar pathologies.

WO 02/086443 A2

METHODS OF DIAGNOSIS OF LUNG CANCER, COMPOSITIONS AND METHODS
OF SCREENING FOR MODULATORS OF LUNG CANCER

5

CROSS-REFERENCES TO RELATED APPLICATIONS

This application is related to USSN 60/284,770, filed April 18, 2001; USSN 60/290,492, filed May 10, 2001; USSN 60/334,370, filed November 29, 2001; USSN 60/339,245, filed November 9, 2001; USSN 60/350,666, filed November 13, 2001; and
10 USSN 60/xxx,xxx, filed April 12, 2002 (Docket OMNI-002P); each of which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

The invention relates to the identification of nucleic acid and protein expression
15 profiles and nucleic acids, products, and antibodies thereto that are involved in lung cancer; and to the use of such expression profiles and compositions in diagnosis and therapy of lung cancer. The invention further relates to methods for identifying and using agents and/or targets that inhibit lung cancer or related conditions.

20

BACKGROUND OF THE INVENTION

Lung cancer is the second most commonly occurring cancer in the United States and is the leading cause of cancer-related death. It is estimated that there are over 160,000 new cases of lung cancer in the United States every year. Of those who are diagnosed with lung cancer, 86 percent will die within five years. Lung cancer is the most common visceral
25 cancer in men and accounts for nearly one third of all cancer deaths in both men and women. In fact, lung cancer accounts for 7% of all deaths, due to any cause, in both men and women.

Smoking is the primary cause of lung cancer, with more than 80% of lung cancers resulting from smoking. About 400 to 500 separate gaseous substances are present in the smoke of a non-filter cigarette. The most noteworthy substances include nitrogen oxides,
30 hydrogen cyanide, formaldehyde, benzene, and toluene. The particles present in cigarette smoke contain at least 3,500 individual compounds such as nicotine, tobacco alkaloids (normicotine, anatabine, anabasine), polycyclic aromatic hydrocarbons (e.g., benzo(a)pyrene, B(a)P), naphthalenes, aromatic amines, phenols, and tobacco-specific nitrosamines.

Tobacco-specific nitrosamines are formed during tobacco curing and processing, and are suspected of causing lung cancer in humans. In rodent studies, regardless of the where or how it is applied, the tobacco-specific nitrosamine known as NNK produces lung adenomas and lung adenocarcinomas. The tobacco-specific nitrosamine known as NNAL also produces
5 lung adenocarcinomas in rodents.

Many of the chemicals found in cigarette smoke also affect the nonsmoker inhaling "secondhand" or sidestream smoke. Indeed, the smoke inhaled by non-smokers has a chemical composition similar to the smoke inhaled by smokers, but, importantly, the concentrations of the carcinogenic tobacco-specific nitrosamines are present in higher
10 concentrations in second hand smoke. For this and other reasons, "passive smoking" is an important cause of lung cancer, causing as many as 3,000 lung cancer deaths in nonsmokers each year.

In addition to smoking, other factors thought to be causes of lung cancer include on-the-job exposure to carcinogens such as asbestos and uranium, exposure to chemical hazards
15 such as radon, polycyclic aromatic hydrocarbons, chromium, nickel, and inorganic arsenic, genetic factors, and diet.

Histological classification of various lung cancers define the types of cancer that begin in the lung. See, e.g., Travis, et al. (1999) Histological Typing of Lung and Pleural Tumours (International Histological Classification of Tumours, No 1. Four major cell types
20 make up more than 88% of all primary lung neoplasms. These are: squamous or epidermoid carcinoma, small cell (also called oat cell) carcinoma, adenocarcinoma, and large cell (also called large cell anaplastic) carcinoma. The remainder include undifferentiated carcinomas, carcinoids, bronchial gland tumors, and other rarer types. The various cell types have different natural histories and responses to therapy, and, thus, a correct histologic diagnosis is
25 the first step of effective treatment.

Small cell lung cancer (SCLC) accounts for 18-25% of all lung cancers, and occurs less frequently than non-small cell lung cancers, and generally spread to distant organs more rapidly than non-small cell lung cancer. In general, at the time of presentation small cell lung cancers have already spread beyond the beyond the bounds where surgery and curative intent
30 can be undertaken. However, if identified early enough, these cancers are often responsive to chemotherapy and thoracic radiation treatment.

Non-small cell lung cancers (NSCLC) are the more frequently occurring form of lung cancer. They comprise squamous cell carcinoma, adenocarcinoma, and large cell carcinoma

and account for more than 75% of all lung cancers. Non-small cell tumors that are localized at the time of presentation can sometimes be cured with surgery and/or radiotherapy, but usually are not identified until significant metastasis has occurred, which are typically not very responsive to surgical, chemotherapy, or radiation treatment..

5 The screening of asymptomatic persons at high risk for lung cancer has often proven ineffective. In general, only 5 to 15 percent of lung cancer patients have their disease detected while they are asymptomatic. Of course, early detection and treatment are critical factors in the fight against lung cancer. The average survival rate is 49% for those whose cancer is detected early, before the cancer has spread from the lung. Lung cancer often
10 spreads outside of the lung, and it may have spread to the bones or brain by the time it is diagnosed. While the prognosis may be better for lung cancers that are detected early, because of the lack ofv effective curative treatments, early detection does not necessarily alter the total death rate from lung cancer.

 Thus, methods for diagnosis and prognosis of lung cancer and effective treatment of
15 lung cancer would be desirable. Accordingly, provided herein are methods that can be used in diagnosis and prognosis of lung cancer. Further provided are methods that can be used to screen candidate therapeutic agents for the ability to modulate, e.g., treat, lung cancer. Additionally, provided herein are molecular targets and compositions for therapeutic
20 intervention in lung disease and other metastatic cancers.

SUMMARY OF THE INVENTION

 The present invention provides nucleotide sequences of genes that are up- and down-regulated in lung cancer cells. Such genes are useful for diagnostic purposes, and also as
25 targets for screening for therapeutic compounds that modulate lung cancer, such as antibodies. The methods of detecting nucleic acids of the invention or their encoded proteins can be used for a number of purposes. Examples include early detection of lung cancers, monitoring and early detection of relapse following treatment of lung cancers, monitoring
30 response to therapy of lung cancers, determining prognosis of lung cancers, directing therapy of lung cancers, selecting patients for postoperative chemotherapy or radiation therapy, selecting therapy, determining tumor prognosis, treatment, or response to treatment, and early
detection of precancerous lesions of the lung. Examples of benign or precancerous lesions include: atelectasis, emphysema, bronchitis, chronic obstructive pulmonary disease, fibrosis, hypersensitivity pneumonitis (HP), interstitial pulmonary fibrosis (IPF), asthma, and

bronchiectasis. Other aspects of the invention will become apparent to the skilled artisan by the following description of the invention.

In one aspect, the present invention provides a method of detecting a lung cancer-associated transcript in a cell from a patient, the method comprising contacting a biological sample from the patient with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16. Alternatively, the sample may be contacted with a specific binding reagent, e.g., antibody.

In one embodiment, the polynucleotide selectively hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1A-16. In another embodiment, the polynucleotide comprises a sequence as shown in Tables 1A-16.

In one embodiment, the biological sample is a tissue sample, or a body fluid. In another embodiment, the biological sample comprises isolated nucleic acids, e.g., mRNA.

In one embodiment, the polynucleotide is labeled, e.g., with a fluorescent label. In one embodiment, the polynucleotide is immobilized on a solid surface. In one embodiment, the patient is undergoing a therapeutic regimen to treat lung cancer. In another embodiment, the patient is suspected of having lung cancer. In one embodiment, the patient is a primate, e.g., a human.

In one embodiment, the method further comprises the step of amplifying nucleic acids before the step of contacting the biological sample with the polynucleotide.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of lung cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a lung cancer-associated transcript in the biological sample by contacting the biological sample with a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16, thereby monitoring the efficacy of the therapy. Or the sample may be evaluated for protein, e.g., contacting the sample with an antibody.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the lung cancer-associated transcript to a level of the lung cancer-associated transcript in a biological sample from the patient prior to, or earlier in, the therapeutic treatment. Or the sample may be evaluated for comparison of protein.

In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of lung cancer, the method comprising the steps of: (i) providing a

biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a lung cancer-associated antibody in the biological sample by contacting the biological sample with a polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16, wherein the
5 polypeptide specifically binds to the lung cancer-associated antibody, thereby monitoring the efficacy of the therapy.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the lung cancer-associated antibody to a level of the lung cancer-associated antibody in a biological sample from the patient prior to, or earlier in, the therapeutic treatment.

10 In another aspect, the present invention provides a method of monitoring the efficacy of a therapeutic treatment of lung cancer, the method comprising the steps of: (i) providing a biological sample from a patient undergoing the therapeutic treatment; and (ii) determining the level of a lung cancer-associated polypeptide in the biological sample by contacting the biological sample with an antibody, wherein the antibody specifically binds to a polypeptide
15 encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16, thereby monitoring the efficacy of the therapy.

In one embodiment, the method further comprises the step of: (iii) comparing the level of the lung cancer-associated polypeptide to a level of the lung cancer-associated polypeptide in a biological sample from the patient prior to, or earlier in, the therapeutic
20 treatment. In one aspect, the present invention provides an isolated nucleic acid molecule consisting of a polynucleotide sequence as shown in Tables 1A-16. In one embodiment, an expression vector or cell comprises the isolated nucleic acid. In one aspect, the present invention provides an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1A-16.

25 In another aspect, the present invention provides an antibody that specifically binds to an isolated polypeptide which is encoded by a nucleic acid molecule having polynucleotide sequence as shown in Tables 1A-16. In one embodiment, the antibody is conjugated to an effector component, e.g., a fluorescent label, a radioisotope or a cytotoxic chemical. In one embodiment, the antibody is an antibody fragment. In another embodiment, the antibody is
30 humanized.

In one aspect, the present invention provides a method of detecting lung cancer in a patient, the method comprising contacting a biological sample from the patient with an antibody or protein as described herein.

In another aspect, the present invention provides a method of detecting antibodies specific to a lung cancer gene in a patient, the method comprising contacting a biological sample from the patient with a polypeptide encoded by a nucleic acid comprises a sequence from Tables 1A-16.

5 In another aspect, the present invention provides a method for identifying a compound that modulates a lung cancer-associated polypeptide, the method comprising the steps of: (i) contacting the compound with a lung cancer-associated polypeptide, the polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16; and (ii) determining the functional effect of the
10 compound upon the polypeptide.

In one embodiment, the functional effect is a physical effect, an enzymatic effect, or a chemical effect. In one embodiment, the polypeptide is expressed in a eukaryotic host cell or cell membrane. In another embodiment, the polypeptide is recombinant. In one
15 embodiment, the functional effect is determined by measuring ligand binding to the polypeptide.

In another aspect, the present invention provides a method of inhibiting proliferation or another critical process of a lung cancer-associated cell to treat lung cancer in a patient, the method comprising the step of administering to the subject a therapeutically effective amount of a compound identified as described herein. In one embodiment, the compound is an
20 antibody.

In another aspect, the present invention provides a drug screening assay comprising the steps of: (i) administering a test compound to a mammal having lung cancer or a cell isolated therefrom; (ii) comparing the level of gene expression of a polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in Tables
25 1A-16 in a treated cell or mammal with the level of gene expression of the polynucleotide in a control cell or mammal, wherein a test compound that modulates the level of expression of the polynucleotide is a candidate for the treatment of lung cancer.

In one embodiment, the control is a mammal with lung cancer or a cell therefrom that has not been treated with the test compound. In another embodiment, the control is a normal
30 cell or mammal, or a non-malignant lung disease.

In another aspect, the present invention provides a method for treating a mammal having lung cancer comprising administering a compound identified by the assay described herein.

In another aspect, the present invention provides a pharmaceutical composition for treating a mammal having lung cancer, the composition comprising a compound identified by the assay described herein and a physiologically acceptable excipient.

5

DETAILED DESCRIPTION OF THE INVENTION

In accordance with the objects outlined above, the present invention provides novel methods for diagnosis and treatment of lung disease or cancer, as well as methods for screening for compositions which modulate lung cancer. "Treatment, monitoring, detection or modulation of lung disease or cancer" includes treatment, monitoring, detection, or modulation of lung disease in those patients who have lung disease (whether malignant or non-malignant, e.g., emphysema, bronchitis, or fibrosis) as well as patients with lung cancers in which gene expression from a gene in Tables 1A-16 is increased or decreased, indicating that the subject is more likely to have disease. In particular, while these targets are identified primarily from lung cancer samples, these same targets are likely to be similarly found in analyses of other medical conditions. These other conditions may result from similar pathological processes which affect similar tissues, e.g., lung cancer, small cell lung carcinoma (oat cell carcinoma), non-small cell carcinomas (e.g., squamous cell carcinoma, adenocarcinoma, large cell lung carcinoma, carcinoid, granulomatous), fibrosis (idiopathic pulmonary fibrosis (IPF), hypersensitivity pneumonitis (HP), interstitial pneumonitis, nonspecific idiopathic pneumonitis (NSIP)), chronic obstructive pulmonary disease (COPD, e.g., emphysema, chronic bronchitis), asthma, bronchiectasis, and esophageal cancer. See, e.g., the NCI webpage and USSN 60/347,349 and USSN 60/xxx,xxx (docket LFBR-001-1P, filed March 29, 2002), each of which is incorporated herein by reference. The treatment may be of lung cancer or related condition itself, or treatment of metastasis.

25

In particular, identification of markers selectively expressed on these cancers allows for use of that expression in diagnostic, prognostic, or therapeutic methods. As such, the invention defines various compositions, e.g., nucleic acids, polypeptides, antibodies, and small molecule agonists/antagonists, which will be useful to selectively identify those markers. For example, therapeutic methods may take the form of protein therapeutics which use the marker expression for selective localization or modulation of function (for those markers which have a causative disease effect), for vaccines, identification of binding partners, or antagonism, e.g., using antisense or RNAi. The markers may be useful for molecular characterization of subsets of lung diseases, which subsets may actually require

30

very different treatments. Moreover, the markers may also be important in related diseases to the specific cancers, e.g., which affect similar tissues in non-malignant diseases, or have similar mechanisms of induction/maintenance. Metastatic processes or characteristics may also be targeted. Diagnostic and prognostic uses are made available, e.g., to subset related but distinct diseases, or to determine treatment strategy. The detection methods may be based upon nucleic acid, e.g., PCR or hybridization techniques, or protein, e.g., ELISA, imaging, IHC, etc. The diagnosis may be qualitative or quantitative, and may detect increases or decreases in expression levels.

Tables 1A-16 provide unigene cluster identification numbers for the nucleotide sequence of genes that exhibit increased or decreased expression in lung cancer samples. The tables also provide an exemplar accession number that provides a nucleotide sequence that is part of the unigene cluster. In Table 1A, genes marked as "target 1" or "target 2" are particularly useful as therapeutic targets. Genes marked as "target 3" are particularly useful as diagnostic markers. Genes marked as "chron" are upregulated in chronically diseased lung (e.g., emphysema, bronchitis, fibrosis) relative to lung tumors and normal tissue. In certain analyses, the ratio for the "chron" category was determined using the 70th percentile of chronically diseased lung samples divided by the 90th percentile of normal lung samples. The ratio for the targets was determined using the 70th percentile of lung tumor samples divided by the 90th percentile of normal lung samples.

Definitions

The term "lung cancer protein" or "lung cancer polynucleotide" or "lung cancer-associated transcript" refers to nucleic acid and polypeptide polymorphic variants, alleles, mutants, and interspecies homologs that: (1) have a nucleotide sequence that has greater than about 60% nucleotide sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% or greater nucleotide sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more nucleotides, to a nucleotide sequence of or associated with a unigene cluster of Tables 1A-16; (2) bind to antibodies, e.g., polyclonal antibodies, raised against an immunogen comprising an amino acid sequence encoded by a nucleotide sequence of or associated with a unigene cluster of Tables 1A-16, and conservatively modified variants thereof; (3) specifically hybridize under stringent hybridization conditions to a nucleic acid sequence, or the complement thereof of Tables 1A-16 and conservatively modified variants thereof; or (4)

have an amino acid sequence that has greater than about 60% amino acid sequence identity, 65%, 70%, 75%, 80%, 85%, 90%, preferably 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, or 99% or greater amino sequence identity, preferably over a region of over a region of at least about 25, 50, 100, 200, 500, 1000, or more amino acid, to an amino acid sequence
5 encoded by a nucleotide sequence of or associated with a unigene cluster of Tables 1A-16. A polynucleotide or polypeptide sequence is typically from a mammal including, but not limited to, primate, e.g., human; rodent, e.g., rat, mouse, hamster; cow, pig, horse, sheep, or other mammal. A "lung cancer polypeptide" and a "lung cancer polynucleotide," include both naturally occurring or recombinant forms.

10 A "full length" lung cancer protein or nucleic acid refers to a lung cancer polypeptide or polynucleotide sequence, or a variant thereof, that contains the elements normally contained in one or more naturally occurring, wild type lung cancer polynucleotide or polypeptide sequences. The "full length" may be prior to, or after, various stages of post-translational processing or splicing, including alternative splicing.

15 "Biological sample" as used herein is a sample of biological tissue or fluid that contains nucleic acids or polypeptides, e.g., of a lung cancer protein, polynucleotide, or transcript. Such samples include, but are not limited to, tissue isolated from primates, e.g., humans, or rodents, e.g., mice, and rats. Biological samples may also include sections of tissues such as biopsy and autopsy samples, frozen sections taken for histologic purposes,
20 archival materials, blood, plasma, serum, sputum, stool, tears, mucus, hair, skin, etc. Biological samples also include explants and primary and/or transformed cell cultures derived from patient tissues. A biological sample is typically obtained from a eukaryotic organism, most preferably a mammal such as a primate, e.g., chimpanzee or human; cow; dog; cat; a rodent, e.g., guinea pig, rat, mouse; rabbit; or other mammal; or a bird; reptile;
25 fish. Livestock and domestic animals are of interest.

"Providing a biological sample" means to obtain a biological sample for use in methods described in this invention. Most often, this will be done by removing a sample of cells from an animal, but can also be accomplished by using previously isolated cells (e.g., isolated by another person, at another time, and/or for another purpose), or by performing the
30 methods of the invention in vivo. Archival tissues or materials, having treatment or outcome history, will be particularly useful.

The terms "identical" or percent "identity," in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the

same or have a specified percentage of amino acid residues or nucleotides that are the same (e.g., about 60% identity, preferably 70%, 75%, 80%, 85%, 90%, 91%, 92%, 93%, 94%, 95%, 96%, 97%, 98%, 99%, or higher identity over a specified region, when compared and aligned for maximum correspondence over a comparison window or designated region) as measured using, e.g., a BLAST or BLAST 2.0 sequence comparison algorithms with default parameters described below, or by manual alignment and visual inspection (see, e.g., NCBI web site <http://www.ncbi.nlm.nih.gov/BLAST/> or the like). Such sequences are then said to be “substantially identical.” This definition also refers to, or may be applied to, the complement of a test sequence. The definition also includes sequences that have deletions and/or insertions, substitutions, and naturally occurring, e.g., polymorphic or allelic variants, and man-made variants. As described below, the preferred algorithms can account for gaps and the like. Preferably, identity exists over a region that is at least about 25 amino acids or nucleotides in length, or more preferably over a region that is 50-100 amino acids or nucleotides in length.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Preferably, default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

A “comparison window”, as used herein, includes reference to a segment of contiguous positions selected from the group consisting typically of from 20 to 600, usually about 50 to about 200, more usually about 100 to about 150 in which a sequence may be compared to a reference sequence of the same number of contiguous positions after the two sequences are optimally aligned. Methods of alignment of sequences for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, e.g., by the local homology algorithm of Smith and Waterman (1981) Adv. Appl. Math. 2:482, by the homology alignment algorithm of Needleman and Wunsch (1970) J. Mol. Biol. 48:443, by the search for similarity method of Pearson and Lipman (1988) Proc. Nat’l. Acad. Sci. USA 85:2444, by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer

Group, 575 Science Dr., Madison, WI), or by manual alignment and visual inspection (see, e.g., Ausubel, et al. (eds. 1995 and supplements) Current Protocols in Molecular Biology.

Preferred examples of algorithms that are suitable for determining percent sequence identity and sequence similarity include the BLAST and BLAST 2.0 algorithms, which are described in Altschul, et al. (1977) Nuc. Acids Res. 25:3389-3402 and Altschul, et al. (1990) J. Mol. Biol. 215:403-410. BLAST and BLAST 2.0 are used, with the parameters described herein, to determine percent sequence identity for the nucleic acids and proteins of the invention. Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (<http://www.ncbi.nlm.nih.gov/>). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul, et al., *supra*). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, e.g., for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always > 0) and N (penalty score for mismatching residues; always < 0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W , T , and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, $M=5$, $N=-4$ and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectation (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff and Henikoff (1989) Proc. Natl. Acad. Sci. USA 89:10915) alignments (B) of 50, expectation (E) of 10, $M=5$, $N=-4$, and a comparison of both strands.

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, e.g., Karlin and Altschul (1993) Proc. Nat'l. Acad. Sci. USA 90:5873-5787). One measure of similarity provided by the BLAST algorithm is the smallest sum probability ($P(N)$), which provides an indication of the probability by which a match between

two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a reference sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Log values may be negative large numbers, e.g., 5, 10, 20, 30, 40, 40, 70, 90, 110, 150, 170, etc.

An indication that two nucleic acid sequences are substantially identical is that the polypeptide encoded by the first nucleic acid is immunologically cross reactive with the antibodies raised against the polypeptide encoded by the second nucleic acid. Thus, a polypeptide is typically substantially identical to a second polypeptide, e.g., where the two peptides differ only by conservative substitutions. Another indication that two nucleic acid sequences are substantially identical is that the two molecules or their complements hybridize to each other under stringent conditions. Yet another indication that two nucleic acid sequences are substantially identical is that the same primers can be used to amplify the sequences.

A "host cell" is a naturally occurring cell or a transformed cell that contains an expression vector and supports the replication or expression of the expression vector. Host cells may be cultured cells, explants, cells *in vivo*, and the like. Host cells may be prokaryotic cells such as *E. coli*, or eukaryotic cells such as yeast, insect, amphibian, or mammalian cells such as CHO, HeLa, and the like (see, e.g., the American Type Culture Collection catalog or web site, www.atcc.org).

The terms "isolated," "purified," or "biologically pure" refer to material that is substantially or essentially free from components that normally accompany it as found in its native state. Purity and homogeneity are typically determined using analytical chemistry techniques such as polyacrylamide gel electrophoresis or high performance liquid chromatography. A protein or nucleic acid that is the predominant species present in a preparation is substantially purified. In particular, an isolated nucleic acid is separated from some open reading frames that naturally flank the gene and encode proteins other than protein encoded by the gene. The term "purified" in some embodiments denotes that a nucleic acid or protein gives rise to essentially one band in an electrophoretic gel. Preferably, it means that the nucleic acid or protein is at least about 85% pure, more preferably at least 95% pure, and most preferably at least 99% pure. "Purify" or "purification" in other embodiments means removing at least one contaminant or component from the composition to be purified.

In this sense, purification does not require that the purified compound be homogeneous, e.g., 100% pure.

The terms "polypeptide," "peptide" and "protein" are used interchangeably herein to refer to a polymer of amino acid residues. The terms apply to amino acid polymers in which one or more amino acid residue is an artificial chemical mimetic of a corresponding naturally occurring amino acid, as well as to naturally occurring amino acid polymers, those containing modified residues, and non-naturally occurring amino acid polymer.

The term "amino acid" refers to naturally occurring and synthetic amino acids, as well as amino acid analogs and amino acid mimetics that function similarly to the naturally occurring amino acids. Naturally occurring amino acids are those encoded by the genetic code, as well as those amino acids that are later modified, e.g., hydroxyproline, γ -carboxyglutamate, and O-phosphoserine. Amino acid analogs refer to compounds that have the same basic chemical structure as a naturally occurring amino acid, e.g., an α carbon that is bound to a hydrogen, a carboxyl group, an amino group, and an R group, e.g., homoserine, norleucine, methionine sulfoxide, methionine methyl sulfonium. Such analogs may have modified R groups (e.g., norleucine) or modified peptide backbones, but retain some basic chemical structure as a naturally occurring amino acid. Amino acid mimetics refer to chemical compounds that have a structure that is different from the general chemical structure of an amino acid, but that function similarly to another amino acid.

Amino acids may be referred to herein by either their commonly known three letter symbols or by the one-letter symbols recommended by the IUPAC-IUB Biochemical Nomenclature Commission. Nucleotides, likewise, may be referred to by their commonly accepted single-letter codes.

"Conservatively modified variants" applies to both amino acid and nucleic acid sequences. With respect to particular nucleic acid sequences, conservatively modified variants refers to those nucleic acids which encode identical or essentially identical amino acid sequences, or where the nucleic acid does not encode an amino acid sequence, to essentially identical or associated, e.g., naturally contiguous, sequences. Because of the degeneracy of the genetic code, a large number of functionally identical nucleic acids encode most proteins. For instance, the codons GCA, GCC, GCG, and GCU each encode the amino acid alanine. Thus, at each position where an alanine is specified by a codon, the codon can be altered to another of the corresponding codons described without altering the encoded polypeptide. Such nucleic acid variations are "silent variations," which are one species of

conservatively modified variations. Every nucleic acid sequence herein which encodes a polypeptide also describes silent variations of the nucleic acid. In certain contexts each codon in a nucleic acid (except AUG, which is ordinarily the only codon for methionine, and TGG, which is ordinarily the only codon for tryptophan) can be modified to yield a functionally similar molecule. Accordingly, a silent variation of a nucleic acid which encodes a polypeptide is implicit in a described sequence with respect to the expression product, but not necessarily with respect to actual probe sequences.

As to amino acid sequences, one of skill will recognize that individual substitutions, deletions or additions to a nucleic acid, peptide, polypeptide, or protein sequence which alters, adds or deletes a single amino acid or a small percentage of amino acids in the encoded sequence is a "conservatively modified variant" where the alteration results in the substitution of an amino acid with a chemically similar amino acid. Conservative substitution tables providing functionally similar amino acids are well known in the art. Such conservatively modified variants are in addition to and do not exclude polymorphic variants, interspecies homologs, and alleles of the invention. Typically conservative substitutions include for one another: 1) Alanine (A), Glycine (G); 2) Aspartic acid (D), Glutamic acid (E); 3) Asparagine (N), Glutamine (Q); 4) Arginine (R), Lysine (K); 5) Isoleucine (I), Leucine (L), Methionine (M), Valine (V); 6) Phenylalanine (F), Tyrosine (Y), Tryptophan (W); 7) Serine (S), Threonine (T); and 8) Cysteine (C), Methionine (M) (see, e.g., Creighton, Proteins (1984)).

Macromolecular structures such as polypeptide structures can be described in terms of various levels of organization. For a general discussion of this organization, see, e.g., Alberts, et al. (1994) Molecular Biology of the Cell (3rd ed.) and Cantor and Schimmel (1980) Biophysical Chemistry Part I: The Conformation of Biological Macromolecules. "Primary structure" refers to the amino acid sequence of a particular peptide. "Secondary structure" refers to locally ordered, three dimensional structures within a polypeptide. These structures are commonly known as domains. Domains are portions of a polypeptide that often form a compact unit of the polypeptide and are typically 25 to approximately 500 amino acids long. Typical domains are made up of sections of lesser organization such as stretches of β -sheet and α -helices. "Tertiary structure" refers to the complete three dimensional structure of a polypeptide monomer. "Quaternary structure" refers to the three dimensional structure formed, usually by the noncovalent association of independent tertiary units. Anisotropic terms are also known as energy terms.

“Nucleic acid” or “oligonucleotide” or “polynucleotide” or grammatical equivalents used herein means at least two nucleotides covalently linked together. Oligonucleotides are typically from about 5, 6, 7, 8, 9, 10, 12, 15, 25, 30, 40, 50 or more nucleotides in length, up to about 100 nucleotides in length. Nucleic acids and polynucleotides are a polymers of any length, including longer lengths, e.g., 200, 300, 500, 1000, 2000, 3000, 5000, 7000, 10,000, etc. A nucleic acid of the present invention will generally contain phosphodiester bonds, although in some cases, nucleic acid analogs are included that may have at least one different linkage, e.g., phosphoramidate, phosphorothioate, phosphorodithioate, or O-methylphosphoroamidite linkages (see Eckstein (1992) Oligonucleotides and Analogues: A Practical Approach Oxford University Press); and peptide nucleic acid backbones and linkages. Other analog nucleic acids include those with positive backbones; non-ionic backbones, and non-ribose backbones, including those described in U.S. Patent Nos. 5,235,033 and 5,034,506, and Chapters 6 and 7, in Sanghui and Cook, eds. Carbohydrate Modifications in Antisense Research, ASC Symposium Series 580. Nucleic acids containing one or more carbocyclic sugars are also included within one definition of nucleic acids. Modifications of the ribose-phosphate backbone may be done for a variety of reasons, e.g., to increase the stability and half-life of such molecules in physiological environments or as probes on a biochip. Mixtures of naturally occurring nucleic acids and analogs can be made; alternatively, mixtures of different nucleic acid analogs, and mixtures of naturally occurring nucleic acids and analogs may be made.

Particularly preferred are peptide nucleic acids (PNA) which includes peptide nucleic acid analogs. These backbones are substantially non-ionic under neutral conditions, in contrast to the highly charged phosphodiester backbone of naturally occurring nucleic acids. This results in two advantages. First, the PNA backbone exhibits improved hybridization kinetics. PNAs have larger changes in the melting temperature (T_m) for mismatched versus perfectly matched basepairs. DNA and RNA typically exhibit a 2-4° C drop in T_m for an internal mismatch. With the non-ionic PNA backbone, the drop is closer to 7-9° C. Similarly, due to their non-ionic nature, hybridization of the bases attached to these backbones is relatively insensitive to salt concentration. In addition, PNAs are not degraded by cellular enzymes, and thus can be more stable.

The nucleic acids may be single stranded or double stranded, as specified, or contain portions of both double stranded or single stranded sequence. As will be appreciated by those in the art, the depiction of a single strand also defines the sequence of the complementary

strand; thus the sequences described herein also provide the complement of the sequence.

The nucleic acid may be DNA, both genomic and cDNA, RNA, or a hybrid, where the nucleic acid may contain combinations of deoxyribo- and ribo-nucleotides, and combinations of bases, including uracil, adenine, thymine, cytosine, guanine, inosine, xanthine

5 hypoxanthine, isocytosine, isoguanine, etc. "Transcript" typically refers to a naturally occurring RNA, e.g., a pre-mRNA, hnRNA, or mRNA. As used herein, the term "nucleoside" includes nucleotides and nucleoside and nucleotide analogs, and modified nucleosides such as amino modified nucleosides. In addition, "nucleoside" includes non-naturally occurring analog structures. Thus, e.g., the individual units of a peptide nucleic acid, each containing a base, are referred to herein as a nucleoside.

A "label" or a "detectable moiety" is a composition detectable by spectroscopic, photochemical, biochemical, immunochemical, physiological, chemical, or other physical means. For example, useful labels include ^{32}P , fluorescent dyes, electron-dense reagents, enzymes (e.g., as commonly used in an ELISA), biotin, digoxigenin, or haptens and proteins
15 or other entities which can be made detectable, e.g., by incorporating a radiolabel into the peptide or used to detect antibodies specifically reactive with the peptide. The labels may be incorporated into the cancer nucleic acids, proteins, and antibodies. Many methods known in the art for conjugating the antibody to the label may be employed, including those methods described by Hunter, et al. (1962) Nature 144:945; David, et al. (1974) Biochemistry
20 13:1014-1021; Pain, et al. (1981) J. Immunol. Meth., 40:219-230; and Nygren (1982) J. Histochem. and Cytochem. 30:407-412.

An "effector" or "effector moiety" or "effector component" is a molecule that is bound (or linked, or conjugated), either covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds, to an antibody.
25 The "effector" can be a variety of molecules including, e.g., detection moieties including radioactive compounds, fluorescent compounds, an enzyme or substrate, tags such as epitope tags, a toxin; activatable moieties, a chemotherapeutic agent; a lipase; an antibiotic; or a radioisotope emitting "hard" e.g., beta radiation.

A "labeled nucleic acid probe or oligonucleotide" is one that is bound, either
30 covalently, through a linker or a chemical bond, or noncovalently, through ionic, van der Waals, electrostatic, or hydrogen bonds to a label such that the presence of the probe may be detected by detecting the presence of the label bound to the probe. Alternatively, method

using high affinity interactions may achieve the same results where one of a pair of binding partners binds to the other, e.g., biotin, streptavidin.

As used herein a “nucleic acid probe or oligonucleotide” is a nucleic acid capable of binding to a target nucleic acid of complementary sequence through one or more types of chemical bonds, usually through complementary base pairing, e.g., through hydrogen bond formation. As used herein, a probe may include natural (i.e., A, G, C, or T) or modified bases (7-deazaguanosine, inosine, etc.). In addition, the bases in a probe may be joined by a linkage other than a phosphodiester bond, preferably one that does not functionally interfere with hybridization. Thus, e.g., probes may be peptide nucleic acids in which the constituent bases are joined by peptide bonds rather than phosphodiester linkages. Probes may bind target sequences lacking complete complementarity with the probe sequence depending upon the stringency of the hybridization conditions. The probes are preferably directly labeled, e.g., with isotopes, chromophores, lumiphores, chromogens, or indirectly labeled, e.g., with biotin to which a streptavidin complex may later bind. By assaying for the presence or absence of the probe, one can detect the presence or absence of the select sequence or subsequence. Diagnosis or prognosis may be based at the genomic level, or at the level of RNA or protein expression.

The term “recombinant” when used with reference, e.g., to a cell, or nucleic acid, protein, or vector, indicates that the cell, nucleic acid, protein or vector, has been modified by the introduction of a heterologous nucleic acid or protein or the alteration of a native nucleic acid or protein, or that the cell is derived from a cell so modified. Thus, e.g., recombinant cells express genes that are not found within the native (non-recombinant) form of the cell or express native genes that are otherwise abnormally expressed, under expressed or not expressed at all. By the term “recombinant nucleic acid” herein is meant nucleic acid, originally formed *in vitro*, in general, by the manipulation of nucleic acid, e.g., using polymerases and endonucleases, in a form not normally found in nature. In this manner, operably linkage of different sequences is achieved. Thus an isolated nucleic acid, in a linear form, or an expression vector formed *in vitro* by ligating DNA molecules that are not normally joined, are both considered recombinant for the purposes of this invention. It is understood that once a recombinant nucleic acid is made and reintroduced into a host cell or organism, it will replicate non-recombinantly, i.e., using the *in vivo* cellular machinery of the host cell rather than *in vitro* manipulations; however, such nucleic acids, once produced recombinantly, although subsequently replicated non-recombinantly, are still considered

recombinant for the purposes of the invention. Similarly, a “recombinant protein” is a protein made using recombinant techniques, i.e., through the expression of a recombinant nucleic acid as depicted above.

5 The term “heterologous” when used with reference to portions of a nucleic acid indicates that the nucleic acid comprises two or more subsequences that are not normally found in the same relationship to each other in nature. For instance, the nucleic acid is typically recombinantly produced, having two or more sequences, e.g., from unrelated genes arranged to make a new functional nucleic acid, e.g., a promoter from one source and a coding region from another source. Similarly, a heterologous protein will often refer to two
10 or more subsequences that are not found in the same relationship to each other in nature (e.g., a fusion protein).

A “promoter” is typically an array of nucleic acid control sequences that direct transcription of a nucleic acid. As used herein, a promoter includes necessary nucleic acid sequences near the start site of transcription, such as, in the case of a polymerase II type
15 promoter, a TATA element. A promoter also optionally includes distal enhancer or repressor elements, which can be located as much as several thousand base pairs from the start site of transcription. A “constitutive” promoter is a promoter that is active under most environmental and developmental conditions. An “inducible” promoter is a promoter that is active under environmental or developmental regulation. The term “operably linked” refers
20 to a functional linkage between a nucleic acid expression control sequence (such as a promoter, or array of transcription factor binding sites) and a second nucleic acid sequence, e.g., wherein the expression control sequence directs transcription of the nucleic acid corresponding to the second sequence.

An “expression vector” is a nucleic acid construct, generated recombinantly or
25 synthetically, with a series of specified nucleic acid elements that permit transcription of a particular nucleic acid in a host cell. The expression vector can be part of a plasmid, virus, or nucleic acid fragment. Typically, the expression vector includes a nucleic acid to be transcribed in operable linkage to a promoter.

The phrase “selectively (or specifically) hybridizes to” refers to the binding,
30 duplexing, or hybridizing of a molecule selectively to a particular nucleotide sequence under stringent hybridization conditions when that sequence is present in a complex mixture (e.g., total cellular or library DNA or RNA).

The phrase "stringent hybridization conditions" refers to conditions under which a probe will hybridize to its target subsequence, typically in a complex mixture of nucleic acids, but to essentially no other sequences. Stringent conditions are sequence-dependent and will be different in different circumstances. Longer sequences hybridize specifically at higher temperatures. An extensive guide to the hybridization of nucleic acids is found in "Overview of principles of hybridization and the strategy of nucleic acid assays" in Tijssen (1993) Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Probes (vol. 24) Elsevier. Generally, stringent conditions are selected to be about 5-10° C lower than the thermal melting point (T_m) for the specific sequence at a defined ionic strength and pH. The T_m is the temperature (under defined ionic strength, pH, and nucleic concentration) at which 50% of the probes complementary to the target hybridize to the target sequence at equilibrium (as the target sequences are present in excess, at T_m , 50% of the probes are occupied at equilibrium). Stringent conditions will be those in which the salt concentration is less than about 1.0 M sodium ion, typically about 0.01 to 1.0 M sodium ion concentration (or other salts) at pH 7.0 to 8.3 and the temperature is at least about 30° C for short probes (e.g., 10 to 50 nucleotides) and at least about 60° C for long probes (e.g., greater than 50 nucleotides). Stringent conditions may also be achieved with the addition of destabilizing agents such as formamide. For selective or specific hybridization, a positive signal is typically at least two times background, preferably 10 times background hybridization.

Exemplary stringent hybridization conditions are often: 50% formamide, 5x SSC, and 1% SDS, incubating at 42° C, or, 5x SSC, 1% SDS, incubating at 65° C, with wash in 0.2x SSC, and 0.1% SDS at 65° C. For PCR, a temperature of about 36° C is typical for low stringency amplification, although annealing temperatures may vary between about 32° C and 48° C depending on primer length. For high stringency PCR amplification, a temperature of about 62° C is typical, although high stringency annealing temperatures can range from about 50° C to about 65° C, depending on the primer length and specificity. Typical cycle conditions for both high and low stringency amplifications include a denaturation phase of 90° C - 95° C for 0.5 - 2 min., an annealing phase lasting 0.5 - 2 min., and an extension phase of about 72° C for 1 - 2 min. Protocols and guidelines for low and high stringency amplification reactions are provided, e.g., in Innis, et al. (1990) PCR Protocols. A Guide to Methods and Applications.

Nucleic acids that do not hybridize to each other under stringent conditions are still substantially identical if the polypeptides which they encode are substantially identical. This

occurs, e.g., when a copy of a nucleic acid is created using the maximum codon degeneracy permitted by the genetic code. In such cases, the nucleic acids typically hybridize under moderately stringent hybridization conditions. Exemplary “moderately stringent hybridization conditions” include a hybridization in a buffer of 40% formamide, 1 M NaCl, 1% SDS at 37° C, and a wash in 1X SSC at 45° C. A positive hybridization is at least twice background. Alternative hybridization and wash conditions can be utilized to provide conditions of similar stringency. Additional guidelines for determining hybridization parameters are provided in numerous reference, e.g., Ausubel, et al. (ed.) Current Protocols in Molecular Biology Lippincott.

10 The phrase “functional effects” in the context of assays for testing compounds that modulate activity of a lung cancer protein includes the determination of a parameter that is indirectly or directly under the influence of the lung cancer protein or nucleic acid, e.g., a physiological, enzymatic, functional, physical, or chemical effect, such as the ability to decrease lung cancer. It includes ligand binding activity; cell viability, cell growth on soft
15 agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein expression in cells undergoing metastasis, and other characteristics of lung cancer cells. “Functional effects” include *in vitro*, *in vivo*, and *ex vivo* activities.

20 By “determining the functional effect” is meant assaying for a compound that increases or decreases a parameter that is indirectly or directly under the influence of a lung cancer protein sequence, e.g., physiological, functional, enzymatic, physical, or chemical effects. Such functional effects can be measured by many means known to those skilled in the art, e.g., changes in spectroscopic characteristics (e.g., fluorescence, absorbance,
25 refractive index), hydrodynamic (e.g., shape), chromatographic, or solubility properties for the protein, measuring inducible markers or transcriptional activation of the lung cancer protein; measuring binding activity or binding assays, e.g., binding to antibodies or other ligands, and measuring cellular proliferation. Determination of the functional effect of a compound on lung cancer can also be performed using lung cancer assays known to those of
30 skill in the art such as an *in vitro* assays, e.g., cell growth on soft agar; anchorage dependence; contact inhibition and density limitation of growth; cellular proliferation; cellular transformation; growth factor or serum dependence; tumor specific marker levels; invasiveness into Matrigel; tumor growth and metastasis *in vivo*; mRNA and protein

expression in cells undergoing metastasis, and other characteristics of lung cancer cells. The functional effects can be evaluated by many means known to those skilled in the art, e.g., microscopy for quantitative or qualitative measures of alterations in morphological features, measurement of changes in RNA or protein levels for lung cancer-associated sequences, measurement of RNA stability, identification of downstream or reporter gene expression (CAT, luciferase, β -gal, GFP, and the like), e.g., via chemiluminescence, fluorescence, colorimetric reactions, antibody binding, inducible markers, and ligand binding assays.

“Inhibitors”, “activators”, and “modulators” of lung cancer polynucleotide and polypeptide sequences are used to refer to activating, inhibitory, or modulating molecules or compounds identified using *in vitro* and *in vivo* assays of lung cancer polynucleotide and polypeptide sequences. Inhibitors are compounds that, e.g., bind to, partially or totally block activity, decrease, prevent, delay activation, inactivate, desensitize, or down regulate the activity or expression of lung cancer proteins, e.g., antagonists. Antisense or inhibitory nucleic acids may seem to inhibit expression and subsequent function of the protein.

“Activators” are compounds that increase, open, activate, facilitate, enhance activation, sensitize, agonize, or up regulate lung cancer protein activity. Inhibitors, activators, or modulators also include genetically modified versions of lung cancer proteins, e.g., versions with altered activity, as well as naturally occurring and synthetic ligands, antagonists, agonists, antibodies, small chemical molecules and the like. Such assays for inhibitors and activators include, e.g., expressing the lung cancer protein *in vitro*, in cells, or cell membranes, applying putative modulator compounds, and then determining the functional effects on activity, as described above. Activators and inhibitors of lung cancer can also be identified by incubating lung cancer cells with the test compound and determining increases or decreases in the expression of 1 or more lung cancer proteins, e.g., 1, 2, 3, 4, 5, 10, 15, 20, 25, 30, 40, 50 or more lung cancer proteins, such as lung cancer proteins encoded by the sequences set out in Tables 1A-16.

Samples or assays comprising lung cancer proteins that are treated with a potential activator, inhibitor, or modulator are compared to control samples without the inhibitor, activator, or modulator to examine the extent of inhibition. Control samples (untreated with inhibitors) are assigned a relative protein activity value of 100%. Inhibition of a polypeptide is achieved when the activity value relative to the control is about 80%, preferably 50%, more preferably 25-0%. Activation of a lung cancer polypeptide is achieved when the activity value relative to the control (untreated with activators) is 110%, more preferably 150%, more

preferably 200-500% (i.e., two to five fold higher relative to the control), more preferably 1000-3000% higher.

The phrase “changes in cell growth” refers to any change in cell growth and proliferation characteristics *in vitro* or *in vivo*, such as cell viability, formation of foci, anchorage independence, semi-solid or soft agar growth, changes in contact inhibition and density limitation of growth, loss of growth factor or serum requirements, changes in cell morphology, gaining or losing immortalization, gaining or losing tumor specific markers, ability to form or suppress tumors when injected into suitable animal hosts, and/or immortalization of the cell. See, e.g., Freshney (1994) Culture of Animal Cells a Manual of Basic Technique pp. 231-241 (3rd ed.).

“Tumor cell” refers to precancerous, cancerous, and normal cells in a tumor.

“Cancer cells,” “transformed” cells, or “transformation” in tissue culture, refers to spontaneous or induced phenotypic changes that do not necessarily involve the uptake of new genetic material. Although transformation can arise from infection with a transforming virus and incorporation of new genomic DNA, or uptake of exogenous DNA, it can also arise spontaneously or following exposure to a carcinogen, thereby mutating an endogenous gene. Transformation is associated with phenotypic changes, such as immortalization of cells, aberrant growth control, nonmorphological changes, and/or malignancy (see, Freshney (1994) Culture of Animal Cells a Manual of Basic Technique (3rd ed.)).

“Antibody” refers to a polypeptide comprising a framework region from an immunoglobulin gene or fragments thereof that specifically binds and recognizes an antigen. The recognized immunoglobulin genes include the kappa, lambda, alpha, gamma, delta, epsilon, and mu constant region genes, as well as the myriad immunoglobulin variable region genes. Light chains are classified as either kappa or lambda. Heavy chains are classified as gamma, mu, alpha, delta, or epsilon, which in turn define the immunoglobulin classes, IgG, IgM, IgA, IgD, and IgE, respectively. Typically, the antigen-binding region of an antibody or its functional equivalent will be most critical in specificity and affinity of binding. See Paul, Fundamental Immunology.

An exemplary immunoglobulin (antibody) structural unit comprises a tetramer. Each tetramer is composed of two identical pairs of polypeptide chains, each pair having one “light” (about 25 kD) and one “heavy” chain (about 50-70 kD). The N-terminus of each chain defines a variable region of about 100 to 110 or more amino acids primarily responsible

for antigen recognition. The terms variable light chain (V_L) and variable heavy chain (V_H) refer to these light and heavy chains respectively.

Antibodies exist, e.g., as intact immunoglobulins or as a number of well-characterized fragments produced by digestion with various peptidases. Thus, e.g., pepsin digests an antibody below the disulfide linkages in the hinge region to produce $F(ab)'_2$, a dimer of Fab which itself is a light chain joined to V_H-C_H1 by a disulfide bond. The $F(ab)'_2$ may be reduced under mild conditions to break the disulfide linkage in the hinge region, thereby converting the $F(ab)'_2$ dimer into an Fab' monomer. The Fab' monomer is essentially Fab with part of the hinge region (see Paul (ed. 1999) Fundamental Immunology (4th ed.). While various antibody fragments are defined in terms of the digestion of an intact antibody, one of skill will appreciate that such fragments may be synthesized *de novo* either chemically or by using recombinant DNA methodology. Thus, the term antibody, as used herein, also includes antibody fragments either produced by the modification of whole antibodies, or those synthesized *de novo* using recombinant DNA methodologies (e.g., single chain Fv) or those identified using phage display libraries (see, e.g., McCafferty, et al. (1990) Nature 348:552-554).

For preparation of antibodies, e.g., recombinant, monoclonal, or polyclonal antibodies, many technique known in the art can be used (see, e.g., Kohler and Milstein (1975) Nature 256:495-497; Kozbor, et al. (1983) Immunology Today 4:72; Cole, et al. (1985), pp. 77-96 in Monoclonal Antibodies and Cancer Therapy; Coligan (1991 and supplements) Current Protocols in Immunology; Harlow and Lane (1988) Antibodies, A Laboratory Manual; and Goding (1986) Monoclonal Antibodies: Principles and Practice (2d ed.)). Techniques for the production of single chain antibodies (U.S. Patent 4,946,778) can be adapted to produce antibodies to polypeptides of this invention. Also, transgenic mice, or other organisms such as other mammals, may be used to express humanized antibodies. Alternatively, phage display technology can be used to identify antibodies and heteromeric Fab fragments that specifically bind to selected antigens (see, e.g., McCafferty, et al. (1990) Nature 348:552-554; Marks, et al. (1992) Biotechnology 10:779-783).

A "chimeric antibody" is an antibody molecule in which, e.g, (a) the constant region, or a portion thereof, is altered, replaced, or exchanged so that the antigen binding site (variable region) is linked to a constant region of a different or altered class, effector function, and/or species, or an entirely different molecule which confers new properties to the chimeric antibody, e.g., an enzyme, toxin, hormone, growth factor, drug, etc.; or (b) the

variable region, or a portion thereof, is altered, replaced, or exchanged with a variable region having a different or altered antigen specificity.

Identification of lung cancer-associated sequences

5 In one aspect, the expression levels of genes are determined in different patient samples for which diagnosis information is desired, to provide expression profiles. An expression profile of a particular sample is essentially a “fingerprint” of the state of the sample; while two states may have any particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is
10 characteristic of the state of the cell. That is, normal tissue may be distinguished from cancerous or metastatic cancerous tissue, or metastatic cancerous tissue can be compared with tissue from surviving cancer patients. By comparing expression profiles of tissue in known different lung cancer states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained.
15 Molecular profiling may distinguish subtypes of a currently collective disease designation, e.g., different forms of lung cancer (chronic disease, adenocarcinoma, etc.)

 The identification of sequences that are differentially expressed in lung cancer versus non-lung cancer tissue allows the use of this information in a number of ways. For example, a particular treatment regime may be evaluated: does a chemotherapeutic drug act to down-
20 regulate lung cancer, and thus tumor growth or recurrence, in a particular patient. Alternatively, a treatment step may induce other markers which may be used as targets to destroy tumor cells. Similarly, diagnosis and treatment outcomes may be done or confirmed by comparing patient samples with the known expression profiles. Malignant disease may be compared to non-malignant conditions. Metastatic tissue can also be analyzed to determine
25 the stage of lung cancer in the tissue, or origin of primary tumor, e.g., metastasis from a remote primary site. Furthermore, these gene expression profiles (or individual genes) allow screening of drug candidates with an eye to mimicking or altering a particular expression profile; e.g., screening can be done for drugs that suppress the lung cancer expression profile. This may be done by making biochips comprising sets of the important lung cancer genes,
30 which can then be used in these screens. PCR methods may be applied with selected primer pairs, and analysis may be of RNA or of genomic sequences. These methods can also be done on the protein basis; that is, protein expression levels of the lung cancer proteins can be evaluated for diagnostic purposes or to screen candidate agents. In addition, the lung cancer

nucleic acid sequences can be administered for gene therapy purposes, including the administration of antisense nucleic acids, or the lung cancer proteins (including antibodies and other modulators thereof) administered as therapeutic drugs or as protein or DNA vaccines.

5 Thus the present invention provides nucleic acid and protein sequences that are differentially expressed in lung cancer relative to normal tissues and/or non-malignant lung disease, or in different types of lung disease, herein termed "lung cancer sequences." As outlined below, lung cancer sequences include those that are up-regulated (i.e., expressed at a higher level) in lung cancer, as well as those that are down-regulated (i.e., expressed at a lower level). In a preferred embodiment, the lung cancer sequences are from humans; 10 however, as will be appreciated by those in the art, lung cancer sequences from other organisms may be useful in animal models of disease and drug evaluation; thus, other lung cancer sequences are provided, from vertebrates, including mammals, including rodents (rats, mice, hamsters, guinea pigs, etc.), primates, farm animals (including sheep, goats, pigs, cows, 15 horses, etc.) and pets (dogs, cats, etc.). Lung cancer sequences from other organisms may be obtained using the techniques outlined below.

Lung cancer sequences can include both nucleic acid and amino acid sequences. As will be appreciated by those in the art and is more fully outlined below, lung cancer nucleic acid sequences are useful in a variety of applications, including diagnostic applications, 20 which will detect naturally occurring nucleic acids, as well as screening applications; e.g., biochips comprising nucleic acid probes or PCR microtiter plates with selected probes to the lung cancer sequences can be generated.

A lung cancer sequence can be initially identified by substantial nucleic acid and/or amino acid sequence homology to the lung cancer sequences outlined herein. Such 25 homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, e.g., using homology programs or hybridization conditions.

For identifying lung cancer-associated sequences, the lung cancer screen typically includes comparing genes identified in different tissues, e.g., normal and cancerous tissues, 30 cancer and non-malignant conditions, non-malignant conditions and normal tissues, or tumor tissue samples from patients who have metastatic disease vs. non metastatic tissue. Other suitable tissue comparisons include comparing lung cancer samples with metastatic cancer samples from other cancers, such as, breast, other gastrointestinal cancers, prostate, ovarian,

etc. Samples of, non metastatic disease tissue and tissue undergoing metastasis are applied to biochips comprising nucleic acid probes. The samples are first microdissected, if applicable, and treated as is known in the art for the preparation of mRNA. Suitable biochips are commercially available, e.g., from Affymetrix, Santa Clara, CA. Gene expression profiles as described herein are generated and the data analyzed.

In one embodiment, the genes showing changes in expression as between normal and disease states are compared to genes expressed in other normal tissues, preferably normal lung, but also including, and not limited to colon, heart, brain, liver, breast, kidney, muscle, prostate, small intestine, large intestine, spleen, bone, and/or placenta. In a preferred embodiment, those genes identified during the lung cancer screen that are expressed in significant amounts in other tissues (e.g., essential organs) are removed from the profile, although in some embodiments, this is not necessary (e.g., where organs may be dispensable at a later stage of life). That is, when screening for drugs, it is usually preferable that the target expression be disease specific, to minimize possible side effects on other organs.

In a preferred embodiment, lung cancer sequences are those that are up-regulated in lung cancer; that is, the expression of these genes is higher in cancerous tissue than in normal lung or other tissue. "Up-regulation" as used herein means, when the ratio is presented as a number greater than one, that the ratio is greater than one, preferably 1.5 or greater, more preferably 2.0 or greater. Another embodiment is directed to sequences up-regulated in non-malignant conditions relative to normal. Unigene cluster identification numbers and accession numbers herein are for the GenBank sequence database and the sequences of the accession numbers are hereby expressly incorporated by reference. GenBank is known in the art, see, e.g., Benson, DA, et al (1998) *Nucleic Acids Research* 26:1-7 and <http://www.ncbi.nlm.nih.gov/>. Sequences are also available in other databases, e.g., European Molecular Biology Laboratory (EMBL) and DNA Database of Japan (DDBJ). Another embodiment is directed to sequences up-regulated in non-malignant conditions relative to normal. In some situations, the sequences may be derived from assembly of available sequences or be predicted from genomic DNA using exon prediction algorithms, such as FGENESH (Salamov and Solovyev (2000) *Genome Res.* 10:516-522). In other situations, sequences have been derived from cloning and sequencing of isolated nucleic acids.

In another preferred embodiment, lung cancer sequences are those that are down-regulated in the lung cancer; that is, the expression of these genes is lower in cancerous tissue

or normal lung or other tissue. "Down-regulation" as used herein means, when the ratio is presented as a number greater than one, that the ratio is greater than one, preferably 1.5 or greater, more preferably 2.0 or greater, or, when the ratio is presented as a number less than one, that the ratio is less than one, preferably 0.5 or less, more preferably 0.25 or less.

5

Informatics

The ability to identify genes that are over or under expressed in lung cancer can additionally provide high-resolution, high-sensitivity datasets which can be used in the areas of diagnostics, therapeutics, drug development, pharmacogenetics, protein structure, biosensor development, and other related areas. For example, the expression profiles can be used in diagnostic or prognostic evaluation of patients with lung cancer. Or as another example, subcellular toxicological information can be generated to better direct drug structure and activity correlation (see Anderson (1998) Pharmaceutical Proteomics: Targets, Mechanism, and Function, paper presented at the IBC Proteomics conference, Coronado, CA (June 11-12, 1998)). Subcellular toxicological information can also be utilized in a biological sensor device to predict the likely toxicological effect of chemical exposures and likely tolerable exposure thresholds (see U.S. Patent No. 5,811,231). Similar advantages accrue from datasets relevant to other biomolecules and bioactive agents (e.g., nucleic acids, saccharides, lipids, drugs, and the like).

Thus, in another embodiment, the present invention provides a database that includes at least one set of assay data. The data contained in the database is acquired, e.g., using array analysis either singly or in a library format. The database can be in a form in which data can be maintained and transmitted, but is preferably an electronic database. The electronic database of the invention can be maintained on any electronic device allowing for the storage of and access to the database, such as a personal computer, but is preferably distributed on a wide area network, such as the World Wide Web.

The focus of the present section on databases that include peptide sequence data is for clarity of illustration only. It will be apparent to those of skill in the art that similar databases can be assembled for assay data acquired using an assay of the invention.

The compositions and methods for identifying and/or quantitating the relative and/or absolute abundance of a variety of molecular and macromolecular species from a biological sample representing lung cancer, i.e., the identification of lung cancer-associated sequences described herein, provide an abundance of information, which can be correlated with

pathological conditions, predisposition to disease, drug testing, therapeutic monitoring, gene-disease causal linkages, identification of correlates of immunity and physiological status, among others. Although the data generated from the assays of the invention is suited for manual review and analysis, in a preferred embodiment, data processing using high-speed computers is utilized.

An array of methods for indexing and retrieving biomolecular information is known in the art. For example, U.S. Patents 6,023,659 and 5,966,712 disclose a relational database system for storing biomolecular sequence information in a manner that allows sequences to be catalogued and searched according to one or more protein function hierarchies. U.S. Patent 5,953,727 discloses a relational database having sequence records containing information in a format that allows a collection of partial-length DNA sequences to be catalogued and searched according to association with one or more sequencing projects for obtaining full-length sequences from the collection of partial length sequences. U.S. Patent 5,706,498 discloses a gene database retrieval system for making a retrieval of a gene sequence similar to a sequence data item in a gene database based on the degree of similarity between a key sequence and a target sequence. U.S. Patent 5,538,897 discloses a method using mass spectroscopy fragmentation patterns of peptides to identify amino acid sequences in computer databases by comparison of predicted mass spectra with experimentally-derived mass spectra using a closeness-of-fit measure. U.S. Patent 5,926,818 discloses a multi-dimensional database comprising a functionality for multi-dimensional data analysis described as on-line analytical processing (OLAP), which entails the consolidation of projected and actual data according to more than one consolidation path or dimension. U.S. Patent 5,295,261 reports a hybrid database structure in which the fields of each database record are divided into two classes, navigational and informational data, with navigational fields stored in a hierarchical topological map which can be viewed as a tree structure or as the merger of two or more such tree structures.

See also Mount, et al. (2001) Bioinformatics; Durbin, et al. (eds., 1999) Biological Sequence Analysis: Probabilistic Models of Proteins and Nucleic Acids (; Baxevanis and Ouellette (eds., 1998) Bioinformatics: A Practical Guide to the Analysis of Genes and Proteins); Rashidi and Buehler (1999) Bioinformatics: Basic Applications in Biological Science and Medicine; Setubal, et al. (eds 1997) Introduction to Computational Molecular Biology; Misener and Krawetz (eds, 2000) Bioinformatics: Methods and Protocols; Higgins and Taylor (eds., 2000) Bioinformatics: Sequence, Structure, and Databanks: A Practical

Approach; Brown (2001) Bioinformatics: A Biologist's Guide to Biocomputing and the Internet; Han and Kamber (2000) Data Mining: Concepts and Techniques (2000); and Waterman (1995) Introduction to Computational Biology: Maps, Sequences, and Genomes.

5 The present invention provides a computer database comprising a computer and software for storing in computer-retrievable form assay data records cross-tabulated, e.g., with data specifying the source of the target-containing sample from which each sequence specificity record was obtained.

10 In an exemplary embodiment, at least one of the sources of target-containing sample is from a control tissue sample known to be free of pathological disorders. In a variation, at least one of the sources is a known pathological tissue specimen, e.g., a neoplastic lesion or another tissue specimen to be analyzed for lung cancer. In another variation, the assay records cross-tabulate one or more of the following parameters for each target species in a sample: (1) a unique identification code, which can include, e.g., a target molecular structure and/or characteristic separation coordinate (e.g., electrophoretic coordinates); (2) sample source; and (3) absolute and/or relative quantity of the target species present in the sample.

15 The invention also provides for the storage and retrieval of a collection of target data in a computer data storage apparatus, which can include magnetic disks, optical disks, magneto-optical disks, DRAM, SRAM, SGRAM, SDRAM, RDRAM, DDR RAM, magnetic bubble memory devices, and other data storage devices, including CPU registers and on-CPU data storage arrays. Typically, the target data records are stored as a bit pattern in an array of magnetic domains on a magnetizable medium or as an array of charge states or transistor gate states, such as an array of cells in a DRAM device (e.g., each cell comprised of a transistor and a charge storage area, which may be on the transistor). In one embodiment, the invention provides such storage devices, and computer systems built therewith, comprising a bit pattern encoding a protein expression fingerprint record comprising unique identifiers for at least 10 target data records cross-tabulated with target source.

20 When the target is a peptide or nucleic acid, the invention preferably provides a method for identifying related peptide or nucleic acid sequences, comprising performing a computerized comparison between a peptide or nucleic acid sequence assay record stored in or retrieved from a computer storage device or database and at least one other sequence. The comparison can include a sequence analysis or comparison algorithm or computer program embodiment thereof (e.g., FASTA, TFASTA, GAP, BESTFIT) and/or the comparison may

25

30

be of the relative amount of a peptide or nucleic acid sequence in a pool of sequences determined from a polypeptide or nucleic acid sample of a specimen.

The invention also preferably provides a magnetic disk, such as an IBM-compatible (DOS, Windows, Windows95/98/2000, Windows NT, OS/2) or other format (e.g., Linux, SunOS, Solaris, AIX, SCO Unix, VMS, MV, Macintosh, etc.) floppy diskette or hard (fixed, Winchester) disk drive, comprising a bit pattern encoding data from an assay of the invention in a file format suitable for retrieval and processing in a computerized sequence analysis, comparison, or relative quantitation method.

The invention also provides a network, comprising a plurality of computing devices linked via a data link, such as an Ethernet cable (coax or 10BaseT), telephone line, ISDN line, wireless network, optical fiber, or other suitable signal transmission medium, whereby at least one network device (e.g., computer, disk array, etc.) comprises a pattern of magnetic domains (e.g., magnetic disk) and/or charge domains (e.g., an array of DRAM cells) composing a bit pattern encoding data acquired from an assay of the invention.

The invention also provides a method for transmitting assay data that includes generating an electronic signal on an electronic communications device, such as a modem, ISDN terminal adapter, DSL, cable modem, ATM switch, or the like, wherein the signal includes (in native or encrypted format) a bit pattern encoding data from an assay or a database comprising a plurality of assay results obtained by the method of the invention.

In a preferred embodiment, the invention provides a computer system for comparing a query target to a database containing an array of data structures, such as an assay result obtained by the method of the invention, and ranking database targets based on the degree of identity and gap weight to the target data. A central processor is preferably initialized to load and execute the computer program for alignment and/or comparison of the assay results.

Data for a query target is entered into the central processor via an I/O device. Execution of the computer program results in the central processor retrieving the assay data from the data file, which comprises a binary description of an assay result.

The target data or record and the computer program can be transferred to secondary memory, which is typically random access memory (e.g., DRAM, SRAM, SGRAM, or SDRAM). Targets are ranked according to the degree of correspondence between a selected assay characteristic (e.g., binding to a selected affinity moiety) and the same characteristic of the query target and results are output via an I/O device. For example, a central processor can be a conventional computer (e.g., Intel Pentium, PowerPC, Alpha, PA-8000, SPARC,

MIPS 4400, MIPS 10000, VAX, etc.); a program can be a commercial or public domain molecular biology software package (e.g., UWGCG Sequence Analysis Software, Darwin); a data file can be an optical or magnetic disk, a data server, a memory device (e.g., DRAM, SRAM, SGRAM, SDRAM, EPROM, bubble memory, flash memory, etc.); an I/O device can be a terminal comprising a video display and a keyboard, a modem, an ISDN terminal adapter, an Ethernet port, a punched card reader, a magnetic strip reader, or other suitable I/O device.

The invention also preferably provides the use of a computer system, such as that described above, which comprises: (1) a computer; (2) a stored bit pattern encoding a collection of peptide sequence specificity records obtained by the methods of the invention, which may be stored in the computer; (3) a comparison target, such as a query target; and (4) a program for alignment and comparison, typically with rank-ordering of comparison results on the basis of computed similarity values.

15 **Characteristics of lung cancer-associated proteins**

Lung cancer proteins of the present invention may be classified as secreted proteins, transmembrane proteins or intracellular proteins. In one embodiment, the lung cancer protein is an intracellular protein. Intracellular proteins may be found in the cytoplasm and/or in the nucleus. Intracellular proteins are involved in all aspects of cellular function and replication (including, e.g., signaling pathways); aberrant expression of such proteins often results in unregulated or disregulated cellular processes (see, e.g., Alberts (ed. 1994) Molecular Biology of the Cell (3d ed.)). For example, many intracellular proteins have enzymatic activity such as protein kinase activity, protein phosphatase activity, protease activity, nucleotide cyclase activity, polymerase activity and the like. Intracellular proteins also serve as docking proteins that are involved in organizing complexes of proteins, or targeting proteins to various subcellular localizations, and are involved in maintaining the structural integrity of organelles.

An increasingly appreciated concept in characterizing proteins is the presence in the proteins of one or more structural motifs for which defined functions have been attributed. In addition to the highly conserved sequences found in the enzymatic domain of proteins, highly conserved sequences have been identified in proteins that are involved in protein-protein interaction. For example, Src-homology-2 (SH2) domains bind tyrosine-phosphorylated targets in a sequence dependent manner. PTB domains, which are distinct from SH2

domains, also bind tyrosine phosphorylated targets. SH3 domains bind to proline-rich targets. In addition, PH domains, tetratricopeptide repeats and WD domains to name only a few, have been shown to mediate protein-protein interactions. Some of these may also be involved in binding to phospholipids or other second messengers. As will be appreciated by one of ordinary skill in the art, these motifs can be identified on the basis of amino acid sequence; thus, an analysis of the sequence of proteins may provide insight into both the enzymatic potential of the molecule and/or molecules with which the protein may associate. One useful database is Pfam (protein families), which is a large collection of multiple sequence alignments and hidden Markov models covering many common protein domains. Versions are available via the internet from Washington University in St. Louis, the Sanger Center in England, and the Karolinska Institute in Sweden (see, e.g., Bateman, et al (2000) *Nuc. Acids Res.* 28:263-266; Sonnhammer, et al. (1997) *Proteins* 28:405-420; Bateman, et al. (1999) *Nuc. Acids Res.* 27:260-262; and Sonnhammer, et al. (1998) *Nuc. Acids Res.* 26:320-322).

In another embodiment, the lung cancer sequences are transmembrane proteins. Transmembrane proteins are molecules that span a phospholipid bilayer of a cell. They may have an intracellular domain, an extracellular domain, or both. The intracellular domains of such proteins may have a number of functions including those already described for intracellular proteins. For example, the intracellular domain may have enzymatic activity and/or may serve as a binding site for additional proteins. Frequently the intracellular domain of transmembrane proteins serves both roles. For example certain receptor tyrosine kinases have both protein kinase activity and SH2 domains. In addition, autophosphorylation of tyrosines on the receptor molecule itself, creates binding sites for additional SH2 domain containing proteins.

Transmembrane proteins may contain from one to many transmembrane domains. For example, receptor tyrosine kinases, certain cytokine receptors, receptor guanylyl cyclases and receptor serine/threonine protein kinases contain a single transmembrane domain. However, various other proteins including channels, pumps, and adenylyl cyclases contain numerous transmembrane domains. Many important cell surface receptors such as G protein coupled receptors (GPCRs) are classified as “seven transmembrane domain” proteins, as they contain 7 membrane spanning regions. Characteristics of transmembrane domains include approximately 17 consecutive hydrophobic amino acids that may be followed by charged amino acids. Therefore, upon analysis of the amino acid sequence of a particular protein, the

localization and number of transmembrane domains within the protein may be predicted (see, e.g., PSORT web site <http://psort.nibb.ac.jp/>).

The extracellular domains of transmembrane proteins are diverse; however, conserved motifs are found repeatedly among various extracellular domains. Conserved structure and/or functions have been ascribed to different extracellular motifs. Many extracellular domains are involved in binding to other molecules. In one aspect, extracellular domains are found on receptors. Factors that bind the receptor domain include circulating ligands, which may be peptides, proteins, or small molecules such as adenosine and the like. For example, growth factors such as EGF, FGF, and PDGF are circulating growth factors that bind to their cognate receptors to initiate a variety of cellular responses. Other factors include cytokines, mitogenic factors, hormones, neurotrophic factors and the like. Extracellular domains also bind to cell-associated molecules. In this respect, they may mediate cell-cell interactions. Cell-associated ligands can be tethered to the cell, e.g., via a glycosylphosphatidylinositol (GPI) anchor, or may themselves be transmembrane proteins. Extracellular domains may also associate with the extracellular matrix and contribute to the maintenance of the cell structure.

Lung cancer proteins that are transmembrane are particularly preferred in the present invention as they are readily accessible targets for extracellular immunotherapeutics, as are described herein. In addition, as outlined below, transmembrane proteins can be also useful in imaging modalities. Antibodies may be used to label such readily accessible proteins *in situ* or in histological analysis. Alternatively, antibodies can also label intracellular proteins, in which case analytical samples are typically permeablized to provide access to intracellular proteins. In addition, some membrane proteins can be processed to release a soluble protein, or to expose a residual fragment. Released soluble proteins may be useful diagnostic markers, processed residual protein fragments may be useful lung markers of disease.

It will also be appreciated by those in the art that a transmembrane protein can be made soluble by removing transmembrane sequences, e.g., through recombinant methods. Furthermore, transmembrane proteins that have been made soluble can be made to be secreted through recombinant means by adding an appropriate signal sequence.

In another embodiment, the lung cancer proteins are secreted proteins; the secretion of which can be either constitutive or regulated. These proteins may have a signal peptide or signal sequence that targets the molecule to the secretory pathway. Secreted proteins are involved in numerous physiological events; e.g., if circulating, they often serve to transmit

signals to various other cell types. The secreted protein may function in an autocrine manner (acting on the cell that secreted the factor), a paracrine manner (acting on cells in close proximity to the cell that secreted the factor), an endocrine manner (acting on cells at a distance, e.g., secretion into the blood stream), or exocrine (secretion, e.g., through a duct or to adjacent epithelial surface as sweat glands, sebaceous glands, pancreatic ducts, lacrimal glands, mammary glands, wax producing glands of the ear, etc.). Thus secreted molecules often find use in modulating or altering numerous aspects of physiology. Lung cancer proteins that are secreted proteins are particularly preferred in the present invention as they serve as good targets for diagnostic markers, e.g., for blood, plasma, serum, or stool tests. Those which are enzymes may be antibody or small molecule targets. Others may be useful as vaccine targets, e.g., via CTL mechanisms.

Use of lung cancer nucleic acids

As described above, lung cancer sequence is initially identified by substantial nucleic acid and/or amino acid sequence homology or linkage to the lung cancer sequences outlined herein. Such homology can be based upon the overall nucleic acid or amino acid sequence, and is generally determined as outlined below, using either homology programs or hybridization conditions. Typically, linked sequences on a mRNA are found on the same molecule.

The lung cancer nucleic acid sequences of the invention, e.g., the sequences in Tables 1A-16, can be fragments of larger genes, i.e., they are nucleic acid segments. "Genes" in this context includes coding regions, non-coding regions, and mixtures of coding and non-coding regions. Accordingly, as will be appreciated by those in the art, using the sequences provided herein, extended sequences, in either direction, of the lung cancer genes can be obtained, using techniques well known in the art for cloning either longer sequences or the full length sequences; see Ausubel, et al., *supra*. Much can be done by informatics and many sequences can be clustered to include multiple sequences corresponding to a single gene, e.g., systems such as UniGene (see, <http://www.ncbi.nlm.nih.gov/UniGene/>).

Once a lung cancer nucleic acid is identified, it can be cloned and, if necessary, its constituent parts recombined to form the entire lung cancer nucleic acid coding regions or the entire mRNA sequence. Once isolated from its natural source, e.g., contained within a plasmid or other vector or excised therefrom as a linear nucleic acid segment, the recombinant lung cancer nucleic acid can be further-used as a probe to identify and isolate

other lung cancer nucleic acids, e.g., extended coding regions. It can also be used as a “precursor” nucleic acid to make modified or variant lung cancer nucleic acids and proteins.

The lung cancer nucleic acids of the present invention are used in several ways. In a first embodiment, nucleic acid probes to the lung cancer nucleic acids are made and attached to biochips to be used in screening and diagnostic methods, as outlined below, or for administration, e.g., for gene therapy, RNAi, vaccine, and/or antisense applications. Alternatively, the lung cancer nucleic acids that include coding regions of lung cancer proteins can be put into expression vectors for the expression of lung cancer proteins, again for screening purposes or for administration to a patient.

In a preferred embodiment, nucleic acid probes to lung cancer nucleic acids (both the nucleic acid sequences outlined in the figures and/or the complements thereof) are made. The nucleic acid probes attached to the biochip are designed to be substantially complementary to the lung cancer nucleic acids, i.e., the target sequence (either the target sequence of the sample or to other probe sequences, e.g., in sandwich assays), such that hybridization of the target sequence and the probes of the present invention occurs. As outlined below, this complementarity need not be perfect; there may be any number of base pair mismatches which will interfere with hybridization between the target sequence and the single stranded nucleic acids of the present invention. However, if the number of mutations is so great that no hybridization can occur under even the least stringent of hybridization conditions, the sequence is not a complementary target sequence. Thus, by “substantially complementary” herein is meant that the probes are sufficiently complementary to the target sequences to hybridize under appropriate reaction conditions, particularly high stringency conditions, as outlined herein.

A nucleic acid probe is generally single stranded but can be partially single and partially double stranded. The strandedness of the probe is dictated by the structure, composition, and properties of the target sequence. In general, the nucleic acid probes range from about 8 to about 100 bases long, with from about 10 to about 80 bases being preferred, and from about 30 to about 50 bases being particularly preferred. That is, generally complements of ORFs or whole genes are not used. In some embodiments, nucleic acids of lengths up to hundreds of bases can be used.

In a preferred embodiment, more than one probe per sequence is used, with either overlapping probes or probes to different sections of the target being used. That is, two, three, four or more probes, with three being preferred, are used to build in a redundancy for a

particular target. The probes can be overlapping (i.e., have some sequence in common), or separate. In some cases, PCR primers may be used to amplify signal for higher sensitivity.

As will be appreciated by those in the art, nucleic acids can be attached or immobilized to a solid support in a wide variety of ways. By "immobilized" and grammatical equivalents herein is meant the association or binding between the nucleic acid probe and the solid support is sufficient to be stable under the conditions of binding, washing, analysis, and removal as outlined below. The binding can typically be covalent or non-covalent. By "non-covalent binding" and grammatical equivalents herein is typically meant one or more of electrostatic, hydrophilic, and hydrophobic interactions. Included in non-covalent binding is the covalent attachment of a molecule, such as, streptavidin to the support and the non-covalent binding of the biotinylated probe to the streptavidin. By "covalent binding" and grammatical equivalents herein is meant that the two moieties, the solid support and the probe, are attached by at least one bond, including sigma bonds, pi bonds and coordination bonds. Covalent bonds can be formed directly between the probe and the solid support or can be formed by a cross linker or by inclusion of a specific reactive group on either the solid support or the probe or both molecules. Immobilization may also involve a combination of covalent and non-covalent interactions.

In general, the probes are attached to a biochip in a wide variety of ways, as will be appreciated by those in the art. As described herein, the nucleic acids can either be synthesized first, with subsequent attachment to the biochip, or can be directly synthesized on the biochip.

The biochip comprises a suitable solid substrate. By "substrate" or "solid support" or other grammatical equivalents herein is meant a material that can be modified for the attachment or association of the nucleic acid probes and is amenable to at least one detection method. Often the substrate may contain discrete individual sites appropriate for individual partitioning and identification. As will be appreciated by those in the art, the number of possible substrates are very large, and include, but are not limited to, glass and modified or functionalized glass, plastics (including acrylics, polystyrene and copolymers of styrene and other materials, polypropylene, polyethylene, polybutylene, polyurethanes, Teflon, etc.), polysaccharides, nylon or nitrocellulose, resins, silica or silica-based materials including silicon and modified silicon, carbon, metals, inorganic glasses, plastics, etc. In general, the substrates allow optical detection and do not appreciably fluoresce. A preferred substrate is described in US application entitled Reusable Low Fluorescent Plastic Biochip, U.S.

Application Serial No. 09/270,214, filed March 15, 1999, herein incorporated by reference in its entirety.

5 Generally the substrate is planar, although as will be appreciated by those in the art, other configurations of substrates may be used as well. For example, the probes may be placed on the inside surface of a tube, for flow-through sample analysis to minimize sample volume. Similarly, the substrate may be flexible, such as a flexible foam, including closed cell foams made of particular plastics.

10 In a preferred embodiment, the surface of the biochip and the probe may be derivatized with chemical functional groups for subsequent attachment of the two. Thus, e.g., the biochip is derivatized with a chemical functional group including, but not limited to, amino groups, carboxy groups, oxo groups and thiol groups, with amino groups being particularly preferred. Using these functional groups, the probes can be attached using functional groups on the probes. For example, nucleic acids containing amino groups can be attached to surfaces comprising amino groups, e.g., using linkers as are known in the art; e.g.,
15 homo-or hetero-bifunctional linkers as are well known (see 1994 Pierce Chemical Company catalog, technical section on cross-linkers, pages 155-200). In addition, in some cases, additional linkers, such as alkyl groups (including substituted and heteroalkyl groups) may be used.

20 In this embodiment, oligonucleotides are synthesized, and then attached to the surface of the solid support. Either the 5' or 3' terminus may be attached to the solid support, or attachment may be via linkage to an internal nucleoside.

In another embodiment, the immobilization to the solid support may be very strong, yet non-covalent. For example, biotinylated oligonucleotides can be made, which bind to surfaces covalently coated with streptavidin, resulting in attachment.

25 Alternatively, the oligonucleotides may be synthesized on the surface, as is known in the art. For example, photoactivation techniques utilizing photopolymerization compounds and techniques are used. In a preferred embodiment, the nucleic acids can be synthesized *in situ*, using known photolithographic techniques, such as those described in WO 95/25116; WO 95/35505; U.S. Patent Nos. 5,700,637 and 5,445,934; and references cited within, all of
30 which are expressly incorporated by reference; these methods of attachment form the basis of the Affymetrix GeneChip™ technology.

Often, amplification-based assays are performed to measure the expression level of lung cancer-associated sequences. These assays are typically performed in conjunction with

reverse transcription. In such assays, a lung cancer-associated nucleic acid sequence acts as a template in an amplification reaction (e.g., Polymerase Chain Reaction, or PCR). In a quantitative amplification, the amount of amplification product will be proportional to the amount of template in the original sample. Comparison to appropriate controls provides a measure of the amount of lung cancer-associated RNA. Methods of quantitative amplification are well known to those of skill in the art. Detailed protocols for quantitative PCR are provided, e.g., in Innis, et al. (1990) PCR Protocols, A Guide to Methods and Applications.

In some embodiments, a TaqMan based assay is used to measure expression.

10 TaqMan based assays use a fluorogenic oligonucleotide probe that contains a 5' fluorescent dye and a 3' quenching agent. The probe hybridizes to a PCR product, but cannot itself be extended due to a blocking agent at the 3' end. When the PCR product is amplified in subsequent cycles, the 5' nuclease activity of the polymerase, e.g., AmpliTaq, results in the cleavage of the TaqMan probe. This cleavage separates the 5' fluorescent dye and the 3' quenching agent, thereby resulting in an increase in fluorescence as a function of amplification (see, e.g., literature provided by Perkin-Elmer, e.g., www2.perkin-elmer.com).

15 Other suitable amplification methods include, but are not limited to, ligase chain reaction (LCR) (see Wu and Wallace (1989) Genomics 4:560, Landegren, et al. (1988) Science 241:1077, and Barringer, et al. (1990) Gene 89:117), transcription amplification (Kwoh, et al. (1989) Proc. Natl. Acad. Sci. USA 86:1173), self-sustained sequence replication (Guatelli, et al. (1990) Proc. Nat. Acad. Sci. USA 87:1874), dot PCR, and linker adapter PCR, etc.

Expression of lung cancer proteins from nucleic acids

25 In a preferred embodiment, lung cancer nucleic acids, e.g., encoding lung cancer proteins, are used to make a variety of expression vectors to express lung cancer proteins which can then be used in screening assays, as described below. Expression vectors and recombinant DNA technology are well known to those of skill in the art (see, e.g., Ausubel, *supra*, and Fernandez and Hoeffler (eds 1999) Gene Expression Systems) and are used to express proteins. The expression vectors may be either self-replicating extrachromosomal vectors or vectors which integrate into a host genome. Generally, these expression vectors include transcriptional and translational regulatory nucleic acid operably linked to the nucleic acid encoding the lung cancer protein. The term "control sequences" refers to DNA

30

sequences used for the expression of an operably linked coding sequence in a particular host organism. Control sequences that are suitable for prokaryotes, e.g., include a promoter, optionally an operator sequence, and a ribosome binding site. Eukaryotic cells are known to utilize promoters, polyadenylation signals, and enhancers.

5 Nucleic acid is "operably linked" when it is placed into a functional relationship with another nucleic acid sequence. For example, DNA for a presequence or secretory leader is operably linked to DNA for a polypeptide if it is expressed as a preprotein that participates in the secretion of the polypeptide; a promoter or enhancer is operably linked to a coding sequence if it affects the transcription of the sequence; or a ribosome binding site is operably
10 linked to a coding sequence if it is positioned so as to facilitate translation. Generally, "operably linked" means that the DNA sequences being linked are contiguous, and, in the case of a secretory leader, contiguous and in reading phase. However, enhancers do not have to be contiguous. Linking is typically accomplished by ligation at convenient restriction sites. If such sites do not exist, synthetic oligonucleotide adaptors or linkers are used in
15 accordance with conventional practice. Transcriptional and translational regulatory nucleic acid will generally be appropriate to the host cell used to express the lung cancer protein. Numerous types of appropriate expression vectors, and suitable regulatory sequences are known in the art for a variety of host cells.

In general, transcriptional and translational regulatory sequences may include, but are
20 not limited to, promoter sequences, ribosomal binding sites, transcriptional start and stop sequences, translational start and stop sequences, and enhancer or activator sequences. In a preferred embodiment, the regulatory sequences include a promoter and transcriptional start and stop sequences.

Promoter sequences may be either constitutive or inducible promoters. The promoters
25 may be either naturally occurring promoters or hybrid promoters. Hybrid promoters, which combine elements of more than one promoter, are also known in the art, and are useful in the present invention.

In addition, an expression vector may comprise additional elements. For example, the
30 expression vector may have two replication systems, thus allowing it to be maintained in two organisms, e.g., in mammalian or insect cells for expression and in a prokaryotic host for cloning and amplification. Furthermore, for integrating expression vectors, the expression vector often contains at least one sequence homologous to the host cell genome, and preferably two homologous sequences which flank the expression construct. The integrating

vector may be directed to a specific locus in the host cell by selecting the appropriate homologous sequence for inclusion in the vector. Constructs for integrating vectors are well known in the art (e.g., Fernandez and Hoeffler, *supra*).

5 In addition, in a preferred embodiment, the expression vector contains a selectable marker gene to allow the selection of transformed host cells. Selection genes are well known in the art and will vary with the host cell used.

The lung cancer proteins of the present invention are usually produced by culturing a host cell transformed with an expression vector containing nucleic acid encoding a lung cancer protein, under the appropriate conditions to induce or cause expression of the lung cancer protein. Conditions appropriate for lung cancer protein expression will vary with the
10 choice of the expression vector and the host cell, and will be easily ascertained by one skilled in the art through routine experimentation or optimization. For example, the use of constitutive promoters in the expression vector will require optimizing the growth and proliferation of the host cell, while the use of an inducible promoter requires the appropriate
15 growth conditions for induction. In addition, in some embodiments, the timing of the harvest is important. For example, the baculoviral systems used in insect cell expression are lytic viruses, and thus harvest time selection can be crucial for product yield.

Appropriate host cells include yeast, bacteria, archaeobacteria, fungi, and insect and animal cells, including mammalian cells. Of particular interest are *Saccharomyces cerevisiae*
20 and other yeasts, *E. coli*, *Bacillus subtilis*, Sf9 cells, C129 cells, 293 cells, *Neurospora*, BHK, CHO, COS, HeLa cells, HUVEC (human umbilical vein endothelial cells), THP1 cells (a macrophage cell line) and various other human cells and cell lines.

In a preferred embodiment, the lung cancer proteins are expressed in mammalian cells. Mammalian expression systems are also known in the art, and include retroviral and
25 adenoviral systems. Of particular use as mammalian promoters are the promoters from mammalian viral genes, since the viral genes are often highly expressed and have a broad host range. Examples include the SV40 early promoter, mouse mammary tumor virus LTR promoter, adenovirus major late promoter, herpes simplex virus promoter, and the CMV promoter (see, e.g., Fernandez and Hoeffler, *supra*). Typically, transcription termination and
30 polyadenylation sequences recognized by mammalian cells are regulatory regions located 3' to the translation stop codon and thus, together with the promoter elements, flank the coding sequence. Examples of transcription terminator and polyadenylation signals include those derived from SV40.

The methods of introducing exogenous nucleic acid into mammalian hosts, as well as other hosts, is well known in the art, and will vary with the host cell used. Techniques include dextran-mediated transfection, calcium phosphate precipitation, polybrene mediated transfection, protoplast fusion, electroporation, viral infection, encapsulation of the polynucleotide(s) in liposomes, and direct microinjection of the DNA into nuclei.

In a preferred embodiment, lung cancer proteins are expressed in bacterial systems. Promoters from bacteriophage may also be used and are known in the art. In addition, synthetic promoters and hybrid promoters are also useful; e.g., the tac promoter is a hybrid of the trp and lac promoter sequences. Furthermore, a bacterial promoter can include naturally occurring promoters of non-bacterial origin that have the ability to bind bacterial RNA polymerase and initiate transcription. In addition to a functioning promoter sequence, an efficient ribosome binding site is desirable. The expression vector may also include a signal peptide sequence that provides for secretion of the lung cancer protein in bacteria. The protein is either secreted into the growth media (gram-positive bacteria) or into the periplasmic space, located between the inner and outer membrane of the cell (gram-negative bacteria). The bacterial expression vector may also include a selectable marker gene to allow for the selection of bacterial strains that have been transformed. Suitable selection genes include genes which render the bacteria resistant to drugs such as ampicillin, chloramphenicol, erythromycin, kanamycin, neomycin and tetracycline. Selectable markers also include biosynthetic genes, such as those in the histidine, tryptophan and leucine biosynthetic pathways. These components are assembled into expression vectors. Expression vectors for bacteria are well known in the art, and include vectors for *Bacillus subtilis*, *E. coli*, *Streptococcus cremoris*, and *Streptococcus lividans*, among others (e.g., Fernandez and Hoeffler, *supra*). The bacterial expression vectors are transformed into bacterial host cells using techniques well known in the art, such as calcium chloride treatment, electroporation, and others.

In one embodiment, lung cancer proteins are produced in insect cells. Expression vectors for the transformation of insect cells, and in particular, baculovirus-based expression vectors, are well known in the art.

In a preferred embodiment, lung cancer protein is produced in yeast cells. Yeast expression systems are well known in the art, and include expression vectors for *Saccharomyces cerevisiae*, *Candida albicans* and *C. maltosa*, *Hansenula polymorpha*,

Kluyveromyces fragilis and *K. lactis*, *Pichia guillermondii*, and *P. pastoris*, *Schizosaccharomyces pombe*, and *Yarrowia lipolytica*.

The lung cancer protein may also be made as a fusion protein, using techniques well known in the art. Thus, e.g., for the creation of monoclonal antibodies, if the desired epitope is small, the lung cancer protein may be fused to a carrier protein to form an immunogen. Alternatively, the lung cancer protein may be made as a fusion protein to increase expression for affinity purification purposes, or for other reasons. For example, when the lung cancer protein is a lung cancer peptide, the nucleic acid encoding the peptide may be linked to other nucleic acid for expression purposes.

In a preferred embodiment, the lung cancer protein is purified or isolated after expression. Lung cancer proteins may be isolated or purified in a variety of appropriate ways. Standard purification methods include electrophoretic, molecular, immunological and chromatographic techniques, including ion exchange, hydrophobic, affinity, and reverse-phase HPLC chromatography, and chromatofocusing. For example, the lung cancer protein may be purified using a standard anti-lung cancer protein antibody column. Ultrafiltration and diafiltration techniques, in conjunction with protein concentration, are also useful. For general guidance in suitable purification techniques, see Scopes (1982) Protein Purification. The degree of purification necessary will vary depending on the use of the lung cancer protein. In some instances no purification will be necessary.

Once expressed and purified if necessary, the lung cancer proteins and nucleic acids are useful in a number of applications. They may be used as immunoselection reagents, as vaccine reagents, as screening agents, therapeutic entities, for production of antibodies, as transcription or translation inhibitors, etc.

Variants of lung cancer proteins

In one embodiment, the lung cancer proteins are derivative or variant lung cancer proteins as compared to the wild-type sequence. That is, as outlined more fully below, the derivative lung cancer peptide will often contain at least one amino acid substitution, deletion or insertion, with amino acid substitutions being particularly preferred. The amino acid substitution, insertion or deletion may occur at a particular residue within the lung cancer peptide.

Also included within one embodiment of lung cancer proteins of the present invention are amino acid sequence variants. These variants typically fall into one or more of three

classes: substitutional, insertional or deletional variants. These variants ordinarily are prepared by site specific mutagenesis of nucleotides in the DNA encoding the lung cancer protein, using cassette or PCR mutagenesis or other techniques, to produce DNA encoding the variant, and thereafter expressing the DNA in recombinant cell culture as outlined above.

5 However, variant lung cancer protein fragments having up to about 100-150 residues may be prepared by *in vitro* synthesis. Amino acid sequence variants are characterized by the predetermined nature of the variation, a feature that sets them apart from naturally occurring allelic or interspecies variation of the lung cancer protein amino acid sequence. The variants typically exhibit a similar qualitative biological activity as the naturally occurring analogue,
10 although variants can also be selected which have modified characteristics as will be more fully outlined below.

While the site or region for introducing an amino acid sequence variation is often predetermined, the mutation per se need not be predetermined. For example, in order to optimize the performance of a mutation at a given site, random mutagenesis may be
15 conducted at the target codon or region and the expressed lung cancer variants screened for the optimal combination of desired activity. Techniques exist for making substitution mutations at predetermined sites in DNA having a known sequence, e.g., M13 primer mutagenesis and PCR mutagenesis. Screening of mutants is often done using assays of lung cancer protein activities.

20 Amino acid substitutions are typically of single residues; insertions usually will be on the order of from about 1 to 20 amino acids, although considerably larger insertions may be occasionally tolerated. Deletions generally range from about 1 to about 20 residues, although in some cases deletions may be much larger.

Substitutions, deletions, insertions or any combination thereof may be used to arrive
25 at a final derivative. Generally these changes are done on a few amino acids to minimize the alteration of the molecule. Larger changes may be tolerated in certain circumstances. When small alterations in the characteristics of a lung cancer protein are desired, substitutions are generally made in accordance with the amino acid substitution chart provided in the definition section.

30 Variants typically exhibit essentially the same qualitative biological activity and will elicit the same immune response as a naturally-occurring analog, although variants also are selected to modify the characteristics of lung cancer proteins as needed. Alternatively, the

variant may be designed or reorganized such that a biological activity of the lung cancer protein is altered. For example, glycosylation sites may be added, altered, or removed.

Covalent modifications of lung cancer polypeptides are included within the scope of this invention. One type of covalent modification includes reacting targeted amino acid residues of a lung cancer polypeptide with an organic derivatizing agent that is capable of reacting with selected side chains or the N-or C-terminal residues of a lung cancer polypeptide. Derivatization with bifunctional agents is useful, for instance, for crosslinking lung cancer polypeptides to a water-insoluble support matrix or surface for use in a method for purifying anti-lung cancer polypeptide antibodies or screening assays, as is more fully described below. Commonly used crosslinking agents include, e.g., 1,1-bis(diazoacetyl)-2-phenylethane, glutaraldehyde, N-hydroxysuccinimide esters, e.g., esters with 4-azidosalicylic acid, homobifunctional imidoesters, including disuccinimidyl esters such as 3,3'-dithiobis(succinimidylpropionate), bifunctional maleimides such as bis-N-maleimido-1,8-octane and agents such as methyl-3-((p-azidophenyl)dithio)propioimide.

Other modifications include deamidation of glutamyl and asparaginy residues to the corresponding glutamyl and aspartyl residues, respectively, hydroxylation of proline and lysine, phosphorylation of hydroxyl groups of serinyl, threonyl or tyrosyl residues, methylation of the γ -amino groups of lysine, arginine, and histidine side chains (Creighton (1983) Proteins: Structure and Molecular Properties, pp. 79-86), acetylation of the N-terminal amine, and amidation of any C-terminal carboxyl group.

Another type of covalent modification of the lung cancer polypeptide encompassed by this invention is an altered native glycosylation pattern of the polypeptide. "Altering the native glycosylation pattern" is intended herein to mean adding to or deleting one or more carbohydrate moieties of a native sequence lung cancer polypeptide. Glycosylation patterns can be altered in many ways. For example the use of different cell types to express lung cancer-associated sequences can result in different glycosylation patterns.

Addition of glycosylation sites to lung cancer polypeptides may also be accomplished by altering the amino acid sequence thereof. The alteration may be made, e.g., by the addition of, or substitution by, one or more serine or threonine residues to the native sequence lung cancer polypeptide (for O-linked glycosylation sites). The lung cancer amino acid sequence may optionally be altered through changes at the DNA level, particularly by mutating the DNA encoding the lung cancer polypeptide at preselected bases such that codons are generated that will translate into the desired amino acids.

Another means of increasing the number of carbohydrate moieties on the lung cancer polypeptide is by chemical or enzymatic coupling of glycosides to the polypeptide. Such methods are described in the art, e.g., in WO 87/05330, and in Aplin and Wriston (1981) CRC Crit. Rev. Biochem., pp. 259-306.

5 Removal of carbohydrate moieties present on the lung cancer polypeptide may be accomplished chemically or enzymatically or by mutational substitution of codons encoding for amino acid residues that serve as targets for glycosylation. Chemical deglycosylation techniques are known in the art and described, for instance, by Hakimuddin, et al. (1987) Arch. Biochem. Biophys., 259:52 and by Edge, et al. (1981) Anal. Biochem., 118:131.

10 Enzymatic cleavage of carbohydrate moieties on polypeptides can be achieved by the use of a variety of endo-and exo-glycosidases as described by Thotakura, et al. (1987) Meth. Enzymol., 138:350.

Another type of covalent modification of lung cancer comprises linking the lung cancer polypeptide to one of a variety of nonproteinaceous polymers, e.g., polyethylene glycol, polypropylene glycol, or polyoxyalkylenes, in the manner set forth in U.S. Patent
15 Nos. 4,640,835; 4,496,689; 4,301,144; 4,670,417; 4,791,192, or 4,179,337.

Lung cancer polypeptides of the present invention may also be modified in a way to form chimeric molecules comprising a lung cancer polypeptide fused to another, heterologous polypeptide or amino acid sequence. In one embodiment, such a chimeric
20 molecule comprises a fusion of a lung cancer polypeptide with a tag polypeptide which provides an epitope to which an anti-tag antibody can selectively bind. The epitope tag is generally placed at the amino-or carboxyl-terminus of the lung cancer polypeptide. The presence of such epitope-tagged forms of a lung cancer polypeptide can be detected using an antibody against the tag polypeptide. Also, provision of the epitope tag enables the lung
25 cancer polypeptide to be readily purified by affinity purification using an anti-tag antibody or another type of affinity matrix that binds to the epitope tag. In an alternative embodiment, the chimeric molecule may comprise a fusion of a lung cancer polypeptide with an immunoglobulin or a particular region of an immunoglobulin. For a bivalent form of the chimeric molecule, such a fusion could be to the Fc region of an IgG molecule.

30 Various tag polypeptides and their respective antibodies are well known and examples include poly-histidine (poly-his) or poly-histidine-glycine (poly-his-gly) tags; HIS6 and metal chelation tags, the flu HA tag polypeptide and its antibody 12CA5 (Field, et al. (1988) Mol. Cell. Biol. 8:2159-2165); the c-myc tag and the 8F9, 3C7, 6E10, G4, B7 and 9E10 antibodies

thereto (Evan, et al. (1985) Molecular and Cellular Biology 5:3610-3616); and the Herpes Simplex virus glycoprotein D (gD) tag and its antibody (Paborsky, et al. (1990) Protein Engineering 3(6):547-553). Other tag polypeptides include the Flag-peptide (Hopp, et al. (1988) BioTechnology 6:1204-1210); the KT3 epitope peptide (Martin, et al. (1992) Science 255:192-194); tubulin epitope peptide (Skinner, et al. (1991) J. Biol. Chem. 266:15163-15166); and the T7 gene 10 protein peptide tag (Lutz-Freyermuth, et al. (1990) Proc. Nat'l Acad. Sci. USA 87:6393-6397).

Also included are other lung cancer proteins of the lung cancer family, and lung cancer proteins from other organisms, which are cloned and expressed as outlined below.

Thus, probe or degenerate polymerase chain reaction (PCR) primer sequences may be used to find other related lung cancer proteins from primates or other organisms. As will be appreciated by those in the art, particularly useful probe and/or PCR primer sequences include unique areas of the lung cancer nucleic acid sequence. As is generally known in the art, preferred PCR primers are from about 15 to about 35 nucleotides in length, with from about 20 to about 30 being preferred, and may contain inosine as needed. PCR reaction conditions are well known in the art (e.g., Innis, PCR Protocols, *supra*).

Antibodies to lung cancer proteins

In a preferred embodiment, when a lung cancer protein is to be used to generate antibodies, e.g., for immunotherapy or immunodiagnosis, the lung cancer protein should share at least one epitope or determinant with the full length protein. By "epitope" or "determinant" herein is typically meant a portion of a protein which will generate and/or bind an antibody or T-cell receptor in the context of MHC. Thus, in most instances, antibodies made to a smaller lung cancer protein will be able to bind to the full-length protein, particularly linear epitopes. In a preferred embodiment, the epitope is unique; that is, antibodies generated to a unique epitope show little or no cross-reactivity.

Methods of preparing polyclonal antibodies are well known (e.g., Coligan, *supra*; and Harlow and Lane, *supra*). Polyclonal antibodies can be raised in a mammal, e.g., by one or more injections of an immunizing agent and, if desired, an adjuvant. Typically, the immunizing agent and/or adjuvant will be injected in the mammal by multiple subcutaneous or intraperitoneal injections. The immunizing agent may include a protein encoded by a nucleic acid of Tables 1A-16 or fragment thereof or a fusion protein thereof. It may be useful to conjugate the immunizing agent to a protein known to be immunogenic in the mammal

being immunized. Immunogenic proteins include, e.g., keyhole limpet hemocyanin, serum albumin, bovine thyroglobulin, and soybean trypsin inhibitor. Adjuvants include, e.g., Freund's complete adjuvant and MPL-TDM adjuvant (monophosphoryl Lipid A, synthetic trehalose dicorynomycolate). The immunization protocol may be selected by one skilled in the art.

The antibodies may, alternatively, be monoclonal antibodies. Monoclonal antibodies may be prepared using hybridoma methods, such as those described by Kohler and Milstein (1975) Nature 256:495. In a hybridoma method, a mouse, hamster, or other appropriate host animal, is typically immunized with an immunizing agent to elicit lymphocytes that produce or are capable of producing antibodies that will specifically bind to the immunizing agent. Alternatively, the lymphocytes may be immunized *in vitro*. The immunizing agent will typically include a polypeptide encoded by a nucleic acid of the tables, or fragment thereof, or a fusion protein thereof. Generally, either peripheral blood lymphocytes ("PBLs") are used if cells of human origin are desired, or spleen cells or lymph node cells are used if non-human mammalian sources are desired. The lymphocytes are then fused with an immortalized cell line using a suitable fusing agent, such as polyethylene glycol, to form a hybridoma cell (Goding (1986) Monoclonal Antibodies: Principles and Practice, pp. 59-103). Immortalized cell lines are usually transformed mammalian cells, particularly myeloma cells of rodent, bovin, or primate origin. Usually, rat or mouse myeloma cell lines are employed. The hybridoma cells may be cultured in a suitable culture medium that preferably contains one or more substances that inhibit the growth or survival of the unfused, immortalized cells. For example, if the parental cells lack the enzyme hypoxanthine guanine phosphoribosyl transferase (HGPRT or HPRT), the culture medium for the hybridomas typically will include hypoxanthine, aminopterin, and thymidine ("HAT medium"), which substances prevent the growth of HGPRT-deficient cells.

In one embodiment, the antibodies are bispecific antibodies. Bispecific antibodies are typically monoclonal, preferably human or humanized, antibodies that have binding specificities for at least two different antigens or that have binding specificities for two epitopes on the same antigen. In one embodiment, one of the binding specificities is for a protein encoded by a nucleic acid of the tables or a fragment thereof, the other one is for any other antigen, and preferably for a cell-surface protein or receptor or receptor subunit, preferably one that is tumor specific. Alternatively, tetramer-type technology may create multivalent reagents.

In a preferred embodiment, the antibodies to lung cancer protein are capable of reducing or eliminating a biological function of a lung cancer protein, in a naked form or conjugated to an effector moiety. That is, the addition of anti-lung cancer protein antibodies (either polyclonal or preferably monoclonal) to lung cancer tissue (or cells containing lung cancer) may reduce or eliminate the lung cancer. Generally, at least a 25% decrease in activity, growth, size or the like is preferred, with at least about 50% being particularly preferred and about a 95-100% decrease being especially preferred.

In a preferred embodiment the antibodies to the lung cancer proteins are humanized antibodies (e.g., Xenerex Biosciences, Medarex, Inc., Abgenix, Inc., Protein Design Labs, Inc.) Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab')₂ or other antigen-binding subsequences of antibodies) which contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues from a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework residues of a human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, a humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to those of a non-human immunoglobulin and all or substantially all of the framework (FR) regions are those of a human immunoglobulin consensus sequence. A humanized antibody optimally also will typically comprise at least a portion of an immunoglobulin constant region (Fc), typically that of a human immunoglobulin (Jones, et al. (1986) Nature 321:522-525; Riechmann, et al. (1988) Nature 332:323-329; and Presta (1992) Curr. Op. Struct. Biol. 2:593-596). Humanization can be performed following the method of Winter and co-workers (Jones, et al. (1986) Nature 321:522-525; Riechmann, et al. (1988) Nature 332:323-327; Verhoeven, et al. (1988) Science 239:1534-1536), by substituting rodent CDRs or CDR sequences for corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Patent No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by corresponding sequence from a non-human species.

Human-like antibodies can also be produced using various techniques known in the art, including phage display libraries (Hoogenboom and Winter (1991) J. Mol. Biol. 227:381; Marks, et al. (1991) J. Mol. Biol. 222:581). The techniques of Cole, et al. and Boerner, et al. are also available for the preparation of human monoclonal antibodies (Cole, et al. (1985) Monoclonal Antibodies and Cancer Therapy, p. 77 and Boerner, et al. (1991) J. Immunol. 147(1):86-95). Similarly, human antibodies can be made by introducing human immunoglobulin loci into transgenic animals, e.g., mice in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in nearly all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, e.g., in U.S. Patent Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following scientific publications: Marks, et al. (1992) Bio/Technology 10:779-783; Lonberg, et al. (1994) Nature 368:856-859; Morrison (1994) Nature 368:812-13; Fishwild, et al. (1996) Nature Biotechnology 14:845-51; Neuberger (1996) Nature Biotechnology 14:826; and Lonberg and Huszar (1995) Intern. Rev. Immunol. 13:65-93.

By immunotherapy is meant treatment of lung cancer with an antibody raised against a lung cancer proteins. As used herein, immunotherapy can be passive or active. Passive immunotherapy as defined herein is the passive transfer of antibody to a recipient (patient). Active immunization is the induction of antibody and/or T-cell responses in a recipient (patient). Induction of an immune response is the result of providing the recipient with an antigen to which antibodies are raised. The antigen may be provided by injecting a polypeptide against which antibodies are desired to be raised into a recipient, or contacting the recipient with a nucleic acid capable of expressing the antigen and under conditions for expression of the antigen, leading to an immune response.

In a preferred embodiment the lung cancer proteins against which antibodies are raised are secreted proteins as described above. Without being bound by theory, antibodies used for treatment, may bind and prevent the secreted protein from binding to its receptor, thereby inactivating the secreted lung cancer protein.

In another preferred embodiment, the lung cancer protein to which antibodies are raised is a transmembrane protein. Without being bound by theory, antibodies used for treatment may bind the extracellular domain of the lung cancer protein and prevent it from binding to other proteins, such as circulating ligands or cell-associated molecules. The

antibody may cause down-regulation of the transmembrane lung cancer protein. The antibody may be a competitive, non-competitive or uncompetitive inhibitor of protein binding to the extracellular domain of the lung cancer protein. The antibody may be an antagonist of the lung cancer protein or may prevent activation of a transmembrane lung cancer protein, or may induce or suppress a particular cellular pathway. In some embodiments, when the antibody prevents the binding of other molecules to the lung cancer protein, the antibody prevents growth of the cell. The antibody may also be used to target or sensitize the cell to cytotoxic agents, including, but not limited to TNF- α , TNF- β , IL-1, INF- γ , and IL-2, or chemotherapeutic agents including 5FU, vinblastine, actinomycin D, cisplatin, methotrexate, and the like. In some instances the antibody may belong to a sub-type that activates serum complement when complexed with the transmembrane protein thereby mediating cytotoxicity or antigen-dependent cytotoxicity (ADCC). Thus, lung cancer may be treated by administering to a patient antibodies directed against the transmembrane lung cancer protein. Antibody-labeling may activate a co-toxin, localize a toxin payload, or otherwise provide means to locally ablate cells.

In another preferred embodiment, the antibody is conjugated to an effector moiety. The effector moiety can be various molecules, including labeling moieties such as radioactive labels or fluorescent labels, or can be a therapeutic moiety. In one aspect the therapeutic moiety is a small molecule that modulates the activity of a lung cancer protein. In another aspect the therapeutic moiety may modulate an activity of molecules associated with or in close proximity to a lung cancer protein. The therapeutic moiety may inhibit enzymatic or signaling activity such as protease or collagenase activity associated with lung cancer.

In a preferred embodiment, the therapeutic moiety can also be a cytotoxic agent. In this method, targeting the cytotoxic agent to lung cancer tissue or cells results in a reduction in the number of afflicted cells, thereby reducing symptoms associated with lung cancer. Cytotoxic agents are numerous and varied and include, but are not limited to, cytotoxic drugs or toxins or active fragments of such toxins. Suitable toxins and their corresponding fragments include diphtheria A chain, exotoxin A chain, ricin A chain, abrin A chain, curcin, croton, phenomycin, enomycin, saporin, auristatin, and the like. Cytotoxic agents also include radiochemicals made by conjugating radioisotopes to antibodies raised against lung cancer proteins, or binding of a radionuclide to a chelating agent that has been covalently attached to the antibody. Targeting the therapeutic moiety to transmembrane lung cancer proteins not only serves to increase the local concentration of therapeutic moiety in the lung cancer

afflicted area, but also serves to reduce deleterious side effects that may be associated with the untargeted therapeutic moiety.

In another preferred embodiment, the lung cancer protein against which the antibodies are raised is an intracellular protein. In this case, the antibody may be conjugated to a protein or other entity which facilitates entry into the cell. In one case, the antibody enters the cell by endocytosis. In another embodiment, a nucleic acid encoding the antibody is administered to the individual or cell. Moreover, wherein the lung cancer protein can be targeted within a cell, i.e., the nucleus, an antibody theretomay contain a signal for that target localization, i.e., a nuclear localization signal.

The lung cancer antibodies of the invention specifically bind to lung cancer proteins. By "specifically bind" herein is meant that the antibodies bind to the protein with a K_d of at least about 0.1 mM, more usually at least about 1 μ M, preferably at least about 0.1 μ M or better, and most preferably, 0.01 μ M or better. Selectivity of binding to the specific target and not to related other sequences is also important.

Detection of lung cancer sequence for diagnostic and therapeutic applications

In one aspect, the RNA expression levels of genes are determined for different cellular states in the lung cancer phenotype. Expression levels of genes in normal tissue (e.g., not undergoing lung cancer), in lung cancer tissue (and in some cases, for varying severities of lung cancer that relate to prognosis, as outlined below), or in non-malignant disease are evaluated to provide expression profiles. A gene expression profile of a particular cell state or point of development is essentially a "fingerprint" of the state of the cell. While two states may have a particular gene similarly expressed, the evaluation of a number of genes simultaneously allows the generation of a gene expression profile that is reflective of the state of the cell. By comparing expression profiles of cells in different states, information regarding which genes are important (including both up- and down-regulation of genes) in each of these states is obtained. Then, diagnosis may be performed or confirmed to determine whether a tissue sample has the gene expression profile of normal or cancerous tissue. This will provide for molecular diagnosis of related conditions.

"Differential expression," or grammatical equivalents as used herein, refers to qualitative or quantitative differences in the temporal and/or cellular gene expression patterns within and among cells and tissue. Thus, a differentially expressed gene can qualitatively have its expression altered, including an activation or inactivation, in, e.g.,

normal versus lung cancer tissue. Genes may be turned on or turned off in a particular state, relative to another state thus permitting comparison of two or more states. A qualitatively regulated gene will exhibit an expression pattern within a state or cell type which is detectable by standard techniques. Some genes will be expressed in one state or cell type, but not in both. Alternatively, the difference in expression may be quantitative, e.g., in that expression is increased or decreased; i.e., gene expression is either upregulated, resulting in an increased amount of transcript, or downregulated, resulting in a decreased amount of transcript. The degree to which expression differs need only be large enough to quantify via standard characterization techniques as outlined below, such as by use of Affymetrix GeneChip™ expression arrays, Lockhart (1996) Nature Biotechnology 14:1675-1680, hereby expressly incorporated by reference. Other techniques include, but are not limited to, quantitative reverse transcriptase PCR, northern analysis and RNase protection. As outlined above, preferably the change in expression (i.e., upregulation or downregulation) is typically at least about 50%, more preferably at least about 100%, more preferably at least about 150%, more preferably at least about 200%, with from 300 to at least 1000% being especially preferred.

Evaluation may be at the gene transcript or the protein level. The amount of gene expression may be monitored using nucleic acid probes to the RNA or DNA equivalent of the gene transcript, and the quantification of gene expression levels, or, alternatively, the final gene product itself (protein) can be monitored, e.g., with antibodies to the lung cancer protein and standard immunoassays (ELISAs, etc.) or other techniques, including mass spectroscopy assays, 2D gel electrophoresis assays, etc. Proteins corresponding to lung cancer genes, e.g., those identified as being important in a lung cancer or disease phenotype, can be evaluated in a lung cancer diagnostic test. In a preferred embodiment, gene expression monitoring is performed simultaneously on a number of genes.

The lung cancer nucleic acid probes may be attached to biochips as outlined herein for the detection and quantification of lung cancer sequences in a particular cell. The assays are further described below in the example. PCR techniques can be used to provide greater sensitivity. Multiple protein expression monitoring can be performed as well. Similarly, these assays may be performed on an individual basis as well.

In a preferred embodiment nucleic acids encoding the lung cancer protein are detected. Although DNA or RNA encoding the lung cancer protein may be detected, of particular interest are methods wherein an mRNA encoding a lung cancer protein is detected.

Probes to detect mRNA can be a nucleotide/deoxynucleotide probe that is complementary to and hybridizes with the mRNA and includes, but is not limited to, oligonucleotides, cDNA or RNA. Probes also should contain a detectable label, as defined herein. In one method the mRNA is detected after immobilizing the nucleic acid to be examined on a solid support such as nylon membranes and hybridizing the probe with the sample. Following washing to remove the non-specifically bound probe, the label is detected. In another method detection of the mRNA is performed *in situ*. In this method permeabilized cells or tissue samples are contacted with a detectably labeled nucleic acid probe for sufficient time to allow the probe to hybridize with the target mRNA. Following washing to remove the non-specifically bound probe, the label is detected. For example a digoxigenin labeled riboprobe (RNA probe) that is complementary to the mRNA encoding a lung cancer protein is detected by binding the digoxigenin with an anti-digoxigenin secondary antibody and developed with nitro blue tetrazolium and 5-bromo-4-chloro-3-indoyl phosphate.

In a preferred embodiment, various proteins from the three classes of proteins as described herein (secreted, transmembrane or intracellular proteins) are used in diagnostic assays. The lung cancer proteins, antibodies, nucleic acids, modified proteins and cells containing lung cancer sequences are used in diagnostic assays. This can be performed on an individual gene or corresponding polypeptide level. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes and/or corresponding polypeptides.

As described and defined herein, lung cancer proteins, including intracellular, transmembrane, or secreted proteins, find use as markers of lung cancer, e.g., for prognostic or diagnostic purposes. Detection of these proteins in putative lung cancer tissue allows for detection, prognosis, or diagnosis of lung cancer or similar disease, and perhaps for selection of therapeutic strategy. In one embodiment, antibodies are used to detect lung cancer proteins. A preferred method separates proteins from a sample by electrophoresis on a gel (typically a denaturing and reducing protein gel, but may be another type of gel, including isoelectric focusing gels and the like). Following separation of proteins, the lung cancer protein is detected, e.g., by immunoblotting with antibodies raised against the lung cancer protein. Methods of immunoblotting are well known to those of ordinary skill in the art.

In another preferred method, antibodies to the lung cancer protein find use in *in situ* imaging techniques, e.g., in histology (e.g., Asai (ed. 1993) Methods in Cell Biology:

Antibodies in Cell Biology, volume 37. In this method cells are contacted with from one to many antibodies to the lung cancer protein(s). Following washing to remove non-specific antibody binding, the presence of the antibody or antibodies is detected. In one embodiment the antibody is detected by incubating with a secondary antibody that contains a detectable label, e.g., multicolor fluorescence or confocal imaging. In another method the primary antibody to the lung cancer protein(s) contains a detectable label, e.g., an enzyme marker that can act on a substrate. In another preferred embodiment each one of multiple primary antibodies contains a distinct and detectable label. This method finds particular use in simultaneous screening for a plurality of lung cancer proteins. Many other histological imaging techniques are also provided by the invention.

In a preferred embodiment the label is detected in a fluorometer which has the ability to detect and distinguish emissions of different wavelengths. In addition, a fluorescence activated cell sorter (FACS) can be used in the method.

In another preferred embodiment, antibodies find use in diagnosing lung cancer from blood, serum, plasma, stool, and other samples. Such samples, therefore, are useful as samples to be probed or tested for the presence of lung cancer proteins. Antibodies can be used to detect a lung cancer protein by previously described immunoassay techniques including ELISA, immunoblotting (western blotting), immunoprecipitation, BIACORE technology and the like. Conversely, the presence of antibodies may indicate an immune response against an endogenous lung cancer protein or vaccine.

In a preferred embodiment, *in situ* hybridization of labeled lung cancer nucleic acid probes to tissue arrays is done. For example, arrays of tissue samples, including lung cancer tissue and/or normal tissue, are made. *In situ* hybridization (see, e.g., Ausubel, *supra*) is then performed. When comparing the fingerprints between an individual and a standard, the skilled artisan can make a diagnosis, a prognosis, or a prediction based on the findings. It is further understood that the genes which indicate the diagnosis may differ from those which indicate the prognosis and molecular profiling of the condition of the cells may lead to distinctions between responsive or refractory conditions or may be predictive of outcomes.

In a preferred embodiment, the lung cancer proteins, antibodies, nucleic acids, modified proteins and cells containing lung cancer sequences are used in prognosis assays. As above, gene expression profiles can be generated that correlate to lung cancer, clinical, pathological, or other information, in terms of long term prognosis. Again, this may be done on either a protein or gene level, with the use of genes being preferred. Single or multiple

genes may be useful in various combinations. As above, lung cancer probes may be attached to biochips for the detection and quantification of lung cancer sequences in a tissue or patient. The assays proceed as outlined above for diagnosis. PCR method may provide more sensitive and accurate quantification.

5

Assays for therapeutic compounds

In a preferred embodiment, the proteins, nucleic acids, and antibodies as described herein are used in drug screening assays. The lung cancer proteins, antibodies, nucleic acids, modified proteins and cells containing lung cancer sequences are used in drug screening assays or by evaluating the effect of drug candidates on a “gene expression profile” or expression profile of polypeptides. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent (e.g., Zlokarnik, et al. (1998) Science 279:84-8; Heid (1996) Genome Res. 6:986-94.

15 In a preferred embodiment, the lung cancer proteins, antibodies, nucleic acids, modified proteins and cells containing the native or modified lung cancer proteins are used in screening assays. That is, the present invention provides novel methods for screening for compositions which modulate the lung cancer phenotype or an identified physiological function of a lung cancer protein. As above, this can be done on an individual gene level or
20 by evaluating the effect of drug candidates on a “gene expression profile”. In a preferred embodiment, the expression profiles are used, preferably in conjunction with high throughput screening techniques to allow monitoring for expression profile genes after treatment with a candidate agent, see Zlokarnik, *supra*.

Having identified differentially expressed genes herein, a variety of assays may be
25 performed. In a preferred embodiment, assays may be run on an individual gene or protein level. That is, having identified a particular gene with altered regulation in lung cancer, test compounds can be screened for the ability to modulate gene expression or for binding to the lung cancer protein. “Modulation” thus includes an increase or a decrease in gene expression. The preferred amount of modulation will depend on the original change of the
30 gene expression in normal versus tissue undergoing lung cancer, with changes of at least 10%, preferably 50%, more preferably 100-300%, and in some embodiments 300-1000% or greater. Thus, if a gene exhibits a 4-fold increase in lung cancer tissue compared to normal tissue, a decrease of about four-fold is often desired; similarly, a 10-fold decrease in lung

cancer tissue compared to normal tissue often provides a target value of a 10-fold increase in expression to be induced by the test compound.

The amount of gene expression may be monitored using nucleic acid probes and the quantification of gene expression levels, or, alternatively, the gene product itself can be monitored, e.g., through the use of antibodies to the lung cancer protein and standard immunoassays. Proteomics and separation techniques may also allow quantification of expression.

In a preferred embodiment, gene or protein expression monitoring of a number of entities, i.e., an expression profile, is monitored simultaneously. Such profiles will typically involve a plurality of those entities described herein.

In this embodiment, the lung cancer nucleic acid probes are attached to biochips as outlined herein for the detection and quantification of lung cancer sequences in a particular cell. Alternatively, PCR may be used. Thus, a series, e.g., of microtiter plate, may be used with dispensed primers in desired wells. A PCR reaction can then be performed and analyzed for each well.

Expression monitoring can be performed to identify compounds that modify the expression of one or more lung cancer-associated sequences, e.g., a polynucleotide sequence set out in the tables. Generally, in a preferred embodiment, a test compound is added to the cells prior to analysis. Moreover, screens are also provided to identify agents that modulate lung cancer, modulate lung cancer proteins, bind to a lung cancer protein, or interfere with the binding of a lung cancer protein and an antibody, substrate, or other binding partner.

The term "test compound" or "drug candidate" or "modulator" or grammatical equivalents as used herein describes a molecule, e.g., protein, oligopeptide, small organic molecule, polysaccharide, polynucleotide, etc., to be tested for the capacity to directly or indirectly alter the lung cancer phenotype or the expression of a lung cancer sequence, e.g., a nucleic acid or protein sequence. In preferred embodiments, modulators alter expression profiles of nucleic acids or proteins provided herein. In one embodiment, the modulator suppresses a lung cancer phenotype, e.g., to a normal or non-malignant tissue fingerprint. In another embodiment, a modulator induces a lung cancer phenotype. Generally, a plurality of assay mixtures are run in parallel with different agent concentrations to obtain a differential response to the various concentrations. Typically, one of these concentrations serves as a negative control, i.e., at zero concentration or below the level of detection.

In one aspect, a modulator will neutralize the effect of a lung cancer protein. By “neutralize” is meant that activity of a protein and the consequent effect on the cell is inhibited or blocked.

In certain embodiments, combinatorial libraries of potential modulators will be screened for an ability to bind to a lung cancer polypeptide or to modulate activity. Conventionally, new chemical entities with useful properties are generated by identifying a chemical compound (called a “lead compound”) with some desirable property or activity, e.g., inhibiting activity, creating variants of the lead compound, and evaluating the property and activity of those variant compounds. Often, high throughput screening (HTS) methods are employed for such an analysis.

In one preferred embodiment, high throughput screening methods involve providing a library containing a large number of potential therapeutic compounds (candidate compounds). Such “combinatorial chemical libraries” are then screened in one or more assays to identify those library members (particular chemical species or subclasses) that display a desired characteristic activity. The compounds thus identified can serve as conventional “lead compounds” or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by either chemical synthesis or biological synthesis by combining a number of chemical “building blocks” such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide (e.g., mutein) library, is formed by combining a set of chemical building blocks called amino acids in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks (Gallop, et al. (1994) J. Med. Chem. 37(9):1233-1251).

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Patent No. 5,010,175, Furka (1991) Pept. Prot. Res. 37:487-493, Houghton, et al. (1991) Nature, 354:84-88), peptoids (PCT Publication No WO 91/19735), encoded peptides (PCT Publication WO 93/20242), random bio-oligomers (PCT Publication WO 92/00091), benzodiazepines (U.S. Pat. No. 5,288,514), diversomers such as hydantoins, benzodiazepines and dipeptides (Hobbs, et al. (1993) Proc. Nat. Acad. Sci. USA 90:6909-6913), vinylogous polypeptides (Hagihara, et al. (1992) J. Amer. Chem. Soc. 114:6568), nonpeptidal peptidomimetics with a Beta-D-Glucose scaffolding (Hirschmann, et

al. (1992) J. Amer. Chem. Soc. 114:9217-9218), analogous organic syntheses of small compound libraries (Chen, et al. (1994) J. Amer. Chem. Soc. 116:2661), oligocarbamates (Cho, et al. (1993) Science 261:1303), and/or peptidyl phosphonates (Campbell, et al. (1994) J. Org. Chem. 59:658). See, generally, Gordon, et al. (1994) J. Med. Chem. 37:1385, nucleic acid libraries (see, e.g., Stratagene, Corp.), peptide nucleic acid libraries (see, e.g., U.S. Patent 5,539,083), antibody libraries (see, e.g., Vaughn, et al. (1996) Nature Biotechnology 14(3):309-314, and PCT/US96/10287), carbohydrate libraries (see, e.g., Liang, et al. (1996) Science 274:1520-1522, and U.S. Patent No. 5,593,853), and small organic molecule libraries (see, e.g., benzodiazepines, Baum (1993) C&EN, Jan 18, page 33; isoprenoids, U.S. Patent No. 5,569,588; thiazolidinones and metathiazanones, U.S. Patent No. 5,549,974; pyrrolidines, U.S. Patent Nos. 5,525,735 and 5,519,134; morpholino compounds, U.S. Patent No. 5,506,337; benzodiazepines, U.S. Patent No. 5,288,514; and the like).

Devices for the preparation of combinatorial libraries are commercially available (see, e.g., 357 MPS, 390 MPS, Advanced Chem Tech, Louisville KY, Symphony, Rainin, Woburn, MA, 433A Applied Biosystems, Foster City, CA, 9050 Plus, Millipore, Bedford, MA).

A number of well known robotic systems have also been developed for solution phase chemistries. These systems include automated workstations like the automated synthesis apparatus developed by Takeda Chemical Industries, LTD. (Osaka, Japan) and many robotic systems utilizing robotic arms (Zymate II, Zymark Corporation, Hopkinton, Mass.; Orca, Hewlett-Packard, Palo Alto, Calif.), which mimic the manual synthetic operations performed by a chemist. The above devices, with appropriate modification, are suitable for use with the present invention. In addition, numerous combinatorial libraries are themselves commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis, MO, ChemStar, Ltd, Moscow, RU, 3D Pharmaceuticals, Exton, PA, Martek Biosciences, Columbia, MD, etc.).

The assays to identify modulators are amenable to high throughput screening. Preferred assays thus detect modulation of lung cancer gene transcription, polypeptide expression, and polypeptide activity.

High throughput assays for evaluating the presence, absence, quantification, or other properties of particular nucleic acids or protein products are well known to those of skill in the art. Similarly, binding assays and reporter gene assays are similarly well known. Thus, e.g., U.S. Patent No. 5,559,410 discloses high throughput screening methods for proteins,

U.S. Patent No. 5,585,639 discloses high throughput screening methods for nucleic acid binding (i.e., in arrays), while U.S. Patent Nos. 5,576,220 and 5,541,061 disclose high throughput methods of screening for ligand/antibody binding.

In addition, high throughput screening systems are commercially available (see, e.g.,
5 Zymark Corp., Hopkinton, MA; Air Technical Industries, Mentor, OH; Beckman Instruments, Inc. Fullerton, CA; Precision Systems, Inc., Natick, MA, etc.). These systems typically automate procedures, including sample and reagent pipetting, liquid dispensing, timed incubations, and final readings of the microplate in detector(s) appropriate for the assay. These configurable systems provide high throughput and rapid start up as well as a
10 high degree of flexibility and customization. The manufacturers of such systems provide detailed protocols for various high throughput systems. Thus, e.g., Zymark Corp. provides technical bulletins describing screening systems for detecting the modulation of gene transcription, ligand binding, and the like.

In one embodiment, modulators are proteins, often naturally occurring proteins or
15 fragments of naturally occurring proteins. Thus, e.g., cellular extracts containing proteins, or random or directed digests of proteinaceous cellular extracts, may be used. In this way libraries of proteins may be made for screening in the methods of the invention. Particularly preferred in this embodiment are libraries of bacterial, fungal, viral, and mammalian proteins, with the latter being preferred, and human proteins being especially preferred. Particularly
20 useful test compound will be directed to the class of proteins to which the target belongs, e.g., substrates for enzymes or ligands and receptors.

In a preferred embodiment, modulators are peptides of from about 5 to about 30 amino acids, with from about 5 to about 20 amino acids being preferred, and from about 7 to about 15 being particularly preferred. The peptides may be digests of naturally occurring
25 proteins, random peptides, or "biased" random peptides. By "randomized" or grammatical equivalents herein is meant that the nucleic acid or peptide consists of essentially random sequences of nucleotides and amino acids, respectively. Since these random peptides (or nucleic acids, discussed below) are often chemically synthesized, they may incorporate a nucleotide or amino acid at any position. The synthetic process can be designed to generate
30 randomized proteins or nucleic acids, to allow the formation of all or most of the possible combinations over the length of the sequence, thus forming a library of randomized candidate bioactive proteinaceous agents.

In one embodiment, the library is fully randomized, with no sequence preferences or constants at any position. In a preferred embodiment, the library is biased. That is, some positions within the sequence are either held constant, or are selected from a limited number of possibilities. In a preferred embodiment, the nucleotides or amino acid residues are randomized within a defined class, e.g., of hydrophobic amino acids, hydrophilic residues, 5 sterically biased (either small or large) residues, towards the creation of nucleic acid binding domains, the creation of cysteines, for cross-linking, prolines for SH-3 domains, serines, threonines, tyrosines or histidines for phosphorylation sites, etc.

Modulators of lung cancer can also be nucleic acids, as defined above.

10 As described above generally for proteins, nucleic acid modulating agents may be naturally occurring nucleic acids, random nucleic acids, or "biased" random nucleic acids. Digests of procaryotic or eucaryotic genomes may be used as is outlined above for proteins.

In a preferred embodiment, the candidate compounds are organic chemical moieties, a wide variety of which are available in the literature.

15 After a candidate agent has been added and the cells allowed to incubate for some period of time, the sample containing a target sequence is analyzed. If required, the target sequence is prepared using known techniques. For example, the sample may be treated to lyse the cells, using known lysis buffers, electroporation, etc., with purification and/or amplification such as PCR performed as appropriate. For example, an *in vitro* transcription 20 with labels covalently attached to the nucleotides is performed. Generally, the nucleic acids are labeled with biotin-FITC or PE, or with cy3 or cy5.

In a preferred embodiment, the target sequence is labeled with, e.g., a fluorescent, a chemiluminescent, a chemical, or a radioactive signal, to provide a means of detecting the target sequence's specific binding to a probe. The label also can be an enzyme, such as, 25 alkaline phosphatase or horseradish peroxidase, which when provided with an appropriate substrate produces a product that can be detected. Alternatively, the label can be a labeled compound or small molecule, such as an enzyme inhibitor, that binds but is not catalyzed or altered by the enzyme. The label also can be a moiety or compound, such as, an epitope tag or biotin which specifically binds to streptavidin. For the example of biotin, the streptavidin 30 is labeled as described above, thereby, providing a detectable signal for the bound target sequence. Unbound labeled streptavidin is typically removed prior to analysis.

Nucleic acid assays can be direct hybridization assays or can comprise "sandwich assays", which include the use of multiple probes, as is generally outlined in U.S. Patent Nos.

5,681,702, 5,597,909, 5,545,730, 5,594,117, 5,591,584, 5,571,670, 5,580,731, 5,571,670, 5,591,584, 5,624,802, 5,635,352, 5,594,118, 5,359,100, 5,124,246 and 5,681,697, all of which are hereby incorporated by reference. In this embodiment, in general, the target nucleic acid is prepared as outlined above, and then added to the biochip comprising a plurality of nucleic acid probes, under conditions that allow the formation of a hybridization complex.

A variety of hybridization conditions may be used in the present invention, including high, moderate and low stringency conditions as outlined above. The assays are generally run under stringency conditions which allow formation of the label probe hybridization complex only in the presence of target. Stringency can be controlled by altering a step parameter that is a thermodynamic variable, including, but not limited to, temperature, formamide concentration, salt concentration, chaotropic salt concentration, pH, organic solvent concentration, etc.

These parameters may also be used to control non-specific binding, as is generally outlined in U.S. Patent No. 5,681,697: Thus it may be desirable to perform certain steps at higher stringency conditions to reduce non-specific binding.

The reactions outlined herein may be accomplished in a variety of ways. Components of the reaction may be added simultaneously, or sequentially, in different orders, with preferred embodiments outlined below. In addition, the reaction may include a variety of other reagents. These include salts, buffers, neutral proteins, e.g., albumin, detergents, etc. which may be used to facilitate optimal hybridization and detection, and/or reduce non-specific or background interactions. Reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may also be used as appropriate, depending on the sample preparation methods and purity of the target.

The assay data are analyzed to determine the expression levels, and changes in expression levels as between states, of individual genes, forming a gene expression profile.

Screens are performed to identify modulators of the lung cancer phenotype. In one embodiment, screening is performed to identify modulators that can induce or suppress a particular expression profile, thus preferably generating the associated phenotype. In another embodiment, e.g., for diagnostic applications, having identified differentially expressed genes important in a particular state, screens can be performed to identify modulators that alter expression of individual genes. In an another embodiment, screening is performed to identify modulators that alter a biological function of the expression product of a differentially expressed gene. Again, having identified the importance of a gene in a particular state,

screens are performed to identify agents that bind and/or modulate the biological activity of the gene product, or evaluate genetic polymorphisms.

Genes can be screened for those that are induced in response to a candidate agent. After identifying a modulator based upon its ability to suppress a lung cancer expression pattern leading to a normal expression pattern, or to modulate a single lung cancer gene expression profile so as to mimic the expression of the gene from normal tissue, a screen as described above can be performed to identify genes that are specifically modulated in response to the agent. Comparing expression profiles between normal tissue and agent treated lung cancer tissue reveals genes that are not expressed in normal tissue or lung cancer tissue, but are expressed in agent treated tissue. These agent-specific sequences can be identified and used by methods described herein for lung cancer genes or proteins. In particular these sequences and the proteins they encode find use in marking or identifying agent treated cells. In addition, antibodies can be raised against the agent induced proteins and used to target novel therapeutics to the treated lung cancer tissue sample.

Thus, in one embodiment, a test compound is administered to a population of lung cancer cells, that have an associated lung cancer expression profile. By "administration" or "contacting" herein is meant that the candidate agent is added to the cells in such a manner as to allow the agent to act upon the cell, whether by uptake and intracellular action, or by action at the cell surface. In some embodiments, nucleic acid encoding a proteinaceous candidate agent (i.e., a peptide) may be put into a viral construct such as an adenoviral or retroviral construct, and added to the cell, such that expression of the peptide agent is accomplished, e.g., PCT US97/01019. Regulatable gene therapy systems can also be used.

Once a test compound has been administered to the cells, the cells can be washed if desired and are allowed to incubate under preferably physiological conditions for some period of time. The cells are then harvested and a new gene expression profile is generated, as outlined herein.

Thus, e.g., lung cancer or non-malignant tissue may be screened for agents that modulate, e.g., induce or suppress a lung cancer phenotype. A change in at least one gene, preferably many, of the expression profile indicates that the agent has an effect on lung cancer activity. By defining such a signature for the lung cancer phenotype, screens for new drugs that alter the phenotype can be devised. With this approach, the drug target need not be known and need not be represented in the original expression screening platform, nor does the level of transcript for the target protein need to change.

Measure of lung cancer polypeptide activity, or of lung cancer or the lung cancer phenotype can be performed using a variety of assays. For example, the effects of the test compounds upon the function of the metastatic polypeptides can be measured by examining parameters described above. A suitable physiological change that affects activity can be used to assess the influence of a test compound on the polypeptides of this invention. When the functional consequences are determined using intact cells or animals, one can also measure a variety of effects such as, in the case of lung cancer associated with tumors, tumor growth, tumor metastasis, neovascularization, hormone release, transcriptional changes to both known and uncharacterized genetic markers (e.g., northern blots), changes in cell metabolism such as cell growth or pH changes, and changes in intracellular second messengers such as cGMP. In the assays of the invention, mammalian lung cancer polypeptide is typically used, e.g., mouse, preferably human.

Assays to identify compounds with modulating activity can be performed *in vitro*. For example, a lung cancer polypeptide is first contacted with a potential modulator and incubated for a suitable amount of time, e.g., from 0.5 to 48 hours. In one embodiment, the lung cancer polypeptide levels are determined *in vitro* by measuring the level of protein or mRNA. The level of protein is typically measured using immunoassays such as western blotting, ELISA and the like with an antibody that selectively binds to the lung cancer polypeptide or a fragment thereof. For measurement of mRNA, amplification, e.g., using PCR, LCR, or hybridization assays, e.g., northern hybridization, RNase protection, dot blotting, are preferred. The level of protein or mRNA is typically detected using directly or indirectly labeled detection agents, e.g., fluorescently or radioactively labeled nucleic acids, radioactively or enzymatically labeled antibodies, and the like, as described herein.

Alternatively, a reporter gene system can be devised using a lung cancer protein promoter operably linked to a reporter gene such as luciferase, green fluorescent protein, CAT, or β -gal. The reporter construct is typically transfected into a cell. After treatment with a potential modulator, the amount of reporter gene transcription, translation, or activity is measured according to standard techniques known to those of skill in the art.

In a preferred embodiment, as outlined above, screens may be done on individual genes and gene products (proteins). That is, having identified a particular differentially expressed gene as important in a particular state, screening of modulators of the expression of the gene or the gene product itself can be done. The gene products of differentially expressed

genes are sometimes referred to herein as "lung cancer proteins." The lung cancer protein may be a fragment, or alternatively, be the full length protein to a fragment shown herein.

In one embodiment, screening for modulators of expression of specific genes is performed. Typically, the expression of only one or a few genes are evaluated. In another
5 embodiment, screens are designed to first find compounds that bind to differentially expressed proteins. These compounds are then evaluated for the ability to modulate differentially expressed activity. Moreover, once initial candidate compounds are identified, variants can be further screened to better evaluate structure activity relationships.

In a preferred embodiment, binding assays are done. In general, purified or isolated
10 gene product is used; that is, the gene products of one or more differentially expressed nucleic acids are made. For example, antibodies are generated to the protein gene products, and standard immunoassays are run to determine the amount of protein present. Alternatively, cells comprising the lung cancer proteins can be used in the assays.

Thus, in a preferred embodiment, the methods comprise combining a lung cancer
15 protein and a candidate compound, and determining the binding of the compound to the lung cancer protein. Preferred embodiments utilize the human lung cancer protein, although other mammalian proteins may also be used, e.g., for the development of animal models of human disease. In some embodiments, as outlined herein, variant or derivative lung cancer proteins may be used.

Generally, in a preferred embodiment of the methods herein, the lung cancer protein
20 or the candidate agent is non-diffusably bound to an insoluble support, preferably having isolated sample receiving areas (e.g., a microtiter plate, an array, etc.). The insoluble supports may be made of a composition to which the compositions can be bound, is readily separated from soluble material, and is otherwise compatible with the overall method of
25 screening. The surface of such supports may be solid or porous and of a convenient shape. Examples of suitable insoluble supports include microtiter plates, arrays, membranes and beads. These are typically made of glass, plastic (e.g., polystyrene), polysaccharides, nylon or nitrocellulose, teflon™, etc. Microtiter plates and arrays are especially convenient because a large number of assays can be carried out simultaneously, using small amounts of reagents
30 and samples. The particular manner of binding of the composition is typically not crucial so long as it is compatible with the reagents and overall methods of the invention, maintains the activity of the composition, and is nondiffusable. Preferred methods of binding include the use of antibodies (which do not sterically block either the ligand binding site or activation

sequence when the protein is bound to the support), direct binding to “sticky” or ionic supports, chemical crosslinking, the synthesis of the protein or agent on the surface, etc. Following binding of the protein or agent, excess unbound material is removed by washing. The sample receiving areas may then be blocked through incubation with bovine serum albumin (BSA), casein or other innocuous protein or other moiety.

5 In a preferred embodiment, the lung cancer protein is bound to the support, and a test compound is added to the assay. Alternatively, the candidate agent is bound to the support and the lung cancer protein is added. Novel binding agents include specific antibodies, non-natural binding agents identified in screens of chemical libraries, peptide analogs, etc. Of particular interest are screening assays for agents that have a low toxicity for human cells. A wide variety of assays may be used for this purpose, including labeled *in vitro* protein-protein binding assays, electrophoretic mobility shift assays, immunoassays for protein binding, functional assays (phosphorylation assays, etc.) and the like.

10 The determination of the binding of the test modulating compound to the lung cancer protein may be done in a number of ways. In a preferred embodiment, the compound is labeled, and binding determined directly, e.g., by attaching all or a portion of the lung cancer protein to a solid support, adding a labeled candidate agent (e.g., a fluorescent label), washing off excess reagent, and determining whether the label is present on the solid support. Various blocking and washing steps may be utilized as appropriate.

15 In some embodiments, only one of the components is labeled, e.g., the proteins (or proteinaceous candidate compounds) can be labeled. Alternatively, more than one component can be labeled with different labels, e.g., ^{125}I for the proteins and a fluorophor for the compound. Proximity reagents, e.g., quenching or energy transfer reagents are also useful.

20 In one embodiment, the binding of the test compound is determined by competitive binding assay. The competitor may be a binding moiety known to bind to the target molecule (i.e., a lung cancer protein), such as an antibody, peptide, binding partner, ligand, etc. Under certain circumstances, there may be competitive binding between the compound and the binding moiety, with the binding moiety displacing the compound. In one embodiment, the test compound is labeled. Either the compound, or the competitor, or both, is added first to the protein for a time sufficient to allow binding, if present. Incubations may be performed at a temperature which facilitates optimal activity, typically between 4 and 40° C. Incubation periods are typically optimized, e.g., to facilitate rapid high throughput screening. Typically

between 0.1 and 1 hour will be sufficient. Excess reagent is generally removed or washed away. The second component is then added, and the presence or absence of the labeled component is followed, to indicate binding.

In a preferred embodiment, the competitor is added first, followed by a test
5 compound. Displacement of the competitor is an indication that the test compound is binding to the lung cancer protein and thus is capable of binding to, and potentially modulating, the activity of the lung cancer protein. In this embodiment, either component can be labeled. Thus, e.g., if the competitor is labeled, the presence of label in the wash solution indicates displacement by the agent. Alternatively, if the test compound is labeled, the presence of the
10 label on the support indicates displacement.

In an alternative embodiment, the test compound is added first, with incubation and washing, followed by the competitor. The absence of binding by the competitor may indicate that the test compound is bound to the lung cancer protein with a higher affinity. Thus, if the test compound is labeled, the presence of the label on the support, coupled with a lack of
15 competitor binding, may indicate that the test compound is capable of binding to the lung cancer protein.

In a preferred embodiment, the methods comprise differential screening to identify agents that are capable of modulating the activity of the lung cancer proteins. In one embodiment, the methods comprise combining a lung cancer protein and a competitor in a
20 first sample. A second sample comprises a test compound, a lung cancer protein, and a competitor. The binding of the competitor is determined for both samples, and a change, or difference in binding between the two samples indicates the presence of an agent capable of binding to the lung cancer protein and potentially modulating its activity. That is, if the binding of the competitor is different in the second sample relative to the first sample, the
25 agent is capable of binding to the lung cancer protein.

Alternatively, differential screening is used to identify drug candidates that bind to the native lung cancer protein, but cannot bind to modified lung cancer proteins. The structure of the lung cancer protein may be modeled, and used in rational drug design to synthesize agents that interact with that site. Drug candidates that affect the activity of a lung cancer protein
30 are also identified by screening drugs for the ability to either enhance or reduce the activity of the protein.

Positive controls and negative controls may be used in the assays. Preferably control and test samples are performed in at least triplicate to obtain statistically significant results.

Incubation of all samples is for a time sufficient for the binding of the agent to the protein. Following incubation, samples are washed free of non-specifically bound material and the amount of bound, generally labeled agent determined. For example, where a radiolabel is employed, the samples may be counted in a scintillation counter to determine the amount of bound compound.

5 A variety of other reagents may be included in the screening assays. These include reagents like salts, neutral proteins, e.g., albumin, detergents, etc. which may be used to facilitate optimal protein-protein binding and/or reduce non-specific or background interactions. Also reagents that otherwise improve the efficiency of the assay, such as protease inhibitors, nuclease inhibitors, anti-microbial agents, etc., may be used. The mixture of components may be added in an order that provides for the requisite binding.

10 In a preferred embodiment, the invention provides methods for screening for a compound capable of modulating the activity of a lung cancer protein. The methods comprise adding a test compound, as defined above, to a cell comprising lung cancer proteins. Preferred cell types include almost any cell. The cells contain a recombinant nucleic acid that encodes a lung cancer protein. In a preferred embodiment, a library of candidate agents are tested on a plurality of cells.

In one aspect, the assays are evaluated in the presence or absence or previous or subsequent exposure of physiological signals, e.g., hormones, antibodies, peptides, antigens, cytokines, growth factors, action potentials, pharmacological agents including chemotherapeutics, radiation, carcinogenics, or other cells (e.g., cell-cell contacts). In another example, the determinations are determined at different stages of the cell cycle process.

20 In this way, compounds that modulate lung cancer agents are identified. Compounds with pharmacological activity are able to enhance or interfere with the activity of the lung cancer protein. Once identified, similar structures are evaluated to identify critical structural feature of the compound.

In one embodiment, a method of inhibiting lung cancer cell division is provided. The method comprises administration of a lung cancer inhibitor. In another embodiment, a method of inhibiting lung cancer is provided. The method may comprise administration of a lung cancer inhibitor. In a further embodiment, methods of treating cells or individuals with lung cancer are provided, e.g., comprising administration of a lung cancer inhibitor.

30 In one embodiment, a lung cancer inhibitor is an antibody as discussed above. In another embodiment, the lung cancer inhibitor is an antisense molecule.

A variety of cell growth, proliferation, viability, and metastasis assays are known to those of skill in the art, as described below.

Soft agar growth or colony formation in suspension

5 Normal cells require a solid substrate to attach and grow. When the cells are transformed, they lose this phenotype and grow detached from the substrate. For example, transformed cells can grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft agar. The transformed cells, when transfected with tumor suppressor genes, regenerate normal phenotype and require a solid substrate to attach and
10 grow. Soft agar growth or colony formation in suspension assays can be used to identify modulators of lung cancer sequences, which when expressed in host cells, inhibit abnormal cellular proliferation and transformation. A therapeutic compound would reduce or eliminate the host cells' ability to grow in stirred suspension culture or suspended in semi-solid media, such as semi-solid or soft.

15 Techniques for soft agar growth or colony formation in suspension assays are described in Freshney (1994) Culture of Animal Cells a Manual of Basic Technique (3rd ed.), herein incorporated by reference. See also, the methods section of Garkavtsev, et al. (1996), *supra*, herein incorporated by reference.

20 *Contact inhibition and density limitation of growth*

Normal cells typically grow in a flat and organized pattern in a petri dish until they touch other cells. When the cells touch one another, they are contact inhibited and stop growing. When cells are transformed, however, the cells are not contact inhibited and continue to grow to high densities in disorganized foci. Thus, the transformed cells grow to a
25 higher saturation density than normal cells. This can be detected morphologically by the formation of a disoriented monolayer of cells or rounded cells in foci within the regular pattern of normal surrounding cells. Alternatively, labeling index with (³H)-thymidine at saturation density can be used to measure density limitation of growth. See Freshney (1994), *supra*. The transformed cells, when transfected with tumor suppressor genes, regenerate a
30 normal phenotype and become contact inhibited and would grow to a lower density.

In this assay, labeling index with (³H)-thymidine at saturation density is a preferred method of measuring density limitation of growth. Transformed host cells are transfected with a lung cancer-associated sequence and are grown for 24 hours at saturation density in

non-limiting medium conditions. The percentage of cells labeling with (^3H)-thymidine is determined autoradiographically. See, Freshney (1994), *supra*.

Growth factor or serum dependence

5 Transformed cells typically have a lower serum dependence than their normal counterparts (see, e.g., Temin (1966) J. Natl. Cancer Insti. 37:167-175; Eagle, et al. (1970) J. Exp. Med. 131:836-879); Freshney, *supra*. This is in part due to release of various growth factors by the transformed cells. Growth factor or serum dependence of transformed host cells can be compared with that of control.

10

Tumor specific markers levels

Tumor cells release an increased amount of certain factors (hereinafter "tumor specific markers") than their normal counterparts. For example, plasminogen activator (PA) is released from human glioma at a higher level than from normal brain cells (see, e.g.,
15 Gullino, "Angiogenesis, tumor vascularization, and potential interference with tumor growth" in Mihich (ed. 1985) Biological Responses in Cancer, pp. 178-184). Similarly, Tumor angiogenesis factor (TAF) is released at a higher level in tumor cells than their normal counterparts. See, e.g., Folkman (1992) "Angiogenesis and Cancer" in Sem Cancer Biol.)

Various techniques which measure the release of these factors are described in
20 Freshney (1994), *supra*. Also, see, Unkeless, et al. (1974) J. Biol. Chem. 249:4295-4305; Strickland and Beers (1976) J. Biol. Chem. 251:5694-5702; Whur, et al. (1980) Br. J. Cancer 42:305-312; Gullino, "Angiogenesis, tumor vascularization, and potential interference with tumor growth" in Mihich (ed. 1985) Biological Responses in Cancer, pp. 178-184; Freshney Anticancer Res. 5:111-130 (1985).

25

Invasiveness into Matrigel

The degree of invasiveness into Matrigel or some other extracellular matrix constituent can be used as an assay to identify compounds that modulate lung cancer-associated sequences. Tumor cells exhibit a good correlation between malignancy and
30 invasiveness of cells into Matrigel or some other extracellular matrix constituent. In this assay, tumorigenic cells are typically used as host cells. Expression of a tumor suppressor gene in these host cells would decrease invasiveness of the host cells.

Techniques described in Freshney (1994), *supra*, can be used. Briefly, the level of invasion of host cells can be measured by using filters coated with Matrigel or some other extracellular matrix constituent. Penetration into the gel, or through to the distal side of the filter, is rated as invasiveness, and rated histologically by number of cells and distance moved, or by prelabeling the cells with ^{125}I and counting the radioactivity on the distal side of the filter or bottom of the dish. See, e.g., Freshney (1984), *supra*.

Tumor growth in vivo

Effects of lung cancer-associated sequences on cell growth can be tested in transgenic or immune-suppressed mice. Knock-out transgenic mice can be made, in which the lung cancer gene is disrupted or in which a lung cancer gene is inserted. Knock-out transgenic mice can be made by insertion of a marker gene or other heterologous gene into the endogenous lung cancer gene site in the mouse genome via homologous recombination. Such mice can also be made by substituting the endogenous lung cancer gene with a mutated version of the lung cancer gene, or by mutating the endogenous lung cancer gene, e.g., by exposure to carcinogens.

A DNA construct is introduced into the nuclei of embryonic stem cells. Cells containing the newly engineered genetic lesion are injected into a host mouse embryo, which is re-implanted into a recipient female. Some of these embryos develop into chimeric mice that possess germ cells partially derived from the mutant cell line. Therefore, by breeding the chimeric mice it is possible to obtain a new line of mice containing the introduced genetic lesion (see, e.g., Capecchi, et al. (1989) Science 244:1288). Chimeric targeted mice can be derived according to Hogan, et al. (1988) Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory and Robertson (ed. 1987) Teratocarcinomas and Embryonic Stem Cells: A Practical Approach, IRL Press, Washington, D.C.

Alternatively, various immune-suppressed or immune-deficient host animals can be used. For example, genetically athymic "nude" mouse (see, e.g., Giovanella, et al. (1974) J. Natl. Cancer Inst. 52:921), a SCID mouse, a thymectomized mouse, or an irradiated mouse (see, e.g., Bradley, et al. (1978) Br. J. Cancer 38:263; Selby, et al. (1980) Br. J. Cancer 41:52) can be used as a host. Transplantable tumor cells (typically about 10^6 cells) injected into isogenic hosts will produce invasive tumors in a high proportions of cases, while normal cells of similar origin will not. In hosts which developed invasive tumors, cells expressing a lung cancer-associated sequences are injected subcutaneously. After a suitable length of time,

preferably 4-8 weeks, tumor growth is measured (e.g., by volume or by its two largest dimensions) and compared to the control. Tumors that have statistically significant reduction (using, e.g., Student's T test) are said to have inhibited growth.

5 Polynucleotide modulators of lung cancer

Antisense and RNAi Polynucleotides

In certain embodiments, the activity of a lung cancer-associated protein is downregulated, or entirely inhibited, by the use of antisense or an inhibitory polynucleotide, i.e., a nucleic acid complementary to, and which can preferably hybridize specifically to, a coding mRNA nucleic acid sequence, e.g., a lung cancer protein mRNA, or a subsequence thereof. Binding of the antisense polynucleotide to the mRNA reduces the translation and/or stability of the mRNA.

In the context of this invention, antisense polynucleotides can comprise naturally-occurring nucleotides, or synthetic species formed from naturally-occurring subunits or their close homologs. Antisense polynucleotides may also have altered sugar moieties or inter-sugar linkages. Exemplary among these are the phosphorothioate and other sulfur containing species which are known for use in the art. Analogs are comprehended by this invention so long as they function effectively to hybridize with the lung cancer protein mRNA. See, e.g., Isis Pharmaceuticals, Carlsbad, CA; Sequitor, Inc., Natick, MA.

Such antisense polynucleotides can readily be synthesized using recombinant means, or can be synthesized *in vitro*. Equipment for such synthesis is sold by several vendors, including Applied Biosystems. The preparation of other oligonucleotides such as phosphorothioates and alkylated derivatives is also well known to those of skill in the art.

Antisense molecules as used herein include antisense or sense oligonucleotides. Sense oligonucleotides can, e.g., be employed to block transcription by binding to the anti-sense strand. The antisense and sense oligonucleotide comprise a single-stranded nucleic acid sequence (either RNA or DNA) capable of binding to target mRNA (sense) or DNA (antisense) sequences for lung cancer molecules. A preferred antisense molecule is for a lung cancer sequence in the tables, or for a ligand or activator thereof. Antisense or sense oligonucleotides, according to the present invention, comprise a fragment generally at least about 14 nucleotides, preferably from about 14 to 30 nucleotides. The ability to derive an antisense or a sense oligonucleotide, based upon a cDNA sequence encoding a given protein

is described in, e.g., Stein and Cohen (1988) Cancer Res. 48:2659 and van der Krol, et al. (1988) BioTechniques 6:958).

RNA interference is a mechanism to suppress gene expression in a sequence specific manner. See, e.g., Brumelkamp, et al. (2002) Scienceexpress (21March2002); Sharp (1999) Genes Dev. 13:139-141; and Cathew (2001) Curr. Op. Cell Biol. 13:244-248. In mammalian cells, short, e.g., 21 nt, double stranded small interfering RNAs (siRNA) have been shown to be effective at inducing an RNAi response. See, e.g., Elbashir, et al. (2001) Nature 411:494-498. The mechanism may be used to downregulate expression levels of identified genes, e.g., treatment of or validation of relevance to disease.

10

Ribozymes

In addition to antisense polynucleotides, ribozymes can be used to target and inhibit transcription of lung cancer-associated nucleotide sequences. A ribozyme is an RNA molecule that catalytically cleaves other RNA molecules. Different kinds of ribozymes have been described, including group I ribozymes, hammerhead ribozymes, hairpin ribozymes, RNase P, and axhead ribozymes (see, e.g., Castanotto, et al. (1994) Adv. in Pharmacology 25: 289-317 for a general review of the properties of different ribozymes).

15

The general features of hairpin ribozymes are described, e.g., in Hampel, et al. (1990) Nucl. Acids Res. 18:299-304; European Patent Publication No. 0 360 257; U.S. Patent No. 5,254,678. Methods of preparing are well known to those of skill in the art (see, e.g., WO 94/26877; Ojwang, et al. (1993) Proc. Natl. Acad. Sci. USA 90:6340-6344; Yamada, et al. (1994) Human Gene Therapy 1:39-45; Leavitt, et al. (1995) Proc. Natl. Acad. Sci. USA 92:699-703; Leavitt, et al. (19994) Human Gene Therapy 5:1151-120; and Yamada, et al. (1994) Virology 205: 121-126).

20

25

Polynucleotide modulators of lung cancer may be introduced into a cell containing the target nucleotide sequence by formation of a conjugate with a ligand binding molecule, as described in WO 91/04753. Suitable ligand binding molecules include, but are not limited to, cell surface receptors, growth factors, other cytokines, or other ligands that bind to cell surface receptors. Preferably, conjugation of the ligand binding molecule does not substantially interfere with the ability of the ligand binding molecule to bind to its corresponding molecule or receptor, or block entry of the sense or antisense oligonucleotide or its conjugated version into the cell. Alternatively, a polynucleotide modulator of lung cancer may be introduced into a cell containing the target nucleic acid sequence, e.g., by

30

formation of an polynucleotide-lipid complex, as described in WO 90/10448. It is understood that the use of antisense molecules or knock out and knock in models may also be used in screening assays as discussed above, in addition to methods of treatment.

Thus, in one embodiment, methods of modulating lung cancer in cells or organisms are provided. In one embodiment, the methods comprise administering to a cell an anti-lung cancer antibody that reduces or eliminates the biological activity of an endogenous lung cancer protein. Alternatively, the methods comprise administering to a cell or organism a recombinant nucleic acid encoding a lung cancer protein. This may be accomplished in any number of ways. In a preferred embodiment, e.g., when the lung cancer sequence is down-regulated in lung cancer, such state may be reversed by increasing the amount of lung cancer gene product in the cell. This can be accomplished, e.g., by overexpressing the endogenous lung cancer gene or administering a gene encoding the lung cancer sequence, using known gene-therapy techniques. In a preferred embodiment, the gene therapy techniques include the incorporation of the exogenous gene using enhanced homologous recombination (EHR), e.g., as described in PCT/US93/03868, hereby incorporated by reference in its entirety. Alternatively, e.g., when the lung cancer sequence is up-regulated in lung cancer, the activity of the endogenous lung cancer gene is decreased, e.g., by the administration of a lung cancer antisense or RNAi nucleic acid.

In one embodiment, the lung cancer proteins of the present invention may be used to generate polyclonal and monoclonal antibodies to lung cancer proteins. Similarly, the lung cancer proteins can be coupled, using standard technology, to affinity chromatography columns. These columns may then be used to purify lung cancer antibodies useful for production, diagnostic, or therapeutic purposes. In a preferred embodiment, the antibodies are generated to epitopes unique to a lung cancer protein; that is, the antibodies show little or no cross-reactivity to other proteins. The lung cancer antibodies may be coupled to standard affinity chromatography columns and used to purify lung cancer proteins. The antibodies may also be used as blocking polypeptides, as outlined above, since they will specifically bind to the lung cancer protein.

30 **Methods of identifying variant lung cancer-associated sequences**

Without being bound by theory, expression of various lung cancer sequences is correlated with lung cancer. Accordingly, disorders based on mutant or variant lung cancer genes may be determined. In one embodiment, the invention provides methods for

identifying cells containing variant lung cancer genes, e.g., determining all or part of the sequence of at least one endogenous lung cancer genes in a cell. In a preferred embodiment, the invention provides methods of identifying the lung cancer genotype of an individual, e.g., determining all or part of the sequence of at least one lung cancer gene of the individual.

5 This is generally done in at least one tissue of the individual, and may include the evaluation of a number of tissues or different samples of the same tissue. The method may include comparing the sequence of the sequenced lung cancer gene to a known lung cancer gene, i.e., a wild-type gene.

The sequence of all or part of the lung cancer gene can then be compared to the
10 sequence of a known lung cancer gene to determine if any differences exist. This can be done using known homology programs, such as Bestfit, etc. In a preferred embodiment, the presence of a difference in the sequence between the lung cancer gene of the patient and the known lung cancer gene correlates with a disease state or a propensity for a disease state, as outlined herein.

15 In a preferred embodiment, the lung cancer genes are used as probes to determine the number of copies of the lung cancer gene in the genome.

In another preferred embodiment, the lung cancer genes are used as probes to determine the chromosomal localization of the lung cancer genes. Information such as chromosomal localization finds use in providing a diagnosis or prognosis in particular when
20 chromosomal abnormalities such as translocations, and the like are identified in the lung cancer gene locus.

Administration of pharmaceutical and vaccine compositions

In one embodiment, a therapeutically effective dose of a lung cancer protein or
25 modulator thereof, is administered to a patient. By "therapeutically effective dose" herein is meant a dose that produces effects for which it is administered. The exact dose will depend on the purpose of the treatment, and will be ascertainable by one skilled in the art using known techniques (e.g., Ansel, et al. (1992) Pharmaceutical Dosage Forms and Drug Delivery; Lieberman, Pharmaceutical Dosage Forms (vols. 1-3), Dekker, ISBN 0824770846,
30 082476918X, 0824712692, 0824716981; Lloyd (1999) The Art, Science and Technology of Pharmaceutical Compounding; and Pickar (1999) Dosage Calculations). Adjustments for lung cancer degradation, systemic versus localized delivery, and rate of new protease synthesis, as well as the age, body weight, general health, sex, diet, time of administration,

drug interaction and the severity of the condition may be necessary, and will be ascertainable with routine experimentation by those skilled in the art.

A "patient" for the purposes of the present invention includes both humans and other animals, particularly mammals. Thus the methods are applicable to both human therapy and veterinary applications. In the preferred embodiment the patient is a mammal, preferably a primate, and in the most preferred embodiment the patient is human.

The administration of the lung cancer proteins and modulators thereof of the present invention can be done in a variety of ways, including, but not limited to, orally, subcutaneously, intravenously, intranasally, transdermally, intraperitoneally, intramuscularly, intrapulmonary, vaginally, rectally, or intraocularly. In some instances, e.g., in the treatment of wounds and inflammation, the lung cancer proteins and modulators may be directly applied as a solution or spray.

The pharmaceutical compositions of the present invention comprise a lung cancer protein in a form suitable for administration to a patient. In the preferred embodiment, the pharmaceutical compositions are in a water soluble form, such as being present as pharmaceutically acceptable salts, which is meant to include both acid and base addition salts. "Pharmaceutically acceptable acid addition salt" refers to those salts that retain the biological effectiveness of the free bases and that are not biologically or otherwise undesirable, formed with inorganic acids such as hydrochloric acid, hydrobromic acid, sulfuric acid, nitric acid, phosphoric acid and the like, and organic acids such as acetic acid, propionic acid, glycolic acid, pyruvic acid, oxalic acid, maleic acid, malonic acid, succinic acid, fumaric acid, tartaric acid, citric acid, benzoic acid, cinnamic acid, mandelic acid, methanesulfonic acid, ethanesulfonic acid, p-toluenesulfonic acid, salicylic acid and the like. "Pharmaceutically acceptable base addition salts" include those derived from inorganic bases such as sodium, potassium, lithium, ammonium, calcium, magnesium, iron, zinc, copper, manganese, aluminum salts and the like. Particularly preferred are the ammonium, potassium, sodium, calcium, and magnesium salts. Salts derived from pharmaceutically acceptable organic non-toxic bases include salts of primary, secondary, and tertiary amines, substituted amines including naturally occurring substituted amines, cyclic amines and basic ion exchange resins, such as isopropylamine, trimethylamine, diethylamine, triethylamine, tripropylamine, and ethanolamine.

The pharmaceutical compositions may also include one or more of the following: carrier proteins such as serum albumin; buffers; fillers such as microcrystalline cellulose,

lactose, corn and other starches; binding agents; sweeteners and other flavoring agents; coloring agents; and polyethylene glycol.

The pharmaceutical compositions can be administered in a variety of unit dosage forms depending upon the method of administration. For example, unit dosage forms
5 suitable for oral administration include, but are not limited to, powder, tablets, pills, capsules and lozenges. It is recognized that lung cancer protein modulators (e.g., antibodies, antisense constructs, ribozymes, small organic molecules, etc.) when administered orally, should be protected from digestion. This is typically accomplished either by complexing the
10 molecule(s) with a composition to render it resistant to acidic and enzymatic hydrolysis, or by packaging the molecule(s) in an appropriately resistant carrier, such as a liposome or a protection barrier. Means of protecting agents from digestion are well known in the art.

The compositions for administration will commonly comprise a lung cancer protein modulator dissolved in a pharmaceutically acceptable carrier, preferably an aqueous carrier. A variety of aqueous carriers can be used, e.g., buffered saline and the like. These solutions
15 are sterile and generally free of undesirable matter. These compositions may be sterilized by conventional, well known sterilization techniques. The compositions may contain pharmaceutically acceptable auxiliary substances as required to approximate physiological conditions such as pH adjusting and buffering agents, toxicity adjusting agents and the like, e.g., sodium acetate, sodium chloride, potassium chloride, calcium chloride, sodium lactate
20 and the like. The concentration of active agent in these formulations can vary widely, and will be selected primarily based on fluid volumes, viscosities, body weight and the like in accordance with the particular mode of administration selected and the patient's needs (e.g., Remington's Pharmaceutical Science (15th ed., 1980) and Hardman, et al. (eds. 1996) Goodman and Gilman: The Pharmacological Basis of Therapeutics).

25 Thus, a typical pharmaceutical composition for intravenous administration would be about 0.1 to 10 mg per patient per day. Dosages from 0.1 up to about 100 mg per patient per day may be used, particularly when the drug is administered to a secluded site and not into the blood stream, such as into a body cavity or into a lumen of an organ. Substantially higher dosages are possible in topical administration. Actual methods for preparing parenterally
30 administrable compositions will be known or apparent to those skilled in the art, e.g., Remington's Pharmaceutical Science and Goodman and Gilman, The Pharmacological Basis of Therapeutics, supra.

The compositions containing modulators of lung cancer proteins can be administered for therapeutic or prophylactic treatments. In therapeutic applications, compositions are administered to a patient suffering from a disease (e.g., a cancer) in an amount sufficient to cure or at least partially arrest the disease and its complications. An amount adequate to accomplish this is defined as a "therapeutically effective dose." Amounts effective for this use will depend upon the severity of the disease and the general state of the patient's health. Single or multiple administrations of the compositions may be administered depending on the dosage and frequency as required and tolerated by the patient. In any event, the composition should provide a sufficient quantity of the agents of this invention to effectively treat the patient. An amount of modulator that is capable of preventing or slowing the development of cancer in a mammal is referred to as a "prophylactically effective dose." The particular dose required for a prophylactic treatment will depend upon the medical condition and history of the mammal, the particular cancer being prevented, as well as other factors such as age, weight, gender, administration route, efficiency, etc. Such prophylactic treatments may be used, e.g., in a mammal who has previously had cancer to prevent a recurrence of the cancer, or in a mammal who is suspected of having a significant likelihood of developing cancer based, at least in part, upon gene expression profiles. Vaccine strategies may be used, in either a DNA vaccine form, or protein vaccine.

It will be appreciated that the present lung cancer protein-modulating compounds can be administered alone or in combination with additional lung cancer modulating compounds or with other therapeutic agent, e.g., other anti-cancer agents or treatments.

In numerous embodiments, one or more nucleic acids, e.g., polynucleotides comprising nucleic acid sequences set forth in the tables, such as antisense or RNAi polynucleotides or ribozymes, will be introduced into cells, *in vitro* or *in vivo*. The present invention provides methods, reagents, vectors, and cells useful for expression of lung cancer-associated polypeptides and nucleic acids using *in vitro* (cell-free), *ex vivo*, or *in vivo* (cell or organism-based) recombinant expression systems.

The particular procedure used to introduce the nucleic acids into a host cell for expression of a protein or nucleic acid is application specific. Many procedures for introducing foreign nucleotide sequences into host cells may be used. These include the use of calcium phosphate transfection, spheroplasts, electroporation, liposomes, microinjection, plasma vectors, viral vectors and other well known methods for introducing cloned genomic DNA, cDNA, synthetic DNA or other foreign genetic material into a host cell (see, e.g.,

Berger and Kimmel, Guide to Molecular Cloning Techniques. Methods in Enzymology volume 152 (Berger), Ausubel, et al. (eds. 1999) Current Protocols (supplemented through 1999), and Sambrook, et al. (1989) Molecular Cloning - A Laboratory Manual (2nd ed., Vol. 1-3).

5 In a preferred embodiment, lung cancer proteins and modulators are administered as therapeutic agents, and can be formulated as outlined above. Similarly, lung cancer genes (including both the full-length sequence, partial sequences, or regulatory sequences of the lung cancer coding regions) can be administered in a gene therapy application. These lung cancer genes can include antisense or inhibitory applications, e.g., as inhibitory RNA or gene therapy (e.g., for incorporation into the genome) or as antisense compositions.

10 Lung cancer polypeptides and polynucleotides can also be administered as vaccine compositions to stimulate HTL, CTL, and antibody responses.. Such vaccine compositions can include, e.g., lipidated peptides (see, e.g., Vitiello, et al. (1995) J. Clin. Invest. 95:341), peptide compositions encapsulated in poly(DL-lactide-co-glycolide) ("PLG") microspheres (see, e.g., Eldridge, et al. (1991) Molec. Immunol. 28:287-294; Alonso, et al. (1994) Vaccine 12:299-306; Jones, et al. (1995) Vaccine 13:675-681), peptide compositions contained in immune stimulating complexes (ISCOMS) (see, e.g., Takahashi, et al. (1990) Nature 344:873-875; Hu, et al. (1998) Clin Exp Immunol. 113:235-243), multiple antigen peptide systems (MAPs) (see, e.g., Tam (1988) Proc. Natl. Acad. Sci. U.S.A. 85:5409-5413; Tam (1996) J. Immunol. Methods 196:17-32), peptides formulated as multivalent peptides; peptides for use in ballistic delivery systems, typically crystallized peptides, viral delivery vectors (Perkus, et al., p. 379 In: Kaufmann (ed. 1996) Concepts in vaccine development; Chakrabarti, et al. (1986) Nature 320:535; Hu, et al. (1986) Nature 320:537; Kieny, et al. (1986) AIDS Bio/Technology 4:790; Top, et al. (1971) J. Infect. Dis. 124:148; Chanda, et al. (1990) Virology 175:535), particles of viral or synthetic origin (see, e.g., Kofler, et al. (1996) J. Immunol. Methods 192:25; Eldridge, et al. (1993) Sem. Hematol. 30:16; Falo, et al. (1995) Nature Med. 7:649), adjuvants (Warren, et al. (1986) Annu. Rev. Immunol. 4:369; Gupta, et al. (1993) Vaccine 11:293), liposomes (Reddy, et al. (1992) J. Immunol. 148:1585; Rock (1996) Immunol. Today 17:131), or, naked or particle absorbed cDNA (Ulmer, et al. (1993) Science 259:1745; Robinson, et al. (1993) Vaccine 11:957; Shiver, et al., p. 423 In: Kaufmann (ed. 1996) Concepts in vaccine development; Cease and Berzofsky (1994) Annu. Rev. Immunol. 12:923 and Eldridge, et al. (1993) Sem. Hematol. 30:16). Toxin-targeted

delivery technologies, also known as receptor mediated targeting, such as those of Avant Immunotherapeutics, Inc. (Needham, Massachusetts) may also be used.

Vaccine compositions often include adjuvants. Many adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a stimulator of immune responses, such as lipid A, *Bordetella pertussis* or *Mycobacterium tuberculosis* derived proteins. Certain adjuvants are commercially available as, e.g., Freund's Incomplete Adjuvant and Complete Adjuvant (Difco Laboratories, Detroit, MI); Merck Adjuvant 65 (Merck and Company, Inc., Rahway, NJ); AS-2 (SmithKline Beecham, Philadelphia, PA); aluminum salts such as aluminum hydroxide gel (alum) or aluminum phosphate; salts of calcium, iron or zinc; an insoluble suspension of acylated tyrosine; acylated sugars; cationically or anionically derivatized polysaccharides; polyphosphazenes; biodegradable microspheres; monophosphoryl lipid A and quil A. Cytokines, such as GM-CSF, interleukin-2, -7, -12, and other like growth factors, may also be used as adjuvants.

Vaccines can be administered as nucleic acid compositions wherein DNA or RNA encoding one or more of the polypeptides, or a fragment thereof, is administered to a patient. This approach is described, for instance, in Wolff, et. al. (1990) Science 247:1465 as well as U.S. Patent Nos. 5,580,859; 5,589,466; 5,804,566; 5,739,118; 5,736,524; 5,679,647; WO 98/04720; and in more detail below. Examples of DNA-based delivery technologies include "naked DNA", facilitated (bupivacaine, polymers, peptide-mediated) delivery, cationic lipid complexes, and particle-mediated ("gene gun") or pressure-mediated delivery (see, e.g., U.S. Patent No. 5,922,687).

For therapeutic or prophylactic immunization purposes, the peptides of the invention can be expressed by viral or bacterial vectors. Examples of expression vectors include attenuated viral hosts, such as vaccinia or fowlpox. This approach involves the use of vaccinia virus, e.g., as a vector to express nucleotide sequences that encode lung cancer polypeptides or polypeptide fragments. Upon introduction into a host, the recombinant vaccinia virus expresses the immunogenic peptide, and thereby elicits an immune response. Vaccinia vectors and methods useful in immunization protocols are described in, e.g., U.S. Patent No. 4,722,848. Another vector is BCG (Bacille Calmette Guerin). BCG vectors are described in Stover, et al. (1991) Nature 351:456-460. A wide variety of other vectors useful for therapeutic administration or immunization e.g., adeno and adeno-associated virus vectors, retroviral vectors, *Salmonella typhi* vectors, detoxified anthrax toxin vectors, and the

like, will be apparent to those skilled in the art from the description herein (see, e.g., Shata, et al. (2000) Mol Med Today 6:66-71; Shedlock, et al. (2000) J. Leukoc. Biol. 68:793-806; Hipp, et al. (2000) In Vivo 14:571-85).

5 Methods for the use of genes as DNA vaccines are well known, and include placing a lung cancer gene or portion of a lung cancer gene under the control of a regulatable promoter or a tissue-specific promoter for expression in a lung cancer patient. The lung cancer gene used for DNA vaccines can encode full-length lung cancer proteins, but more preferably encodes portions of the lung cancer proteins including peptides derived from the lung cancer protein. In one embodiment, a patient is immunized with a DNA vaccine comprising a
10 plurality of nucleotide sequences derived from a lung cancer gene. For example, lung cancer-associated genes or sequence encoding subfragments of a lung cancer protein are introduced into expression vectors and tested for their immunogenicity in the context of Class I MHC and an ability to generate cytotoxic T cell responses. This procedure provides for production of cytotoxic T cell responses against cells which present antigen, including intracellular
15 epitopes.

In a preferred embodiment, DNA vaccines include a gene encoding an adjuvant molecule with the DNA vaccine. Such adjuvant molecules include cytokines that increase the immunogenic response to the lung cancer polypeptide encoded by the DNA vaccine. Additional or alternative adjuvants are available.

20 In another preferred embodiment lung cancer genes find use in generating animal models of lung cancer. When the lung cancer gene identified is repressed or diminished in metastatic tissue, gene therapy technology, e.g., wherein antisense or inhibitory RNA directed to the lung cancer gene will also diminish or repress expression of the gene. Animal models of lung cancer find use in screening for modulators of a lung cancer-associated sequence or
25 modulators of lung cancer. Similarly, transgenic animal technology including gene knockout technology, e.g., as a result of homologous recombination with an appropriate gene targeting vector, will result in the absence or increased expression of the lung cancer protein. When desired, tissue-specific expression or knockout of the lung cancer protein may be necessary.

It is also possible that the lung cancer protein is overexpressed in lung cancer. As
30 such, transgenic animals can be generated that overexpress the lung cancer protein. Depending on the desired expression level, promoters of various strengths can be employed to express the transgene. Also, the number of copies of the integrated transgene can be determined and compared for a determination of the expression level of the transgene.

Animals generated by such methods will find use as animal models of lung cancer and are additionally useful in screening for modulators to treat lung cancer.

Kits for Use in Diagnostic and/or Prognostic Applications

5 For use in diagnostic, research, and therapeutic applications suggested above, kits are also provided by the invention. In diagnostic and research applications such kits may include at least one of the following: assay reagents, buffers, lung cancer-specific nucleic acids or antibodies, hybridization probes and/or primers, antisense polynucleotides, ribozymes, RNAi, dominant negative lung cancer polypeptides or polynucleotides, small molecule inhibitors of
10 lung cancer-associated sequences, etc. A therapeutic product may include sterile saline or another pharmaceutically acceptable emulsion and suspension base.

 In addition, the kits may include instructional materials containing instructions (e.g., protocols) for the practice of the methods of this invention. While the instructional materials typically comprise written or printed materials they are not limited to such. A medium
15 capable of storing such instructions and communicating them to an end user is contemplated by this invention. Such media include, but are not limited to electronic storage media (e.g., magnetic discs, tapes, cartridges, chips), optical media (e.g., CD ROM), and the like. Such media may include addresses to internet sites that provide such instructional materials.

 The present invention also provides for kits for screening for modulators of lung
20 cancer-associated sequences. Such kits can be prepared from readily available materials and reagents. For example, such kits can comprise one or more of the following materials: a lung cancer-associated polypeptide or polynucleotide, reaction tubes, and instructions for testing lung cancer-associated activity. Optionally, the kit contains biologically active lung cancer protein. A wide variety of kits and components can be prepared according to the present
25 invention, depending upon the intended user of the kit and the particular needs of the user. Diagnosis would typically involve evaluation of a plurality of genes or products. The genes typically will be selected based on correlations with important parameters in disease which may be identified in historical or outcome data.

EXAMPLES

Example 1: Gene Chip Analysis

Molecular profiles of various normal and cancerous tissues were determined and
5 analyzed using gene chips. RNA was isolated and gene chip analysis was performed as
described (Glynne, et al. (2000) Nature 403:672-676; Zhao, et al. (2000) Genes Dev. 14:981-
993).

Tables 1A and 1B were previously filed on April 18, 2001 in USSN 60/284,770 (18501-001500US) and on November 29, 2001 in USSN 60/334,370 (18501-001520US)

	Table 1A			70% chron/90% NL	70% SQAD/90% NL
	Pkey	ExAccn	UnigenelD	Unigene Title	
	100134	D13264	Hs.49	macrophage scavenger receptor 1	1.61 0.74
	100780	HG3731-HT4001		***Immunoglobulin Heavy Chain, Vd/jc Reg	2.68 3.28
5	100971	J02874	Hs.83213	fatty acid binding protein 4; adipocyte	1.96 0.14
10	101088	L05568	Hs.553	solute carrier family 6 (neurotransmitter)	0.79 0.07
	101102	L07594	Hs.79059	transforming growth factor; beta receptor	2.55 1
	101168	L15388	Hs.211569	G protein-coupled receptor kinase 5	0.88 0.27
	101277	L38486	Hs.118223	microfibrillar-associated protein 4	0.89 0.26
	101330	L43821	Hs.80261	enhancer of filamentation 1 (cas-like do	0.59 0.29
15	101336	L49169	Hs.75678	FBJ murine osteosarcoma viral oncogene h	1.15 0.41
	101345	L76380	Hs.152175	calcitonin receptor-like	0.81 0.31
	101678	M62505	Hs.2161	complement component 5 receptor 1 (CSa I	1.31 0.77
	101764	M80563	Hs.81256	S100 calcium-binding protein A4 (calcium	1.44 0.82
20	101771	M81750	Hs.153837	myeloid cell nuclear differentiation ant	0.96 0.45
	101842	M93221	Hs.75182	mannose receptor; C type 1	1.27 0.37
	102283	U31384	Hs.83381	guanine nucleotide binding protein 11	1.04 0.3
	102363	U39447	Hs.198241	amine oxidase; copper containing 3 (vasc	0.96 0.26
	102507	U52154	Hs.193044	potassium inwardly-rectifying channel; s	2.81 3.45
	102698	U75272	Hs.1867	progastricsin (pepsinogen C)	0.95 0.23
25	103025	X54131	Hs.123641	protein tyrosine phosphatase; receptor t	1.62 0.21
	103280	X79981	Hs.76206	cadherin 5; VE-cadherin (vascular epithe	0.9 0.41
	103496	Y09267	Hs.132821	flavin containing monooxygenase 2	1.27 0.49
	103541	Z11697	Hs.79197	CD83 antigen (activated B lymphocytes; i	1.86 1
	103554	Z18951	Hs.74034	caveolin 1; caveolae protein; 22kD	1.27 0.47
30	104212	AB002298	Hs.173035	KIAA0300 protein	1.17 0.16
	104691	AA011176	Hs.37744	ESTs	1.08 0.35
	104825	AA035613	Hs.141883	ESTs	0.75 0.27
	104857	AA043219	Hs.19058	ESTs	2.6 3.3
	104865	AA045136	Hs.22575	ESTs	1.23 0.49
35	104989	AA102098	Hs.118615	ESTs	0.63 0.32
	105729	AA292694	Hs.3807	ESTs; Weakly similar to PHOSPHOLEMMAN PR	0.86 0.34
	105847	AA398608	Hs.32241	ESTs	1.32 0.4
	105894	AA400979	Hs.25691	calcitonin receptor-like receptor activi	0.78 0.28
40	106490	AA451861	Hs.115537	ESTs; Weakly similar to dipetidase prec	1.2 0.47
	106536	AA453997	Hs.23804	ESTs	0.82 0.15
	106605	AA457718	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr	0.99 0.07
	106667	AA461086	Hs.16578	ESTs	1.17 0.4
	106773	AA478109	Hs.188833	ESTs	1.46 0.43
45	106797	AA478962	Hs.169943	ESTs	1.18 0.32
	106844	AA485055	Hs.158213	sperm associated antigen 6	0.98 0.51
	106870	AA487576	Hs.26530	serum deprivation response (phosphatidy)	1.05 0.14
	106954	AA496980	Hs.204038	ESTs	1.25 0.33
	107054	AA600150	Hs.14366	ESTs	1.11 0.4
	107292	T30407	Hs.4789	ESTs; Weakly similar to oxidative-stress	1.07 2.58
50	107994	AA036811	Hs.165030	ESTs	0.7 0.21
	107997	AA037388	Hs.82223	Human DNA sequence from clone 141H5 on c	1.02 0.48
	108041	AA041552	Hs.61957	ESTs	1.44 0.51
	108087	AA045709	Hs.40545	ESTs	1.98 1
55	108382	AA074885	Hs.67726	macrophage receptor with collagenous str	1.52 0.72
	108435	AA078787	Hs.194101	ESTs	2.53 1.53
	108480	AA081093	Hs.68055	ESTs	1.56 0.48
	109252	AA194830	Hs.85944	ESTs	2.69 3.18
	109550	FD1534	Hs.26981	ESTs	1.19 0.65
60	109613	F03031	Hs.27519	ESTs	1.01 0.29
	109837	H00656	Hs.29792	ESTs	0.81 0.15
	109893	H04768	Hs.30484	ESTs	1.44 0.32
	109984	H09594	Hs.10299	ESTs	0.62 0.14
	110099	H16568	Hs.23748	ESTs	1.01 0.28
65	110837	N30796	Hs.17424	ESTs; Weakly similar to semaphorin F [H.	1.1 0.22
	111247	N69825	Hs.16762	Homo sapiens mRNA; cDNA DKFZp564B2062 (f	1.26 0.26
	111341	N80935	Hs.22483	ESTs	1.57 0.52
	111510	R07856	Hs.16355	ESTs	3.96 1
	111737	R25410	Hs.9218	ESTs	0.97 0.24
70	113195	T57112		***yc20g11.s1 Stratagene lung (#937210)	1.22 0.35
	113238	T62979	Hs.189813	ESTs	2.27 0.45
	113540	T90496	Hs.16757	ESTs	1.06 0.22
	113552	T90889	Hs.16026	ESTs	1.16 0.42
	113606	T93093	Hs.17125	ESTs	1.48 0.7
75	113695	T96965	Hs.17948	ESTs	1.54 0.28
	113946	WB4753	Hs.37896	ESTs	1.79 0.72
	114251	Z39898	Hs.21948	ESTs	1.95 0.25
	114359	Z41589	Hs.153483	ESTs; Moderately similar to H1 chloride	1.42 0.13
	115230	AA278300	Hs.182980	ESTs	2.62 0.42
80	115279	AA279760	Hs.63671	ESTs	1.79 0.91
	115566	AA398083	Hs.43977	ESTs	0.86 0.2
	115965	AA446661	Hs.173233	ESTs	0.79 0.04
	116166	AA461556	Hs.202949	KIAA1102 protein	2.29 0.68
	116279	AA486073	Hs.57362	ESTs	2.27 0.78
	117023	H88157	Hs.41105	ESTs	1.36 0.16

	117209	H99959	Hs.42768	ESTs	1.46	0.48
	118901	N90719	Hs.94445	ESTs	1.51	1
	118981	N93839	Hs.39298	ESTs	1.34	0.48
5	119073	R32894	Hs.45514	v-els avian erythroblastosis virus E26 o	1.14	0.27
	119221	R98105		***yr30g11.s1 Soares fetal liver spleen	1.32	0.53
	119824	W74536	Hs.184	advanced glycosylation end product-specd	1	0.19
	119861	W80715		ESTs; Moderately similar to !!!! ALU SUB	1.83	0.45
	120041	W92775	Hs.59368	ESTs	1.23	0.55
10	120132	Z38839	Hs.125019	ESTs; Highly similar to KIAA0886 protein	0.91	0.37
	120467	AA251579	Hs.187628	ESTs	1.87	1.91
	121314	AA402799	Hs.182538	ESTs	1.3	0.31
	121643	AA417078	Hs.193767	ESTs	2.31	0.68
	121690	AA418074	Hs.110286	ESTs	1.47	0.51
15	122633	AA454080	Hs.34853	inhibitor of DNA binding 4; dominant neg	1.31	0.63
	123978	C20653	Hs.170278	ESTs	1.52	0.32
	124214	H58608	Hs.151323	ESTs	0.93	0.35
	124357	N22401		***yw37g07.s1 Morton Fetal Cochlea Homo	1.29	1
	124438	N40188	Hs.102550	ESTs	1.36	0.7
20	125167	W45560	Hs.102541	ESTs	1.46	0.69
	125174	W51835	Hs.231082	EST	3.07	3.76
	125422	AA903229	Hs.153717	ESTs	1.34	0.3
	125561	AI417667	Hs.22978	ESTs	1.89	0.63
	125831	D60988		***HUM145B09B Clontech human fetal brain	0.94	0.36
25	127002	R35380	Hs.24979	ESTs	3.02	4.06
	127307	AA369367	Hs.126712	ESTs; Weakly similar to pIL2 hypothetica	1.01	0.69
	127609	AA622559	Hs.150318	ESTs	1.21	0.32
	127959	AI302471	Hs.124292	ESTs	2.5	1
	128458	D52193	Hs.56340	ESTs	1.13	0.33
30	128624	AA479209	Hs.102647	ESTs	1.45	0.58
	128789	AA486567	Hs.105895	ESTs	1.1	0.34
	128798	AF014958	Hs.105938	chemokine (C-C motif) receptor-like 2	1.16	0.55
	128952	R51076	Hs.107361	ESTs; Highly similar to Rap2 interacting	2.04	2.4
	129057	X62466	Hs.214742	CDW52 antigen (CAMPATH-1 antigen)	1.77	0.73
35	129210	AA401654	Hs.202949	KIAA1102 protein	1.11	0.36
	129240	W24360	Hs.237868	interleukin 7 receptor	0.91	0.41
	129402	T63781		***yc21g01.s1 Stratagene lung (#937210)	1.36	0.43
	129565	X77777	Hs.198726	vasoactive intestinal peptide receptor 1	0.67	0.08
	129593	AA487015	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f	1.3	0.42
40	129626	AA447410	Hs.11712	ESTs; Weakly similar to !!!! ALU SUBFAMI	1.28	0.46
	129699	AA458578	Hs.12017	KIAA0439 protein; homolog of yeast ubliq	1.58	1
	129898	N48595	Hs.13256	ESTs	1.13	0.53
	129958	L20591	Hs.1378	annexin A3	0.81	0.31
	130273	U59914	Hs.153863	MAD (mothers against decapentaplegic; Dr	0.59	0.22
45	130655	N92934	Hs.17409	cysteine-rich protein 1 (intestinal)	1.44	0.76
	130657	T94452	Hs.201591	ESTs	0.96	0.36
	131061	N64328	Hs.22567	ESTs; Moderately similar to HYPOTHETICAL	1.51	0.45
	131066	F09006	Hs.22588	ESTs	0.97	0.37
	131263	R38334	Hs.24950	regulator of G-protein signalling 5	2.34	2.82
50	131589	U52100	Hs.29191	epithelial membrane protein 2	1.2	0.62
	131686	AA157428	Hs.30687	Grb2-associated binder 2	0.95	0.38
	131751	H18335	Hs.31562	ESTs	1.47	0.52
	132430	T23630	Hs.258675	EST	1.86	2.09
	132476	N67192	Hs.49476	Homo sapiens clone TUA8 Cri-du-chat regi	1.73	0.58
55	132836	F09557	Hs.57929	slit (Drosophila) homolog 3	0.91	0.29
	133120	X64559	Hs.65424	tetranecln (plasminogen-binding protein	0.82	0.2
	133488	D45370	Hs.74120	adipose specific 2	1.29	0.48
	133565	H57056	Hs.204831	ESTs	2.25	0.57
	133651	U97105	Hs.173381	dihydropyrimidinase-like 2	1.65	0.62
60	133835	AA059489	Hs.76640	ESTs; Highly similar to RGC-32 [R.norveg	1.16	0.34
	133978	W73859	Hs.78061	transcription factor 21	0.79	0.27
	133985	L34657	Hs.78146	platelet/endothelial cell adhesion molec	0.99	0.28
	134299	AA487558	Hs.8135	ESTs	1.02	0.46
	134300	U81984	Hs.166082	endothelial PAS domain protein 1	0.86	0.42
65	134323	AA028976	Hs.8175	Homo sapiens mRNA; cDNA DKFZp564M0763 (f	1.19	0.27
	134343	D50683	Hs.82028	transforming growth factor; beta recepto	1.21	0.67
	134417	D87969	Hs.82921	solute carrier family 35 (CMP-sialic acd	1.28	1
	134561	U76421	Hs.85302	adenosine deaminase; RNA-specific; B1 (h	2.12	0.55
	134624	W67147	Hs.8700	deleted in liver cancer 1	2.35	2.74
70	134696	H88354	Hs.8861	ESTs	1.35	0.33
	134749	L10955	Hs.89485	carbonic anhydrase IV	0.89	0.2
	134786	L06139	Hs.89640	TEK tyrosine kinase; endothelial (venous	0.48	0.21
	134869	T35288	Hs.90421	ESTs; Moderately similar to !!!! ALU SUB	2.14	2.64
	135346	M21056	Hs.992	phospholipase A2; group IB (pancreas)	0.63	0.13
75	100113	D00591	Hs.84746	Chromosome condensation 1	1	2.15
	100147	D13666	Hs.136348	Homo sapiens mRNA for osteoblast specifi	0.5	2
	100280	D42085	Hs.155314	KIAA0095 gene product	1.02	1.39
	100335	D63391	Hs.6793	platelet-activating factor acetylhydrola	1	5.58
	100360	D78335	Hs.75939	Uridine monophosphate kinase	0.91	2.04
80	100372	D79997	Hs.184339	KIAA0175 gene product	0.75	2.03
	100486	HG1112-HT1112		TIGR: ras-like protein TC4	1.09	1.93
	100559	HG2197-HT2267		*collagen, type VII, alpha 1*	0.97	3.6
	100576	HG2290-HT2386		*calcitonin/alpha-CGRP, all transcript	1	1
	100668	HG2981-HT3938		*TIGR: CD44 (epican, all transcript 12	0.85	1.9
85	100906	HG4716-HT5158		Guanosine 5'-Monophosphate Synthase	1.18	2.29
	100930	HG721-HT4827		*TIGR: placental protein 14, endometrial	1	1.45

	100960	J00124	Hs.117729	keratin 14 (epidermolysis bullosa simple	0.84	2.6
	101031	J05070	Hs.151738	*Matrix metalloproteinase 9 (gelatinase	0.77	1.52
	101111	L08424	Hs.1619	Achaete-scute complex (Drosophila) homol	1	1
5	101124	L10343	Hs.112341	*Protease inhibitor 3, skin-derived (SKA	0.62	2.67
	101175	L18920	Hs.36980	*Melanoma antigen, family A, Z'	1	1
	101204	L24203	Hs.82237	Ataxia-telangiectasia group D-associated	0.74	4.1
	101431	M19888	Hs.1076	Small proline-rich protein 1B (comifin)	0.85	2.51
	101448	M21389	Hs.195850	keratin 5 (epidermolysis bullosa simplex	0.61	8.83
	101511	M27826	Hs.267319	Endogenous retroviral protease	1.03	1.13
10	101526	M29540	Hs.220529	Carcinoembryonic antigen-related cell ad	1.07	4.61
	101548	M31328	Hs.71642	*Guanine nucleotide binding protein (G p	0.97	1.13
	101625	M57293		*Human parathyroid hormone-related peppl	1	1
	101649	M60047	Hs.1690	Heparin-binding growth factor binding pr	1	2.7
	101724	M69225	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	1	8.98
15	101748	M76482	Hs.1925	Desmoglein 3 (pemphigus vulgaris antigen	1	2.78
	101759	M80244	Hs.184601	*Solute carrier family 7 (cationic amino	1.07	2.45
	101804	M86699	Hs.169840	TTK protein kinase	1	1
	101806	M86757	Hs.112408	S100 calcium-binding protein A7 (psorias	0.74	1.76
	101809	M86849		*Homo sapiens connexin 26 (GJB2) mRNA, c	1	7
20	101845	M93426	Hs.78867	*Protein tyrosine phosphatase, receptor-	1	1
	101851	M94250	Hs.82045	Mitkine (neurite growth-promoting factor	1.13	2.6
	102083	U10323	Hs.75117	*Interleukin enhancer binding factor 2,	1.03	1.61
	102154	U17760	Hs.75517	*Laminin, beta 3 (nicotin (125kD), kalini	0.94	3.62
25	102193	U20758	Hs.313	secreted phosphoprotein 1 (osteopontin;	0.34	4.59
	102305	U33286	Hs.90073	chromosome segregation 1 (yeast homolog)	1.45	2.97
	102348	U37519	Hs.87539	Aldehyde dehydrogenase 8	0.52	2.25
	102581	U61145	Hs.77256	Enhancer of zeste (Drosophila) homolog 2	0.91	2.46
	102610	U65011	Hs.30743	Preferentially expressed antigen in mela	1	3.88
30	102623	U66083	Hs.37110	*Melanoma antigen, family A, 9 (MAGE-9)*	1	1
	102669	U71207	Hs.29279	Eyes absent (Drosophila) homolog 2	1	1
	102696	U74612	Hs.239	Forkhead box M1	1.06	2.77
	102829	U91618	Hs.80962	Neurotensin	1	1
	102888	X04741	Hs.76118	Ubiquitin carboxyl-terminal esterase L1	1.13	2.59
35	102913	X07696	Hs.80342	keratin 15	0.7	4.72
	102915	X07820	Hs.2258	Matrix Metalloproteinase 10 (Stromolysin	1.15	3.35
	102963	X15943	Hs.37058	*Calcitonin/calcitonin-related polypepti	1	1
	103021	X53587	Hs.85266	*Integrin, beta 4*	1.38	2.34
	103036	X54925	Hs.83169	Matrix metalloprotease 1 (interstitial c	1	14.93
40	103058	X57348	Hs.184510	Stratifin	1.25	4.17
	103060	X57766	Hs.155324	matrix metalloproteinase 11 (stromelysin	1	1.72
	103119	X63629	Hs.2877	*Cadherin 3, P-cadherin (placental)*	1.16	7.38
	103206	X72755	Hs.77367	monokine induced by gamma interferon	0.71	1.48
	103242	X76342	Hs.389	*Alcohol dehydrogenase 7 (class IV), mu	1	1
45	103312	X82693	Hs.3185	*Lymphocyte antigen 6 complex, locus D;	0.92	1.28
	103478	Y07755	Hs.38991	S100 calcium-binding protein A2	1.05	5.81
	103558	Z19574	Hs.2785	keratin 17	0.65	6.68
	103576	Z26317	Hs.2631	Desmoglein 2	0.79	1.73
	103587	Z29083	Hs.82128	ST4 Oncofetal antigen	1	3.93
50	103594	Z31560	Hs.816	*SRY (sex determining region Y)-box 2, p	0.71	7.23
	103768	AA089997		*ESTs, Highly similar to Integral membra	0.99	1.8
	104158	AA454908	Hs.8127	KIAA0144 gene product	0.96	1.29
	104558	R56678	Hs.88959	Human DNA sequence from clone 967N21 on	1.23	7.23
	104689	AA010665		ESTs	0.96	2.11
55	104733	AA019498	Hs.23071	ESTs	1.18	1.88
	104906	AA055809	Hs.26802	Protein kinase domains containing protei	1.11	3.15
	104978	AA088458	Hs.19322	ESTs; Weakly similar to IIII ALU SUBFAM1	1.64	2.89
	105012	AA116036	Hs.9329	*Homo sapiens mRNA for fls353, complete	1.19	3.91
	105175	AA186804	Hs.25740	ESTs; Weakly similar to unknown [S.cerev	0.9	4.63
60	105263	AA227926	Hs.6682	ESTs	0.95	2.87
	105298	AA233459	Hs.26369	ESTs	1	1.13
	105312	AA233854	Hs.23348	S-phase kinase-associated protein 2 (p45	1.32	3.01
	105719	AA291644	Hs.36793	Hypothetical protein FLJ23188	1.28	2.31
	105743	AA293300	Hs.9598	ESTs	1	1
65	106012	AA411621	Hs.8895	ESTs; same as BFH67	0.94	2.04
	106231	AA429571	Hs.38002	KIAA1355 protein	1.04	1.5
	106540	AA454607	Hs.38114	Hypothetical protein FLJ11100	1.26	2.26
	106575	AA456039	Hs.105421	ESTs	1	2
	106632	AA459897	Hs.11950	GPI-anchored metastasis-associated prote	0.87	1.32
70	106727	AA465342	Hs.34045	Hypothetical protein FLJ20764	0.87	1.59
	106906	AA490237	Hs.222024	Transcription factor BMAL2 (cycle-like f	0.61	1.6
	107059	AA608545	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re	0.48	2.67
	107104	AA609786	Hs.15243	Nucleolar protein 1 (120kD)	1.01	1.44
	107151	AA621169	Hs.8687	ESTs; procollagen I-N proteinase	0.97	2.89
75	107284	S74039	Hs.291904	Accessory proteins BAP31/BAP29	1.15	3.65
	107901	AA026418	Hs.91539	ESTs	0.72	3.44
	107922	AA028028	Hs.61480	Ig superfamily receptor LNIR precursor	1	2.48
	107932	AA029317	Hs.18878	Hypothetical protein FLJ21620	1	1
	108695	AA121315	Hs.70823	KIAA1077 protein	0.91	3.53
80	108857	AA133250	Hs.62180	ESTs	1	1
	108860	AA133334	Hs.129911	ESTs	0.73	7.3
	108990	AA152296	Hs.72045	ESTs	1	1
	109166	AA179845	Hs.73625	*RAB6 interacting, kinesin-like (rabkine	1	4.55
	109424	AA227919	Hs.85962	Hyaluronan synthase 3	1	1.28
85	109565	F05012	Hs.27027	Hypothetical protein DKFzp762H1311	1.42	2
	109970	H09281	Hs.13234	ESTs	1.13	2.16

	110015	H10998	Hs.7164	A disintegrin and metalloproteinase doma	0.84	1.95
	110156	H18957	Hs.4213	ESTs	0.94	1.41
	110561	H59617	Hs.5199	HSPC150 protein similar to ubiquitin-con	0.91	3.18
	111223	N68921	Hs.34806	ESTs; Weakly similar to neogenin [H.sapl	0.91	3.13
5	111345	N89820	Hs.14559	Hypothetical protein FLJ10540	1	1.25
	111876	R38239	Hs.293246	*ESTs, Weakly similar to putative p150 [0.83	1.27
	111902	R39191	Hs.109445	KJAA1020 protein	0.91	0.91
	112244	R51309	Hs.70823	KJAA1077 protein	0.77	3.01
	112973	T17271		*cDNA FLJ13308 fis, clone OVARC1001436,	1	1
10	112989	T23482	Hs.89981	*Diacylglycerol kinase, zeta (104kD)*	0.55	1.03
	113047	T25867	Hs.7549	ESTs	0.87	2
	113095	T40920	Hs.126733	ESTs	1	1
	113531	T90345	Hs.16740	Hypothetical protein FLJ11036	0.42	1.44
	113970	W86748	Hs.8109	ESTs	1.17	1.73
15	114346	Z41450	Hs.130489	*ATPase, aminophospholipid transporter-I	0.86	0.82
	114407	AA010188	Hs.103305	ESTs	0.8	1.88
	114471	AA028074	Hs.104613	RP42 homolog	1.06	1.34
	114509	AA043551	Hs.101799	KJAA1350 protein	1.82	2.32
	115060	AA253214	Hs.198249	*Gap junction protein, beta 5 (connexin	0.79	1.49
20	115091	AA255900	Hs.184523	KJAA0965 protein	0.72	1.92
	115123	AA256642	Hs.236894	*ESTs, High sim to LRP1_hu low density I	0.59	1.97
	115291	AA279943	Hs.122579	ESTs	1	1.25
	115506	AA292537	Hs.45207	Hypothetical protein KIAA1335	1.15	1.48
	115522	AA331393	Hs.47378	ESTs	0.5	3.29
25	115536	AA347193	Hs.62180	ESTs	1	1
	115697	AA411502	Hs.63325	Homo sapiens type II membrane serine pro	1	6.53
	115909	AA436666	Hs.59761	ESTs	1	6.98
	115978	AA447522	Hs.69517	Differentially expressed in Fanconi anem	1	2.31
	116028	AA452112	Hs.42644	thioredoxin-like	0.99	1.68
30	116107	AA456968	Hs.92030	ESTs	1.14	1.8
	116134	AA460246	Hs.50441	CGI-04 protein	1.11	1.86
	116157	AA461063	Hs.44298	Hypothetical protein	0.99	1.9
	116158	AA461187	Hs.61762	Hypoxia-inducible protein 2	0.44	0.86
	116335	AA495830	Hs.87013	*Homo sapiens cDNA FLJ10238 fis, clone H	0.62	3.89
35	116483	C14092	Hs.76118	Ubiquitin carboxyl-terminal esterase L1	1.04	2.36
	117320	N23239	Hs.211092	LUNX protein; PLUNC(palate lung & nasal	0.51	0.64
	117557	N33920	Hs.44532	Diubiquitin	1.11	2.63
	117693	N40939	Hs.112110	PTD007 protein	0.98	1.79
40	117881	N50073	Hs.260622	Butyrate-induced transcript 1	1	1.43
	118368	N64339	Hs.48956	ESTs	0.67	2.86
	118566	N68558	Hs.42824	Hypothetical protein FLJ10718	1.21	0.83
	118695	N71781	Hs.50081	KJAA1199 see CVA7.doc	0.88	1.63
	119780	W72967	Hs.191381	ESTs; Weakly similar to hypothetical pro	1	1
	119845	W79920	Hs.58561	G protein-coupled receptor 87	1	1
45	120102	W95428	Hs.132927	*ESTs, Moderately similar to p53 regulat	1	1
	120104	W95477	Hs.180479	ESTs	0.69	3.07
	120486	AA253400	Hs.137569	Tumor protein 63 kDa with strong homolog	1.08	12.05
	120859	AA350158	Hs.1619	Achaete-scute complex (Drosophila) homol	1	1
50	120880	AA360240	Hs.97019	EST	1	1
	120948	AA397822	Hs.104650	Hypothetical protein FLJ10292	1.04	2.15
	120983	AA398209	Hs.97587	EST	1	1
	121362	AA405500	Hs.97932	Chondromodulin I precursor	1	1
	121369	AA405657	Hs.128791	CGI-09 protein	1	1.8
	121791	AA423978	Hs.293317	*ESTs, Weakly similar to JM27 [H.sapiens	1	1
55	123005	AA479726	Hs.105577	ESTs	1	1
	123044	AA481549	Hs.130881	B-cell CLL/lymphoma 11A (zinc finger pro	0.95	1.88
	123160	AA488687	Hs.284235	ESTs	1.59	4.98
	123479	AA599469	Hs.135056	clone RP5-850E9 on chromosome 20	1.19	1.64
60	123571	AA608956	Hs.112619	*ESTs, Weakly similar to PQO109 Purkinje	1.03	1.14
	123829	AA620697	Hs.112208	XAGE-1 protein	1.39	2.2
	124006	D60302	Hs.108977	ESTs	1	4.85
	124059	F13673	Hs.99769	ESTs	1.49	8.62
	124960	T15386	Hs.194766	Seizure related gene 6 (mouse)-like	0.76	0.77
65	125218	W73561	Hs.110024	NADH:ubiquinone oxidoreductase MLRQ subu	1.33	1.77
	125453	R06041	Hs.18048	*Melanoma antigen, family A, 10*	0.8	1.42
	125759	AA425587	Hs.82226	Glycoprotein (transmembrane) nmb	1.52	2.26
	125972	AA434562	Hs.35406	*ESTs, Highly similar to unnamed protein	1.05	2.48
	125994	H55782	Hs.270799	EST	1	1.95
	126395	N70192	Hs.278956	Hypothetical protein FLJ12929	1	1.35
70	126645	A1167942	Hs.61635	STEAP1 (Homo sapiens BAC clone RG041D11	1	2.23
	127221	A1354332	Hs.72365	ESTs	0.73	3.27
	127479	AA513722	Hs.179729	collagen; type X; alpha 1 (Schmid metaph	0.51	1.94
	128192	A1204246		KJAA1085 protein	1.8	3.16
75	128610	L38608	Hs.10247	activated leucocyte cell adhesion molecu	0.89	0.97
	128777	U46006	Hs.10526	Cysteine and glycine-rich protein 2	1	1
	128924	AA234962	Hs.26557	Plakophilin 3	1.3	2.97
	129041	H58873	Hs.169902	*Solute carrier family 2 (facilitated gl	0.84	2.04
	129099	H50398	Hs.108660	*ATP-binding cassette, sub-family C (CFT	0.87	1.04
	129404	AA172056	Hs.111128	ESTs	1	1
80	129466	L42583		*Genbank Homo sapiens keratin 6 isoform	0.72	12.67
	129605	S72493	Hs.115947	Keratin 16 (focal non-epidermolytic palm	0.92	1.5
	129628	U26727	Hs.1174	*Cyclin-dependent kinase inhibitor 2A (m	0.85	1.93
	130023	X13461	Hs.239600	Calmodulin-like 3	0.84	1.22
	130080	X14850	Hs.147097	*H2A histone family, member X*	0.98	1.96
85	130385	AA126474	Hs.155223	stanniocalcin 2	1	1

	130410	V01514	Hs.155421	Alpha-fetoprotein	0.63	0.63
	130441	U35835	Hs.301387	*Human DNA-PK mRNA, partial cds*	1.15	3.65
	130482	L32866	Hs.1578	Baculoviral IAP repeat-containing 5 (sur	1	1.88
5	130553	AA430032	Hs.252587	Pituitary tumor-transforming 1	0.92	1.98
	130577	M35410	Hs.162	Insulin-like growth factor binding prote	1.17	4.7
	130627	L23808	Hs.1695	Matrix metalloproteinase 12 (macrophage	0.69	4.05
	130800	AA223386	Hs.19574	ESTs; Weakly similar to katanin p80 subu	1.13	2.41
	130939	AA598689	Hs.21400	ESTs	0.8	0.89
10	131046	X02530	Hs.2248	INTERFERON-GAMMA INDUCED PROTEIN PRECURS	0.8	1.15
	131244	D38076	Hs.24763	RAN binding protein 1	1.13	1.85
	131877	J04088	Hs.156346	Topoisomerase (DNA) II alpha (170kD)	1	1
	131927	AA461549	Hs.34780	*Doublecortax; lissencephaly, X-linked (0.81	0.62
	131965	W90146	Hs.35962	ESTs	0.74	3.27
15	131978	D80008	Hs.36232	KIAA0186 gene product	1	1
	132354	L05187	Hs.211913	Small proline-rich protein 1A	0.69	1.43
	132543	AA417152	Hs.5101	ESTs; Highly similar to protein regulati	0.79	4.27
	132632	N59764	Hs.5398	guanine-monophosphate synthetase	1	1.08
	132653	U31201	Hs.54451	*laminin gamma2 chain gene (LAMC2), exon	1	1
20	132659	Z75190	Hs.54481	*Low density lipoprotein receptor-relate	0.89	0.89
	132710	W93726	Hs.55279	*Serine (or cysteine) proteinase inhibit	0.64	4.41
	132758	W52432	Hs.56105	*ESTs, Weakly similar to WDNM RAT WDNM1	1.55	2.08
	132767	L05188	Hs.231622	Small proline-rich protein 2B	0.83	1.66
	132816	M74542	Hs.575	Aldehyde dehydrogenase 3	0.55	0.55
25	132990	AA458761	Hs.18387	transcription factor AP-2 alpha (activat	1	3.53
	133070	U69611	Hs.64311	*A disintegrin and metalloproteinase dom	1.16	2
	133282	U52960	Hs.286145	*SRB7 (suppressor of RNA polymerase B, y	1	2.7
	133317	AA215299	Hs.70830	U6 snRNA-associated Sm-like protein LSm7	0.95	1.42
	133370	AA156887	Hs.72157	Homo sapiens mRNA; cDNA DKFZp564I1922	1.12	2.55
30	133391	X57579	Hs.727	H.sapiens activin beta-A subunit (exon 2	1.65	1.76
	133832	H03387	Hs.241305	estrogen-responsive B box protein (EBBP)	1.02	1.39
	134032	Z81326	Hs.78589	*Serine (or cysteine) proteinase inhibit	1	1
	134168	AA398908	Hs.181634	*Homo sapiens cDNA: FLJ23602 fis, clone	0.95	1.53
	134218	AA227480	Hs.80205	Pim-2 oncogene	1.36	2.48
35	134405	R67275	Hs.82772	***collagen, type XI, alpha ****	0.76	2.86
	134453	X70683	Hs.83484	SRY (sex determining region Y)-box 4	1.89	3.78
	134470	X54942	Hs.83758	CDC28 protein kinase 2	1.82	4.11
	134645	U87459	Hs.167379	*Cancer/testis antigen (NY-ESO-1, CTAG1,	0.82	0.83
	134781	M17183	Hs.89626	Parathyroid hormone-like hormone	1	1
40	135002	U19147	Hs.272484	G antigen 6	1	1
	100040	M97935		AFFX control: STAT1	0.92	1.25
	101201	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin;	2.92	8.5
	101664	M60752	Hs.121017	H2A histone family; member A	1	1
	102025	U03911	Hs.78934	mutS (E. coli) homolog 2 (colon cancer;	0.8	1.61
45	102031	U04898	Hs.2156	RAR-related orphan receptor A	1	1
	102221	U24576		LIM domain only 4	1	1
	102270	U30255	Hs.75888	phosphogluconate dehydrogenase	1.08	1.43
	102339	U37022	Hs.95577	cyclin-dependent kinase 4	0.88	1.32
50	102391	U41668	Hs.77494	deoxyguanosine kinase	1.07	1.58
	103000	X51956	Hs.146580	enolase 2; (gamma; neuronal)	0.91	1.49
	103395	X94754	Hs.119503	methionine-tRNA synthetase	0.89	1.32
	105638	AA281599	Hs.20418	Homo sapiens mRNA for for Histone H2B; c	0.91	1.25
	105726	AA292328	Hs.9754	activating transcription factor 5	0.94	1.48
	114841	AA234722	Hs.55408	ESTs; Moderately similar to CALCIUM-DEPE	0.78	1.56
55	115206	AA262491	Hs.186572	ESTs	1	1
	115908	AA436616	Hs.82302	ESTs	0.74	2.52
	119132	R49046	Hs.107911	ATP-binding cassette; sub-family B (MDR/	1.1	1.51
	124163	H30539	Hs.189838	ESTs	1	1
	126487	AA482505	Hs.184601	solute carrier family 7 (cationic amino	1.01	1.46
60	127141	AA307960	Hs.75478	KIAA0956 protein	0.85	1.4
	128034	AA905754	Hs.75103	tyrosine 3-monooxygenase/tryptophan 5-mo	1	1.18
	128609	AA234365	Hs.102456	survival of motor neuron protein interac	1	1.5
	128895	R37753	Hs.106985	ESTs	1.7	2
	130199	Z48579	Hs.172028	a disintegrin and metalloprotease domain	1	1
65	130524	U89995	Hs.159234	forkhead box E1	1	1
	133000	U24152	Hs.62402	p21/Cdc42/Rac1-activated kinase 1 (yeast	1	1
	133658	M25756	Hs.75426	secretogranin II (chromogranin C)	1	1
	135047	AA460466	Hs.93597	ESTs	1	1
	100053	M27830		AFFX control: 28S ribosomal RNA	0.88	1.53
70	100114	D00596	Hs.82962	thymidylate synthetase	0.68	1.86
	100128	D11094	Hs.61153	proteasome (prosome; macropain) 26S subu	1.29	2.03
	100154	D14657	Hs.81892	KIAA0101 gene product	0.71	4.26
	100161	D14694	Hs.77329	phosphatidylserine synthase 1	1.02	1.56
	100168	D14874	Hs.394	adrenomedullin	0.46	1.17
75	100187	D17793	Hs.78183	aldo-keto reductase family 1; member C3	1	1
	100188	D21063	Hs.57101	minichromosome maintenance deficient (S.	0.97	1.4
	100217	D26600	Hs.89545	proteasome (prosome; macropain) subunit;	1.13	1.9
	100220	D28364		***Human mRNA for annexin II, 5'UTR (seq	1.11	1.53
	100287	D43950	Hs.1600	chaperonin containing TCP1; subunit 5 (e	1.13	2.09
80	100297	D49489	Hs.182429	protein disulfide isomerase-related prot	0.92	1.78
	100330	D55716	Hs.77152	minichromosome maintenance deficient (S.	1.07	1.61
	100355	D78129		***Homo sapiens mRNA for squalene epoxid	0.96	1.87
	100364	D78586	Hs.154868	carbamoyl-phosphate synthetase 2; aspart	1.49	2.46
	100368	D79987	Hs.153479	extra spindle poles; S. cerevisiae; homo	0.59	1.32
85	100398	D84557	Hs.155462	minichromosome maintenance deficient (mi	1.08	1.9
	100438	D87448	Hs.91417	topoisomerase (DNA) II binding protein	1	2.15

	100455	D87953	Hs.75789	N-myc downstream regulated	0.91	1.48
	100491	HG1153-HT1153		Nucleoside Diphosphate Kinase Nm23-H2s	0.99	1.41
	100518	HG174-HT174		Desmoplakin I	1.28	3.17
5	100528	HG1828-HT1857		***Nexin, Glia-Derived***	0.68	1.9
	100661	HG2874-HT3018		Ribosomal Protein L39 Homolog	1.1	5.44
	100667	HG2981-HT3127		***Eplcan, All. Splice 11***	0.8	1.97
	100830	HG4074-HT4344		Rad2	1.01	2.12
	101061	K03515	Hs.944	glucose phosphate isomerase	0.91	1.79
	101131	L10838	Hs.167460	splicing factor, arginine/serine-rich 3	1.23	1.87
10	101162	L14595	Hs.174203	solute carrier family 1 (glutamate/neutral)	1.35	2.73
	101181	L19686	Hs.73798	macrophage migration inhibitory factor (1.03	1.78
	101183	L19779	Hs.795	H2A histone family; member O	0.57	1.3
	101216	L25876	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	0.7	2.2
	101228	L27706	Hs.82916	chaperonin containing TCP1; subunit 6A (0.99	1.99
15	101233	L29008	Hs.878	sorbitol dehydrogenase	0.82	2.11
	101247	L33801	Hs.78802	glycogen synthase kinase 3 beta	1.2	1.91
	101332	L47276		***Homo sapiens (cell line HL-6) alpha t	0.69	2.78
	101342	L76191	Hs.182018	interleukin-1 receptor-associated kinase	1.04	1.84
	101396	M15796	Hs.78996	proliferating cell nuclear antigen	0.95	3.55
20	101423	M18391	Hs.89839	EphA1	1	1.5
	101445	M21259	Hs.1066	small nuclear ribonucleoprotein polypept	1.21	1.96
	101505	M27396	Hs.75692	asparagine synthetase	0.93	1.6
	101525	M29536	Hs.12163	eukaryotic translation initiation factor	1.19	1.93
	101535	M30448	Hs.251669	casein kinase 2; beta polypeptide	0.96	1.42
25	101607	M38690	Hs.1244	CD9 antigen (p24)	1.11	1.25
	101624	M55998		***Human alpha-1 collagen type I gene, 3	1.17	1.98
	101758	M77836	Hs.79217	pyrroline-5-carboxylate reductase 1	1.77	3.45
	101839	M93036	Hs.692	membrane component; chromosomal 4; surfa	0.71	1.45
	101853	M94362	Hs.76084	lamin B2	0.84	1.19
30	101977	S83364		***putative Rab5-interacting protein (cl	0.89	1.9
	101992	U01038	Hs.77597	polo (Drosophila)-like kinase	0.66	1.46
	102009	U02680	Hs.82643	protein tyrosine kinase 9	1.23	3.35
	102012	U03057	Hs.118400	singed (Drosophila)-like (sea urchin fas	0.85	1.88
	102039	U05861	Hs.201967	aldo-keto reductase family 1; member C1	0.93	2.32
35	102123	U14518	Hs.1594	centromere protein A (17kD)	1	4.28
	102130	U15009	Hs.1575	small nuclear ribonucleoprotein D3 polyp	0.89	1.42
	102148	U16954	Hs.75823	ALL1-fused gene from chromosome 1q	0.8	2.95
	102210	U23028	Hs.2437	eukaryotic translation initiation factor	1.01	1.34
	102220	U24389	Hs.65436	lysyl oxidase-like 1	1.15	2.34
40	102260	U28386	Hs.159557	karyopherin alpha 2 (RAG cohort 1; impor	1.14	2.69
	102330	U35451	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta	1.05	1.7
	102423	U44754	Hs.179312	small nuclear RNA activating complex; po	1.14	2.99
	102455	U48705	Hs.75562	discoidin domain receptor family; member	1.05	2.01
	102499	U51478	Hs.76941	ATPase; Na+/K+ transporting; beta 3 poly	1.27	1.92
45	102522	U53347	Hs.183556	solute carrier family 1 (neutral amino a	0.84	1.31
	102590	U62136		***Homo sapiens enterocyte differentia	1.11	1.6
	102676	U72514	Hs.12045	putative protein	1.04	2.17
	102687	U73379	Hs.93002	ubiquitin carrier protein E2-C	0.86	2.28
	102704	U76638	Hs.54089	BRCA1 associated RING domain 1	1.12	1.63
50	102781	U83843		***Human HIV-1 Nef interacting protein (0.9	1.39
	102784	U85658	Hs.61796	transcription factor AP-2 gamma (activat	0.98	2.16
	102827	U91327	Hs.5456	chaperonin containing TCP1; subunit 2 (b	0.96	1.62
	102935	X13482	Hs.80506	small nuclear ribonucleoprotein polypept	1.21	4.2
	102972	X16662	Hs.87268	annexin A8	1.25	2.32
55	102983	X17620	Hs.118638	non-metastatic cells 1; protein (NM23A)	1.03	1.83
	103023	X53793	Hs.117950	multifunctional polypeptide similar to S	1.58	5.44
	103038	X54941	Hs.77550	CDC28 protein kinase 1	1.32	3.79
	103075	X59543	Hs.2934	ribonucleotide reductase M1 polypeptide	1.11	2.58
60	103168	X68314	Hs.2704	glutathione peroxidase 2 (gastrointestin	0.75	3.05
	103185	X69910	Hs.74368	transmembrane protein (63kD); endoplasm	1.01	1.97
	103212	X73874	Hs.2393	phosphorylase kinase; alpha 1 (muscle)	0.95	1.72
	103223	X74801	Hs.1708	chaperonin containing TCP1; subunit 3 (g	0.97	1.77
	103260	X78416	Hs.3155	casein; alpha	1	1
65	103262	X78565	Hs.204133	hexabrachion (tenascin C; cytotoxic)	1.23	3.09
	103330	X85373	Hs.77496	small nuclear ribonucleoprotein polypept	1.12	2.25
	103364	X90872	Hs.75854	SULT1C sulfotransferase	2.85	4.62
	103375	X91668	Hs.54416	sine oculis homeobox (Drosophila) homolo	1	2.48
	103391	X94453	Hs.114366	pyrroline-5-carboxylate synthetase (glut	1	1.53
	103404	X95586	Hs.78596	proteasome (prosome; macropain) subunit;	0.92	1.53
70	103437	X98260	Hs.82254	M-phase phosphoprotein 11	0.92	1.54
	103448	X99133	Hs.204238	lipocalin 2 (oncogene 24p3)	0.55	0.96
	103605	Z35402	Hs.194657	cadherin 1; E-cadherin (epithelial)	1.32	2.51
	103646	Z68228	Hs.2340	junction plakoglobin	0.88	1.28
	103658	Z74615	Hs.172928	collagen; type I; alpha 1	1.05	2.98
75	103774	AA092898	Hs.92918	ESTs; Weakly similar to R07G3.8 [C.elega	1.88	4.66
	104261	AF008442	Hs.5409	RNA polymerase I subunit	0.87	2.17
	104276	CO2193	Hs.85222	ESTs; Weakly similar to R27090_2 [H.sapi	1.4	2.49
	104289	C16281	Hs.75478	KIAA0956 protein	1.15	1.68
	104434	L02870	Hs.1640	collagen; type VII; alpha 1 (epidermolys	1.04	1.49
80	104453	M19169	Hs.123114	cystatin SN	0.38	0.76
	104611	R98280	Hs.125845	ribulose-5-phosphate-3-epimerase	1.08	2.25
	104758	AA024661	Hs.7010	ESTs; Weakly similar to ACYL-COA DEHYDR	1.14	1.65
	105114	AA156532	Hs.11801	adenosine A2b receptor pseudogene	0.91	1.38
	105132	AA159501	Hs.247280	HBV associated factor	1.08	1.7
85	105174	AA186613	Hs.34744	ESTs	0.95	2.05

	105280	AA232215	Hs.14600	ESTs	1	1.4
	105344	AA235303	Hs.8645	ESTs	0.72	2.02
	105516	AA257971	Hs.21214	ESTs	1.35	3.56
5	105621	AA280865	Hs.6375	Homo sapiens mRNA; cDNA DKFZp564K0222 (f	1.23	1.82
	105698	AA287393	Hs.15202	ESTs; Weakly similar to oligodendrocyte-	0.98	1.28
	105705	AA290767	Hs.101282	Homo sapiens mRNA; cDNA DKFZp434B102 (fr	0.92	1.32
	105724	AA292098	Hs.22934	ESTs; Weakly similar to ZINC FINGER PROT	0.99	1.41
	105782	AA350215	Hs.21580	ESTs	1	1
	105799	AA372018	Hs.24743	ESTs	1.08	1.78
10	105807	AA393803	Hs.16869	ESTs; Moderately similar to COLLAGEN ALP	0.95	1.34
	105891	AA400768	Hs.26662	ESTs; Weakly similar to tumor necrosis f	0.87	2.25
	105936	AA404338		ESTs	1.14	1.46
	106069	AA417741	Hs.29899	ESTs; Weakly similar to ZINC FINGER PROT	1	1
	106103	AA421104	Hs.12094	ESTs	1.04	1.44
15	106140	AA424524	Hs.14912	KIAA0286 protein	1.23	2.11
	106149	AA424881	Hs.256301	ESTs	0.83	1.48
	106154	AA425304	Hs.6994	ESTs	0.77	2.05
	106182	AA426609	Hs.10862	ESTs	0.74	2.23
20	106220	AA428582	Hs.32196	ESTs; Moderately similar to metargidin p	0.97	1.99
	106228	AA429290	Hs.17719	ESTs	0.99	1.54
	106318	AA436570	Hs.9605	pre-mRNA cleavage factor Im (25kD)	0.95	2.09
	106341	AA441798	Hs.5243	ESTs; Moderately similar to pIL2 hypothe	0.98	2.66
	106432	AA448850	Hs.17138	ESTs	0.95	1.93
25	106474	AA450212	Hs.42484	Homo sapiens mRNA; cDNA DKFZp564C053 (fr	1	1
	106483	AA451676	Hs.30299	IGF-II mRNA-binding protein 2	1.4	2.29
	106599	AA457235	Hs.12842	ESTs; Moderately similar to non-function	1	1.82
	106611	AA458904	Hs.26267	ESTs; Weakly similar to torsinA [H.sapie	1.49	2.78
	106654	AA460449	Hs.3784	ESTs; Highly similar to phosphoserine am	1	1.4
30	107076	AA609145	Hs.21143	ESTs; Weakly similar to fos39554_1 [H.s	1.11	1.49
	107115	AA610108	Hs.27693	ESTs; Highly similar to CGI-124 protein	1	1.03
	107129	AA620553	Hs.4756	flap structure-specific endonuclease 1	1.13	3.63
	107159	AA621340	Hs.10600	ESTs; Weakly similar to ORF YKR081c [S.c	1.05	2.09
	107444	W28391	Hs.5181	proliferation-associated 2G4; 38kD	1.18	1.9
35	107481	W58247	Hs.27437	Homo sapiens kinesin superfamily motor K	0.99	2.74
	107516	X56597	Hs.99853	fibrillarln	0.94	1.77
	107529	Y12065	Hs.5092	nucleolar protein (KKE/D repeat)	1.05	2.29
	107531	Y13936	Hs.17883	protein phosphatase 1G (formerly 2C); ma	1.06	1.62
	107801	AA019433	Hs.173100	ESTs	1.03	1.4
40	107957	AA031948	Hs.57548	ESTs	0.95	1.46
	108565	AA085342	Hs.1526	ATPase; Ca ⁺⁺ transporting; cardiac muscl	0.59	1.35
	108780	AA128561	Hs.117938	collagen; type XVII; alpha 1	1	7.63
	108828	AA131584	Hs.71435	DKFZP564O0463 protein	1.33	2.56
	109060	AA160879	Hs.241551	chloride channel; calcium activated; fam	0.67	1.42
45	109112	AA169379	Hs.72865	ESTs	1.03	2.31
	109344	AA213696	Hs.86559	poly(A)-binding protein-like 1	0.97	1.55
	109412	AA227145	Hs.209473	ESTs; Weakly similar to REGULATOR OF MIT	0.76	1.87
	110780	N23174	Hs.22891	solute carrier family 7 (cationic amino	0.9	0.95
	110958	N50550	Hs.24587	signal transduction protein (SH3 contain	1.17	2.26
50	111018	N54067	Hs.3628	mitogen-activated protein kinase kinase	1.21	1.85
	111337	N79612	Hs.16607	ESTs; Highly similar to Myosin heavy cha	1	1.45
	112305	R54822	Hs.26244	ESTs	1	1
	112401	R61279	Hs.237536	ESTs; Weakly similar to F25B5.3 [C.elega	1.24	1.64
	112853	T02843	Hs.4351	EST	1.56	1.95
55	112869	T03313	Hs.4747	dyskeratosis congenita 1; dyskerln	1.03	1.57
	112992	T23513	Hs.7147	ESTs	1	1
	113048	T25895	Hs.184008	ESTs; Weakly similar to RNA-binding prot	1.37	2.26
	113063	T32438	Hs.5027	ESTs	1	1
	113179	T55182	Hs.152571	ESTs; Highly similar to IGF-II mRNA-bind	1.33	2.7
60	113573	T91166	Hs.15990	ESTs	0.76	1.47
	113811	W44928	Hs.4878	ESTs	0.79	1.51
	114086	Z38266	Hs.12770	Homo sapiens PAC clone DJ0777O23 from 7p	0.9	1.34
	114587	AA070827	Hs.180320	ESTs; Weakly similar to GOLGI 4-TRANSMEM	1.02	1.76
65	114846	AA234929	Hs.44343	ESTs	1.32	2.36
	114964	AA243873	Hs.82184	ring finger protein 3	1.1	1.84
	115047	AA252627	Hs.22554	homeo box B5	1.01	2.36
	115166	AA258409	Hs.198907	myelin protein zero-like 1	1.05	2.31
	115167	AA258421	Hs.43728	hypothetical protein	1.52	2.52
	115239	AA278650	Hs.73291	ESTs; Weakly similar to similar to the b	0.7	2.57
70	115278	AA279757	Hs.67466	ESTs; Weakly similar to BACN32G11.d [D.m	1.14	2.12
	115652	AA405098	Hs.38178	ESTs	0.82	4.67
	115875	AA433943	Hs.43946	ESTs; Weakly similar to Weak similarity	1.2	1.98
	116004	AA449122	Hs.76086	ESTs; Highly similar to small zinc finge	0.96	1.31
	116121	AA459254	Hs.48855	ESTs	0.97	1.55
75	116129	AA459956	Hs.49163	ESTs; Highly similar to putative ribonuc	1.08	2.73
	116190	AA464963	Hs.67776	ESTs	0.8	1.57
	116312	AA490494	Hs.65403	ESTs	1.37	2.65
	116732	F13779	Hs.165909	ESTs	0.92	1.8
	117602	N35020	Hs.44685	ESTs; Weakly similar to GOLIATH PROTEIN	1.15	1.84
80	117950	N51394	Hs.75478	KIAA0956 protein	1.04	2.36
	117992	N52000	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586B0222 (f	0.62	1.29
	118785	N75386	Hs.111867	GLU-Kruppel family member GLI2	1	1
	119717	W69134	Hs.57987	ESTs	1	1.4
	119814	W74069	Hs.58350	ESTs	0.78	1.77
85	120128	Z38499	Hs.91448	MKP-1 like protein tyrosine phosphatase	0.86	1.46
	120242	Z98443	Hs.86366	ESTs	0.83	2.01

	120483	AA252994	Hs.1578	apoptosis inhibitor 4 (survivin)	0.74	1.64
	121054	AA398604	Hs.97387	ESTs	1.05	1.93
	121326	AA404246	Hs.97031	ESTs; Weakly similar to Similar to phyto	0.98	1.3
	121376	AA405699	Hs.166232	ESTs; Moderately similar to SODIUM- AND	0.91	1.83
5	121457	AA411448	Hs.208985	ESTs	0.91	1.59
	121780	AA422086	Hs.124660	ESTs	0.46	0.55
	121781	AA422150	Hs.98370	cytochrome P540 family member predicted	1.07	1.54
	121844	AA425732	Hs.98485	gap junction protein; beta 2; 26kD (conn	0.94	1.4
	122059	AA431737	Hs.98749	EST	1.93	2.33
10	122338	AA443311	Hs.98998	ESTs	1	1
	122354	AA443772	Hs.186692	ESTs	0.88	1.39
	122591	AA453265	Hs.99311	ESTs; Weakly similar to MRJ [H.sapiens]	2.28	2.93
	122790	AA460156	Hs.99556	ESTs	0.88	1.3
15	123398	AA521265	Hs.105514	ESTs	1	1.93
	123518	AA608531	Hs.170313	ESTs	1	1
	123673	AA609471	Hs.112712	ESTs	1	1.15
	124000	D57317	Hs.74861	activated RNA polymerase II transcriptio	0.74	1.12
	124367	N24006	Hs.99348	distal-less homeo box 5	0.67	1.1
20	124447	N48000	Hs.140945	Homo sapiens mRNA; cDNA DKFZp586L141 (fr	1.19	1.7
	125756	W25498	Hs.81634	ATP synthase; H+ transporting; mitochond	0.93	1.59
	125769	A1382972	Hs.82128	5T4 oncofetal trophoblast glycoprotein	1.65	6.76
	125852	H09290	Hs.76550	Homo sapiens mRNA; cDNA DKFZp564B1264 (f	0.72	2.26
	125924	AA526849	Hs.82109	syndecan 1	1.22	2.25
25	126037	M85772	Hs.6066	KIAA1112 protein	1.36	1.63
	126214	N29455	Hs.74316	desmoplakin (DPI; DPL)	1.93	3.55
	126414	N78770	Hs.223439	ESTs	1.21	1.66
	126737	AA488132	Hs.62741	ESTs	1	1
	126743	AA179253	Hs.172182	poly(A)-binding protein; cytoplasmic 1	1.3	2.16
30	126926	AA179546	Hs.832	ESTs; Highly similar to INTEGRIN BETA-8	2.53	2.8
	127432	AA501734	Hs.170311	heterogeneous nuclear ribonucleoprotein	1.57	2.12
	128218	H02682	Hs.99189	ESTs; Moderately similar to recombinatio	1.24	2.09
	128527	M31523	Hs.101047	transcription factor 3 (E2A immunoglobul	1.08	1.78
	128568	X60673	Hs.247568	adenylate kinase 3	1.23	3.48
35	128584	M11433	Hs.101850	retinol-binding protein 1; cellular	0.87	2.42
	128628	C14037	Hs.251978	EST	1.22	1.9
	128691	W27939	Hs.103834	ESTs	1.1	1.73
	128714	V00599	Hs.179661	Homo sapiens clone 24703 beta-tubulin mR	0.92	1.17
	128733	AA328993	Hs.104558	ESTs	1.34	1.94
40	128781	X85372	Hs.105465	small nuclear ribonucleoprotein polypept	0.9	1.34
	129052	AA496297	Hs.182740	ribosomal protein S11	2.59	3.19
	129095	L12350	Hs.108623	thrombospondin 2	1.04	3.2
	129241	AA435665	Hs.109706	ESTs; Moderately similar to HN1 [M.muscu	0.95	1.61
	129665	M88458	Hs.118778	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic	1.28	2.63
45	129703	AA401348	Hs.179999	ESTs	0.97	1.63
	129720	AA476582	Hs.12152	ESTs; Moderately similar to SIGNAL RECOG	1.09	1.79
	129850	N20593	Hs.56845	GDP dissociation inhibitor 2	0.74	1.68
	129896	AA043021	Hs.13225	UDP-Gal:betaGlcNAc beta 1,4-galactosylt	1.43	4.19
	130069	AA055896	Hs.146428	collagen; type V; alpha 1	1.17	1.98
50	130405	H88359	Hs.155396	nuclear factor (erythroid-derived 2)-lik	1.26	1.79
	130541	X05608	Hs.211584	neurofilament; light polypeptide (68kD)	1	1
	130599	M91670	Hs.174070	ubiquitin carrier protein	1.07	1.66
	130867	J04093	Hs.2056	UDP glycosyltransferase 1	1	4.8
	131009	AA063596	Hs.22142	ESTs; Weakly similar to NADH-CYTOCHROME	0.93	1.05
55	131028	U20240	Hs.2227	CCAAT/enhancer binding protein (C/EBP);	1	1.23
	131083	U66661	Hs.22785	gamma-aminobutyric acid (GABA) A recepto	1.1	1.8
	131091	T35341	Hs.22880	ESTs; Highly similar to dipeptidyl pepti	1.28	1.98
	131144	C14412	Hs.23528	ESTs; Highly similar to HSPC038 protein	1.43	2.06
	131148	C00038	Hs.23579	ESTs	0.88	3.38
60	131164	Y00503	Hs.182265	keratin 19	1.19	2.77
	131185	M25753	Hs.23960	cyclin B1	0.86	3.84
	131219	C00476	Hs.24395	small inducible cytokine subfamily B (Cy	0.66	2.96
	131454	AA455896	Hs.2699	glypican 1	0.99	1.54
	131687	L11066	Hs.3069	heat shock 70kD protein 9B (mortalin-2)	1	1.18
65	131689	AA599653	Hs.30696	transcription factor-like 5 (basic helix	1	1.95
	131692	D50914	Hs.30736	KIAA0124 protein	1.55	2.39
	131786	AA135554	Hs.32125	ESTs	1	1.33
	131843	AA195893	Hs.184062	ESTs; Moderately similar to putative Rab	0.83	1.63
	131860	U02082	Hs.334	Oncogene TIM	1.08	2.2
70	131884	H90124	Hs.3463	ribosomal protein S23	1.23	1.24
	131903	AA481723	Hs.3436	deleted in oral cancer (mouse; homolog)	0.91	1.18
	131945	M87339	Hs.35120	replication factor C (activator 1) 4 (37	1	2.8
	131958	AA093998	Hs.3566	ESTs; Highly similar to phosphorylation	0.87	1.36
	131964	W42508	Hs.3593	ESTs	1	1.25
75	132001	J00277	Hs.37003	v-Ha-ras Harvey rat sarcoma viral oncoge	1.12	1.43
	132040	AA146843	Hs.172894	BH3 interacting domain death agonist	1	1.55
	132065	D82226	Hs.211594	proteasome (prosome; macropain) 26S subu	0.89	1.27
	132109	AA599801	Hs.40098	ESTs	1	1.05
	132112	AA150661	Hs.40154	jumonji (mouse) homolog	0.99	1.44
80	132123	AA447123	Hs.250705	ESTs	1.06	2.46
	132162	H89551	Hs.41241	ESTs	1.08	2.46
	132180	AA405569	Hs.418	fibroblast activation protein; alpha; se	1.02	4.56
	132309	AA460917	Hs.2780	jun D proto-oncogene	1.16	1.8
	132371	AA235448	Hs.46677	ESTs	0.8	1.26
85	132618	AA253330	Hs.5344	adaptor-related protein complex 1; gamma	0.5	1.49
	132736	U68019	Hs.211578	MAD (mothers against decapentaplegic; Dr	1.21	1.81

	132771	AA488432	Hs.56407	phosphoserine phosphatase	1	1.3
	132833	U78525	Hs.57783	eukaryotic translation initiation factor	0.91	1.43
	132922	T23641	Hs.6066	KIAA1112 protein	1.16	1.53
5	132959	AA028103	Hs.61472	ESTs; Weakly similar to unknown [S.cerev	1.02	1.88
	132994	AA505133	Hs.7594	solute carrier family 2 (facilitated glu	0.72	2.97
	133005	C21400	Hs.103329	KIAA0970 protein	0.88	1.34
	133065	X62535	Hs.172690	diacylglycerol kinase; alpha (80kD)	0.93	1.23
	133083	N70633	Hs.6456	chaperonin containing TCP1; subunit 2 (b	1.14	1.76
	133086	L17131	Hs.139800	high-mobility group (nonhistone chromoso	0.97	1.43
10	133134	T89703	Hs.65648	RNA binding motif protein 8	1.1	1.8
	133195	AA350744	Hs.181409	KIAA1007 protein	2.29	2.69
	133313	AA249427	Hs.70704	ESTs	1.07	1.68
	133331	T62039	Hs.158675	ribosomal protein L14	0.85	1.18
	133438	D13370	Hs.73722	APEX nuclease (multifunctional DNA repai	0.91	1.45
15	133445	T99303	Hs.73797	guanine nucleotide binding protein (G pr	0.94	1.68
	133483	X52426	Hs.74070	keratin 13	0.85	1.14
	133492	L40397	Hs.74137	transmembrane trafficking protein	1.1	1.69
	133504	W95070	Hs.74316	desmoplakin (DP; DPL)	0.7	6.21
	133517	X52947	Hs.74471	gap junction protein; alpha 1; 43kD (con	0.95	1.3
20	133540	D78151	Hs.74619	proteasome (prosome; macropain) 26S subu	0.91	1.25
	133594	L07758	Hs.172589	nuclear phosphoprotein similar to S. cer	0.84	1.29
	133627	U09587	Hs.75280	glycyl-tRNA synthetase	1.09	1.99
	133671	T25747	Hs.75471	zinc finger protein 146	1.02	1.5
25	133859	U86782	Hs.178761	26S proteasome-associated pad1 homolog	1.11	3.33
	133865	F09315	Hs.170290	discs; large (Drosophila) homolog 5	1.84	6.7
	133913	W84712	Hs.7753	calumenin	1.15	1.86
	133963	L34587	Hs.184693	transcription elongation factor B (SIII)	1.3	1.91
	133982	U47621	Hs.207251	nucleolar autoantigen (55kD) similar to	1.3	1.99
30	134100	L07540	Hs.171075	replication factor C (activator 1) 5 (36	0.72	1.65
	134110	U41060	Hs.79136	LIV-1 protein; estrogen regulated	1.04	1.62
	134158	U15174	Hs.79428	BCL2/adenovirus E1B 19kD-interacting pro	1	1.55
	134161	U97188	Hs.79440	IGF-II mRNA-binding protein 3	0.82	1.95
	134193	F09570	Hs.7980	ESTs	0.98	1.48
35	134367	X54199	Hs.82285	phosphoribosylglycinamide formyltransfer	1	2.8
	134402	U25165	Hs.82712	fragile X mental retardation; autosomal	1.26	2
	134457	D86963	Hs.174044	dishevelled 3 (homologous to Drosophila	1	1.47
	134469	X17567	Hs.83753	small nuclear ribonucleoprotein polypept	0.94	1.57
	134498	M63180	Hs.84131	threonyl-tRNA synthetase	1.2	2.64
40	134501	W84870	Hs.211568	eukaryotic translation initiation factor	0.84	1.36
	134507	M63488	Hs.84318	replication protein A1 (70kD)	1.7	2.93
	134548	U41515	Hs.85215	Deleted in split-hand/split-foot 1 regio	1.46	2.73
	134599	X99226	Hs.86297	Fanconi anemia; complementation group A	1.36	2.22
	134692	R73567	Hs.8850	a disintegrin and metalloproteinase doma	0.77	1.64
45	134693	N70361	Hs.8854	ESTs	1.09	1.82
	134806	Z49099	Hs.89718	spermine synthase	0.98	1.35
	134821	Z34974	Hs.198382	plakophilin 1 (ectodermal dysplasia/skin	0.99	1.4
	134864	Y08999	Hs.90370	actin related protein 2/3 complex; subun	0.95	1.42
	134914	U29615	Hs.91093	chitinase 1 (chitotriosidase)	1.16	1.29
50	134953	L10678	Hs.91747	profilin 2	0.95	1.76
	134993	AA282343	Hs.9242	purine-rich element binding protein B	0.98	1.73
	135051	C15324	Hs.93668	ESTs	1.35	2.11
	135158	U51711		Human desmocolin-2 mRNA; 3' UTR	0.86	1.16

Table 1B shows the accession numbers for those pkeys in Table 1A lacking unigenes. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the Accession column.

Pkey: Unique Eos probeset Identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey	CAT	Accessions
65	100661 23182_1	BE623001 L05096 AA383604 AW966416 N53295 AA460213 AW571519 AA603655
	100667 26401_3	L05424 X56794 S66400 X55150 W60071 AW351820 X55938 M83326 BE005289 BE070059 M83324 BE005248 BE069717 BE181648 BE069700 AW606203 BE069721 AW382138 AW803776 BE463954 BE005334 BE005274 T27386 AA932714 AA972695 AW377728 AI632506 T29066 AI783934 AW377727 BE163715 AL047291 AA279047 AA523003 BE008048 BE440141 W23614 BE090519 BE092193 N29181 N20358 N44153 BE546944 T69231 AW377441 AA907406 H50799 AW051416 AI420712 BE620922 AI279161 AA992549 W47198 BE005241 AI342696 H50700 AI969974 AI863855 AA374490 AW130675 AI950633 AA146687 H99482 X55150 BE005414 BE005339 N28294 AI673068 AI887890 AW804171 AI675961 AW804172 AA778841 AL048050 AI127757 AI095568 AW204965 AW468978 W31898 AI052595 AI278771 BE464018 AI081503 AI824198 AA513211 AA411062 AW084376 N48752 AA703209 N35580 AW059918 AA054563 AI280942 T27619 BE621435 N66010 AW589527 AI160414 AA283090 AA962536 H82726 W52115 W45432 W60433 AA577548 AA146714 BE150994 AA054615 AW796025 AW382768 BE565671 C00444 AA054555
75	100668 26401_3	L05424 X56794 S66400 X55150 W60071 AW351820 X55938 M83326 BE005289 BE070059 M83324 BE005248 BE069717 BE181648 BE069700 AW606203 BE069721 AW382138 AW803776 BE463954 BE005334 BE005274 T27386 AA932714 AA972695 AW377728 AI632506 T29066 AI783934 AW377727 BE163715 AL047291 AA279047 AA523003 BE008048 BE440141 W23614 BE090519 BE092193 N29181 N20358 N44153 BE546944 T69231 AW377441 AA907406 H50799 AW051416 AI420712 BE620922 AI279161 AA992549 W47198 BE005241 AI342696 H50700 AI969974 AI863855 AA374490 AW130675 AI950633 AA146687 H99482 X55150 BE005414 BE005339 N28294 AI673068 AI887890 AW804171 AI675961 AW804172 AA778841 AL048050 AI127757 AI095568 AW204965 AW468978 W31898 AI052595 AI278771 BE464018 AI081503 AI824198 AA513211 AA411062 AW084376 N48752 AA703209 N35580 AW059918 AA054563 AI280942 T27619 BE621435 N66010 AW589527 AI160414 AA283090 AA962536 H82726 W52115 W45432 W60433 AA577548 AA146714 BE150994 AA054615 AW796025 AW382768 BE565671 C00444 AA054555
80		J04088 NM_001067 AF071747 AJ011741 N85424 AL042407 AA218572 BE296748 BE083981 AL040877 AW499918 AW675045 H17813 BE081283 AA670403 AW504327 BE094229 AA104024 AI471482 AI970337 AA737616 AI827444 AW003286 AI742333 AI344044 AI765634
85	101332 25130_1	J04088 NM_001067 AF071747 AJ011741 N85424 AL042407 AA218572 BE296748 BE083981 AL040877 AW499918 AW675045 H17813 BE081283 AA670403 AW504327 BE094229 AA104024 AI471482 AI970337 AA737616 AI827444 AW003286 AI742333 AI344044 AI765634

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

80

85

AI948838 AW235336 AW172827 AA095289 BE046383 AI734240 W16699 AI660329 AI289433 AA933778 AW469242 AA468838 AA806983
 AA625873 W78031 BE206307 AA550803 AI743147 AI990075 AA948274 AA129533 AI635399 AA605313 AI624669 AW594319 AI221834 AI337434
 AA307706 BE550282 AI760457 AI630636 AI221521 AW674314 AW078889 AI933732 AI686969 AI186928 AW074595 AI127486 AL079644
 AI910815 H17814 AA310903 AW137854 T19279 AA026682 AA306035 AW383390 AW383389 AW383422 AW383427 AW383395 H09977
 AA306247 AA352501 AW403639 F05421 AA224473 AA305321 H93904 AA089612 AW391543 AW402915 AW173382 AW402701 AW403113
 H94438 N73126 H93466 AA090928 AA095051 T29025 AW951071 L47277 L47276 AI375913 BE384156 W24652 AW746288 AA586223 BE090591
 R93033 N57027 AA504348 AA327653 AW959913 N53767 AA843715 AI453437 AW263710 AI076594 AA583483 AW873194 AW575166 AI128799
 AI803319 AL042776 AW074313 AI887722 AI032284 AA447521 AI123885 N29334 AI354911 AW090687 AA236763 AA435535 AA236910
 AA047124 AA236734 AW514610 H93467 AA962007 AI446783 AA127259 AI613495 AI686720 AI587374 AA936731 AA702453 AI859757
 AA216786 AI251819 AI469227 AA806022 AI092324 N71868 AA968782 AA236919 AA809450 AA227220 AA765284 AI192007 AA1768810
 AA805794 AA729280 AA806238 AW768817 N71879 AI050686 AA505822 AA668974 AI688160 BE045915 AW466315 AA731314 AA649568
 AA834316 AW591901 AW063876 AW294770 AI300266 AI336094 AI560038 AA721755 H09978 D20305 D29155 AW821790 BE150864 F01675
 AI457474 AW466316 AA550969 AA630788
 BE561958 BE561728 BE397612 BE514391 BE269037 BE514207 BE562381 BE514256 BE514403 BE514250 BE397832 BE269598 BE559865
 BE396881 BE560031 BE514199 BE560037 BE560454
 AC004770 W05005 AA356068 AA094281 H29358 T56781 AW875313 L37374 BE312466 BE311755 BE207106 BE293320 BE018115 AW239090
 BE548830 AW247547 AA776062 BE397382 AA486713 T10111 T09340 AW498981 BE547280 AA356003 AW581520 AW875331 AA580720
 AW875336 BE276873 BE408229 AW188148 BE255166 BE253761 AW793727 AW373141 AW581548 AA471223 AA305950 BE263976 AA626820
 BE257409 AW360982 AA090655 C00312 BE312741 BE407213 AA209352 AW298199 AW248553 AW297794 AW731722 BE300586 AW731972
 AW615446 BE301599 AW615520 AA486714 AW440257 AA196516 AA564630 AA618079 AW192592 AW474985 AA604580 AI627461 AA765440
 AI680394 AL135548 AI683224 AI581126 AW245096 AW194154 H29274 N70363 AA629758 AA580602 AA862006 AI683641 AI097667 AI928583
 AI358774 BE243487 AA620553 AA653297 AA292690 T10110 Z38906 AA908544 AA340930 AI185438 T03328 T28844 AI681701 AI864965
 AI872575 BE388740 T56780 AW373138 BE258717 AA699671
 AU076916 BE298110 AW239395 AW672700 NM_003875 UI0860 AW651755 BE297958 C03806 AI795876 AA644165 T36030 AW392852
 AA446421 AW881866 AI459428 BE5428103 T96204 R94457 N78225 AI564549 AW004984 AW780423 AW675448 AW087890 AA971454 AA305698
 AA879433 AA535069 AI394371 AA928053 AI378367 N59764 AI364000 AI431285 T81090 AW674657 AW674987 AA897396 AW673412 BE063175
 AW674408 AI202011 R00723 AI753769 AI460161 AW079585 AW275744 AI873729 D25791 BE537646 T81139 R00722
 J04129 NM_002571 AA293088 AA477016 AA404631 T28299 AA476904 AA433955 AA430486 AA495907 AI151391 AA291495 AA402723 W25651
 AA706816 AI826712 AW296294 AA293479 AI276581 AW044154 AI080180 AI417985 AI274168 AI474212 AA495908 AA635664 AI092114
 AI804952 AA479874 AI597661 AI420511 AA479738 AA421417 AA421247 AA436220 AL047797 M34046 N42277 AA228076 W02698 AW20297
 AA434011 I1369971 AA479731 AI865541 AI418020 AA421246 AA452764 AL048051
 NM_005769 U24576 AW161961 AW160473 AW160465 AW160472 AW161069 AI824831 AW162635 AI990356 AW162477 AW162571 AI520836
 AW162352 AW162351 AW162752 AI962216 AI537346 AA853902 H17667 BE045346 BE559802 BE255391 AA985217 AA235051 AI129757
 AW366451 T34489 D58106 D56351 AI936579 AW023219 AW889335 AW889120 AW889232 AW889175 BE093702 AW889348 AA147546
 AI952998 AA912579 AI143356 AW902211 R64717 AW157236 AI815242 D45274 AW263991 AA442920 AA129965 AL035713 AI923255 AI949082
 AI142826 AI684160 AI701987 AI678954 AI827349 BE463635 AW628092 AW302281 AA493203 BE348856 BE536419 AW193969 AW673561
 AW592609 AI224044 H43943 AA091912 R49632 R48353 AI568409 R48256 AI198046 H27986 H43899 AI678759 AI680310 AI624220 H17052
 AA156410 N56062 AI699430 AA664529 T09406 T10459 AA27506 AI379584 N83831 N88633 AW022651 AA971281 AA248036 AI039197
 AI914689 AA973825 AL047305 AA129966 AI798369 AW264348 AI445879 AI658759 N67924 AI933507 AI216121 AI333174 T10972 AI376028
 AI186756 AI273778 AA610487 AI797946 AA853903 AA903939 AI385857 AI278494 AW627595 AA904019
 M68849 AA315280 NM_004004 AA315269 BE142653 AA461400 AW802042 BE152893 AW383155 AA490688 AW117930 AW384563 AW384544
 AW384566 AW378307 AW378323 AW839085 AA257102 AW378317 AW276060 AW271245 AW378298 AW384497 AI598114 AW264544 AW1018136
 AW021810 AA961504 AW086214 AW771489 AW192483 AI290266 AW192488 AW384490 AW007451 AW890895 AA554460 AA613715
 AW020066 AI783695 AI589498 AI917637 AW264471 AW384491 AI816732 AW368530 AW368521 AW368463 AA461087 AI341438 AI970613
 AI040737 AI184000 AA947181 AA962716 AI280695 AW769275 AW023591 AI160977 AA055400 N71882 AA490466 AW193472 AA73386 AA773843
 AI076554 AW511702 N69323 H88912 AA257017 AI952506 H88913 AI912481 AA600714 BE465701 N64149 C00523 N64240 AA677120
 R61573 BE005029 X98091 AA297307 BE537267 BE566138 BE566139 F11561 BE564795 BE568776 AW064005 BE566479 BE380035 BE567012
 BE568634 BE566568 AA298060 BE566043 BE568813 BE568818 AA283070 BE565414 BE566738 BE568585 BE565667 BE566116 BE566433
 U62136 AF049140 BE567057 BE567297 BE567403 BE564316 BE567400 BE568854 BE566588 AA448772 AA071363 AW732642 BE564996
 AA297776 AA278650 AA421083 AA298184 AA091007 AA984577 AA205916 N28759 AL9031291 C15757 C15761 H02728 BE566410 AA129335
 AA419499 N87741 BE379689 BE004824 BE379611 D25874 AA148454 AA323654 AW050311 AA448785 AW749423 AA77386 AA773843
 AW020327 BE348580 BE504258 BE549990 BE220200 AI673334 AI202679 AA975515 D61421 AI168688 AA102843 AW246821 AI276203
 AI074054 AI633824 AI962927 AI148926 N50969 AI308911 AA410994 AW373025 AA148455 H02620 AA688293 AI246318 N22220 AI917777
 AI059348 AI097286 AA663794 AW368662 AW627826 AW078734 AI253060 AA749154 AA832236 AI192358 AW024676 AA448676 AA448676 AA764891
 BE439467 AA661534 AA258061 AI090546 AA995157 AI051011 AA584421 AI026032 AW591338 AW589563 AA776914 AW024684 AA421002
 F09219 BE464500 AI383595 AA954244 AA601583 AA737304 AA195549 AA805778 AI055876 AA164942 AW013961 AI672608 AW512471 D59441
 AW582574 AA160935 BE566501 BE564612 BE565353 BE568195 BE565447 BE568302 BE566097 BE565470 BE564249 AW036217 AW149424
 BE567494 AA102842 AA314761 AV661237 C14211 AA651866 AW798997 AA470605
 AF112213 AL050318 T24804 AW248136 BE366341 BE263177 W16677 BE250224 BE563669 BE267405 BE546577 AV651354 AV651292
 AI346903 AI539128 AI89171 S83364 AW073949 AI816760 AW073309 AI422690 AA296692 AI860301 AI805446 N77735 AI340328 BE092530
 AW028742 BE088442 AA657742 AA742438 AW170086 AI038920 AI432379 N35073 AI936194 AA868655 AA983612 AI077505 BE080433
 AI375014 AI126547 AI348244 AI346077 AI748952 N26915 AI753574 AI093341 AI278762 BE092517 N74204 H08158 T58149 AI129303 N58366
 AA524456 BE122661 AA542925 AI246120 AI735203 AA706829 AA877544 AI082289 AA926687 N92840 AW249798 AA934763 AW998363
 AI128632 N25202 AI240209 AW118892 N80744 R35655 AI342321 AI340141 AW878792 AI857321 H09610 W04601 AW006650 AA126006
 AA553675 AI052791 AW059835 AI041906 AA814658 AW002059 AA729483 AI609301 AA994633 AA903651 AI4591783 T95072 AW088630
 AA126112 AI800091 AI561215 H17502 AW475072 AI819003 AI683272 AI262701 AW793140 T81787 R99586 AI291630 AI310420 AI698929
 AA159174 AI827968 F30305 F30309 AA806662 AI091923 AW878722 AA583430 AW571913 AI674584 AA292533 AI079471 AA642325 AA719050
 AW793172 AA305476 AW103745 T23459 N79525 AI784438 AA534551 AW193751 AI074360 BE281214 T32229 W25066 W01205 T63086
 AW795348 AI361287 AW795353 AW795349 AA594759 AI400295 O11489 AI370689 AA482356 AA485295 W04151 AA564661 AW300745
 AI346938 AI374975 AI423782 AW193889 AA612604 AI183409 AA998156 AW366997 AI284860 AA846503 AI985064 AA844576
 AA737921 AA873274 BE241546 BE241540 AA484058 AW468970 AA127876 AA159120 AW001568 AW795213 AW795258 AW795330 BE250589
 BE387572 AA910895 AA161217 BE250380 W31500 T95167 AI719306 AI359224
 BE258778 BE281230 BE410044 T33723 AW672694 AW410439 NM_006429 AF026292 T35505 BE542333 T08940 AU076737 AW247471
 BE393215 AW328640 BE542408 T32170 BE302544 T31955 BE206898 BE275738 T32570 BE386426 BE298746 BE389937 BE293991 BE315289
 BE389578 R34739 R15312 BE279365 BE277756 AL036019 T33725 BE277779 BE302962 AL047294 BE276505 T09070 T33673 BE312580
 AW387774 BE257175 AW674367 BE253331 BE270344 BE299831 BE273576 T32062 AI751831 BE618381 AA304899 BE252268 U46364
 BE256790 BE207199 BE256209 BE251941 BE250791 BE313955 BE269806 BE543623 BE279212 BE252289 T31699 BE252220 T31669
 AA315781 AA192212 N84547 BE292737 BE259631 AA232179 AI133144 T31292 AA315945 BE407301 BE251184 BE409006 AI880158 AI904003
 AI904114 AW651768 AW651763 R58247 BE271897 U83843 C05298 BE261609 BE255973 AA351650 N84631 BE263637 AW452910 AA328465
 AA324549 AW579525 BE252296 BE257551 AL048332 BE208630 AA359336 AW327897 AA151742 AA305816 BE076862 BE076796 BE263161
 AA323785 AA676588 AA626565 AA078917 W87657 R09002 R94021 AA312032 BE276665 AA295608 AW407162 AA329374 AW877912 N27885
 AA369254 AA360968 BE250476 N85427 BE265569 AI278639 AI816576 AI691037 AW328583 AI567949 AI983455 AI927732 AI811297 AI571508
 AW073674 BE296039 BE467326 AI828796 AI816578 AW511604 AI921213 AW152427 AI795787 AI801618 AW168866 AI628114 AI890339
 AW173690 AW511540 BE535620 AA383014 BE301164 AI866596 AW514909 AA658050 AW575243 AA074631 AI093488 AW575408 AW675443
 AW615636 AW732207 AW377638 AA321784 AA641629 AA633105 AA527640 AW129146 AW615672 BE394607 AA483902 AW475032 BE378532

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85

AA872808 AA469388 AW105268 BE047301 AW591843 AW410066 AW517153 AI950495 AA746641 AI914878 AA873185 AI956911 AA548625
AA911505 AA148762 AW674535 AI587329 BE328328 AW270348 AA158225 AW117705 AW474997 AW519193 AA614757 AW664383 AI082647
AW590973 AI476711 AA192213 N88741 BE464552 AW072679 AI453708 AA152166 AA805924 AI581078 AI125768 AW173484 AI961980
BE300766 AI199698 AI636792 AW247333 AW272861 AA078818 AA150012 AA551232 AA678821 AW873869 AW678266 AI663015 AA319210
AA814551 AA157994 AA318886 AI582962 AW089224 AI355098 AI343694 AW072598 N21054 AI301249 AA742924 H17917 AW328584
AW248898 AI751830 AA907816 R08898 AW087989 AI828300 AA148596 AI269577 T33426 AA213571 AI973201 AA666279 R49612 AI573183
AW759762 AW410068 AW769566 AI952097 AI475204 D57490 AW517531 BE245270 AW470008 T33427 AW005731 AI795795 AW327531 AW272981
T15747 AA552875 T23644 AW361289 AI758558 BE207435 AA876958 T03361 AA883569 F37533 AA582321 AW082524 RA2212 AA973847
T18900 AA086202 AI559867 AI302418 AA948667 AA745670 T08939 T33724 T33722 BE621568 D57489 D25906 BE621151 F16510 C05966
T35127 AA630427 AI933481 AA309426 AI918440 BE651854 BE618866 BE394675 BE296173 AW951687 BE383739 BE616141 BE312730
BE535351 AW080575 BE313330 BE616664 AI354390 AA847315 BE544509 BE515212 BE297833 BE278808 BE544844 AW090178 AI890664
BE546708 AW189943 BE274412 BE382399 BE266392 BE254949 BE280696 BE383237 BE261756 BE257721 BE312683 BE275476 BE514880
BE545314 BE313587 BE384537 BE386691 BE264813 AW592575 AI336332 AI278641 AI795791 BE222662 AW29316 AA314361 AI036012
AW402923 BE266845 AA075945 AA314436 BE384640 AW731769 AW957077 AA552234 AA573560 AW367038 AA313399 AI983873 BE410159
BE263803 BE514339 BE409073 BE281296 BE543396 BE395387 BE088360 BE546946 BE546570 BE390626 AA074638 AA301821 AW845230
AW582379 AI949222 AW029572 AA515843 AW272394 BE250234
119221 102947_1 C14322 W74050 AI074232 AA595624 BE048955 AI148417 AI583145 AI473460 AI801688 AW573593 AI950741 AI628140 AW467921 R98105
AI149258 AI247584 AI078378 AI139850 AA489411 W27444 R98104 AI033826 AA699589 AI033120 N55544 W88984 AW970771 AA703362
AA099138 AA706792 AA046150 H98981 AI916674 AA953018 AI972749 AI921343 AA909044 AA094751 AI203124 AA582143 AI446654
AW235415 R70377 AA099236 F20703 AA524436 R69484
125831 1522905_1 H04043 D60988 D60337
128192 45743_3 AI204246 AI204250 AI194050
113195 178688_1 H83265 T63524 AA304359 AW960551 AI672874 AI749427 AA227777 AW027055 AA971834 T49644 T54122 AI983239 AI808233 T91264 T96544
AI350945 AI709114 R72382 T48788 R45726 AW385418 AI095484 T49645 AA928653 AA570082 AW007545 T57178 AA516413 AA913118 T57112
AA564433 AA774503 AA367671 T59757
119861 238266_1 W78816 AI720806 AI633854 AI632086 AI668663 N70894 AW571809 AI383592 AI201348 W80715 N91880 AW963101 AA339011
112973 4868_1 AB033023 BE391906 BE275965 BE277872 BE003882 AA313774 BE019159 BE298024 BE299727 BE300011 BE390277 BE394764 N87550
BE409416 BE408652 BE408197 AL119332 AA622427 AI816265 AA610118 T07318 AA019839 AA634430 BE205794 BE049461 AI042322
AI652711 AI917645 AA630045 AW191969 AI817882 T17271 AI803663 AI095533 H46D19 AW592438 AI624836 AI675552 D51149 AW132058
AA639614 AI925762 AW088153 T17455 AA018640 AW751475 BE300241 AI816255 BE391981 AW408671 AA3233910 AW875446 AW875703
AW875926 AW875645 AW875647 AW938037 AL138042 AW892619 BE243018 AW959454 BE246381 BE009082 BE278921 AW957842 AA262454
H30121
129402 47367_1 W72062 AF088057 W76255 AI827219 AI631461 AW449295 AI354957 AI913803 T62772 AI222040 T62921 T63781
105936 260931_1 AI678765 H12175 R14664 AI914049 AA955383 H08008 H19418 AW953728 AI358021 AA587361 AI269377 AA369905 AW957113 H27693
AI300474 H73776 W74397 AA579804 AI131018 W72331 AI719085 AA568348 AI859045 AI814819 AI888714 BE464740 AW131268 H19419
H27694 AI342165 AI914155 AA534872 BE018176 R60206 H11647 R45641 AI860466 BE301656 AI125453 AW98120 AA593735 AA879110
AI016404 T35018 AA588397 AW449767 AA470365 BE501139 AA588354 AI337500 AW078532 Z41279 AI125449 AA955725 AA404338
129466 2094_50 L42583 NM_005554 L42601 BE183076 AI541221 BE140567 L42610 V01516 J00269 AW275792 AW383052 AW380143 AI541102 BE612846
AI541344 AW238368 BE613405 BE615705 BE615530 BE615301 AW379823 AW794706 AA194806 AA194992 AW384024 AW384000 AA641239
AI246504 AI540333 AW238681 AA640939 AI540863 AI608860 AW862564 AW366725 AW368983 AW368870 AA596020 AW794721 AW794511
AI591181 BE182523 AW794644 AW794620 AI935234 AI608903 AI608623 AW797060 AW084935 BE182517 BE182319 AI890082 AW238346
AW797012 BE182522 AW794838 AI608794 AW304288 AA147193 AA595995 AW381128 AW366720 AA583718 AI828416 BE122864 AW368343
AA431080 AW082039 AW380976 AA587144 AA443636 AW872937 AW794448 AW378382 AW085761 AW794718 AW263895 AA583587
AA583991 AA583994 AA586886 AA586880 AW368365 AI814460 AA586991 AI282829 AW378406 AA586721 AI609242 AA431973 AA232959
AI813091 AW263854 AW378391 AW378415 AW378381 AA036990 AW238395 AI285446 BE208219 BE049520 AW085718 AA583900 AW366711
AI285580 AW082642 AI285712 AA582875 AW591216 AW368719 AW378408 BE122835 AA582976 BE350422 AA418328 AI541454 AI565930
AA583700 AA150575 AW238427 AI287474 AA912658 AA584223 AW238528 C17918 AW136169 AA159847 AI923797 AI609009 BE391824
AI915198 AW378114 AA147179 AA584239 AA150532 AW168862 AW085999 AW082480 AA659742 AW079703 AI872793 AA583900 AI824571
BE182316 BE182507 AA233331 AI824572 AI540586 D29492 BE182931 AA036948 BE551821 D29401 AW378365 C00141 D29181 D29567
AW103359 W95238 AI991663 AA587298 BE184608 AA099833 W95121 W95150 D29584 AI934111 D29456 D29533 AW265380 D29290
AW238463 AA121041 D29204 AA595925 D29441 AW081840 AA587018 D29323 AA582891 BE182433 BE182437 BE168295 BE182434
100220 45374_1 AW015534 AA314369 AA290715 BE568683 AW629494 D28364 AW995678
100355 12538_1 AI907114 AA580734 AL041945 AA101515 AA121344 D78130 NM_003129 AA341650 T84166 AF098865 AA130976 BE089553
H05719 F13446 T66122 AW175590 F05344 AI114790 R12900 AA194871 AA132298 D78129 AA132213 AW948930 AW948919 AA263503 AW948693 AW948840
AA278558 R50895 N26940 N40818 AW021255 AA054851 AA663379 AW948795 AW948893 AA400356 AW948911 N85024 W78844 AI341546
AI760182 AA286763 BE617763 BE617263 AW263690 BE049454 BE617928 AW515038 AW950584 AA601009 AI079194 AA147204 AW083163
AI130981 AI218369 AA604784 AI806257 AI595956 AA232318 AA258065 AI471982 AA687949 AI143944 N30172 AA400196 AI769041 AI084342
AI221380 AA948469 AI802469 H05720 AA113270 AA158138 AA076231 AI521024 AI810962 AI133616 AA805106 AA101516 R40052 R50778
RA3280 T65036 AW131924 AA114251 AA152331 F09650 AA580614 AA558927 C75491 Z38352 AA954595 C75606 W80742
D56165 M36981 X59965 NM_002512 BE379177 AA314836 BE256445 BE252016 AW248343 AI720933 AW085701 AA386050 BE619742
BE277805 AA147951 AA603113 BE253293 AI246588 AI183405 AI954174 AI126891 AI829101 AI123832 AW129670 AA471268 AW170242 AW873079 AA148011 AI608620
AA482961 AI003658 H43261 AA657978 AI735072 R83138 AA722002 AA626271 AW273877 BE464626 AA071483 AA429973 AA494342
AA620436 AA775597 AA775601 AA826847 AI192585 AA826359 AA411159 AI193419 AI204013 AA705323 AA716255 AI784611 AI081144
AI128227 AA828464 AI148911 AI493446 AI626084 AI189180 AI721196 AI190618 AA284987 AI128543 AA632064 AI333073 AI278470 AA131688
AI491768 AA937581 AA630065 AA834257 AW249841 AA583742 AI309756 AA961676 AI760860 AA557818 AA954238 H43655 AI302564
AA127545 AI609219 H20426 AI042292 AI056466 AA581836 W47002 AA422057 AA937673 F29757 AA829208 AW327462 AA372098 W02144
AA036805 AA487365 AA961037 AI139946 AA487250 AA737118 AI952504 AI242293 AA650552 AI708401 AI633133 AA630848 AA654317 F24128
AI434165 W46252 AW043879 AI033763 F37228 AA687809 N49087 AA876981 AA506947 AI914572 AI833284 F22253 AA026222 R50166
AI219267 N27095 AA496512 AI784222 AI289904 AA513146 AA528547 AA418700 F36721 AI880700 AI601170 AI862851 AF708633 AA524499
AA642220 AA496628 AI718709 W80579 AI720547 F20718 AA649943 AA588229 N40503 H46029 BE262669 BE391069 BE537538 AI510751
AI905968 AI318611 H46099 AI472604 T60667 AA373087 W32479 AA514034 BE619183 AA134672 AA127544 H26942 BE536689 AW327461
AA422139 AW262357 AW327348 F33510 AI630382 AW827126 F27133 AI335189 AW517599 W80471 AA885814 N89681 BE393173 AA617760
AA584268 AA460537 AA446261 H26425 N64040 AW276801 AA316367 AA071232 BE545409 AA308292 BE274447 AA380861 AA340038
AA341806 AA865579 AI018634 AI766314 AI919302 AA872367 AA991404 AI906961 AA888375 BE621012 AA505388 AA935192 AA290828
R50220 H50814 H44721 AW951723 AA514796 AA418708 AW673377 AA379622 AA977995 AA708224 AA078216 AI318249 AI318233 AA411160
AA026221 AA316774 AA486908 AI500094 AA096362 AW583742 BE536422 BE618653 R70203 AA131732 AA345048 BE562720 T23842
100518 13165_1 NM_004415 AL031058 M77830 BE149760 AW752599 AW848723 AW376697 AW376699 AW848371 AW376699 AW848371 AW376782 AW848789
AW361413 AW849074 AW997139 AW799304 AW799309 BE077020 BE077017 BE185187 AW997196 BE156621 BE179915 BE006561 BE143155
AW909985 BE002107 AW103521 AA857316 AW383133 BE011378 AW170253 BE185750 AW886475 BE160433 J05211 BE082576 BE082584
BE004047 AW607238 AW377700 AW377699 BE082526 BE082505 BE082514 AW178000 AW177933 AI905935 AW747877 AW748114
BE148516 AW265328 AW847678 AW847688 AW365151 AW365148 AW365153 AW365156 AW365175 AW365157 AW365154 AW086840
BE005272 AW365145 BE001925 BE182166 BE144243 BE001923 AI951766 AI434518 BE184920 BE184933 AI284090 BE184941 AW804674
BE184924 C04715 W39488 AW995615 BE184948 BE159646 AW606653 AA099891 AA131128 AA337270 AA340777 AW384371 AA852212
R58704 AW366566 AW364859 AA025851 AA025852 AA455100 AA719958 AW352220 AW996245 BE165351 BE073467 AA377127 AW890264
AW609750 AW391912 AW849690 T87267 AW853812 AA852213 W74149 BE009090 AA056401 H91011 AW368529 AW390272 C18467

5
10
15
20
25

AW674920 N57176 AA026480 AW576767 H93284 AA026863 AW177787 AA026654 AW177786 BE092134 BE092136 AW177784
 AI022662 BE091653 AW376811 AW848592 AA040018 BE185331 BE182164 AA368564 AW951576 T29918 AA131077 W95048 W25458
 AW205789 H90899 N29754 W32490 R20904 BE167181 BE167165 N84767 H27408 H30146 AI190590 C03378 AI554403 AI205263 AA128470
 AI392926 AF139065 AW370813 AW370827 AW798417 AW798780 AW798883 AW798569 R33557 AA149190 C03029 AW177783 AA088866
 AW370829 AA247685 BE002273 AI760816 AI439101 AW879451 AI700963 AA451923 AI340326 AI590975 T48793 AI568096 AI142882 AA039975
 AI470146 AA946936 BE067737 BE067786 W19287 AA644381 AA702424 AI417612 AI306554 AI686869 AI568892 AW190555 AI571075 AI220573
 AA056527 AI471874 AI304772 AW517828 AI915596 AI627383 AI270345 AW021347 AW166807 AW105614 AI346078 AA552300 W95070
 AI494069 AI911702 AA149191 AA026864 AI830049 AI887258 AW780435 AI910434 AI819984 AI858282 AI078449 AI025932 AI860584 AI635878
 AA026047 AA703232 D12062 AW192085 AA658154 AW514597 AW591892 T87181 AA782066 AW243815 AW150038 AW268383 AW004633
 AI927207 AA782109 AW473233 AI804485 AW169216 AI572669 AA602182 AW015480 AW771865 AI270027 AA961816 AA283207 AI076962
 AI498487 AI348053 AI783914 H44405 AW799118 AA128330 AA515500 AA918281 W02156 AI905927 AA022701 W38382 R20795 T77861
 AW860878
 100528 45979_1 BE386801 AU077299 AA143755 BE302747 AA853375 U30162 BE274163 BE277479 BE408180 BE274874 C15000 AA047476 N27099 AI359165
 AI638794 AI151283 AI863925 AW444977 AI207392 AA931263 AA443112 R40138 AW068538 AA351008 AA676972 R62503 AA916492 AW001865
 H42334 H38280 AA121497 AA114137 AI750938 M17783 AA383786 BE274462 AI753182 C05975 AA347404 AW069298 AI754351 AI754044
 AA188808 AA186879 AA565243 AL040655 AA456177 AI750722 AA045756 AA213580 C16936 AW578747 AW753731 H41632 N44761 R58560
 R61260 AA039902 N59721 AW992543 R68380 AA149686 T29017 H03739 BE383822 BE387105 BE408251 BE410425 H41560 AA247591
 BE389577 AI752233 AI566195 AA868004 AI424523 AW753720 AA852159 BE386803
 100559 2260_1 NM_000094 L02870 D13694 S51236 M96984 AW946290 M65158 AI285422 D29523 AL119886 AW630655 L06862 AI884355 AW168737 T29085
 AW797005 AW801340 AI355504 AW079048 AW801337 AI690455 AI972063 AW268565 W68588 AA587326 AA883498 AI033523 AW510356
 AW591998 H98463 AL043852 AI150055 AI566239 AI624803 AA844717 H40670 AA922334 AI864424 AW615094 AW451233 AI302203 F31221
 AI872170 W68589 AA904478 AI917631 AW014208 AW450759 AA847625 AI284033 AA848176 AA598507
 100576 9986_1 X00356 NM_001741 M26095 X03662 M12667 X02330 X02330 AA716058 AW296074 X04861 AI695720 AA719597
 124357 genbank_N22401 N22401
 101624 entrez_M55998 M55998
 101625 entrez_M57293 M57293
 135158 57963_1 AL037551 AI804716 AW439811 AI569470 AA075299 AI738572 AI270388 AI816783 AW263026 AI633951 AI655285 AI990572 AI950425
 AW241533 AA916883 AA576693 AA160156 AA613783 AW078884 AI888282 AI275241 AI133467 AA164921

Tables 2A-8C were previously filed on November 9, 2001 in USSN 60/339,245 (18501-004100US)

Table 2A shows 504 genes down-regulated in lung tumors relative to normal lung and chronically diseased lung. Chronically diseased lung samples represent chronic non-malignant lung diseases such as fibrosis, emphysema, and bronchitis. These genes were selected from 59680 probesets on the Ecos/Affymatrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

5
10
15
20
25

Pkey: Unique Eos probeset Identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigeneID: Unigene number
Unigene Title: Unigene gene title
R1: 90th percentile of AI for normal lung samples divided by the 80th percentile of AI for adenocarcinoma and squamous cell carcinoma lung tumor samples.
R2: median of AI for normal lung samples divided by 90th percentile of AI for adenocarcinoma and squamous cell carcinoma lung tumor samples.
R3: median of AI for normal lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by the 90th percentile of AI for adenocarcinoma and squamous cell carcinoma lung tumor samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples.
R4: average of AI for normal lung samples divided by average AI for squamous cell carcinoma and adenocarcinoma lung tumors.
R5: median of AI for normal lung samples divided by the 90th percentile of AI for adenocarcinomas.
R6: median of AI for normal lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by the 90th percentile of AI for adenocarcinomas minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples.
R7: average of AI for normal lung samples divided by the 90th percentile of AI for squamous cell carcinomas.
R8: median of AI for normal lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by the 90th percentile of AI for squamous cell carcinomas minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples.

	Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2	R3	R4	R5	R6	R7	R8
	100095	Z97171	Hs.78454	myocilin; trabecular meshwork inducible	40.20							
	100115	NM_002084	Hs.336920	glutathione peroxidase 3 (plasma)								3.46
30	100138	U83508	Hs.2463	angiopoietin 1			2.30					
	100299	D49493	Hs.2171	growth differentiation factor 10		11.00						
	100305	U86749	Hs.80598	transcription elongation factor A (SII);						3.06		
	100447	NM_014767	Hs.74583	KIAA0275 gene product								3.16
	100458	S74019	Hs.247979	Vpre-B	42.40							
	100862	AA005247	Hs.285754	Hepatocyte Growth Factor Receptor						4.13		
35	100959	AA359129	Hs.118127	actin; alpha; cardiac muscle				125.60				
	101032	BE206854	Hs.46039	phosphoglycerate mutase 2 (muscle)	36.40							
	101081	AF047347	Hs.4880	amyloid beta (A4) precursor protein-bind				34.60				
	101088	X70697	Hs.553	solute carrier family 6 (neurotransmitte				193.20				
	101125	AJ250562	Hs.82749	transmembrane 4 superfamily member 2						3.10		
40	101180	U11874	Hs.846	Interleukin 8 receptor; beta				54.86				
	101308	L41390	Hs.80261	*Homo sapiens core 2 beta-1,6-N-acetylgl	33.20							
	101330	L43821	Hs.80261	enhancer of filamentation 1 (cas-like do				36.40				
	101345	NM_005795	Hs.152175	Calcitonin receptor-like			2.29					
	101346	A1738616	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N				70.55				
45	101397	M26380	Hs.180878	lipoprotein lipase								3.54
	101414	NM_000066	Hs.38069	complement component 8; beta polypeptide							3.81	
	101435	NM_001100	Hs.1288	actin; alpha 1; skeletal muscle				34.60				
	101507	X16896	Hs.82112	Interleukin 1 receptor; type 1				37.60				
	101530	M29874	Hs.1360	cytochrome P450; subfamily 11B (phenobar								4.25
50	101537	A1469059	Hs.184915	zinc finger protein; Y-linked			2.54					
	101542	NM_000102	Hs.1363	cytochrome P450; subfamily XVII (steroid		5.50						
	101545	BE246154	Hs.154210	EDG1; endothelial differentiation, sphin	39.40							
	101554	BE207611	Hs.123078	thyroid stimulating hormone receptor		13.00						
	101560	AW958272	Hs.83733	Intercellular adhesion molecule 2, exon								3.38
55	101574	M34182	Hs.158029	protein kinase; cAMP-dependent; catalyti						4.37		
	101605	M37984	Hs.118845	troponin C; slow								3.80
	101621	BE391804	Hs.62561	guanylate binding protein 1; Interferon-	30.20							
	101680	AA299330	Hs.1042	Sjogren syndrome antigen A1 (52kD; ribon							2.75	
	101829	AW452398	Hs.129763	solute carrier family 8 (sodium/calcium						3.37		
60	101842	M93221	Hs.75182	mannose receptor; C type 1				38.20				
	101961	AW004056	Hs.168357	*Hs-TBX2=T-box gene (T-box region) [huma			2.32					
	101994	T92248	Hs.2240	uteroglobin								6.85
	102020	AU077315	Hs.154970	transcription factor CP2			2.45					
	102091	BE280901	Hs.83155	aldehyde dehydrogenase 7								6.75
65	102112	AW025430	Hs.155591	forkhead box F1	54.60							
	102190	AA723157	Hs.73769	folate receptor 1 (adult)								3.98
	102202	NM_000507	Hs.574	fructose-bisphosphatase 1,								3.62
	102241	NM_007351	Hs.268107	Multimerin			2.32					
	102310	U33839		Accession not listed in Genbank		7.00						
70	102397	U41898		*Human sodium cotransporter RKST1 mRNA,	29.40							
	102571	U60115	Hs.239069	*Homo sapiens skeletal muscle LIM-protel								3.75
	102620	AA976427	Hs.121513	Human clone W2-6 mRNA from chromosome X						3.07		
	102636	U67092		*Human ataxia-telangiectasia locus prote			2.40					
	102667	U70867	Hs.83974	solute carrier family 21 (prostaglandin			3.15					
75	102675	U72512	Hs.7771	*Human B-cell receptor associated protel						3.56		
	102698	M18667	Hs.1867	progastricsin (pepsinogen C)								4.51
	102727	U79251	Hs.99902	oploid-binding protein/cell adhesion mol					12.00			
	102852	V00571	Hs.75294	corticotropin releasing hormone	37.40							
	103026	X54162	Hs.79386	thyroid and eye muscle autoantigen D1 (6					13.00			
80	103028	X54380	Hs.74094	pregnancy-zone protein	28.80							
	103098	M86361		Human mRNA for T cell receptor; clone IG					10.00			
	103117	X63578	Hs.295449	parvalbumin		6.00						
	103241	X76223		Hsapiens MAL gene exon 4			2.47					
	103280	U84722	Hs.76206	Cadherin 5, VE-cadherin (vascular epithe			2.69					
85	103360	Y16791	Hs.73082	keratin; hair; acidic; 5								2.16

	103496	Y09267	Hs.132821	flavin containing monooxygenase 2						
	103508	Y10141		*H.sapiens DAT1 gene, partial, VNTR				3.27		
	103561	NM_001843	Hs.143434	contactin 1	2.40					
	103569	NM_005512	Hs.151641	glycoprotein A repetitions predominant	2.99					
5	103575	Z26256		*H.sapiens isoform 1 gene for L-type cal				4.18		
	103627	Z48513		H.sapiens XG mRNA (clone PEP6)				3.44		
	103767	BE244667	Hs.296155	CGI-100 protein					2.25	
	103850	AA187101	Hs.213194	Hypothetical protein MGC10895; sim to SR			46.55			
	104078	AA402801	Hs.303276	ESTs					3.05	
10	104326	AW732858	Hs.143067	ESTs					3.54	
	104352	BE219898	Hs.173135	dual-specificity tyrosine-(Y)-phosphoryl					3.16	
	104398	AI423930	Hs.36790	ESTs; Weakly similar to putative p150 [H	64.80					
	104473	AI904823	Hs.31297	ESTs						3.38
	104493	AW960427	Hs.79059	ESTs; Moderately similar to TGF-BETA REC		2.47				
15	104495	AW975687	Hs.292979	ESTs	28.60					
	104595	AI799603	Hs.271568	ESTs					3.42	
	104597	AI364504	Hs.93967	ESTs; Weakly similar to Slit-1 protein [6.00				
	104659	AW969769	Hs.105201	ESTs	34.00					
20	104686	AA010539	Hs.18912	ESTs		11.00				
	104691	U29690	Hs.37744	ESTs; Beta-1-adrenergic receptor	56.80					
	104764	AI039243	Hs.278585	ESTs			60.40			
	104776	AA026349		ESTs	34.20					
	104825	AA035613	Hs.141883	ESTs					3.03	
	104865	T79340	Hs.22575	Homo sapiens cDNA: FLJ21042 fis, clone C	41.20					
25	104942	NM_016348	Hs.10235	ESTs						3.27
	104989	R65998	Hs.285243	ESTs			40.00			
	105062	AW954355	Hs.36529	ESTs						3.20
	105101	H63202	Hs.38163	ESTs	34.20					
	105173	U54617	Hs.8364	ESTs						4.17
30	105194	R06780	Hs.19800	ESTs		16.00				
	105226	R58958	Hs.26608	ESTs					2.34	
	105256	AA430650	Hs.16529	transmembrane 4 superfamily member (tet					2.72	
	105394	BE245812	Hs.8941	ESTs					2.61	
	105647	Y09306	Hs.30148	homeodomain-interacting protein kinase 3	33.60					3.59
35	105789	AF106941	Hs.18142	arrestin; beta 2						
	105817	AA397825		synaptopodin						4.46
	105847	AW964490	Hs.32241	ESTs			35.40			
	105894	AI904740	Hs.25691	calcitonin receptor-like receptor activi					3.43	
40	105999	BE268786	Hs.21543	ESTs		7.00				
	106075	AA045290	Hs.25930	ESTs						42.60
	106178	AL049935	Hs.301763	KIAA0554 protein	34.80					
	106381	AB040916	Hs.24106	ESTs				12.00		
	106467	AA450040	Hs.154162	ADP-ribosylation factor-like 2						3.69
	106536	AA329648	Hs.23804	ESTs				96.40		
45	106569	R20909	Hs.300741	sorcin				47.20		
	106605	AW772298	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr				220.40		
	106842	AF124251	Hs.26054	novel SH2-containing protein 3					2.55	
	106844	AA485055	Hs.158213	sperm associated antigen 6	39.20					
	106870	AI983730	Hs.26530	serum deprivation response (phosphatidyl						2.28
50	106943	AW888222	Hs.9973	ESTs						4.28
	106954	AF128847	Hs.204038	ESTs						4.32
	107106	AA862496	Hs.28482	ESTs				10.45		
	107163	AF233588	Hs.27018	ESTs					2.57	
	107201	D20378	Hs.30731	EST						3.84
55	107238	D59362	Hs.330777	EST		8.00				
	107376	U90545	Hs.327179	solute carrier family 17 (sodium phospho		10.67				
	107530	Y13622	Hs.85087	latent transforming growth factor beta b					2.32	
	107688	AW082221	Hs.60536	ESTs				34.60		
60	107706	AA015579	Hs.29276	ESTs	28.40					
	107723	AA015967		EST						3.29
	107727	AA149707	Hs.173091	DKFZP434K151 protein				80.80		
	107750	AA017291	Hs.60781	ESTs				51.40		
	107751	AA017301	Hs.235390	ESTs						3.14
	107873	AK000520	Hs.143811	ESTs		9.00				
65	107899	BE019261	Hs.83869	ESTs; Weakly similar to !!! ALU SUBFAM1						3.65
	107994	AA036811	Hs.48469	ESTs				44.60		
	107997	AL049176	Hs.82223	Human DNA sequence from clone 141H5 on c				32.00		
	108041	AW204712	Hs.61957	ESTs				30.80		
	108048	AI797341	Hs.165195	ESTs						4.75
70	108338	AA070773		*zm53g11.s1 Stratagene fibroblast (#9372		2.33				
	108434	AA078899		*zm94b1.s1 Stratagene colon HT29 (#93722						2.92
	108447	AA079126		*zm92a11.s1 Stratagene ovarian cancer (#					3.06	
	108480	AL133092	Hs.68055	ESTs				34.00		
	108499	AA083103		*zn1b12.s1 Stratagene hNT neuron (#93723						3.36
75	108535	R13949	Hs.226440	Homo sapiens clone 24881 mRNA sequence				19.00		
	108550	AA084867		*zn11f6.s1 Stratagene hNT neuron (#93723				12.00		
	108604	AA934589	Hs.49696	ESTs		2.33				
	108625	AW972330	Hs.283022	ESTs						5.82
	108629	AA102425		*zn24c6.s1 Stratagene neuroepithelium NT						3.42
80	108655	AA099660		*zm65c6.s1 Stratagene fibroblast (#93721		7.00				
	108756	AA127221	Hs.117037	Homo sapiens mRNA; cDNA DKFZp564N1164 (f		6.05				
	108864	AI733852	Hs.199957	ESTs	28.80					
	108895	AL138272	Hs.62713	ESTs	32.80					
	108921	AI568801	Hs.71721	ESTs				57.80		
85	108967	AA142989	Hs.71730	ESTs	28.80					

	109001	AI056548	Hs.72116	ESTs, Moderately similar to hedgehog-int	2.57			
	109003	AA147497	Hs.71825	ESTs			2.11	
	109004	AA156235	Hs.139077	EST	5.60			
5	109065	AA161125	Hs.252739	EST		10.00		
	109250	H83784	Hs.62113	ESTs; Weakly similar to PHOSPHATIDYLETHA			3.44	
	109490	AA233416	Hs.139202	ESTs			2.92	
	109510	AI798863	Hs.87191	ESTs	2.40			
	109578	F02208	Hs.27214	ESTs	10.00			
10	109601	F02695	Hs.311662	EST		40.80		
	109613	H47315	Hs.27519	ESTs		54.40		
	109650	R31770	Hs.23540	ESTs	31.20			
	109682	H18017	Hs.22869	ESTs	8.40			
	109724	D59899	Hs.127842	ESTs		29.40		
15	109782	AB020644	Hs.14945	long fatty acyl-CoA synthetase 2 gene		8.00		
	109833	R79864	Hs.29889	ESTs	10.00			
	109837	H00656	Hs.29792	ESTs	6.49			
	109977	T64183	Hs.282982	ESTs			2.75	
	109984	AI796320	Hs.10299	ESTs		107.00		
20	110146	H41324	Hs.31581	ESTs; Moderately similar to SYNTAXIN 1B			2.22	
	110271	H28985	Hs.31330	ESTs			3.48	
	110280	AW874263	Hs.32468	ESTs	44.20			
	110420	R93141	Hs.184261	ESTs		32.00		
	110578	T62507	Hs.11038	ESTs	28.40			
25	110634	R98905	Hs.35992	ESTs		20.00		
	110726	AW961818	Hs.24379	potassium voltage-gated channel; shaker-				4.15
	110837	H03109	Hs.108920	ESTs; Weakly similar to semaphorin F [H.		56.80		
	110875	N35070	Hs.26401	tumor necrosis factor (ligand) superfam1				
	110894	R92356	Hs.66881	ESTs; Moderately similar to cytoplasmic	5.33	3.13		
30	110971	AI760098	Hs.21411	ESTs		44.60		
	111023	AV655386	Hs.7645	ESTs	32.40			
	111057	T79639	Hs.14629	ESTs		17.14		
	111247	AW058350	Hs.16762	Homo sapiens mRNA; cDNA DKFZp564B2062 (f			4.58	
	111330	BE247767	Hs.18166	KIAA0870 protein				3.42
	111374	BE250726	Hs.283724	ESTs; Moderately similar to HYA22 [H.sap				3.91
35	111442	AW449573	Hs.181003	ESTs		33.20		
	111737	H04607	Hs.9218	ESTs		53.00		
	111747	AI741471	Hs.23666	ESTs	46.20			
	111807	R33508	Hs.18827	ESTs	16.00			
40	111862	R37472	Hs.21559	EST			3.91	
	112045	AI372588	Hs.8022	TU3A protein				2.74
	112057	R43713	Hs.22945	EST				4.92
	112214	AW148652	Hs.167398	ESTs		13.00		
	112263	R52393	Hs.25917	ESTs				
45	112314	AW206093	Hs.748	ESTs	9.00	2.43		
	112324	R55965	Hs.26479	limbic system-associated membrane protei		14.00		
	112362	AW300887	Hs.26638	ESTs; Weakly similar to CD20 receptor [H				
	112380	H63010	Hs.5740	ESTs				
	112425	AA324998	Hs.321677	ESTs; Weakly similar to !!!! ALU SUBFAMI	8.00			
50	112473	R65993	Hs.279798	pregnancy specific beta-1-glycoprotein 9			4.53	
	112492	N51620	Hs.28694	ESTs		29.80		
	112541	AF038392	Hs.116674	ESTs			3.62	
	112620	R80552	Hs.29040	ESTs		2.37		
	112623	AW373104	Hs.25094	ESTs		2.26		
55	112867	T03254	Hs.167393	ESTs		12.00		
	112894	T08188	Hs.3770	ESTs	6.50			
	112954	AA928953	Hs.6655	ESTs	7.00			
	113029	AW081710	Hs.7369	ESTs; Weakly similar to !!!! ALU SUBFAMI				4.39
	113086	AA346839	Hs.209100	DKFZP434C171 protein				4.47
60	113140	T50405	Hs.175967	ESTs		10.00		
	113252	NM_004469	Hs.11392	c-fos induced growth factor (vascular en	14.00			
	113257	AI821378	Hs.159367	ESTs			3.72	
	113394	T81473	Hs.177894	ESTs			3.60	
	113437	T85349	Hs.15923	EST	35.00			
65	113454	AI022166	Hs.16188	ESTs	6.00			
	113502	T89130		ESTs	39.60			
	113552	AI654223	Hs.16026	ESTs				3.88
	113645	T95358	Hs.333181	ESTs			2.58	
	113691	T96935	Hs.17932	EST		38.20		
70	113706	AA004693	Hs.269192	ESTs			3.09	
	113883	U89281	Hs.11958	oxidative 3 alpha hydroxysteroid dehydro				
	113924	BE178285	Hs.170056	Homo sapiens mRNA; cDNA DKFZp586B0220 (f	30.40	2.31		
	114035	W92798	Hs.269181	ESTs		13.00		
	114058	AK002016	Hs.114727	ESTs				5.00
	114084	AA708035	Hs.12248	ESTs		40.60		
75	114121	H05785	Hs.25425	ESTs				
	114124	W57554	Hs.125019	Human lymphoid nuclear protein (LAF-4)	7.00	2.31		
	114275	AW515443	Hs.306117	interleukin 13 receptor; alpha 1	6.00			
	114297	AA149707	Hs.173091	DKFZP434K151 protein		48.80		
80	114427	AA017176	Hs.33532	ESTs; Highly similar to Miz-1 protein [H			3.45	
	114449	AA020736		*ze63b11.s1 Soares retina N2b4HR Homo sa		10.00		
	114452	AI369275	Hs.243010	ESTs, Moderately similar to RTC0_HUMAN G	14.00			
	114609	AA079505		*zm97a5.s1 Stratagene colon HT29 (#93722			3.13	
	114648	AA101056		*zm25b3.s1 Stratagene neuroepithelium NT		35.40		
85	114731	BE094291	Hs.155651	Homo sapiens HNF-3beta mRNA for hepatoxy				3.42
	114762	AA146979	Hs.288464	ESTs	33.00			

	114776	AA151719	Hs.95834	ESTs	34.40			
	115009	AA251561	Hs.48689	ESTs	30.20			
	115272	AW015947		ESTs; Weakly similar to hypothetical L1	32.60			
5	115279	AW964897	Hs.290825	ESTs		6.00		
	115302	AL109719	Hs.47578	ESTs			12.00	
	115365	AW976252	Hs.268391	ESTs				3.32
	115559	AL079707	Hs.207443	ESTs			48.00	
	115566	AI142336	Hs.43977	ESTs			56.20	
10	115683	AF255910	Hs.54650	ESTs; Weakly similar to (define not ava	31.40			
	115744	AA418538	Hs.43945	ESTs; Highly similar to dJ1178H5.3 [H.s			33.60	
	115819	AA486620	Hs.41135	Endomucin 2			74.40	
	115949	AI478427	Hs.43125	ESTs		3.18		
	115965	AA001732	Hs.173233	ESTs			388.80	
	116035	AA621405	Hs.184664	ESTs			33.20	
15	116049	AA454033	Hs.41644	ESTs			45.80	
	116081	AI190071	Hs.55278	ESTs				3.57
	116082	AB029496	Hs.59729	ESTs		3.06		
	116213	AA292105	Hs.326740	leucine rich repeat (in FLII) interactin	50.60			
	116228	AI767947	Hs.50841	ESTs; Weakly similar to tuftelin [M.musc		3.85		
20	116250	N76712	Hs.44829	ESTs		6.00		
	116419	AI613480	Hs.47152	ESTs; Weakly similar to testicular tekli			30.00	
	116617	D80761	Hs.45220	EST		2.27		
	116784	AB007979	Hs.301281	tenascin R (restrictin; janusin)	47.20			
	116835	N39230	Hs.38218	ESTs			41.20	
25	116970	AB023179	Hs.9059	KIAA0962 protein				11.00
	117023	AW070211	Hs.102415	ESTs			91.00	
	117027	AW085208	Hs.130093	ESTs	49.40			
	117036	H88908	Hs.41192	EST			32.60	
30	117110	AA160079	Hs.172932	ESTs		8.67		
	117209	W03011	Hs.306881	ESTs			30.60	
	117325	N23599	Hs.43396	ESTs				9.29
	117454	N29569	Hs.44055	ESTs				3.19
	117475	N30205	Hs.93740	ESTs	44.00			
	117543	BE219453	Hs.42722	ESTs		16.00		
35	117567	AW444761	Hs.44565	ESTs				12.00
	117570	N48649	Hs.44583	ESTs				11.00
	117600	N34963	Hs.44676	EST				3.74
	117730	N45513	Hs.46608	ESTs		6.00		
	117791	N48325	Hs.93956	EST		9.00		
40	117929	N51075	Hs.47191	ESTs			29.20	
	117990	AA446167	Hs.47385	ESTs		8.00		
	118224	N62275	Hs.48503	EST	31.40			
	118244	N62516	Hs.48556	ESTs	32.80			
45	118357	AL109667	Hs.124154	Homo sapiens mRNA full length insert cDN		2.40		
	118446	N66361	Hs.269121	ESTs		2.28		
	118447	N66399	Hs.49193	EST	30.80			
	118530	N67900	Hs.118446	ESTs				3.10
	118549	N68163	Hs.322954	EST				3.41
	118823	W03754	Hs.50813	ESTs; Weakly similar to long chain fatty		3.94		
50	118862	W17065	Hs.54522	ESTs				3.58
	118935	AI979247	Hs.247043	KIAA0525 protein			33.00	
	118944	AI734233	Hs.226142	ESTs; Weakly similar to !!! ALU SUBFAM1				11.43
	118995	N94591	Hs.323056	ESTs		14.00		
55	119073	BE245360	Hs.279477	ERG-2/ERG-1; V-ets avian erythroblastosi			52.60	
	119268	T16335	Hs.65325	EST	31.40			3.50
	119514	W37937		Accession not listed in Genbank				
	119824	W74536	Hs.184	advanced glycosylation end product-speci		2.75		
	119831	AL117664	Hs.58419	DKFZP586L2024 protein				3.21
	119861	W78816	Hs.49943	ESTs; Moderately similar to !!! ALU SUB			33.80	
60	119889	W84346	Hs.58671	ESTs			30.03	
	119921	W86192	Hs.58815	ESTs	29.00			3.80
	120082	H80286	Hs.40111	ESTs				
	120094	AA811339	Hs.124049	ESTs		6.00		
65	120132	W57554	Hs.125019	Human lymphoid nuclear protein (LAF-4)			36.60	
	120378	AA223249	Hs.285728	ESTs		12.00		
	120404	AB023230	Hs.96427	KIAA1013 protein	39.40			
	120504	AA256837		ESTs			8.00	
	120512	N55761	Hs.194718	ESTs	33.00			
70	120567	AA287740	Hs.78335	microtubule-associated protein; RP/EB fa				4.18
	120777	AA287702	Hs.10031	KIAA0955 protein			46.60	
	121082	AA398722		ESTs			39.00	
	121191	AA400205	Hs.104447	ESTs	41.60			
	121248	AA400914	Hs.97827	EST				5.08
	121363	AI287280	Hs.97933	ESTs				12.00
75	121366	AI743515		ESTs			20.00	
	121483	AI660332	Hs.25274	ESTs; Moderately similar to putative sev				3.32
	121518	AA412155		ESTs			30.20	
	121545	AA412442	Hs.98132	ESTs		2.29		
	121622	AA416931	Hs.126065	ESTs		9.00		
80	121665	AA416556	Hs.98234	ESTs			34.80	
	121709	AI338247	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f	34.80			
	121730	AI140683	Hs.98328	ESTs				38.80
	121740	AA421138	Hs.98334	EST		7.00		
85	121772	AI590770	Hs.110347	Homo sapiens mRNA for alpha integrin bin	36.20			
	121821	AL040235	Hs.3346	ESTs				3.61

	121835	AB033030	Hs.300670	ESTs		2.34			
	121841	AA427794	Hs.104864	ESTs		2.61			
	121885	AA934883	Hs.98467	ESTs				2.25	
	121888	AA426429	Hs.98463	ESTs				2.92	
5	121938	AA428659	Hs.98610	ESTs			46.80		
	121950	AA429515		EST			31.40		
	122030	AA431310	Hs.98724	ESTs	34.40				
	122054	AA431725	Hs.98745	EST					3.58
10	122211	AA300900	Hs.98849	ESTs; Moderately similar to bithoraxoid-	49.40				
	122233	AA436455	Hs.98872	EST	29.80				
	122247	AA436676	Hs.98890	EST			39.80		
	122253	AA436703	Hs.104936	ESTs; Weakly similar to hypothetical pro		9.00			
	122266	AA436840	Hs.98907	EST					3.60
15	122285	AA436981	Hs.121602	EST					3.14
	122409	AA446830	Hs.99081	ESTs	30.80				
	122485	AA524547	Hs.160318	phospholemman		2.65			
	122697	AA420683	Hs.98321	Homo sapiens cDNA FLJ14103 fis, clone MA	15.00				
	122772	AW117452	Hs.99489	ESTs	6.67				
20	122831	A1857570	Hs.5120	ESTs					3.37
	122913	A1638774	Hs.105328	ESTs			32.20		
	123049	BE047680	Hs.211869	ESTs			41.80		
	123076	A1345569	Hs.190046	ESTs	35.80				
	123136	AW451999	Hs.194024	ESTs					2.58
	123309	N52937	Hs.102679	ESTs				19.00	
25	123455	AA353113	Hs.112497	ESTs			82.80		
	123691	AA609579	Hs.112724	ESTs					3.95
	123756	AA609971	Hs.112795	EST	35.40				
	123802	AA620448		Homo sapiens clone 24760 mRNA sequence	58.00				
30	123837	A1807243	Hs.112893	ESTs					32.40
	123844	AA938905	Hs.120017	olfactory receptor, family 7; subfamily		2.63			
	123936	NM_004673	Hs.241519	ESTs	29.00				
	123987	C21171	Hs.95497	ESTs; Weakly similar to GLUCOSE TRANSPOR			70.60		
	124013	A1521936	Hs.107149	ESTs; Weakly similar to PTB-ASSOCIATED S	28.40				
	124160	R40290	Hs.124685	ESTs				13.00	
35	124205	H77570	Hs.108135	ESTs					4.74
	124226	AA618527	Hs.190266	ESTs		2.35			
	124246	H67680	Hs.270962	ESTs			29.40		
	124348	A1796320	Hs.10299	ESTs		17.00			
40	124358	AW070211	Hs.102415	*yw35g11.s1 Morton Fetal Cochlea Homo sa		3.07			
	124409	A1814166	Hs.107197	ESTs					3.14
	124442	AW663632	Hs.285625	TATA box binding protein (TBP)-associate		2.48			
	124468	N51413	Hs.109284	ESTs			30.80		
	124479	AB011130	Hs.127436	calcium channel; voltage-dependent; alph					6.03
45	124519	A1670056	Hs.137274	ESTs; Weakly similar to SPLICEOSOME ASSO		2.50			
	124711	NM_004657	Hs.26530	serum deprivation response (phosphatidyl	59.20				
	124866	A1768289	Hs.304389	ESTs		8.00			
	124874	BE550182	Hs.127826	ESTs			37.60		
	125097	AW576389	Hs.335774	ESTs				10.00	
50	125179	AW206468	Hs.103118	ESTs					3.12
	125200	AW836591	Hs.103156	ESTs					2.79
	125299	T32982	Hs.102720	ESTs			34.20		
	125400	AL110151	Hs.128797	DKFZP586D0824 protein	29.00				
	125810	H00083		aryl hydrocarbon receptor-interacting pr	32.20				
55	126176	BE242256	Hs.2441	KIAA0022 gene product		12.00			
	126303	D78841		HUM525A05B Human placenta polyA+ (TFuj					33.60
	126403	AW629054	Hs.125976	ESTs; Weakly similar to metalloprotease/	35.80				
	126507	AL040137	Hs.23964	ESTs; Weakly similar to HC1 ORF [M.muscu					29.80
	126773	AA648284	Hs.187584	ESTs	39.60				
	127307	AW962712	Hs.126712	ESTs; Weakly similar to pIL2 hypothetica	28.80				
60	127462	AA760776	Hs.293977	aa59b04.s1 NCL_CGAP_GCB1 Homo sapiens c					34.40
	127486	AW002846	Hs.105468	ESTs		9.00			
	127572	AA594027	Hs.191788	ESTs		2.36			
	127609	X80031	Hs.530	ESTs					29.40
65	127832	AW976035	Hs.292396	ESTs					37.20
	127898	AA774725	Hs.128970	ESTs					4.42
	128073	AW340720	Hs.125983	ESTs					38.40
	128101	AA905730	Hs.128254	ESTs		7.33			
	128149	NM_012214	Hs.177576	mannosyl (alpha-1;3)-glycoprotein beta-					2.58
70	128212	W27411	Hs.336920	glutathione peroxidase 3 (plasma)		3.09			
	128333	W68800	Hs.12126	ESTs; Weakly similar to LR6 [H.sapiens]			34.40		
	128364	N76462	Hs.269152	ESTs; Weakly similar to ZINC FINGER PROT		10.00			
	128426	A1265784	Hs.145197	ESTs					4.31
	128598	AA305407	Hs.102308	potassium inwardly-rectifying channel; s	31.20				
75	128634	AA464918		ESTs; Moderately similar to !!!! ALU SUB			41.60		
	128687	AW271273	Hs.23767	ESTs			87.00		
	128726	A1311238	Hs.104476	ESTs					4.02
	128773	NM_004131	Hs.1051	granzyme B (granzyme 2; cytotoxic T-lymp			9.00		
	128833	W26667	Hs.184581	ESTs					3.76
80	128870	H39537	Hs.75309	eukaryotic translation elongation factor		2.66			
	128878	R25513	Hs.10683	ESTs					3.10
	128885	AF134803	Hs.180141	cofilin 2 (muscle)			11.00		
	128998	W04245	Hs.107761	ESTs; Weakly similar to PUTATIVE RHO/RAC					3.21
	129000	AA744902	Hs.107767	ESTs; Moderately similar to CaM-KI1 inh					3.68
	129038	AW156903	Hs.108124	ribosomal protein L41					3.17
85	129098	AW580945	Hs.330466	ESTs	34.60				

	129210	AL039940	Hs.202949	KIAA1102 protein				4.09
	129240	AA361258	Hs.237868	interleukin 7 receptor	2.29			
	129262	BE222198	Hs.109843	ESTs			3.30	
5	129301	AF182277	Hs.330780	Human cytochrome P450-11B (h11B3) mRNA;				4.05
	129331	AW167668	Hs.279772	ESTs; Highly similar to CGI-38 protein [4.09
	129381	AW245805	Hs.110903	claudin 5 (transmembrane protein deleted	2.93			
	129565	X77777	Hs.198726	vasoactive intestinal peptide receptor 1		160.80		
	129595	U09550	Hs.1154	oviductal glycoprotein 1; 120kD			10.00	
10	129613	AW978517	Hs.172847	ESTs; Weakly similar to collagen alpha 1				3.40
	129782	AW016932	Hs.104105	EST	9.00			
	129950	F07783	Hs.1369	decay accelerating factor for complement			87.80	
	129958	R27496	Hs.1378	annexin A3			44.60	
	129959	AL036554	Hs.274463	defensin; alpha 1; myeloid-related seque	2.72			
15	130160	AA305688	Hs.267695	UDP-Gal:betaGlcNAc beta 1;3-galactosyltr			42.20	
	130259	NM_000328	Hs.153614	retinitis pigmentosa GTPase regulator	2.54			
	130273	AW972422	Hs.153863	MAD (mothers against decapentaplegic; Dr			51.60	
	130312	AF056195	Hs.15430	DKFZP586G1219 protein				3.16
	130436	NM_001928	Hs.155597	D component of complement (adipsin)				4.11
20	130523	AA999702	Hs.214507	ESTs				4.77
	130799	AB028945	Hs.12696	ESTs	6.00			
	130885	NM_005883	Hs.20912	adenomatous polyposis coli like				3.54
	131002	AL050295	Hs.22039	KIAA0758 protein				3.50
	131012	AL039940	Hs.202949	KIAA1102 protein	20.00			
25	131031	NM_001650	Hs.286650	aquaporin 4	41.20			
	131061	N64328	Hs.268744	ESTs; Moderately similar to KIAA0273 [H.			31.40	
	131066	AW169287	Hs.22588	ESTs			29.60	
	131082	AI091121	Hs.246218	ESTs; Weakly similar to zinc finger prot			9.00	
	131087	AF147709	Hs.22824	ESTs; Weakly similar to p160 myb-binding				3.86
30	131161	AF033382	Hs.23735	potassium voltage-gated channel; subfam1				3.14
	131179	AA171388	Hs.184482	DKFZP586D0624 protein				3.80
	131182	AI824144	Hs.23912	ESTs				3.67
	131205	NM_003102	Hs.2420	superoxide dismutase 3; extracellular	2.98			
	131277	AA131466	Hs.23767	ESTs	3.15			
35	131281	AA251716	Hs.25227	ESTs			32.20	
	131282	X03350	Hs.4	alcohol dehydrogenase 3 (class I); gamma				3.44
	131285	AI567943	Hs.25274	ESTs; Moderately similar to putative sev			6.40	
	131355	R52804	Hs.25956	DKFZP564D206 protein	8.00			
	131391	AW085781	Hs.26270	ESTs	10.00			
40	131461	AA992841	Hs.27263	butyrate response factor 2 (EGF-response	28.80			
	131487	F13036	Hs.27373	Homo sapiens mRNA; cDNA DKFZp564O1763 (f				4.03
	131517	AB037789	Hs.263395	ESTs; Highly similar to semaphorin VIa [39.00			
	131545	AL137432	Hs.28564	ESTs			11.00	
	131583	AK000383	Hs.323092	ESTs; Weakly similar to dual specificity			10.00	
45	131647	AA359615	Hs.30089	ESTs	2.47			
	131675	H15205	Hs.30509	ESTs				3.06
	131676	AI126821	Hs.30514	ESTs	45.80			
	131708	S60415	Hs.30941	calcium channel; voltage-dependent; beta	2.28			
	131717	X94630	Hs.3107	CD97 antigen				3.78
50	131756	AA443966	Hs.31595	ESTs			40.60	
	131762	AA744902	Hs.107767	ESTs; Moderately similar to CaM-KII inh1				3.67
	131821	AA017247	Hs.164577	ESTs	2.87			
	131839	AB014533	Hs.33010	KIAA0633 protein				3.48
	131861	AL096858	Hs.184245	KIAA0929 protein Msx2 Interacting nuclea	54.00			
55	132015	AI418006	Hs.3731	ESTs			49.20	
	132070	BE622641	Hs.38489	ESTs			34.80	
	132242	AA332697	Hs.42721	ESTs	2.68			
	132334	AW080704	Hs.45033	lacrimin profiline rich protein	4.66			
	132476	AL119844	Hs.49476	Homo sapiens clone TUA8 Cri-du-chat regi	34.20			
60	132490	NM_001290	Hs.4980	LIM binding domain 2				2.66
	132533	AI922988	Hs.172510	ESTs	13.00			
	132598	X80031	Hs.530	collagen; type IV; alpha 3 (Goodpasture			30.60	
	132619	H28855	Hs.53447	ESTs; Moderately similar to kinesin ligh				4.02
	132652	N41739	Hs.61260	ESTs				3.18
65	132726	N52298	Hs.55608	ESTs; Weakly similar to cDNA EST yk484g1			11.43	
	133028	R51604	Hs.300842	ESTs	2.37			
	133071	BE384932	Hs.64313	ESTs	2.27			
	133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein	2.63			
	133129	AA428580	Hs.65551	ESTs				5.49
70	133147	AA026533	Hs.66	interleukin 1 receptor-like 1	6.20			
	133151	NM_014051	Hs.94896	ESTs				3.69
	133213	AA903424	Hs.6786	ESTs			31.40	
	133276	AW978439	Hs.69504	ESTs			9.00	
	133377	AJ131245	Hs.7239	SEC24 (S. cerevisiae) related gene famil	41.20			
75	133407	AF017987	Hs.7306	secreted frizzled-related protein 1	50.20			
	133535	AL134030	Hs.284180	protocadherin 2 (cadherin-like 2)				3.72
	133537	U41518	Hs.74602	aquaporin 1 (channel-forming integral pr				3.35
	133656	BE149455	Hs.75415	Accession not listed in Genbank	2.65			
	133689	NM_001872	Hs.75572	carboxypeptidase B2 (plasma)			90.80	
80	133779	T58486	Hs.222566	ESTs				3.05
	133978	AF035718	Hs.78061	transcription factor 21	2.92			
	133985	L34657	Hs.78146	platelet/endothelial cell adhesion molec				3.45
	134000	AW175787	Hs.334841	selenium binding protein 1				4.05
	134111	AI372588	Hs.8022	TU3A protein	4.49			
85	134185	AA285136	Hs.301914	Homo sapiens mRNA; cDNA DKFZp586K1220 (f				3.27
	134204	AI873257	Hs.7994	ESTs; Weakly similar to CGI-69 protein [40.80	

	Accession	Gene	Protein	Score	Score	Score
	134641	AI092634	Hs.156114	protein tyrosine phosphatase; non-recept		3.76
	134677	AA251363	Hs.177711	ESTs	32.20	
	134745	NM_000685	Hs.89472	angiotensin receptor 1B	15.00	
5	134749	T28499	Hs.89485	carbonic anhydrase IV	3.05	
	134786	T29618	Hs.89640	angiopoietin 1 receptor; TEK tyrosine ki		57.80
	134825	U33749	Hs.197764	thyroid transcription factor 1		3.73
	134978	AI829008	Hs.333383	ficolln (collagen/fibrinogen domain-cont	2.52	
	135010	N50465	Hs.92927	ESTs	31.60	
	135053	AW796190	Hs.93678	ESTs		3.21
10	135081	AF069517	Hs.173993	RNA binding motif protein 6	28.80	
	135091	AA493650	Hs.94367	ESTs		4.24
	135135	AA775910	Hs.95011	syntrophin; beta 1 (dystrophin-associate	8.00	
	135203	C15737	Hs.269386	ESTs		4.31
	135236	AI636208	Hs.96901	ESTs	43.00	
15	135266	R41179	Hs.97393	Human mRNA for KIAA0328 gene; partial cd		6.42
	135346	NM_000928	Hs.992	phospholipase A2; group IB (pancreas)	3.82	
	135378	AW961818	Hs.24379	potassium voltage-gated channel; shaker-	4.15	
	135387	NM_001972	Hs.99863	elastase 2; neutrophil	37.20	
	135388	W27965	Hs.99865	EST	38.80	
20	135402	L12398	Hs.99922	dopamine receptor D4		4.21

TABLE 2B shows the accession numbers for those primekeys lacking unigenes for Table 2A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey	CAT number	Accessions
108447	43452_7	AA079126
108550	120073_1	AA084867 AA084996
108655	127522_1	AA099960 AA113013
102397	44371_-1	U41898
126303	1525933_1	D78841 D78880
125810	1554054_1	H00083 R81062
103627	2615_2	Z48513 Z48512
121366	280401_1	AI743515 AA405617 AW276706
114509	116777_1	AA079505 AA079537
115272	172113_1	AWD15947 AA211890 AA279425
108338	112186_1	AA070773 AA070774
108434	114012_1	AA078899 AA078782 AA075788
123802	genbank_AA620448	AA620448
102310	NOT_FOUND_entrez_U33839	U33839
102636	entrez_U67092	U67092
104776	genbank_AA026349	AA026349
120504	genbank_AA256837	AA256837
113502	genbank_T89130T89130	
108499	genbank_AA083103	AA083103
101308	entrez_L41390	L41390
108629	genbank_AA102425	AA102425
103098	221_215	M86361 Z26593 X02850 D13070 AE000659 M17649 M87869 M87871 X61077 M16286 AF018169 X61079 S59351 X60142 AF043169
103241	entrez_X76223	X76223
103508	entrez_Y10141	Y10141
103575	entrez_Z26256	Z26256
119514	NOT_FOUND_entrez_W37937	W37937
121082	genbank_AA398722	AA398722
128634	AA464918_at	AA464918
105817	genbank_AA397825	AA397825
121518	genbank_AA412155	AA412155
114449	genbank_AA020736	AA020736
114648	genbank_AA101056	AA101056
121950	genbank_AA429515	AA429515
107723	genbank_AA015967	AA015967

Table 3A shows 452 genes up-regulated in chronically diseased lung relative to normal lung. Chronically diseased lung samples represent chronic non-malignant lung diseases such as fibrosis, emphysema, and bronchitis. These genes were selected from 59680 probesets on the Eos/Affymetrix HuO3 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

- 5 Pkey: Unique Eos probeset identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: Unigene number
 Unigene Title: Unigene gene title
 10 R1: 80th percentile of AI for chronically diseased lung samples divided by the 90th percentile of AI for normal lung samples.
 R2: 80th percentile of AI for chronically diseased lung samples divided by the 90th percentile of normal lung samples, squamous cell carcinomas and adenocarcinomas
 R3: 70th percentile of AI for chronically diseased lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by the 90th percentile of normal lung samples, squamous cell carcinomas and adenocarcinomas minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples

15

Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2	R3
135423	U50531	Hs.138751	Human BRCA2 region, mRNA sequence CG030	12.40		
135378	AW951818	Hs.24379	MUM2 protein			2.13
135346	NM_000928	Hs.992	phospholipase A2, group IB (pancreas)			
135235	AW298244	Hs.293507	ESTs	12.40		
135057	U90268	Hs.93810	cerebral cavernous malformations 1	11.67		
134951	BE305081	Hs.169358	hypothetical protein		8.00	
134799	M36821	Hs.89690	GRO3 oncogene		8.20	
134786	T29618	Hs.89640	TEK tyrosine kinase, endothelial (venous)			
134772	NM_000829	Hs.163697	glutamate receptor, ionotropic, AMPA 4	29.80		
134752	BE246762	Hs.89499	arachidonate 5-lipoxygenase			1.93
134749	T28499	Hs.89485	carbonic anhydrase IV			2.07
134696	BE326276	Hs.8861	ESTs			
134636	NM_005582	Hs.87205	lymphocyte antigen 64 (mouse) homolog, r	13.60		
134627	AI018768	Hs.12482	glyceronephosphate O-acyltransferase			1.92
134622	AW975159	Hs.293097	ESTs, Weakly similar to A55380 facio geni			1.92
134570	U66615	Hs.172280	SWI/SNF related, matrix associated, acti	13.20		
134561	U76421	Hs.85302	adenosine deaminase, RNA-specific, B1 (h			1.78
134468	NM_0011772	Hs.83731	CD33 antigen (gp67)		6.20	
134417	NM_006416	Hs.82921	solute carrier family 35 (CMP-sialic aci			
134343	D50683	Hs.82028	transforming growth factor, beta recepto			
134323	BE170651	Hs.8700	deleted in liver cancer 1			
134300	NM_001430	Hs.8136	endothelial PAS domain protein 1			
134299	AW580939	Hs.97199	complement component C1q receptor			
134253	X52075	Hs.80738	sialophorin (gpL115, leukosialin, CD43)	20.60		
134182	D52059	Hs.7972	KIAA0871 protein	12.20		
133985	L34657	Hs.78146	platelet/endothelial cell adhesion molec			
133978	AF035718	Hs.78061	transcription factor 21			
133835	AI677897	Hs.76640	RGC32 protein			
133651	AI301740	Hs.173381	dihydropyrimidinase-like 2			
133633	D21262	Hs.75337	nucleolar and colled-body phosphoprotein	15.20		
133565	AW955776	Hs.313500	ESTs, Moderately similar to ALU7_HUMAN A			
133548	AW946384	Hs.178112	DNA segment, single copy probe LNS-CAI/L			1.77
133488	AA335295	Hs.74120	adipose specific 2			
133478	X83703	Hs.31432	cardiac ankyrin repeat protein			2.08
133337	AF085983	Hs.293676	ESTs		9.60	
133200	AB037715	Hs.183639	hypothetical protein FLJ10210			1.77
133153	AF070592	Hs.66170	HSKM-B protein	30.60		
133130	AI128606	Hs.6557	zinc finger protein 161	22.60		
133120	NM_003278	Hs.65424	tetranectin (plasminogen-binding protein			
132928	AW168082	Hs.169449	protein kinase C, alpha	13.80		
132836	AB023177	Hs.29900	KIAA0960 protein			
132799	W73311	Hs.169407	SAC2 (suppressor of actin mutations 2,	41.60		
132742	AA025480	Hs.292812	ESTs, Weakly similar to T33468 hypotheti	40.40		
132548	X12830	Hs.193400	interleukin 6 receptor		7.20	
132476	AL119844	Hs.49476	Homo sapiens clone TUA8 Cri-du-chat regi		4.76	
132439	AK001942	Hs.4863	hypothetical protein DKFZp566A1524			1.88
132240	AB018324	Hs.42676	KIAA0781 protein	21.20		
132210	NM_007203	Hs.42322	A kinase (PRKA) anchor protein 2			1.99
132199	AL041289	Hs.165084	ESTs	15.20		
131751	T96555	Hs.31562	ESTs			1.76
131745	AI828559	Hs.31447	ESTs, Moderately similar to A46010 X-II	27.80		
131694	NM_000246	Hs.3076	MHC class II transactivator		4.00	
131686	NM_012296	Hs.30687	GRB2-associated binding protein 2			
131676	AI126821	Hs.30514	ESTs		6.20	
131629	Z45794	Hs.238809	ESTs	21.40		
131589	C18825	Hs.29191	epithelial membrane protein 2			
131536	AA019201	Hs.269210	ESTs		9.40	
131517	AB037789	Hs.263395	sema domain, transmembrane domain (TM),		3.59	
131355	R52804	Hs.25956	DKFZP564D206 protein		4.48	
131253	R71802	Hs.24853	ESTs	15.00		
131207	AF104266	Hs.24212	latrophilin			1.75
131156	AI472209	Hs.323117	ESTs			1.84
131066	AW169287	Hs.22588	ESTs		3.54	
131061	N64328	Hs.268744	KIAA1796 protein			
131053	AA348541	Hs.296261	guanine nucleotide binding protein (G pr			1.93
130895	AA641767	Hs.21015	hypothetical protein DKFZp564L0864 simil	16.60		
130762	D84371	Hs.1898	paraoxonase 1	12.00		

	130657	AW337575	Hs.201591	ESTs		
	130655	AJ831952	Hs.17409	cysteine-rich protein 1 (intestinal)		
	130589	AL110226	Hs.16441	DKFZP434H204 protein		2.08
5	130562	D50402	Hs.182611	solute carrier family 11 (proton-coupled)		1.91
	130555	R69743	Hs.116774	Integrin, alpha 1	9.60	
	130365	W56119	Hs.155103	eukaryotic translation initiation factor	11.60	
	130273	AW972422	Hs.153863	MAD (mothers against decapentaplegic, Dr		6.60
	130259	NM_000328	Hs.153614	refinitis pigmentosa GTPase regulator		1.91
10	130090	H97878	Hs.132390	zinc finger protein 36 (KOX 18)	21.20	
	129958	R27496	Hs.1378	annexin A3		5.05
	129898	AI672731	Hs.13256	ESTs		
	129875	AA181018	Hs.13056	hypothetical protein FLJ13920	18.60	
	129699	AB007899	Hs.12017	homolog of yeast ubiquitin-protein ligas		
15	129626	F13272	Hs.111334	ferilin, light polypeptide		
	129598	N30436	Hs.11556	Homo sapiens cDNA FLJ12566 fis, clone NT	22.63	
	129593	AI338247	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f		
	129565	X77777	Hs.198726	vasoactive intestinal peptide receptor 1		2.53
	129527	AA769221	Hs.270847	delta-tubulin	39.20	
20	129402	W72062	Hs.11112	ESTs		2.11
	129385	AA172106	Hs.110950	Rag C protein	15.20	
	129315	NM_014563	Hs.174038	spondyloepiphyseal dysplasia, late	12.40	
	129312	T97579	Hs.110334	ESTs, Weakly similar to I78885 serine/th	20.83	
	129240	AA361258	Hs.237868	Interleukin 7 receptor		1.95
	129210	AL039940	Hs.202949	KIAA1102 protein		
25	129122	AW958473	Hs.301957	nudix (nucleoside diphosphate linked mol		4.20
	129057	N90866	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)		
	128946	Y13153	Hs.107318	kynurenine 3-monooxygenase (kynurenine 3		5.20
	128798	AF015525	Hs.302043	chemokine (C-C motif) receptor-like 2		
30	128789	AW368576	Hs.139851	caveolin 2		2.24
	128778	AA504776	Hs.186709	ESTs, Weakly similar to I38022 hypothet	12.20	
	128766	AW160432	Hs.296460	craniofacial development protein 1	26.40	
	128631	R44238	Hs.155546	KIAA1080 protein; Golgi-associated, gamm		1.78
	128624	BE154765	Hs.102647	ESTs, Weakly similar to TRHY_HUMAN TRICH		2.51
35	128609	NM_003616	Hs.102456	survival of motor neuron protein interac	16.00	
	128603	NM_004915	Hs.10237	ATP-binding cassette, sub-family G (WHIT	12.80	
	128598	AA305407	Hs.102308	potassium inwardly-rectifying channel, s		4.00
	128458	H55864	Hs.56340	ESTs		
	128081	AF150882	Hs.186877	sodium channel, voltage-gated, type XII,	17.20	
40	127968	AA830201	Hs.124347	ESTs	21.30	
	127959	AI302471	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L		
	127944	AI557081	Hs.262476	S-adenosylmethionine decarboxylase 1	10.60	
	127925	AA805151	Hs.3628	mitogen-activated protein kinase kinase	13.40	
	127896	AI669586	Hs.222194	ESTs		7.00
	127859	AA761802	Hs.291559	ESTs	14.00	
45	127817	AA836641	Hs.163085	ESTs	14.00	
	127742	AW293496	Hs.180138	ESTs	11.00	
	127628	AI240102	Hs.322430	NDRG family, member 4	11.10	
	127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture		
50	127582	AA908954	Hs.130844	ESTs	19.60	
	127543	AK000787	Hs.157392	Homo sapiens cDNA FLJ20780 fis, clone CO	15.40	
	127535	AA568424	Hs.164450	ESTs	17.50	
	127404	AI379920	Hs.270224	ESTs	14.60	
	127396	L31968	Hs.187991	DKFZP564A122 protein	15.40	
55	127374	AA442797	Hs.312110	ESTs, Weakly similar to I38022 hypothet	14.60	
	127346	AA203616	Hs.44896	DnaJ (Hsp40) homolog, subfamily B, membe	21.00	
	127340	BE047653	Hs.119183	ESTs, Weakly similar to ZN91_HUMAN ZINC	15.80	
	127307	AW962712	Hs.126712	ESTs, Weakly similar to AF191020 1 E2IG5		
	127242	AW390395	Hs.181301	cathepsin S	22.60	
60	127167	AA625690	Hs.190272	ESTs	21.40	
	127046	AA321948	Hs.293968	ESTs	41.20	
	126928	AA480902	Hs.137401	ESTs	11.00	
	126900	AF137386	Hs.12701	plasmalipin		1.78
	126852	AA399961		gb:zu68c01.r1 Soares_testis_NHT Homo sap	5.60	
65	126816	AA248234		gb:csg2228.seq.F Human fetal heart, Lamb	12.20	
	126812	AB037860	Hs.173933	nuclear factor I/A	17.19	
	126666	AA648886	Hs.151999	ESTs	13.57	
	126645	AA316181	Hs.61635	six transmembrane epithelial antigen of	15.40	
	126592	AI611153	Hs.6093	Homo sapiens cDNA: FLJ22783 fis, clone K		4.67
	126556	AF255303	Hs.112227	membrane-associated nucleic acid binding	18.00	
70	126433	AA325606		gb:EST28707 Cerebellum II Homo sapiens c	16.77	
	126299	AW979155	Hs.298275	amino acid transporter 2	14.60	
	126218	AL049801	Hs.13649	Novel human gene mapping to chromosome 13		3.50
	126182	AA721331	Hs.293771	ESTs	13.40	
75	126177	AW752782	Hs.129750	hypothetical protein FLJ10546	18.20	
	126142	H86261	Hs.40568	ESTs	14.00	
	126077	M78772	Hs.210836	ESTs	16.59	
	125994	AI990529	Hs.270799	ESTs	17.40	
	125934	AA193325	Hs.32646	hypothetical protein FLJ21901	13.00	
80	125847	AW161885	Hs.249034	ESTs	49.57	
	125831	H04043		gb:yj45c03.r1 Soares placenta Nb2HP Homo		
	125731	R61771	Hs.26912	ESTs	13.20	
	125676	BE612918	Hs.151973	hypothetical protein FLJ23511	11.20	
	125561	F18572	Hs.22978	ESTs, Weakly similar to ALU4_HUMAN ALU S		
85	125552	H09701	Hs.278366	ESTs, Weakly similar to I38022 hypotheti	12.60	
	125489	H49193	Hs.124984	ESTs, Moderately similar to ALU7_HUMAN A	33.40	

	125422	AA903229	Hs.153717	ESTs		1.80
	125331	AA22996	Hs.161378	ESTs	38.00	
	125309	T12411	Hs.183745	hypothetical protein FLJ13456	18.20	
5	125167	AL137540	Hs.102541	netrin 4		1.95
	125139	AW194933	Hs.9788	hypothetical protein MGC10924 similar to		1.84
	125042	T78906	Hs.269432	ESTs, Moderately similar to ALU1_HUMAN	21.80	
	124711	NM_004657	Hs.26530	serum deprivation response (phosphatidy)		10.60
	124631	NM_014053	Hs.270594	FLVCR protein	23.20	
	124578	N58321	Hs.231500	EST	21.43	
10	124574	AL036596	Hs.42322	A kinase (PRKA) anchor protein 2		1.77
	124472	N52517	Hs.102670	EST	37.20	
	124438	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A		
	124357	N22401		gb:yy37g07.s1 Morton Fetal Cochlea Homo	14.64	
	124306	AW973078	Hs.293039	ESTs		4.00
15	124214	H58608	Hs.151323	ESTs		
	124097	AW298235	Hs.101689	ESTs		27.20
	123978	T89832	Hs.170278	ESTs		2.03
	123972	T46848	Hs.70337	immunoglobulin superfamily, member 4		6.00
	123961	AL050184	Hs.21610	DKFZP434B203 protein		1.79
20	123936	NM_004673	Hs.241519	angiopoietin-like 1	15.80	
	123802	AA620448		gb:ae58c09.s1 Stratagene lung carcinoma	4.23	
	123734	AA609861	Hs.312447	ESTs	4.20	
	123619	AA602964		gb:nc97c02.s1 NCI_CGAP_Pr2 Homo sapiens	33.60	
	123596	AA421130	Hs.112640	EST	10.93	
25	123476	AA384564	Hs.108829	ESTs		2.18
	123340	AA504264	Hs.182937	peptidylprolyl isomerase A (cyclophilin	11.20	
	123190	AA489212	Hs.105228	EST	14.20	
	123136	AW451999	Hs.194024	ESTs		7.00
	123073	AA485061	Hs.105652	ESTs	31.20	
30	123055	AA482005	Hs.105102	ESTs, Weakly similar to reverse transcri		4.80
	122699	AA456130	Hs.301721	KIAA1255 protein		5.00
	122679	AA811286	Hs.192837	ESTs, Weakly similar to ALU5_HUMAN ALU S	14.40	
	122633	NM_001546	Hs.34853	inhibitor of DNA binding 4, dominant neg		
	122553	AA451884	Hs.190121	ESTs	40.00	
35	122544	AW973253	Hs.292689	ESTs	15.40	
	122485	AA524547	Hs.160318	FXD domain-containing ion transport reg		1.81
	122211	AA300900	Hs.98849	ESTs, Moderately similar to AF161511 H		12.10
	122127	AW207175	Hs.106771	ESTs		1.95
40	122011	AA431082		gb:zw78a10.s1 Soares_testis_NHT Homo sap		1.89
	121992	AI860775	Hs.98506	ESTs	3.60	
	121989	W56487	Hs.193784	Homo sapiens mRNA; cDNA DKFZp586K1922 (f		2.01
	121835	AB033030	Hs.300670	KIAA1204 protein		1.85
	121726	AF241254	Hs.178098	angiotensin I converting enzyme (peptidy	12.43	
45	121690	AV660305	Hs.110286	ESTs		1.82
	121643	AA640987	Hs.193767	ESTs		
	121633	AA417011	Hs.98175	EST	14.00	
	121622	AA416931	Hs.126065	ESTs		16.40
	121497	AA412031	Hs.97901	EST	11.20	
50	121351	AW206227	Hs.287727	hypothetical protein FLJ23132	12.20	
	121314	W07343	Hs.182538	phospholipid scramblase 4		1.83
	121242	AA400857	Hs.97509	ESTs	22.40	
	121059	AA393283		gb:zt174e03.r1 Soares_testis_NHT Homo sap	14.80	
	120934	AA226198		gb:nc26a07.s1 NCI_CGAP_Pr1 Homo sapiens	21.20	
55	120755	AA312934	Hs.190745	Homo sapiens cDNA: FLJ21326 fis, clone		1.79
	120637	AA811804		gb:ob39a05.s1 NCI_CGAP_GCB1 Homo sapiens	20.00	
	120484	AA253170	Hs.96473	EST	40.20	
	120336	N85785	Hs.181165	eukaryotic translation elongation factor		6.60
	120266	AI807264	Hs.205442	ESTs, Weakly similar to T34036 hypotheti	16.80	
60	120132	W57554	Hs.125019	ESTs		4.73
	120041	AA830882	Hs.59368	ESTs		1.75
	119996	W88996	Hs.59134	EST		7.20
	119970	AA767718	Hs.93581	hypothetical protein FLJ10512	11.20	
	119861	W78816	Hs.49943	ESTs, Weakly similar to S65657 alpha-1C-		3.78
65	119824	W74536	Hs.184	advanced glycosylation end product-speci		
	119740	AW021407	Hs.21068	hypothetical protein	20.20	
	119271	AI061118	Hs.65328	Fanconi anemia, complementation group F	15.20	
	119221	C14322	Hs.250700	trypsin beta 1		
	119126	R45175	Hs.117183	ESTs	12.60	
70	119073	BE245360	Hs.279477	ESTs		
	118928	AA312799	Hs.283689	activator of CREM in testis		10.00
	118901	AW292577	Hs.94445	ESTs		3.96
	118661	AL137554	Hs.49927	protein kinase NYD-SP15		9.60
	118607	AI377444	Hs.54245	ESTs, Weakly similar to S65824 reverse t	10.40	
75	118449	AI813865	Hs.164478	hypothetical protein FLJ21939 similar to		1.90
	118416	N66028	Hs.49105	FKBP-associated protein	16.20	
	118379	N64491	Hs.48990	ESTs		4.00
	118329	N63520		gb:yy62f01.s1 Soares_multiple_sclerosis_		6.60
	118320	N63451	Hs.141600	ESTs, Weakly similar to alternatively s		3.80
80	118253	AA497044	Hs.20887	hypothetical protein FLJ10392	17.60	
	118124	N56968	Hs.46707	chromosome 21 open reading frame 37	14.00	
	118056	AB037746	Hs.42768	hypothetical protein DKFZp76100113		1.86
	118032	N52802	Hs.47544	EST		5.00
	117840	T26379	Hs.48802	Homo sapiens clone 23632 mRNA sequence		4.00
85	117404	N39725	Hs.15220	zinc finger protein 106		1.90
	117314	N32498	Hs.42829	ESTs	14.20	

	117209	W03011	Hs.306881	MSTP043 protein		
	117023	AW070211	Hs.102415	Homo sapiens mRNA; cDNA DKFZp586N0121 (f	20.20	2.31
	116814	H50834		gb:yp86a10.s1 Soares fetal liver spleen		
5	116784	AB007979	Hs.301281	Homo sapiens mRNA, chromosome 1 specific	16.20	3.51
	116766	A1608657	Hs.95097	ESTs		
	116712	AW901618	Hs.61935	Homo sapiens mRNA; cDNA DKFZp7611071 (fr		6.80
	116707	H10344	Hs.49050	ESTs, Weakly similar to A Chain A, Human	18.60	
	116351	AL133623	Hs.82501	similar to mouse Xm1 / Dhm2 protein	19.40	
10	116279	AW971248	Hs.291289	ESTs, Weakly similar to ALU1_HUMAN ALU S		
	116166	AL039940	Hs.202949	KIAA1102 protein		2.13
	116152	AL040521	Hs.15220	zinc finger protein 106		1.75
	116117	BE613410	Hs.31575	SEC63, endoplasmic reticulum translocon	13.20	
	116107	AL133916	Hs.172572	hypothetical protein FLJ20093	30.11	
15	115965	AA001732	Hs.173233	hypothetical protein FLJ10970		2.36
	115955	AF263613	Hs.44198	Intracellular membrane-associated calciu	18.20	
	115844	A1373052	Hs.332938	hypothetical protein MGC5370	18.57	
	115683	AF255910	Hs.54650	junctional adhesion molecule 2		23.00
	115673	AA406341	Hs.269908	Homo sapiens cDNA FLJ11991 fis, clone HE	11.82	
20	115672	A1889110	Hs.73251	ESTs	10.60	
	115566	A1142336	Hs.43977	Human DNA sequence from clone RP11-196N1		1.76
	115313	AA808001	Hs.184411	albumin	25.20	
	115279	AW964897	Hs.290825	ESTs		8.00
	115230	AA278300	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L		1.80
25	115110	AK001671	Hs.11387	KIAA1453 protein	14.20	
	114999	BE246481	Hs.87856	ESTs	19.20	
	114930	AA237022	Hs.188717	ESTs		5.60
	114922	AA235672	Hs.87491	ESTs		3.60
	114837	BE244930	Hs.166895	ESTs	43.70	
30	114769	AA149060	Hs.296100	ESTs	11.00	
	114761	AA143781	Hs.126280	hypothetical protein FLJ23393	14.00	
	114736	A1610347	Hs.103812	ESTs, Moderately similar to ALU1_HUMAN A		4.20
	114596	AA310162	Hs.169248	cytochrome c	10.71	
	114518	AW163267	Hs.106469	suppressor of var1 (S.cerevisiae) 3-like	20.40	
	114455	H37908	Hs.271616	ESTs, Weakly similar to ALU8_HUMAN ALU S	20.40	
35	114452	A1369275	Hs.243010	Homo sapiens cDNA FLJ14445 fis, clone HE		17.20
	114359	NM_016929	Hs.283021	chloride intracellular channel 5		2.09
	114357	R41677	Hs.6107	Homo sapiens cDNA FLJ14839 fis, clone OV	12.40	
	114251	H15261	Hs.21948	ESTs		2.00
40	114138	AW384793	Hs.15740	Homo sapiens mRNA; cDNA DKFZp434E033 (fr		11.40
	114124	W57554	Hs.125019	ESTs		6.04
	113946	AW083883	Hs.37896	Homo sapiens cDNA FLJ13510 fis, clone PL		1.82
	113695	T96965	Hs.17948	ESTs, Weakly similar to ALUB_HUMAN IIII		
	113606	NM_013343	Hs.278951	NAG-7 protein		2.15
45	113590	R49642	Hs.142447	ESTs, Weakly similar to ALU1_HUMAN ALU S		3.60
	113560	T91015	Hs.268626	ESTs	32.00	
	113552	A1654223	Hs.16026	hypothetical protein FLJ23191		
	113540	AW152618	Hs.16757	ESTs		
	113502	T89130		gb:ye12d01.s1 Stratagene lung (937210) H		8.35
50	113288	A1076838	Hs.12967	ESTs	12.40	
	113252	NM_004469	Hs.11392	c-fos induced growth factor (vascular en		4.27
	113238	R45467	Hs.189813	ESTs		
	113203	AA743563	Hs.10305	ESTs	21.20	
	113195	H83265	Hs.8881	ESTs, Weakly similar to S41044 chromosom		1.92
55	113089	T40707	Hs.270862	ESTs	14.33	
	113076	AF033199	Hs.8198	zinc finger protein 204		6.00
	113009	T23699	Hs.7246	ESTs		9.40
	112937	A1694320	Hs.6295	ESTs, Weakly similar to T17248 hypotheti		12.20
	112891	T03927	Hs.293147	ESTs, Moderately similar to A46010 X-li	10.57	
60	112794	R97018		gb:yg74b08.s1 Soares fetal liver spleen	26.60	
	112691	R88708	Hs.220647	ESTs	15.33	
	112602	AW004045	Hs.203365	ESTs	15.60	
	112366	AF035318	Hs.12533	Homo sapiens clone 23705 mRNA sequence	15.40	
	112210	R49645	Hs.7004	ESTs	14.00	
65	112064	AL049390	Hs.22689	Homo sapiens mRNA; cDNA DKFZp586O1318 (f	13.00	
	111998	R42379	Hs.138283	ESTs	11.00	
	111987	NM_015310	Hs.6763	KIAA0942 protein	22.40	
	111803	AA593731	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A		1.77
	111737	H04607	Hs.9218	ESTs		1.86
70	111605	T91081	Hs.194178	ESTs, Moderately similar to PC4259 ferri	23.00	
	111510	R07856	Hs.16355	ESTs	11.02	
	111341	AL157484	Hs.22483	Homo sapiens mRNA; cDNA DKFZp762M127 (fr		1.88
	111280	AA373527	Hs.19385	CGI-58 protein	18.40	
	111247	AW058350	Hs.16762	Homo sapiens mRNA; cDNA DKFZp56482062 (f		
75	111232	A1247763	Hs.16928	ESTs	27.60	
	110942	R63503	Hs.28419	ESTs	14.80	
	110924	AW058463	Hs.12940	zinc-fingers and homeoboxes 1	24.71	
	110837	H03109	Hs.108920	HTO18 protein		2.18
	110824	A1767183	Hs.26942	ESTs	12.20	
80	110776	AB032417	Hs.19545	frizzled (Drosophila) homolog 4		1.75
	110576	H60869	Hs.37889	ESTs	13.00	
	110369	AK000768	Hs.107872	hypothetical protein FLJ20761		5.60
	110099	R44557	Hs.23748	ESTs		2.31
	109984	A1796320	Hs.10299	Homo sapiens cDNA FLJ13545 fis, clone PL		
85	109958	AA001266	Hs.133521	ESTs	11.25	
	109893	AA884208	Hs.30484	ESTs		2.68

	109842	AW818436	Hs.23590	solute carrier family 16 (monocarboxylic ESTs, Weakly similar to I38022 hypothe	23.83		3.91
	109837	H00656	Hs.29792	ESTs		17.20	
	109796	A1800515	Hs.12024	ESTs		9.60	
5	109688	R41900	Hs.22245	ESTs			
	109648	H17800	Hs.7154	ESTs	22.80		
	109613	H47315	Hs.27519	ESTs			
	109550	AW021488	Hs.26981	ESTs			
	109523	AW193342	Hs.24144	ESTs		6.00	1.89
10	109472	AK001989	Hs.91165	hypothetical protein			
	109355	AA524525	Hs.48297	DKFZP586C1620 protein	15.00		
	109260	AW978515	Hs.131915	KIAA0863 protein	25.60		
	108781	AA128654		gb:zn98g07.s1 Stratagene fetal retina 93	14.20		
	108663	BE219231	Hs.292653	ESTs, Weakly similar to T26845 hypothe	11.00		
15	108573	AA086005		gb:zl84c04.s1 Stratagene colon (937204)	26.00		
	108480	AL133092	Hs.68055	hypothetical protein DKFZp434i0428			
	108382	NM_006770	Hs.67726	macrophage receptor with collagenous str			1.83
	108174	AA055632	Hs.303070	ESTs	15.20		
	108138	AL049990	Hs.51515	Homo sapiens mRNA; cDNA DKFZp554G112 (fr		3.60	
20	108087	AA045708	Hs.40545	ESTs	15.44		
	108048	A1797341	Hs.165195	Homo sapiens cDNA FLJ14237 fis, clone NT		11.40	
	108041	AW204712	Hs.61957	ESTs			
	107997	AL049176	Hs.82223	chordin-like		4.76	
	107994	AA036811	Hs.48469	LIM domains containing 1			
25	107922	BE153855	Hs.61460	lg superfamily receptor LNIR	14.20		
	107681	BE379594	Hs.49136	ESTs, Moderately similar to ALU7_HUMAN A	51.80		
	107666	AA010511	Hs.60418	EST	29.20		
	107332	T87750	Hs.183297	DKFZP566F2124 protein	10.73		
	107292	BE166479	Hs.4789	Homo sapiens serologically defined breas	32.00		
30	107230	A1034467	Hs.34650	ESTs	17.40		
	107168	W57578	Hs.237955	RAB7, member RAS oncogene family	10.43		
	107160	AA314490	Hs.27669	KIAA1563 protein	11.40		
	107054	A1076459	Hs.15978	KIAA1272 protein			
	107029	AF264750	Hs.288971	myeloid/lymphoid or mixed-lineage leukem	21.40		
	106999	H93281	Hs.10710	hypothetical protein FLJ20417	35.80		
35	106954	AF128847	Hs.204038	indolethylamine N-methyltransferase			1.76
	106870	A1983730	Hs.26530	serum deprivation response (phosphatidyl			
	106865	AW192535	Hs.19479	ESTs	13.40		
	106844	AA485055	Hs.158213	sperm associated antigen 6		7.13	
40	106820	NM_016831	Hs.12592	period (Drosophila) homolog 3		7.00	
	106818	AK002135	Hs.3542	hypothetical protein FLJ11273	13.00		
	106797	A1768801	Hs.169943	Homo sapiens cDNA FLJ13569 fis, clone PL			2.05
	106773	AA478109	Hs.188833	ESTs			
	106747	NM_007118	Hs.171957	triple functional domain (PTPRF interact	12.60		
45	106743	BE613328	Hs.21938	hypothetical protein FLJ12492	10.60		
	106667	AW360847	Hs.16578	ESTs			
	106605	AW772298	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr			2.40
	106567	AW450408	Hs.86412	chromosome 9 open reading frame 5			1.78
	106562	AL031846	Hs.152151	plakophilin 4			1.76
50	106536	AA329648	Hs.23804	ESTs, Weakly similar to PN0099 son3 prot			2.19
	106533	AL134708	Hs.145998	ESTs	23.20		
	106507	AA259068	Hs.267819	protein phosphatase 1, regulatory (inhib	15.20		
	106490	AA404265	Hs.115537	putative dipeptidase			
	106474	BE383668	Hs.42484	hypothetical protein FLJ10618	10.44		
	106211	AA428240	Hs.126083	ESTs		29.80	
55	105986	AB037722	Hs.8707	KIAA1301 protein		3.70	
	105894	A1904740	Hs.25691	receptor (calcitonin) activity modifying			1.94
	105847	AW964490	Hs.32241	ESTs, Weakly similar to S65657 alpha-1C-			1.75
	105803	AW747996	Hs.160999	ESTs, Moderately similar to A56194 throm			2.47
	105731	AA834664	Hs.29131	nuclear receptor coactivator 2	10.71		
60	105729	H46612	Hs.293815	Homo sapiens HSPC285 mRNA, partial cds			
	105688	A1299139	Hs.17517	ESTs	23.40		
	105510	Z42047	Hs.283978	Homo sapiens PRO2751 mRNA, complete cds	37.20		
	105101	H63202	Hs.38163	ESTs		8.30	
65	104989	R65998	Hs.285243	hypothetical protein FLJ22029		8.09	
	104986	AW088826	Hs.117176	poly(A)-binding protein, nuclear 1			1.92
	104969	A1670947	Hs.78406	phosphatidylinositol-4-phosphate 5-kinas		5.40	
	104903	A1436323	Hs.31141	Homo sapiens mRNA for KIAA1568 protein,		7.60	
	104896	AW015318	Hs.23165	ESTs	13.80		
	104865	T79340	Hs.22575	Homo sapiens cDNA: FLJ21042 fis, clone C			
70	104825	AA035613	Hs.141883	ESTs			1.87
	104781	AA099904	Hs.21610	DKFZP434B203 protein			1.93
	104776	AA026349		gb:zj99f01.s1 Soares_pregnant_uterus_NbH	10.20		
	104691	U29690	Hs.37744	Homo sapiens beta-1 adrenergic receptor		5.69	
	104667	A1239923	Hs.30098	ESTs		3.82	
75	104404	H58762		gb:EST00057 HE6W Homo sapiens cDNA clone		4.20	
	104392	AA076049	Hs.274415	Homo sapiens cDNA FLJ10229 fis, clone HE	27.20		
	104212	AB002298	Hs.173035	KIAA0300 protein			1.91
	104074	AL162039	Hs.31422	Homo sapiens mRNA; cDNA DKFZp434M229 (fr	11.20		
80	103749	AL135301	Hs.8768	hypothetical protein FLJ10849	10.86		
	103645	AW246253	Hs.7043	succinate-CoA ligase, GDP-forming, alpha	12.00		
	103554	A1878826	Hs.323469	caveolin 1, caveolae protein, 22kD			1.80
	103541	A1815601	Hs.79197	CD83 antigen (activated B lymphocytes, i			
	103496	Y09267	Hs.132821	flavin containing monooxygenase 2			
	103428	BE383507	Hs.78921	A kinase (PKA) anchor protein 1	11.20		
85	103353	X89399	Hs.119274	RAS p21 protein activator (GTPase activa	19.80		

5	103295	X81479	Hs.2375	egf-like modula containing, mucin-like,	3.60	
	103280	U84722	Hs.76206	cadherin 5, type 2, VE-cadherin (vascula		1.76
	103100	NM_005574	Hs.184585	LIM domain only 2 (rhombotin-like 1)		2.15
	103025	NM_002837	Hs.123641	protein tyrosine phosphatase, receptor t		
	102698	M18667	Hs.1867	progastricin (pepsinogen C)		
	102659	BE245169	Hs.211610	CUG triplet repeat, RNA-binding protein	11.00	
	102580	U60808	Hs.152981	CDP-diacylglycerol synthase (phosphalida	25.40	
	102417	AA034127	Hs.153487	signal transducing adaptor molecule (SH3	14.00	
10	102363	NM_003734	Hs.198241	amine oxidase, copper containing 3 (vasc		
	102302	AA306342	Hs.69171	protein kinase C-like 2	10.86	
	102283	AW161552	Hs.83381	guanine nucleotide binding protein 11		
	102188	U20350	Hs.78913	chemokine (C-X3-C) receptor 1		7.40
	102151	T27013	Hs.3132	steroidogenic acute regulatory protein	16.40	
	101957	L28824	Hs.74101	spleen tyrosine kinase	15.40	
15	101842	M93221	Hs.75182	mannose receptor, C type 1		
	101771	NM_002432	Hs.153837	myeloid cell nuclear differentiation ant		
	101764	A198550	Hs.81256	S100 calcium-binding protein A4 (calcium		1.78
	101716	AF050658	Hs.2563	tachykinin, precursor 1 (substance K, su	18.80	
20	101678	M62505	Hs.2161	complement component 5 receptor 1 (C5a I		2.22
	101447	M21305		gb:Human alpha satellite and satellite 3	504.80	
	101383	NM_000132	Hs.79345	coagulation factor VIII, procoagulant co		31.00
	101346	A1738616	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N		1.75
	101345	NM_005795	Hs.152175	calcitonin receptor-like		
25	101336	NM_006732	Hs.75678	FBJ murine osteosarcoma viral oncogene h		2.24
	101330	L43821	Hs.80261	enhancer of filamentation 1 (cas-like do		
	101277	BE297626	Hs.296049	microfibrillar-associated protein 4		
	101262	L35854		gb:Human dystrophin (dp140) mRNA, 5' end	19.00	
	101168	NM_005308	Hs.211569	G protein-coupled receptor kinase 5		2.01
30	101102	NM_003243	Hs.79059	transforming growth factor, beta recepto		
	101088	X70697	Hs.553	solute carrier family 6 (neurotransmitte		7.52
	101066	AW970254	Hs.869	Charot-Leyden crystal protein	19.38	
	100971	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte		1.91
	100893	BE245294	Hs.180789	S164 protein	15.40	
35	100770	W25797.comp	Hs.177486	amyloid beta (A4) precursor protein (pro	11.20	
	100716	X89887	Hs.172350	HIR (histone cell cycle regulation defec	14.80	
	100555	M69181		gb:Human nonmuscle myosin heavy chain-B	33.00	
	100425	NM_014747	Hs.78748	KIAA0237 gene product	16.20	
	100408	D86640	Hs.56045	src homology three (SH3) and cysteine ri		4.00
40	100382	D83407	Hs.156007	Down syndrome critical region gene 1-lik		4.24
	100351	D64158				6.20
	100299	D49493				21.20
	100134	AA305746	Hs.2171	growth differentiation factor 10		
	100108	U09577	Hs.49	macrophage scavenger receptor 1		1.79
	100095	Z97171	Hs.78454	hyaluronoglucosaminidase 2		
45	100066			myoclin, trabecular meshwork inducible	11.29	5.40

50 TABLE 3B shows the accession numbers for those primekeys lacking unigenal D's for Table 3A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

55 Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

60	Pkey	CAT number	Accessions
	123619	371681_1	AA602964 AA609200
	126433	127143_1	AA325606 AA099517 N89423
	125831	1522905_1	H04043 D60988 D60337
65	126816	122973_1	AA248234 AA090985
	126852	136135_1	AA399961 AA128347
	121059	273450_1	AA393283 AA398628
	120637	200885_1	AA811804 AA809404 AA286907 AW977624
	122011	7617_-2	AA431082
70	120934	177521_1	AA226198 AA226513 AA383773
	123802	genbank_AA620448	AA620448
	116814	genbank_H50834	H50834
	118329	genbank_N63520	N63520
	104404	H58762_at	H58762
75	104776	genbank_AA026349	AA026349
	113502	genbank_T89130 T89130	
	101262	entrez_L35854	L35854
	108573	genbank_AA086005	AA086005
	101447	entrez_M21305	M21305
	124357	genbank_N22401	N22401
80	108781	genbank_AA128654	AA128654
	112794	genbank_R97018	R97018
	100351	entrez_D64158	D64158
85	100555	tigr_HT2245	M69181 M81105 U51039

Table 4A shows 202 genes up-regulated in samples from patients treated with chemotherapy or radiotherapy. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

	Pkey:	Unique Eos probeset identifier number			
	ExAccn:	Exemplar Accession number, Genbank accession number			
	UnigenelD:	Unigene number			
	Unigene Title:	Unigene gene title			
	R1:	average of AI for samples from patients treated with chemotherapy or radiotherapy divided by the average of AI for normal lung samples.			
	Pkey	ExAccn	UnigenelD	Unigene Title	R1
5	100113	NM_001269	Hs.84746	chromosome condensation 1	27.20
	100187	D17793	Hs.78183	aldo-keto reductase family 1, member C3	20.60
15	100210	D26361	Hs.3104	KIAA0042 gene product	20.40
	100225	D28539	Hs.167185	glutamate receptor, metabotropic 5	20.60
	100269	NM_001949	Hs.1189	E2F transcription factor 3	29.40
	100438	AA013051	Hs.91417	topoisomerase (DNA) II binding protein	23.50
	100877	X80821	Hs.27973	KIAA0874 protein	35.56
20	100893	BE245294	Hs.180789	S164 protein	43.40
	101273	Z11933	Hs.182505	POU domain, class 3, transcription facto	21.80
	101447	M21305		gb:Human alpha satellite and satellite 3	193.60
	101649	AW959908	Hs.1690	heparin-binding growth factor binding pr	38.40
	101724	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	198.80
25	101748	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen	78.60
	101809	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	162.20
	101879	AA176374	Hs.243886	nuclear autoantigenic sperm protein (his	50.00
	101915	AF207881	Hs.155185	cytosolic ovarian carcinoma antigen 1	26.00
	101973	U41514	Hs.80120	UDP-N-acetyl-alpha-D-galactosamine:polyp	37.20
30	102025	U04045	Hs.78934	mutS (E. coli) homolog 2 (colon cancer,	
	102031	U04898	Hs.2156	RAR-related orphan receptor A	32.00
	102052	NM_002202	Hs.505	ISL1 transcription factor, LIM/homeodoma	51.20
	102391	AA296874	Hs.77494	deoxyguanosine kinase	13.90
	102420	U44060	Hs.14427	Homo sapiens cDNA: FLJ21800 fis, clone H	28.80
35	102610	U65011	Hs.30743	preferentially expressed antigen in mela	110.60
	102829	NM_006183	Hs.80962	neurotensin	116.80
	103000	NM_001975	Hs.146580	enolase 2, (gamma, neuronal)	2.30
	103036	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial	181.40
	103507	AJ000512	Hs.296323	serum/glucocorticoid regulated kinase	49.20
40	103587	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	86.60
	104660	BE298665	Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	42.60
	104896	AW015318	Hs.23165	ESTs	29.40
	105038	AW503733	Hs.9414	KIAA1488 protein	21.50
	105298	BE387790	Hs.26369	hypothetical protein FLJ20287	32.80
45	105510	Z42047	Hs.283978	Homo sapiens PRO2751 mRNA, complete cds	20.20
	105667	AA767526	Hs.22030	paired box gene 5 (B-cell lineage specif	28.40
	106073	AL157441	Hs.17834	downstream neighbor of SON	25.40
	106205	AW965058	Hs.111583	ESTs, Weakly similar to I38022 hypotheti	32.00
	106516	AL137311	Hs.234074	Homo sapiens mRNA; cDNA DKFZp761G02121 (40.60
50	106533	AL134708	Hs.145998	ESTs	59.80
	106575	AW970602	Hs.105421	ESTs	43.40
	106654	AW075485	Hs.286049	phosphoserine aminotransferase	50.80
	106851	AK58623		gb:tk04g09.x1 NCL_CGAP_Lu24 Homo sapiens	53.40
	106995	AB023139	Hs.37892	KIAA0922 protein	20.88
55	107332	T87750	Hs.183297	DKFZP566F2124 protein	23.60
	107532	AA443473	Hs.173684	Homo sapiens mRNA; cDNA DKFZp762G207 (fr	57.20
	107922	BE153855	Hs.61460	Ig superfamily receptor LNIR	49.00
	108609	BE409857	Hs.69499	hypothetical protein	19.67
	108780	AU076442	Hs.117938	collagen, type XVII, alpha 1	48.17
60	109166	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	59.20
	109260	AW978515	Hs.131915	KIAA0863 protein	28.60
	109280	AK001355	Hs.279610	hypothetical protein FLJ10493	22.80
	109292	AW975746	Hs.188662	KIAA1702 protein	
	109384	AA219172	Hs.86849	ESTs	21.00
65	109415	U80736	Hs.110826	trinucleotide repeat containing 9	31.60
	109445	AA232103	Hs.189915	ESTs	24.20
	109502	AW967069	Hs.211556	hypothetical protein MGC5487	21.40
	109633	AW003785	Hs.170267	ESTs	20.40
	109786	AI989482	Hs.146286	kinesin family member 13A	19.60
70	109958	AA001266	Hs.133521	ESTs	24.00
	110920	N47224	Hs.20521	HMT1 (hnRNP methyltransferase, S. cerevi	28.40
	110924	AW058463	Hs.12940	zinc-fingers and homeoboxes 1	36.00
	111084	H44186	Hs.15456	PDZ domain containing 1	61.20
	111132	AB037807	Hs.83293	hypothetical protein	24.60
75	111229	AW389845	Hs.110855	ESTs	27.20
	111337	AA837396	Hs.263925	LIS1-interacting protein NUDE1, rat homo	48.00
	111987	NM_015310	Hs.6763	KIAA0942 protein	37.80
	112046	AA383343	Hs.22116	CDC14 (cell division cycle 14, S. cerevi	26.80
	112268	W39609	Hs.22003	solute carrier family 6 (neurotransmitte	63.80
80	112685	R87650	Hs.33439	ESTs, Weakly similar to ALU1_HUMAN ALU	26.40
	112871	AL110216	Hs.12285	ESTs, Weakly similar to I55214 salivary	47.64
	112897	AW206453	Hs.3782	ESTs	22.00
	112973	AB033023	Hs.318127	hypothetical protein FLJ10201	65.00
	112992	AL157425	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f	42.00
85	113073	N39342	Hs.103042	microtubule-associated protein 1B	55.40

	113494	T91451	Hs.86538	ESTs	22.80
	113560	T91015	Hs.268626	ESTs	22.80
	113849	AA457211	Hs.8858	bromodomain adjacent to zinc finger doma	51.80
	113950	AI267652	Hs.30504	Homo sapiens mRNA; cDNA DKFZp434E082 (fr	28.20
5	114339	AA782845	Hs.22790	ESTs	20.20
	114365	H42169	Hs.18653	hypothetical protein FLJ14627	21.00
	114455	H37908	Hs.271616	ESTs, Weakly similar to ALU8_HUMAN ALU S	25.80
	114518	AW163267	Hs.106469	suppressor of var1 (S.cerevisiae) 3-like	23.60
	114824	AA960961	Hs.305953	zinc finger protein 83 (HPF1)	27.20
10	114837	BE244930	Hs.166895	ESTs	30.20
	114974	AW966931	Hs.179662	nucleosome assembly protein 1-like 1	20.80
	115075	AA814043	Hs.88045	ESTs	30.60
	115084	BE383668	Hs.42484	hypothetical protein FLJ10618	28.86
	115291	BE545072	Hs.122579	hypothetical protein FLJ10461	38.00
15	115313	AA808001	Hs.184411	albumin	22.60
	115697	D31382	Hs.63325	transmembrane protease, serine 4	173.60
	115909	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH	27.77
	116090	AI591147	Hs.61232	ESTs	20.80
20	116107	AL133916	Hs.172572	hypothetical protein FLJ20093	164.20
	116399	AA889120	Hs.110637	homeo box A10	38.00
	117099	H93699		gb:yv16a11.s1 Soares fetal liver spleen	21.60
	117881	AF161470	Hs.260622	butyrate-induced transcript 1	49.40
	118091	AW005054	Hs.47883	ESTs, Weakly similar to KCC1_HUMAN CALC1	22.40
	118138	AA374756	Hs.93560	Homo sapiens mRNA for KIAA1771 protein,	22.00
25	118720	N73515		gb:za49d07.s1 Soares fetal liver spleen	20.00
	118873	AI824009	Hs.44577	ESTs	19.40
	119126	R45175	Hs.117183	ESTs	111.20
	119717	AA918317	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro	33.00
	119940	AL050097	Hs.272531	DKFZP58690319 protein	31.00
30	120266	AI807264	Hs.205442	ESTs, Weakly similar to T34036 hypotheti	20.20
	120515	AA258356		gb:zr59c10.s1 Soares_NhHMPu_S1 Homo sapi	25.00
	120859	AA826434	Hs.1619	achaete-scute complex (Drosophila) homol	95.40
	120983	AA398209	Hs.97587	EST	105.20
	121054	AW976570	Hs.97387	ESTs	38.80
35	121369	AW450737	Hs.128791	CGI-09 protein	41.60
	122335	AA443258	Hs.241551	chloride channel, calcium activated, fam	30.80
	122612	AA974832	Hs.128708	ESTs	19.60
	123130	AA487200		gb:ab19f02.s1 Stratagene lung (937210) H	33.20
40	123440	AI733692	Hs.112488	ESTs	23.17
	123596	AA421130	Hs.112640	EST	23.00
	123619	AA602964		gb:no97c02.s1 NCL_CGAP_Pr2 Homo sapiens	28.80
	124006	AI147155	Hs.270016	ESTs	77.60
	124169	BE079334	Hs.271630	ESTs	22.20
	124281	AI333756	Hs.111801	arsenate resistance protein ARS2	42.20
45	124472	N52517	Hs.102670	EST	32.60
	124617	AW628168	Hs.152684	ESTs	21.80
	124631	NM_014053	Hs.270594	FLVCR protein	30.40
	124839	R55784	Hs.140942	ESTs	21.20
50	125186	AA610620	Hs.181244	major histocompatibility complex, class	42.80
	125321	T86652	Hs.178294	ESTs	27.00
	125535	NM_013243	Hs.22215	secretogranin III	23.80
	125646	AA628962	Hs.75209	protein kinase (cAMP-dependent, catalyti	23.20
	125684	AW589427	Hs.158849	Homo sapiens cDNA: FLJ21663 fis, clone C	21.20
55	125724	AL360190	Hs.295978	Homo sapiens mRNA full length insert cDN	48.80
	125847	AW161885	Hs.249034	ESTs	31.00
	125934	AA193325	Hs.32646	hypothetical protein FLJ21901	21.20
	126077	M78772	Hs.210836	ESTs	49.80
	126299	AW979155	Hs.298275	amino acid transporter 2	21.80
60	126395	AI468004	Hs.278956	hypothetical protein FLJ12929	71.00
	126433	AA325606		gb:EST28707 Cerebellum II Homo sapiens c	23.20
	126509	R47400	Hs.23850	ESTs	23.80
	126538	AB030656	Hs.17377	coronin, actin-binding protein, 1C	23.10
	126666	AA648886	Hs.151999	ESTs	36.00
65	126812	AB037860	Hs.173933	nuclear factor I/A	20.80
	126872	AW450979		gb:UI-H-BI3-ala-a-12-0-UI.s1 NCL_CGAP_Su	46.29
	127046	AA321948	Hs.293968	ESTs	22.80
	127431	AW771958	Hs.175437	ESTs, Moderately similar to PC4259 ferri	30.00
	127489	AA650250	Hs.272076	ESTs	20.80
70	127521	AW297206	Hs.164018	ESTs	25.20
	127742	AW293496	Hs.180138	ESTs	28.00
	127925	AA805151	Hs.3628	mitogen-activated protein kinase kinase	21.20
	127930	AA809672	Hs.123304	ESTs	20.54
	127968	AA830201	Hs.124347	ESTs	28.20
75	127987	AI022103	Hs.124511	ESTs	19.60
	128116	H07103	Hs.286014	Homo sapiens, clone IMAGE:3867243, mRNA	20.40
	128609	NM_003616	Hs.102456	survival of motor neuron protein interac	34.40
	128777	AI878918	Hs.10526	cysteine and glycine-rich protein 2	53.80
	128949	AA009647	Hs.8850	a disintegrin and metalloproteinase doma	23.00
80	129168	AI132988	Hs.109052	chromosome 14 open reading frame 2	37.60
	129404	AI267700	Hs.317584	ESTs	28.60
	129527	AA769221	Hs.270847	delta-tubulin	40.80
	129574	AA026815	Hs.11463	UMP-CMP kinase	31.20
	129598	N30436	Hs.11556	Homo sapiens cDNA FLJ12566 fis, clone NT	29.60
85	129785	H19006	Hs.184780	ESTs	72.20
	129970	AV655806	Hs.296198	chromosome 12 open reading frame 4	22.20

	130149	AW067805	Hs.172665	methylenetetrahydrofolate dehydrogenase	29.60
	130199	Z48579	Hs.172028	a disintegrin and metalloproteinase doma	27.60
	130441	UG3630	Hs.155637	protein kinase, DNA-activated, catalytic	28.36
5	130466	W19744	Hs.180059	Homo sapiens cDNA FLJ20653 fis, clone KA	20.20
	130482	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	22.40
	130617	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	19.60
	130703	R77776	Hs.18103	ESTs	19.40
	130732	AW890487	Hs.63984	cadherin 13, H-cadherin (heart)	21.40
10	130867	NM_001072	Hs.284239	UDP glycosyltransferase 1 family, polype	110.00
	131028	AI879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP),	25.20
	131086	AL035461	Hs.2281	chromogranin B (secretogranin 1)	40.60
	131284	NM_001429	Hs.25272	E1A binding protein p300	24.60
	131775	AB014548	Hs.31921	KIAA0648 protein	21.00
15	131860	BE383676	Hs.334	Rho guanine nucleotide exchange factor (33.40
	131945	NM_002916	Hs.35120	replication factor C (activator 1) 4 (37	60.80
	132040	NM_001196	Hs.315689	Homo sapiens cDNA: FLJ22373 fis, clone H	20.40
	132084	NM_002267	Hs.3886	karyopherin alpha 3 (importin alpha 4)	29.40
	132389	AA310393	Hs.190044	ESTs	32.40
	132437	AA152106	Hs.4859	cyclin L ania-6a	27.40
20	132550	AW969253	Hs.170195	bone morphogenetic protein 7 (osteogenic	75.60
	132617	AF037335	Hs.5338	carbonic anhydrase XII	31.36
	132632	AU076916	Hs.5398	guanine monophosphate synthetase	32.40
	132672	W27721	Hs.54697	Cdc42 guanine exchange factor (GEF) 9	23.40
25	132742	AA025480	Hs.292812	ESTs, Weakly similar to T33468 hypoheti	61.20
	132771	Y10275	Hs.56407	phosphoserine phosphatase	22.33
	133070	U92649	Hs.64311	a disintegrin and metalloproteinase doma	23.50
	133153	AF070592	Hs.66170	HSKM-B protein	30.00
	133181	X91662	Hs.66744	twist (Drosophila) homolog (acrocephalos	23.80
30	133282	AA449015	Hs.286145	SRB7 (suppressor of RNA polymerase B, ye	51.60
	133350	AI499220	Hs.71573	hypothetical protein FLJ10074	33.00
	133592	AV652066	Hs.75113	general transcription factor IIIA	82.00
	133658	AA319146	Hs.75426	secretogranin II (chromogranin C)	
	133865	AB011155	Hs.170290	discs, large (Drosophila) homolog 5	69.33
35	134032	NM_005025	Hs.78589	serine (or cysteine) proteinase inhibito	33.20
	134125	NM_014781	Hs.50421	KIAA0203 gene product	31.60
	134158	U15174	Hs.79428	BCL2/adenovirus E1B 19kD-interacting pro	30.60
	134321	BE538082	Hs.8172	ESTs, Moderately similar to A46010 X-in	23.40
	134367	AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	49.20
40	134570	U66615	Hs.172280	SWI/SNF related, matrix associated, acti	20.20
	134753	NM_006482	Hs.173135	dual-specificity tyrosine-(Y)-phosphoryl	20.80
	135002	AA448542	Hs.251677	G antigen 7B	37.60
	135029	H58818	Hs.187579	hydroxysteroid (17-beta) dehydrogenase	53.40
	135047	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	31.60
45	135345	X53655	Hs.99171	neurotrophin 3	28.80

TABLE 4B shows the accession numbers for those primekeys lacking unigenelD's for Table 4A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey	CAT number	Accessions
123619	371681_1	AA602964 AA609200
126433	127143_1	AA325606 AA099517 N89423
126872	142696_1	AW450979 AA136653 AA136656 AW419381 AA984358 AA492073 BE168945 AA809054 AW238038 BE011212 BE011359 BE011367 BE011368 BE011362 BE011215 BE011365 BE011363
106851	322947_1	AI458623 AA639708 AA485409 R22065 AA485570
118720	genbank_N73515	N73515
120515	genbank_AA258356	AA258356
117099	321871_1	H93699 H97976 H80036
101447	entrez_M21305	M21305
123130	genbank_AA487200	AA487200

Table 5A shows 680 genes up-regulated in squamous cell carcinoma or adenocarcinoma lung tumors relative to normal lung and chronically diseased lung. These genes were selected from 59680 probesets on the Eos/Affymatrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

- 5 Pkey: Unique Eos probeset identifier number
- ExAccn: Exemplar Accession number, Genbank accession number
- UnigeneID: Unigene number
- Unigene Title: Unigene gene title
- 10 R1: 70th percentile of AI for squamous cell carcinoma and adenocarcinoma lung tumor samples divided by the 90th percentile of AI for normal and chronically diseased lung samples.
- R2: 80th percentile of AI adenocarcinoma lung tumor samples divided by the 90th percentile of AI for normal and chronically diseased lung samples.
- R3: 80th percentile of AI squamous cell carcinoma lung tumor samples divided by the 90th percentile of AI for normal and chronically diseased lung samples.
- R4: 80th percentile of AI adenocarcinoma lung tumor samples divided by the 80th percentile of AI for squamous cell carcinoma lung tumor samples.
- 15 R5: 70th percentile of AI for squamous cell carcinoma and adenocarcinoma lung tumor samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples divided by 90th percentile of AI for normal and chronically diseased lung samples minus the 15th percentile of AI for all normal lung, chronically diseased lung and tumor samples

	Pkey	ExAccn	UnigeneID	Unigene Title	R1	R2	R3	R4	R5
	100035			AFFX control: GAPDH					6.76
	100036			AFFX control: GAPDH					5.77
	100037			AFFX control: GAPDH					5.75
25	100071	A28102		Human GABAA receptor alpha-3 subunit		8.00			
	100114	X02308	Hs.82962	thymidylate synthetase					5.71
	100154	H60720	Hs.81892	KIAA0101 gene product	3.84				
	100187	D17793	Hs.78183	aldo-keto reductase family 1, member C3	3.33				
	100188	AW247090	Hs.57101	minichromosome maintenance deficient (S.					4.52
	100202	BE294407	Hs.99910	phosphofruktokinase, platelet					5.49
30	100216	AA489908	Hs.1390	proteasome (prosome, macropain) subunit,					5.67
	100269	NM_001949	Hs.1189	E2F transcription factor 3	2.55				
	100287	AU076657	Hs.1600	chaperonin containing TCP1, subunit 5 (e					5.66
	100297	AU077258	Hs.182429	protein disulfide isomerase-related prot					3.81
	100330	AW410976	Hs.77152	minichromosome maintenance deficient (S.					4.50
35	100335	AW247529	Hs.6793	platelet-activating factor acetylhydrola	5.07				
	100360	W70171	Hs.75939	uridine monophosphate kinase					4.82
	100372	NM_014791	Hs.184339	KIAA0175 gene product					3.79
	100474	NM_000699	Hs.300280	amylase, alpha 2A; pancreatic				15.65	
40	100486	T19006	Hs.10842	RAN, member RAS oncogene family					5.49
	100491	D56165	Hs.275163	non-metastatic cells 2, protein (NM23B)					4.17
	100516	D90278	Hs.11	carcinoembryonic antigen-related cell ad		7.20			
	100522	X51501	Hs.99949	prolactin-induced protein				14.20	
	100559	NM_000094	Hs.1640	collagen, type VII, alpha 1 (epidermolys	3.10				
	100576	X00356	Hs.37058	calcitonin/calcitonin-related polypeptid				9.30	
45	100629	AA015693	Hs.21291	mitogen-activated protein kinase kinase				20.60	
	100661	BE623001	Hs.132748	Homo sapiens ribosomal protein L39 mRNA,	3.85				
	100677	AA353686	Hs.57813	zinc ribbon domain containing, 1		8.60			
	100696	D14887	Hs.121686	general transcription factor IIA, 1 (37k				10.00	
	100709	N26539	Hs.100469	myeloid/lymphoid or mixed-lineage leukem			24.80		
50	100761	BE208491	Hs.295112	KIAA0618 gene product		7.60			
	100830	AC004770	Hs.4756	flap structure-specific endonuclease 1					7.99
	100867	U14622		gb:Human transketolase-like protein gene		10.20			
	100902	M16029	Hs.287270	ret proto-oncogene (multiple endocrine n		8.00			
	100906	AU076916	Hs.5398	guanine monophosphate synthetase					5.16
55	100960	J00124	Hs.117729	keratin 14 (epidermolysis bullosa simple	2.57				
	101045	J05614		gb:Human proliferating cell nuclear anti					4.69
	101061	NM_000175	Hs.180532	glucose phosphate isomerase					4.19
	101071	L02840	Hs.84244	potassium voltage-gated channel, Shab-re		12.91			
	101124	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	3.12				
60	101175	U82671	Hs.36980	melanoma antigen, family A, 2	3.50				
	101181	BE262621	Hs.73798	macrophage migration inhibitory factor (5.69
	101204	L24203	Hs.82237	ataxia-telangiectasia group D-associated	4.08				
	101210	L29301	Hs.2353	oploid receptor, mu 1			6.40		
	101216	AA284166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	2.53				
65	101228	AA333387	Hs.82916	chaperonin containing TCP1, subunit 6A (7.90
	101233	AL135173	Hs.878	sorbitol dehydrogenase					4.45
	101273	Z11933	Hs.182505	POU domain, class 3, transcription facto	8.50				
	101342	U52112	Hs.182018	interleukin-1 receptor-associated kinase					4.17
	101346	A1738616	Hs.77348	hydroxyprostaglandin dehydrogenase 15-(N				21.89	
70	101389	NM_000892	Hs.1901	kallikrein B, plasma (Fletcher factor) 1				12.80	
	101396	BE267931	Hs.78996	proliferating cell nuclear antigen	3.24				
	101431	BE185289	Hs.1076	small proline-rich protein 1B (cornifin)					7.90
	101448	NM_000424	Hs.195850	keratin 5 (epidermolysis bullosa simplex	8.31				
	101482	AL035668	Hs.73853	bone morphogenetic protein 2				38.80	
75	101466	BE262660	Hs.170197	glutamic-oxaloacetic transaminase 2, mit					4.01
	101484	AA053486	Hs.20315	interferon-induced protein with lebrati				12.00	
	101502	M26958		gb:Human parathyroid hormone-related pro		10.50			
	101505	AA307680	Hs.75692	asparagine synthetase					4.46
	101526	NM_002197	Hs.154721	aconitase 1, soluble	4.02				
80	101535	X57152	Hs.99853	fibrillarin					4.65
	101577	M34353	Hs.1041	v-ros avian UR2 sarcoma virus oncogene h				9.09	
	101649	AW959908	Hs.1690	heparin-binding growth factor binding pr	54.00				
	101663	NM_003528	Hs.2178	H2B histone family, member Q					5.59
	101664	AA436989	Hs.121017	H2A histone family, member A	7.00				
85	101669	L24498	Hs.80409	growth arrest and DNA-damage-inducible,		7.60			

	101695	M69136	Hs.135626	chymase 1, mast cell	4.79		
	101724	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	15.21		
	101748	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen)	55.50		
5	101759	M80244	Hs.184601	solute carrier family 7 (cationic amino		18.57	4.10
	101771	NM_002432	Hs.153837	myeloid cell nuclear differentiation ant			
	101804	M86699	Hs.169840	TTK protein kinase	4.50		
	101809	M86849	Hs.323733	gap junction protein, beta 2, 26kD (corn	140.00		
	101833	AU076442	Hs.117938	collagen, type XVII, alpha 1	2.56		
10	101842	M93221	Hs.75182	mannose receptor, C type 1		12.80	
	101851	BE260964	Hs.82045	midkine (neurtin growth-promoting factor			5.88
	102002	NM_002484	Hs.81469	nucleotide binding protein 1 (E.coli Min	7.80		
	102039	AL134223	Hs.306098	aldo-keto reductase family 1, member C1			4.35
	102072	U09410	Hs.78743	zinc finger protein 131 (clone pHZ-10)	7.40		
15	102083	T35901	Hs.75117	interleukin enhancer binding factor 2, 4			5.12
	102111	L36198	Hs.81884	sulfotransferase family, cytosolic, 2A,		12.00	
	102123	NM_001809	Hs.1594	centromere protein A (17kD)	6.20		
	102154	U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kallinin	2.62		
	102193	AL036335	Hs.313	secreted phosphoprotein 1 (osteopontin,	5.85		
20	102217	AA829978	Hs.301613	JTV1 gene			6.18
	102224	NM_002810	Hs.148495	proteasome (prosome, macropain) 26S subu			4.49
	102234	AW163390	Hs.278554	heterochromatin-like protein 1			5.80
	102251	NM_004398	Hs.41706	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	4.50		
	102305	AL043202	Hs.90073	chromosome segregation 1 (yeast homolog)			5.15
25	102330	BE298063	Hs.77254	chromobox homolog 1 (Drosophila HP1 beta			4.17
	102340	U37055	Hs.278657	macrophage stimulating 1 (hepatocyte gro		9.33	
	102348	U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	8.87		
	102368	U39817	Hs.36820	Bloom syndrome	15.91		
	102394	NM_003816	Hs.2442	a disintegrin and metalloproteinase doma		19.20	
30	102404	NM_005429	Hs.79141	vascular endothelial growth factor C			14.00
	102537	U57094	Hs.50477	RAB27A, member RAS oncogene family			12.00
	102581	AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2			4.57
	102605	AI435128	Hs.181369	ubiquitin fusion degradation 1-like			3.98
	102610	U65011	Hs.30743	preferentially expressed antigen in mela	77.50		
35	102623	AW249285	Hs.37110	melanoma antigen, family A, 9	12.50		
	102642	AA205847	Hs.23016	G protein-coupled receptor		22.00	
	102654	AV649989	Hs.24385	Human hbc647 mRNA sequence	12.00		
	102659	BE245169	Hs.211610	CUG triplet repeat, RNA-binding protein			12.80
	102669	U71207	Hs.29279	eyes absent (Drosophila) homolog 2	6.50		
40	102672	U72066	Hs.29287	retinoblastoma-binding protein 8	8.50		
	102687	NM_007019	Hs.93002	ubiquitin carrier protein E2-C			9.24
	102696	BE540274	Hs.239	forkhead box M1			5.54
	102768	U82321		gb:Homo sapiens clone 14.9B mRNA sequenc	6.60		
	102781	BE258778	Hs.108809	chaperonin containing TCP1, subunit 7 (e			3.78
45	102784	U85658	Hs.61796	transcription factor AP-2 gamma (activat			4.26
	102824	U90916	Hs.82845	Homo sapiens cDNA: FLJ21930 fis, clone H		14.40	
	102829	NM_006183	Hs.80962	neurotensin	8.00		
	102888	AI346201	Hs.76118	ubiquitin carboxyl-terminal esterase L1			5.50
	102892	BE440042	Hs.83326	matrix metalloproteinase 3 (stromelysin		6.70	
50	102913	NM_002275	Hs.80342	keratin 15	4.64		
	102935	BE561850	Hs.80506	small nuclear ribonucleoprotein polypept	2.93		
	102951	X15218	Hs.2969	v-ski avian sarcoma viral oncogene homol		11.40	
	102983	BE387202	Hs.118638	non-metastatic cells 1, protein (NM23A)			7.26
	103023	AW500470	Hs.117950	multifunctional polypeptide similar to S	3.01		
55	103036	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial	27.90		
	103038	AA926960	Hs.334883	CDC28 protein kinase 1			8.79
	103060	NM_005940	Hs.155324	matrix metalloproteinase 11 (stromelysin			4.27
	103099	AI693251	Hs.8248	NADH dehydrogenase (ubiquinone) Fe-S pro	9.80		
	103119	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	4.05		
60	103168	X53463	Hs.2704	glutathione peroxidase 2 (gastrointestin	3.07		
	103185	NM_008825	Hs.74368	transmembrane protein (63kD), endoplasm			5.62
	103192	M22440	Hs.170009	transforming growth factor, alpha		7.40	
	103223	BE275607	Hs.1708	chaperonin containing TCP1, subunit 3 (g			4.70
	103242	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o		100.00	
65	103316	X83301	Hs.324728	SMA5			9.80
	103375	NM_006982	Hs.54416	sine oculis homeobox (Drosophila) homolo	9.71		
	103376	AL036166	Hs.323378	coated vesicle membrane protein	14.00		
	103385	NM_007069	Hs.37189	similar to rat HREV107			11.00
	103391	X94453	Hs.114366	pymoline-5-carboxylate synthetase (glut	2.93		
70	103404	BE394784	Hs.78596	proteasome (prosome, macropain) subunit,			5.15
	103430	BE564090	Hs.20716	translocase of inner mitochondrial membr			3.98
	103446	X98834	Hs.79971	sal (Drosophila)-like 2			21.40
	103476	Y07701	Hs.293007	aminopeptidase puromycin sensitive	13.00		
	103477	AJ011812	Hs.119018	transcription factor NRF		6.40	
75	103478	BE514982	Hs.38991	S100 calcium-binding protein A2	5.02		
	103515	Y10275	Hs.56407	phosphoserine phosphatase	10.50		
	103558	BE616547	Hs.2785	keratin 17	6.41		
	103580	AA328046	Hs.46405	polymerase (RNA) II (DNA directed) polyp			3.84
	103587	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	78.50		
80	103594	AI368680	Hs.816	SRY (sex determining region Y)-box 2	6.51		
	103636	NM_006235	Hs.2407	POU domain, class 2, associating factor	3.50		
	103768	AF086009		gb:Homo sapiens full length insert cDNA			4.48
	103841	AA314821	Hs.38178	hypothetical protein FLJ23468	8.00		
	103847	AF219946	Hs.102237	tubby super-family protein	10.40		
85	103913	AW967500	Hs.133543	ESTs			15.60
	104094	AA418187	Hs.330515	ESTs	6.60		

	104150	AL122044	Hs.331633	hypothetical protein DKFZp566N034		26.00
	104257	BE560621	Hs.9222	estrogen receptor binding site associate	6.80	
	104261	AW248364	Hs.5409	RNA polymerase I subunit		3.98
	104331	AB040450	Hs.279862	cdk inhibitor p21 binding protein	6.80	
5	104415	BE410992	Hs.258730	heme-regulated initiation factor 2-alpha	10.29	
	104558	R56678	Hs.88959	hypothetical protein MGC4816	4.21	
	104590	AW373062	Hs.83623	nuclear receptor subfamily 1, group I, m		15.79
	104658	AA360954	Hs.27268	Homo sapiens cDNA: FLJ21933 fis, clone H		17.40
10	104660	BE298665	Hs.14846	Homo sapiens mRNA; cDNA DKFZp564D016 (fr	6.40	
	104689	AA420450	Hs.292911	ESTs, Highly similar to S60712 band-6-pr		6.55
	104754	AI206234	Hs.155924	cAMP responsive element modulator		10.00
	104758	BE560269	Hs.7010	NPD002 protein		4.47
	104971	BE311926	Hs.15830	hypothetical protein FLJ12691	2.87	
	105011	BE091926	Hs.16244	mitotic spindle coiled-coil related prot	3.83	
15	105012	AF098158	Hs.9329	chromosome 20 open reading frame 1	2.86	
	105026	AA809485	Hs.124219	hypothetical protein FLJ12934	11.00	
	105076	AI598252	Hs.37810	hypothetical protein MGC14833		5.01
	105132	AA148164	Hs.247280	HBV associated factor		3.99
20	105143	AI368836	Hs.24808	ESTs, Weakly similar to I38022 hypotheti		11.00
	105158	AW976357	Hs.234545	hypothetical protein NUF2R	16.00	
	105175	AA305384	Hs.25740	ERO1 (S. cerevisiae)-like	4.32	
	105200	AA328102	Hs.24641	cytoskeleton associated protein 2	3.00	
	105264	AA227934		gb-zr57e08.s1 Soares_NhHMPu_S1 Homo sapi		10.00
25	105298	BE387790	Hs.26369	hypothetical protein FLJ20287	3.69	
	105409	AW505076	Hs.301855	DiGeorge syndrome critical region gene 8		9.20
	105460	AW296078	Hs.271721	Homo sapiens, clone IMAGE:4179986, mRNA,		7.80
	105667	AA767526	Hs.22030	paired box gene 5 (B-cell lineage specif	4.12	
	105743	BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig),	3.82	
30	105782	H09748	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro		27.00
	105848	AW954064	Hs.24951	ESTs		7.60
	105891	U55984	Hs.289088	heat shock 90kD protein 1, alpha		4.14
	106019	AF221993	Hs.46743	McKusick-Kaufman syndrome	16.80	
	106069	BE566623	Hs.29899	ESTs, Weakly similar to G02075 transcrip		23.40
35	106073	AL157441	Hs.17834	downstream neighbor of SON	9.50	
	106126	AA576953	Hs.22972	hypothetical protein FLJ13352	6.00	
	106159	AK001301	Hs.3487	hypothetical protein FLJ10439		3.95
	106220	D61329	Hs.32196	mitochondrial ribosomal protein L36		6.04
	106260	AI097144	Hs.5250	ESTs, Weakly similar to ALU1_HUMAN ALU S		13.20
40	106300	Y10043	Hs.19114	high-mobility group (nonhistone chromoso		5.02
	106307	AA436174	Hs.37751	ESTs, Weakly similar to putative p150 [6.60	
	106318	AA025610	Hs.9605	cleavage and polyadenylation specific fa		5.04
	106341	AF191020	Hs.5243	hypothetical protein, estradiol-induced		7.25
	106440	AA449563	Hs.151393	glutamate-cysteine ligase, catalytic sub		13.80
45	106481	D61594	Hs.17279	tyrosylprotein sulfotransferase 1	4.75	
	106586	AA243837	Hs.57787	ESTs		10.84
	106605	AW772298	Hs.21103	Homo sapiens mRNA; cDNA DKFZp564B076 (fr		45.60
	106654	AW075485	Hs.286049	phosphoserine aminotransferase	28.00	
	106785	Y15227	Hs.20149	deleted in lymphocytic leukemia, 1	3.00	
50	106813	C05766	Hs.181022	CGI-07 protein		11.40
	106895	AK001826	Hs.25245	hypothetical protein FLJ11269		6.00
	106913	AI219346	Hs.86178	M-phase phosphoprotein 9	6.56	
	106919	AW043637	Hs.21766	ESTs, Weakly similar to ALU5_HUMAN ALU S		4.27
	107054	AI076459	Hs.15978	KIAA1272 protein		34.80
55	107059	BE614410	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re	4.71	
	107098	AI823593	Hs.27688	ESTs		24.80
	107104	AI076640	Hs.15243	nucleolar protein 1 (120kD)		7.05
	107129	AC004770	Hs.4756	flap structure-specific endonuclease 1	2.60	
	107198	AV657225	Hs.9846	KIAA1040 protein		19.20
60	107203	D20426	Hs.41639	programmed cell death 2		7.60
	107217	AL080235	Hs.35861	DKFZP586E1621 protein	9.50	
	107284	NM_005629	Hs.187958	solute carrier family 6 (neurotransmitte	2.71	
	107318	T74445	Hs.5957	Homo sapiens clone 24416 mRNA sequence		8.71
	107516	X57152	Hs.99853	fibrillarlin		4.33
65	107529	BE515065	Hs.296585	nucleolar protein (KKE/D repeat)		4.00
	107728	AA019551	Hs.294151	Homo sapiens, clone IMAGE:3603836, mRNA,	10.80	
	107851	AA022953	Hs.61172	EST		8.00
	107901	L42612	Hs.335952	keratin 6B	3.40	
	107922	BE153855	Hs.61460	Ig superfamily receptor LNIR	2.88	
70	107932	AW392555	Hs.18878	hypothetical protein FLJ21620	7.50	
	108015	AW298357	Hs.49927	protein kinase NYD-SP15		23.40
	108056	AA043675	Hs.62633	ESTs		12.80
	108075	AI867370	Hs.139709	hypothetical protein FLJ12572		12.80
	108187	BE245374	Hs.27842	hypothetical protein FLJ11210	7.00	
75	108296	N31256	Hs.161623	ESTs	6.60	
	108305	AA071391		gb-zm61e06.r1 Stratagene fibroblast (937		11.80
	108393	AA075211		gb-zm86a08.r1 Stratagene ovarian cancer		11.80
	108480	AL133092	Hs.68055	hypothetical protein DKFZp434I0428		20.80
	108554	AA084948		gb-zn13b09.s1 Stratagene hNT neuron (937	6.40	
80	108573	AA086005		gb-zl84c04.s1 Stratagene colon (937204)		25.40
	108584	AA088326	Hs.120905	Homo sapiens cDNA FLJ11448 fis, clone HE	9.60	
	108597	AK000292	Hs.278732	hypothetical protein FLJ20285		14.60
	108695	AB029000	Hs.70823	KIAA1077 protein	3.00	
	108699	AA121514	Hs.70832	ESTs		10.00
85	108700	AA121518	Hs.193540	ESTs, Moderately similar to 2109260A B c		11.00
	108780	AU076442	Hs.117938	collagen, type XVII, alpha 1	11.21	

	108810	AW295647	Hs.71331	hypothetical protein MGC5350	8.50		
	108816	AA130884	Hs.270501	ESTs, Moderately similar to ALU2_HUMAN		7.40	
	108857	AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	4.00		
	108860	AA133334	Hs.129911	ESTs	6.09		
5	108937	AL050107	Hs.24341	transcriptional co-activator with PDZ-bl	3.00		
	109010	NM_007240	Hs.44229	dual specificity phosphatase 12	2.69		
	109121	BE389387	Hs.49767	NADH dehydrogenase (ubiquinone) Fe-S pro			4.53
	109166	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rakines)	10.58		
	109227	AA766998	Hs.85874	Human DNA sequence from clone RP11-16L21		9.00	
10	109415	U80736	Hs.110826	trinucleotide repeat containing 9		51.40	
	109418	AI866946	Hs.161707	ESTs			11.00
	109454	AA232255	Hs.295232	ESTs, Moderately similar to A46010 X-II		17.60	
	109502	AW967069	Hs.211556	hypothetical protein MGC5487		9.49	
15	109543	AA564994	Hs.222851	ESTs	12.67		
	109648	H17800	Hs.7154	ESTs			10.40
	109680	AB037734	Hs.4993	KIAA1313 protein		33.20	
	109700	F09609		gb:HSC33H092 normalized infant brain cDN			16.00
	109704	AI743880	Hs.12876	ESTs		11.00	
	109792	R49625		gb:yg61f03.s1 Soares infant brain 1N1B H			12.60
20	109981	BE546208	Hs.26090	hypothetical protein FLJ20272	4.00		
	109998	AL042201	Hs.21273	transcription factor NYD-sp10		7.80	
	110039	H11938	Hs.21907	histone acetyltransferase		7.00	
	110156	AA581322	Hs.4213	hypothetical protein MGC16207			4.24
25	110500	AA907723	Hs.36962	ESTs	4.50		
	110551	AW450381	Hs.14529	ESTs		8.60	
	110561	AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	3.06		
	110854	BE612992	Hs.27931	hypothetical protein FLJ10607 similar to		6.80	
	110886	AW274992	Hs.72249	three-PDZ containing protein similar to		8.80	
	110916	BE178102	Hs.24349	ESTs		6.80	
30	111003	N52980	Hs.83765	dihydrofolate reductase			16.80
	111337	AA837396	Hs.263925	LIS1-interacting protein NUDE1, rat homo	2.54		
	111434	R01608	Hs.142736	ESTs			9.80
	111439	AI476429	Hs.19238	ESTs			10.40
	111540	U82670	Hs.9786	zinc finger protein 275		15.40	
35	111597	R11499	Hs.189716	ESTs			9.20
	111895	T80581	Hs.12723	Homo sapiens clone 25153 mRNA sequence		6.80	
	111929	AF027208	Hs.112360	prominin (mouse)-like 1			14.67
	112054	R43590		gb:yc85g02.s1 Soares infant brain 1N1B H		10.80	
40	112210	R49645	Hs.7004	ESTs			10.20
	112244	AB029000	Hs.70823	KIAA1077 protein	2.99		
	112382	R59904		gb:yh07g12.s1 Soares infant brain 1N1B H		6.60	
	112392	R60763	Hs.193274	ESTs, Moderately similar to I57588 HSrel		7.10	
	112442	AA280174	Hs.285681	Williams-Beuren syndrome chromosome regl	3.00		
	112539	R70318	Hs.339730	ESTs			37.20
45	112772	AI992283	Hs.35437	ESTs, Moderately similar to I38026 MLN 6			14.60
	112869	BE261750	Hs.4747	dyskeratosis congenita 1, dyskerin			4.83
	112935	R71449	Hs.268760	ESTs	2.73		
	112970	AA694010	Hs.6932	Homo sapiens clone 23809 mRNA sequence			12.00
50	112973	AB033023	Hs.318127	hypothetical protein FLJ10201	11.50		
	112992	AL157425	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f		10.89	
	113063	W15573	Hs.5027	ESTs, Weakly similar to A47582 B-cell gr	15.00		
	113073	N39342	Hs.103042	microtubule-associated protein 1B		15.31	
	113078	T40444	Hs.118354	CAT56 protein		7.00	
	113238	R45467	Hs.189813	ESTs			41.20
55	113591	T91881	Hs.200597	KIAA0563 gene product			9.40
	113702	T97307		gb:ye53h05.s1 Soares fetal liver spleen	25.00		
	113844	AI369275	Hs.243010	Homo sapiens cDNA FLJ14445 fis, clone HE			13.91
	113984	R96696	Hs.35598	ESTs		7.80	
60	114073	R44953	Hs.22908	Homo sapiens mRNA; cDNA DKFZp434J1027 (f		7.20	
	114162	AF155661	Hs.22265	pyruvate dehydrogenase phosphatase	3.42		
	114208	AL049466	Hs.7859	ESTs		6.74	
	114251	H15261	Hs.21948	ESTs			33.20
	114285	R44338	Hs.22974	ESTs			13.20
	114313	H18456	Hs.27946	ESTs			10.00
65	114339	AA782845	Hs.22790	ESTs		7.80	
	114407	BE539976	Hs.103305	Homo sapiens mRNA; cDNA DKFZp434B0425 (f			4.14
	114560	AI452469	Hs.165221	ESTs			9.80
	114699	AA127386		gb:zn90d09.r1 Stratagene lung carcinoma		7.60	
70	114767	AI859865	Hs.154443	minichromosome maintenance deficient (S	3.21		
	114793	AA158245		gb:zo76c03.s1 Stratagene pancreas (93720		6.00	
	114833	AI417215	Hs.87159	hypothetical protein FLJ12577			11.40
	115047	BE270930	Hs.82916	chaperonin containing TCP1, subunit 6A (4.31
	115060	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3			4.03
	115097	AA256213	Hs.72010	ESTs			35.40
75	115113	AA256460		gb:zr81a04.s1 Soares_NhHMPu_S1 Homo sapi			15.20
	115123	AA256641	Hs.236894	ESTs, Highly similar to S02392 alpha-2-m			4.19
	115134	AW968073	Hs.194331	ESTs, Highly similar to A55713 inositol			12.40
	115291	BE545072	Hs.122579	hypothetical protein FLJ10461	25.00		
	115347	AA356792	Hs.334824	hypothetical protein FLJ14825		7.00	
80	115414	AA662240	Hs.283099	AF15q14 protein	3.25		
	115522	BE614387	Hs.333893	c-Myc target JPO1	3.68		
	115536	AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act	10.50		
	115566	AI142336	Hs.43977	Human DNA sequence from clone RP11-196N1			24.40
	115645	AI207410	Hs.69280	Homo sapiens, clone IMAGE:3636299, mRNA,	4.17		
85	115648	AW016811	Hs.234478	Homo sapiens cDNA: FLJ22648 fis, clone H		6.00	

	115652	BE093589	Hs.38178	hypothetical protein FLJ23468	3.81		
	115697	D31382	Hs.63325	transmembrane protease, serine 4	62.14		
	115793	AA424883	Hs.70333	hypothetical protein MGC10753			11.80
5	115816	BE042915	Hs.287588	Homo sapiens cDNA FLJ13675 fis, clone PL			9.71
	115892	AA291377	Hs.50831	ESTs		27.40	
	115906	A1767756	Hs.82302	Homo sapiens cDNA FLJ14814 fis, clone NT	2.53		
	115909	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH	11.82		
	115965	AA001732	Hs.173233	hypothetical protein FLJ10970			34.29
10	115978	AL035864	Hs.69517	cDNA for differentially expressed CO16 g			8.23
	115985	AA447709	Hs.268115	ESTs, Weakly similar to T08599 probable	3.00		
	116090	A1591147	Hs.61232	ESTs	5.17		
	116096	AA682382	Hs.59982	ESTs		8.20	
	116127	AF126743	Hs.279884	DNAJ domain-containing		10.60	
15	116157	BE439838	Hs.44298	mitochondrial ribosomal protein S17			5.82
	116190	A1949095	Hs.67776	ESTs, Weakly similar to T22341 hypothetl			4.08
	116278	NM_003686	Hs.47504	exonuclease 1	9.50		
	116335	AK001100	Hs.41690	desmocollin 3	3.67		
	116496	AW450694	Hs.21433	hypothetical protein DKFZp547J036	7.00		
20	116503	A1925316	Hs.212617	ESTs			12.60
	116674	A1768015	Hs.92127	ESTs		32.00	
	116929	AA586922	Hs.80475	polymerase (RNA) II (DNA directed) polyp	7.60		
	116973	A1702054	Hs.166982	phosphatidylinositol glycan, class F	9.80		
	116993	A1417023	Hs.40478	ESTs			10.20
25	117079	H92325		gb:ys85f05.s1 Soares retina N2b4HR Homo			15.20
	117317	A1263517	Hs.43322	ESTs			13.40
	117326	N23629	Hs.241420	Homo sapiens mRNA for KIAA1756 protein,			20.60
	117396	W20128	Hs.296039	ESTs			10.60
	117412	N32536	Hs.42645	ESTs			16.00
30	117519	N32528	Hs.146286	kinesin family member 13A			9.11
	117693	AW179019	Hs.112110	mitochondrial ribosomal protein L42			4.01
	117721	N46100	Hs.93939	EST			19.80
	117881	AF161470	Hs.260622	butyrate-induced transcript 1	2.71		
	117903	AA768283	Hs.47111	ESTs			17.80
35	117992	A1015709	Hs.172089	Homo sapiens mRNA; cDNA DKFZp586I2022 (f			4.17
	118013	A1674126	Hs.94031	ESTs			10.60
	118017	A1813444	Hs.42197	ESTs		8.82	
	118186	N22886	Hs.42380	ESTs	7.00		
	118325	A1868065	Hs.166184	intersectin 2			13.80
40	118367	N64269	Hs.48946	EST		6.14	
	118368	N64339	Hs.48956	gap junction protein, beta 6 (connexin 3	3.14		
	118472	AL157545	Hs.42179	bromodomain and PHD finger containing, 3		12.40	
	118709	AA232970	Hs.293774	ESTs			12.20
	119025	BE003760	Hs.55209	Homo sapiens mRNA; cDNA DKFZp434K0514 (f	4.50		
45	119027	AF086161	Hs.114611	hypothetical protein FLJ11808	3.22		
	119052	R10889		gb:yf38d02.s1 Soares fetal liver spleen	9.60		
	119164	AF221993	Hs.46743	McKusick-Kaufman syndrome		6.60	
	119186	A1979147	Hs.101265	hypothetical protein FLJ22593			10.80
	119243	T12603		gb:CHR90123 Chromosome 9 exon II Homo sa			9.44
50	119490	AA195276	Hs.263858	ESTs, Moderately similar to B34087 hypot			11.80
	119499	A1918906	Hs.55080	ESTs		14.80	
	119599	W45552		gb:zc26d03.s1 Soares_senescent_fibroblas		12.60	
	119780	NM_016625	Hs.191381	hypothetical protein	17.00		
	119845	W79123	Hs.58561	G protein-coupled receptor 87	13.50		
55	119941	AA699485	Hs.58896	ESTs		8.00	
	119994	AA642402	Hs.59142	ESTs	7.73		
	120102	W67353	Hs.170218	KIAA0251 protein			39.60
	120104	AK000123	Hs.180479	hypothetical protein FLJ20116	2.91		
	120294	AK000059	Hs.153881	Homo sapiens NY-REN-62 antigen mRNA, par			8.20
60	120486	AW368377	Hs.137569	tumor protein 63 kDa with strong homolog	8.73		
	120599	AA804448	Hs.104463	ESTs	7.00		
	120699	A1683243	Hs.97258	ESTs, Moderately similar to S29539 ribos			10.00
	120715	AA292700		gb:zs59a06.s1 NCI_CGAP_GCB1 Homo sapiens	9.40		
	120821	Y19062	Hs.96870	staufer (Drosophila, RNA-binding protein			13.80
65	120859	AA826434	Hs.1619	achaete-scute complex (Drosophila) homol		9.00	
	120880	AA360240	Hs.97019	EST		15.60	
	120983	AA398209	Hs.97587	EST		27.66	
	121034	AL389951	Hs.271623	nucleoporin 50kD			20.80
	121121	AA399371	Hs.189095	similar to SALL1 (sal (Drosophila)-like		22.80	
70	121313	AA402713	Hs.97872	ESTs			10.00
	121369	AW450737	Hs.128791	CGI-09 protein	25.71		
	121376	AA448103	Hs.187958	solute carrier family 6 (neurotransmitte			5.42
	121476	AA412311	Hs.97903	ESTs		8.30	
	121509	AA868939	Hs.97888	ESTs		8.59	
75	121553	AA412488	Hs.48820	TATA box binding protein (TBP)-associat	18.50		
	121753	AK000552	Hs.323518	WD repeat domain 5	7.00		
	121838	AA425680	Hs.98441	ESTs			10.40
	121857	BE387162	Hs.280858	ESTs, Highly similar to A35661 DNA excis	6.00		
	121991	AA430058	Hs.98649	EST			12.20
80	122089	AW016543	Hs.98682	hypothetical protein FKSG32		8.60	
	122105	AW241685	Hs.98699	ESTs		6.14	
	122163	AA435702	Hs.98829	EST			10.40
	122318	AA429743		gb:zv60b05.r1 Soares_testis_NHT Homo sap			18.20
	122335	AA443258	Hs.241551	chloride channel, calcium activated, fam	13.50		
	122338	AA443311	Hs.98998	ESTs	4.80		
85	122414	A1313473	Hs.99087	ESTs, Weakly similar to S47073 finger pr		8.00	

	122512	AF053305	Hs.98658	budding uninhibited by benzimidazoles 1	8.80		
	122516	AA449352	Hs.99217	ESTs			9.40
	122702	AI220089	Hs.99439	ESTs	9.20		
5	122852	AI580056	Hs.98992	ESTs			10.40
	122925	AW268962	Hs.111335	ESTs	6.80		
	123005	AW369771	Hs.52620	integrin, beta 8		12.60	
	123044	AK001035	Hs.130881	B-cell CLL/lymphoma 11A (zinc finger pro			5.35
	123160	AA488687	Hs.284235	ESTs, Weakly similar to I38022 hypotheti		6.06	
10	123315	AA496369		gb:zv37d10.s1 Soares ovary tumor NbHOT H		12.40	
	123329	Z47542	Hs.179312	small nuclear RNA activating complex, po		11.80	
	123497	AA765256	Hs.135191	ESTs, Weakly similar to unnamed protein	12.00		
	123518	AL035414	Hs.21068	hypothetical protein		13.00	
	123519	AW015887	Hs.112574	ESTs	12.20		
15	123614	AK000492	Hs.98806	hypothetical protein		7.80	
	123616	AA680003	Hs.109363	Homo sapiens cDNA: FLJ23603 fis, clone L			10.60
	123673	BE550112	Hs.158549	ESTs, Weakly similar to T2D3_HUMAN TRANS	23.00		
	123727	AI083986	Hs.282977	hypothetical protein FLJ13490	7.00		
	123731	AA609839		gb:ae62f01.s1 Stratagene lung carcinoma		9.80	
20	123752	AA227714	Hs.179703	KIAA0129 gene product	3.50		
	123900	AA621223	Hs.112953	EST			12.80
	124006	AI147155	Hs.270016	ESTs	97.00		
	124059	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti	3.02		
	124069	AF134160	Hs.7327	claudin 1		27.80	
25	124191	T96509	Hs.248549	ESTs, Moderately similar to S65657 alpha			35.80
	124273	AA457211	Hs.8858	bromodomain adjacent to zinc finger doma	7.20		
	124297	AL080215	Hs.102301	Homo sapiens mRNA; cDNA DKFZp586J0323 (f			11.00
	124305	AW963221		gb:EST375294 MAGE resequenes, MAGH Homo			16.00
	124676	AI360119.comp	Hs.181013	phosphoglycerate mutase 1 (brain)			6.08
30	124874	BE550182	Hs.127826	RaiGEF-like protein 3, mouse homolog			21.00
	124904	AK000483	Hs.93872	KIAA1682 protein	9.40		
	124969	AI650360	Hs.100256	ESTs			10.80
	125000	T58615	Hs.110640	ESTs			9.80
	125201	AA693960	Hs.103158	ESTs, Weakly similar to T33296 hypotheti	7.60		
35	125266	W90022	Hs.186809	ESTs, Highly similar to LCT2_HUMAN LEUKO	6.59		
	125299	T32982	Hs.102720	ESTs			9.57
	125356	AI057052	Hs.133554	ESTs, Weakly similar to Z195_HUMAN ZINC			14.00
	125370	AA256743	Hs.134158	Homo sapiens, Similar to KIAA0092 gene p		8.20	
	125418	AA777690	Hs.188501	ESTs			13.20
40	125433	AL162066	Hs.54320	hypothetical protein DKFZp762D096	21.40		
	125437	AI609449	Hs.140197	ESTs	6.96		
	125446	BE219987	Hs.166982	phosphatidylinositol glycan, class F	8.80		
	125711	AA305800	Hs.5672	hypothetical protein AF140225			11.20
	125756	BE174587	Hs.289721	growth arrest specific transcript 5			4.31
45	125757	AI274906	Hs.166835	ESTs, Highly similar to 1814460A p53-ass			15.60
	125769	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	3.20		
	125839	AW836261	Hs.337717	ESTs	8.20		
	125850	W85858	Hs.99804	ESTs	2.65		
	125875	H14480		gb:ym18b09.r1 Soares infant brain 1N1B H	7.40		
50	125924	BE272506	Hs.82109	syndecan 1			4.23
	125972	AI927475	Hs.35406	ESTs, Highly similar to unnamed protein			3.98
	126034	H60340		gb:yr39b04.r1 Soares fetal liver spleen			10.60
	126327	AA432266	Hs.44648	ESTs	11.60		
	126345	N49713		gb:yv23f06.s1 Soares fetal liver spleen	6.67		
55	126435	AW614529	Hs.285847	CGI-19 protein			10.60
	126487	AA283809	Hs.184601	solute carrier family 7 (cationic amino			4.38
	126521	AI475110	Hs.203933	ESTs	6.60		
	126522	W31912		gb:zc76d03.s1 Pancreatic Islet Homo sapi			14.80
	126543	AL035864	Hs.69517	cDNA for differentially expressed CO16 g			4.01
60	126567	AA058394	Hs.57887	ESTs, Weakly similar to KIAA0758 protein	7.80		
	126605	AA676910		gb:zj65h07.s1 Soares_fetal_liver_spleen_			11.60
	126627	AA497044	Hs.20887	hypothetical protein FLJ10392			14.60
	126628	N49776	Hs.170994	hypothetical protein MGC10946	8.00		
	126737	AW976516	Hs.283707	Homo sapiens cDNA: FLJ21354 fis, clone C	2.92		
65	126795	AW975076	Hs.172589	nuclear phosphoprotein similar to S. cer	7.50		
	126802	AW805510	Hs.97056	hypothetical protein FLJ21634		11.60	
	126892	AF121856	Hs.284291	sorting nexin 6	3.50		
	126928	AA480902	Hs.137401	ESTs			22.83
	126979	AA210954		gb:zq99h10.r1 Stratagene hNT neuron (937			11.80
70	126986	AI279892	Hs.46801	sorting nexin 14			11.60
	126992	AI809521		gb:wf30e03.x1 Soares_NFL_T_GBC_S1 Homo s			20.80
	127066	R25066		gb:yg42c07.r1 Soares Infant brain 1N1B H			27.60
	127099	AA347668		gb:EST54026 Fetal heart II Homo sapiens			21.60
	127139	AA830233	Hs.293585	ESTs			11.20
75	127209	AA305023	Hs.81964	SEC24 (S. cerevisiae) related gene famil	3.10		
	127221	BE062109	Hs.241551	chloride channel, calcium activated, fam	2.76		
	127225	AA315933	Hs.120879	ESTs			16.80
	127313	AK002014	Hs.47546	Homo sapiens cDNA FLJ11458 fis, clone HE	14.00		
	127444	AW978474	Hs.7560	Homo sapiens mRNA for KIAA1729 protein,			13.60
80	127500	AW971353	Hs.162115	ESTs	11.20		
	127524	AI243598	Hs.94830	ESTs, Moderately similar to T03094 A-kin		7.80	
	127540	N45572	Hs.105362	Homo sapiens, clone MGC:18257, mRNA, com	3.53		
	127599	AA613204	Hs.150399	ESTs			13.80
	127609	X80031	Hs.530	collagen, type IV, alpha 3 (Goodpasture			28.00
	127662	W80755	Hs.8294	KIAA0196 gene product			19.80
85	127668	AI343257	Hs.139993	ESTs			11.20

	127746	AI239495	Hs.120189	ESTs			14.18
	127812	AA741368	Hs.291434	ESTs	4.50		
	127817	AA836641	Hs.163085	ESTs			24.60
5	127959	AI302471	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L			9.20
	127960	AI613226	Hs.41569	phosphatidic acid phosphatase type 2A			16.83
	127969	F06498	Hs.93748	Homo sapiens cDNA FLJ14676 fis, clone NT		13.60	
	128015	Z21169	Hs.334659	hypothetical protein MGC14139	7.00		
	128027	AI433721	Hs.164153	ESTs			37.40
	128077	AI310330	Hs.128720	ESTs			9.60
10	128166	NM_006147	Hs.11801	interferon regulatory factor 6			9.24
	128226	AI284940	Hs.289082	GM2 ganglioside activator protein	19.00		
	128305	AI954968	Hs.279009	matrix Gla protein			10.40
	128341	AA191420	Hs.185030	ESTs	9.00		
	128527	AA504583	Hs.101047	transcription factor 3 (E2A immunoglobul			4.30
15	128539	R46163	Hs.258618	ESTs	12.60		
	128568	H12912	Hs.274691	adenylate kinase 3			4.56
	128572	AA933022	Hs.256583	interleukin enhancer binding factor 3, 9			10.00
	128777	AI878918	Hs.10526	cysteine and glycine-rich protein 2		16.80	
	128781	N71826	Hs.105465	small nuclear ribonucleoprotein polypept			4.48
20	128796	AJ000152	Hs.105924	defensin, beta 2	8.12		
	128920	AA622037	Hs.166468	programmed cell death 5			4.62
	128924	BE279383	Hs.26557	plakophilin 3			4.04
	128971	H05132	Hs.107510	ESTs	12.60		
-25	129008	AL079648	Hs.301088	ESTs	8.80		
	129041	BE382756	Hs.169902	solute carrier family 2 (facilitated glu			6.05
	129075	BE250162	Hs.83765	dihydrofolate reductase	2.59		
	129105	A1769160	Hs.108681	Homo sapiens brain tumor associated prot		6.67	
	129189	AB023179	Hs.9059	KIAA0962 protein	8.00		
30	129229	AF013758	Hs.109643	polyadenylate binding protein-interactin	4.00		
	129241	AI878857	Hs.109706	hematological and neurological expressed			4.06
	129300	W94197	Hs.110165	ribosomal protein L26 homolog	2.55		
	129404	AI267700	Hs.317584	ESTs	18.00		
	129457	X61959	Hs.207776	aspartylglucosaminidase	6.50		
	129466	L42583	Hs.334309	keratin 6A	12.94		
35	129494	AI148976	Hs.112062	ESTs			11.00
	129605	AF061812	Hs.115947	keratin 16 (focal non-epidermolytic palm			4.46
	129641	AI911527	Hs.11805	ESTs			12.00
	129665	AW163331	Hs.118778	KDEL (Lys-Asp-Glu-Leu) endoplasmic retic			4.70
40	129703	BE388665	Hs.179999	Homo sapiens, clone IMAGE:3457003, mRNA			4.02
	129720	AA156214	Hs.12152	APMCF1 protein			5.71
	129748	M16707	Hs.123053	H4 histone, family 2	3.50		
	129890	AI868872	Hs.282804	hypothetical protein FLJ22704			4.21
	129896	BE295568	Hs.13225	UDP-Gal:betaGlcNAc beta 1,4- galactosylt	2.56		
	129945	BE514376	Hs.165998	PAI-1 mRNA-binding protein			4.03
45	130010	AA301116	Hs.142838	nucleolar phosphoprotein Nopp34		7.00	
	130026	T40480	Hs.332112	EST	6.40		
	130080	X14850	Hs.147097	H2A histone family, member X			4.65
	130149	AW067805	Hs.172665	methylene tetrahydrofolate dehydrogenase	2.74		
50	130285	AA063546	Hs.75981	ubiquitin specific protease 14 (ubiquitin-gua		7.40	
	130441	U63630	Hs.155637	protein kinase, DNA-activated, catalytic			3.91
	130482	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	4.87		
	130500	AB007913	Hs.158291	KIAA0444 protein			9.60
	130524	U89995	Hs.159234	forkhead box E1 (thyroid transcription f		13.40	
	130541	X05608	Hs.211584	neurofilament, light polypeptide (68kD)		8.20	
55	130553	AF062649	Hs.252587	pituitary tumor-transforming 1			6.06
	130567	AA383092	Hs.1608	replication protein A3 (14kD)		7.00	
	130577	M69241	Hs.162	insulin-like growth factor binding prote	3.04		
	130627	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage	3.87		
60	130648	AI458165	Hs.17296	hypothetical protein MGC2376			16.20
	130697	L29472	Hs.1802	major histocompatibility complex, class			17.80
	130744	H59696	Hs.18747	POP7 (processing of precursor, S. cerevi			5.28
	130800	AI187292	Hs.19574	hypothetical protein MGC5469			4.43
	130867	NM_001072	Hs.284239	UDP glycosyltransferase 1 family, polype	16.84		
65	130869	J03626	Hs.2057	uridine monophosphate synthetase (total			4.92
	130925	AF093419	Hs.169378	multiple PDZ domain protein			9.60
	130994	W17044	Hs.327337	ESTs	12.40		
	131028	AI879165	Hs.2227	CCAAT/enhancer binding protein (C/EBP),	10.21		
	131031	NM_001650	Hs.288650	aquaporin 4			9.80
70	131041	T15767	Hs.22452	Homo sapiens mRNA for KIAA1737 protein,			9.60
	131058	W28545	Hs.101514	hypothetical protein FLJ10342			17.00
	131090	AI143139	Hs.2288	visinin-like 1	2.74		
	131112	H15302	Hs.168950	Homo sapiens mRNA; cDNA DKFZp566A1046 (f		8.80	
	131148	AW953575	Hs.303125	p53-induced protein PIGPC1	3.12		
75	131185	BE280074	Hs.23960	cyclin B1	3.07		
	131200	BE540516	Hs.293732	hypothetical protein MGC3195	3.07		
	131219	W25005	Hs.24395	small inducible cytokine subfamily B (Cy	2.87		
	131257	AW339037	Hs.24908	ESTs			14.67
	131375	AW293165	Hs.143134	ESTs		19.20	
80	131460	NM_003729	Hs.27076	RNA 3'-terminal phosphate cyclase	3.50		
	131476	AI521663	Hs.334644	hypothetical protein FLJ14668	15.00		
	131510	BE245374	Hs.27842	hypothetical protein FLJ11210		7.80	
	131646	BE302464	Hs.30057	MRS2 (S. cerevisiae)-like, magnesium hom		7.00	
	131786	BE000971	Hs.306083	Novel human gene mapping to chromosome 22	2.65		
85	131839	AB014533	Hs.33010	KIAA0633 protein			35.20
	131843	AA192315	Hs.184062	putative Rab5-interacting protein			4.11

	131877	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	19.00		
	131885	BE502341	Hs.3402	ESTs	6.48		
	131921	AA456093	Hs.34720	ESTs		8.40	
5	131945	NM_002916	Hs.35120	replication factor C (activator 1) 4 (37	56.00		
	131958	NM_014062	Hs.3566	ART-4 protein			3.82
	131965	W79283	Hs.35962	ESTs	3.03		
	132000	AW247017	Hs.36978	melanoma antigen, family A, 3		9.80	
	132040	NM_001196	Hs.315689	Homo sapiens cDNA: FLJ22373 fis, clone H	3.30		
10	132109	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagonist	21.00		
	132114	NM_006152	Hs.40202	lymphoid-restricted membrane protein		8.40	
	132162	AA315805	Hs.94560	desmoglein 2			12.25
	132164	AI752235	Hs.41270	procollagen-lysine, 2-oxoglutarate 5-dio	2.70		
	132180	NM_004460	Hs.418	fibroblast activation protein, alpha	2.71		
15	132181	AW961231	Hs.16773	Homo sapiens clone TCCEIA00427 mRNA sequ	3.83		
	132182	NM_014210	Hs.70499	ecotropic viral integration site 2A			13.20
	132231	AA662910	Hs.42635	hypothetical protein DKFP434K2435	9.50		
	132277	AK001745	Hs.184628	hypothetical protein FLJ10883	4.50		
	132328	NM_014787	Hs.44896	DnaJ (Hsp40) homolog, subfamily B, membe			9.20
20	132394	AK001680	Hs.30488	DKFZP434F091 protein			19.80
	132424	AA417878	Hs.48401	ESTs, Moderately similar to ALU8_HUMAN A		8.60	
	132528	T78736	Hs.50758	SMC4 (structural maintenance of chromoso		27.40	
	132543	BE568452	Hs.5101	protein regulator of cytokinesis 1	4.38		
	132544	L19778	Hs.51011	H2A histone family, member P		7.00	
25	132550	AW969253	Hs.170195	bone morphogenetic protein 7 (osteogenic	2.64		
	132552	BE621985	Hs.296922	thiopurine S-methyltransferase			15.83
	132581	AK000631	Hs.52256	hypothetical protein FLJ20624		6.60	
	132617	AF037335	Hs.5338	carbonic anhydrase XII	4.95		
	132638	AI796870	Hs.54277	DNA segment on chromosome X (unique) 992		8.20	
30	132653	Z15008	Hs.54451	laminin, gamma 2 (niclin (100kD), kalni	4.38		
	132669	W38586	Hs.293981	guanine nucleotide binding protein (G pr			4.36
	132710	W74001	Hs.55279	serine (or cysteine) proteinase inhibito	4.60		
	132771	Y10275	Hs.56407	phosphoserine phosphatase	3.71		
	132799	W73311	Hs.169407	SAC2 (suppressor of actin mutations 2,			9.48
35	132833	U78525	Hs.57783	eukaryotic translation initiation factor			5.83
	132892	AW834050	Hs.9973	tensin			12.00
	132906	BE613337	Hs.234896	germinin	3.09		
	132959	AW014195	Hs.61472	ESTs, Weakly similar to YAE6_YEAST HYPOT			3.87
	132962	AA576635	Hs.6153	CGI-48 protein	3.50		
40	132990	X77343	Hs.334334	transcription factor AP-2 alpha (activat	6.18		
	132994	AA112748	Hs.279905	clone HQ0310 PRO0310p1	3.19		
	133000	AL042444	Hs.62402	p21/Cdc42/Rac1-activated kinase 1 (yeast	2.95		
	133050	X73424	Hs.63788	propionyl Coenzyme A carboxylase, beta p	2.55		
	133083	BE244588	Hs.6456	chaperonin containing TCP1, subunit 2 (b			4.00
	133086	L17131	Hs.139800	high-mobility group (nonhistone chromoso			8.96
45	133134	AF198620	Hs.65648	RNA binding motif protein 8A			4.28
	133155	M58583	Hs.662	cerberin 1 precursor			10.80
	133181	X91662	Hs.66744	twist (Drosophila) homolog (acrocephalos	3.00		
	133204	BE267696	Hs.254105	enolase 1, (alpha)			4.63
50	133412	U41493	Hs.73112	guanine nucleotide binding protein (G pr		12.50	
	133421	AF134160	Hs.7327	claudin 1	2.85		
	133451	AW970026	Hs.73818	ubiquinol-cytochrome c reductase hinge p			4.66
	133453	AI659306	Hs.73826	protein tyrosine phosphatase, non-recept		6.80	
	133504	NM_004415	Hs.74316	desmoplakin (DPI, DPII)	6.14		
55	133506	BE562958	Hs.74346	hypothetical protein MGC14353			4.55
	133615	M62843	Hs.75236	ELAV (embryonic lethal, abnormal vision,			17.80
	133627	NM_002047	Hs.75280	glycyl-tRNA synthetase			4.85
	133649	U25849	Hs.75393	acid phosphatase 1, soluble			6.34
	133669	NM_006925	Hs.166975	splicing factor, arginine/serine-rich 5			14.00
60	133749	L20852	Hs.10018	solute carrier family 20 (phosphate tran		6.11	
	133776	BE268649	Hs.177766	ADP-ribosyltransferase (NAD+; poly (ADP-			4.91
	133865	AB011155	Hs.170290	discs, large (Drosophila) homolog 5	3.07		
	133946	AJ001258	Hs.173878	NIPSNAP, C. elegans, homolog 1			4.60
	133973	N55540	Hs.78026	ESTs, Weakly similar to similar to ankyr			13.00
65	134047	BE262529	Hs.78771	phosphoglycerate kinase 1			3.85
	134098	BE513171	Hs.79086	mitochondrial ribosomal protein L3	2.56		
	134107	NM_005629	Hs.187958	solute carrier family 6 (neurotransmitte		8.20	
	134112	AW449809	Hs.79150	chaperonin containing TCP1, subunit 4 (d			4.08
	134158	U15174	Hs.79428	BCL2/adenovirus E1B 19kD-interacting pro	31.00		
70	134160	T98152	Hs.79432	fibrillin 2 (congenital contractual ara		24.60	
	134168	AA398908	Hs.181634	Homo sapiens cDNA: FLJ23602 fis, clone L			6.71
	134185	AA285136	Hs.301914	neuronal specific transcription factor D			14.74
	134201	L35035	Hs.79886	ribose 5-phosphate isomerase A (ribose 5		8.40	
	134272	X76040	Hs.278614	protease, serine, 15	4.50		
75	134276	BE083936	Hs.80976	antigen identified by monoclonal antibod		9.00	
	134353	AL138201	Hs.82120	nuclear receptor subfamily 4, group A, m			16.40
	134387	AA339449	Hs.82285	phosphonobosylglycinamide formyltransfer	2.80		
	134380	AJ077143	Hs.179565	minichromosome maintenance deficient (S.	4.68		
	134423	H53497	Hs.83006	CGI-139 protein			3.84
	134469	AA279661	Hs.83753	small nuclear ribonucleoprotein polypept			5.81
80	134470	X54942	Hs.83758	CDC28 protein kinase 2			4.21
	134498	AW246273	Hs.84131	threonyl-tRNA synthetase			7.30
	134502	BE148534	Hs.84168	UV-B repressed sequence, HUR 7		13.60	
	134510	NM_002757	Hs.250870	mitogen-activated protein kinase kinase			9.70
	134548	N95406	Hs.333495	Deleted in split-hand/split-foot 1 regio			4.63
85	134654	AK001741	Hs.8739	hypothetical protein FLJ10879	6.00		

	134724	AF045239	Hs.321576	ring finger protein 22		12.00
	134743	AA044163	Hs.89463	potassium large conductance calcium-acti	4.00	
	134781	AA374372	Hs.89626	parathyroid hormone-like hormone		25.20
5	134806	AD001528	Hs.89718	spermine synthase		4.58
	134853	BE268326	Hs.90280	5-aminimidazole-4-carboxamide ribonucle		4.79
	134859	D26488	Hs.90315	KIAA0007 protein		6.20
	134891	R51083	Hs.90787	ESTs		7.40
	134960	BE246400	Hs.285176	acetyl-Coenzyme A transporter	4.00	
10	134993	BE409809	Hs.301005	purine-rich element binding protein B		4.48
	135047	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	9.50	
	135080	AI761180	Hs.94211	rcd1 (required for cell differentiation,	5.00	
	135103	NM_003428	Hs.9450	zinc finger protein 84 (HPF2)		11.00
	135145	AW014729	Hs.95262	nuclear factor related to kappa B bindin		4.01
15	135184	U13222	Hs.96028	forkhead box D1		7.00
	135242	AI583187	Hs.9700	cyclin E1	13.50	
	135286	AW023482	Hs.97849	ESTs	6.46	
	135289	AW372569	Hs.9788	hypothetical protein MGC10924 similar to		8.80
	135355	AK001652	Hs.99423	ATP-dependent RNA helicase	10.00	
20	135371	NM_006025	Hs.997	protease, serine, 22	8.00	
	135393	L11244	Hs.99886	complement component 4-binding protein,		14.60

25 TABLE 5B shows the accession numbers for those primekeys lacking unigenelD's for Table 5A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

30 Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey	CAT number	Accessions
35	117079	1621717_1 H92325 T97125
	124305	242183_1 AW963221 AA344870 AA344871 H93331
	101502	18202_6 M26958
	109792	754958_1 R49625 F10674
	126034	1598157_1 H60340 N91637
40	102768	44641_1 U82321 H66077
	126345	1653833_1 N49713 N49819 W03810
	127066	1703458_1 R25066 R20144 R20145 Z43845
	127099	244301_1 AA347668 AW956810 Z44271 F07065 F07064 R13506
	119243	1774795_1 T12603 T12604
45	125875	1566433_1 H14480 N98295
	112054	1538292_1 R43590 F10439
	126979	171411_1 AA210954 AA211007
	126992	880655_1 AI809521 H12174 Z42556
	122318	292419_1 AA429743 AA442754
50	114699	135322_1 AA127386 R15644 AA127404
	114793	150742_1 AA158245 AA158235
	108305	111550_1 AA071391 AA069892 AA069891
	108393	113411_1 AA075211 AA075245 AA075126 AA074946
	100867	tigr_HT4586 U14622
55	123731	genbank_AA609839 AA609839
	109700	genbank_F09609 F09609
	120715	genbank_AA292700 AA292700
	113702	genbank_T97307 T97307
	115113	genbank_AA256460 AA256460
60	101045	entrez_J05614 J05614
	108554	genbank_AA084948 AA084948
	108573	genbank_AA086005 AA086005
	119052	149538_1 R10889 R10888
	126522	416020_1 W31912 AI167491
65	126605	439280_1 AA676910 AA778853 AA778865 W86800
	103768	46922_1 W42667 AI580740 AI690440 AI561350 AW467906 AW151450 AI825927 AL041716 AI885600 AI742213 AW248624 AI955498 AA033947 AA845593 AI623711 N68583 C00064 AA193567 AW083868 AW163216 AA191595 AA522778 AI628008 AI915518 AA843508 AI926195 AA176265 AW167963 AA992115 W93647 AW103572 AI862994 AI342059 AA911719 AA176155 AA024712 AA069988 AA205591 AI591107 AI199673 AI811766 AI275832 AI22233 AI191852 AI096682 AI580124 AI683612 AA582453 AA927559 AA485415 T32414 AI084978 H44849 H44848 H20477 T91695 W47039 AA070055 AA024795 AA328855 AA379248 AA379330 AA385580 W25920 W03688 AA448359 AA093881 AW362477 AA089997 AI350265 W93479 N99688 AA932257 AW351469 H68590 AA663402 AA069771 AW087986 AI858420 AA600214 AI970774 AI857712 AI683081 AI885584 AW131150 AI567981 AW002714 AW189973 AW075495 AW168303 AA953714 AW516881 AI357375 AI566663 AW512676 AI570580 AI023690 AA448216 AI079853 AI422707 AA779516 AW026972 AW130082 AW162307 AW438646 AA709332 AW192394 AI167350 AI217879 AI129152 AA719509 AI350480 AA663418 AI003634 AW118546 AA180281 AA442833 AI268625 AA888881 AI038759 AA846723 AI248770 AA993694 AI280335 AI885107 AW518649 AA641563 AA995835 AA582521 AI276744 AA436478 AI017360 AI620763 AI859887 N73926 AI076327 AI741615 AI160617 AW172819 AI492005 AA677429 AA996334 AI693771 AI950039 AI245629 AI288515 AI866186 T93293 AA173262 AA599779 AI680092 AW439316 AI084555 AI272672 AI583507 AW473219 AA738132 AW473283 AI367492 AA995410 AI689624 AA206353 AI033095 AI040382 AA873630 AI221074 AI934840 AI418680 AA844306 R94503 AA773520 AA843169 AA219425 AA629658 AI811719 AW411275 AI590981 W37907 AI591178 AI684051 AA983238 AA669347 AA976239 AA704570 AI628339 AI884391 AI241680 AI003539 AW176687 AA009650 N34566 AI333493 AI186070 AA070827 AA411683 AI280884 AA872023 AA207255 AA021576 N71953 AI885888 AW076039 T15777 AI537673 AW248048 H09554 W93480 W47001 AW079114 AA063160 AA757453 R60788 AI859431 H20478 AA218882 AA757465 AA100995 AI864135 AI934209 AA070503 H47008 AA219646 W61039 W93907 AW385050 W37967 W07828 AA189007 AA479136 R93650 AA442312 T30287 AA847628 AA180262 AA009649 C03892 AW149464 AA310963 AA219693 AA069747 R29207 AA094784 AA293615 AA447848 AI984167 N90393 C05097 N56499 AW292351 AW149681 AW473258 AA629322 AI004409 AW105577 AI954937 AI811070 AA902422 AW514437 AA535460 AA916877 AW517122 AA974657 AA975649 AW517130 AW517129 F31737 W07688 AA193645 AA378994 AA489273 F32267 W39303 AA021181 N86810 AA406524 AA062553 AA436801 H08985 H15979 N40310

AA436789 AA232172 AW360778 W25862 R60282 AA435530 AA378894 AA187461 AI940535 AA604210 AA089514 AA360421 N88243 N84281
 AA209340 N56174 N88374 AA191088 AW247691 AA249013 AA093111 AA927536 AW298594 AA375893 T12139 W28186 AW243849
 AJ288629 AA843996 W15260 AI188286 AW248079 R15836

119599 genbank_W45552 W45552
 112382 genbank_R59904 R59904
 105264 genbank_AA227934 AA227934
 100071 entrez_A28102 A28102
 123315 714071_1 AA495369 AA496646

Table 6A shows 99 genes up-regulated nonsmokers with lung cancer relative to smokers with lung cancer. These genes were selected from 59680 probesets on the Eos/Affymatrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

Pkey: Unique Eos probeset identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: Unigene number
 Unigene Title: Unigene gene title
 R1: average of AI for samples from non-smokers with adenocarcinoma divided by the 90th percentile of AI for samples from smokers with adenocarcinoma
 R2: average of AI for samples from non-smokers with squamous cell carcinoma divided by the 90th percentile of AI for samples from smokers with squamous cell carcinoma

Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2
100971	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte		3.64
101174	L17330	Hs.280	pre-T/NK cell associated protein	15.00	
101296	Y12490	Hs.85092	thyroid hormone receptor interactor 11		2.46
101304	AA001021	Hs.6685	thyroid hormone receptor interactor 8		12.00
101806	AA586894	Hs.112408	S100 calcium-binding protein A7 (psoriasis)		2.68
101972	S82472		gb:beta-pol-DNA polymerase beta (exon a)		2.11
102274	U30930	Hs.158540	UDP glycosyltransferase 8 (UDP-galactose)	7.50	
102394	NM_003816	Hs.2442	a disintegrin and metalloproteinase domain	7.50	
102832	U92015		gb:Human clone 143789 defective mariner	13.50	
103010	X52509	Hs.161640	tyrosine aminotransferase	9.50	
103439	X98266		gb:H.sapiens mRNA for ligase like protal		2.50
103563	L02911	Hs.150402	activin A receptor, type I	9.00	
103857	AI076795	Hs.45033	lacrimial proline rich protein		3.94
104239	AB002367	Hs.21355	doublecortin and CaM kinase-like 1	13.50	
104590	AW373062	Hs.83623	nuclear receptor subfamily 1, group 1, m		12.66
104907	AA055829	Hs.196701	ESTs, Weakly similar to ALU1_HUMAN ALU	16.50	
106131	BE514788	Hs.296244	SNARE protein		2.17
106672	H47233	Hs.30643	ESTs	7.00	
106872	T56887	Hs.18282	KIAA1134 protein	11.50	
106960	AA156238	Hs.32501	ESTs		2.38
106971	Z43846	Hs.194478	Homo sapiens mRNA; cDNA DKFZp43401572 (f	9.50	
107982	AA035375	Hs.57887	ESTs, Weakly similar to KIAA0758 protal		2.95
108562	AA100796		gb:zm26c06.s1 Stratagene pancreas (93720)	16.50	
108599	AB018549	Hs.69328	MD-2 protein	13.00	
108663	BE219231	Hs.292653	ESTs, Weakly similar to T26845 hypotheti		2.40
109247	AA314907	Hs.85950	ESTs	7.00	
109630	R44607	Hs.22672	ESTs		5.00
110193	AI004874	Hs.310764	Homo sapiens mRNA; cDNA DKFZp434M082 (fr	12.50	
110234	H24458	Hs.32085	EST	16.50	
110644	R94207	Hs.268989	ESTs, Highly similar to type II CALM/AF1	8.00	
110886	AW274992	Hs.72249	three-PDZ containing protein similar to	17.00	
111057	T79639	Hs.14629	ESTs	16.50	
111950	AF071594	Hs.110457	Wolf-Hirschhorn syndrome candidate 1	11.00	
112291	R53972	Hs.26026	ESTs		3.00
112956	Z43784	Hs.75893	ankyrin 3, node of Ranvier (ankyrin G)		2.79
113009	T23699	Hs.7246	ESTs		4.50
113060	BE564162	Hs.250820	hypothetical protein FLJ14827	9.79	
113073	N39342	Hs.103042	microtubule-associated protein 1B	32.50	
113074	AK001335	Hs.31137	protein tyrosine phosphatase, receptor t		3.82
113121	T48011	Hs.8764	EST		2.21
113125	AA958672	Hs.8929	hypothetical protein FLJ11362	19.50	
113757	AA703095	Hs.18631	ESTs		2.65
113848	W52854	Hs.27099	hypothetical protein FLJ23293 similar to	6.00	
113884	AI333076	Hs.28529	chromosome 12 open reading frame 2		6.00
113936	W17056	Hs.83623	nuclear receptor subfamily 1, group 1, m		4.63
114875	AA235609	Hs.236443	Homo sapiens mRNA; cDNA DKFZp564N1063 (7.00
114987	AA251018	Hs.87808	EST		6.00
115460	AW958439	Hs.38613	ESTs		2.27
115722	W91892	Hs.59609	ESTs		9.00
116261	AA481788	Hs.190150	ESTs	9.50	
116830	H61037	Hs.70404	ESTs, Weakly similar to ALU2_HUMAN ALU	8.50	
116970	AB023179	Hs.9059	KIAA0962 protein	7.50	
117178	H98675	Hs.269034	ESTs		2.68
117757	AF088019	Hs.46732	EST	7.50	
118283	AA287747	Hs.173012	ESTs, Weakly similar to A46010 X-linked	16.50	
118384	AF217525	Hs.49002	Down syndrome cell adhesion molecule		2.50
118657	AI822106	Hs.49902	ESTs		2.39
120328	AA923278	Hs.290905	ESTs, Weakly similar to protease [Hsapi		3.50
120404	AB023230	Hs.96427	KIAA1013 protein	7.00	
120524	AA261852	Hs.192905	ESTs	6.00	
120688	AW207555	Hs.97093	Homo sapiens cDNA: FLJ23004 fis, clone L	17.92	

	121558	AA412497		gb:z195g12.s1 Soares_testis_NHT Homo sap	2.95
	121676	H56037	Hs.108146	ESTs	10.00
	121936	AI024600	Hs.98612	ESTs	15.00
	121938	AA428659	Hs.98610	ESTs	14.00
5	122177	AA435789	Hs.98833	EST	8.93
	123442	AA299652	Hs.111496	Homo sapiens cDNA FLJ11643 fis, clone HE	13.04
	123551	AA608837		gb:af03h12.s1 Soares_testis_NHT Homo sap	11.50
	123756	AA609971	Hs.112795	EST	11.00
	123861	AA620840		gb:af89g01.s1 Soares_testis_NHT Homo sap	2.50
10	124371	N24924	Hs.188601	ESTs	6.50
	127477	BE328720	Hs.280651	ESTs	4.33
	127591	AI190540	Hs.131092	ESTs	3.02
	128252	AA455924	Hs.192228	ESTs	7.00
	128426	AI265784	Hs.145197	ESTs	2.08
15	128925	R67419	Hs.21851	Homo sapiens cDNA FLJ12900 fis, clone NT	2.11
	128945	AI990506	Hs.8077	Homo sapiens mRNA; cDNA DKFZp547E184 (fr	10.00
	129105	AI769160	Hs.108681	Homo sapiens brain tumor associated prot	15.50
	129235	AW977238	Hs.126084	KJAA1055 protein	4.25
	129506	AB020684	Hs.11217	KJAA0877 protein	6.50
20	129595	U09550	Hs.1154	oviductal glycoprotein 1, 120kD (mucin 9	10.00
	130160	AA305688	Hs.267695	UDP-Gal:betaGlcNAc beta 1,3-galactosyltr	20.00
	130340	D82326	Hs.239106	solute carrier family 3 (cystine, dibasi	11.50
	131220	AB023194	Hs.300855	KJAA0977 protein	17.50
	131430	AI879148	Hs.26770	fatty acid binding protein 7, brain	6.10
25	132114	NM_006152	Hs.40202	lymphoid-restricted membrane protein	6.15
	132458	AA935315	Hs.48965	Homo sapiens cDNA: FLJ21693 fis, clone C	5.58
	132647	NM_006927	Hs.54432	sialyltransferase 4B (beta-galactosidase	7.50
	132655	D49372	Hs.54460	small inducible cytokine subfamily A (Cy	2.53
	132682	AI077500	Hs.54900	serologically defined colon cancer antig	2.50
30	132747	AA345241	Hs.55950	ESTs, Weakly similar to KIAA1330 protein	2.63
	132812	R50333	Hs.92186	Leman coiled-coil protein	3.82
	133337	AF085983	Hs.293676	ESTs	5.00
	133876	AL134908	Hs.771	phosphorylase, glycogen; liver (Hers dis	3.00
	134119	AW157837	Hs.79226	fasciculation and elongation protein zet	2.06
35	134464	AA302983	Hs.239720	CCR4-NOT transcription complex, subunit	2.27
	134542	M14156	Hs.85112	insulin-like growth factor 1 (somatomedi	11.50
	135002	AA448542	Hs.251677	G antigen 7B	87.00
	135305	AA203555	Hs.98288	Homo sapiens cDNA FLJ14903 fis, clone PL	6.50

TABLE 6B show the accession numbers for those primekeys lacking unigenelD's for Table 6A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey	CAT number	Accessions
108562	36375_1	AA100796 AF020589 AA074629 AA075946 AA100849 AA085347 AA126309 AA079311 AA079323 AA085274
103439	35330_1	X98266 N41124
123551	genbank_AA608837	AA608837
123861	genbank_AA620840	AA620840
102832	entrez_U92015	U92015
101972	entrez_S82472	S82472
60	121558	genbank_AA412497 AA412497

Table 7A shows 98 genes down-regulated in non-smokers with lung cancer relative to smokers with lung cancer. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

- 5 Pkey: Unique Eos probeset identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: Unigene number
 Unigene Title: Unigene gene title
 10 R1: 90th percentile of AI for samples from smokers with adenocarcinoma divided by the average of AI for samples from non-smokers with adenocarcinoma.
 R2: 90th percentile of AI for samples from smokers with squamous cell carcinoma divided by the average of AI for samples from non-smokers with squamous cell carcinoma.

	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2
15	100187	D17793	Hs.78183	aldo-keto reductase family 1, member C3		164.10
	100380	D82343	Hs.18551	neuroblastoma (nerve tissue) protein		77.40
	100576	X00356	Hs.37058	calcitonin/calcitonin-related polypeptid	102.40	463.80
	100971	BE379727	Hs.83213	fatty acid binding protein 4, adipocyte		672.00
	101046	K01160		(NONE)	66.00	
20	101066	AW970254	Hs.889	Charot-Leyden crystal protein		77.20
	101175	U82671	Hs.36980	melanoma antigen, family A, 2		
	101497	W05150	Hs.37034	homeo box A5	62.80	
	101663	NM_003528	Hs.2178	H2B histone family, member Q	78.00	
	101677	NM_000715	Hs.1012	complement component 4-binding protein,	186.20	
25	101745	M88700	Hs.150403	dopa decarboxylase (aromatic L-amino aci	80.08	
	101941	S77583		gb:HERVK10/HUMMTV reverse transcriptase	99.20	
	102125	NM_006456	Hs.288215	sialyltransferase		103.10
	102242	U27185	Hs.82547	retinoic acid receptor responder (tazaro	67.00	
	102340	U37055	Hs.278657	macrophage stimulating 1 (hepatocyte gro	71.60	
30	102369	U39840	Hs.299867	hepatocyte nuclear factor 3, alpha		69.70
	102457	NM_001394	Hs.2359	dual specificity phosphatase 4	153.00	
	102669	U71207	Hs.29279	eyes absent (Drosophila) homolog 2		65.70
	102796	AL079646	Hs.107019	sympleskin; Huntingtin interacting protei		58.80
	102829	NM_006183	Hs.80962	neurotensin		268.80
35	103207	X72790		gb:Human endogenous retrovirus mRNA for	70.00	
	103242	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o		212.10
	103260	X78416	Hs.3155	casein, alpha		130.70
	103351	X89211		gb:H.sapiens DNA for endogenous retrovir	64.60	
	104212	AB002298	Hs.173035	KIAA0300 protein	66.80	
40	104252	AF002246	Hs.210863	cell adhesion molecule with homology to	63.80	
	104258	AF007216	Hs.5462	solute carrier family 4, sodium bicarbon	94.40	
	105024	AA126311	Hs.9879	ESTs	68.20	
	106260	AI097144	Hs.5250	ESTs, Weakly similar to ALU1_HUMAN ALU S		74.60
	106440	AA449563	Hs.151393	glutamate-cysteine ligase, catalytic sub		71.10
45	106566	BE298210		gb:601118016F1 NIH_MGC_17 Homo sapiens c	73.20	
	106605	AW772298	Hs.21103	Homo sapiens mRNA; cDNA DKFZp5648076 (fr	83.80	
	106614	AA648459	Hs.335951	hypothetical protein AF301222		62.30
	106654	AW075485	Hs.286049	phosphoserine aminotransferase		202.40
	106999	H93281	Hs.10710	hypothetical protein FLJ20417		89.60
50	108700	AA121518	Hs.193540	ESTs, Moderately similar to 2109260A B c		66.40
	108810	AW295647	Hs.71331	hypothetical protein MGC5350		95.50
	108857	AK001468	Hs.62180	anillin (Drosophila Scraps homolog), act		63.40
	109597	AA989362	Hs.293780	ESTs	85.00	
	109691	T65568	Hs.12860	ESTs		58.70
55	109704	AI743880	Hs.12876	ESTs		60.60
	110942	R63503	Hs.28419	ESTs	76.40	
	111722	R23924	Hs.23596	EST	74.60	
	112891	T03927	Hs.293147	ESTs, Moderately similar to A46010 X-II	64.80	
60	112992	AL157425	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f		76.70
	113073	N39342	Hs.103042	microtubule-associated protein 1B		120.20
	114251	H15261	Hs.21948	ESTs	127.20	
	115230	AA278300	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L	174.00	
	115291	BE545072	Hs.122579	hypothetical protein FLJ10461		91.00
	115815	AW905328	Hs.180842	ribosomal protein L13	66.40	
65	115909	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH		226.60
	115965	AA001732	Hs.173233	hypothetical protein FLJ10970	82.80	
	116107	AL133916	Hs.172572	hypothetical protein FLJ20093		361.60
	116552	D20508	Hs.164649	hypothetical protein DKFZp434H247	69.00	
	116571	D45652		gb:HUMGS02848 Human adult lung 3' direct	64.20	
70	118466	N66741		gb:yz33g08.s1 Morton Fetal Cochlea Homo		63.50
	120484	AA253170	Hs.96473	EST	81.60	
	120983	AA398209	Hs.97587	EST		81.10
	121034	AL389951	Hs.271623	nucleoporin 50kD		66.20
	121423	AW973352	Hs.290585	ESTs	64.40	
75	122553	AA451884	Hs.190121	ESTs		60.40
	122946	AI718702	Hs.308026	major histocompatibility complex, class	188.60	
	123130	AA487200		gb:ab19f02.s1 Stratagene lung (937210) H		80.20
	124472	N52517	Hs.102670	EST	71.00	
	124526	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci		104.90
80	125489	H49193	Hs.124984	ESTs, Moderately similar to ALU7_HUMAN A		72.00
	125731	R61771	Hs.26912	ESTs		69.90
	125747	NM_002884	Hs.865	RAP1A, member of RAS oncogene family	69.00	
	126020	H79863	Hs.114243	ESTs		62.40
	126547	U47732	Hs.84072	transmembrane 4 superfamily member 3		62.80
85	126966	R38438	Hs.182575	solute carrier family 15 (H+/peptide tra		60.10

	127472	AA761378	Hs.192013	ESTs	70.20	
	127610	AA960867	Hs.150271	ESTs, Highly similar to unnamed protein	64.00	
	127742	AW293496	Hs.180138	ESTs	85.20	
5	127987	AI022103	Hs.124511	ESTs	96.60	
	128233	AW889132	Hs.11916	riboknase		78.90
	128420	AA650274	Hs.41296	fibronectin leucine rich transmembrane p		106.90
	128766	AW160432	Hs.296460	craniofacial development protein 1	66.80	
	129014	AW935187	Hs.170162	KIAA1357 protein		58.53
10	129215	AB040930	Hs.126085	KIAA1497 protein	64.20	
	130090	H97878	Hs.132390	zinc finger protein 36 (KOX 18)	63.80	
	130385	AW067800	Hs.155223	stanniocalcin 2		139.60
	130732	AW890487	Hs.63984	cadherin 13, H-cadherin (heart)		64.60
	131025	AB040900	Hs.6189	KIAA1467 protein	64.40	
15	131241	BE501914	Hs.24654	Homo sapiens cDNA FLJ11640 fis, clone HE	76.20	
	131775	AB014548	Hs.31921	KIAA0648 protein	97.80	
	132240	AB018324	Hs.42676	KIAA0781 protein		71.00
	132856	NM_001448	Hs.58367	glypican 4		88.40
	132977	AA093322	Hs.301404	RNA binding motif protein 3	133.20	
20	133749	L20852	Hs.10018	solute carrier family 20 (phosphate tran		59.30
	133818	AI110684	Hs.7645	fibrinogen, B beta polypeptide	341.00	
	134264	AF149297	Hs.8087	NAG-5 protein		64.30
	134265	M83772	Hs.80876	flavin containing monooxygenase 3		232.53
	134346	X84002	Hs.82037	TATA box binding protein (TBP)-associate	66.00	
25	134395	AA456539	Hs.8262	lysosomal-associated membrane protein 2		75.80
	135047	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su		108.30
	135056	N75765	Hs.93765	lipoma HMGIC fusion partner	71.40	
	135309	AI564123	Hs.42500	ADP-ribosylation factor-like 5	70.40	

30 TABLE 7B shows the accession numbers for those primekeys lacking unigenelD's for Table 7A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

35 Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

40	Pkey	CAT number	Accessions
	103207	30635_4	X72790
	106566	120358_1	BE298210 AI672315 AW086489 BE298417 AA455921 AA902537 BE327124 R14963 AA085210 AW274273 AI333584 AI369742 AI039658 AI885095 AI476470 AI287650 AI885299 AI985381 AW592624 AW340136 AI266556 AA456390 AI310815 AA484951
45	116571	genbank_D45652	D45652
	118466	genbank_N66741	N66741
	101046	entrez_K01160	K01160
	101941	entrez_S77583	S77583
	103351	entrez_X89211	X89211
50	123130	genbank_AA487200	AA487200

Table 8A shows 1720 genes either up or down-regulated in lung tumors or chronically diseased lung relative to a broad collection of over 40 distinct normal body tissues. Chronically diseased lung samples represent chronic non-malignant lung diseases such as fibrosis, emphysema, and bronchitis. These genes were selected from 39494 probesets on the Eos/Arraymetrix Hu02 Genechip array. Gene expression data for each probeset obtained from this analysis was expressed as average intensity (AI), a normalized value reflecting the relative level of mRNA expression.

5

Pkey: Unique Eos probeset Identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: Unigene number
 Unigene Title: Unigene gene title
 R1: 70th percentile of AI for lung tumors divided by 90th percentile of AI for normal lung
 R2: 70th percentile of AI for chronically diseased lung divided by 90th percentile of AI for normal lung

10

	Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2
15	300097	AI916973	Hs.213603	ESTs	5.46	4.69
	300117	AW189787	Hs.147474	ESTs	0.58	0.56
	300197	AI686661	Hs.218286	ESTs	4.26	5.44
	300201	AI308300		gb:ta90c06.x1 NCL_CGAP_Bm20 Homo sapien	0.62	0.83
	300225	AI989963	Hs.197505	ESTs	1.68	1.75
20	300247	AW274682	Hs.161394	ESTs	1.08	2.28
	300256	AI469095	Hs.298241	Transmembrane protease, serine 3	0.86	1.00
	300337	AI707881	Hs.202090	ESTs	5.80	9.09
	300362	Z42308		gb:HSC0FB121 normalized infant brain cDN	4.18	12.78
	300374	AI859947	Hs.314158	ESTs	2.99	4.38
25	300387	AW270150	Hs.254516	ESTs	1.50	2.53
	300440	AI421541	Hs.146164	ESTs	3.98	5.25
	300441	R10367	Hs.307921	EST, Weakly similar to Z232_HUMAN ZINC F	3.18	6.80
	300449	AI362967	Hs.132221	hypothetical protein FLJ12401	0.43	0.62
	300469	AW135830	Hs.233955	hypothetical protein FLJ20401	0.16	0.83
30	300552	X85711	Hs.21838	hypothetical protein FLJ11191	4.10	9.75
	300627	W27363		gb:ab37d01.r1 Stratagene HeLa cell s3 93	4.60	12.60
	300630	AW118822	Hs.128757	ESTs	2.91	5.86
	300716	AI216113	Hs.126280	hypothetical protein FLJ23393	1.00	0.92
	300738	AI623332	Hs.130541	KIAA1542 protein	1.82	1.71
35	300777	AA235361	Hs.96840	KIAA1527 protein	4.48	8.22
	300790	AI492471	Hs.188270	ESTs	1.29	1.18
	300832	AI688147	Hs.220615	ESTs, Weakly similar to T03829 transcrip	5.51	8.56
	300836	Z44942	Hs.22958	calcium channel alpha2-delta3 subunit	4.90	6.34
40	300838	AI582897	Hs.192570	hypothetical protein FLJ22028	1.70	2.81
	300878	AW449802	Hs.285901	Homo sapiens cDNA FLJ20428 fis, clone KA	4.56	7.91
	300897	AI890356	Hs.127804	ESTs, Weakly similar to T17233 hypothe	2.23	1.58
	300926	AA504860		gb:ab03a10.s1 Stratagene fetal retina 93	2.13	3.50
	300960	AI041019	Hs.152454	ESTs	2.74	4.46
45	300961	AW204069	Hs.312716	ESTs, Weakly similar to unnamed protein	1.00	1.00
	300962	AA593373	Hs.293744	ESTs	1.46	1.51
	300967	AA565209	Hs.269439	ESTs	0.39	1.30
	300987	AW450840	Hs.148590	ESTs, Weakly similar to AF208846 1 BM-00	1.49	1.08
	300988	AI927208	Hs.208952	ESTs	0.16	0.37
50	301050	AW136973	Hs.288516	ESTs, Weakly similar to S69890 mitogen I	3.23	1.94
	301098	AA677570	Hs.185918	ESTs	6.76	14.28
	301157	AA729905	Hs.231916	ESTs	3.16	8.85
	301162	AI142118	Hs.129004	ESTs	1.68	7.18
	301170	AA737594	Hs.247606	ESTs	4.40	6.42
	301192	AI808751	Hs.121188	ESTs	6.38	11.59
55	301193	AA758115	Hs.128350	ESTs, Weakly similar to JC5423 2-hydroxy	4.35	7.78
	301267	AW297762	Hs.255690	ESTs	1.56	1.61
	301281	AA843986	Hs.190586	ESTs	2.19	1.78
	301341	AI819198	Hs.208229	ESTs	0.76	0.76
	301382	AA912839	Hs.163369	ESTs	1.00	1.81
60	301407	AW450466	Hs.126830	ESTs	1.48	1.51
	301452	AA975688	Hs.159955	ESTs	0.51	1.46
	301483	AW272467	Hs.254655	Untitled	2.40	5.02
	301494	AI678034	Hs.131099	ESTs	2.79	3.41
65	301521	AI733621	Hs.133011	zinc finger protein 117 (HPF9)	0.67	0.67
	301531	AI077462	Hs.134084	ESTs	2.52	3.76
	301580	AI878959	Hs.73737	splicing factor, arginine/serine-rich 1	7.41	11.92
	301676	Z43570	Hs.27453	ESTs, Moderately similar to G01251 Rar p	8.31	10.70
	301690	F05865	Hs.108323	ubiquitin-conjugating enzyme E2E 2 (homo	2.70	4.22
	301718	F07744	Hs.7987	DKFZP434F162 protein	4.20	8.78
70	301799	AA384252	Hs.286132	D15F37 (pseudogene)	5.93	7.04
	301804	AA581004	Hs.62180	anillin (Drosophila Scraps homolog), act	1.70	0.76
	301822	X17033	Hs.271986	Integrin, alpha 2 (CD49B, alpha 2 subuni	1.58	1.36
	301846	R20002	Hs.6823	hypothetical protein FLJ10430	1.00	1.00
	301868	T71508	Hs.13861	ESTs, Weakly similar to pH sensitive max	2.88	5.49
75	301882	T78054		gb:yc97g09.r1 Soares infant brain 1N1B H	2.28	3.80
	301905	AI991127	Hs.117202	ESTs	1.00	1.00
	301948	AA344647	Hs.116724	aldo-keto reductase family 1, member B11	5.28	2.28
	301960	AW070252	Hs.27973	KIAA0874 protein	5.38	6.48
	302011	T91418	Hs.125156	transcriptional adaptor 2 (ADA2, yeast,	3.03	3.42
80	302016	N40834	Hs.23495	hypothetical protein FLJ11252	1.00	1.25
	302041	NM_001501	Hs.129715	gonadotropin-releasing hormone 2	0.71	0.99
	302072	AJ238381	Hs.132576	paired box gene 9	1.60	1.71
	302094	AI286176	Hs.6786	ESTs	0.52	1.20
	302095	AW044300	Hs.137506	Homo sapiens BAC clone RP11-120J2 from 7	2.75	4.93
85	302148	AW269618	Hs.23244	ESTs	3.04	3.87

	302155	A1088485	Hs.144759	ESTs	0.45	1.15
	302201	AJ006276	Hs.159003	transient receptor potential channel 6	0.33	0.84
	302202	AF097159	Hs.159140	UDP-Gal:betaGlcNAc beta 1,4-galactosylt	0.52	0.94
	302206	AI937193	Hs.41143	phospholipase-specific phospholipase	2.76	3.65
5	302209	AF047445	Hs.159297	killer cell lectin-like receptor subfami	1.00	1.00
	302235	AL049987	Hs.166361	Homo sapiens mRNA; cDNA DKFZp564F112 (fr	1.68	1.50
	302290	AL117607	Hs.175563	Homo sapiens mRNA; cDNA DKFZp564N0763 (f	1.00	2.11
	302328	AA354849	Hs.23240	Homo sapiens cDNA FLJ13496 fis, clone PL	9.38	13.08
10	302346	AL039101	Hs.194625	dynein, cytoplasmic, light intermediate	3.27	7.24
	302360	AJ010901	Hs.198267	mucln 4, tracheobronchial	2.54	1.88
	302384	Y08982	Hs.202676	synaptonemal complex protein 2	1.00	0.91
	302406	U06751	Hs.211956	CD3-epsilon-associated protein; antisens	2.63	2.67
	302409	AF155156	Hs.218028	adaptor-related protein complex 4, epsil	5.82	9.34
15	302423	AB028977	Hs.225974	KIAA1054 protein	3.66	3.18
	302432	AL080068	Hs.272534	Homo sapiens mRNA; cDNA DKFZp564J062 (fr	2.44	6.77
	302435	AF092047	Hs.227277	sine oculis homeobox (Drosophila) homolo	0.44	0.84
	302437	AB024730	Hs.227473	UDP-N-acetylglucosamine:alpha-1,3-D-mannosid	4.18	5.64
	302455	AA356923	Hs.240770	nuclear cap binding protein subunit 2, 2	1.85	0.92
20	302472	AA317451	Hs.6335	SWI/SNF related, matrix associated, acti	2.04	2.13
	302476	AF182294	Hs.241578	U6 snRNA-associated Sm-like protein LSMB	1.44	1.89
	302489	T80660	Hs.230424	Homo sapiens cDNA FLJ13540 fis, clone PL	0.51	1.10
	302490	AA885502	Hs.187032	ESTs	2.64	4.87
	302562	AJ005585	Hs.48956	gap junction protein, beta 6 (connexin 3	5.34	2.68
25	302566	AA085996	Hs.248572	hypothetical protein FLJ22965	1.00	1.21
	302630	AB029488	Hs.272100	SMS3 protein	0.52	1.24
	302634	AB032953	Hs.173560	odd Oz/ten-m homolog 2 (Drosophila, mous	1.00	1.00
	302638	AA463798	Hs.102696	MCT-1 protein	1.58	1.02
	302647	X57723	Hs.198273	NADH dehydrogenase (ubiquinone) 1 beta s	2.72	6.85
30	302655	AJ227892	Hs.146274	ESTs	1.00	4.32
	302656	AW293005	Hs.70704	Homo sapiens, clone IMAGE:2823731, mRNA,	2.97	0.93
	302668	AA580691	Hs.180789	S164 protein	0.80	0.95
	302679	H65022		gb:yu66g11.r1 Weizmann Olfactory Epithel	1.68	5.04
	302680	AW192334	Hs.38218	ESTs	2.70	7.98
35	302697	AJ001408		gb:Homo sapiens mRNA for immunoglobulin	4.25	8.13
	302705	U09060		gb:Human immunoglobulin heavy chain, V-r	3.91	8.68
	302711	L08442		gb:Human autonomously replicating sequen	2.20	2.73
	302719	W69724	Hs.288959	hypothetical protein FLJ20920	0.54	1.02
	302742	L12069		gb:Homo sapiens (clone WR4.10VH) anti-th	4.28	11.57
40	302755	AW384815	Hs.149208	KIAA1555 protein	1.57	2.38
	302771	H98476	Hs.42522	ESTs	2.94	4.68
	302789	AJ245067		gb:Homo sapiens mRNA for immunoglobulin	3.49	6.31
	302795	AJ245133	Hs.272838	hypothetical protein FLJ10494	0.80	2.74
	302802	Y08250		gb:H.sapiens mRNA for variable region of	1.13	0.77
45	302803	AA442824	Hs.293961	ESTs, Moderately similar to putative DNA	3.14	10.68
	302812	N31301	Hs.152664	hypothetical protein FLJ20051	3.04	8.24
	302847	X98940		gb:H.sapiens rearranged Ig heavy chain (1.80	1.92
	302885	AL137763	Hs.132127	hypothetical protein LOC57822	1.00	1.00
	302943	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti	0.53	0.67
50	302977	AW263124	Hs.315111	hypothetical protein FLJ12894	2.45	2.62
	303006	AF078950	Hs.24139	Homo sapiens cDNA: FLJ23137 fis, clone L	4.88	8.61
	303011	AF090405		gb:Homo sapiens clone 2A1 scFV antibody	1.41	1.86
	303013	F07898	Hs.288958	RAB22A, member RAS oncogene family	1.51	1.19
	303061	AF151882	Hs.27693	peptidylprolyl isomerase (cyclophilin)-I	0.72	0.76
55	303077	AF163305		gb:H.sapiens T-cell receptor mRNA	1.17	3.90
	303090	AA443259	Hs.146286	kinesin family member 13A	4.08	6.46
	303091	AF192913	Hs.130683	zinc finger protein 180 (HHZ168)	2.50	4.37
	303094	AF195513	Hs.278953	Pur-gamma	5.38	8.38
	303095	AF202051	Hs.134079	NM23-H8	3.26	4.08
60	303131	AW081061	Hs.103180	DC2 protein	2.02	1.83
	303195	AA082211	Hs.233936	myosin, light polypeptide, regulatory, n	1.32	3.95
	303196	AA082298	Hs.59710	ESTs	0.77	0.53
	303216	AA581439	Hs.152328	ESTs	0.24	0.63
	303222	AA333538	Hs.204501	hypothetical protein FLJ10534	3.56	6.22
65	303234	AA132255	Hs.143951	ESTs	2.28	3.17
	303251	AW340037	Hs.115897	protocadherin 12	0.38	1.02
	303295	AA205625	Hs.208067	ESTs	2.30	1.00
	303297	T80072	Hs.13423	Homo sapiens clone 24468 mRNA sequence	1.86	4.48
	303316	AF033122	Hs.14125	p53 regulated PA26 nuclear protein	0.10	0.80
70	303467	AA398801	Hs.323397	ESTs	4.54	9.65
	303506	AA340605	Hs.105887	ESTs, Weakly similar to Homolog of rat Z	0.09	0.04
	303552	AA359799	Hs.224662	ESTs, Weakly similar to unnamed protein	1.00	1.72
	303598	AA382814		gb:EST96097 Testis 1 Homo sapiens cDNA 5	4.96	9.14
	303637	AF056083	Hs.24879	phosphatidic acid phosphatase type 2C	2.06	2.02
75	303655	AA504702	Hs.258802	ATPase, (Na+)/K+ transporting, beta 4 po	1.00	1.24
	303756	AI738488	Hs.115838	ESTs	1.08	1.43
	303856	AA968589	Hs.180532	glucose phosphate isomerase	1.76	1.31
	303893	N88597	Hs.113503	karyopherin (importin) beta 3	2.30	2.57
	303907	AW467774	Hs.171880	polymerase (RNA) II (DNA directed) polyp	3.10	5.79
80	303946	AW474196	Hs.306637	Homo sapiens cDNA FLJ12363 fis, clone MA	5.06	11.86
	303978	AW513315		gb:xc043c12.x1 NCI_CGAP_U11 Homo sapiens	5.14	7.31
	303981	AW513804	Hs.278834	ESTs, Weakly similar to ALU1_HUMAN ALU S	2.83	4.06
	303990	AW515465		gb:xu71a11.x1 NCI_CGAP_Kid8 Homo sapiens	1.15	2.35
	303998	AW516449		gb:xt68f05.x1 NCI_CGAP_U12 Homo sapiens	2.20	9.35
85	303999	AW516611		gb:xp70b11.x1 NCI_CGAP_Ov39 Homo sapiens	4.85	6.28
	304006	AW517947		gb:xt66h02.x1 NCI_CGAP_U12 Homo sapiens	3.21	4.07

	304008	AW518198	Hs.3297	ribosomal protein S27a	6.50	11.08
	304009	AW518206	Hs.181165	eukaryotic translation elongation factor	1.88	3.27
	304024	T03036		gb:FB21B7 Fetal brain, Stratagene Homo s	2.15	3.55
5	304026	T03160		gb:FB26F2 Fetal brain, Stratagene Homo s	5.88	11.80
	304028	T03266		gb:FB7C1 Fetal brain, Stratagene Homo sa	5.59	13.46
	304036	T16855	Hs.244621	ribosomal protein S14	6.55	14.43
	304046	T54803		gb:yb42d06.s1 Stratagene fetal spleen (9	6.18	12.19
	304061	T61521		gb:yb73g01.s1 Stratagene ovary (937217)	2.64	8.23
10	304063	T62536		gb:yc04c12.s1 Stratagene lung (937210) H	0.53	1.61
	304097	R25376	Hs.177592	ribosomal protein, large, P1	6.49	11.67
	304114	R78946		gb:y187g02.s1 Soares placenta Nb2HP Homo	2.90	4.18
	304122	H28966		gb:ym31a06.s1 Soares infant brain 1NIB H	1.00	2.76
	304155	H68696		gb:yr78b06.s1 Soares fetal liver spleen	0.79	1.18
15	304203	N56929		gb:yy82d08.s1 Soares_multiple_sclerosis_	4.28	11.34
	304234	W81608		gb:zd88h06.s1 Soares_fetal_heart_NbHH19W	6.47	11.03
	304267	AA064862	Hs.73742	ribosomal protein, large, P0	1.34	1.16
	304270	AA069711	Hs.297753	vimentin	3.40	5.40
	304287	AA079286	Hs.78466	proteasome (prosome, macropain) 26S sub	2.93	4.42
20	304348	AA179868		gb:zp38g12.s1 Stratagene muscle 937209 H	3.98	10.96
	304415	AA290747	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	3.32	5.99
	304430	AA347682		gb:EST54044 Fetal heart II Homo sapiens	1.00	1.00
	304456	AA411240		gb:zv26g05.s1 Soares_NhHMPu_S1 Homo sapi	1.42	3.33
	304521	AA464716		gb:zx82c11.s1 Soares ovary tumor NbHOT H	2.18	1.15
25	304526	AA476427		gb:zx02c05.s1 Soares_total_fetus_Nb2HF8_	5.38	14.11
	304542	AA482602	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	4.16	8.23
	304546	AA486074	Hs.297681	serine (or cysteine) proteinase inhibitor	0.55	1.20
	304607	AA513322		gb:nh85e08.s1 NCI_CGAP_Br1.1 Homo sapien	1.95	2.10
	304640	AA524440	Hs.111334	ferritin, light polypeptide	2.10	2.83
	304650	AA527489	Hs.3463	ribosomal protein S23	3.33	12.62
30	304735	AA576453		gb:nm75h11.s1 NCI_CGAP_Co9 Homo sapiens	1.33	0.88
	304760	AA580401		gb:nn13g09.s1 NCI_CGAP_Co12 Homo sapiens	3.68	8.14
	304849	AA588167	Hs.13801	KIAA1685 protein	2.77	3.70
	304917	AA602685	Hs.284136	PRO2047 protein	7.16	11.01
35	304921	AA603092	Hs.297753	vimentin	2.47	4.24
	304966	AA613893	Hs.282435	ESTs	6.78	11.66
	304987	AA618044	Hs.300697	immunoglobulin heavy constant gamma 3 (G	0.90	1.23
	305016	AA626876		gb:zu89h06.s1 Soares_testis_NHT Homo sap	6.46	10.17
	305034	AA630128		gb:ab99c04.s1 Stratagene lung (937210) H	1.00	1.00
40	305072	AA641012		gb:nr72a12.s1 NCI_CGAP_Pr24 Homo sapiens	5.68	11.59
	305111	AA644187	Hs.303405	ESTs	1.48	1.37
	305148	AA654070		gb:nt01g08.s1 NCI_CGAP_Lym3 Homo sapiens	1.76	4.61
	305159	AA659166	Hs.275668	EST, Weakly similar to EF1D_HUMAN ELONG	1.00	2.15
	305190	AA665955		gb:ag57d12.s1 Gessler Wilms tumor Homo s	5.31	8.14
45	305232	AA670052	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	0.78	1.18
	305235	AA670480		gb:ag37e01.s1 Jia bone marrow stroma Hom	3.11	8.66
	305245	AA676695	Hs.81328	nuclear factor of kappa light polypeptid	4.38	7.53
	305312	AA700201		gb:zj44f07.s1 Soares_fetal_liver_spleen_	2.13	2.66
	305322	AA701597	Hs.163019	EST	1.20	1.40
50	305394	AA720942	Hs.300697	immunoglobulin heavy constant gamma 3 (G	1.16	0.68
	305413	AA724659		gb:al10f08.s1 Soares_parathyroid_tumor_N	5.86	9.87
	305447	AA737856		gb:nx10c08.s1 NCI_CGAP_GC3 Homo sapiens	2.21	2.86
	305476	AA745664	Hs.287445	hypothetical protein FLJ11726	3.36	6.54
	305483	AA748030	Hs.303512	EST	1.00	2.02
55	305528	AA769156		gb:nz12e05.s1 NCI_CGAP_GCB1 Homo sapiens	6.44	9.10
	305612	AA782347	Hs.272572	hemoglobin, alpha 2	0.19	0.79
	305614	AA782866		gb:aj09h02.s1 Soares_parathyroid_tumor_N	1.00	1.00
	305616	AA782884	Hs.275865	ribosomal protein S18	7.57	10.20
	305637	AA806124		gb:oe29a12.s1 NCI_CGAP_Pr25 Homo sapiens	4.78	12.42
60	305639	AA806138		gb:oe29c12.s1 NCI_CGAP_Pr25 Homo sapiens	0.89	0.70
	305650	AA807709		gb:nw31e04.s1 NCI_CGAP_GCB0 Homo sapiens4.9	8.71	8.71
	305680	AA813477		gb:ai67a05.s1 Soares_testis_NHT Homo sap	4.91	9.40
	305726	AA828156	Hs.73742	ribosomal protein, large, P0	0.19	0.81
	305728	AA828209		gb:of34a02.s1 NCI_CGAP_Kid6 Homo sapiens	5.12	9.29
65	305759	AA835353		gb:ak72b06.s1 Barstead spleen HPLRB2 Horn	1.66	4.11
	305792	AA845256		gb:ak84a08.s1 Barstead spleen HPLRB2 Horn	2.34	4.25
	305864	AA864374	Hs.73742	ribosomal protein, large, P0	0.30	1.40
	305901	AA872968		gb:oh63h08.s1 NCI_CGAP_Kid5 Homo sapiens	2.10	5.21
	305910	AA875981		gb:nx21h02.s1 NCI_CGAP_GC3 Homo sapiens	0.32	1.01
70	306015	AA897116		gb:am08b07.s1 Soares_NFL_T_GBC_S1 Homo s1.56	1.12	1.12
	306017	AA897221	Hs.109058	ribosomal protein S6 kinase, 90kD, polyp	5.21	7.90
	306020	AA897630	Hs.130027	EST	1.96	6.59
	306063	AA906316		gb:ok03g03.s1 Soares_NFL_T_GBC_S1 Homo s	7.38	20.69
	306065	AA906725		gb:ok78g02.s1 NCI_CGAP_GC4 Homo sapiens	7.19	13.48
	306104	AA910956		gb:ok85h11.s1 NCI_CGAP_Kid3 Homo sapiens	6.50	9.13
75	306109	AA911861		gb:og21a07.s1 NCI_CGAP_PNS1 Homo sapiens	4.21	5.25
	306148	AA917409	Hs.288036	tRNA isopentenylpyrophosphate transferas	2.20	2.70
	306242	AA932805		gb:oo60g04.s1 NCI_CGAP_Lu5 Homo sapiens	2.84	5.35
	306288	AA936900		gb:oi53h05.s1 NCI_CGAP_HN3 Homo sapiens	1.60	1.12
80	306325	AA953072	Hs.210546	interleukin 21 receptor	1.65	2.26
	306353	AA961382	Hs.275865	ribosomal protein S18	3.78	6.32
	306375	AA968650	Hs.276018	EST, Moderately similar to JC4662 ribos	4.30	5.74
	306396	AA970223		gb:op09d05.s1 NCI_CGAP_Kid6 Homo sapiens	0.95	2.45
	306428	AA975110	Hs.191228	hypothetical protein FLJ20284	3.19	4.10
85	306442	AA976899		gb:oo35e09.s1 NCI_CGAP_GC4 Homo sapiens	4.67	7.44
	306446	AA977348		gb:oo72e12.s1 NCI_CGAP_Kid6 Homo sapiens	3.92	6.27

	306458	AA978186		gb:xp33c06.s1 Soares_NFL_T_GBC_S1 Homo s	3.35	5.77
	306467	AA983508	Hs.163593	ribosomal protein L18a	3.72	5.37
	306510	AA988546		gb:or84d07.s1 NCI_CGAP_Lu5 Homo sapiens	1.00	1.00
5	306555	AA994304	Hs.276083	EST, Weakly similar to RL23_HUMAN 60S R	6.61	10.91
	306557	AA994530		gb:ou57e08.s1 NCI_CGAP_Br2 Homo sapiens	16.20	31.83
	306572	AA995686		gb:os25c12.s1 NCI_CGAP_Kid5 Homo sapiens	2.51	6.52
	306582	AA996248		gb:os18c10.s1 NCI_CGAP_Kid5 Homo sapiens	1.42	3.13
	306598	AI000320	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	4.91	8.68
	306605	AI000497	Hs.119500	ribosomal protein, large P2	1.96	8.60
10	306656	AI004024		gb:xou11b07.x1 Soares_NFL_T_GBC_S1 Homo s	0.11	0.45
	306676	AI005603	Hs.284136	PRO2047 protein	9.56	17.28
	306686	AI015615		gb:ov29f10.x1 Soares_testis_NHT Homo sap	1.86	3.60
	306702	AI022565	Hs.307670	EST	1.47	1.19
15	306728	AI027359	Hs.272572	hemoglobin, alpha 2	1.28	2.83
	306751	AI032589		gb:ow70h12.s1 Soares_fetal_liver_spleen_	3.91	5.21
	306767	AI038963	Hs.249118	ESTs	3.33	6.06
	306892	AI092465		gb:qa75h12.x1 Soares_fetal_heart_NbHH19W	3.77	7.46
	306897	AI093967		gb:qa33c06.s1 Soares_NhHMPu_S1 Homo sapi	2.12	2.85
20	306956	AI125111		gb:am66f03.s1 Barstead spleen HPLRB2 Hom	6.10	10.52
	306958	AI125152		gb:am55e09.x1 Johnston frontal cortex Ho	1.72	1.56
	307035	AI142774		ribosomal protein L13a	2.00	4.70
	307041	AI144243		gb:qb85b12.x1 Soares_fetal_heart_NbHH19W	9.12	12.56
	307091	AI167439		gb:ox70h06.s1 Soares_NhHMPu_S1 Homo sapi	4.88	8.52
	307181	AI189251		gb:qc99g06.x1 Soares_pregnant_uterus_NbH	3.55	6.44
25	307297	AI205798	Hs.111334	ferritin, light polypeptide	2.46	4.65
	307317	AI208303	Hs.147333	EST	5.64	10.13
	307327	AI214142	Hs.246381	CD68 antigen	3.18	5.15
	307382	AI223158	Hs.147885	ESTs	2.02	3.73
	307410	AI241715	Hs.77039	ribosomal protein S3A	0.72	0.48
30	307415	AI242118		gb:qh92b02.x1 Soares_NFL_T_GBC_S1 Homo s	2.38	3.51
	307423	AI243206	Hs.179573	collagen, type I, alpha 2	2.60	5.44
	307426	AI243364		gb:qh30g11.x1 Soares_NFL_T_GBC_S1 Homo s	3.18	7.67
	307517	AI275055		gb:ql72d03.x1 Soares_NhHMPu_S1 Homo sapi	1.00	1.00
35	307551	AI281556		gb:xqu52f11.x1 NCI_CGAP_Lym6 Homo sapiens	3.40	11.20
	307561	AI282207		gb:xqp65a12.x1 Soares_fetal_lung_NbHL19W	4.74	15.51
	307608	AI290295		gb:xqm01f02.x1 Soares_NhHMPu_S1 Homo sapi	3.50	7.19
	307657	AI306428	Hs.298262	ribosomal protein S19	1.76	2.44
	307691	AI318285		gb:lb17b01.x1 NCI_CGAP_Ov37 Homo sapiens	1.59	1.31
40	307701	AI318583	Hs.276672	EST, Weakly similar to RL6_HUMAN 60S RI	1.90	2.13
	307718	AI333406	Hs.83753	small nuclear ribonucleoprotein polypept	0.45	0.99
	307730	AI336092		gb:xql43b07.x1 Soares_fetal_lung_NbHL19W	1.51	0.99
	307760	AI342387		gb:xql27f07.x1 Soares_pregnant_uterus_NbH	1.00	1.00
	307764	AI342731		gb:qo26a07.x1 NCI_CGAP_Lu5 Homo sapiens	4.52	12.58
45	307783	AI347274		gb:tc05d02.x1 NCI_CGAP_Co16 Homo sapiens	1.42	1.00
	307796	AI350556		gb:xql18f09.x1 NCI_CGAP_GC4 Homo sapiens	6.57	9.61
	307807	AI351799		gb:xql09d02.x1 NCI_CGAP_GC4 Homo sapiens	3.38	7.68
	307808	AI351826		gb:xql09g03.x1 NCI_CGAP_GC4 Homo sapiens	0.33	0.86
	307820	AI355761		gb:xql94a11.x1 NCI_CGAP_Co14 Homo sapiens	7.94	21.57
50	307830	AI358722	Hs.276737	EST, Weakly similar to R5HU22 ribosomal	2.05	3.32
	307852	AI365541		gb:xqz08g05.x1 NCI_CGAP_CLL1 Homo sapiens	3.18	5.21
	307902	AI380462		gb:tg02h05.x1 NCI_CGAP_CLL1 Homo sapiens	3.13	4.99
	307997	AI434512	Hs.181165	eukaryotic translation elongation factor	1.00	3.01
	308002	AI435240	Hs.283442	ESTs	5.86	12.64
55	308011	AI439473		gb:ti60a08.x1 NCI_CGAP_Lym12 Homo sapien	3.79	5.83
	308023	AI452732	Hs.251577	hemoglobin, alpha 1	0.38	0.88
	308041	AI458824	Hs.169476	glyceraldehyde-3-phosphate dehydrogenase	4.36	6.06
	308059	AI468938	Hs.276877	EST, Weakly similar to RL10_HUMAN 60S R	1.80	1.98
	308085	AI474135	Hs.181165	eukaryotic translation elongation factor	3.38	4.14
60	308101	AI475950	Hs.181165	eukaryotic translation elongation factor	1.30	3.87
	308106	AI476803		gb:tj77e12.x1 Soares_NSF_F8_9W_OT_PA_P_S2.38	3.38	8.72
	308122	AI480123	Hs.308411	EST	2.70	3.86
	308154	AI500600		gb:tn93d08.x1 NCI_CGAP_UI2 Homo sapiens	0.66	1.33
	308171	AI523632	Hs.298766	ESTs, Weakly similar to schlafen4 [M.mu	2.48	4.86
65	308211	AI557029	Hs.278572	anaplastic lymphoma kinase (K1-1)	2.43	2.14
	308213	AI557041		gb:PT2.1_12_E04.r tumor2 Homo sapiens cD	3.34	3.79
	308216	AI557135		gb:PT2.1_13_H06.r tumor2 Homo sapiens cD	4.61	4.78
	308219	AI557246		gb:PT2.1_15_D07.r tumor2 Homo sapiens cD	4.87	7.94
	308271	AI567844	Hs.252259	ribosomal protein S3	2.40	6.35
70	308319	AI583983	Hs.181165	eukaryotic translation elongation factor	2.45	3.33
	308362	AI613519	Hs.105749	KIAA0553 protein	1.24	1.41
	308413	AI636253	Hs.196511	ESTs	3.16	4.82
	308450	AI660860	Hs.96840	KIAA1527 protein	1.79	2.68
	308464	AI672425	Hs.277117	EST, Moderately similar to I38055 myosi	4.87	8.27
75	308588	AI718299		gb:as51g12.x1 Barstead aorta HPLRB6 Homo	3.90	5.64
	308599	AI719893		gb:as47d07.x1 Barstead aorta HPLRB6 Homo	3.32	5.12
	308615	AI738593	Hs.101774	hypothetical protein FLJ23045	3.11	2.36
	308643	AI745040		gb:lr19a12.x1 NCI_CGAP_Ov23 Homo sapiens	3.98	3.69
	308673	AI760864		gb:wi09c10.x1 NCI_CGAP_CLL1 Homo sapiens	0.82	0.99
80	308697	AI767143		gb:wi97a07.x1 NCI_CGAP_Kid12 Homo sapien	2.76	5.59
	308762	AI807405	Hs.259408	ESTs	3.17	6.30
	308778	AI811109		gb:tr04c11.x1 NCI_CGAP_Ov23 Homo sapiens	1.00	1.00
	308782	AI811767	Hs.2186	eukaryotic translation elongation factor	2.94	5.15
	308808	AI818289		gb:wk52c01.x1 NCI_CGAP_Pr22 Homo sapiens	4.41	8.34
85	308823	AI824118	Hs.217493	annexin A2	1.85	1.92
	308875	AI832332		gb:zal48g03.x1 Barstead colon HPLRB7 Homo	2.52	3.80

	308879	AJ832763	Hs.75968	thymosin, beta 4, X chromosome	3.38	7.96
	308886	AJ833240		gb:ai76d10.x1 Barstead colon HPLRB7 Homo	3.06	2.65
	308898	AJ858845		gb:w32d10.x1 NCI_CGAP_U11 Homo sapiens	2.45	3.44
5	308934	AJ865023	Hs.177	phosphatidylinositol glycan, class H	4.14	6.76
	308966	AJ870704		gb:w47h01.x1 NCI_CGAP_U11 Homo sapiens	1.00	1.00
	308979	AJ873111		gb:w52h05.x1 NCI_CGAP_Bm25 Homo sapien	7.15	11.10
	309045	AJ910902		gb:tq39f01.x1 NCI_CGAP_U11 Homo saplens	0.61	0.59
	309051	AJ911975		gb:wd78d01.x1 NCI_CGAP_Lu24 Homo sapiens	1.78	4.42
10	309069	AJ917366	Hs.78202	SWI/SNF related, matrix associated, act	3.27	5.88
	309083	AJ922426	Hs.119598	ribosomal protein L3	2.39	3.34
	309105	AJ925503	Hs.265884	ESTs	5.54	17.78
	309122	AJ928178		gb:wo95a11.x1 NCI_CGAP_Kid11 Homo saplen	1.00	2.92
	309128	AJ928816	Hs.180842	ribosomal protein L13	1.38	5.55
15	309164	AJ937761		gb:wp84b09.x1 NCI_CGAP_Bm25 Homo saplen	2.43	3.11
	309177	AJ951118		gb:wx63g05.x1 NCI_CGAP_Br18 Homo sapiens	0.81	0.97
	309288	AJ991525	Hs.299426	ESTs	4.86	7.46
	309299	AW003478		gb:wq66c06.x1 NCI_CGAP_GC6 Homo sapiens	4.36	9.43
	309303	AW004823		gb:ws93a08.x1 NCI_CGAP_Co3 Homo sapiens	2.88	7.54
20	309411	AW085201	Hs.244144	EST	4.30	7.14
	309437	AW090702	Hs.278242	tubulin, alpha, ubiquitous	2.49	3.11
	309459	AW117645	Hs.65114	keratin 18	2.88	4.55
	309476	AW129368		gb:xe14b05.x1 NCI_CGAP_Ui4 Homo sapiens	2.08	6.60
	309499	AW136325	Hs.279771	Homo sapiens clone PP1596 unknown mRNA	2.82	3.55
25	309529	AW150807	Hs.181357	laminin receptor 1 (67kD, ribosomal pro	4.78	3.95
	309532	AW151119		gb:xg33e10.x1 NCI_CGAP_Ui1 Homo sapiens	1.18	4.40
	309526	AW192004	Hs.297681	serine (or cysteine) proteinase inhibit	4.46	12.06
	309641	AW194230	Hs.253100	EST, Moderately similar to GHU Ig gamm	1.47	1.39
	309675	AW205681	Hs.253506	EST, Moderately similar to ATPN_HUMAN A	5.68	15.20
30	309693	AW237221	Hs.181357	laminin receptor 1 (67kD, ribosomal prot	1.00	1.00
	309695	AW238011	Hs.295605	mannosidase, alpha, class 2A, member 2	5.45	9.61
	309700	AW241170	Hs.179661	tubulin, beta polypeptide	1.41	1.25
	309747	AW264889		gb:xq36h02.x1 NCI_CGAP_Lu28 Homo sapiens	5.00	8.35
	309769	AW272346		gb:xs13c10.x1 NCI_CGAP_Kid11 Homo sapien	5.76	11.90
35	309782	AW275156	Hs.156110	immunoglobulin kappa constant	0.42	0.69
	309783	AW275401	Hs.254798	EST	1.00	4.11
	309799	AW276964		gb:xp58h01.x1 NCI_CGAP_Ov39 Homo sapiens	1.68	1.44
	309866	AW299916		gb:xs44c01.x1 NCI_CGAP_Kid11 Homo sapien	3.02	5.04
40	309903	AW339071	Hs.300697	immunoglobulin heavy constant gamma 3 (G	1.05	1.18
	309923	AW340684		gb:hd05g08.x1 Soares_NFL_T_GBC_S1 Homo s	2.30	3.67
	309928	AW341418		gb:hd08c03.x1 Soares_NFL_T_GBC_S1 Homo s	7.41	13.71
	309931	AW341683		gb:hd13d01.x1 Soares_NFL_T_GBC_S1 Homo s	1.20	12.70
	309933	AW341936		gb:hb73f10.x1 NCI_CGAP_Ui2 Homo sapiens	4.90	18.29
	309964	AW449111	Hs.257111	hypothetical protein MGC3265	1.99	3.07
45	310002	AJ439096	Hs.323079	Homo sapiens mRNA; cDNA DKFZp564P116 (fr	0.20	0.47
	310096	AW136822	Hs.172824	ESTs, Weakly similar to B48013 proline-r	1.51	1.22
	310098	AJ685841	Hs.161354	ESTs	0.31	0.76
	310109	AJ203094	Hs.148633	ESTs	2.06	5.83
	310112	AW197233	Hs.147253	ESTs	2.92	3.55
50	310115	AJ611317	Hs.223796	ESTs	1.25	0.84
	310121	AW195642	Hs.148901	ESTs	1.00	2.71
	310146	AJ206614	Hs.197422	ESTs	9.50	15.31
	310193	AJ627653	Hs.147562	ESTs	2.85	4.18
	310255	AW450439	Hs.153378	ESTs	4.26	10.63
55	310261	AJ240483	Hs.201217	ESTs	3.28	4.40
	310284	AJ915771	Hs.74170	metallothionein 1E (functional)	0.26	0.86
	310275	AJ242102	Hs.213636	ESTs	5.43	8.19
	310282	AJ243332	Hs.156055	ESTs	3.15	8.06
	310290	AW013815	Hs.149103	ESTs	2.19	3.12
60	310333	AJ253200	Hs.145402	ESTs	1.17	1.91
	310346	AJ261340	Hs.145517	ESTs	4.81	9.95
	310385	AJ263392	Hs.156151	ESTs	5.96	7.79
	310443	AW119018	Hs.164231	ESTs	2.90	4.63
	310444	AW196632	Hs.252956	ESTs	0.85	1.01
65	310446	AJ275715	Hs.145926	ESTs	2.18	3.85
	310468	AJ984074	Hs.196398	ESTs	3.39	5.19
	310477	AJ948801	Hs.171073	ESTs	1.00	1.00
	310512	AW275603	Hs.200712	ESTs	3.87	8.12
	310514	AJ681145	Hs.160724	ESTs	3.30	7.33
70	310524	AW082270	Hs.12496	ESTs, Highly similar to AC004936 1 simil	0.72	1.44
	310547	AJ302654	Hs.208024	ESTs	3.26	3.46
	310584	AJ653007	Hs.156304	ESTs	2.39	4.08
	310608	AJ962234	Hs.196102	ESTs	5.60	6.49
	310624	AJ341594		gb:Human endogenous retrovirus H proteas	4.91	9.09
75	310636	AJ814373	Hs.164175	ESTs	1.85	1.71
	310648	AJ347853	Hs.156672	ESTs	0.17	0.69
	310694	AJ654370	Hs.157752	Homo sapiens mRNA full length insert cDN	5.40	13.22
	310695	AJ472124	Hs.157757	ESTs	4.82	6.27
	310714	AJ418446	Hs.157882	ESTs	1.76	3.51
80	310722	AJ989803	Hs.157289	ESTs	1.14	6.85
	310756	AJ916560	Hs.158707	ESTs	8.46	13.01
	310764	AJ376769	Hs.167172	ESTs	4.76	7.37
	310848	AJ459554	Hs.161286	ESTs	2.84	1.96
	310851	AW291714	Hs.221703	ESTs	1.00	2.32
85	310854	AJ421677	Hs.161332	ESTs	6.37	7.94
	310858	AJ871000	Hs.161330	ESTs	6.07	9.84

	310864	AJ924558	Hs.161399	ESTs	0.87	0.78
	310875	T47764	Hs.132917	ESTs	1.00	3.63
	310896	AW157731	Hs.270982	ESTs, Moderately similar to ALU7_HUMAN A	7.07	16.68
5	310922	AW195634	Hs.170401	ESTs	1.00	1.00
	310955	AJ560210	Hs.263912	ESTs	10.08	17.65
	310957	AW190974	Hs.196918	ESTs	2.18	3.18
	311000	AJ521830	Hs.171050	ESTs	3.06	6.64
	311012	AW298070	Hs.241097	ESTs	1.23	3.77
10	311034	AJ564023	Hs.311389	ESTs, Moderately similar to PT0375 natur	2.44	2.09
	311074	AW290922	Hs.199848	ESTs	6.04	14.19
	311134	AJ990849	Hs.196971	ESTs	3.54	6.96
	311174	AW450552	Hs.205457	periaxin	0.65	0.95
	311187	AJ638374	Hs.224189	ESTs	2.46	2.78
15	311220	AJ656040	Hs.196532	ESTs	1.10	2.52
	311230	AJ989808	Hs.197663	ESTs	1.41	1.75
	311236	AJ653378	Hs.197674	ESTs	2.18	2.11
	311242	AW016812	Hs.200266	ESTs	0.63	5.11
	311258	AJ671221	Hs.199887	ESTs	1.00	1.41
20	311277	AW072813	Hs.270868	ESTs, Moderately similar to ALU4_HUMAN A	2.56	1.94
	311294	AA826425	Hs.291829	ESTs	1.04	2.69
	311308	F12664	Hs.49000	ESTs	1.96	6.70
	311351	AJ682303	Hs.201274	ESTs	4.77	9.38
	311390	AW392997	Hs.202280	ESTs	2.80	6.06
25	311405	AW290961	Hs.201815	ESTs	3.80	11.66
	311409	AJ698839		gb:wd31f02.x1 Soares_NFL_T_GBC_S1 Homo s	3.84	6.94
	311420	AJ936291	Hs.208867	ESTs	5.30	12.56
	311443	AJ791521	Hs.192206	ESTs	4.39	6.09
	311467	AJ934909	Hs.175377	ESTs	1.00	1.04
30	311479	AJ933672	Hs.211399	ESTs	2.76	5.61
	311488	R57390	Hs.301064	arfaptin 1	2.50	5.73
	311495	AW300077	Hs.221358	ESTs	3.63	6.09
	311511	AW444568	Hs.210303	ESTs	2.00	2.87
	311534	AW130351	Hs.243549	ESTs	0.31	1.33
35	311537	AJ805121	Hs.211828	ESTs	3.69	5.85
	311543	AJ681360	Hs.201259	ESTs	1.73	1.34
	311551	AW449774	Hs.296380	POM (POM121 rat homolog) and ZP3 fusion	3.31	6.12
	311557	AJ819230	Hs.211238	interleukin-1 homolog 1	1.00	1.00
	311558	Z44432	Hs.63128	KIAA1292 protein	2.25	3.41
40	311559	AW008271	Hs.265848	similar to rat myomegalin	2.68	5.90
	311563	AJ922143	Hs.211334	ESTs	2.39	3.32
	311586	AJ827834	Hs.211227	ESTs	2.47	3.85
	311616	AW450575	Hs.212709	ESTs	1.00	1.00
	311621	AJ924307	Hs.213464	ESTs	4.16	6.74
45	311635	AJ928456	Hs.213081	ESTs	2.17	3.76
	311668	AW193674	Hs.240044	ESTs	2.60	3.12
	311672	R11807	Hs.20914	hypothetical protein FLJ23056	2.79	5.18
	311683	AW183738	Hs.232644	ESTs	0.19	0.96
50	311700	R49601	Hs.171495	retinoic acid receptor, beta	6.28	8.83
	311714	AW131785	Hs.246831	ESTs, Weakly similar to CIKG_HUMAN VOLTA	5.00	8.17
	311735	AW294416	Hs.144687	Homo sapiens cDNA FLJ12981 fis, clone NT	0.96	0.72
	311743	T99079	Hs.191194	ESTs	1.00	1.95
	311783	AJ682478	Hs.13528	hypothetical protein FLJ14054	0.16	0.77
	311785	AJ056769	Hs.133512	ESTs	1.34	3.97
55	311799	AA780791	Hs.14014	ESTs, Weakly similar to KIAA0973 protein	8.52	13.32
	311819	AW265275	Hs.254325	ESTs	3.58	3.91
	311823	AJ089422	Hs.131297	ESTs	1.40	1.72
	311877	AA349893	Hs.85339	G protein-coupled receptor 39	0.95	0.91
	311886	AA522738	Hs.132554	ESTs	0.88	0.87
60	311896	AW206447		gb:UJ-H-BI1-afg-g-02-0-UJ.s1 NCI_CGAP_Su	1.66	1.13
	311910	N28365	Hs.22579	Homo sapiens clone CDABP0036 mRNA sequen	1.66	2.30
	311923	T60843	Hs.189679	ESTs	0.42	2.63
	311933	AJ597963	Hs.118726	ESTs	1.88	3.02
	311959	T67262	Hs.124733	ESTs	2.02	2.33
65	311960	AW440133	Hs.189690	ESTs	3.87	6.62
	311967	AJ382726	Hs.182434	ESTs	5.80	8.14
	311975	AA804374	Hs.272203	Homo sapiens cDNA FLJ20843 fis, clone AD	0.98	3.26
	312005	T78450	Hs.13941	ESTs	0.12	1.39
	312028	T78886	Hs.284450	ESTs	3.78	4.92
70	312046	AJ580018	Hs.268591	ESTs	4.11	7.32
	312056	T83748	Hs.268594	ESTs	2.36	3.08
	312064	AA676713	Hs.191155	ESTs	3.34	5.28
	312088	AW303760	Hs.13685	ESTs	1.60	1.15
	312093	T91809	Hs.121296	ESTs	0.68	0.85
75	312094	Z78390		gb:HSZ78390 Human fetal brain S. Meier-E	3.05	4.48
	312097	AJ352096	Hs.112180	zinc finger protein 148 (pH2-52)	4.52	9.70
	312118	T85332	Hs.178294	ESTs	2.40	2.60
	312128	AJ052609	Hs.17631	Homo sapiens cDNA FLJ20118 fis, clone CO	2.39	3.53
	312147	T89855	Hs.195648	ESTs	0.67	1.03
80	312175	AA953383	Hs.127554	ESTs	5.85	10.60
	312179	AJ052572	Hs.269864	ESTs	2.41	3.32
	312201	AJ928365	Hs.91139	solute carrier family 1 (neuronal/epith	0.24	0.89
	312207	H90213	Hs.191330	ESTs	2.20	4.55
	312220	N74613		gb:za55a07.s1 Soares fetal liver spleen	4.28	11.13
85	312252	AJ128388	Hs.143655	ESTs	1.64	1.57
	312304	AA491949	Hs.269392	ESTs	0.12	2.47

	312318	AW235092	Hs.143981	ESTs	3.46	5.69
	312319	AA216698	Hs.180780	TERA protein	5.78	4.46
	312321	R66210	Hs.186937	ESTs	0.44	1.74
5	312331	AA825512	Hs.289101	glucose regulated protein, 58kD	3.73	5.96
	312339	AA524394	Hs.165544	ESTs	3.07	0.95
	312363	AI675558	Hs.181867	ESTs	10.08	16.73
	312375	AI375096	Hs.172405	cell division cycle 27	2.78	3.71
	312376	R52089	Hs.172717	ESTs	1.00	1.00
10	312389	AI863140		gb:tz43h12.x1 NCI_CGAP_Bm52 Homo sapien	2.37	3.98
	312437	AA995028		gb:RC4-BT0629-120200-011-b10 BT0629 Homo	4.06	5.41
	312440	AI051133	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f	1.00	1.00
	312451	R59989	Hs.176539	ESTs	4.96	10.04
	312458	AI167637	Hs.146924	ESTs	1.11	1.00
	312507	AI168177	Hs.143653	ESTs	5.89	8.24
15	312520	AI742591	Hs.205392	ESTs	3.30	8.92
	312548	AI566228	Hs.159426	hypothetical protein PRO2121	1.38	1.65
	312564	H21520	Hs.35088	ESTs	0.40	0.77
	312583	AI193122	Hs.124141	ESTs	0.13	0.94
	312599	AI865073	Hs.125720	ESTs	3.75	5.29
20	312602	AA046451	Hs.165200	ESTs	6.78	12.93
	312645	H52121	Hs.193007	ESTs	0.38	1.13
	312666	AI240582	Hs.214678	ESTs	0.98	2.03
	312689	AW450461	Hs.203965	ESTs	0.21	0.61
	312817	H75459	Hs.233425	ESTs	1.51	0.85
25	312846	AW152104	Hs.200879	ESTs	8.93	13.78
	312873	AI690071	Hs.283552	ESTs, Weakly similar to unnamed protein	4.20	6.23
	312893	AI016204	Hs.172922	ESTs	2.67	3.15
	312902	AW292797	Hs.130316	ESTs, Weakly similar to T2D3_HUMAN TRANS	1.19	0.71
30	312925	N90868	Hs.271695	ESTs	2.50	4.25
	312936	AI681581	Hs.121525	ESTs	1.00	1.17
	312975	AI640506	Hs.293119	ESTs, Weakly similar to ALU7_HUMAN ALU S	2.30	4.80
	312978	N24887	Hs.292500	ESTs	0.80	1.05
	312980	AA497043	Hs.115685	ESTs	3.12	3.60
	312984	N25871	Hs.177337	ESTs	2.03	2.13
35	313000	AI147412	Hs.146657	ESTs	5.52	8.42
	313029	AA731520	Hs.170504	ESTs	0.96	1.39
	313039	AI419290	Hs.149990	ESTs, Weakly similar to unnamed protein	6.48	13.20
	313049	AW293055	Hs.119357	ESTs	6.44	10.73
40	313056	AI651930	Hs.135684	ESTs	1.51	2.04
	313058	DB1015	Hs.125382	ESTs	0.25	1.50
	313070	AI422023	Hs.161338	ESTs	8.56	11.60
	313097	AI676164	Hs.204339	ESTs	3.72	4.56
	313130	AW449171	Hs.168677	ESTs	3.28	5.05
45	313136	N59284	Hs.288010	ESTs	0.49	1.36
	313153	AI240838	Hs.132750	ESTs	5.36	5.52
	313210	N74077	Hs.197043	ESTs	0.30	0.66
	313236	AW238169	Hs.83513	ESTs, Weakly similar to ALU1_HUMAN ALU S	5.16	8.76
	313239	W19632	Hs.124170	ESTs	1.00	3.87
50	313265	N93466	Hs.121764	ESTs, Weakly similar to testicular tekti	0.74	2.06
	313267	AI770008	Hs.129583	ESTs	0.23	1.30
	313275	AI027604	Hs.159650	ESTs	6.68	9.57
	313290	AI753247	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT	1.34	1.07
	313292	AI362991	Hs.202121	ESTs, Weakly similar to env protein [H.s	2.00	4.32
55	313325	AI420611	Hs.127832	ESTs	1.20	2.27
	313357	AW074848	Hs.201501	ESTs	4.02	5.33
	313393	AI674685	Hs.200141	ESTs	1.36	2.84
	313399	AW376889	Hs.194097	ESTs	2.58	5.26
	313414	AI241540	Hs.132933	ESTs	6.57	15.07
60	313417	AA741151	Hs.137323	ESTs	0.63	3.01
	313457	AA576052	Hs.193223	Homo sapiens cDNA FLJ11646 fis, clone HE	2.78	4.70
	313499	AI261390	Hs.146085	KIAA1345 protein	0.91	2.37
	313516	AA029058	Hs.135145	ESTs	3.41	7.08
	313556	AA628517	Hs.118502	ESTs	0.23	0.70
65	313569	AI273419	Hs.135146	hypothetical protein FLJ13984	1.88	1.00
	313570	AA041455	Hs.209312	ESTs	0.73	2.27
	313638	AI753075	Hs.104627	Homo sapiens cDNA FLJ10158 fis, clone HE	1.00	1.72
	313662	AA740151	Hs.130425	ESTs	0.20	1.42
	313671	W49823	Hs.104613	RP42 homolog	1.00	1.00
70	313672	AW468891	Hs.122948	ESTs	3.46	5.80
	313690	AI493591	Hs.78146	platelet/endothelial cell adhesion molec	0.51	0.97
	313711	AA398070	Hs.133471	ESTs	0.18	1.01
	313723	AA070412		gb:zmf68c10.s1 Stratagene neuroepithelium	1.08	1.03
	313726	AI744687	Hs.257806	ESTs	2.13	2.99
75	313774	AW136836	Hs.144583	ESTs	1.38	1.19
	313784	AA910514	Hs.134905	ESTs	3.88	5.78
	313790	AW078569	Hs.177043	ESTs	0.22	2.06
	313832	AW271022	Hs.133294	ESTs	1.15	0.91
	313834	AW418779	Hs.114889	ESTs	0.68	3.14
80	313835	AI538438	Hs.159087	ESTs	5.74	8.88
	313852	H18633	Hs.123641	protein tyrosine phosphatase, receptor t	0.16	1.14
	313854	AW470806	Hs.275002	ESTs	2.09	4.06
	313865	AA731470	Hs.163839	ESTs	3.41	4.09
	313871	AW471088	Hs.145950	ESTs	5.28	6.83
85	313883	AI949384		gb:nu76d01.s1 NCI_CGAP_AI1 Homo sapiens	2.90	10.91
	313915	AI969390	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	1.00	1.00

	313926	AW473830	Hs.171442	ESTs	3.40	4.11
	313948	AW452823	Hs.135268	ESTs	5.77	9.15
	313978	AI870175	Hs.13957	ESTs	0.46	0.75
5	313983	AI829133	Hs.226780	ESTs	4.10	6.40
	314035	AA164199	Hs.270152	ESTs	5.88	7.90
	314037	AW300048	Hs.275272	ESTs	1.00	3.79
	314040	AA166970	Hs.118748	ESTs	7.60	11.33
	314067	AW293538	Hs.51743	KIAA1340 protein	1.86	1.21
10	314103	AI028477	Hs.132775	ESTs	2.90	5.29
	314107	AA806113	Hs.189025	ESTs	2.00	1.66
	314113	AA218986	Hs.118854	ESTs	0.91	4.17
	314124	AW118745	Hs.9460	Homo sapiens mRNA; cDNA DKFZp547C244 (fr	2.53	3.32
	314126	AA226431		gb:nc18b12.s1 NCL_CGAP_Pr1 Homo sapiens	3.13	5.08
15	314128	AA935633	Hs.194628	ESTs	2.90	6.35
	314151	AA236163	Hs.202430	ESTs	4.15	6.45
	314184	AW081795	Hs.233465	ESTs	3.44	4.65
	314192	AW290975	Hs.118923	ESTs	1.00	1.23
	314244	AL036450	Hs.103238	ESTs	2.88	3.67
20	314253	AA278679	Hs.189510	ESTs	4.98	7.16
	314262	AW086215	Hs.246096	ESTs	0.38	1.94
	314320	AA811598	Hs.275809	ESTs	3.34	5.66
	314332	AL037551	Hs.95612	ESTs	2.85	2.09
	314335	AA287443	Hs.142570	Homo sapiens clone 24629 mRNA sequence	4.35	4.78
25	314340	AW304350	Hs.130879	ESTs, Moderately similar to putative p15	0.77	0.86
	314351	AA292275	Hs.193746	ESTs	3.07	3.77
	314376	AI628633	Hs.324679	ESTs	4.10	6.11
	314443	AA827125	Hs.192043	ESTs	6.20	13.67
	314458	AI217440	Hs.143873	ESTs	0.58	2.49
30	314466	AA767818	Hs.122707	ESTs	2.53	2.62
	314478	AI521173	Hs.125507	DEAD-box protein	3.94	5.65
	314482	AL043807	Hs.134182	ESTs	1.30	1.44
	314506	AA833655	Hs.206868	Homo sapiens cDNA FLJ14056 fis, clone HE	3.28	3.47
	314519	R42554	Hs.210862	T-box, brain, 1	3.12	6.16
35	314529	AL046412	Hs.202151	ESTs	3.43	6.87
	314546	AW007211	Hs.16131	hypothetical protein FLJ12876	1.38	1.00
	314562	AI564127	Hs.143493	ESTs	2.29	5.27
	314579	AW197442	Hs.116998	ESTs	3.87	5.75
	314580	AW451832	Hs.255938	ESTs, Moderately similar to KIAA1200 pro	0.10	0.71
40	314585	AA918474	Hs.216363	ESTs	1.08	1.40
	314589	AW384790	Hs.153408	Homo sapiens cDNA FLJ10570 fis, clone NT	1.00	1.00
	314592	AA435761	Hs.192148	ESTs	0.90	2.60
	314603	AA418024	Hs.270670	ESTs	4.56	6.29
	314604	AA946582	Hs.8700	deleted in liver cancer 1	3.42	3.92
45	314606	AA418241	Hs.188767	ESTs	2.97	4.55
	314648	AA878419		gb:EST391378 MAGE resequences, MAGP Homot.42		1.36
	314699	AI038719	Hs.132801	ESTs	3.66	4.97
	314701	AI754634	Hs.131987	ESTs	0.03	0.90
	314710	AI669131	Hs.290989	EST	3.40	7.52
50	314750	AI095005	Hs.135174	ESTs	2.80	6.54
	314767	AW135412	Hs.164002	ESTs	3.20	4.26
	314801	AA481027	Hs.109045	hypothetical protein FLJ10498	1.00	1.00
	314817	AI694139	Hs.192855	ESTs	0.91	0.99
	314835	AI281370	Hs.76064	ribosomal protein L27a	5.75	7.44
55	314852	AI903735		gb:MR-BT035-200199-031 BT035 Homo sapien	1.68	4.34
	314853	AA729232	Hs.153279	ESTs	0.60	1.85
	314940	AW452768	Hs.162045	ESTs	10.10	16.20
	314941	AA515902	Hs.130650	ESTs	0.31	1.02
	314943	AI476797	Hs.184572	cell division cycle 2, G1 to S and G2 to	2.18	0.37
60	314955	AA521382	Hs.192534	ESTs	2.59	3.90
	314973	AW273128	Hs.300268	ESTs	1.05	1.25
	315004	AA527941	Hs.325351	EST	5.64	13.63
	315006	AI538613	Hs.298241	Transmembrane protease, serine 3	0.52	1.78
	315033	AI493046	Hs.146133	ESTs	2.46	1.00
65	315035	AI569476	Hs.177135	ESTs	0.34	1.33
	315056	AI202703	Hs.152414	ESTs	2.10	2.64
	315069	AI821517	Hs.105866	ESTs	1.00	1.30
	315071	AA552690	Hs.152423	Homo sapiens cDNA: FLJ21274 fis, clone C	1.78	1.00
	315073	AW452948	Hs.257631	ESTs	1.17	1.52
70	315078	AA568548	Hs.190616	ESTs	3.00	3.79
	315080	AA744550	Hs.136345	ESTs	1.00	1.00
	315120	AA564991	Hs.269477	ESTs	0.64	1.44
	315175	AI025842	Hs.152530	ESTs	0.61	1.91
	315193	AI241331	Hs.131765	ESTs	1.06	0.97
75	315196	AA972756	Hs.44898	Homo sapiens clone TCCCTA00151 mRNA sequ	0.48	1.96
	315200	AI808235	Hs.307686	EST	3.76	9.40
	315254	AI474433	Hs.179556	ESTs	5.37	9.36
	315353	AW452608	Hs.279610	hypothetical protein FLJ10493	1.00	1.30
	315397	AA218940	Hs.137516	fidgulin-like 1	3.38	2.24
80	315403	AW362980	Hs.163924	ESTs	2.04	5.23
	315431	AA622104	Hs.184838	ESTs	2.36	8.04
	315454	AI239473		gb:qh36f02.x1 Soares_NFL_T_GBC_S1 Homo s	3.46	7.64
	315455	AW393391	Hs.156919	ESTs	3.78	5.76
	315473	AI681671	Hs.312671	ESTs, Moderately similar to OVCA1	0.89	2.15
85	315483	AW512763	Hs.222024	transcription factor BMAL2	2.32	1.96
	315526	AI193048	Hs.128685	ESTs	1.67	1.78

	315530	AI200852	Hs.127780	ESTs	1.05	1.01
	315541	AI168233	Hs.123159	sperm associated antigen 4	0.85	0.56
	315552	AW445034	Hs.256578	ESTs	1.00	2.22
5	315562	AA737415	Hs.152826	ESTs	2.66	2.48
	315577	AW513545	Hs.17283	hypothetical protein FLJ10890	2.20	2.25
	315587	AI268399	Hs.140489	ESTs	1.00	1.04
	315589	AW072387	Hs.158258	Homo sapiens mRNA; cDNA DKFZp434B1272 (f	0.14	1.05
	315623	AA364078	Hs.258189	ESTs	7.44	12.56
10	315634	AA837085	Hs.220585	ESTs	0.50	1.40
	315668	AA912347	Hs.136585	ESTs	0.43	1.22
	315677	AI932662	Hs.164073	ESTs	0.60	1.39
	315706	AW440742	Hs.155556	hypothetical protein FLJ20202	2.18	3.77
	315707	AI418055	Hs.161160	ESTs	2.88	2.63
15	315730	H25899	Hs.201591	ESTs	0.11	0.60
	315745	AI821759	Hs.191856	ESTs	3.50	7.25
	315791	AA678177		gbz115a05.s1 Soares_fetal_liver_spleen_	1.78	2.63
	315801	AA827752	Hs.266134	ESTs	4.31	6.23
	315820	AI652022	Hs.258785	ESTs	2.35	3.01
20	315878	AA683336	Hs.189048	ESTs	2.12	2.64
	315905	AI821911	Hs.209452	ESTs	1.03	1.97
	315923	AI052789	Hs.133263	ESTs	2.63	5.06
	315954	AW276810	Hs.254859	ESTs, Moderately similar to ALU5_HUMAN A	1.21	0.85
	315978	AA830893	Hs.119769	ESTs	3.09	3.41
25	316001	AI248584	Hs.190745	Homo sapiens cDNA: FLJ21326 fis, clone C	2.20	6.82
	316011	AW516953	Hs.201372	ESTs	0.35	1.63
	316012	AA764950	Hs.119898	ESTs	6.56	8.13
	316040	AI983409	Hs.189226	ESTs	5.69	10.69
	316048	AI720759	Hs.224971	ESTs	2.84	10.45
30	316076	AW297895	Hs.116424	ESTs	0.30	1.05
	316124	AI308862	Hs.167028	ESTs	1.00	1.43
	316151	AI806016	Hs.156520	ESTs	5.80	9.03
	316187	AW518299	Hs.192253	ESTs	1.20	3.96
	316204	AA731509	Hs.120257	ESTs	4.92	6.94
35	316232	AW297853	Hs.251203	ESTs	1.48	1.60
	316275	AI671041	Hs.292611	ESTs, Moderately similar to ALU1_HUMAN A	5.86	12.14
	316291	AW375974	Hs.156704	ESTs	2.73	2.69
	316303	AA740994	Hs.209609	ESTs	1.53	1.26
	316344	AA744518	Hs.120610	ESTs	3.66	8.34
40	316346	AI028478	Hs.157447	ESTs	3.51	6.69
	316365	AI627845	Hs.210776	ESTs	2.50	4.33
	316380	AI393378	Hs.164496	ESTs	1.16	2.16
	316470	AA809902	Hs.243813	ESTs	5.40	10.34
	316509	AA767310	Hs.291766	ESTs	2.46	2.89
45	316514	AA768037	Hs.291671	ESTs	4.70	6.04
	316519	AI929097		gb:od10c11.s1 NCI_CGAP_GCB1 Homo sapiens	4.41	9.70
	316609	AW292520	Hs.122082	ESTs	1.00	2.89
	316633	AI125586	Hs.127955	ESTs	2.61	3.72
50	316700	AW172316	Hs.252961	ESTs, Weakly similar to ALU1_HUMAN ALU S	3.46	4.64
	316711	AI743721	Hs.285316	ESTs, Moderately similar to ALU7_HUMAN A	4.45	6.95
	316713	AI090671	Hs.134807	hypothetical protein FLJ12057	0.30	2.40
	316715	AI440266	Hs.170673	ESTs, Weakly similar to AF126780 1 retin	0.20	1.45
	316787	AW369770	Hs.130351	ESTs	4.05	5.53
	316809	AA825839	Hs.202238	ESTs	2.25	3.82
55	316811	AA922060	Hs.132471	ESTs	1.00	1.32
	316812	AW135045	Hs.232001	ESTs	3.28	4.70
	316818	AA827176	Hs.124316	ESTs	0.67	1.81
	316824	AA837416	Hs.124289	ESTs	3.53	6.00
	316827	AI380429	Hs.172445	ESTs	0.72	1.56
60	316891	AW298119	Hs.202536	ESTs	1.64	2.97
	316951	AA134365	Hs.57548	ESTs	1.45	1.08
	316970	AA860172	Hs.132406	ESTs	1.00	1.53
	316971	AA860212	Hs.170991	ESTs	1.08	1.96
	316990	AA861611	Hs.130643	ESTs	5.44	10.04
65	317001	AI627917	Hs.233694	hypothetical protein FLJ11350	3.56	4.37
	317008	AW051597	Hs.143707	ESTs	0.69	1.37
	317051	AA873253	Hs.126233	ESTs	6.18	12.72
	317128	AA971374	Hs.125674	ESTs	1.87	2.66
	317129	H12523	Hs.78521	Homo sapiens cDNA: FLJ21193 fis, clone C	4.12	6.64
70	317137	AW341567	Hs.125710	ESTs	2.82	5.12
	317196	AI348258	Hs.153412	ESTs	1.98	2.51
	317212	AI866468	Hs.148294	ESTs	1.86	2.83
	317223	AW297920	Hs.130054	ESTs	0.83	1.57
	317224	D56760	Hs.93029	sparc/osteonectin, cwcv and kazal-like d	2.74	0.86
75	317266	AA906289	Hs.203614	ESTs	1.00	1.00
	317282	AI807444	Hs.176101	ESTs	2.60	4.21
	317285	AW370882	Hs.222080	ESTs	1.96	3.49
	317302	AA908709	Hs.135564	ESTs	7.16	8.32
	317304	AW449899	Hs.130184	ESTs	1.38	2.28
80	317320	AA927151	Hs.130452	ESTs	3.58	8.13
	317413	AW341701	Hs.126622	ESTs	2.08	4.92
	317417	AA918420	Hs.145378	ESTs	3.05	4.79
	317452	AA972965	Hs.135568	ESTs	4.22	9.21
	317519	AI859695	Hs.126860	ESTs	1.88	4.15
85	317521	AI824338	Hs.126891	ESTs	3.12	4.55
	317529	AI916517	Hs.126865	ESTs	2.73	3.34

	317570	AJ733361	Hs.127122	ESTs	1.00	2.43
	317571	AA938663	Hs.199828	ESTs	5.20	11.95
	317598	AW206035	Hs.192123	ESTs	0.33	1.56
5	317627	AJ346110	Hs.132553	ESTs	1.50	1.39
	317650	AJ733310	Hs.127346	ESTs	0.48	1.46
	317659	AA961216	Hs.127785	ESTs	4.18	7.14
	317674	AW294909	Hs.132208	ESTs	2.92	3.20
	317686	AA969051	Hs.187319	ESTs	1.00	1.01
	317692	AJ307659	Hs.174794	ESTs	5.33	9.59
10	317701	AJ674774	Hs.128014	ESTs	1.00	1.00
	317711	AJ733015	Hs.272189	ESTs	5.13	7.81
	317722	AJ733373	Hs.128119	ESTs	2.50	6.03
	317756	AA973667	Hs.128320	ESTs	1.59	1.30
15	317777	AJ143525	Hs.47313	KIAA0258 gene product	1.00	2.48
	317799	AJ498273	Hs.128808	ESTs	1.78	2.11
	317803	AA983251	Hs.128899	ESTs	0.80	1.06
	317821	AJ368158	Hs.70983	PTPL1-associated RhoGAP 1	0.17	0.68
	317848	AJ820575	Hs.129086	Homo sapiens cDNA FLJ12007 fis, clone HE	5.30	8.16
20	317850	N29974	Hs.152982	hypothetical protein FLJ13117	1.30	2.28
	317861	AW341064	Hs.129119	ESTs	2.18	5.93
	317865	AJ298794	Hs.129130	ESTs	4.48	8.20
	317869	AW295184	Hs.129142	deoxyribonuclease II beta	0.44	0.99
	317881	AJ827248	Hs.224398	Homo sapiens cDNA FLJ11469 fis, clone HE	4.06	2.23
	317890	AJ915599	Hs.129225	ESTs	4.68	7.48
25	317899	AJ952430	Hs.150614	ESTs, Weakly similar to ALU4_HUMAN ALU S	3.14	3.37
	317986	AJ005163	Hs.201378	ESTs, Weakly similar to T12545 hypotheti	0.28	1.66
	318001	AW235697	Hs.130980	ESTs	5.12	9.97
	318016	AJ016694	Hs.256921	ESTs	1.86	4.50
30	318023	AW243058	Hs.131155	ESTs	2.92	5.22
	318054	AW449270	Hs.232140	ESTs	3.92	6.37
	318068	AJ024540	Hs.131574	ESTs	1.21	1.27
	318117	AJ208304	Hs.250114	ESTs	0.86	1.17
	318187	AJ792585	Hs.133272	ESTs, Weakly similar to ALUC_HUMAN IIII	5.90	6.98
	318223	AJ077540	Hs.134090	ESTs	1.05	0.90
35	318240	AJ085377	Hs.143610	ESTs	3.10	2.40
	318255	AJ082692	Hs.134662	ESTs	0.02	1.05
	318266	AJ554341	Hs.271443	ESTs	6.12	10.55
	318330	AJ093840	Hs.143758	ESTs	4.98	7.90
40	318369	AJ493501	Hs.170974	ESTs	2.46	5.62
	318428	AJ949409	Hs.194591	ESTs	0.77	0.45
	318458	AJ149783	Hs.158438	ESTs	3.54	4.92
	318467	AJ151395	Hs.144834	ESTs	4.56	5.62
	318473	AJ939339	Hs.146883	ESTs	2.08	4.05
	318476	AJ693927	Hs.265165	ESTs	4.22	8.07
45	318487	AJ167877	Hs.143716	ESTs	1.47	1.05
	318488	AJ217431	Hs.144709	ESTs	1.40	4.14
	318491	T26477	Hs.22883	ESTs, Weakly similar to ALU8_HUMAN ALU S	1.84	1.90
	318499	T25451		gb:PTH1188 HTC DL1 Homo sapiens cDNA 5/3	2.58	5.20
50	318537	AA377908	Hs.13254	ESTs	3.26	4.18
	318538	N28625	Hs.74034	Homo sapiens clone 24651 mRNA sequence	0.35	1.07
	318547	R20578	Hs.90431	ESTs	3.22	4.60
	318552	R18364	Hs.90363	ESTs	4.87	9.06
	318575	R55102	Hs.107761	ESTs, Weakly similar to unnamed protein	1.91	1.98
55	318580	T34571	Hs.49007	poly(A) polymerase alpha	2.74	6.22
	318587	AA779704	Hs.168830	Homo sapiens cDNA FLJ12136 fis, clone MA	0.85	2.46
	318596	AJ470235	Hs.172698	EST	4.88	4.93
	318622	T48325	Hs.237658	apolipoprotein A-II	4.80	12.51
	318629	N25163	Hs.8861	ESTs	0.39	1.04
60	318637	AA243539	Hs.9196	hypothetical protein	1.72	3.57
	318648	T77141	Hs.184411	albumin	6.27	9.91
	318650	AA393302	Hs.176626	hypothetical protein EDAG-1	3.96	8.84
	318671	AA188823	Hs.299254	Homo sapiens cDNA: FLJ23597 fis, clone L	1.53	0.81
	318679	T68115	Hs.10336	ESTs	1.00	2.19
65	318711	AJ936475	Hs.101282	Homo sapiens cDNA: FLJ21238 fis, clone C	3.05	3.18
	318725	AJ962487	Hs.242990	ESTs	1.08	2.46
	318728	Z30201	Hs.291289	ESTs, Weakly similar to ALU1_HUMAN ALU S	0.77	1.33
	318740	NM_002543	Hs.77729	oxidised low density lipoprotein (lectin	0.25	1.49
	318776	R24963	Hs.23766	ESTs	1.00	3.01
70	318784	H00148	Hs.5181	proliferation-associated 2G4, 38kD	2.70	3.86
	318816	F07873	Hs.21273	ESTs	3.90	7.13
	318865	H10818		gb:ym04f10.r1 Soares infant brain 1NIB H	2.25	3.56
	318879	R56332	Hs.18268	adenylate kinase 5	1.78	5.00
	318881	Z43224	Hs.124952	ESTs	4.79	14.13
75	318894	F08138	Hs.7387	DKFZP564B116 protein	5.31	7.00
	318901	AW368520	Hs.301528	L-kynurenine/alpha-aminoadipate aminotra	1.03	0.91
	318925	Z43577	Hs.21470	ESTs	2.23	3.80
	318936	AJ219221	Hs.308298	ESTs	1.86	7.16
	318982	Z44140	Hs.269622	ESTs	5.84	9.79
80	318986	Z44186	Hs.169161	ESTs, Highly similar to MAON_HUMAN NADP-	1.00	1.00
	319041	Z44720	Hs.98365	ESTs, Weakly similar to weak similarity	3.38	6.11
	319103	H05896	Hs.4993	KIAA1313 protein	1.00	1.07
	319170	R13578	Hs.285306	putative selenocysteine lyase	3.79	5.03
	319196	F07953	Hs.16085	putative G-protein coupled receptor	1.00	2.98
85	319199	F07361	Hs.13306	ESTs	3.53	5.66
	319242	F11472	Hs.12839	ESTs	5.87	7.26

	319263	T65331	Hs.81360	Homo sapiens cDNA: FLJ21927 fis, clone H	1.81	1.57
	319267	F11802	Hs.6818	ESTs	1.10	4.72
	319270	R13474	Hs.290253	ESTs	4.80	10.40
5	319279	T65094	Hs.12577	CGI-147 protein	1.50	2.11
	319282	AA461358	Hs.12876	ESTs	1.00	1.00
	319289	W07304	Hs.79059	transforming growth factor, beta recepto	0.18	0.68
	319291	W86578	Hs.285243	hypothetical protein FLJ22029	0.26	0.62
	319293	F12119	Hs.12583	ESTs	3.13	4.50
10	319312	Z45481		gb:HSC2QE041 normalized infant brain cDN	1.10	1.00
	319370	H54254	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	0.16	0.73
	319391	R06304	Hs.13911	ESTs	1.26	2.43
	319396	H67130	Hs.301743	ESTs	0.70	0.76
	319398	AA359754	Hs.191196	ESTs	2.45	3.59
15	319407	R05329		gb:ye91b04.r1 Soares fetal liver spleen	2.00	3.54
	319425	T82930		gb:yd39f07.r1 Soares fetal liver spleen	4.28	8.81
	319433	R06050	Hs.191198	ESTs	6.15	14.13
	319437	AA282420	Hs.111991	ESTs, Weakly similar to Y48A5A.1 [C.eleg	3.26	5.68
	319466	A1809937	Hs.116417	ESTs	1.76	5.65
20	319471	R06546	Hs.19717	ESTs	4.29	4.84
	319480	R06933	Hs.184221	ESTs	1.00	1.00
	319484	T91772		gb:yd52a10.s1 Soares fetal liver spleen	2.81	4.88
	319486	A1382429	Hs.250799	ESTs	2.08	2.82
	319508	T99898	Hs.270104	ESTs, Moderately similar to ALU8_HUMAN A	2.80	4.39
	319523	T69499	Hs.191184	ESTs	1.55	3.25
25	319545	R83716	Hs.14355	Homo sapiens cDNA FLJ13207 fis, clone NT	1.65	1.19
	319546	R09692		gb:yf23b12.r1 Soares fetal liver spleen	5.11	8.54
	319552	AA096106	Hs.20403	ESTs	1.89	3.36
	319582	T82998	Hs.250154	hypothetical protein FLJ12973	3.48	4.82
30	319586	D78808	Hs.283683	chromosome 8 open reading frame 4	0.26	0.82
	319604	R11679	Hs.297753	vimentin	1.68	3.41
	319609	AW247514	Hs.12293	hypothetical protein FLJ21103	3.06	4.24
	319611	H14957		gb:ym19c10.r1 Soares infant brain 1NIB H	2.76	4.24
	319653	AA770183	Hs.173515	uncharacterized hypothalamus protein HT0	2.51	3.55
35	319657	R19897	Hs.106604	ESTs	5.32	7.68
	319658	R13432	Hs.167481	syntrophin, gamma 1	3.35	5.00
	319661	H08035	Hs.21398	ESTs, Moderately similar to A Chain A, H	5.18	12.55
	319662	H06382	Hs.21400	ESTs	1.58	1.56
	319708	R15372	Hs.22664	ESTs	1.00	1.22
40	319742	T77668	Hs.21162	ESTs	2.48	3.13
	319748	R18178	Hs.295866	Homo sapiens mRNA; cDNA DKFZp434N1923 (f	3.02	4.85
	319772	R76633	Hs.22646	ESTs	4.36	11.61
	319788	AA321932	Hs.117414	KIAA1320 protein	2.56	3.68
	319805	R92857	Hs.271350	likely ortholog of mouse polydom	4.63	6.56
45	319812	N74880	Hs.264330	N-acylsphingosine amidohydrolase (acid c	0.63	1.32
	319834	AA071267		gb:zm61g01.r1 Stratagene fibroblast (937	0.30	0.94
	319878	T78517	Hs.13941	ESTs	3.99	6.44
	319882	AA258981	Hs.291392	ESTs	5.09	7.36
	319912	T77559	Hs.94109	Homo sapiens cDNA FLJ13634 fis, clone PL	3.24	3.21
50	319935	H79460	Hs.271722	ESTs, Weakly similar to ALU1_HUMAN ALU S	4.40	9.42
	319944	T79248	Hs.133510	ESTs	3.31	5.39
	319947	AA160967	Hs.14479	Homo sapiens cDNA FLJ14199 fis, clone NT	2.90	4.95
	319962	H06350	Hs.135056	Human DNA sequence from clone RP5-850E9	1.81	1.57
55	320007	AA336314		gb:EST40943 Endometrial tumor Homo sapie	3.42	6.29
	320018	T83263		gb:yd40h09.r1 Soares fetal liver spleen	2.77	5.14
	320030	H63789	Hs.296288	ESTs, Weakly similar to KIAA0638 protein	4.10	6.69
	320032	A1699772	Hs.292664	ESTs, Weakly similar to A46010 X-linked	3.27	3.27
	320040	AA233671	Hs.87164	hypothetical protein FLJ14001	1.81	1.64
	320047	T86564	Hs.302256	EST	3.38	7.36
60	320063	AA074108	Hs.120844	FOXJ2 forkhead factor	5.90	16.73
	320096	H58138	Hs.117915	ESTs	2.08	4.47
	320099	AW411307	Hs.114311	CDC45 (cell division cycle 45, S.cerevis	1.00	1.00
	320112	T92107	Hs.188489	ESTs	2.27	2.06
	320140	H94179	Hs.119023	SMC2 (structural maintenance of chromoso	1.00	1.00
65	320188	AW419200	Hs.172318	ESTs	1.26	1.00
	320193	AA831259	Hs.17132	ESTs	2.58	6.23
	320195	R62203	Hs.24321	Homo sapiens cDNA FLJ12028 fis, clone HE	2.65	4.53
	320199	R78659	Hs.29792	ESTs	0.40	0.94
	320203	AL049227	Hs.124776	Homo sapiens mRNA; cDNA DKFZp564N1116 (f	0.84	1.18
70	320219	AA327564	Hs.127011	tubulointerstitial nephritis antigen	1.00	1.17
	320220	AF054910	Hs.127111	taktin 2 (testicular)	0.18	1.09
	320225	AF058989	Hs.128231	G antigen, family B, 1 (prostate associa	5.26	13.75
	320231	H03139	Hs.24683	ESTs	1.59	1.93
	320260	NM_003608	Hs.131924	G protein-coupled receptor 65	1.38	4.56
	320267	AL049337	Hs.132571	Homo sapiens mRNA; cDNA DKFZp564P016 (fr	1.00	1.92
75	320268	H06019	Hs.151293	Homo sapiens cDNA FLJ10664 fis, clone NT	5.58	5.70
	320322	AF077374	Hs.139322	small proline-rich protein 3	1.41	1.01
	320325	A1167978	Hs.139851	caveolin 2	0.05	0.67
	320330	AF026004	Hs.141660	chloride channel 2	2.17	1.26
80	320339	H10807	Hs.281434	Homo sapiens cDNA FLJ14028 fis, clone HE	1.81	2.32
	320388	H16065	Hs.31286	ESTs	1.00	3.22
	320402	R22291	Hs.23368	Homo sapiens clone FLC0578 PRO2852 mRNA,	1.41	1.38
	320413	AA203711	Hs.173269	ESTs	2.31	3.61
	320432	R62786	Hs.124136	ESTs	11.25	20.78
	320436	AA253352	Hs.293663	ESTs	2.22	3.49
85	320438	W24548	Hs.5669	ESTs	3.53	8.14

	320448	AJ240233	Hs.80887	v-yes-1 Yamaguchi sarcoma viral related	1.42	3.46
	320451	R26944	Hs.180777	Homo sapiens mRNA; cDNA DKFZp564M0264 (f	0.87	0.81
	320484	AA094436	Hs.295267	folliculin-like 1	0.65	1.18
5	320499	R32555	Hs.24321	Homo sapiens cDNA FLJ12028 fis, clone HE	3.44	7.15
	320514	AB007978	Hs.158278	KIAA0509 protein	6.44	13.62
	320521	N31464	Hs.24743	hypothetical protein FLJ20171	1.48	1.04
	320526	AW374205	Hs.111314	ESTs	3.66	7.87
	320527	R34672	Hs.324522	ESTs	3.16	5.63
10	320536	AA331732	Hs.137224	ESTs	2.83	5.83
	320556	AF054177	Hs.14570	hypothetical protein FLJ22530	1.28	1.00
	320564	AF056209	Hs.159396	peptidylglycine alpha-amidating monooxyg	1.22	0.81
	320587	Z44524	Hs.167456	Homo sapiens mRNA full length insert cDN	1.84	2.44
	320635	R54159	Hs.80506	small nuclear ribonucleoprotein polypept	1.00	6.25
	320639	AA243258	Hs.7395	hypothetical protein FLJ23182	2.60	2.30
15	320648	N48521	Hs.26549	Homo sapiens mRNA for KIAA1708 protein,	1.00	1.53
	320651	AA489268	Hs.111334	ferritin, light polypeptide	0.14	0.79
	320664	AI904216	Hs.91251	hypothetical protein FLJ11198	5.02	8.84
	320676	AA132650	Hs.300511	ESTs	3.63	5.37
	320683	R59291	Hs.26638	ESTs, Weakly similar to unnamed protein	0.37	1.31
20	320689	AA334609	Hs.171929	ESTs, Weakly similar to A54849 collagen	1.27	1.02
	320696	AW135016	Hs.172780	ESTs	3.53	4.60
	320714	AI445591		gb:yc04a10.r1 Soares fetal liver spleen	1.06	0.85
	320727	U96044	Hs.181125	immunoglobulin lambda locus	1.35	1.49
	320771	AI793266	Hs.117176	poly(A)-binding protein, nuclear 1	0.04	0.82
25	320794	AA281993	Hs.91226	ESTs	2.96	4.33
	320822	AF100780	Hs.194679	WNT1 inducible signaling pathway protein	0.10	0.79
	320824	AF120274	Hs.194689	artemin	1.16	1.11
	320830	AJ132445	Hs.266416	claudin 14	1.06	1.75
30	320843	AA317372	Hs.34744	Homo sapiens mRNA; cDNA DKFZp547C136 (fr	1.36	1.47
	320849	D60031	Hs.34771	ESTs	5.30	7.49
	320853	AI473796	Hs.135904	ESTs	1.00	1.00
	320896	AB002155	Hs.271580	uropod 1B	5.90	2.55
	320921	R94038	Hs.199538	inhibin, beta C	2.20	1.17
35	320927	AI205786	Hs.213923	ESTs	0.18	1.46
	320957	AJ878933	Hs.92023	core histone macroH2A.2	1.67	2.18
	320997	H22544		gb:yn69f11.r1 Soares adult brain N2b5HB5	3.26	3.62
	321045	W88483	Hs.293650	ESTs	2.25	4.55
	321046	H27794	Hs.269055	ESTs	2.69	4.25
40	321052	AW372884	Hs.240770	nuclear cap binding protein subunit 2, 2	2.14	2.56
	321059	AI092824	Hs.126465	ESTs	1.69	0.53
	321062	R87955	Hs.241411	Homo sapiens mRNA full length insert cDN	2.76	5.20
	321067	AF131782	Hs.241438	Homo sapiens clone 24941 mRNA sequence	4.79	7.41
	321102	AA018306		gb:ze40d08.r1 Soares retina N2b4HR Homo	1.79	4.27
45	321130	H43750	Hs.125494	ESTs	1.00	3.14
	321142	AI817933	Hs.298351	ASPL protein	8.73	15.36
	321155	AA336635	Hs.99598	hypothetical protein MGC5338	3.04	5.03
	321158	AA700289		gb:yu76f11.r1 Soares fetal liver spleen	4.62	8.39
	321170	N53742	Hs.172982	ESTs	2.21	4.46
50	321199	AW385512		gb:yy56d10.s1 Soares_multiple_sclerosis_	5.69	8.01
	321206	H54178	Hs.226469	Homo sapiens cDNA FLJ12417 fis, clone MA	4.00	7.32
	321225	AL080073	Hs.251414	Homo sapiens mRNA; cDNA DKFZp564B1462 (f	4.17	4.63
	321236	AW371941	Hs.18192	Ser/Arg-related nuclear matrix protein (1.00	1.00
	321244	AF068654		gb:Homo sapiens isolate AN.1 immunoglobu	2.18	9.13
55	321270	R83560		gb:yy76c06.s1 Soares fetal liver spleen	3.80	5.26
	321317	AI937050	Hs.6298	KIAA1151 protein	1.81	1.65
	321318	AB033041	Hs.137507	KIAA1215 protein	1.00	1.00
	321325	AB033100	Hs.300646	KIAA protein (similar to mouse paladin)	0.44	0.93
	321342	AA127984	Hs.222024	transcription factor BMAL2	4.94	4.93
60	321356	R93443	Hs.271770	ESTs	3.10	4.66
	321418	AI739161	Hs.161075	ESTs	2.28	2.54
	321420	AI368667	Hs.132743	ESTs	1.13	0.97
	321430	U05890		gb:H.sapiens (DIG3) mRNA for immunoglobu	2.42	3.35
65	321453	N50080	Hs.82845	Homo sapiens cDNA: FLJ21930 fis, clone H	1.60	3.11
	321467	X13075		gb:Human 2a12 mRNA for kappa-immunoglobu	0.42	0.72
	321468	AA514198	Hs.38540	ESTs	2.46	6.50
	321491	H70665	Hs.292549	ESTs	1.00	1.25
	321498	AW295517	Hs.255436	ESTs	3.19	6.24
	321504	W02356	Hs.268980	ESTs	2.28	3.86
70	321510	AA703650	Hs.255748	ESTs	2.14	3.94
	321513	H84972	Hs.108551	ESTs	2.78	5.37
	321516	AI382803	Hs.159235	ESTs	3.06	7.19
	321565	AI525773	Hs.266514	hypothetical protein FLJ11342	4.89	7.82
	321577	H84260		gb:ys90g04.r1 Soares retina N2b5HR Homo	1.00	1.73
75	321581	AA019964	Hs.28803	ESTs	4.88	6.73
	321582	AA143755	Hs.21858	trinucleotide repeat containing 3	1.00	2.08
	321587	H95531		gb:ys76e02.r1 Soares retina N2b4HR Homo	2.26	4.52
	321626	AA295430	Hs.96322	hypothetical protein FLJ23560	1.95	3.83
	321628	H87064	Hs.161051	ESTs, Moderately similar to ALU6_HUMAN A	0.47	1.02
80	321642	AW085917	Hs.247084	ESTs	1.52	1.38
	321669	H95404	Hs.294110	ESTs	2.17	2.45
	321687	AA625149		gb:af70c12.r1 Soares_NhHMPu_S1 Homo sapi	4.31	6.95
	321688	H97646	Hs.123158	Homo sapiens cDNA FLJ12830 fis, clone NT	2.82	3.28
	321693	AA700017	Hs.173737	ras-related C3 botulinum toxin substrate	0.51	1.08
85	321700	N55160	Hs.167260	ESTs	4.57	7.46
	321701	AW390923	Hs.42568	ESTs	1.00	1.00

	321709	N25847	Hs.108923	RAB38, member RAS oncogene family	1.00	1.00
	321710	N35682	Hs.259743	ESTs	2.97	5.26
	321775	AI694875	Hs.202312	Homo sapiens clone N11 Ntera2D1 teratoca	1.00	1.00
5	321777	AI637993	Hs.202312	Homo sapiens clone N11 Ntera2D1 teratoca	1.68	0.45
	321779	N42729	Hs.163835	ESTs	0.90	0.90
	321829	DB1993	Hs.8966	tumor endothelial marker 8	2.69	3.89
	321846	AA281594	Hs.87902	ESTs	5.11	7.64
	321879	AL109670	Hs.302809	ESTs	6.49	9.58
10	321883	AA426494	Hs.46901	KIAA1462 protein	0.28	0.95
	321899	N55158	Hs.29468	ESTs	0.39	0.95
	321911	AF026944	Hs.293797	ESTs	6.20	10.76
	321949	R49202	Hs.181694	EST	4.62	10.51
	321955	AI651866	Hs.195689	ESTs	2.89	5.47
15	321956	AL110177	Hs.132882	ESTs	0.32	1.25
	321987	AL133612	Hs.272759	KIAA1457 protein	1.00	1.83
	321991	AL133627	Hs.158923	Homo sapiens mRNA; cDNA DKFZp434K0722 (f	4.00	6.47
	322002	AA328801	Hs.84522	ESTs	2.10	3.48
	322035	AL137517	Hs.306201	hypothetical protein DKFZp5564O1278	1.00	1.90
20	322044	AW340926		gb:xy51b10.x1 NCI_CGAP_Lu34.1 Homo sapie	3.20	9.67
	322057	N92197	Hs.154679	synaptotagmin 1	1.55	1.07
	322060	AI341837		gb:qt10e03.x1 NCI_CGAP_GC4 Homo sapiens	4.59	7.68
	322070	U80769	Hs.210322	Homo sapiens mRNA for KIAA1766 protein,	2.78	4.52
	322083	AF074982	Hs.226031	ESTs, Highly similar to KIAA0535 protein	3.10	5.52
	322091	AI819863	Hs.106243	ESTs	1.59	1.75
25	322125	R93901		gb:yq16c12.r1 Soares fetal liver spleen	2.06	5.27
	322130	R98978	Hs.117767	ESTs	10.12	16.49
	322147	AF085919	Hs.114176	ESTs	0.94	0.64
	322166	AF085958		gb:y88b03.r1 Soares fetal liver spleen	4.09	6.67
30	322173	H52567		gb:y185d04.r1 Soares_pineal_gland_N3HPG	3.46	4.85
	322178	H56535		gb:y188g03.r1 Soares_pineal_gland_N3HPG	0.44	2.54
	322179	H92891		gb:y194c02.s1 Soares_pineal_gland_N3HPG	4.52	7.50
	322186	H67346	Hs.269187	ESTs	0.15	0.98
	322196	W87895	Hs.211516	ESTs	2.20	5.04
	322212	AF087995	Hs.134877	ESTs	3.42	4.84
35	322221	AI890619	Hs.179662	nucleosome assembly protein 1-like 1	0.82	2.14
	322277	AI640193	Hs.226389	ESTs	3.62	3.98
	322278	AF086283		gb:zd46f01.r1 Soares_fetal_heart_NbHH19W	1.00	1.00
	322284	AI792140	Hs.49265	ESTs	0.66	2.76
40	322288	AL037273	Hs.7886	pellino (Drosophila) homolog 1	0.71	0.70
	322320	AF086419		gb:zd78d03.r1 Soares_fetal_heart_NbHH19W	2.02	2.76
	322336	AA308526	Hs.76152	decorin	2.92	4.44
	322339	W17348		gb:zb18c07.x5 Soares_fetal_lung_NbHL19W	8.50	11.56
	322366	AW404274	Hs.122492	hypothetical protein	0.61	1.34
45	322372	W25624	Hs.153943	ESTs	7.37	12.07
	322374	AI394663	Hs.122116	ESTs, Moderately similar to Osf2 [M.musc	4.78	10.50
	322378	AF064819	Hs.201877	DESC1 protein	1.00	1.00
	322388	AI815730	Hs.247474	hypothetical protein FLJ21032	7.09	8.49
	322416	AA223183	Hs.298442	adaptor-related protein complex 3, mu 1	3.20	5.80
50	322419	AA248987	Hs.14084	ring finger protein 7	1.64	1.57
	322425	W37943	Hs.34892	KIAA1323 protein	0.83	1.00
	322431	AA069222	Hs.141892	ESTs	3.96	5.22
	322450	AA040131	Hs.25144	ESTs	5.18	12.67
	322465	AA137152	Hs.286049	phosphoserine aminotransferase	3.41	2.23
55	322467	AF116826	Hs.180340	putative protein-tyrosine kinase	1.00	1.30
	322473	AA744286	Hs.266935	tRNA selenocysteine associated protein	1.75	2.03
	322509	T52172	Hs.302213	ESTs	1.00	2.27
	322523	W80398	Hs.193197	ESTs	2.75	5.49
	322527	AF147359		gb:Homo sapiens full length insert cDNA	1.25	1.27
60	322560	AI916847	Hs.270947	ESTs	4.57	8.81
	322566	W87285	Hs.269587	ESTs	1.00	1.42
	322585	AA837622		gb:zh69c01.r1 Soares_fetal_liver_spleen_	4.18	6.94
	322635	AA679084		gb:zh90h08.r1 Soares_fetal_liver_spleen_	2.40	4.85
	322641	AA007352	Hs.256042	ESTs	2.94	4.64
65	322653	AI828854	Hs.258538	striatin, calmodulin-binding protein	0.48	0.38
	322664	AA011522		gb:zi03g07.r1 Soares_fetal_liver_spleen_	1.92	2.18
	322687	AI110759		gb:AF074666 Human fetal liver cDNA libra	4.14	6.75
	322692	AA018117	Hs.60843	potassium voltage-gated channel, shaker-	3.50	5.00
	322694	AI110872	Hs.279812	PRO0327 protein	1.80	1.72
70	322708	AF113674	Hs.283773	clone FLB1727	1.00	3.43
	322712	AA021328	Hs.23607	hypothetical protein FLJ11109	3.28	3.86
	322766	AW068805	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	1.63	1.53
	322770	AA045796	Hs.122682	ESTs	1.53	1.06
	322794	AI608591	Hs.38991	S100 calcium-binding protein A2	12.05	1.94
75	322810	AI962276	Hs.127444	ESTs	4.09	6.90
	322818	AW043782	Hs.293616	ESTs	1.20	1.63
	322820	AI377755	Hs.120695	ESTs	0.21	1.93
	322872	AA827228	Hs.126943	ESTs	2.04	1.63
	322882	AW248508	Hs.279727	Homo sapiens cDNA FLJ14035 fis, clone HE	5.26	1.22
80	322887	AI986306	Hs.86149	phosphoinositol 3-phosphate-binding prot	2.80	2.24
	322913	AI733737	Hs.68837	ESTs	2.38	6.61
	322926	AI825940	Hs.211192	ESTs	4.02	5.79
	322929	AI365585	Hs.146246	ESTs	0.30	1.14
	322958	AI905228	Hs.83484	SRY (sex determining region Y)-box 4	2.06	1.13
85	322971	C15953	Hs.212760	hypothetical protein FLJ13649	1.18	2.00
	322981	AA493252	Hs.159577	ESTs	2.28	2.61

	322988	C18727	Hs.171941	ESTs	0.39	2.00
	323003	A1733859	Hs.149089	ESTs	3.28	1.00
	323013	AA134042	Hs.191451	ESTs	3.38	5.68
5	323025	AL157565	Hs.315369	Homo sapiens cDNA: FLJ23075 fis, clone L	0.06	1.10
	323032	AW244073	Hs.145946	ESTs	10.18	21.27
	323052	R21124	Hs.85573	Homo sapiens DC29 mRNA, complete cds	1.46	1.90
	323064	AL119341	Hs.49359	Homo sapiens mRNA; cDNA DKFZp547E052 (fr	3.08	5.64
	323098	A1700025	Hs.270471	ESTs	2.31	4.49
	323102	AL119913	Hs.163615	ESTs	5.38	11.64
10	323155	AL135041		gb:DKFZp762K2310_r1 762 (synonym: hmel2)	2.38	5.56
	323176	AW071648	Hs.82101	pleckstrin homology-like domain, family	1.06	1.41
	323191	AA195600	Hs.301570	ESTs	0.73	1.24
	323225	AA205654	Hs.24790	KIAA1573 protein	5.25	11.95
15	323232	AA146722	Hs.224680	ESTs	0.45	1.35
	323266	AW003362	Hs.243886	nuclear autoantigenic sperm protein (his	1.71	1.83
	323281	A1697556	Hs.292659	ESTs	1.24	3.21
	323283	AA256014	Hs.86682	Homo sapiens cDNA: FLJ21578 fis, clone C	12.68	15.05
	323314	AA226310	Hs.191501	ESTs	4.42	9.61
	323316	AL134620	Hs.280175	ESTs	2.98	5.93
20	323334	A1336501	Hs.77273	ras homolog gene family, member A	1.98	3.30
	323338	R74219	Hs.23348	S-phase kinase-associated protein 2 (p45	1.62	1.00
	323348	AA233056	Hs.191518	ESTs	1.00	1.07
	323351	AA704103	Hs.24049	ESTs	1.43	1.68
25	323359	AA234172	Hs.137418	ESTs	0.34	1.18
	323360	AA716061	Hs.161719	ESTs	3.01	3.71
	323405	AW139550	Hs.115173	ESTs	1.90	8.81
	323420	A1672386	Hs.263780	ESTs	0.29	1.01
	323434	AW081455	Hs.120219	ESTs	2.27	1.92
	323445	AA253103	Hs.135569	ESTs, Weakly similar to NEUROD (H.sapien	0.43	0.80
30	323449	AA282865	Hs.284153	Fanconi anemia, complementation group A	3.19	3.85
	323492	H00978	Hs.20887	hypothetical protein FLJ10392	2.70	3.20
	323501	AA182461	Hs.84520	ESTs	2.04	3.31
	323505	A1652287		gb:EST382593 MAGE resequences, MAGK Homo2.21		3.08
35	323515	AA282274	Hs.256083	ESTs	2.69	3.40
	323541	A1185116	Hs.104613	RP42 homolog	1.20	1.09
	323545	A1814405	Hs.224569	ESTs	1.25	1.55
	323635	R63117	Hs.9691	Homo sapiens cDNA: FLJ23249 fis, clone C	0.27	0.72
	323675	AA984759	Hs.272168	tumor differentially expressed 1	3.70	5.80
40	323678	AL042121	Hs.20880	ESTs	3.33	5.10
	323691	AA317561	Hs.145599	ESTs	1.00	1.00
	323693	AW297758	Hs.249721	ESTs	2.01	1.54
	323746	AW298611	Hs.12808	MARK	4.11	5.53
	323774	AA329806	Hs.321056	Homo sapiens mRNA; cDNA DKFZp586F1322 (f	2.06	3.70
	323856	AA355264	Hs.267604	hypothetical protein FLJ10450	3.42	8.13
45	323857	T18988	Hs.293668	ESTs	5.97	12.51
	323870	AA341774	Hs.129212	ESTs	3.17	4.52
	323876	AL042492	Hs.147313	ESTs	0.36	1.00
	323885	AA344308	Hs.128427	Homo sapiens BAC clone RP11-335J18 from	2.31	3.33
50	323911	AL043212	Hs.92550	ESTs	4.38	5.41
	323919	AA862973	Hs.220704	ESTs	5.80	10.20
	323972	A1869964	Hs.182906	ESTs	3.10	5.14
	324005	AA610011	Hs.208021	ESTs	5.34	10.07
	324036	A1472078	Hs.303662	ESTs	1.00	5.03
55	324055	AA528794	Hs.128644	ESTs	0.86	1.00
	324063	AW292740	Hs.272813	dual oxidase 1	0.45	0.91
	324072	AA381829		gb:EST94855 Activated T-cells I Homo sap	2.82	5.12
	324092	AW269931	Hs.202473	Homo sapiens cDNA: FLJ22278 fis, clone H	2.40	2.52
	324095	AW377983	Hs.298140	Homo sapiens cDNA: FLJ22502 fis, clone H	1.32	4.30
60	324129	A1381918	Hs.285833	Homo sapiens cDNA: FLJ22135 fis, clone H	1.40	1.77
	324132	AW504860	Hs.288836	hypothetical protein FLJ12673	4.24	6.21
	324214	AA412395	Hs.225740	ESTs	6.96	10.69
	324227	AA295552	Hs.28631	Homo sapiens cDNA: FLJ22141 fis, clone H	0.81	0.53
	324266	AL047634	Hs.231913	ESTs	2.42	4.05
65	324275	AA429088	Hs.98523	ESTs	3.62	5.38
	324281	AL048026	Hs.124675	ESTs, Weakly similar to T14742 hypotheti	0.14	0.70
	324290	AA432032	Hs.304420	ESTs	3.71	4.34
	324303	AL118754		gb:DKFZp761P1910_r1 761 (synonym: hamy2)	0.95	0.91
	324312	A1198841	Hs.128173	ESTs	4.06	5.91
70	324325	AL138153	Hs.300410	ESTs	5.88	8.25
	324338	AL138357	Hs.145078	regulator of differentiation (in S. pomb	0.87	1.25
	324341	AW197734	Hs.99807	ESTs, Weakly similar to unnamed protein	1.28	1.00
	324343	AW452016	Hs.293232	ESTs	2.54	3.46
	324371	AA452305	Hs.270319	ESTs	5.85	8.36
75	324382	AW502749	Hs.24724	MFH-amplified sequences with leucine-ric	0.76	1.64
	324384	AA453396	Hs.127656	KIAA1349 protein	2.88	5.69
	324385	F28212	Hs.284247	KIAA1491 protein	1.81	1.99
	324388	A1924963	Hs.306206	hypothetical protein FLJ11215	1.00	1.00
	324432	AA464510	Hs.152812	ESTs	2.73	2.17
	324497	AW152624	Hs.136340	ESTs, Weakly similar to unnamed protein	0.71	1.90
80	324510	AL148353	Hs.287425	Homo sapiens cDNA FLJ11569 fis, clone HE	1.00	1.00
	324580	AA492588		gb:ng99c08.s1 NCL_CGAP_Thy1 Homo sapiens	2.18	3.50
	324582	AA506935	Hs.132036	ESTs, Weakly similar to ALU1_HUMAN ALU S	5.96	11.36
	324633	AA572994	Hs.325489	ESTs	2.92	4.22
85	324640	AW295932	Hs.134798	ESTs, Moderately similar to TTL MOUSE TU	5.48	11.74
	324675	AWD14734	Hs.157969	ESTs	0.39	0.73

	324699	AW504732	Hs.21275	hypothetical protein FLJ11011	0.93	0.93
	324747	AA603532	Hs.130807	ESTs	1.57	1.81
	324748	AA657457	Hs.292385	ESTs	1.55	1.34
5	324801	AI819924	Hs.14553	sterol O-acyltransferase (acyl-Coenzyme	1.00	6.56
	324804	AI692552		gb:wd73f12.x1 NCJ_CGAP_Lu24 Homo sapiens	1.00	7.53
	324828	AA843926	Hs.124434	ESTs	2.00	3.25
	324855	AW152305	Hs.122364	ESTs	2.74	3.43
	324866	AI541214	Hs.46320	Small proline-rich protein SPRK [human,	1.07	0.95
10	324871	AW297755	Hs.271923	Homo sapiens cDNA: FLJ22785 fis, clone K	1.68	1.21
	324886	AA806794	Hs.131511	ESTs	2.56	5.61
	324889	D31010		gb:HUML12147 Human fetal lung Homo sapie	2.20	4.65
	324948	AW383618	Hs.265459	ESTs, Moderately similar to ALU2_HUMAN A	5.28	7.05
	324953	AI264628	Hs.125428	ESTs	3.37	5.51
15	324958	AA625076	Hs.132892	protocadherin 20	5.12	9.81
	324988	T06997	Hs.121028	hypothetical protein FLJ10549	2.52	1.08
	325024	F13254	Hs.78672	laminin, alpha 4	5.24	10.22
	325105	H97109	Hs.105421	ESTs	1.00	1.00
	325108	AA401863	Hs.22380	ESTs	1.99	2.14
20	325114	D83901	Hs.315562	ESTs	2.73	3.17
	325146	AI064690	Hs.171176	ESTs	1.86	3.41
	325149	D61117	Hs.187646	ESTs	0.42	0.93
	325187	AI653682	Hs.197812	ESTs	6.50	11.31
	325228				6.18	15.76
25	325235				2.64	4.12
	325328				2.87	4.42
	325340				0.29	0.33
	325367				16.56	24.29
	325373				0.63	1.22
30	325389				0.88	1.05
	325436				5.75	14.14
	325471				8.46	17.82
	325498				3.32	6.42
	325557				5.51	8.28
35	325559				7.48	21.40
	325560				4.08	6.25
	325569				4.20	5.24
	325585				1.10	1.13
	325587				1.00	1.00
40	325597				2.98	13.40
	325639				0.78	0.78
	325685				0.46	0.66
	325686				0.95	1.55
	325735				4.48	9.20
45	325739				0.59	0.88
	325740				2.42	6.61
	325792				7.88	9.83
	325819				4.74	7.18
	325883				2.02	2.64
50	325895				7.78	15.98
	325925				2.04	10.60
	325932				4.18	7.36
	325941				3.66	9.03
	325969				0.61	0.80
55	325971				4.88	7.42
	326025				0.55	1.07
	326046				7.21	14.72
	326099				3.60	5.98
	326108				1.27	1.06
60	326163				3.27	5.70
	326165				0.45	1.11
	326189				0.13	0.45
	326204				5.60	9.00
	326230				7.00	12.01
65	326274				1.00	8.09
	326360				9.86	15.35
	326393				0.52	0.77
	326505				1.00	1.42
70	326515				1.24	5.84
	326589				9.20	13.49
	326592				2.77	4.01
	326605				2.01	2.53
	326692				1.00	1.00
	326693				1.00	1.31
75	326720				0.19	0.65
	326742				2.34	7.20
	326770				0.25	0.83
	326818				3.09	4.56
	326936				2.08	3.45
80	326964				0.41	1.70
	326983				2.02	3.80
	326991				1.09	1.20
	327036				1.00	8.04
	327040				3.05	4.22
85	327053				3.55	6.31
	327075				1.59	1.40

	327085	2.50	12.57
	327130	5.38	8.04
	327156	3.74	6.58
5	327220	1.28	1.54
	327224	6.56	12.91
	327268	2.61	5.40
	327321	2.42	3.11
	327332	6.62	10.58
10	327361	2.69	4.41
	327377	2.04	6.72
	327396	2.61	4.50
	327414	1.00	8.01
	327442	5.91	9.65
	327467	6.58	18.01
15	327473	3.79	7.48
	327483	4.08	8.87
	327562	0.68	2.86
	327568	1.00	2.00
20	327606	2.06	3.61
	327611	5.90	14.26
	327642	4.06	8.74
	327654	1.05	2.08
	327734	1.00	1.00
	327775	1.46	11.79
25	327796	3.47	5.65
	327840	3.26	6.64
	327940	5.84	15.58
	327984	0.36	1.50
30	328004	1.87	1.42
	328021	0.42	0.59
	328068	2.83	4.68
	328100	3.04	5.39
	328101	3.54	5.20
35	328113	0.72	0.91
	328157	5.58	5.16
	328196	5.76	11.13
	328197	5.98	10.58
	328264	3.11	4.88
	328299	2.20	3.06
40	328342	1.49	1.94
	328365	1.00	1.00
	328369	4.40	7.36
	328381	1.86	4.93
45	328451	5.51	7.56
	328481	0.13	0.72
	328500	2.71	3.97
	328530	5.41	7.62
	328600	3.14	10.68
50	328608	4.56	8.17
	328616	2.24	11.91
	328623	3.04	5.46
	328632	0.70	1.19
	328664	3.48	6.80
55	328666	10.42	26.47
	328698	9.68	14.56
	328700	2.74	10.22
	328708	0.15	0.57
	328735	6.23	8.91
60	328743	3.62	6.54
	328806	0.22	0.78
	328861	3.68	10.54
	328908	5.42	16.36
	328933	2.02	5.29
65	328934	1.73	4.45
	328949	3.34	5.41
	329005	2.88	7.26
	329011	2.52	3.72
	329033	1.00	1.03
70	329037	5.07	8.16
	329057	1.98	2.41
	329134	2.24	3.25
	329157	2.30	11.04
	329178	2.64	5.02
75	329192	6.41	15.27
	329194	0.31	0.79
	329204	1.60	3.75
	329224	2.99	8.11
	329228	0.83	0.83
80	329288	0.63	1.01
	329337	1.00	1.00
	329541	0.76	1.68
	329560	1.34	2.02
	329588	1.68	2.22
85	329643	4.18	11.77
	329703	1.00	1.00

	329764			5.78	15.50
	329816			2.09	5.44
	329860			3.13	10.77
	329993			7.83	14.21
5	330020			5.58	13.12
	330036			3.32	5.57
	330052			4.31	7.97
	330085			1.34	1.76
	330088			4.70	12.46
10	330093			0.44	1.06
	330100			3.47	4.83
	330106			2.14	3.61
	330107			3.17	6.87
	330120			5.61	11.89
15	330123			4.50	12.74
	330208			1.55	7.62
	330263			13.10	23.38
	330300			2.81	4.98
	330313			3.00	4.41
20	330366			0.67	0.76
	330372			4.76	11.82
	330385	AA449749	Hs.182971	2.14	2.15
	330397	D14659	Hs.154387	0.40	1.15
	330468	L10343	Hs.112341	1.11	0.94
25	330472	L24203	Hs.82237	1.67	1.17
	330478	L38486	Hs.295049	0.46	1.07
	330493	M27826	Hs.267319	1.07	0.95
	330495	M31328	Hs.71642	0.97	0.96
	330506	M61906	Hs.6241	0.17	3.66
30	330512	M80563	Hs.81256	0.60	1.06
	330537	U19765	Hs.2110	2.81	2.07
	330547	U32989	Hs.183671	3.91	1.49
	330551	U39840	Hs.299867	1.15	1.03
	330568	U56244		2.83	4.79
35	330599	U90437		2.08	1.54
	330601	U90916	Hs.82845	0.89	1.35
	330605	X02419	Hs.77274	1.87	1.55
	330609	X04741	Hs.76118	1.83	1.30
	330617	X53587	Hs.85266	1.54	1.15
40	330630	X78669	Hs.79088	1.39	1.19
	330644	Y07755	Hs.38991	3.83	1.13
	330650	Z68228	Hs.2340	1.25	0.95
	330660	AA347868	Hs.139293	15.50	29.07
	330692	AA017045	Hs.6702	1.00	1.00
45	330707	AA133891	Hs.293690	0.20	1.35
	330715	AA233707	Hs.11571	0.12	1.40
	330717	AA233926	Hs.52620	6.62	5.42
	330722	AA243560	Hs.34382	1.40	1.65
50	330740	AA297746	Hs.22654	0.27	2.04
	330742	AA400979	Hs.25691	0.44	0.90
	330744	AA406142	Hs.12393	0.71	3.23
	330751	AA428286	Hs.29643	1.66	1.52
	330760	AA448663	Hs.30469	0.52	0.90
55	330763	AA450200	Hs.274337	0.37	0.97
	330786	D60374	Hs.49136	0.78	0.84
	330790	T48536	Hs.105807	0.23	3.17
	330814	AA015730	Hs.265398	0.37	2.07
	330827	AA040332	Hs.12744	1.60	1.00
	330844	AA063037	Hs.66803	0.93	1.16
60	330901	AA157818	Hs.267319	1.02	1.03
	330931	F01443	Hs.284256	0.24	0.88
	330952	H02855	Hs.29567	0.08	1.31
	330961	H10998	Hs.7164	1.29	1.26
65	330968	H16568	Hs.23748	0.48	0.96
	331014	H98597	Hs.30340	0.29	0.74
	331046	N66563	Hs.191358	0.99	8.56
	331060	N75081	Hs.157148	1.24	1.00
	331099	R36671	Hs.83937	0.75	1.03
70	331108	R41408	Hs.21983	1.00	2.75
	331131	R54797		6.04	10.68
	331135	R61398	Hs.4197	0.80	0.96
	331170	T23461	Hs.159293	2.63	4.29
	331180	T32446	Hs.6640	1.78	2.71
	331183	T40769	Hs.8469	1.00	3.01
75	331203	T82310		1.70	3.80
	331271	AA059347	Hs.82226	1.20	3.19
	331306	AA252079	Hs.63931	0.31	1.30
	331327	AA281076	Hs.109221	2.09	2.41
	331341	AA303125	Hs.23240	0.72	2.43
80	331359	AA416979	Hs.46901	0.09	0.91
	331363	AA421562	Hs.91011	1.02	0.87
	331378	AA448881	Hs.49282	1.03	1.23
	331384	AA456001	Hs.93847	1.40	1.00
	331402	AA505135	Hs.44037	1.80	3.93
85	331422	F10802	Hs.163628	1.65	1.89

	331490	N32912	Hs.26813	CDA14	2.48	1.73
	331531	N51343		gb:yz15g04.s1 Soares_multiple_sclerosis_	0.98	1.68
	331547	N54811		gb:od74f04.s1 NCI_CGAP_Ov2 Homo sapiens	3.80	5.75
5	331578	N67960	Hs.249989	ESTs	0.11	0.67
	331589	N71027	Hs.152618	ESTs	1.09	1.38
	331608	N89861	Hs.112110	PTD007 protein	0.93	0.76
	331614	N92293	Hs.240272	EST	0.17	1.34
	331668	W69707	Hs.58030	EST	2.24	3.82
10	331671	W72033	Hs.194695	ras homolog gene family, member I	1.00	1.24
	331676	W79834	Hs.58559	ESTs, Weakly similar to rhotekin (M.musc	0.08	1.07
	331681	W85712	Hs.119571	collagen, type III, alpha 1 (Ehlers-Danl	8.72	4.27
	331692	W93592	Hs.152213	wingless-type MMTV integration site fami	0.94	0.54
	331717	AA190888	Hs.153881	Homo sapiens NY-REN-62 antigen mRNA, par	1.57	1.34
15	331718	AA191404	Hs.104072	ESTs	6.80	11.77
	331811	AA404500	Hs.301570	ESTs	1.10	1.00
	331820	AA405970	Hs.97996	transcription termination factor, mitoc	0.73	0.59
	331831	AA412031	Hs.97901	EST	2.77	4.08
	331852	AA418988	Hs.98314	Homo sapiens mRNA; cDNA DKFZp586L0120 (f	0.23	0.93
20	331943	AA453418	Hs.21275	hypothetical protein FLJ11011	0.36	1.88
	331969	AA460702	Hs.82772	collagen, type XI, alpha 1	1.00	1.00
	331990	AA478102	Hs.139631	ESTs	3.04	3.87
	332002	AA482009	Hs.105104	ESTs	1.19	0.78
	332027	AA489671	Hs.65641	hypothetical protein FLJ20073	1.27	1.03
25	332029	AA489697	Hs.145053	ESTs	0.30	1.62
	332033	AA489840	Hs.251014	EST	2.30	3.70
	332048	AA496019	Hs.201591	ESTs	0.17	0.52
	332071	AA598594	Hs.205293	KIAA1211 protein	1.35	1.23
	332074	AA599012		gb:aa41e11.s1 Gessler Wilms tumor Homo s	0.19	2.00
30	332083	AA600200	Hs.155546	KIAA1080 protein; Golgi-associated, gamm	0.31	1.18
	332085	AA600353	Hs.173933	nuclear factor IIA	0.30	1.50
	332125	AA609861	Hs.312447	ESTs	0.22	0.62
	332177	F10812	Hs.101433	ESTs	8.21	18.03
	332180	H03348	Hs.7327	claudin 1	2.27	1.57
35	332185	H10356	Hs.101689	ESTs	0.09	1.18
	332203	H49388	Hs.317769	EST	8.05	5.02
	332232	N48891	Hs.101915	Stargardt disease 3 (autosomal dominant)	0.78	0.85
	332240	N54803	Hs.324267	ESTs, Weakly similar to putative p150 [0.96	1.23
	332261	N70294	Hs.269137	ESTs	2.40	3.74
40	332275	R08838	Hs.26530	serum deprivation response (phosphatidyl	0.27	0.75
	332280	R38100	Hs.146381	RNA binding motif protein, X chromosome	0.39	1.88
	332299	R69250	Hs.21201	nectin 3; DKFZP566B0846 protein	5.24	12.76
	332304	R74041	Hs.101539	ESTs	1.44	3.18
	332314	T25862	Hs.101774	hypothetical protein FLJ23045	0.68	1.32
45	332384	M11433	Hs.101850	retinol-binding protein 1, cellular	1.71	0.88
	332434	N75542	Hs.289068	Homo sapiens cDNA FLJ11918 fis, clone HE	0.43	0.86
	332445	T63781	Hs.11112	ESTs	0.68	1.00
	332453	L00205	Hs.111758	keratin 6A	31.54	1.00
	332458	M33493	Hs.250700	tryptase beta 1	0.51	1.00
50	332504	AA053917	Hs.15108	chromosome 14 open reading frame 1	0.79	1.24
	332525	M17252	Hs.278430	cytochrome P450, subfamily XXIA (steroid	0.98	1.70
	332530	M31682	Hs.1735	inhibin, beta B (activin AB beta polypep	0.88	0.66
	332535	N20284	Hs.19280	cysteine-rich motor neuron 1	0.22	1.46
	332539	AA412528	Hs.20183	ESTs, Weakly similar to AF164793 1 prote	0.93	1.49
55	332559	M13955	Hs.166189	cytokeratin 2	0.35	1.13
	332563	N92924	Hs.274407	protease, serine, 16 (thymus)	1.00	1.00
	332565	AA234896	Hs.25272	E1A binding protein p300	0.36	1.05
	332594	AA279313	Hs.3239	methyl CpG binding protein 2 (Rett syndr	0.53	0.59
	332634	S38953	Hs.283750	tenascin XA	0.38	1.16
60	332638	AA283034	Hs.50640	JAK binding protein	1.00	1.70
	332640	AA417152	Hs.5101	protein regulator of cytokinesis 1	6.15	1.16
	332654	AA001296	Hs.288217	hypothetical protein MGC2941	1.50	2.73
	332665	AA223335	Hs.63788	propionyl Coenzyme A carboxylase, beta p	1.20	0.91
	332692	AA496035	Hs.247926	gap junction protein, alpha 5, 40kD (con	0.17	1.12
65	332716	L00058	Hs.79070	v-myc avian myelocytomatosis viral oncog	1.00	1.44
	332736	L13773	Hs.114765	myeloid/lymphoid or mixed-lineage leukem	1.00	1.81
	332758	X93921	Hs.296938	dual specificity phosphatase 7	0.53	0.78
	332781	AA233258	Hs.247112	hypothetical protein FLJ10902	1.44	1.56
	332792				1.70	1.19
70	332816				1.85	2.47
	332858				1.04	1.57
	332906				3.48	8.04
	332911				1.00	1.00
	332912				1.06	4.40
75	332922				1.00	1.00
	332956				0.42	0.88
	332959				1.96	6.34
	332982				0.56	0.99
	332984				0.30	0.78
	332998				1.47	2.01
80	333058				0.47	1.38
	333097				2.14	3.19
	333121				2.76	3.70
	333122				1.92	1.21
85	333123				1.85	1.39
	333138				0.47	0.52

	333139	1.88	0.84
	333140	0.21	0.64
	333221	1.51	1.11
	333260	0.75	1.01
5	333380	6.68	15.75
	333387	4.56	12.61
	333512	5.05	8.01
	333524	2.28	3.98
10	333585	2.31	1.53
	333603	2.23	1.17
	333604	2.51	1.58
	333618	0.52	0.98
	333627	1.44	1.36
15	333628	1.90	1.90
	333650	1.85	2.10
	333678	1.85	2.35
	333750	2.18	5.67
	333763	1.99	2.60
20	333767	1.02	0.96
	333768	1.78	1.65
	333769	2.15	2.13
	333772	1.46	2.53
	333777	1.00	1.42
25	333846	2.89	4.50
	333884	0.47	0.94
	333887	0.50	1.00
	333891	0.43	0.89
	333892	0.51	0.91
30	333904	0.26	1.13
	333906	0.55	0.98
	333948	1.70	2.15
	333954	0.37	1.09
35	333966	8.10	14.30
	333968	0.63	1.38
	334061	4.24	12.30
	334094	1.30	12.03
	334113	4.55	8.63
	334161	0.82	1.59
40	334183	0.47	0.76
	334187	1.36	3.70
	334219	0.69	1.04
	334222	1.88	1.70
	334223	4.72	3.14
45	334239	0.79	0.62
	334255	0.45	1.10
	334333	1.00	3.56
	334378	3.98	5.76
	334382	1.50	1.31
50	334492	3.59	4.75
	334562	5.94	15.40
	334588	8.14	19.53
	334616	1.55	1.56
	334633	5.16	8.07
55	334648	0.59	2.13
	334787	3.70	7.15
	334866	8.13	10.60
	334891	0.32	1.14
	334933	1.00	3.84
60	334934	4.01	7.43
	334945	1.04	2.96
	334967	0.29	1.14
	334990	1.50	1.39
65	335015	5.88	18.65
	335093	0.55	1.75
	335120	4.31	8.01
	335125	0.38	1.97
	335179	1.24	1.98
	335188	0.46	1.47
70	335211	1.61	1.42
	335288	0.73	0.97
	335289	0.20	0.26
	335361	2.18	1.58
	335379	0.50	0.71
75	335414	3.64	14.94
	335416	2.93	3.98
	335496	0.96	0.91
	335497	1.71	1.92
	335548	1.15	2.40
80	335551	3.22	10.54
	335558	3.42	4.89
	335586	5.50	12.75
	335619	2.99	3.07
	335620	3.80	8.29
85	335621	0.28	0.57
	335682	0.46	1.17

	335686	2.55	3.81
	335755	2.24	1.07
	335784	0.20	0.97
5	335814	1.13	1.48
	335815	2.45	3.51
	335823	1.00	4.16
	335835	0.49	1.70
	335851	1.66	1.39
10	335868	2.98	6.43
	335896	0.98	0.99
	335936	12.10	21.93
	335948	1.00	1.64
	335983	1.00	4.21
15	335995	0.37	1.17
	336021	1.04	0.84
	336034	11.40	23.54
	336038	1.19	1.21
	336066	0.54	1.63
20	336107	0.95	0.70
	336205	3.13	6.29
	336275	3.20	10.10
	336292	2.34	3.09
	336331	1.00	1.00
25	336419	0.65	0.79
	336632	2.33	2.16
	336633	2.55	2.23
	336634	2.19	2.03
	336635	2.69	2.48
30	336636	2.13	1.83
	336637	2.43	2.24
	336638	2.31	2.03
	336659	0.60	1.31
	336675	0.31	1.18
35	336684	1.50	1.14
	336694	4.74	7.10
	336716	4.43	6.37
	336721	2.20	0.74
	336798	1.64	2.14
40	336900	6.14	12.73
	336948	1.00	1.00
	337028	1.30	2.09
	337043	4.01	11.53
	337046	1.67	1.84
45	337054	2.78	7.35
	337128	7.20	16.14
	337162	3.45	5.34
	337183	5.72	11.41
	337184	3.72	5.90
50	337192	1.27	1.06
	337194	1.88	1.68
	337229	0.22	1.03
	337268	1.00	3.31
	337299	3.23	5.14
55	337325	2.76	3.72
	337389	5.80	10.42
	337493	2.06	6.30
	337497	7.88	20.29
	337500	3.80	4.48
60	337549	1.66	2.31
	337603	1.27	8.54
	337605	5.76	7.16
	337671	0.73	0.97
	337755	1.54	0.92
65	337786	5.07	9.73
	337809	6.18	12.87
	337862	3.78	12.97
	337871	2.66	8.16
	337958	0.26	1.34
70	338008	1.48	1.12
	338033	2.38	14.59
	338083	0.65	2.16
	338110	1.00	1.61
	338112	5.86	8.25
75	338145	1.70	1.97
	338148	8.07	18.19
	338158	1.30	4.55
	338161	2.58	3.57
	338179	1.00	1.00
80	338182	3.32	4.63
	338189	1.00	3.34
	338197	0.99	1.69
	338199	4.58	7.62
	338215	6.01	15.85
85	338279	0.53	0.95
	338316	20.58	38.66

	338322	5.23	7.39
	338357	4.10	11.39
	338359	10.12	21.59
5	338366	0.69	1.02
	338374	0.40	1.18
	338414	0.47	1.06
	338418	6.12	13.86
	338469	3.09	5.11
10	338501	6.28	10.32
	338506	6.97	12.41
	338523	3.10	5.84
	338549	1.70	2.70
	338561	0.79	0.81
15	338662	1.72	1.46
	338671	0.17	0.91
	338676	2.10	15.86
	338726	1.20	1.09
	338779	0.12	0.57
20	338804	0.99	1.67
	338836	1.00	1.00
	338871	4.30	9.81
	338872	5.02	12.81
	338879	0.23	1.12
25	338937	6.55	12.26
	338966	1.76	5.42
	338993	1.00	2.40
	339047	5.26	10.81
	339100	5.10	6.88
30	339114	1.00	1.70
	339121	1.00	3.75
	339170	10.36	19.67
	339229	4.08	13.48
	339264	2.64	3.83
35	339293	1.73	1.94

TABLE 8B shows the accession numbers for those Pkeys in Table 8A lacking unigenelD's. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey	CAT number	Accessions
322044	187363_1	AW340926 AA249063 N86075
322060	44320_1	AI341937 AW003063 U34725 AA904742
321430	42705_1	X57414 X57415
321467	43034_1	X13075 X13076
322125	46779_1	R93901 AF075073 R93902
322166	46861_1	H69434 AF085958 H69846
322173	46873_1	H52567 H52557 AF085970 H52164
322178	46882_1	H56535 AF085980 H56712
322179	46885_1	H92891 AF085982 H92777
321577	1615102_1	H84849 H84252 H84260 H86664 H85320
321587	1615333_1	H95531 H95521 H84529
313723	111953_1	AA070412 AA102346 AA081885
320997	627492_1	H22544 H46842 AI204929
322278	47271_1	W69304 AF086283 W69200
321687	218439_1	AA625149 AA313030 AA313052 H97463
313883	129439_1	AA665089 AA135130 AA484059 AA102419 AW877765
322320	47422_1	W79150 AF086419
322339	814584_1	AI668646 AI734214 W17348
314648	293660_1	AW979268 AA878419 AA431342 AA431628
300201	682222_1	AI308300 AI308296
306897	25196_-2	AI093967
323155	979809_1	AL120701 AL135041 AL121524
322527	38927_1	AF147359 T58511 T58560
322585	473768_2	W88919 W89125
300362	1574395_1	Z42308 H23514
322635	82296_1	AA005129 AA679084 AA694399
322664	85042_1	AA011522 AA702841 AA011691 AA330797
315454	380580_1	AI239464 AI239473 AA625812 AI208703
322687	37372_1	AF074666 AI110759 AF090902
314852	327472_1	AI903735 AA491283 AI694953 AW976903 AA761362
307783	697809_1	AI347274 AW844024
324072	269032_1	AA381722 AA381829 AW963906 AW963902 AA381242
300627	221345_1	AA488472 W27363 AA317053 BE082689 AW967036 BE079872
323505	196389_1	AW970512 AA280251 AI652287 BE466438 AI650725 AA551854 AA281574 AW571481
315791	403558_1	AA678177 AA677034
324303	233842_1	AL118754 AA333202 H38001
316519	442885_1	AA847835 AA768376
300926	333127_1	AA504860 AA504911

	324580	328264_1	AA492588 AA492498 AA492571
	301882	275087_1	T78054 T79888 AA398185
	324804	398093_1	AI692552 AI393343 AI800510 AI377711 F24263 AA661876
5	324889	1515978_1	D31010 D30991 D31168 D31166 D31465
	302697	43219_1	AJ001409 AJ001410
	302711	45419_1	L08442 D51348
	302742	458_39	L12061
	318499	364430_1	T25451 AA585296 AA585305
10	310624	34624_4	U88896 U88898 AA916056 T03285 AI341594 AI359534 AI634031 U88897
	302847	458_105	X98941 X98942 X98943 X98953 X98949
	304122	77271_-5	H28966
	303598	270283_1	AA382814 AA402411 AA412355
	311409	837264_1	AI698839 AI909260 AI909259
	312094	797889_1	Z78390 T97427
15	319312	1540116_1	Z45481 F12393 T74437
	319407	1688823_1	R05329 R01555 R08276
	319425	1689571_1	T82930 R02424 T85145
	320007	229683_1	AA336314 T82938 AA327744 AW967388 AA639967 T10753
20	320018	1815987_1	T83263 T85731 T85730
	319484	1691553_1	T91772 R07257 R07098
	318865	1535937_1	H10818 F07831 Z43072
	312220	1671607_1	N74613 T98756 T98589
	319546	243305_1	R09692 R09414 AA346353
25	312389	902067_1	AI863140 W80703 R43474
	319611	1566863_1	H14957 R56522 R11908
	312437	291472_1	BE080180 AW827313 AW231970 AA995028 AA428584 AW827216 AW892508 AW854593 AA578441 AW975234 AA664937 AA984131 AA528743 AA552874 AA564758 AW063245 AI267534 AW070190 AW893483 AA770330 AA906928 AA906582 AA758746 AA551717 AW063311 AA429538
30	311896	579192_1	AW206447 AI248530 AI084433 AI400976 R16553
	319834	112523_1	AA071267 T65940 T64515 AA071334
	321102	80531_1	AA018306 H38925 AA001221
	321158	410938_1	H79670 H47798 AA700289
	321199	212379_1	N34524 AA305071 AW954803 AA502335 AI433430 AI203597 AW026670 AW265323 AW850787 AA317554 AW993643 AW835572 AW385512 AI334966 W32951 H62656 H53902 R88904 AW835732
35	305528	28832_-3	AA769156
	321270	1662057_1	N59537 N78278 R83560
	314126	177666_1	AA226431 AA226569 AA488748
	320714	743644_1	R91883 AI445591
40	306442	AA976899	
	306446	AA977348	
	306458	AA978186	
	306510	AA988546	
	306557	AA994530	
45	306572	AA995686	
	306582	AA996248	
	306656	AI004024	
	306686	AI015615	
	306751	AI032589	
50	308011	AI439473	
	306892	AI092465	
	308106	AI476803	
	308154	AI500600	
	306956	AI125111	
55	306958	AI125152	
	308213	AI557041	
	308216	AI557135	
	308219	AI557246	
	308588	AI718299	
60	308599	AI719893	
	308643	AI745040	
	308673	AI760864	
	308697	AI767143	
	308778	AI811109	
65	308808	AI818289	
	308875	AI832332	
	308886	AI833240	
	308898	AI858846	
	308966	AI870704	
	308979	AI873111	
70	303011	41689_1	AF090405 AF090407 AF090406
	303077	44060_1	AF163305 AF163307 AF163303
	305016	AA626876	
	305034	AA630128	
75	305072	AA641012	
	305148	AA654070	
	305190	AA665955	
	303978	AW513315	
	303990	AW515465	
80	303998	AW516449	
	303999	AW516611	
	305235	AA670480	
	305312	AA700201	
	305413	AA724659	
85	305447	AA737856	
	321244	29327_1	AF068654 AF068656 AF068655

	305614	AA782866	
	305637	AA806124	
	305639	AA806138	
5	305650	AA807709	
	305690	AA813477	
	305728	AA828209	
	305759	AA835353	
	305792	AA845256	
10	307041	AI144243	
	307091	AI167439	
	307181	AI189251	
	305901	AA872968	
	305910	AA875981	
15	307415	AI242118	
	307426	AI243364	
	307517	AI275055	
	307551	AI281556	
	307561	AI282207	
20	307608	AI290295	
	307691	AI318285	
	307730	AI336092	
	307760	AI342387	
	307764	AI342731	
25	307796	AI350556	
	309045	AI910902	
	309051	AI911975	
	307807	AI351789	
	307808	AI351826	
30	307820	AI355761	
	307852	AI355541	
	309122	AI928178	
	309164	AI937761	
	309177	AI951118	
35	307902	AI380462	
	309299	AW003478	
	309303	AW004823	
	309476	AW129368	
	309532	AW151119	
40	309747	AW264889	
	309769	AW272346	
	309799	AW276964	
	309866	AW299916	
	302679	311853_1	H65022 AA186889
45	309923	AW340684	
	309928	AW341418	
	309931	AW341683	
	309933	AW341936	
	302705	31765_1	U09060 U09061
50	302789	34161_1	AJ245067 AJ245070
	304006	AW517947	
	304024	T03036	
	304026	T03160	
	304028	T03266	
55	304046	T54803	
	304061	T61521	
	304063	T62536	
	302802	34487_1	Y08250 Y08245
	304114	R78946	
60	304155	H68696	
	304203	N56929	
	304234	W81608	
	304348	AA179868	
	304430	AA347682	
	304456	AA411240	
65	304521	AA464716	
	304526	AA476427	
	304607	AA513322	
	304735	AA576453	
70	304760	AA580401	
	306015	AA897116	
	306083	AA906316	
	306065	AA906725	
	306104	AA910956	
	306109	AA911861	
75	306242	AA932805	
	306288	AA936900	
	306396	AA970223	
	330568	NOT_FOUND_entrez	U56244
80	330599	15323_-12 U90437	
	331131	genbank_R54797	R54797
	331203	NOT_FOUND_entrez	T82310
	331531	genbank_N51343	N51343
	331547	467396_1 AA828597	N54811
85	332074	genbank_AA599012	AA599012

TABLE 8C shows the genomic position for those Pkeys in Table 8A lacking unigene ID's and accession numbers. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

5	<p>Pkey: Unique number corresponding to an Eos probeset Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham <i>l. et al.</i>" refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham <i>l. et al.</i>, Nature (1999) 402:489-495. Strand: Indicates DNA strand from which exons were predicted. Nt_position: Indicates nucleotide positions of predicted exons.</p>																																																																																																																																																																																																																																																																																																								
10	<table border="0"> <thead> <tr> <th style="text-align: left;">Pkey</th> <th style="text-align: left;">Ref</th> <th style="text-align: left;">Strand</th> <th style="text-align: left;">Nt_position</th> </tr> </thead> <tbody> <tr><td>332792</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>73381-73768</td></tr> <tr><td>332816</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>359844-360030</td></tr> <tr><td>332906</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>1923101-1923205</td></tr> <tr><td>332911</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>1961767-1961858</td></tr> <tr><td>332912</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>1962120-1962246</td></tr> <tr><td>332922</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>2009620-2009738</td></tr> <tr><td>332956</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>2510528-2510658</td></tr> <tr><td>332959</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>2518145-2518213</td></tr> <tr><td>333138</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>3369205-3369323</td></tr> <tr><td>333139</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>3369495-3369571</td></tr> <tr><td>333221</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>3978070-3978187</td></tr> <tr><td>333380</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>4904775-4904846</td></tr> <tr><td>333387</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>4910935-4910997</td></tr> <tr><td>333512</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>5560510-5560564</td></tr> <tr><td>333524</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>5612620-5612780</td></tr> <tr><td>333585</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>6234778-6234894</td></tr> <tr><td>333618</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>6562391-6562566</td></tr> <tr><td>333627</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>6620584-6620903</td></tr> <tr><td>333628</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>6629004-6629233</td></tr> <tr><td>333650</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>6796852-6797128</td></tr> <tr><td>333678</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>7068223-7068288</td></tr> <tr><td>333750</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>7608165-7608234</td></tr> <tr><td>333763</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>7692491-7692630</td></tr> <tr><td>333767</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>7694407-7694623</td></tr> <tr><td>333768</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>7695440-7695697</td></tr> <tr><td>333769</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>7696625-7696707</td></tr> <tr><td>333772</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>7706773-7706902</td></tr> <tr><td>333777</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>7746805-7746916</td></tr> <tr><td>333846</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>8008623-8008757</td></tr> <tr><td>333884</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>8153960-8154161</td></tr> <tr><td>333887</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>8154882-8155025</td></tr> <tr><td>333891</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>8156437-8156709</td></tr> <tr><td>333892</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>8156825-8157001</td></tr> <tr><td>333948</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>8583497-8583627</td></tr> <tr><td>333954</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>6563186-6563335</td></tr> <tr><td>333966</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>8655643-8655826</td></tr> <tr><td>333968</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>8681004-8681241</td></tr> <tr><td>334061</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>9686941-9687077</td></tr> <tr><td>334094</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>9889953-9890105</td></tr> <tr><td>334113</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>10282459-10282597</td></tr> <tr><td>334161</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>10599033-10599180</td></tr> <tr><td>334219</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>12716160-12716384</td></tr> <tr><td>334239</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>13056569-13056693</td></tr> <tr><td>334333</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>13603544-13603657</td></tr> <tr><td>334378</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>13907239-13907370</td></tr> <tr><td>334382</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>13915866-13916036</td></tr> <tr><td>334562</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>14987847-14987940</td></tr> <tr><td>334588</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>15032740-15032817</td></tr> <tr><td>334616</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>15176123-15176470</td></tr> <tr><td>334633</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>15333206-15333305</td></tr> <tr><td>334866</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>18872214-18872317</td></tr> <tr><td>334891</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>19299770-19299944</td></tr> <tr><td>334934</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>20103970-20104058</td></tr> <tr><td>335015</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>20682792-20682945</td></tr> <tr><td>335120</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>21436286-21436384</td></tr> <tr><td>335125</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>21441390-21441471</td></tr> <tr><td>335179</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>21634405-21634526</td></tr> <tr><td>335188</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>21669118-21669328</td></tr> <tr><td>335211</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>21774611-21774680</td></tr> <tr><td>335361</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>22807292-22807445</td></tr> <tr><td>335379</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>22899306-22899420</td></tr> <tr><td>335414</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>23235546-23235684</td></tr> <tr><td>335416</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>23237354-23237465</td></tr> <tr><td>335496</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>24164386-24164545</td></tr> <tr><td>335497</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>24167666-24167869</td></tr> <tr><td>335558</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>24740167-24740347</td></tr> <tr><td>335586</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>24990333-24990497</td></tr> <tr><td>335686</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>25439839-25439920</td></tr> <tr><td>335784</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>25942710-25942792</td></tr> <tr><td>335823</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>26365925-26366004</td></tr> <tr><td>335983</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>27938968-27939070</td></tr> <tr><td>335995</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>28009044-28009184</td></tr> <tr><td>336021</td><td>Dunham, <i>l. et al.</i></td><td>Plus</td><td>28686482-28686559</td></tr> </tbody> </table>	Pkey	Ref	Strand	Nt_position	332792	Dunham, <i>l. et al.</i>	Plus	73381-73768	332816	Dunham, <i>l. et al.</i>	Plus	359844-360030	332906	Dunham, <i>l. et al.</i>	Plus	1923101-1923205	332911	Dunham, <i>l. et al.</i>	Plus	1961767-1961858	332912	Dunham, <i>l. et al.</i>	Plus	1962120-1962246	332922	Dunham, <i>l. et al.</i>	Plus	2009620-2009738	332956	Dunham, <i>l. et al.</i>	Plus	2510528-2510658	332959	Dunham, <i>l. et al.</i>	Plus	2518145-2518213	333138	Dunham, <i>l. et al.</i>	Plus	3369205-3369323	333139	Dunham, <i>l. et al.</i>	Plus	3369495-3369571	333221	Dunham, <i>l. et al.</i>	Plus	3978070-3978187	333380	Dunham, <i>l. et al.</i>	Plus	4904775-4904846	333387	Dunham, <i>l. et al.</i>	Plus	4910935-4910997	333512	Dunham, <i>l. et al.</i>	Plus	5560510-5560564	333524	Dunham, <i>l. et al.</i>	Plus	5612620-5612780	333585	Dunham, <i>l. et al.</i>	Plus	6234778-6234894	333618	Dunham, <i>l. et al.</i>	Plus	6562391-6562566	333627	Dunham, <i>l. et al.</i>	Plus	6620584-6620903	333628	Dunham, <i>l. et al.</i>	Plus	6629004-6629233	333650	Dunham, <i>l. et al.</i>	Plus	6796852-6797128	333678	Dunham, <i>l. et al.</i>	Plus	7068223-7068288	333750	Dunham, <i>l. et al.</i>	Plus	7608165-7608234	333763	Dunham, <i>l. et al.</i>	Plus	7692491-7692630	333767	Dunham, <i>l. et al.</i>	Plus	7694407-7694623	333768	Dunham, <i>l. et al.</i>	Plus	7695440-7695697	333769	Dunham, <i>l. et al.</i>	Plus	7696625-7696707	333772	Dunham, <i>l. et al.</i>	Plus	7706773-7706902	333777	Dunham, <i>l. et al.</i>	Plus	7746805-7746916	333846	Dunham, <i>l. et al.</i>	Plus	8008623-8008757	333884	Dunham, <i>l. et al.</i>	Plus	8153960-8154161	333887	Dunham, <i>l. et al.</i>	Plus	8154882-8155025	333891	Dunham, <i>l. et al.</i>	Plus	8156437-8156709	333892	Dunham, <i>l. et al.</i>	Plus	8156825-8157001	333948	Dunham, <i>l. et al.</i>	Plus	8583497-8583627	333954	Dunham, <i>l. et al.</i>	Plus	6563186-6563335	333966	Dunham, <i>l. et al.</i>	Plus	8655643-8655826	333968	Dunham, <i>l. et al.</i>	Plus	8681004-8681241	334061	Dunham, <i>l. et al.</i>	Plus	9686941-9687077	334094	Dunham, <i>l. et al.</i>	Plus	9889953-9890105	334113	Dunham, <i>l. et al.</i>	Plus	10282459-10282597	334161	Dunham, <i>l. et al.</i>	Plus	10599033-10599180	334219	Dunham, <i>l. et al.</i>	Plus	12716160-12716384	334239	Dunham, <i>l. et al.</i>	Plus	13056569-13056693	334333	Dunham, <i>l. et al.</i>	Plus	13603544-13603657	334378	Dunham, <i>l. et al.</i>	Plus	13907239-13907370	334382	Dunham, <i>l. et al.</i>	Plus	13915866-13916036	334562	Dunham, <i>l. et al.</i>	Plus	14987847-14987940	334588	Dunham, <i>l. et al.</i>	Plus	15032740-15032817	334616	Dunham, <i>l. et al.</i>	Plus	15176123-15176470	334633	Dunham, <i>l. et al.</i>	Plus	15333206-15333305	334866	Dunham, <i>l. et al.</i>	Plus	18872214-18872317	334891	Dunham, <i>l. et al.</i>	Plus	19299770-19299944	334934	Dunham, <i>l. et al.</i>	Plus	20103970-20104058	335015	Dunham, <i>l. et al.</i>	Plus	20682792-20682945	335120	Dunham, <i>l. et al.</i>	Plus	21436286-21436384	335125	Dunham, <i>l. et al.</i>	Plus	21441390-21441471	335179	Dunham, <i>l. et al.</i>	Plus	21634405-21634526	335188	Dunham, <i>l. et al.</i>	Plus	21669118-21669328	335211	Dunham, <i>l. et al.</i>	Plus	21774611-21774680	335361	Dunham, <i>l. et al.</i>	Plus	22807292-22807445	335379	Dunham, <i>l. et al.</i>	Plus	22899306-22899420	335414	Dunham, <i>l. et al.</i>	Plus	23235546-23235684	335416	Dunham, <i>l. et al.</i>	Plus	23237354-23237465	335496	Dunham, <i>l. et al.</i>	Plus	24164386-24164545	335497	Dunham, <i>l. et al.</i>	Plus	24167666-24167869	335558	Dunham, <i>l. et al.</i>	Plus	24740167-24740347	335586	Dunham, <i>l. et al.</i>	Plus	24990333-24990497	335686	Dunham, <i>l. et al.</i>	Plus	25439839-25439920	335784	Dunham, <i>l. et al.</i>	Plus	25942710-25942792	335823	Dunham, <i>l. et al.</i>	Plus	26365925-26366004	335983	Dunham, <i>l. et al.</i>	Plus	27938968-27939070	335995	Dunham, <i>l. et al.</i>	Plus	28009044-28009184	336021	Dunham, <i>l. et al.</i>	Plus	28686482-28686559
Pkey	Ref	Strand	Nt_position																																																																																																																																																																																																																																																																																																						
332792	Dunham, <i>l. et al.</i>	Plus	73381-73768																																																																																																																																																																																																																																																																																																						
332816	Dunham, <i>l. et al.</i>	Plus	359844-360030																																																																																																																																																																																																																																																																																																						
332906	Dunham, <i>l. et al.</i>	Plus	1923101-1923205																																																																																																																																																																																																																																																																																																						
332911	Dunham, <i>l. et al.</i>	Plus	1961767-1961858																																																																																																																																																																																																																																																																																																						
332912	Dunham, <i>l. et al.</i>	Plus	1962120-1962246																																																																																																																																																																																																																																																																																																						
332922	Dunham, <i>l. et al.</i>	Plus	2009620-2009738																																																																																																																																																																																																																																																																																																						
332956	Dunham, <i>l. et al.</i>	Plus	2510528-2510658																																																																																																																																																																																																																																																																																																						
332959	Dunham, <i>l. et al.</i>	Plus	2518145-2518213																																																																																																																																																																																																																																																																																																						
333138	Dunham, <i>l. et al.</i>	Plus	3369205-3369323																																																																																																																																																																																																																																																																																																						
333139	Dunham, <i>l. et al.</i>	Plus	3369495-3369571																																																																																																																																																																																																																																																																																																						
333221	Dunham, <i>l. et al.</i>	Plus	3978070-3978187																																																																																																																																																																																																																																																																																																						
333380	Dunham, <i>l. et al.</i>	Plus	4904775-4904846																																																																																																																																																																																																																																																																																																						
333387	Dunham, <i>l. et al.</i>	Plus	4910935-4910997																																																																																																																																																																																																																																																																																																						
333512	Dunham, <i>l. et al.</i>	Plus	5560510-5560564																																																																																																																																																																																																																																																																																																						
333524	Dunham, <i>l. et al.</i>	Plus	5612620-5612780																																																																																																																																																																																																																																																																																																						
333585	Dunham, <i>l. et al.</i>	Plus	6234778-6234894																																																																																																																																																																																																																																																																																																						
333618	Dunham, <i>l. et al.</i>	Plus	6562391-6562566																																																																																																																																																																																																																																																																																																						
333627	Dunham, <i>l. et al.</i>	Plus	6620584-6620903																																																																																																																																																																																																																																																																																																						
333628	Dunham, <i>l. et al.</i>	Plus	6629004-6629233																																																																																																																																																																																																																																																																																																						
333650	Dunham, <i>l. et al.</i>	Plus	6796852-6797128																																																																																																																																																																																																																																																																																																						
333678	Dunham, <i>l. et al.</i>	Plus	7068223-7068288																																																																																																																																																																																																																																																																																																						
333750	Dunham, <i>l. et al.</i>	Plus	7608165-7608234																																																																																																																																																																																																																																																																																																						
333763	Dunham, <i>l. et al.</i>	Plus	7692491-7692630																																																																																																																																																																																																																																																																																																						
333767	Dunham, <i>l. et al.</i>	Plus	7694407-7694623																																																																																																																																																																																																																																																																																																						
333768	Dunham, <i>l. et al.</i>	Plus	7695440-7695697																																																																																																																																																																																																																																																																																																						
333769	Dunham, <i>l. et al.</i>	Plus	7696625-7696707																																																																																																																																																																																																																																																																																																						
333772	Dunham, <i>l. et al.</i>	Plus	7706773-7706902																																																																																																																																																																																																																																																																																																						
333777	Dunham, <i>l. et al.</i>	Plus	7746805-7746916																																																																																																																																																																																																																																																																																																						
333846	Dunham, <i>l. et al.</i>	Plus	8008623-8008757																																																																																																																																																																																																																																																																																																						
333884	Dunham, <i>l. et al.</i>	Plus	8153960-8154161																																																																																																																																																																																																																																																																																																						
333887	Dunham, <i>l. et al.</i>	Plus	8154882-8155025																																																																																																																																																																																																																																																																																																						
333891	Dunham, <i>l. et al.</i>	Plus	8156437-8156709																																																																																																																																																																																																																																																																																																						
333892	Dunham, <i>l. et al.</i>	Plus	8156825-8157001																																																																																																																																																																																																																																																																																																						
333948	Dunham, <i>l. et al.</i>	Plus	8583497-8583627																																																																																																																																																																																																																																																																																																						
333954	Dunham, <i>l. et al.</i>	Plus	6563186-6563335																																																																																																																																																																																																																																																																																																						
333966	Dunham, <i>l. et al.</i>	Plus	8655643-8655826																																																																																																																																																																																																																																																																																																						
333968	Dunham, <i>l. et al.</i>	Plus	8681004-8681241																																																																																																																																																																																																																																																																																																						
334061	Dunham, <i>l. et al.</i>	Plus	9686941-9687077																																																																																																																																																																																																																																																																																																						
334094	Dunham, <i>l. et al.</i>	Plus	9889953-9890105																																																																																																																																																																																																																																																																																																						
334113	Dunham, <i>l. et al.</i>	Plus	10282459-10282597																																																																																																																																																																																																																																																																																																						
334161	Dunham, <i>l. et al.</i>	Plus	10599033-10599180																																																																																																																																																																																																																																																																																																						
334219	Dunham, <i>l. et al.</i>	Plus	12716160-12716384																																																																																																																																																																																																																																																																																																						
334239	Dunham, <i>l. et al.</i>	Plus	13056569-13056693																																																																																																																																																																																																																																																																																																						
334333	Dunham, <i>l. et al.</i>	Plus	13603544-13603657																																																																																																																																																																																																																																																																																																						
334378	Dunham, <i>l. et al.</i>	Plus	13907239-13907370																																																																																																																																																																																																																																																																																																						
334382	Dunham, <i>l. et al.</i>	Plus	13915866-13916036																																																																																																																																																																																																																																																																																																						
334562	Dunham, <i>l. et al.</i>	Plus	14987847-14987940																																																																																																																																																																																																																																																																																																						
334588	Dunham, <i>l. et al.</i>	Plus	15032740-15032817																																																																																																																																																																																																																																																																																																						
334616	Dunham, <i>l. et al.</i>	Plus	15176123-15176470																																																																																																																																																																																																																																																																																																						
334633	Dunham, <i>l. et al.</i>	Plus	15333206-15333305																																																																																																																																																																																																																																																																																																						
334866	Dunham, <i>l. et al.</i>	Plus	18872214-18872317																																																																																																																																																																																																																																																																																																						
334891	Dunham, <i>l. et al.</i>	Plus	19299770-19299944																																																																																																																																																																																																																																																																																																						
334934	Dunham, <i>l. et al.</i>	Plus	20103970-20104058																																																																																																																																																																																																																																																																																																						
335015	Dunham, <i>l. et al.</i>	Plus	20682792-20682945																																																																																																																																																																																																																																																																																																						
335120	Dunham, <i>l. et al.</i>	Plus	21436286-21436384																																																																																																																																																																																																																																																																																																						
335125	Dunham, <i>l. et al.</i>	Plus	21441390-21441471																																																																																																																																																																																																																																																																																																						
335179	Dunham, <i>l. et al.</i>	Plus	21634405-21634526																																																																																																																																																																																																																																																																																																						
335188	Dunham, <i>l. et al.</i>	Plus	21669118-21669328																																																																																																																																																																																																																																																																																																						
335211	Dunham, <i>l. et al.</i>	Plus	21774611-21774680																																																																																																																																																																																																																																																																																																						
335361	Dunham, <i>l. et al.</i>	Plus	22807292-22807445																																																																																																																																																																																																																																																																																																						
335379	Dunham, <i>l. et al.</i>	Plus	22899306-22899420																																																																																																																																																																																																																																																																																																						
335414	Dunham, <i>l. et al.</i>	Plus	23235546-23235684																																																																																																																																																																																																																																																																																																						
335416	Dunham, <i>l. et al.</i>	Plus	23237354-23237465																																																																																																																																																																																																																																																																																																						
335496	Dunham, <i>l. et al.</i>	Plus	24164386-24164545																																																																																																																																																																																																																																																																																																						
335497	Dunham, <i>l. et al.</i>	Plus	24167666-24167869																																																																																																																																																																																																																																																																																																						
335558	Dunham, <i>l. et al.</i>	Plus	24740167-24740347																																																																																																																																																																																																																																																																																																						
335586	Dunham, <i>l. et al.</i>	Plus	24990333-24990497																																																																																																																																																																																																																																																																																																						
335686	Dunham, <i>l. et al.</i>	Plus	25439839-25439920																																																																																																																																																																																																																																																																																																						
335784	Dunham, <i>l. et al.</i>	Plus	25942710-25942792																																																																																																																																																																																																																																																																																																						
335823	Dunham, <i>l. et al.</i>	Plus	26365925-26366004																																																																																																																																																																																																																																																																																																						
335983	Dunham, <i>l. et al.</i>	Plus	27938968-27939070																																																																																																																																																																																																																																																																																																						
335995	Dunham, <i>l. et al.</i>	Plus	28009044-28009184																																																																																																																																																																																																																																																																																																						
336021	Dunham, <i>l. et al.</i>	Plus	28686482-28686559																																																																																																																																																																																																																																																																																																						
15																																																																																																																																																																																																																																																																																																									
20																																																																																																																																																																																																																																																																																																									
25																																																																																																																																																																																																																																																																																																									
30																																																																																																																																																																																																																																																																																																									
35																																																																																																																																																																																																																																																																																																									
40																																																																																																																																																																																																																																																																																																									
45																																																																																																																																																																																																																																																																																																									
50																																																																																																																																																																																																																																																																																																									
55																																																																																																																																																																																																																																																																																																									
60																																																																																																																																																																																																																																																																																																									
65																																																																																																																																																																																																																																																																																																									
70																																																																																																																																																																																																																																																																																																									
75																																																																																																																																																																																																																																																																																																									
80																																																																																																																																																																																																																																																																																																									
85																																																																																																																																																																																																																																																																																																									

	336034	Dunham, I. et al.	Plus	29014404-29014590
	336038	Dunham, I. et al.	Plus	29022963-29023165
	336107	Dunham, I. et al.	Plus	29987731-29987869
5	336632	Dunham, I. et al.	Plus	983890-985529
	336633	Dunham, I. et al.	Plus	985591-986221
	336634	Dunham, I. et al.	Plus	986296-986670
	336635	Dunham, I. et al.	Plus	987908-988364
	336636	Dunham, I. et al.	Plus	988418-989185
10	336637	Dunham, I. et al.	Plus	989276-990813
	336638	Dunham, I. et al.	Plus	991906-993240
	336659	Dunham, I. et al.	Plus	1896402-1896478
	336694	Dunham, I. et al.	Plus	2420546-2420616
	336721	Dunham, I. et al.	Plus	3371522-3371586
15	336900	Dunham, I. et al.	Plus	10236423-10236523
	336948	Dunham, I. et al.	Plus	12692290-12692381
	337028	Dunham, I. et al.	Plus	16644817-16644942
	337054	Dunham, I. et al.	Plus	17821742-17821922
	337162	Dunham, I. et al.	Plus	23478943-23479145
20	337183	Dunham, I. et al.	Plus	23943605-23943696
	337184	Dunham, I. et al.	Plus	23973949-23974016
	337268	Dunham, I. et al.	Plus	28011979-28012034
	337299	Dunham, I. et al.	Plus	29022656-29022775
	337389	Dunham, I. et al.	Plus	31401509-31401579
25	337493	Dunham, I. et al.	Plus	33330760-33330981
	337549	Dunham, I. et al.	Plus	34474472-34474531
	337755	Dunham, I. et al.	Plus	3971764-3971900
	337809	Dunham, I. et al.	Plus	4449069-4449193
	337871	Dunham, I. et al.	Plus	5443027-5443101
30	337958	Dunham, I. et al.	Plus	6969162-6969270
	338008	Dunham, I. et al.	Plus	7697068-7697236
	338033	Dunham, I. et al.	Plus	8092128-8092271
	338110	Dunham, I. et al.	Plus	10384481-10384621
	338112	Dunham, I. et al.	Plus	10391398-10391600
35	338145	Dunham, I. et al.	Plus	11386629-11386692
	338148	Dunham, I. et al.	Plus	11448985-11449085
	338179	Dunham, I. et al.	Plus	12808775-12808833
	338197	Dunham, I. et al.	Plus	13538107-13638181
	338279	Dunham, I. et al.	Plus	16168944-16169091
40	338316	Dunham, I. et al.	Plus	17089711-17089988
	338322	Dunham, I. et al.	Plus	17132477-17132547
	338357	Dunham, I. et al.	Plus	18062184-18062402
	338359	Dunham, I. et al.	Plus	18074402-18074501
	338366	Dunham, I. et al.	Plus	18252026-18252189
45	338374	Dunham, I. et al.	Plus	18371200-18371282
	338414	Dunham, I. et al.	Plus	19345573-19345660
	338418	Dunham, I. et al.	Plus	19435506-19435596
	338501	Dunham, I. et al.	Plus	21244713-21244828
	338506	Dunham, I. et al.	Plus	21221871-21221953
50	338523	Dunham, I. et al.	Plus	21509763-21509864
	338662	Dunham, I. et al.	Plus	24404720-24404899
	338804	Dunham, I. et al.	Plus	27236005-27236108
	338836	Dunham, I. et al.	Plus	27792166-27792272
	338879	Dunham, I. et al.	Plus	28410653-28410734
55	338937	Dunham, I. et al.	Plus	29160655-29160725
	338993	Dunham, I. et al.	Plus	30077787-30078184
	339047	Dunham, I. et al.	Plus	30760793-30760968
	339100	Dunham, I. et al.	Plus	31141580-31141765
	339114	Dunham, I. et al.	Plus	31456454-31456519
60	339121	Dunham, I. et al.	Plus	31583467-31583536
	339170	Dunham, I. et al.	Plus	32216399-32216527
	339293	Dunham, I. et al.	Plus	33223671-33223819
	332858	Dunham, I. et al.	Minus	1339607-1339397
65	332982	Dunham, I. et al.	Minus	2628296-2628109
	332984	Dunham, I. et al.	Minus	2632606-2632457
	332998	Dunham, I. et al.	Minus	2711704-2711565
	333058	Dunham, I. et al.	Minus	3028925-3028811
	333097	Dunham, I. et al.	Minus	3204124-3204036
	333121	Dunham, I. et al.	Minus	3308446-3308358
70	333122	Dunham, I. et al.	Minus	3309596-3309531
	333123	Dunham, I. et al.	Minus	3310817-3310749
	333140	Dunham, I. et al.	Minus	3377220-3376309
	333260	Dunham, I. et al.	Minus	4308400-4308304
	333603	Dunham, I. et al.	Minus	6466335-6465727
75	333604	Dunham, I. et al.	Minus	6467090-6466768
	333904	Dunham, I. et al.	Minus	8217374-8217261
	333906	Dunham, I. et al.	Minus	8218238-8218063
	334183	Dunham, I. et al.	Minus	11832582-11832508
	334187	Dunham, I. et al.	Minus	11921456-11921205
80	334222	Dunham, I. et al.	Minus	12732417-12732289
	334223	Dunham, I. et al.	Minus	12734365-12734269
	334255	Dunham, I. et al.	Minus	13200776-13200692
	334492	Dunham, I. et al.	Minus	14478333-14478172
	334648	Dunham, I. et al.	Minus	15363301-15363222
85	334787	Dunham, I. et al.	Minus	16299093-16298937
	334933	Dunham, I. et al.	Minus	20078117-20077991

	334945	Dunham, I. et.al.	Minus	20138885-20138637
	334967	Dunham, I. et.al.	Minus	20173311-20173218
	334990	Dunham, I. et.al.	Minus	20341159-20341087
5	335093	Dunham, I. et.al.	Minus	21297367-21297214
	335288	Dunham, I. et.al.	Minus	22304275-22303770
	335289	Dunham, I. et.al.	Minus	22305950-22305708
	335548	Dunham, I. et.al.	Minus	24662773-24662673
	335551	Dunham, I. et.al.	Minus	24679828-24678961
10	335619	Dunham, I. et.al.	Minus	25082677-25082498
	335620	Dunham, I. et.al.	Minus	25092561-25092434
	335621	Dunham, I. et.al.	Minus	25098878-25098767
	335682	Dunham, I. et.al.	Minus	25421215-25421093
	335755	Dunham, I. et.al.	Minus	25763806-25763747
	335814	Dunham, I. et.al.	Minus	26320043-26319845
15	335815	Dunham, I. et.al.	Minus	26320518-26320421
	335835	Dunham, I. et.al.	Minus	26393311-26393245
	335851	Dunham, I. et.al.	Minus	26604863-26604742
	335868	Dunham, I. et.al.	Minus	26711437-26711300
20	335896	Dunham, I. et.al.	Minus	26977639-26977558
	335936	Dunham, I. et.al.	Minus	27360474-27360400
	335948	Dunham, I. et.al.	Minus	27555924-27555788
	336066	Dunham, I. et.al.	Minus	29241080-29240842
	336205	Dunham, I. et.al.	Minus	30477456-30477311
25	336275	Dunham, I. et.al.	Minus	32086675-32086536
	336292	Dunham, I. et.al.	Minus	32818035-32817927
	336331	Dunham, I. et.al.	Minus	33594527-33594371
	336419	Dunham, I. et.al.	Minus	34052568-34052445
	336675	Dunham, I. et.al.	Minus	2020758-2020664
30	336684	Dunham, I. et.al.	Minus	2158060-2157993
	336716	Dunham, I. et.al.	Minus	3259952-3259862
	336798	Dunham, I. et.al.	Minus	5888954-5888757
	337043	Dunham, I. et.al.	Minus	17407330-17407251
	337046	Dunham, I. et.al.	Minus	17610892-17610821
35	337128	Dunham, I. et.al.	Minus	22215251-22215034
	337192	Dunham, I. et.al.	Minus	24591853-24591771
	337194	Dunham, I. et.al.	Minus	24610510-24610359
	337229	Dunham, I. et.al.	Minus	26716579-26716481
	337325	Dunham, I. et.al.	Minus	30015948-30015800
40	337497	Dunham, I. et.al.	Minus	33371317-33371258
	337500	Dunham, I. et.al.	Minus	33376212-33376158
	337603	Dunham, I. et.al.	Minus	1299296-1299194
	337605	Dunham, I. et.al.	Minus	1346555-1346397
	337671	Dunham, I. et.al.	Minus	3260634-3260547
45	337786	Dunham, I. et.al.	Minus	4133203-4133081
	337862	Dunham, I. et.al.	Minus	5347658-5347550
	338083	Dunham, I. et.al.	Minus	9318438-9318301
	338158	Dunham, I. et.al.	Minus	11794465-11794343
	338161	Dunham, I. et.al.	Minus	12124716-12124658
50	338182	Dunham, I. et.al.	Minus	12824919-12824827
	338189	Dunham, I. et.al.	Minus	12878594-12878478
	338199	Dunham, I. et.al.	Minus	13760865-13760780
	338215	Dunham, I. et.al.	Minus	14055447-14055355
55	338469	Dunham, I. et.al.	Minus	20520387-20520242
	338549	Dunham, I. et.al.	Minus	22049171-22049081
	338561	Dunham, I. et.al.	Minus	22311966-22311856
	338671	Dunham, I. et.al.	Minus	24508421-24508346
	338676	Dunham, I. et.al.	Minus	24637427-24637369
	338726	Dunham, I. et.al.	Minus	25926206-25925618
50	338779	Dunham, I. et.al.	Minus	27030151-27029795
	338871	Dunham, I. et.al.	Minus	28301708-28301611
	338872	Dunham, I. et.al.	Minus	28300921-28300790
	338966	Dunham, I. et.al.	Minus	29614876-29614749
	339229	Dunham, I. et.al.	Minus	32722330-32722199
55	339264	Dunham, I. et.al.	Minus	32975145-32975053
	325228	6381940 Plus		2630-2694
	325235	6381943 Minus		162154-162264
	329588	3962484 Plus		1169-1619
	329560	3962491 Plus		2095-2990
70	329541	3983503 Minus		2765-3059
	325328	5866875 Plus		86780-86854
	325340	6017033 Minus		166656-166819
	325373	5866920 Minus		1136686-1136777
	325367	5866920 Minus		922881-922958
75	325389	5866921 Plus		239672-239759
	325436	5866939 Minus		29778-29907
	325498	5866967 Plus		173372-173930
	325471	6017034 Minus		289268-289342
	325557	6056302 Plus		50921-51050
30	325559	6249595 Minus		118590-119172
	325560	6249595 Minus		133794-133981
	325569	6249599 Plus		79927-80217
	325587	6682462 Plus		126724-126967
	325585	6682462 Plus		73476-73574
35	325597	5866992 Plus		1065020-1065089
	325639	5867002 Plus		253525-253608

WO 02/086443

	325739	5867038	Minus	205138-205269
	325740	5867038	Minus	207533-207690
	325792	6469828	Minus	1018-1176
5	325735	6552447	Minus	269122-269190
	325685	6682468	Plus	117397-117483
	325686	6682468	Plus	118337-118439
	325819	6682490	Minus	130314-130370
	329764	6048195	Minus	109733-109968
10	329703	6065793	Minus	139994-140138
	329643	6448539	Plus	53403-53537
	329816	6624888	Minus	70296-70423
	329860	6687260	Minus	163474-163605
	325883	5867087	Plus	22498-22663
15	325895	5867097	Plus	358317-358476
	325925	5867124	Plus	115749-115962
	325932	5867127	Plus	7369-7441
	325941	5867133	Minus	64228-64402
	325969	5867153	Plus	101911-102081
20	325971	5867153	Plus	105841-106035
	329993	4567166	Minus	101307-101434
	330020	6671887	Plus	172397-172491
	326163	5867168	Minus	7831-8035
	326274	5867171	Minus	410289-410404
25	326025	5867176	Plus	70854-70915
	326046	5867182	Minus	62668-62825
	326099	5867186	Minus	661381-661510
	326108	5867187	Minus	23784-23903
	326165	5867208	Minus	62787-62929
30	326189	5867212	Plus	69288-69413
	326204	5867218	Minus	148088-148200
	326230	5867230	Minus	301868-301972
	330052	4567182	Plus	352560-352963
	330036	6042048	Plus	117120-117216
35	326360	5867293	Plus	13827-13844
	326589	5867320	Plus	22760-22919
	326393	5867341	Plus	41702-41841
	326505	5867435	Minus	8818-8949
	326515	5867439	Plus	36683-36809
40	326592	6138928	Plus	23689-23828
	330107	6015249	Minus	100091-100282
	330106	6015249	Minus	99443-99778
	330100	6015253	Plus	21166-21301
	330093	6015278	Plus	1043-1199
45	330088	6015293	Plus	37517-37638
	330085	6015302	Minus	59613-59770
	330120	6671864	Minus	127553-127656
	330123	6671869	Minus	35311-35406
	326742	5867611	Minus	95187-95248
50	326605	5867637	Plus	24656-24749
	326818	6117831	Minus	15199-15309
	326720	6552456	Plus	84525-84677
	326770	6598307	Minus	513603-513668
	326692	6682502	Plus	117697-117899
55	326693	6682502	Minus	335002-335095
	326983	5867657	Minus	16023-16581
	326991	5867660	Plus	18147-18339
	326936	6004446	Minus	10217-10357
	326964	6469836	Plus	75340-75456
60	327040	6531965	Plus	783670-783817
	327053	6531965	Plus	2247267-2247437
	327075	6531965	Plus	4041318-4041431
	327085	6531965	Plus	4734947-4735069
	327036	6531965	Plus	319951-320040
65	327130	6531976	Plus	20247-22343
	327156	5866841	Minus	2462-2620
	327288	5867481	Plus	48583-48773
	327332	5867516	Minus	56361-56532
	327220	5867525	Minus	65701-65781
70	327224	5867534	Plus	188468-188544
	327321	6249562	Minus	99745-99836
	327381	6552412	Minus	61013-62130
	327396	5867743	Plus	8702-8820
	327414	5867750	Plus	102461-102586
75	327442	5867759	Plus	111483-111618
	327467	5867772	Plus	88030-88151
	327473	5867775	Plus	75101-75181
	327483	5867783	Plus	181573-181662
	327377	5867793	Minus	37610-37676
80	327562	5867804	Minus	343989-344474
	327568	5867811	Minus	46152-46287
	327608	6004463	Plus	200262-200495
	327611	5867868	Minus	175063-175392
	327642	5867891	Minus	2513-2743
85	327654	5867910	Minus	97564-97710
	327734	5867940	Minus	31003-31583

	327775	5867964	Minus	130791-130871
	327796	5867982	Plus	85267-85405
	327840	6249578	Minus	73065-73206
5	330208	6013599	Plus	66517-66931
	330263	6671884	Minus	101503-101634
	328004	5867993	Minus	157407-157887
	328101	5868020	Plus	289920-290014
	328100	5868020	Minus	263545-263635
10	328113	5868024	Minus	80378-80491
	328157	5868064	Plus	73326-73615
	328196	5868080	Minus	16551-16729
	328197	5868081	Minus	42133-42438
	327940	5868197	Minus	95240-95428
15	327984	5868216	Plus	66611-66677
	328021	5902482	Plus	713478-714590
	328068	6117819	Plus	253903-254022
	328264	6381912	Plus	55086-55404
	330300	2905862	Minus	3246-3302
20	328608	5868222	Minus	87770-87953
	328600	5868229	Minus	38889-40010
	328616	5868239	Plus	293920-294224
	328623	5868246	Minus	120020-120126
	328632	5868247	Plus	76734-76853
25	328666	5868254	Minus	778-901
	328698	5868264	Minus	625555-625633
	328700	5868264	Plus	764089-764203
	328708	5868271	Minus	68114-68854
	328735	5868289	Plus	89389-89455
30	328743	5868289	Plus	274638-274726
	328806	5868324	Plus	29408-29684
	328299	5868366	Minus	149708-149889
	328342	5868383	Plus	59955-60094
	328365	5868387	Minus	270724-270798
35	328369	5868388	Plus	75371-75583
	328381	5868392	Plus	662758-662848
	328451	5868425	Minus	217275-217336
	328481	5868449	Minus	8987-9180
	328500	5868464	Plus	59098-59481
40	328530	5868482	Plus	334973-335406
	328664	6004473	Plus	1193739-1193866
	328861	6381928	Minus	108317-108403
	328908	5868493	Plus	117002-117059
	328933	5868500	Plus	771755-771889
	328934	5868500	Plus	846342-846448
45	328949	6456765	Minus	43552-43619
	330313	6042030	Minus	33642-33775
	329005	5868542	Plus	85470-85673
	330366	2944106	Plus	151837-151914
50	330372	6580495	Minus	317461-317688
	329033	5868561	Minus	5390-5479
	329037	5868562	Minus	32466-32562
	329067	5868591	Minus	146417-147652
	329134	5868679	Plus	29959-30018
55	329157	5868687	Minus	145940-146155
	329178	5868704	Plus	179177-179463
	329192	5868716	Plus	166936-167020
	329194	5868716	Minus	304450-304559
	329204	5868720	Minus	3050-3190
60	329224	5868728	Plus	27422-27664
	329228	5868728	Minus	50118-50287
	329288	5868771	Plus	25554-26299
	329337	5868806	Minus	467155-467222
	329011	6682532	Plus	48658-48741

TABLE 9A: Potential Therapeutic, Diagnostic and Prognostic targets for Therapy of Lung Cancer

Table 9A shows about 1312 genes up-regulated in lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) relative to normal body tissues. These genes were selected from about 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 9B show the accession numbers for those Pkey's lacking UnigenelD's for table 9A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 9C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 9A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Unique Eos probeset Identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: Unigene number
 Unigene Title: Unigene gene title
 R1: Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
 R2: Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, ateleclasis, asthma) divided by the average of normal lung samples

Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2
400195			NM_007057*:Homo sapiens ZW10 interactor	1.00	1.00
400205			NM_006265*:Homo sapiens RAD21 (S. pombe)	15.80	396.00
400220			Eos Control	2.28	2.84
400277			Eos Control	7.68	9.72
400285			Eos Control	1.00	1.00
400288	X06256	Hs.149609	Integrin, alpha 5 (fibronectin receptor,	1.04	2.24
400289	X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin	132.45	4.00
400298	AA032279	Hs.61635	six transmembrane epithelial antigen of	43.86	74.00
400301	X03635	Hs.1657	estrogen receptor 1	1.00	1.00
400303	AA242758	Hs.79136	LIV-1 protein, estrogen regulated	1.75	1.65
400328	X87344	Hs.180062	transporter 2, ATP-binding cassette, sub	0.87	1.80
400419	AF084545		Target	156.55	253.00
400512			NM_030878*:Homo sapiens cytochrome P450,	1.00	2.00
400517	AF242388		lengsin	3.67	87.00
400560			NM_030878*:Homo sapiens cytochrome P450,	1.00	1.00
400664			NM_002425:Homo sapiens matrix metallopro	20.26	45.00
400665			NM_002425:Homo sapiens matrix metallopro	1.36	1.07
400666			NM_002425:Homo sapiens matrix metallopro	3.26	3.22
400749			NM_003105*:Homo sapiens sortilin-related	1.00	91.00
400763			Target Exon	7.63	24.00
401027			Target Exon	1.00	1.00
401093			C12000586*:g 6330167 dbj BAA86477.1 (A	1.00	155.00
401203			Target Exon	1.00	86.00
401212			C12000457*:g 7512178 pir IT30337 polypr	1.00	400.00
401411			ENSP00000247172*:HYPOTHETICAL 126.2 kDa	1.00	72.00
401435			C14000397*:g 7499898 pir IT33295 hypoht	1.00	64.00
401464	AF039241		histone deacetylase 5	3.82	49.00
401714			ENSP00000241802*:CDNA FLJ11007 FIS, CLON	2.02	40.00
401747			Homo sapiens keratin 17 (KRT17)	128.43	68.00
401760			Target Exon	1.74	35.00
401780			NM_005557*:Homo sapiens keratin 16 (foca	26.47	10.50
401781			Target Exon	10.33	4.61
401785			NM_002275*:Homo sapiens keratin 15 (KRT1	4.13	2.70
401797			Target Exon	1.44	2.10
401961			NM_021626:Homo sapiens serine carboxypep	1.41	1.86
401985	AF053004		class I cytokine receptor	1.00	177.00
401994			Target Exon	61.84	47.00
402075			ENSP00000251056*:Plasma membrane calcium	1.00	1.00
402260			NM_001436*:Homo sapiens fibrillarin (FBL	1.58	1.39
402265			Target Exon	2.09	35.00
402297			Target Exon	1.00	92.00
402408			NM_030920*:Homo sapiens hypothetical pro	28.87	13.00
402420			C1000823*:g 10432400 emb CAC10290.1 (A	1.00	1.44
402674			Target Exon	7.44	243.00
402802			NM_001397:Homo sapiens endothelin conver	1.00	70.00
402994			NM_002463*:Homo sapiens myxovirus (influ	1.37	1.43
403137			NM_005381*:Homo sapiens nucleolin (NCL),	1.00	19.00
403306	NM_006825		transmembrane protein (63kD), endoplasm	1.00	43.00
403329			Target Exon	1.00	61.00
403381			ENSP00000231844*:Ecotropic virus integra	1.00	119.00
403478			NM_022342:Homo sapiens kinesin protein 9	28.13	136.00
403485			C3001813*:g 12737279 ref XP_012163.1 k	20.23	76.00
403627			Target Exon	6.30	29.33
403715			Target Exon	1.30	35.00
404044			ENSP00000237855*:DJ398G3.2 (NOVEL PROTEI	1.00	54.00
404076			NM_016020*:Homo sapiens CGI-75 protein (14.29	91.00
404101			C8000950:g 423560 pir AA47318 RNA-bindi	1.00	1.00
404140			NM_006510:Homo sapiens ret finger protei	1.42	1.44
404165			ENSP00000244562:NRH dehydrogenase [quino	1.00	54.00
404185			Target Exon	1.00	117.00
404210			NM_005936:Homo sapiens myeloid/lymphoid	5.93	13.77
404253			NM_021058*:Homo sapiens H2B histone fami	1.00	1.00

	404287		C6001909:gij704441 dbj BAA18909.1 (D298	29.71	42.00
	404298		C6001238*:gij121715 sp P26697 GTA3_CHICK	1.30	1.00
	404347		Target Exon	1.00	1.00
	404440		NM_021046:Homo sapiens melanoma antigen,	1.00	15.00
5	404721		NM_005596*:Homo sapiens nuclear factor I	1.00	60.00
	404794	NM_000078	cholesteryl ester transfer protein, plas	1.07	1.38
	404854		Target Exon	1.61	2.01
	404877		NM_005365:Homo sapiens melanoma antigen,	1.00	1.00
	404927		Target Exon	1.00	1.00
10	404996		Target Exon	1.00	1.00
	405449		CY000047*:gij11427234 ref XP_009399.1 z	1.00	1.00
	405568		NM_031413*:Homo sapiens cal eye syndrome	1.00	78.00
	405572		Target Exon	0.76	1.14
15	405646		C12000200:gij4557225 ref NP_000005.1 al	1.01	1.28
	405676	BE336714	cytochrome c-1	1.13	2.89
	405770		NM_002362:Homo sapiens melanoma antigen,	45.52	37.00
	405932		C15000305:gij3806122 gb AAC69198.1 (AFO	1.99	1.99
	406137		NM_000179*:Homo sapiens mutS (E. coli) h	2.77	2.38
	406360		Target Exon	1.00	35.00
20	406399		NM_003122*:Homo sapiens serine protease	1.00	39.00
	406467		Target Exon	1.00	1.00
	406621	X57809	Hs.181125 immunoglobulin lambda locus	1.41	1.74
	406642	AJ245210	gb:Homo sapiens mRNA for Immunoglobulin	2.16	3.91
	406663	U24683	Hs.293441 immunoglobulin heavy constant mu	2.07	2.93
25	406671	AA129547	Hs.285754 met proto-oncogene (hepatocyte growth fa	15.00	51.00
	406673	M34996	Hs.198253 major histocompatibility complex, class	0.98	3.09
	406676	X58399	Hs.81221 Human L2-9 transcript of unrearranged im,	1.30	1.53
	406678	U77534	gb:Human clone 1A11 immunoglobulin varia	1.33	1.45
	406685	M18728	gb:Human nonspecific crossreacting antig	1.46	2.85
30	406687	M31126	Hs.272822 pregnancy specific beta-1-glycoprotein 9	8.61	8.50
	406690	M29540	Hs.220529 carcinoembryonic antigen-related cell ad	226.37	350.00
	406698	X03068	Hs.73931 major histocompatibility complex, class	1.01	2.52
	406815	AA833930	Hs.288036 tRNA isopentenylpyrophosphate transferas	20.25	32.00
	406851	AA609784	major histocompatibility complex, class	0.75	1.91
35	406964	M21305	gb:Human alpha satellite and satellite 3	38.15	1114.00
	406967	M24349	gb:Human parathyroid hormone-like protei	1.00	1.00
	406974	M57293	gb:Human parathyroid hormone-related pep	1.00	1.00
	407103	AA424881	Hs.256301 hypothetical protein MGC13170	1.77	1.10
40	407128	R83312	Hs.237260 EST	1.00	1.00
	407137	T97307	gb:ye53h05.s1 Soares fetal liver spleen	142.70	135.00
	407168	R45175	Hs.117183 ESTs	2.16	18.00
	407239	AA076350	Hs.67846 leukocyte immunoglobulin-like receptor,	1.10	1.57
	407242	M18728	gb:Human nonspecific crossreacting antig	1.12	2.85
	407244	M10014	Hs.75431 fibrinogen, gamma polypeptide	3.24	15.38
45	407289	AA135159	Hs.203349 Homo sapiens cDNA FLJ12149 fis, clone MA	3.53	3.68
	407300	AA102616	Hs.120769 gb:zn43e07.s1 Stratagene HeLa cell s3 93	19.74	73.00
	407366	AF026942	Hs.271530 gb:Homo sapiens cig33 mRNA, partial sequ	0.06	8.25
	407378	AA289264	Hs.57776 ESTs, Moderately similar to I38022 hypot	1.00	26.00
50	407430	AF169351	gb:Homo sapiens protein tyrosine phospho	1.00	25.00
	407453	AJ132087	gb:Homo sapiens mRNA for axonemal dynein	1.00	75.00
	407577	AW131324	Hs.246759 hypothetical protein MGC12538	1.00	1.00
	407634	AW016569	Hs.136414 UDP-GlcNAc:betaGal beta-1,3-N-acetylgluc	111.20	228.00
	407710	AW022727	Hs.23616 ESTs	1.00	28.00
55	407720	AB037776	Hs.38002 KIAA1355 protein	1.89	1.31
	407746	AK001962	hypothetical protein FLJ11100	1.00	1.00
	407756	AA116021	Hs.38260 ubiquitin specific protease 18	4.51	5.00
	407758	D50915	Hs.38365 KIAA0125 gene product	1.00	28.00
	407782	AA608956	Hs.112619 ESTs, Moderately similar to PURKINJE CEL	0.97	1.14
	407788	BE514982	Hs.38991 S100 calcium-binding protein A2	7.88	3.83
60	407790	AI027274	Hs.288941 Homo sapiens cDNA FLJ14866 fis, clone PL	3.63	42.00
	407811	AW190902	Hs.40098 cysteine knot superfamily 1, BMP antagom	89.96	109.00
	407839	AA045144	Hs.161566 ESTs	173.91	108.00
	407944	R34008	Hs.239727 desmocollin 2	111.30	70.00
65	408000	L11690	Hs.620 bullous pemphigoid antigen 1 (230/240kD)	151.17	8.00
	408031	AA081395	Hs.42173 Homo sapiens cDNA FLJ10366 fis, clone NT	9.91	93.00
	408063	BE086548	Hs.42346 calcineurin-binding protein calsarcin-1	195.78	231.00
	408070	AW148852	gb:xf05d05.x1 NCI_CGAP_Bm35 Homo sapien	1.00	1.00
	408101	AW968504	Hs.123073 CDC2-related protein kinase 7	37.84	61.00
	408122	AI432652	Hs.42824 hypothetical protein FLJ10718	0.85	1.71
70	408212	AA297567	Hs.43728 hypothetical protein	5.88	7.91
	408243	Y00787	Hs.624 interleukin 8	4.27	9.98
	408349	BE546947	Hs.44276 homeo box C10	3.79	3.46
	408353	BE439838	Hs.44298 mitochondrial ribosomal protein S17	1.88	1.65
	408354	AI382803	Hs.159235 ESTs	1.00	73.00
75	408369	R38438	Hs.182575 solute carrier family 15 (H??? transport	1.41	16.50
	408380	AF123050	Hs.44532 diubiquitin	15.19	37.22
	408482	NM_000676	Hs.45743 adenosine A2b receptor	1.65	1.19
	408522	AI541214	Hs.46320 Small proline-rich protein SPRK (human,	1.98	1.24
	408536	AW381532	Hs.135188 ESTs	1.55	1.50
80	408545	AW235405	Hs.253690 ESTs	1.00	1.00
	408572	AA055611	Hs.226568 ESTs, Moderately similar to ALU4_HUMAN A	1.00	44.00
	408633	AW963372	Hs.46677 PRO2000 proteln	107.16	56.00
	408660	AA525775	ESTs, Moderately similar to PC4259 ferri	1.00	1.00
	408761	AA057264	Hs.238936 ESTs, Weakly similar to (define not ava	52.24	141.00
85	408771	AW732573	Hs.47584 potassium voltage-gated channel, delayed	3.05	109.00

	408783	AF192522	Hs.47701	NPC1 (Niemann-Pick disease, type C1, gen	1.02	1.07
	408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor,	41.19	61.00
	408805	H69912	Hs.48269	vaccinia related kinase 1	24.67	45.00
	408841	AW438865	Hs.256862	ESTs	1.00	58.00
5	408873	AL046017	Hs.182278	calmodulin 2 (phosphorylase kinase, delt	1.00	89.00
	408908	BE296227	Hs.250822	serine/threonine kinase 15	7.76	1.00
	408992	AA059325	Hs.71642	guanine nucleotide binding protein (G pr	1.00	1.00
	408996	AJ979168	Hs.344096	glycoprotein (transmembrane) nmb	3.71	5.50
	409015	BE389387	Hs.49767	NM_004553:Homo sapiens NADH dehydrogenas	1.44	1.24
10	409038	T97490	Hs.50002	small inducible cytokine subfamily A (Cy	4.28	5.32
	409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119	112.42	195.00
	409077	AA401369	Hs.190721	ESTs	1.00	17.00
	409093	BE243834	Hs.50441	CGI-04 protein	2.02	1.93
	409103	AF251237	Hs.112208	XAGE-1 protein	80.44	40.00
15	409142	AL136877	Hs.50758	SMC4 (structural maintenance of chromoso	14.87	6.00
	409187	AF154830	Hs.50966	carbamoyl-phosphate synthetase 1, mitocho	1.00	1.00
	409228	AI654298	Hs.271695	ESTs, Weakly similar to 2109260A B cell	1.22	1.00
	409234	AI879419	Hs.27206	ESTs	1.00	1.00
	409268	AA625304	Hs.187579	ESTs	11.90	23.00
20	409269	AA576953	Hs.22972	hypothetical protein FLJ13352	1.00	1.00
	409361	NM_005982	Hs.54416	sine oculis homeobox (Drosophila) homolo	168.91	35.00
	409404	BE220053	Hs.129056	ESTs	1.00	1.00
	409420	Z15008	Hs.54451	laminin, gamma 2 (nicein (100kD), kalini	79.74	96.00
	409430	R21945	Hs.346735	splicing factor, arginine/serine-rich 5	1.45	2.10
25	409446	AI561173	Hs.67688	ESTs	1.00	4.00
	409506	NM_006153	Hs.54589	NCK adaptor protein 1	3.97	28.00
	409522	AA075382		gb:zm87b03.s1 Stratagene ovarian cancer	15.98	141.00
	409582	AA401369	Hs.190721	ESTs	1.00	17.00
	409632	W74001	Hs.55279	serine (or cysteine) proteinase inhibito	292.12	79.00
30	409705	M37762	Hs.56023	brain-derived neurotrophic factor	1.00	82.00
	409719	AI769160	Hs.108681	Homo sapiens brain tumor associated prot	1.00	1.00
	409731	AA125985	Hs.56145	thymosin, beta, identified in neuroblast	0.12	18.12
	409744	AW675258	Hs.56265	Homo sapiens mRNA; cDNA DKFZp586P2321 (f	20.75	51.00
	409757	NM_001898	Hs.123114	cystatin SN	22.46	15.80
35	409866	AW502152		gb:UI-HF-BR0p-ajr-f-11-0-UI.r1 NIH_MGC_5	1.00	1.00
	409893	AW247090	Hs.57101	minichromosome maintenance deficient (S.	1.50	1.09
	409902	AI337658	Hs.156351	ESTs	25.92	50.00
	409935	AW511413	Hs.278025	ESTs	2.63	2.11
	409956	AW103364	Hs.727	inhibin, beta A (activin A, activin AB a	2.17	4.01
40	409958	NM_001523	Hs.57697	hyaluronan synthase 1	0.91	2.07
	410001	AB041036	Hs.57771	kallikrein 11	1.04	2.28
	410032	BE065985		gb:RC3-BT0319-120200-014-a09 BT0319 Homo	1.00	58.00
	410037	AB020725	Hs.58009	KIAA0918 protein	1.00	34.00
	410044	BE566742	Hs.58169	highly expressed in cancer, rich in leuc	1.00	1.00
45	410048	W76467	Hs.58218	proline oxidase homolog	1.03	1.44
	410076	T05387	Hs.7991	ESTs	1.12	1.50
	410102	AW248508	Hs.279727	Homo sapiens cDNA FLJ14035 fis, clone HE	9.89	1.00
	410153	BE311926	Hs.15830	hypothetical protein FLJ12691	1.00	1.00
	410166	AK001376	Hs.59346	hypothetical protein FLJ10514	1.00	1.00
50	410193	AJ132592	Hs.59757	zinc finger protein 281	42.01	51.00
	410274	AA381807	Hs.61762	hypoxia-inducible protein 2	1.72	1.32
	410309	BE043077	Hs.278153	ESTs	1.00	2.00
	410340	AW182833	Hs.112188	hypothetical protein FLJ13149	32.08	75.00
	410348	AW182663	Hs.95469	ESTs	1.00	1.00
55	410407	X66839	Hs.63287	carbonic anhydrase IX	1.40	1.11
	410418	D31382	Hs.63325	transmembrane protease, serine 4	4.30	2.03
	410438	AB037756	Hs.45207	hypothetical protein KIAA1335	1.00	18.00
	410553	AW016824	Hs.255527	hypothetical protein MGC14128	1.34	1.04
	410555	W27235	Hs.64311	a disintegrin and metalloproteinase doma	23.99	1.41
60	410561	BE540255	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, clone H	10.04	1.00
	410681	AW246890	Hs.65425	calbindin 1, (28kD)	10.88	18.92
	410781	AI375672	Hs.165028	ESTs	1.00	57.00
	411027	AF072099	Hs.67846	leukocyte immunoglobulin-like receptor,	1.62	3.78
65	411074	X60435	Hs.68137	adenylate cyclase activating polypeptide	1.00	1.15
	411089	AA456454		cell division cycle 2-like 1 (PITSLRE pr	1.56	1.58
	411152	BE069199		gb:QV3-BT0379-010300-105-g03 BT0379 Homo	1.00	84.00
	411248	AA551538	Hs.334605	Homo sapiens cDNA FLJ14408 fis, clone HE	1.82	1.45
	411252	AB018549	Hs.69328	MD-2 protein	7.32	12.74
70	411263	BE297802	Hs.69360	kinesin-like 6 (mitotic centromere-assoc	3.44	2.55
	411365	M76477	Hs.289082	GM2 ganglioside activator protein	1.35	2.02
	411402	BE297855	Hs.69855	NRAS-related gene	1.00	46.00
	411573	AB029000	Hs.70823	KIAA1077 protein	11.40	11.35
	411579	AC005258	Hs.70830	U6 snRNA-associated Sm-like protein LSm7	1.08	1.90
75	411617	AA247994	Hs.90063	neurocalcin delta	1.74	2.57
	411732	AA059325	Hs.71642	guanine nucleotide binding protein (G pr	1.02	1.00
	411773	NM_006799	Hs.72026	protease, serine, 21 (testisin)	1.34	2.19
	411789	AF245505	Hs.72157	Adlican	2.19	2.79
	411800	N39342	Hs.103042	microtubule-associated protein 18	23.34	34.00
80	411945	AL033527	Hs.92137	v-myc avian myelocytomatosis viral oncog	1.00	8.00
	412115	AK001763	Hs.73239	hypothetical protein FLJ10901	2.07	1.64
	412140	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	118.48	92.00
	412276	BE262621	Hs.73798	macrophage migration inhibitory factor (1.98	1.49
	412464	T78141	Hs.22826	ESTs, Weakly similar to I55214 salivary	1.16	1.39
85	412530	AA766268	Hs.266273	hypothetical protein FLJ13346	41.52	84.00
	412537	AL031778		nuclear transcription factor Y, alpha	17.90	55.00

	412659	AW753865	Hs.74376	olfactomedin related ER localized protel	14.65	47.00
	412719	AW016610	Hs.816	ESTs	382.46	128.00
	412723	AA648459	Hs.335951	hypothetical protein AF301222	54.90	1.00
	412811	H06382		ESTs	1.00	11.00
5	412817	AL037159	Hs.74619	proteasome (prosome, macropain) 26S subu	1.63	1.42
	412863	AA121673	Hs.59757	zinc finger protein 281	17.63	56.00
	412924	BE018422	Hs.75258	H2A histone family, member Y	1.00	22.00
	413004	T35901	Hs.75117	interleukin enhancer binding factor 2, 4	2.19	2.05
	413011	AW068115	Hs.821	biglycan	1.22	1.88
10	413048	M93221	Hs.75182	mannose receptor, C type 1	0.30	6.23
	413063	AL035737	Hs.75184	chitinase 3-like 1 (cartilage glycoprote	3.43	8.71
	413129	AF292100	Hs.104613	RP42 homolog	4.67	4.77
	413142	M81740	Hs.75212	ornithine decarboxylase 1	1.92	2.59
	413223	AI732182	Hs.191866	ESTs	5.73	27.00
15	413248	T64858	Hs.21433	hypothetical protein DKFZp547J036	0.99	1.06
	413273	U75679	Hs.75257	stem-loop (histone) binding protein	1.00	18.00
	413278	BE563085	Hs.833	interferon-stimulated protein, 15 kDa	1.10	1.09
	413281	AA861271	Hs.222024	transcription factor BMAL2	95.94	69.00
	413364	BE536218	Hs.137516	fidgellin-like 1	1.00	1.00
20	413385	M34455	Hs.840	indoleamine-pyrrole 2,3 dioxygenase	0.95	2.09
	413409	AI638418	Hs.1440	DEAD/H (Asp-Glu-Ala-Asp/His) box polypep	1.00	1.00
	413453	AA129640	Hs.128065	ESTs	1.00	31.00
	413527	BE250788	Hs.179882	hypothetical protein FLJ12443	1.08	1.46
	413554	AA319146	Hs.75426	secretogranin II (chromogranin C)	79.15	114.00
25	413573	AI733859	Hs.149089	ESTs	1.00	1.00
	413582	AW295647	Hs.71331	hypothetical protein MGC5350	8.80	10.00
	413597	AW302885	Hs.117183	ESTs	1.00	1.00
	413690	BE157489		gb:RC1-HT0375-120200-011-e06 HT0375 Homo	1.00	1.00
30	413691	AB023173	Hs.75478	ATPase, Class VI, type 11B	3.16	2.32
	413719	BE439580	Hs.75498	small inducible cytokine subfamily A (Cy	2.88	9.52
	413753	U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kalinin	144.10	108.00
	413801	M62246	Hs.35406	ESTs, Highly similar to unnamed protein	1.00	17.00
	413833	Z15005	Hs.75573	centromere protein E (312kD)	1.00	1.00
35	413882	AA132973	Hs.184492	ESTs	64.24	148.00
	413926	AA133338	Hs.54310	ESTs	1.00	67.00
	413943	AW294416	Hs.144687	Homo sapiens cDNA FLJ12981 fis, clone NT	43.42	42.00
	413995	BE048146	Hs.75671	syntaxin 1A (brain)	1.23	1.11
	414035	Y00630	Hs.75716	serine (or cysteine) proteinase inhibito	2.02	2.51
40	414142	AW368397	Hs.334485	Homo sapiens cDNA FLJ14438 fis, clone HE	1.00	102.00
	414180	AI863304	Hs.120905	Homo sapiens cDNA FLJ11448 fis, clone HE	6.92	77.00
	414245	BE148072	Hs.75850	WAS protein family, member 1	1.00	1.00
	414275	AW970254	Hs.889	Charot-Leyden crystal protein	1.00	59.00
	414317	BE263280	Hs.75888	phosphogluconate dehydrogenase	1.52	1.73
45	414334	AA824298	Hs.21331	hypothetical protein FLJ10036	1.78	1.72
	414341	D80004	Hs.75909	KIAA0182 protein	33.90	151.00
	414368	W70171	Hs.75939	uridine monophosphate kinase	171.60	97.00
	414416	AW409985	Hs.76084	hypothetical protein MGC2721	2.32	1.85
	414430	AI346201	Hs.76118	ubiquitin carboxyl-terminal esterase L1	226.15	66.00
50	414570	Y00285	Hs.76473	insulin-like growth factor 2 receptor	1.64	1.98
	414618	AI204600	Hs.96978	hypothetical protein MGC10764	1.87	72.00
	414675	R79015	Hs.296281	interleukin enhancer binding factor 1	1.51	1.39
	414683	S78296	Hs.76888	hypothetical protein MGC12702	43.61	64.00
	414696	AF002020	Hs.76918	Niemann-Pick disease, type C1	28.63	71.00
55	414711	AI310440	Hs.288735	Homo sapiens cDNA FLJ13522 fis, clone PL	14.86	42.00
	414718	H95348	Hs.107987	ESTs	1.00	5.00
	414732	AW410976	Hs.77152	minichromosome maintenance deficient (S.	1.64	1.44
	414747	U30872	Hs.77204	centromere protein F (350/400kD, mitosis	65.01	74.00
	414761	AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2	130.35	121.00
60	414774	X02419	Hs.77274	plasminogen activator, urokinase	2.24	2.19
	414806	D14694	Hs.77329	phosphatidylserine synthase 1	1.63	1.53
	414809	AI434699	Hs.77356	transferrin receptor (p90, CD71)	1.97	2.60
	414812	X72755	Hs.77367	monokine induced by gamma interferon	3.48	10.60
	414825	X06370	Hs.77432	epidermal growth factor receptor (avian	103.22	143.00
65	414839	X63692	Hs.77462	DNA (cytosine-5)-methyltransferase 1	1.80	1.69
	414883	AA926960		CDC2B protein kinase 1	14.29	10.06
	414907	X90725	Hs.77597	polo (Drosophila)-like kinase	1.95	2.20
	414914	U49844	Hs.77613	ataxia telangiectasia and Rad3 related	3.00	2.90
	414945	BE076358	Hs.77667	lymphocyte antigen 6 complex, locus E	1.02	1.21
70	414972	BE263782	Hs.77695	KIAA0008 gene product	1.00	1.00
	415014	AW954064	Hs.24951	ESTs	1.42	2.84
	415091	AL044872	Hs.77910	3-hydroxy-3-methylglutaryl-Coenzyme A sy	1.00	30.00
	415138	C18356	Hs.295944	tissue factor pathway inhibitor 2	34.72	107.00
	415227	AW821113	Hs.72402	ESTs	1.87	49.00
75	415238	R37780	Hs.21422	ESTs	1.00	1.00
	415263	AA948033	Hs.130853	ESTs	1.00	1.00
	415295	R41450	Hs.6546	ESTs	1.00	1.00
	415339	NM_015156	Hs.78398	KIAA0071 protein	51.18	166.00
	415669	NM_005025	Hs.78589	serine (or cysteine) proteinase inhibito	30.84	63.00
80	415674	BE394784	Hs.78596	proteasome (prosome, macropain) subunit,	1.48	1.39
	415709	AA649850	Hs.278558	ESTs	1.00	1.00
	415735	AA704162	Hs.120811	ESTs, Weakly similar to I38022 hypothei	1.00	72.00
	415799	AA653718	Hs.225841	DKFZP434D193 protein	6.23	31.00
	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t	24.30	1.00
85	415857	AA866115	Hs.127797	Homo sapiens cDNA FLJ11381 fis, clone HE	32.51	35.00
	415989	AI267700		ESTs	78.89	1.00

	416018	AW138239	Hs.78977	proprotein convertase subtilisin/kexin 1	1.00	1.00
	416065	BE267931	Hs.78996	proliferating cell nuclear antigen	3.35	2.32
	416111	AA033813	Hs.79018	chromatin assembly factor 1, subunit A (39.03	3.00
	416177	AA174069	Hs.187607	ESTs	1.00	9.00
5	416178	A1808527	Hs.192822	serologically defined breast cancer anti	3.83	3.76
	416208	AW291168	Hs.41295	ESTs, Weakly similar to MUC2_HUMAN MUCIN	3.67	1.00
	416209	AA236776	Hs.79078	MAD2 (mitotic arrest deficient, yeast, h	9.70	1.00
	416239	AL038450	Hs.48948	ESTs	83.87	129.00
	416250	AA581386	Hs.73452	hypothetical protein MGC10791	1.96	2.12
10	416322	BE019494	Hs.79217	pyrimine-5-carboxylate reductase 1	2.08	1.73
	416423	H54375	Hs.268921	ESTs	1.00	89.00
	416448	L13210	Hs.79339	lectin, galactoside-binding, soluble, 3	1.28	1.54
	416498	U33632	Hs.79351	potassium channel, subfamily K, member 1	27.29	67.00
	416658	U03272	Hs.79432	fibrillin 2 (congenital contractural ara	53.29	51.00
15	416661	AA634543	Hs.79440	IGF-II mRNA-binding protein 3	9.96	5.00
	416722	AA354604	Hs.122546	hypothetical protein FLJ23017	3.68	33.00
	416819	U77735	Hs.80205	pim-2 oncogene	1.59	1.84
	416936	N21352	Hs.42987	ESTs, Weakly similar to S21348 probable	1.00	1.00
	417034	NM_006183	Hs.80962	neurotensin	1.00	1.00
20	417061	A1675944	Hs.188691	Homo sapiens cDNA FLJ12033 fis, clone HE	32.95	156.00
	417079	U65590	Hs.81134	interleukin 1 receptor antagonist	3.91	4.93
	417218	AA129547	Hs.285754	met proto-oncogene (hepatocyte growth fa	1.00	51.00
	417233	W25005	Hs.24395	small inducible cytokine subfamily B (Cy	3.38	2.05
	417308	H60720	Hs.81892	KIAA0101 gene product	82.94	25.36
25	417315	A1080042	Hs.180450	ribosomal protein S24	106.61	121.00
	417324	AW265494		ESTs	1.20	1.28
	417366	BE185289	Hs.1076	small proline-rich protein 1B (cornifin)	8.97	3.27
	417389	BE260964	Hs.82045	midkine (neurite growth-promoting factor	2.59	1.82
	417428	N87579	Hs.278871	gbL12030F Human fetal heart, Lambda ZAP	1.00	52.00
30	417433	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	304.75	173.00
	417466	A1681547	Hs.59457	hypothetical protein FLJ22127	1.24	1.34
	417512	A1979168	Hs.344096	glycoprotein (transmembrane) nmb	2.14	5.50
	417515	L24203	Hs.82237	ataxia-telangiectasia group D-associated	2.66	1.68
	417542	J04129	Hs.82269	progesterone-associated endometrial prote	1.28	1.35
35	417576	AA339449	Hs.82285	phosphoribosylglycinamide formyltransfer	42.76	51.00
	417715	AW969587	Hs.86366	ESTs	6.35	2.75
	417720	AA205625	Hs.208067	ESTs	113.31	58.00
	417791	AW965339	Hs.111471	ESTs	39.98	16.00
	417830	AW504786	Hs.122579	hypothetical protein FLJ10461	2.61	31.00
40	417866	AW067903	Hs.82772	collagen, type XI, alpha 1	2.35	2.44
	417900	BE250127	Hs.82906	CDC20 (cell division cycle 20, S. cerevi	1.52	1.11
	417933	X02308	Hs.82962	thymidylate synthetase	4.74	2.55
	417944	AU077196	Hs.82985	collagen, type V, alpha 2	3.61	5.21
	417975	AA641836	Hs.30085	hypothetical protein FLJ23186	12.49	38.00
45	417991	AA731452	Hs.190008	ESTs	1.00	26.00
	418004	U37519	Hs.87539	aldehyde dehydrogenase 3 family, member	3.02	2.12
	418007	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial	187.59	1.00
	418054	NM_002318	Hs.83354	lysyl oxidase-like 2	2.85	2.63
50	418057	NM_012151	Hs.83363	coagulation factor VIII-associated (intr	1.54	1.69
	418113	AI272141	Hs.83484	SRY (sex determining region Y)-box 4	6.82	5.22
	418140	BE613836	Hs.83551	microfibrillar-associated protein 2	1.26	1.46
	418203	X54942	Hs.83758	CDC28 protein kinase 2	134.19	144.00
	418207	C14685	Hs.34772	ESTs	1.00	1.00
55	418216	AA662240	Hs.283099	AF15q14 protein	64.66	61.00
	418236	AW994005	Hs.337534	ESTs	18.53	147.00
	418249	H89228	Hs.34892	KIAA1323 protein	30.53	106.00
	418281	U09550	Hs.1154	oviductal glycoprotein 1, 120kD (mucin 9	1.00	3.00
	418283	S79895	Hs.83942	cathepsin K (pseudodysostosis)	3.96	5.16
60	418300	AI433074	Hs.86682	Homo sapiens cDNA: FLJ21578 fis, clone C	3.18	2.91
	418322	AA284166	Hs.84113	cyclin-dependent kinase inhibitor 3 (CDK	11.96	6.68
	418327	U70370	Hs.84136	paired-like homeodomain transcription fa	9.23	2.22
	418345	AJ001696	Hs.241407	serine (or cysteine) proteinase inhibito	1.00	1.00
	418379	AA218940	Hs.137516	fidgulin-like 1	21.68	44.00
65	418397	NM_001269	Hs.84746	chromosome condensation 1	1.00	8.00
	418403	D86978	Hs.84790	KIAA0225 protein	16.91	18.98
	418462	BE001596	Hs.85266	integrin, beta 4	1.56	1.16
	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	3.22	2.38
	418506	AA084248	Hs.85339	G protein-coupled receptor 39	2.66	2.22
70	418526	BE019020	Hs.85838	solute carrier family 16 (monocarboxylic	2.04	2.21
	418538	BE244323	Hs.85951	exportin, tRNA (nuclear export receptor	1.33	37.00
	418543	NM_005329	Hs.85962	hyaluronan synthase 3	1.04	1.23
	418574	N28754		M-phase phosphoprotein 9	48.60	85.00
	418592	X99226	Hs.284153	Fanconi anemia, complementation group A	18.24	26.00
75	418641	BE243136	Hs.86947	a disintegrin and metalloproteinase doma	1.19	1.41
	418661	NM_001949	Hs.1169	E2F transcription factor 3	29.05	43.00
	418663	AK001100	Hs.41690	desmocollin 3	112.17	19.00
	418678	NM_001327	Hs.87225	cancer/testis antigen	1.18	1.10
	418686	Z36830	Hs.87268	annexin A8	1.54	1.98
80	418689	AI360883	Hs.274448	hypothetical protein FLJ11029	1.19	1.04
	418712	Z42183		gb:HSC0BF041 normalized infant brain cDN	1.00	12.00
	418727	AA227609	Hs.94834	ESTs	1.00	49.00
	418738	AW388633	Hs.6682	solute carrier family 7, (cationic amino	49.85	1.00
	418819	AA228776	Hs.191721	ESTs	1.00	140.00
85	418830	BE513731	Hs.88959	hypothetical protein MGC4816	20.97	23.00
	418882	NM_004996	Hs.89433	ATP-binding cassette, sub-family C (CFTR	57.09	35.00

	418971	AA360392	Hs.87113	ESTs	1.00	12.00
	418973	AA233056	Hs.191518	ESTs	4.89	28.00
	419078	M93119	Hs.89584	insulinoma-associated 1	1.00	10.00
5	419079	AW014836	Hs.18844	ESTs	1.09	1.98
	419080	AW150835	Hs.18878	hypothetical protein FLJ21620	2.06	1.68
	419088	AI538323	Hs.52620	integrin, beta 8	15.60	51.00
	419092	J05581	Hs.89603	mucin 1, transmembrane	1.11	1.83
	419121	AA374372	Hs.89626	parathyroid hormone-like hormone	1.00	1.00
10	419171	NM_002846	Hs.89655	protein tyrosine phosphatase, receptor I	1.10	1.14
	419183	U60669	Hs.89663	cytochrome P450, subfamily XXIV (vitamin	1.00	1.00
	419216	AU076718	Hs.164021	small inducible cytokine subfamily B (Cy	3.18	2.43
	419288	AA256106	Hs.87507	ESTs	1.00	34.00
	419335	AW960146	Hs.284137	hypothetical protein FLJ12888	1.00	8.00
15	419354	M62839	Hs.1252	apolipoprotein H (beta-2-glycoprotein I)	22.63	54.00
	419359	AL043202	Hs.90073	chromosome segregation 1 (yeast homolog)	2.50	1.98
	419423	D26488	Hs.90315	KIAA0007 protein	1.00	7.00
	419443	D62703		gb:HUM316G10B Clontech human aorta polyA	1.00	12.00
	419452	U33635	Hs.90572	PTK7 protein tyrosine kinase 7	1.64	1.84
20	419474	AW968619	Hs.155849	ESTs	13.63	62.00
	419485	AA489023	Hs.99807	ESTs, Weakly similar to unnamed protein	4.27	2.26
	419488	AA316241	Hs.90691	nucleophosmin/nucleoplasm 3	3.66	3.63
	419502	AU076704		fibrinogen, A alpha polypeptide	13.05	115.00
	419539	AF070590	Hs.90869	Homo sapiens clones 24622 and 24623 mRNA	74.60	117.00
25	419556	U29615	Hs.91093	chitinase 1 (chitotriosidase)	1.47	4.98
	419569	AI971651	Hs.91143	jagged 1 (Alagille syndrome)	1.00	4.00
	419594	AA013051	Hs.91417	topoisomerase (DNA) II binding protein	94.30	94.00
	419703	AI793257	Hs.128151	ESTs	15.26	50.00
	419721	NM_001650	Hs.288650	aquaporin 4	1.00	191.00
30	419729	AA586442	Hs.21411	gb:na53a03.s1 NCL_CGAP_SS1 Homo sapiens	1.00	59.00
	419741	NM_007019	Hs.93002	ubiquitin carrier protein E2-C	2.02	1.08
	419745	AF042001	Hs.93005	slug (chicken homolog), zinc finger prot	1.00	1.00
	419752	AA249573	Hs.152618	ESTs, Moderately similar to ZN91_HUMAN Z	29.87	77.00
	419839	U24577	Hs.93304	phospholipase A2, group VII (platelet-ac	50.99	214.00
35	419936	AI792788		gb:0191d05.y5 NCL_CGAP_Kid5 Homo sapiens	1.00	1.00
	419937	AB040959	Hs.93836	DKFZP434N014 protein	1.64	2.47
	419983	W55956	Hs.94030	Homo sapiens mRNA; cDNA DKFzP586E1624 (f	15.72	94.00
	420005	AW271106	Hs.133294	ESTs	3.15	1.43
	420047	AI478658	Hs.94631	brefeldin A-inhibited guanine nucleotide	12.45	39.00
40	420058	AK001423	Hs.94694	Homo sapiens cDNA FLJ10561 fis, clone NT	1.00	117.00
	420162	BE378432	Hs.95577	cyclin-dependent kinase 4	1.43	1.21
	420251	AW374968	Hs.348112	Human DNA sequence from clone RPS-1103G7	2.35	3.23
	420259	AF004884	Hs.96253	calcium channel, voltage-dependent, P/Q	0.77	1.15
	420281	AI623693	Hs.323494	ESTs	45.04	54.00
45	420309	AW043637	Hs.21766	ESTs, Weakly similar to ALU5_HUMAN ALU S	49.22	31.00
	420332	NM_001756	Hs.1305	serine (or cysteine) proteinase inhibitor	0.05	2.82
	420380	AA640891	Hs.102406	ESTs	0.99	2.74
	420462	AF050147	Hs.97932	chondromodulin I precursor	1.00	1.00
	420520	AK001978	Hs.98510	similar to rab11-binding protein	49.74	133.00
50	420552	AK000492	Hs.98806	hypothetical protein	94.65	88.00
	420560	AW207748	Hs.59115	ESTs	1.00	17.00
	420610	AI683183	Hs.99348	distal-less homeo box 5	1.00	13.00
	420689	H79979	Hs.88678	ESTs	50.09	95.00
	420721	AA927802	Hs.159471	ZAP3 protein	1.00	31.00
55	420759	T11832	Hs.127797	Homo sapiens cDNA FLJ11381 fis, clone HE	1.00	48.00
	420783	AI659838	Hs.99923	lectin, galactoside-binding, soluble, 7	3.04	1.25
	420900	AL045633	Hs.44269	ESTs	2.24	7.00
	420931	AF044197	Hs.100431	small inducible cytokine B subfamily (Cy	1.00	8.00
	421002	AF116030	Hs.100932	transcription factor 17	1.00	27.00
60	421027	AA761198	Hs.55254	ESTs	2.87	38.00
	421037	AI684808	Hs.197653	ESTs	1.00	46.00
	421041	N36914	Hs.14691	ESTs, Moderately similar to I38022 hypot	1.00	98.00
	421073	NM_004689	Hs.101448	metastasis associated 1	1.34	1.46
	421110	AJ250717	Hs.1355	cathepsin E	119.47	427.00
65	421133	AA401369	Hs.190721	ESTs	1.10	17.00
	421150	AI913562	Hs.189902	ESTs	1.45	1.63
	421155	H87879	Hs.102267	lysyl oxidase	1.00	15.00
	421307	BE539976	Hs.103305	Homo sapiens mRNA; cDNA DKFzP434B0425 (f	1.37	1.10
	421316	AA287203	Hs.324728	SMA5	1.00	21.00
70	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy	1.92	3.94
	421451	AA291377	Hs.50831	ESTs	5.89	14.00
	421474	U76362	Hs.104637	solute carrier family 1 (glutamate trans	1.46	1.78
	421506	BE302796	Hs.105097	thymidine kinase 1, soluble	1.56	1.08
	421508	NM_004833	Hs.105115	absent in melanoma 2	5.11	5.23
75	421515	Y11339	Hs.105352	GalNAc alpha-2, 6-sialyltransferase I, I	1.00	3.00
	421524	AA312082	Hs.105445	GDNF family receptor alpha 1	2.63	10.58
	421526	AL080121	Hs.105460	DKFZP564O0823 protein	1.46	1.88
	421552	AF026692	Hs.105700	secreted frizzled-related protein 4	30.21	50.32
	421574	AJ000152	Hs.105924	defensin, beta 2	1.67	1.74
80	421582	AI910275		trefoil factor 1 (breast cancer, estroge	1.23	1.00
	421633	AF121860	Hs.106260	sorting nexin 10	1.00	116.00
	421659	NM_014459	Hs.106511	protocadherin 17	0.05	6.33
	421677	H64092	Hs.38282	ESTs	1.31	1.42
	421753	BE314828	Hs.107911	ATP-binding cassette, sub-family B (MDR/	1.41	1.20
85	421773	W69233	Hs.112457	ESTs	1.12	1.14
	421777	BE562088	Hs.108196	HSPC037 protein	1.97	1.29

	421800	AA298151	Hs.222969	ESTs	1.03	1.30
	421817	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	1.88	1.59
	421896	N62293	Hs.45107	ESTs	11.84	22.80
5	421928	AF013758	Hs.109643	polyadenylate binding protein-interactin	45.89	90.00
	421931	NM_000814	Hs.1440	gamma-aminobutyric acid (GABA) A recepto	1.13	1.49
	421948	L42583	Hs.334309	keratin 6A	51.83	20.25
	421975	AW961017	Hs.6459	hypothetical protein FLJ11856	1.17	1.15
	422026	U80736	Hs.110826	trinucleotide repeat containing 9	1.00	52.00
10	422094	AF129535	Hs.272027	F-box only protein 5	67.61	62.00
	422095	AI868872	Hs.282804	hypothetical protein FLJ22704	4.37	2.34
	422109	S73265	Hs.1473	gastrin-releasing peptide	4.18	95.50
	422128	AW881145		gb:QV0-OT0033-010400-182-a07 OT0033 Homo	40.89	71.00
	422129	AU076635	Hs.1478	serine (or cysteine) proteinase inhibito	1.13	1.38
15	422134	AW179019	Hs.112110	mitochondrial ribosomal protein L42	41.59	96.00
	422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	2.37	1.10
	422168	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias	3.29	1.68
	422278	AF072873	Hs.114218	frizzled (Drosophila) homolog 6	4.93	5.73
	422282	AF019225	Hs.114309	apolipoprotein L	1.49	1.71
20	422283	AW411307	Hs.114311	CDC45 (cell division cycle 45, S.carevis	25.99	10.91
	422310	AA316622	Hs.98370	cytochrome P450, subfamily IIS, polypept	1.54	1.41
	422311	AF073515	Hs.114948	cytokine receptor-like factor 1	1.15	1.78
	422330	D30783	Hs.115263	epiregulin	1.00	112.00
	422364	AF067800	Hs.115515	C-type (calcium dependent, carbohydrate-	9.39	60.00
25	422406	AF025441	Hs.116206	Opa-interacting protein 5	18.33	53.00
	422424	AI186431	Hs.296638	prostate differentiation factor	1.71	3.21
	422440	NM_004812	Hs.116724	aldo-keto reductase family 1, member B10	47.53	32.00
	422487	AJ010901	Hs.198267	mucin 4, tracheobronchial	73.68	35.54
	422511	AU076442	Hs.117938	collagen, type XVII, alpha 1	173.97	26.00
30	422515	AW500470	Hs.117950	multifunctional polypeptide similar to S	4.68	2.92
	422656	AI870435	Hs.1569	LIM homeobox protein 2	1.00	1.00
	422737	M26939	Hs.119571	collagen, type III, alpha 1 (Ehlers-Danl	3.89	4.55
	422756	AA441787	Hs.119689	glycoprotein hormones, alpha polypeptide	1.05	1.46
	422765	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	3.88	1.53
	422809	AK001379	Hs.121028	hypothetical protein FLJ10549	99.56	53.00
35	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	1.69	3.17
	422938	NM_001809	Hs.1594	centromere protein A (17kD)	70.46	61.00
	422956	BE545072	Hs.122579	ECT2 protein (Epithelial cell transformi	77.74	3.00
	422960	AW890487	Hs.63984	cadherin 13, H-cadherin (heart)	5.88	8.55
40	422963	AA401369	Hs.190721	ESTs	171.41	17.00
	422976	AU076657	Hs.1600	chaperonin containing TCP1, subunit 5 (e	2.12	1.62
	422981	AF026445	Hs.122752	TATA box binding protein (TBP)-associate	10.49	35.00
	422986	AA319777	Hs.221974	ESTs	12.40	32.47
	423034	AL119930		gb:DKFZp761A092_r1 761 (synonym: hamy2)	16.41	60.00
45	423049	X59373	Hs.188023	ESTs, Moderately similar to HXDA_HUMAN H	1.00	1.00
	423081	AF262992	Hs.123159	sperm associated antigen 4	1.82	2.96
	423184	NM_004428	Hs.1624	ephrin-A1	1.14	1.53
	423217	NM_000094	Hs.1640	collagen, type VII, alpha 1 (epidermoly	2.14	1.69
	423248	AA380177	Hs.125845	ribulose-5-phosphate-3-epimerase	7.18	14.00
50	423309	BE006775	Hs.126782	sushi-repeat protein	21.90	64.00
	423361	AW170055	Hs.47628	ESTs	1.00	1.00
	423453	AW450737	Hs.128791	CGI-09 protein	55.52	66.00
	423511	AF036329	Hs.129715	gonadotropin-releasing hormone 2	0.88	1.17
	423516	AB007933	Hs.129729	ligand of neuronal nitric oxide synthase	1.76	5.40
55	423551	AA327598	Hs.233785	ESTs	3.54	4.33
	423554	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	1.00	50.00
	423575	C18863	Hs.163443	Homo sapiens cDNA FLJ11576 fis, clone HE	38.88	70.00
	423624	AI807408	Hs.166368	ESTs	1.00	67.00
	423634	AW959908	Hs.1690	heparin-binding growth factor binding pr	76.02	1.00
60	423642	AW452650	Hs.157148	hypothetical protein MGC13204	19.14	58.00
	423662	AA642452	Hs.130881	B-cell CLL/lymphoma 11A (zinc finger pro	3.61	13.57
	423673	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage	240.73	40.00
	423698	AA329796	Hs.1098	DKFZp434J1813 protein	1.00	59.00
	423725	AJ403108	Hs.132127	hypothetical protein LOC57822	4.20	1.00
65	423761	NM_006194	Hs.132576	paired box gene 9	1.00	1.00
	423787	AJ295745	Hs.236204	nuclear pore complex protein	7.18	6.64
	423816	AF151064		hypothetical protein	1.00	44.00
	423826	U20325	Hs.1707	cocaine- and amphetamine-regulated trans	1.00	1.00
	423849	AL157425	Hs.133315	Homo sapiens mRNA; cDNA DKFZp761J1324 (f	1.00	1.00
70	423887	AL080207	Hs.134585	DKFZP434G232 protein	1.00	1.00
	423934	U89995	Hs.159234	forkhead box E1 (thyroid transcription f	31.33	31.00
	423954	AW753164	Hs.288604	KIAA1632 protein	5.81	10.87
	423961	D13666	Hs.136348	osteoblast specific factor 2 (fasciclin	3.55	3.30
	424012	AW368377	Hs.137569	tumor protein 63 kDa with strong homolog	233.42	68.00
	424016	AW163729	Hs.6140	hypothetical protein MGC15730	0.93	1.01
75	424028	AF055084	Hs.153692	Homo sapiens cDNA FLJ14354 fis, clone Y7	21.30	52.00
	424046	AF027866	Hs.138202	serine (or cysteine) proteinase inhibito	1.00	1.00
	424086	AI351010	Hs.102267	lysyl oxidase	21.91	70.00
	424098	AF077374	Hs.139322	small proline-rich protein 3	137.82	54.00
80	424120	T80579	Hs.290270	ESTs	1.00	1.00
	424165	AW582904	Hs.142255	islet amyloid polypeptide	1.00	34.00
	424200	AA337221		gb:EST41944 Endometrial tumor Homo sapie	13.06	48.00
	424279	L29306	Hs.171814	tryptophan hydroxylase (tryptophan 5-mon	1.00	1.00
	424308	AW975531	Hs.154443	minichromosome maintenance deficient (S.	164.58	87.00
85	424326	NM_014479	Hs.145296	disintegrin protease	53.72	302.00
	424340	AA339036	Hs.7033	ESTs	0.88	1.15

	424351	BE622117	Hs.145567	hypothetical protein	0.93	1.03
	424354	AW383226	Hs.201189	ESTs, Weakly similar to G01763 atrophin-	7.02	3.24
	424381	AA285249	Hs.146329	protein kinase Chk2	95.55	92.00
5	424411	NM_005209	Hs.146549	crystallin, beta A2	1.63	3.25
	424420	BE614743	Hs.146588	prostaglandin E synthase	1.63	1.33
	424441	X14850	Hs.147097	H2A histone family, member X	1.82	1.29
	424502	AF242388	Hs.149585	lengsin	1.00	1.00
	424503	X06256	Hs.149609	integrin, alpha 5 (fibronectin receptor,	1.02	2.24
	424513	BE385864	Hs.149894	mitochondrial translational initiation f	1.00	17.00
10	424539	L02911	Hs.150402	Activin A receptor, type I (ACVR1) (ALK	32.46	108.00
	424568	AF005418	Hs.150595	cytochrome P450, subfamily XXVIA, polype	3.40	2.58
	424602	AK002055	Hs.151046	hypothetical protein FLJ111193	31.87	25.00
	424629	M90656	Hs.151393	glutamate-cysteine ligase, catalytic sub	3.58	2.37
	424645	NM_014682	Hs.151449	KIAA0535 gene product	1.00	1.00
15	424687	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	2.12	2.23
	424717	AW992292	Hs.152213	wingless-type MMTV integration site fami	1.00	1.00
	424834	AK001432	Hs.153408	Homo sapiens cDNA FLJ10570 fis, clone NT	56.19	12.00
	424840	D79987	Hs.153479	extra spindle poles, S. cerevisiae, homo	2.65	1.30
	424867	A024860	Hs.153591	Not56 (D. melanogaster)-like protein	1.23	1.05
20	424905	NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	21.35	1.00
	424979	D87989	Hs.154073	UDP-galactose transporter related	1.36	1.35
	424999	AW953120		gb:EST365190 MAGE resequences, MAGB Homo	1.24	1.41
	425048	H05468	Hs.164502	ESTs	1.00	11.00
25	425057	AA826434	Hs.1619	achaete-scute complex (Drosophila) homol	7.46	87.00
	425081	X74794	Hs.154443	minichromosome maintenance deficient (S,	2.52	3.82
	425118	AU076611	Hs.154672	methylene tetrahydrofolate dehydrogenase	4.84	4.03
	425159	NM_004341	Hs.154868	carbamoyl-phosphate synthetase 2, aspart	3.62	2.73
	425202	AW962282	Hs.152049	ESTs, Weakly similar to I38022 hypothe	1.00	53.00
30	425234	AW152225	Hs.165909	ESTs, Weakly similar to I38022 hypothe	100.77	44.00
	425236	AW067800	Hs.155223	stanniocalcin 2	3.30	2.90
	425245	A1751768	Hs.155314	KIAA0095 gene product	1.91	2.32
	425247	NM_005940	Hs.155324	matrix metalloproteinase 11 (stromelysin	1.41	1.49
	425266	J00077	Hs.155421	alpha-fetoprotein	1.00	68.00
35	425274	BE281191	Hs.155462	minichromosome maintenance deficient (mi	1.97	1.63
	425322	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	141.49	123.00
	425349	AA425234	Hs.79886	ribose 5-phosphate isomerase A (ribose 5	1.00	84.00
	425371	D49441	Hs.155981	mesothelin	0.87	1.59
	425397	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)	14.90	5.76
40	425420	BE536911	Hs.234545	hypothetical protein NUF2R	1.00	1.00
	425424	NM_004954	Hs.157199	ELKL motif kinase	10.58	9.74
	425483	AF231022	Hs.158159	FAT tumor suppressor (Drosophila) homolo	1.74	1.40
	425566	AW162943	Hs.250618	UL16 binding protein 2	1.49	1.14
	425580	L11144	Hs.1907	galanin	53.29	233.00
45	425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen	33.45	1.00
	425692	D90041	Hs.155956	N-acetyltransferase 1 (arylamine N-acety	1.00	55.00
	425695	NM_005401	Hs.159238	protein tyrosine phosphatase, non-recept	1.00	10.00
	425734	AF056209	Hs.159396	peptidylglycine alpha-amidating monooxyg	1.00	41.00
	425776	U25128	Hs.159499	parathyroid hormone receptor 2	1.00	48.00
50	425810	A1923627	Hs.31903	ESTs	27.39	98.00
	425811	AL039104	Hs.159557	karyopherin alpha 2 (RAG cohort 1, impor	1.99	1.58
	425849	A1077288	Hs.296323	serum/glucocorticoid regulated kinase	71.16	3.42
	425852	AK001504	Hs.159651	death receptor 6, TNF superfamily member	1.35	1.34
	426067	AA401369	Hs.190721	ESTs	1.01	17.00
55	426088	AF038007	Hs.166196	ATPase, Class I, type 8B, member 1	26.26	47.00
	426215	AW067800	Hs.155223	stanniocalcin 2	1.91	2.90
	426227	U67058	Hs.154299	Human proteinase activated receptor-2 mR	22.40	25.00
	426269	H15302	Hs.168950	Homo sapiens mRNA; cDNA DKFZp566A1046 (f	1.00	1.00
	426283	NM_003937	Hs.169139	kynureninase (L-kynurenine hydrolase)	91.39	229.00
60	426329	AL389951	Hs.271623	nucleoporin 50kD	4.34	4.08
	426427	M86699	Hs.169840	TTK protein kinase	7.02	1.00
	426432	AF001601	Hs.169857	paraoxonase 2	1.16	1.68
	426440	BE382756	Hs.169902	solute carrier family 2 (facilitated glu	2.59	1.71
	426459	AF151812	Hs.169992	hypothetical 43.2 Kd protein	1.56	1.66
65	426471	M22440	Hs.170009	transforming growth factor, alpha	20.60	26.00
	426496	D31765	Hs.170114	KIAA0061 protein	9.81	22.00
	426501	AA401369	Hs.190721	ESTs	19.23	17.00
	426514	BE616633	Hs.170195	bone morphogenetic protein 7 (osteogenic	103.74	41.00
	426536	A1949749	Hs.44441	ESTs	4.65	23.00
70	426572	AB037783	Hs.170623	hypothetical protein FLJ11183	1.00	43.00
	426682	AV660038	Hs.2056	UDP glycosyltransferase 1 family, polype	160.06	8.00
	426691	NM_006201	Hs.171834	PCTAIRE protein kinase 1	1.51	1.35
	426746	J03626	Hs.2057	uridine monophosphate synthetase (protat	2.13	1.68
	426752	X69490	Hs.172004	titin	0.02	5.14
75	426784	U03749	Hs.172216	chromogranin A (parathyroid secretory pr	1.72	1.71
	426807	AA385315	Hs.156682	ESTs	1.30	1.64
	426812	AF105365	Hs.172613	solute carrier family 12 (potassium/chlo	1.47	1.53
	426814	AF036943	Hs.172619	myelin transcription factor 1-like	1.00	1.00
	426831	BE296216	Hs.172673	S-adenosylhomocysteine hydrolase	1.51	1.25
80	426897	AA401369	Hs.190721	ESTs	141.56	17.00
	426925	NM_001196	Hs.315689	Homo sapiens cDNA: FLJ22373 fis, clone H	32.61	38.00
	426935	NM_000088	Hs.172928	collagen, type I, alpha 1	2.65	3.16
	426964	AA393739	Hs.287416	Homo sapiens cDNA FLJ11439 fis, clone HE	1.97	3.49
	426966	A1493134		sclerostin	1.00	1.00
85	426991	AK001536		Homo sapiens cDNA FLJ10674 fis, clone NT	3.39	2.28
	427099	AB032953	Hs.173560	odd Oz/ten-m homolog 2 (Drosophila, mous	4.24	17.00

	427239	BE270447	Hs.174070	ubiquitin carrier protein	1.58	1.05
	427260	AA663848		gb:ae70b06.s1 Stratagene schizo brain S1	1.34	1.60
	427281	AA906147	Hs.102869	ESTs	1.00	66.00
5	427335	AA448542	Hs.251677	G antigen 7B	51.83	4.00
	427354	T57896	Hs.191095	ESTs	1.17	1.95
	427355	AWD23482	Hs.97849	ESTs	7.31	41.00
	427376	AA401533	Hs.19440	ESTs	1.00	57.00
	427383	NM_005411	Hs.177582	surfactant, pulmonary-associated protein	0.42	1.32
10	427427	AF077345	Hs.177936	lectin, superfamily member 1 (cartilage-	1.00	20.00
	427441	AA412605	Hs.343879	SPANX family, member C	1.00	1.00
	427445	X80818	Hs.178078	glutamate receptor, metabotropic 4	0.97	1.03
	427505	AA361562	Hs.178761	26S proteasome-associated pad1 homolog	4.60	4.04
	427510	Z47542	Hs.179312	small nuclear RNA activating complex, po	22.00	45.00
	427528	AU077143	Hs.179565	minichromosome maintenance deficient (S.	97.45	92.00
15	427546	AA188763	Hs.36793	hypothetical protein FLJ23188	1.50	3.24
	427562	R56424	Hs.26534	ESTs	6.81	40.00
	427585	D31152	Hs.179729	collagen, type X, alpha 1 (Schmid metaph	69.91	62.00
	427660	A1741320	Hs.114121	Homo sapiens cDNA: FLJ23228 fis, clone C	2.70	49.00
20	427666	A1791495	Hs.180142	calmodulin-like skin protein	1.37	1.88
	427668	AA298760	Hs.180191	hypothetical protein FLJ14904	29.55	67.00
	427677	NM_007045	Hs.180296	FGFR1 oncogene partner	3.52	2.63
	427701	AA411101	Hs.243886	nuclear autoantigenic sperm protein (his	7.41	34.00
	427711	M31659	Hs.180408	solute carrier family 25 (mitochondrial	15.84	70.00
25	427719	A1393122	Hs.134726	ESTs	7.03	4.52
	427722	AK000123	Hs.180479	hypothetical protein FLJ20116	2.92	1.74
	427747	AW411425	Hs.180655	serine/threonine kinase 12	1.76	1.26
	427912	AL022310	Hs.181097	tumor necrosis factor (ligand) superfam	9.63	59.00
	427961	AW293165	Hs.143134	ESTs	41.97	118.00
30	428004	AA449563	Hs.151393	glutamate-cysteine ligase, catalytic sub	23.82	1.00
	428023	AL038843		Homo sapiens cDNA: FLJ23602 fis, clone L	1.40	1.33
	428046	AW812795	Hs.337534	ESTs, Moderately similar to I38022 hypot	96.28	167.00
	428093	AW594506	Hs.104830	ESTs	1.25	1.29
	428098	AU077258	Hs.182429	protein disulfide isomerase-related prot	1.86	1.60
35	428129	A1244311	Hs.26912	ESTs	1.00	42.00
	428169	A1928984	Hs.182793	golgi phosphoprotein 2	2.76	2.11
	428182	BE386042	Hs.293317	ESTs, Weakly similar to GGC1_HUMAN G ANT	1.00	1.00
	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy	85.59	181.00
	428242	H55709	Hs.2250	leukemia inhibitory factor (cholinergic	8.57	21.64
40	428330	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin,	7.77	15.90
	428434	A1909935	Hs.65551	Homo sapiens, Similar to DNA segment, Ch	0.58	1.43
	428450	NM_014791	Hs.184339	KIAA0175 gene product	237.53	204.00
	428471	X57348	Hs.184510	stratifin	6.00	4.60
	428479	Y00272	Hs.334562	cell division cycle 2, G1 to S and G2 to	56.54	16.00
45	428484	AF104032	Hs.184601	solute carrier family 7 (cationic amino	3.53	2.15
	428505	AL035461	Hs.2281	chromogranin B (secretogranin 1)	1.00	1.00
	428532	AF157326	Hs.184786	TBP-interacting protein	1.00	58.00
	428645	AA431400	Hs.98729	ESTs, Weakly similar to 2017205A dihydro	1.00	16.00
	428664	AK001666	Hs.189095	similar to SALL1 (sal (Drosophila)-like	1.00	1.00
50	428698	AA852773	Hs.334838	KIAA1866 protein	187.37	255.00
	428728	NM_016625	Hs.191381	hypothetical protein	47.24	80.00
	428748	AW593206	Hs.98785	Ksp37 protein	1.00	87.00
	428758	AA433988	Hs.98502	hypothetical protein FLJ14303	1.06	1.13
	428771	AB028992	Hs.193143	KIAA1069 protein	1.98	92.00
55	428801	AW277121	Hs.254881	ESTs	1.67	6.15
	428810	AF068236	Hs.193788	nitric oxide synthase 2A (inducible, hep	1.03	1.27
	428839	A1767756	Hs.82302	Homo sapiens cDNA FLJ14814 fis, clone NT	124.17	43.00
	428845	AL157579	Hs.153610	KIAA0751 gene product	1.00	1.00
	428959	AF100779	Hs.194680	WNT1 inducible signaling pathway protein	15.16	27.00
60	428969	AF120274	Hs.194689	artemin	1.36	1.24
	429038	AL023513	Hs.194766	seizure related gene 6 (mouse)-like	0.97	3.31
	429065	A1753247	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT	6.82	16.47
	429164	A1688663	Hs.116586	ESTs	19.08	67.00
	429170	NM_001394	Hs.2359	dual specificity phosphatase 4	16.18	105.00
65	429183	AB014604	Hs.197955	KIAA0704 protein	79.72	104.00
	429201	X03178	Hs.198246	group-specific component (vitamin D bind	1.00	1.00
	429211	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3	1.33	1.09
	429220	AW207206		ESTs	1.00	7.00
	429228	A1553633	Hs.326447	ESTs	39.47	29.25
70	429259	AA420450	Hs.292911	ESTs, Highly similar to S60712 band-6-pr	2.01	1.18
	429263	AA019004	Hs.198396	ATP-binding cassette, sub-family A (ABC1	1.07	1.00
	429276	AFD56085	Hs.198612	G protein-coupled receptor 51	3.70	142.00
	429359	W00482	Hs.2399	matrix metalloproteinase 14 (membrane-in	1.30	1.94
	429412	NM_006235	Hs.2407	POU domain, class 2, associating factor	94.09	86.00
75	429413	NM_014058	Hs.201877	DESC1 protein	41.91	10.00
	429486	AF155827	Hs.203963	hypothetical protein FLJ10339	12.19	1.00
	429504	X99133	Hs.204238	lipocalin 2 (oncogene 24p3)	1.61	1.08
	429538	BE182592	Hs.11261	small proline-rich protein 2A	4.43	2.90
	429547	AA401369	Hs.190721	ESTs	1.06	17.00
80	429551	AW450624	Hs.220931	ESTs	2.89	65.00
	429563	BE619413	Hs.2437	eukaryotic translation initiation factor	1.49	1.37
	429597	NM_003816	Hs.2442	a disintegrin and metalloproteinase doma	61.86	100.00
	429610	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas	1.59	1.69
	429612	AF062649	Hs.252587	pituitary tumor-transforming 1	2.78	1.74
85	429616	A1982722	Hs.120845	ESTs	1.00	1.00
	429656	X05608	Hs.211584	neurofilament, light polypeptide (68kD)	1.00	4.00

	429663	M68874	Hs.211587	phospholipase A2, group IVA (cytosolic,	69.95	104.00
	429736	AF125304	Hs.212680	tumor necrosis factor receptor superfam	1.25	1.21
	429782	NM_005754	Hs.220689	Ras-GTPase-activating protein SH3-domain	1.00	7.00
	429903	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	11.80	1.00
5	429918	AW873986	Hs.119383	ESTs	1.00	78.00
	429978	AA249027		ribosomal protein S6	1.98	3.09
	429986	AF092047	Hs.227277	sine oculis homeobox (Drosophila) homolo	1.00	48.00
	430044	AA464510	Hs.152912	ESTs	69.27	59.00
	430114	AA847744	Hs.99640	ESTs	1.00	1.00
10	430134	BE380149	Hs.105223	ESTs, Weakly similar to T33188 hypotheti	1.00	51.00
	430147	R60704	Hs.234434	hairly/enhancer-of-split related with YRP	1.10	2.22
	430287	AW182459	Hs.125759	ESTs, Weakly similar to LEU5_HUMAN LEUKE	1.00	127.00
	430294	AI538226	Hs.32976	guanine nucleotide binding protein 4	3.80	1.47
	430300	U60805	Hs.238648	oncocalin M receptor	1.00	35.00
15	430315	NM_004293	Hs.239147	guanine deaminase	92.31	28.00
	430337	M36707	Hs.239600	calmodulin-like 3	1.18	1.08
	430378	Z29572	Hs.2556	tumor necrosis factor receptor superfam	5.28	66.00
	430388	AA356923	Hs.240770	nuclear cap binding protein subunit 2, 2	16.76	38.00
20	430393	BE185030	Hs.241305	estrogen-responsive B box protein	1.63	1.50
	430439	AL133561		DKFZP434B061 protein	1.00	1.00
	430451	AA836472	Hs.297939	cathepsin B	1.64	2.12
	430454	AW469011	Hs.105635	ESTs	63.35	44.00
	430466	AF052573	Hs.241517	polymerase (DNA directed), theta	2.47	1.91
	430481	AA479678	Hs.203269	ESTs, Moderately similar to ALU8_HUMAN A	1.00	31.00
25	430486	BE062109	Hs.241551	chloride channel, calcium activated, fam	12.28	41.00
	430508	AI015435	Hs.104637	ESTs	4.75	7.27
	430533	AA480895	Hs.57749	ESTs, Weakly similar to T17288 hypotheti	1.00	1.00
	430563	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	1.00	1.69
	430677	Z26317	Hs.94560	desmoglein 2	1.72	1.30
30	430678	AA401369	Hs.190721	ESTs	0.90	17.00
	430686	NM_001942	Hs.2633	desmoglein 1	1.00	1.00
	430788	AI742925	Hs.7179	ESTs, Weakly similar to 2004399A chromos	1.62	1.84
	430890	X54232	Hs.2699	glypican 1	1.58	1.40
	430935	AW072916		zinc finger protein 131 (clone pHZ-10)	90.28	132.00
35	430985	AA490232	Hs.27323	ESTs, Weakly similar to I78885 serine/th	0.94	1.28
	431009	BE149762	Hs.48956	gap junction protein, beta 6 (connexin 3	60.25	28.00
	431089	BE041395		ESTs, Weakly similar to unknown protein	23.32	941.00
	431092	AI332764	Hs.125757	ESTs	13.46	63.00
	431124	AF284221	Hs.59506	doublesex and mab-3 related transcriptio	49.43	62.00
40	431164	AA493650	Hs.94367	Homo sapiens cDNA: FLJ23494 fis, clone L	0.44	2.20
	431211	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn	182.26	101.00
	431221	AW207837	Hs.286145	SRB7 (suppressor of RNA polymerase B, ye	4.15	13.97
	431277	AA501806	Hs.345824	ESTs	1.00	86.00
	431322	AW970622		gb:EST382704 MAGE resequenes, MAGK Homo	40.55	200.00
45	431342	AW971018	Hs.21659	ESTs	1.00	53.00
	431384	BE158000	Hs.285026	gb:MR2-HT0377-150200-202-e03 HT0377 Homo	0.94	1.14
	431462	AW583672	Hs.256311	granin-like neuroendocrine peptide precu	1.30	1.25
	431494	AA991355	Hs.298312	hypothetical protein DKFZp434A1315	3.90	26.00
	431515	NM_012152	Hs.258583	endothelial differentiation, lysophospha	1.41	1.87
50	431548	AI834273	Hs.9711	novel protein	5.66	15.00
	431630	NM_002204	Hs.265829	integrin, alpha 3 (antigen CD49C, alpha	0.99	1.44
	431745	AW972448	Hs.163425	ESTs	0.99	3.51
	431770	BE221880	Hs.268555	5'-3' exonuclease 2	67.12	91.00
55	431830	Y16645	Hs.271387	small inducible cytokine subfamily A (Cy	3.36	4.71
	431846	BE019924	Hs.271580	uropaktin 1B	4.49	2.51
	431890	X17033	Hs.271986	integrin, alpha 2 (CD49B, alpha 2 subuni	2.20	3.32
	431934	A8031481	Hs.272214	STG protein	1.01	1.04
	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	51.17	46.35
	432006	AL137382	Hs.272320	Homo sapiens mRNA; cDNA DKFZp434L1226 (f	0.94	1.65
60	432023	R43020	Hs.236223	EST	0.94	47.00
	432201	AI538613	Hs.298241	Transmembrane protease, serine 3	1.10	2.24
	432210	AI567421	Hs.273330	Homo sapiens, clone IMAGE:3544662, mRNA,	1.42	1.45
	432226	AW182766	Hs.273558	phosphate cytidylyltransferase 1, cholin	1.00	1.00
	432239	X81334	Hs.2936	matrix metalloproteinase 13 (collagenase	18.67	1.00
65	432285	BE382679	Hs.285753	SCG10-like-protein	1.09	1.21
	432281	AK001239	Hs.274263	hypothetical protein FLJ10377	40.98	58.00
	432365	AK001106	Hs.274419	hypothetical protein FLJ10244	1.00	214.00
	432374	W68815	Hs.301885	Homo sapiens cDNA FLJ11346 fis, clone PL	157.34	37.00
70	432375	BE536069	Hs.2962	S100 calcium-binding protein P	1.65	1.06
	432407	AA221036		gb:zr03f12.r1 Stratagene NT2 neuronal pr	73.71	75.00
	432441	AW292425	Hs.163484	ESTs	56.35	72.00
	432489	AI804855	Hs.207530	ESTs	1.00	24.00
	432543	AA552690	Hs.152423	Homo sapiens cDNA: FLJ21274 fis, clone C	137.72	98.00
	432552	AI537170	Hs.173725	ESTs, Weakly similar to ALU8_HUMAN ALU S	1.00	31.00
75	432583	AW023624	Hs.162282	potassium channel TASK-4; potassium chan	0.27	35.18
	432606	NM_002104	Hs.3066	granzyme K (serine protease, granzyme 3;	2.87	6.22
	432625	AI243596	Hs.94830	ESTs, Moderately similar to T03094 A-kin	26.63	56.00
	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci	1.92	5.29
	432677	NM_004482	Hs.278611	UDP-N-acetyl-alpha-D-galactosamine:polyp	1.00	48.00
80	432715	AA247152	Hs.200483	ESTs, Weakly similar to KIAA1074 protein	45.13	31.00
	432753	NM_014075	Hs.336938	Homo sapiens PRO0593 mRNA, complete cds	1.00	68.00
	432788	AA521091	Hs.178499	Homo sapiens cDNA: FLJ23117 fis, clone L	2.69	3.67
	432842	AW674093	Hs.334822	hypothetical protein MGC4485	1.22	1.34
	432867	AW016936	Hs.233364	ESTs	1.00	1.00
85	432917	NM_014125	Hs.241517	PRO0327 protein	10.25	6.62

	432920	U37589	Hs.3128	polymerase (RNA) II (DNA directed) polyp	1.44	1.30
	433001	AF217513	Hs.279905	clone HQ0310 PRO0310p1	154.79	85.64
	433023	AW864793	Hs.87409	thrombospondin 1	20.96	100.00
5	433042	AW193534	Hs.281895	Homo sapiens cDNA FLJ11660 fis, clone HE	1.00	10.00
	433091	Y12642	Hs.3185	lymphocyte antigen 6 complex, locus D	1.20	1.09
	433159	AB035898	Hs.150587	kinesin-like protein 2	13.82	39.00
	433183	AF231338	Hs.222024	transcription factor BMAL2	1.00	69.00
	433258	AA622788	Hs.203613	ESTs, Weakly similar to ALUB_HUMAN !!!!	1.00	1.25
10	433409	AJ278802	Hs.25661	ESTs	44.81	117.00
	433437	U20536	Hs.3280	caspase 6, apoptosis-related cysteine pr	70.39	105.00
	433485	AJ493076	Hs.201967	aldo-keto reductase family 1, member C2	11.55	2.00
	433537	AJ733692	Hs.112488	ESTs	8.66	55.00
	433547	W04978	Hs.303023	beta tubulin 1, class VI	25.16	83.00
15	433556	W56321	Hs.111460	calcium/calmodulin-dependent protein kin	1.00	19.00
	433647	AA603367	Hs.222294	ESTs	20.30	49.00
	433658	L03678	Hs.156110	immunoglobulin kappa constant	5.92	10.03
	433800	AJ094221	Hs.135150	lung type-I cell membrane-associated gly	2.29	2.22
	433819	AW511097	Hs.112765	ESTs	3.71	8.00
20	433862	D86960	Hs.3610	KIAA0205 gene product	62.08	104.00
	433980	AA137152	Hs.286049	phosphoserine aminotransferase	108.91	47.00
	434088	AF116677	Hs.249270	hypothetical protein PRO1966	1.00	1.00
	434094	AA305599	Hs.238205	hypothetical protein PRO2013	121.27	87.00
	434105	AW952124	Hs.13094	presenilins associated rhomboid-like pro	1.22	1.23
	434217	AW014795	Hs.23349	ESTs	14.11	57.00
25	434340	AI193043	Hs.128685	ESTs, Weakly similar to T17226 hypotheti	2.10	2.56
	434360	AA401369	Hs.190721	ESTs	40.98	17.00
	434414	AI798376		gb:tr34b07.x1 NCL_CGAP_Ov23 Homo sapiens	1.48	1.56
	434424	AI811202	Hs.325335	Homo sapiens cDNA: FLJ23523 fis, clone L	1.00	64.00
30	434467	BE552368	Hs.231853	Homo sapiens cDNA FLJ13445 fis, clone PL	54.91	85.00
	434551	BE387162	Hs.280858	ESTs, Highly similar to A35661 DNA excis	2.46	2.00
	434627	AI221894	Hs.39311	ESTs	1.00	1.00
	434699	AA643687	Hs.149425	Homo sapiens cDNA FLJ11980 fis, clone HE	1.00	23.00
	434769	AA648884	Hs.134278	Homo sapiens cDNA FLJ12676 fis, clone NT	7.08	56.00
35	434792	AA649253	Hs.132458	ESTs	8.52	44.00
	434808	AF155108	Hs.256150	Homo sapiens, Similar to RIKEN cDNA 2810	11.33	1.00
	434828	D90070	Hs.96	phorbol-12-myristate-13-acetate-induced	1.00	1.00
	434876	AF160477	Hs.61460	ig superfamily receptor LNIR	1.25	1.29
	434891	AA814309	Hs.123583	ESTs	1.00	6.00
40	434928	AW015595	Hs.4267	Homo sapiens clones 24714 and 24715 mRNA	1.00	1.00
	435013	H91923	Hs.110024	Target CAT	1.26	1.10
	435066	BE261750	Hs.4747	dyskeratosis congenita 1, dyskerin	1.69	1.37
	435087	AW975241	Hs.23567	ESTs	1.00	1.00
	435099	AC004770	Hs.4756	flap structure-specific endonuclease 1	2.90	1.93
45	435159	AA668879	Hs.116649	ESTs	1.00	1.00
	435205	X54136	Hs.181125	immunoglobulin lambda locus	1.02	1.46
	435232	NM_001262	Hs.4854	cyclin-dependent kinase inhibitor 2C (p1	2.04	2.70
	435304	H10709	Hs.269524	ESTs	27.58	139.00
	435313	AI769400	Hs.189729	ESTs	1.00	14.00
50	435505	AF200492	Hs.211238	interleukin-1 homolog 1	1.00	38.00
	435509	AA58679	Hs.181915	ESTs	1.00	1.00
	435525	AI831297	Hs.123310	ESTs	1.00	56.00
	435532	AW291488	Hs.117305	Homo sapiens, clone IMAGE:3682908, mRNA	1.00	2.00
	435550	AI224456	Hs.324507	H.sapiens polyA site DNA	3.42	3.92
55	435602	AF217515	Hs.283532	uncharacterized bone marrow protein BM03	3.95	1.80
	435766	R11673	Hs.186498	ESTs	1.00	28.00
	435793	AB037734	Hs.4993	KIAA1313 protein	23.68	42.00
	436069	AI056879	Hs.263209	ESTs	1.00	58.00
	436170	AW450381	Hs.14529	ESTs	1.00	18.00
60	436211	AK001581	Hs.334828	hypothetical protein FLJ10719; KIAA1794	5.84	22.00
	436213	AA325512	Hs.71472	hypothetical protein FLJ10774; KIAA1709	1.42	1.27
	436217	T53925	Hs.107	fibrinogen-like 1	57.97	31.00
	436238	AK002163	Hs.301724	hypothetical protein FLJ11301	2.51	1.71
	436251	BE515065	Hs.296585	nucleolar protein (KKE/D repeat)	2.33	1.64
65	436291	BE568452	Hs.344037	protein regulator of cytokinesis 1	108.99	52.00
	436302	AL355841	Hs.99330	hypothetical protein FLJ23588	0.75	2.81
	436396	AW992292	Hs.152213	wingless-type MMTV integration site faml	60.01	1.00
	436414	BE264633	Hs.143638	WD repeat domain 4	2.50	2.19
	436419	AI948626	Hs.171356	ESTs	0.95	1.33
70	436443	AW138211	Hs.128746	ESTs	1.12	9.26
	436474	AJ270693	Hs.199887	ESTs	1.00	1.00
	436481	AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	3.28	1.56
	436486	AA742221	Hs.120633	ESTs	1.00	19.00
	436511	AA721252	Hs.291502	ESTs	16.76	14.00
75	436553	X57809	Hs.181125	immunoglobulin lambda locus	1.08	1.74
	436557	W15573	Hs.5027	ESTs, Weakly similar to A47582 B-cell gr	19.20	9.75
	436608	AA628980		down syndrome critical region protein DS	33.92	25.00
	436667	AW025183	Hs.127680	ESTs	0.89	1.19
	436771	AW975687	Hs.292979	ESTs	1.00	10.00
80	436839	AA401369	Hs.190721	ESTs	1.00	17.00
	436887	AW953157	Hs.193235	hypothetical protein DKFZp547D155	1.06	1.15
	436944	AW268614	Hs.5840	ESTs	1.00	1.00
	436961	AW375974	Hs.156704	ESTs	25.13	25.00
	436972	AA284679	Hs.25640	claudin 3	1.59	1.46
85	437016	AJ076916	Hs.5398	guanine monphosphate synthelase	2.35	1.78
	437044	AL035864	Hs.69517	cDNA for differentially expressed CO16 g	1.34	1.13

	437181	AJ306615	Hs.125343	ESTs, Weakly similar to KIAA0758 protein	1.00	17.00
	437204	AL110216	Hs.22826	ESTs, Weakly similar to I55214 salivary	40.55	82.00
	437205	AL110232	Hs.279243	Homo sapiens mRNA; cDNA DKFZp564D2071 (f	1.00	112.00
5	437259	AJ377755	Hs.120695	ESTs	1.00	205.00
	437270	R18087	Hs.323769	cisplatin resistance related protein CRR	1.56	1.54
	437271	AL137445	Hs.28846	Homo sapiens mRNA; cDNA DKFZp566O134 (fr	113.25	125.00
	437370	AL359567	Hs.161962	Homo sapiens mRNA; cDNA DKFZp547D023 (fr	1.82	4.57
	437390	AI25859	Hs.112607	ESTs	1.35	1.75
10	437412	BE069288	Hs.34744	Homo sapiens mRNA; cDNA DKFZp547C136 (fr	3.58	3.20
	437435	AJ306152	Hs.27027	hypothetical protein DKFZp762H1311	3.03	1.08
	437444	H46008	Hs.31518	ESTs	1.00	39.00
	437568	AJ954795	Hs.156135	ESTs	1.00	19.00
	437623	D63880	Hs.5719	chromosome condensation-related SMC-asso	1.95	1.57
15	437789	AJ581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti	1.00	3.00
	437814	AJ088192	Hs.135474	ESTs, Weakly similar to DDX9_HUMAN ATP-D	1.00	45.00
	437840	AA884836	Hs.292014	ESTs	1.07	1.78
	437852	BE001836	Hs.256897	ESTs, Weakly similar to dJ365O12.1 (H.sa	1.68	3.26
	437879	BE262082	Hs.5894	hypothetical protein FLJ10305	1.87	2.52
	437915	AJ637993	Hs.202312	Homo sapiens clone N11 NTera2D1 teratoca	74.05	35.00
20	437916	BE566249	Hs.20999	hypothetical protein FLJ23142	23.15	89.00
	437937	AJ917222	Hs.121655	ESTs	1.00	1.00
	437942	AJ888258	Hs.307526	ESTs	12.28	31.00
	438091	AW373062		nuclear receptor subfamily 1, group I, m	1.53	10.85
25	438113	AJ467908	Hs.8882	ESTs	1.80	2.39
	438119	AW963217	Hs.203961	ESTs, Moderately similar to AF116721 89	22.67	36.90
	438274	AJ918906	Hs.55080	ESTs	1.00	1.00
	438378	AW970529	Hs.86434	hypothetical protein FLJ21816	38.92	38.00
	438403	AA806607	Hs.292206	ESTs	1.00	1.00
30	438494	AA908678	Hs.130183	ESTs	2.05	80.00
	438546	AW297204	Hs.125811	ESTs	1.00	131.00
	438552	AJ245820	Hs.6314	type I transmembrane receptor (seizure-r	1.43	1.45
	438702	AJ879064	Hs.54618	ESTs	1.00	34.00
	438724	AW612553	Hs.114670	Human DNA sequence from clone RP11-16L21	1.33	1.10
35	438746	AJ885815	Hs.184727	Human melanoma-associated antigen p97 (m	2.42	1.59
	438779	NM_003787	Hs.6414	nucleolar protein 4	1.00	18.00
	438821	AA826425	Hs.192375	ESTs	2.03	2.57
	438885	AJ886558	Hs.184987	ESTs	6.42	88.00
	438898	AA401369	Hs.190721	ESTs	22.41	17.00
40	438916	AA280174	Hs.285681	Williams-Beuren syndrome chromosome regi	1.00	1.00
	438958	W00847	Hs.135056	Human DNA sequence from clone RPS-850E9	2.20	1.88
	439000	AW979121		gb:EST391231 MAGE resequences, MAGP Homo	2.78	4.81
	439023	AA745978	Hs.28273	ESTs	1.17	1.31
	439024	R96696	Hs.35598	ESTs	1.00	28.00
45	439128	AJ949371	Hs.153089	ESTs	1.00	67.00
	439146	AW138909	Hs.156110	immunoglobulin kappa constant	1.38	1.41
	439223	AW238299	Hs.250618	UL16 binding protein 2	1.93	1.64
	439285	AL133916		hypothetical protein FLJ20093	46.23	139.00
	439318	AW837046	Hs.6527	G protein-coupled receptor 56	2.00	2.20
50	439343	AF086161	Hs.114611	hypothetical protein FLJ11808	6.10	7.37
	439394	AA401369	Hs.190721	ESTs	3.39	17.00
	439410	AA632012	Hs.188746	ESTs	1.83	3.07
	439451	AF086270	Hs.278554	heterochromatin-like protein 1	23.28	52.00
	439452	AA918317	Hs.57987	B-cell CLL/lymphoma 11B (zinc finger pro	18.78	122.00
55	439453	BE264974	Hs.6566	thyroid hormone receptor interactor 13	2.78	1.58
	439477	W69813	Hs.58042	ESTs, Moderately similar to GFR3_HUMAN G	1.22	1.44
	439492	AF086310	Hs.103159	ESTs	7.46	39.00
	439523	W72348	Hs.185029	ESTs	1.00	1.19
	439592	AF086413	Hs.58399	ESTs	1.00	1.00
60	439606	W79123	Hs.58561	G protein-coupled receptor 87	33.61	1.00
	439670	AF088076	Hs.59507	ESTs, Weakly similar to AC004858 3 U1 sm	1.00	1.00
	439702	AW085525	Hs.134182	ESTs	4.30	10.00
	439706	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH	86.55	11.00
	439738	BE246502	Hs.9598	sera domain, immunoglobulin domain (Ig),	2.36	1.88
65	439750	AL359053	Hs.57664	Homo sapiens mRNA full length insert cDN	2.02	6.08
	439759	AL359055	Hs.67709	Homo sapiens mRNA full length insert cDN	1.00	21.00
	439780	AL109688		gb:Homo sapiens mRNA full length insert	7.27	25.00
	439840	AW449211	Hs.105445	GDNF family receptor alpha 1	1.00	1.00
	439926	AW014875	Hs.137007	ESTs	32.58	71.00
70	439963	AW247529	Hs.6793	platelet-activating factor acetylhydrola	21.28	9.55
	439979	AW600291	Hs.6823	hypothetical protein FLJ10430	68.83	61.00
	440006	AK000517	Hs.6844	hypothetical protein FLJ20510	1.83	4.02
	440028	AW473675	Hs.125843	ESTs, Weakly similar to T17227 hypotheti	1.42	2.64
	440106	AA864968	Hs.127699	KIAA1603 protein	1.00	54.00
75	440138	AB033023	Hs.318127	hypothetical protein FLJ10201	24.18	52.00
	440273	AJ805392	Hs.325335	Homo sapiens cDNA: FLJ23523 fis, clone L	3.21	4.72
	440289	AW450991	Hs.192071	ESTs	38.63	113.00
	440325	NM_003812	Hs.7164	a disintegrin and metalloproteinase doma	62.88	147.00
	440492	R39127	Hs.21433	hypothetical protein DKFZp547J036	2.35	3.62
80	440527	AV657117	Hs.184164	ESTs, Moderately similar to S65657 alpha	10.84	57.00
	440659	AF134160	Hs.7327	claudin 1	3.18	2.37
	440704	M69241	Hs.162	insulin-like growth factor binding prote	2.89	2.09
	440943	AW082298	Hs.146181	hypothetical protein MGC2408	2.02	1.41
	440994	AJ160011	Hs.272068	ESTs	1.29	1.14
85	441020	AA401369	Hs.190721	ESTs	142.99	17.00
	441031	AJ110684	Hs.7645	fibrinogen, B beta polypeptide	1.41	99.00

	441128	AA570256	ESTs, Weakly similar to T23273 hypotheti	4.13	3.50
	441290	W27501	cholinergic receptor, nicotinic, alpha p	1.00	1.00
	441362	BE614410	RAD51 (S. cerevisiae) homolog (E coli Re	130.23	43.00
5	441377	BE218239	ESTs	22.03	1.00
	441390	AI692560	ESTs	3.65	7.70
	441497	R51064	ESTs	1.00	1.00
	441525	AW241867	ESTs	1.53	1.42
	441553	AA281219	ESTs	1.89	1.57
10	441607	NM_005010	neuronal cell adhesion molecule	1.47	2.11
	441633	AW958544	normal mucosa of esophagus specific 1	216.22	363.00
	441636	AA081846	Homo sapiens mRNA; cDNA DKFZp566E183 (fr	2.31	2.05
	441737	X79449	adenosine deaminase, RNA-specific	1.30	1.49
	441790	AA401369	ESTs	44.15	17.00
	441801	AW242799	ESTs	1.00	1.00
15	441919	AI553802	ESTs	1.00	122.00
	441937	R41782	ESTs	0.86	1.37
	441954	AI744935	Fanconi anemia, complementation group G	1.48	1.39
	442025	AW887434	CDA11 protein	1.00	46.00
20	442029	AW956698	neural precursor cell expressed, develop	9.92	45.00
	442072	AI740832	Homo sapiens clone 23570 mRNA sequence	25.05	77.00
	442108	AW452649	ESTs	3.61	3.14
	442117	AW664964	ESTs	3.00	5.49
	442137	AA977235	ESTs, Weakly similar to Z192_HUMAN ZINC	1.00	1.00
	442159	AW163390	heterochromatin-like protein 1	1.92	1.66
25	442179	AA983842	chromosome 2 open reading frame 2	27.22	50.00
	442328	AI952430	ESTs, Weakly similar to ALU4_HUMAN ALU S	5.00	3.42
	442432	BE093589	hypothetical protein FLJ23468	181.59	76.00
	442530	AI580830	Homo sapiens cDNA FLJ14712 fis, clone NT	10.59	144.00
	442547	AA306997	ESTs, Weakly similar to ALU1_HUMAN ALU S	109.23	98.00
30	442566	AL137761	Homo sapiens mRNA; cDNA DKFZp586L2424 (f	1.00	53.00
	442619	AA447492	ESTs, Weakly similar to AF164793 1 prote	29.02	50.00
	442710	AI015631	ESTs	1.00	19.00
	442717	R88362	ESTs, Weakly similar to T23976 hypotheti	1.00	5.00
35	442875	BE623003	Homo sapiens clone TCCCTA00142 mRNA sequ	22.85	50.00
	442914	AW188551	hypothetical protein FLJ14007	25.33	82.00
	442932	AA457211	bromodomain adjacent to zinc finger doma	3.18	4.41
	442942	AW167087	ESTs	8.45	64.00
	443068	AI188710	ESTs	1.00	27.00
40	443204	AW205878	Homo sapiens cDNA FLJ13103 fis, clone NT	1.00	24.00
	443211	AI128388	ESTs	12.42	2.00
	443247	BE614387	c-Myc target JPO1	128.84	96.00
	443324	R44013	ESTs	0.02	4.59
	443383	AI792453	ESTs	1.00	47.00
	443400	R28424	ESTs	18.52	61.00
45	443426	AF098158	chromosome 20 open reading frame 1	4.02	1.75
	443572	AA025610	cleavage and polyadenylation specific fa	2.98	2.57
	443575	AI078022	ESTs, Weakly similar to ALU1_HUMAN ALU S	1.00	29.00
	443614	AV655386	fibrinogen, B beta polypeptide	1.00	16.00
	443633	AL031290	similar to pregnancy-associated plasma p	1.00	39.00
50	443648	AI085377	ESTs	39.81	70.00
	443715	AI583187	cyclin E1	48.74	7.00
	443723	AI144442	synaptin 6	1.29	1.30
	443802	AW504924	KIAA1291 protein	1.75	1.61
	443859	NM_013409	folliculin	1.35	1.13
55	443892	AA401369	ESTs	1.00	17.00
	443947	W24187	gb:zb47f09.r1 Soares_fetal_lung_NbHL19W	1.33	1.64
	443991	NM_002250	potassium Intermediate/small conductance	5.71	6.87
	444006	BE395085	type I transmembrane protein Fn14	1.47	1.92
60	444009	AI380792	ESTs	1.00	77.00
	444017	U04840	neuro-oncological ventral antigen 1	1.00	1.00
	444127	N63620	ESTs	1.00	29.00
	444129	AW294292	ESTs	1.00	1.00
	444279	U62432	cholinergic receptor, nicotinic, alpha p	0.60	7.80
65	444371	BE540274	forkhead box M1	2.91	1.14
	444378	R41339	ESTs	1.00	1.00
	444381	BE387335	ESTs, Weakly similar to S64054 hypotheti	469.00	556.00
	444461	R53734	ESTs, Weakly similar to 2109260A B cell	12.88	105.00
	444471	AB020684	KIAA0877 protein	24.91	90.00
70	444489	AI151010	ESTs	1.00	111.00
	444619	BE538082	ESTs, Moderately similar to A46010 X-in	1.00	70.00
	444665	BE613126	B aggressive lymphoma gene	30.56	139.00
	444707	AI188613	desmocollin 3	1.00	1.00
	444735	BE019923	hypothetical protein FLJ13057 similar to	77.02	90.00
	444781	NM_014400	GPI-anchored metastasis-associated prote	1.57	1.31
75	444783	AK001468	antlin (Drosophila Scraps homolog), act	77.55	2.00
	445236	AK001676	hypothetical protein FLJ10814	1.00	27.00
	445258	AI635931	ESTs	1.00	73.00
	445413	AA151342	CGI-147 protein	28.14	50.00
	445417	AK001058	Homo sapiens cDNA FLJ10196 fis, clone HE	1.81	2.62
80	445443	AV653838	ESTs	1.00	1.00
	445462	AA378776	hypothetical protein MGC3077	2.09	1.70
	445517	AF208855	hypothetical protein	1.87	70.00
	445537	AJ245671	EGF-like domain, multiple 6	1.71	2.72
	445580	AF167572	skb1 (S. pombe) homolog	1.52	1.34
85	445654	X91247	thioredoxin reductase 1	1.61	1.52

	445669	AJ570830	Hs.174870	ESTs	10.95	11.45
	445818	BE045321	Hs.136017	ESTs	1.00	1.00
	445873	AA250970	Hs.251946	poly(A)-binding protein, cytoplasmic 1-I	49.42	54.00
5	445885	AJ734009	Hs.127699	KIAA1603 protein	1.00	132.00
	445898	AF070623	Hs.13423	Homo sapiens clone 24468 mRNA sequence	1.00	1.00
	445903	AJ347487	Hs.132781	class I cytokine receptor	1.00	36.00
	445932	BE046441	Hs.333555	Homo sapiens clone 24859 mRNA sequence	2.41	2.88
	445982	BE410233	Hs.13501	pescadillo (zebrafish) homolog 1, contai	1.60	1.35
10	446078	AJ339982	Hs.156051	ESTs	1.00	42.00
	446102	AW168067	Hs.317694	ESTs	1.00	1.00
	446157	BE270828	Hs.131740	Homo sapiens cDNA: FLJ22562 fis, clone H	1.70	1.53
	446269	AW263155	Hs.14559	hypothetical protein FLJ10540	73.01	48.00
	446292	AF081497	Hs.279682	Rh type C glycoprotein	1.55	1.26
15	446293	AJ420213	Hs.149722	ESTs	1.00	2.00
	446423	AW139655	Hs.150120	ESTs	1.10	4.19
	446428	AW082270	Hs.12496	ESTs, Weakly similar to ALU4_HUMAN ALU S	0.53	3.26
	446432	AJ377320	Hs.150058	ESTs	1.00	5.00
	446528	AU076640	Hs.15243	nucleolar protein 1 (120kD)	1.36	1.31
20	446574	AJ310135	Hs.335933	ESTs	3.89	72.00
	446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,	32.03	20.23
	446636	AC002563	Hs.15767	citron (rho-Interacting, serine/threonin	4.19	5.07
	446783	AW138343	Hs.141867	ESTs	2.82	9.47
	446839	BE091926	Hs.16244	mitotic spindle coiled-coil related prot	110.28	28.00
	446849	AU076617	Hs.16251	cleavage and polyadenylation specific fa	3.26	2.94
25	446856	AJ814373	Hs.164175	ESTs	6.38	11.30
	446872	X97058	Hs.16362	pyrimidinergic receptor P2Y, G-protein c	1.98	2.03
	446880	AJ811807	Hs.108646	Homo sapiens cDNA FLJ14934 fis, clone PL	94.90	113.00
	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	1.67	3.90
	446989	AK001898	Hs.16740	hypothetical protein FLJ11036	2.82	3.12
30	447022	AW291223	Hs.157573	ESTs	1.00	170.00
	447033	AJ357412	Hs.157601	ESTs	7.15	107.00
	447078	AW885727	Hs.9914	ESTs	47.24	24.00
	447081	Y13896	Hs.17287	potassium inwardly-rectifying channel, s	0.12	17.88
35	447131	NM_004585	Hs.17466	retinoic acid receptor responder (lazaro	0.97	1.48
	447149	BE299857	Hs.326	TAR (HIV) RNA-binding protein 2	1.24	1.26
	447153	AA805202	Hs.315562	ESTs	1.00	54.00
	447164	AF026941	Hs.17518	Homo sapiens cig5 mRNA, partial sequence	1.00	67.00
	447178	AW594641	Hs.192417	ESTs	3.42	50.00
40	447250	AJ878909	Hs.17883	protein phosphatase 1G (formerly 2C), ma	1.60	1.52
	447289	AW247017	Hs.36978	melanoma antigen, family A, 3	1.00	1.00
	447342	AJ199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	28.63	1.00
	447343	AA256641	Hs.236894	ESTs, Highly similar to S02392 alpha-2-m	146.62	51.00
	447350	AJ375572	Hs.172634	ESTs	1.00	12.00
45	447377	N27687	Hs.334334	transcription factor AP-2 alpha (activat	2.55	63.00
	447415	AW937335	Hs.28149	ESTs, Weakly similar to KF3B_HUMAN KINES	0.91	1.13
	447425	AJ963747	Hs.18573	acylphosphatase 1, erythrocyte (common)	1.00	35.00
	447519	U46258	Hs.339665	ESTs	59.89	49.00
	447532	AK000614	Hs.18791	hypothetical protein FLJ20607	1.23	1.63
50	447534	AA401369	Hs.190721	ESTs	1.00	17.00
	447636	Y10043		high-mobility group (nonhistone chromoso	1.41	1.11
	447688	N87079	Hs.19236	Target CAT	1.00	39.00
	447733	AF157482	Hs.19400	MAD2 (mitotic arrest deficient, yeast, h	1.17	1.12
	447769	AW873704	Hs.320831	Homo sapiens cDNA FLJ14597 fis, clone NT	6.47	5.95
55	447802	AW593432	Hs.161455	ESTs	0.73	2.34
	447850	AB018298	Hs.19822	SEC24 (S. cerevisiae) related gene famil	86.45	118.00
	447924	AJ817226	Hs.313413	ESTs, Weakly similar to T23110 hypotheti	1.00	1.00
	447973	AB011169	Hs.20141	similar to S. cerevisiae SSM4	3.50	4.27
	448030	N30714	Hs.325960	membrane-spanning 4-domains, subfamily A	4.13	142.00
60	448105	AJ538613	Hs.298241	Transmembrane protease, serine 3	1.15	2.24
	448243	AW369771	Hs.52620	integrin, beta 6	15.84	1.00
	448278	W07369	Hs.11782	ESTs	0.97	1.90
	448290	AK002107	Hs.20843	Homo sapiens cDNA FLJ11245 fis, clone PL	1.00	1.00
	448296	BE622756	Hs.10949	Homo sapiens cDNA FLJ14162 fis, clone NT	2.42	2.17
65	448357	BE274396	Hs.108923	RAB38, member RAS oncogene family	1.44	1.08
	448390	AL035414	Hs.21068	hypothetical protein	1.00	43.00
	448469	AW504732	Hs.21275	hypothetical protein FLJ11011	2.63	2.49
	448569	BE382657	Hs.21486	signal transducer and activator of trans	1.84	2.53
	448663	BE614599	Hs.106823	hypothetical protein MGC14797	3.29	46.00
70	448672	AJ955511	Hs.225106	ESTs	1.00	21.00
	448733	NM_005629	Hs.187958	solute carrier family 6 (neurotransmitte	1.82	1.08
	448741	BE614567	Hs.19574	hypothetical protein MGC5469	2.48	1.92
	448757	AJ366784	Hs.48820	TATA box binding protein (TBP)-associate	23.53	20.00
	448775	AB025237	Hs.388	nudix (nucleoside diphosphate linked mol	2.34	1.97
75	448826	AJ580252	Hs.293246	ESTs, Weakly similar to putative p150 [H	74.07	62.67
	448830	AL031658	Hs.22181	hypothetical protein dJ310013.3	1.37	1.31
	448844	AJ581519	Hs.177164	ESTs	1.00	31.00
	448988	Y09763	Hs.22785	gamma-aminobutyric acid (GABA) A recepto	1.84	1.95
	448993	AJ471630		KIAA0144 gene product	1.63	1.49
80	449003	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o	1.00	1.00
	449029	N28989	Hs.22891	solute carrier family 7 (cationic amino	1.97	2.26
	449040	AF040704	Hs.149443	putative tumor suppressor	0.97	1.56
	449048	Z45051	Hs.22920	similar to S68401 (cattle) glucose induc	27.13	90.00
	449053	AJ625777	Hs.344766	ESTs	8.33	44.00
85	449054	AF148848	Hs.22934	myoneurin	73.85	104.00
	449101	AA205847	Hs.23016	G protein-coupled receptor	2.58	27.00

	449167	T05095	Hs.19597	KIAA1694 protein	1.61	2.36
	449207	AL044222	Hs.23255	nucleoporin 155kD	2.36	1.56
	449228	AJ403107	Hs.148590	protein related with psoriasis	1.15	1.15
	449230	BE613348	Hs.211579	melanoma cell adhesion molecule	206.65	151.00
5	449305	A1638293		gb:tt09b07.x1 NCL_CGAP_GC6 Homo sapiens	17.28	45.00
	449318	AW236021	Hs.78531	Homo sapiens, Similar to RIKEN cDNA 5730	26.39	35.00
	449448	D60730	Hs.57471	ESTs	1.00	1.00
	449467	AW205006	Hs.197042	ESTs	1.00	1.00
	449523	NM_000579	Hs.54443	chemokine (C-C motif) receptor 5	56.80	216.86
10	449722	BE280074	Hs.23960	cyclin B1	150.03	1.00
	449976	H06350	Hs.135056	Human DNA sequence from clone RP5-850E9	2.16	2.85
	450001	NM_001044	Hs.406	solute carrier family 6 (neurotransmitter)	1.17	1.45
	450098	W27249	Hs.8109	hypothetical protein FLJ21080	1.79	2.38
15	450101	AV649989	Hs.24385	Human hbc647 mRNA sequence	1.00	69.00
	450149	AW969781	Hs.132863	Zic family member 2 (odd-paired Drosophila)	1.00	1.00
	450193	A1916071	Hs.15607	Homo sapiens Fanconi anemia complemental	29.85	34.00
	450221	AA328102	Hs.24641	cytoskeleton associated protein 2	1.00	1.00
	450372	BE218107	Hs.202436	ESTs	1.00	1.00
20	450375	AA009647	Hs.8850	a disintegrin and metalloproteinase domain	51.26	93.00
	450447	AF212223	Hs.25010	hypothetical protein P15-2	123.20	181.00
	450568	AL050078	Hs.25159	Homo sapiens cDNA FLJ10784 fis, clone NT	1.00	19.00
	450589	A1701505	Hs.202526	ESTs	1.00	23.00
	450684	AA872605	Hs.25333	interleukin 1 receptor, type II	1.00	100.00
25	450701	H39960	Hs.288467	Homo sapiens cDNA FLJ12280 fis, clone MA	1.89	1.55
	450705	U90304	Hs.25351	iroquois homeobox protein 2A (IRX-2A) (1.00	45.00
	450832	AA401369	Hs.190721	ESTs	25.17	17.00
	450937	R49131	Hs.26267	ATP-dependant interferon response protein	90.92	90.00
	450983	AA305384	Hs.25740	ERO1 (S. cerevisiae)-like	3.33	1.70
30	451105	A1761324		gb:wi60b11.x1 NCL_CGAP_Co16 Homo sapiens	15.02	124.00
	451110	A1955040	Hs.265398	ESTs, Weakly similar to transformation-r	1.00	143.00
	451253	H48299	Hs.26126	claudin 10	3.02	2.29
	451291	R39288	Hs.6702	ESTs	1.00	1.00
	451320	AW498974		diacylglycerol kinase, zeta (104kD)	2.92	18.00
35	451380	H09280	Hs.13234	ESTs	6.90	6.67
	451386	AB029006	Hs.26334	spastic paraplegia 4 (autosomal dominant	35.75	72.00
	451437	H24143	Hs.31945	hypothetical protein FLJ11071	1.00	69.00
	451462	AK000367	Hs.26434	hypothetical protein FLJ20360	1.83	2.10
	451524	AK001466	Hs.26516	hypothetical protein FLJ10604	1.13	1.07
40	451541	BE279383	Hs.26557	plakophilin 3	1.88	1.33
	451592	A1805416	Hs.213897	ESTs	1.00	1.00
	451635	AA018899	Hs.127179	cryptic gene	1.52	1.92
	451743	AA401369	Hs.190721	ESTs	4.95	17.00
	451806	NM_003729	Hs.27076	RNA 3'-terminal phosphate cyclase	13.55	31.00
45	451807	W52854		hypothetical protein FLJ23293 similar to	1.55	35.00
	451871	A1821005	Hs.118599	ESTs	1.81	2.53
	451952	AL120173	Hs.301663	ESTs	1.00	22.00
	452012	AA307703	Hs.279766	kinesin family member 4A	3.43	2.26
50	452046	AB018345	Hs.27657	KIAA0802 protein	56.59	19.00
	452194	A1694413	Hs.332649	olfactory receptor, family 2, subfamily	1.67	4.09
	452206	AW340281	Hs.33074	Homo sapiens, clone IMAGE:3606519, mRNA,	9.31	53.00
	452240	AA401369	Hs.190721	ESTs	13.42	17.00
	452256	AK000933	Hs.28681	Homo sapiens cDNA FLJ10071 fis, clone HE	39.03	94.00
	452281	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	153.01	340.00
55	452291	AF015592	Hs.28853	CDC7 (cell division cycle 7, S. cerevisiae)	1.95	23.00
	452295	BE379936	Hs.28866	programmed cell death 10	42.33	61.00
	452304	AA025386	Hs.61311	ESTs, Weakly similar to S10590 cysteine	1.17	2.14
	452340	NM_002202	Hs.505	ISL1 transcription factor, LIM/homeodomain	1.00	13.00
	452349	AB028944	Hs.29189	ATPase, Class VI, type 11A	1.09	1.42
60	452367	U71207	Hs.29279	eyes absent (Drosophila) homolog 2	54.49	53.00
	452401	NM_007115	Hs.29352	tumor necrosis factor, alpha-induced protein	1.00	32.00
	452410	AL133619		Homo sapiens mRNA; cDNA DKFZp434E2321 (f	1.26	1.99
	452461	N78223	Hs.108106	transcription factor	24.47	35.00
	452571	W31518	Hs.34665	ESTs	54.61	102.00
65	452613	AA461599	Hs.23459	ESTs	1.39	1.32
	452699	AW295390	Hs.213062	ESTs	1.00	26.00
	452705	H49805	Hs.246005	ESTs	1.00	1.00
	452747	AF160477	Hs.61460	Ig superfamily receptor LNIR	112.87	1.29
	452787	AW294022	Hs.222707	KIAA1718 protein	1.00	1.00
70	452795	AW392555	Hs.18878	hypothetical protein FLJ21620	1.00	1.00
	452823	AB012124	Hs.30696	transcription factor-like 5 (basic helix	7.91	75.00
	452833	BE559681	Hs.30736	KIAA0124 protein	3.16	1.92
	452838	U65011	Hs.30743	preferentially expressed antigen in melanocytes	174.35	1.00
	452862	AA401369	Hs.190721	ESTs	98.26	17.00
75	452865	AW173720	Hs.345805	ESTs, Weakly similar to A47582 B-cell growth	1.55	1.00
	452934	AA581322	Hs.4213	hypothetical protein MGC16207	1.73	1.19
	452946	X95425	Hs.31092	EphA5	1.00	1.00
	452976	R44214	Hs.101189	ESTs	1.58	1.98
	453028	AB006532	Hs.31442	RecQ protein-like 4	1.80	1.60
80	453095	AW295660	Hs.252766	ESTs	0.77	1.50
	453102	NM_007197	Hs.31664	frizzled (Drosophila) homolog 10	1.00	1.00
	453103	A1301052	Hs.153444	ESTs	1.00	1.00
	453120	AA292891	Hs.31773	pregnancy-induced growth inhibitor	1.23	1.20
	453153	N53893	Hs.24360	ESTs	1.00	83.00
85	453160	A1263307	Hs.239884	H2B histone family, member L	1.00	30.00
	453197	A1916269	Hs.109057	ESTs, Weakly similar to ALU5_HUMAN ALU S	1.00	134.00

	453210	AL133161	Hs.32360	hypothetical protein FLJ10887	1.69	1.93		
	453240	AI969564	Hs.166254	hypothetical protein DKFZp5661133	1.00	1.00		
	453317	NM_002277	Hs.41696	keratin, hair, acidic, 1	1.19	1.27		
	453323	AF034102	Hs.32951	solute carrier family 29 (nucleoside tra	4.90	4.11		
5	453331	AI240655	Hs.8850	ESTs	199.42	340.00		
	453392	U23752	Hs.32954	SRY (sex determining region Y)-box 11	1.00	16.00		
	453431	AF094754	Hs.32973	glycine receptor, beta	1.00	1.00		
	453439	AI572438	Hs.32976	guanine nucleotide binding protein 4	3.44	5.17		
	453459	BE047032	Hs.257789	ESTs	2.84	5.58		
10	453563	AW608906.comp		Hs.181163	hypothetical protein MGC5629	4.58	90.00	
	453633	AA357001	Hs.34045	hypothetical protein FLJ20764	1.74	1.60		
	453775	NM_002916	Hs.35120	replication factor C (activator 1) 4 (37	19.49	1.00		
	453830	AA534296	Hs.20953	ESTs	24.92	25.00		
15	453857	AL080235	Hs.35861	DKFZP586E1621 protein	167.59	66.00		
	453867	AI929383	Hs.33032	hypothetical protein DKFZp434N185	1.00	39.00		
	453883	AI638516	Hs.347624	cofactor required for Sp1 transcriptiona	1.97	1.58		
	453884	AA355925	Hs.36232	KIAA0186 gene product	63.89	20.00		
	453900	AW003582	Hs.226414	ESTs, Weakly similar to ALU8_HUMAN ALU S	20.41	16.00		
	453922	AF053306	Hs.36708	budding uninhibited by benzimidazoles 1	7.09	22.00		
20	453941	U39817	Hs.36820	Bloom syndrome	29.75	19.00		
	453964	AI961486	Hs.12744	ESTs	1.00	1.00		
	453968	AA847843	Hs.62711	Homo sapiens, clone IMAGE:3351295, mRNA	2.06	1.81		
	453976	BE463830	Hs.163714	ESTs	3.02	131.00		
	454024	AA993527	Hs.293907	hypothetical protein FLJ23403	1.00	131.00		
25	454034	NM_000691	Hs.575	aldehyde dehydrogenase 3 family, member	1.23	1.02		
	454042	T19228	Hs.172572	hypothetical protein FLJ20093	30.63	171.00		
	454059	NM_003154	Hs.37048	statherin	1.00	1.00		
	454066	X00356	Hs.37058	calcitonin/calcitonin-related polypeptid	1.01	1.45		
30	454098	W27953	Hs.292911	ESTs, Highly similar to S60712 band-6-pr	1.26	1.11		
	454241	BE144666		gb:CM2-HT0176-041099-017-c02 HT0176 Homo	6.33	5.04		
	454417	AI244459	Hs.110826	trinucleotide repeat containing 9	4.30	7.82		
	454439	AW819152	Hs.154320	DKFZP566O1646 protein	1.00	1.00		
	455175	AW993247		gb:RC2-BN0033-180200-014-h09 BN0033 Homo	13.75	103.00		
35	455601	AI368680	Hs.816	SRY (sex determining region Y)-box 2	206.11	1.00		
	456237	AA203682		gb:zx52e07.r1 Soares_fetal_liver_spleen_	1.00	1.00		
	456321	NM_001327	Hs.87225	cancer/testis antigen	1.14	1.10		
	456475	NM_000144	Hs.95998	Friedreich ataxia	1.00	48.00		
	456508	AA502764	Hs.123469	ESTs, Weakly similar to AF208855 1 BM-01	162.25	189.00		
40	456534	X91195	Hs.100623	phospholipase C, beta 3, neighbor pseudo	2.12	1.80		
	456736	AW248217	Hs.1619	achaete-scute complex (Drosophila) homol	1.15	1.94		
	456759	BE259150	Hs.127792	delta (Drosophila)-like 3	1.00	1.00		
	456990	NM_004504	Hs.171545	HIV-1 Rev binding protein	16.42	84.00		
	457200	U33749	Hs.197764	thyroid transcription factor 1	0.57	1.76		
	457234	AW968360	Hs.14355	Homo sapiens cDNA FLJ13207 fis, clone NT	2.71	4.15		
45	457465	AW301344	Hs.122908	DNA replication factor	46.37	47.00		
	457489	AI693815	Hs.127179	cryptic gene	1.12	1.35		
	457646	AA725650	Hs.112948	ESTs	1.55	2.61		
	457733	AW974812	Hs.291971	ESTs	1.00	55.00		
50	457819	AA057484	Hs.35406	ESTs, Highly similar to unnamed protein	4.36	3.18		
	458092	BE545684	Hs.343566	KIAA0251 protein	1.00	1.32		
	458098	BE550224		metallothionein 1E (functional)	1.00	22.00		
	458207	T28472	Hs.7655	U2 small nuclear ribonucleoprotein auxil	2.06	1.88		
	458242	BE299588	Hs.28465	Homo sapiens cDNA: FLJ21869 fis, clone H	1.00	1.00		
55	458247	R14439	Hs.209194	ESTs	7.00	9.85		
	458679	AW975460	Hs.142913	ESTs	1.00	3.00		
	458778	AW451034	Hs.326525	arylsulfatase D	1.31	2.01		
	458933	AI638429	Hs.24763	RAN binding protein 1	1.98	1.71		
	459352	AW810383	Hs.206828	ESTs	12.60	63.00		
60	459670	F01020	Hs.172004	titin	1.00	1.00		
	459702	AI204995		gb:an03c03.x1 Stratagene schizo brain S1	1.00	237.00		

TABLE 9B

65	Pkey:	Unique Eos probeset identifier number	
	CAT number:	Gene cluster number	
	Accession:	Genbank accession numbers	
70	Pkey	CAT Number	Accession
	407746	10125_1	AK001962 R69415 BE464605 AA418699 AA053293 AA149075 AA058396 AW338226 AW272659 AA454607 AI139535 AW469852 AI275461 AW271982 AA730033 AA576507 AA991217 AA782067 AI985851 AA805864 AA505598 AW469857 R69546 AA988279 AW001647 N63320 D82661 T27343 AA306950 AA360989 R58778
	408070	1036688_1	AW148852 BE350895
75	408660	107294_1	AA525775 AA056342 AI538978 AW975281 AA664986
	409522	113735_1	AA075382 AA075431
	409866	1156522_1	AW502152 H41202 H29772
	410032	1170435_1	BE065985 BE065944 BE066008 BE066083 BE066093
	411089	123172_1	AA456454 AA713730 AA091294 AA584921 N86077 AW836781 AA601031 AA579876 AA551106 AA631188 AW905577 AI955808 AI679386 AI679895 AA514764 AA454562 AI082382 AA595822 AA551351 AA586369 AA666384 AA188934 AA666398 AA551297 AA565188
80	411152	1234028_1	BE069199 AW936012 AW877466 AW819782 AW935798 AW835546 AW936042 BE069121 AW835625 AW877536 AW935885 BE069202 AW820019 AW935937 BE160180 AW935946 BE069101 BE069125 AW877527 BE160316 BE160398 AW935794 AW835701 AW935784
	412537	1304_1	AL031778 X59711 NM_002505 M59079 AI870439 AI494259 AW664010 AA405063 AA436132 BE174516 AA412691 AI400314 AA436024 T29403 BE079412 BE079428 N90322 AI631202 AI141758 AI016793 AI1167568 AI862075 AI375230 AI208445 AW235763 AL044113 AA382556 AW953918 AA927051 AA889823 BE003094 AW390155 AW360805 AW360823 AW360810 AA425472 AI694282 ALD44114 AI684577 AI809865

AI478773 AI160445 AI674630 N69088 AW665529 N49278 AI129239 AI457890 AI621264 AW297152 AI268215 AA907787 AI286170 AI017982
 AI963541 AI469807 AI969353 BE552356 N66509 AA736741 AA382555 AW075811 AW292026
 412811 132943_1 H06382 AW957730 AA352014 R13591 AA121201 D60420 BE263253 BE047862 Z41952 AI424591 AI693507 AI863108 AA599060 AI091148
 AA598689 R39887 AA813482 AWO16452 H06383 R41807 AI364268 AA620528 AI241940 AW089149 AW090733 AW088875 Z38240
 5 AI121202 R17734
 BE157489 BE157560
 413690 1383256_1
 414883 15024_1
 10 AA926960 AA926959 W76521 W24270 W21526 AA037172 BE267636 H83186 AA469909 N86396 AA001348 BE355736 AA081745 BE566245
 AA082436 H72525 H77575 N49786 W80565 H78746 BE569085 W04339 R98127 T55938 BE279271 AW960304 T29812 AA476873 BE297387
 AA292753 AA177048 NM_001826 X54941 BE314366 AA908783 AI719075 BE270172 BE269819 AA889955 AI204630 W25243 AI935150
 AA872039 W72395 T99530 AI422691 H98460 N31428 BE255916 H03265 AI857576 AA776920 AA910644 AA459522 AA293140 AW514667
 R75953 AW662396 AA662522 AI865147 AI423153 AW26230 AA584410 AA583187 AW024595 AW069734 AI828996 AA282997 AA876046
 15 AW613002 AA527373 AW972459 AI831360 AA621337 AA100926 AA772418 AA594628 AI033892 W95096 AI034317 AA398727 AI085031
 N95210 AI459432 AI041437 AA932124 AA627684 AA935829 AI004827 AI423513 AI094597 H42079 R54703 AI630359 AA617681 AA978045
 AA643280 W44561 AI991988 AI537692 AI090262 AA740817 AI312104 AI911822 AA416871 AI185409 AA129784 AA701623 AI075239
 AI139549 AA633648 AI339996 AI336880 AA399239 AI078708 AI085351 AI362835 AI346618 AI146955 AI989380 AI348243 N92829 AA765850
 AI494230 AI278887 AA962596 AI492600 W80435 AA001979 R97424 AI129015 N24127 AA157451 AA235549 AA459292 AA037114 AA129785
 AI494211 AW059601 AW886710 R92790 N59755 AI361128 AW589407 H47725 H92134 H48076 H48450 W99531 AW300758 H03431 R76789
 AA954344 H77576 R96823 AI457100 N92845 N49682 H42038 BE220698 BE220715 H99552 AA701624 N74173 R54704 H79520 H79223
 20 H03266 BE261919 AA769633 AA480310 AA507454 AA910586 AI203723 AW104725 W25611 W25071 T88980 H03513 T77589 R99156
 W95095 R97470 AA702275 T77551 AA911952 H82956 N83673 AA283672
 AI267700 AI720344 AA191424 AI023543 AI469633 AA172056 AW958465 AA172236 AW953397 AA355086
 415989 156454_1
 417324 166714_1
 418574 17690_1
 25 AW265494 AA455904 AA195677 AW265432 AW991605 AA456370
 N28754 N28747 AI568146 AI979339 AA322671 AA322672 AW955043 AI990326 AA776406 AI016250 AA843678 AW451882 N23137 N23129
 W00051 AI038748 AA831327 AI925845 AW945895
 Z42183 T31621 T97478
 D62703 AA242966 D79798
 30 AU076704 T74854 T74860 T72098 T73265 T73873 T69180 T74658 T58786 T60385 T73410 T68781 T67845 T67593 T73952 T67864 T60630
 T68367 T68401 T53959 T72360 T72099 T60377 T58861 T71712 T72821 T64738 T74645 T72037 T68688 T72063 T73258 T72826 T64242
 T68220 T74673 T71800 T68355 T61227 T62738 T69317 T53850 T64692 T73768 T73962 T73382 T68914 T70975 T73400 T60631 T73277
 T73203 T70498 T61409 T58925 NM_000508 M64982 T68301 T73729 T69445 T60424 T67922 T67736 T68716 T67755 T74765 T73819 T58719
 T74766 T60477 T74863 T61109 T68329 T58850 T71857 T73425 T53736 T68607 T58898 T64309 T72031 T72079 T64305 T71908 T68107
 T71916 T73787 T56035 T64425 T71870 T60476 T61376 T67820 T71895 T41006 T69441 T68170 T74617 T71958 T69440 T61875 R05796
 H48353 T71914 T53939 T64121 AA693396 T72525 T67779 T68078 AA011465 AA345378 AV654847 AV654272 AV656001 AI064740 T82897
 35 N33594 AA344542 AW805054 AI207457 T61743 AA026737 H94389 AA382695 AA918409 T68044 S82092 T39959 AI017721 AA412395
 AA312919 T40156 H66239 AV652989 H38728 R98521 AV655200 R95790 W03250 W00913 AA344136 AV660126 R97923 AA343596
 AW470774 AV651256 N54417 AA812862 AW182929 AI111192 H61463 H72060 AA344503 H38639 AI277511 AV661108 AI207625 T47810
 AA235252 T27853 T47778 R95746 H70820 AA701463 AW827166 R98475 C20925 AV657287 T71959 T71313 T73920 T73333 T61618 T69293
 T69283 T73931 T72178 T72456 AV645639 AV653476 T72957 T72300 T68906 T71457 T70494 T72956 T70495 T68267 T74407 T85778
 40 AA344726 T27654 T74485 T74101 T73868 T71518 T72304 AA343853 T73909 T68070 T72065 H72149 T73493 T73495 AV645993 R02293
 T70475 T64751 AA344441 AA343657 AA345732 AA344328 AI110639 AA344603 AF063513 T64696 T68516 T72223 T60507 T67693 R29500
 T72517 R02292 T60599 T69206 T70452 T74677 R29366 T61277 T74914 T60352 R29675 T74843 AV645792 AA344408 T69197 T72057
 T69368 T69358 T68258 AV650429 T73341 T61702 T74598 T40095 K02272 T40106 AA343045 AA341908 AA341907 AA342807 AA341964
 45 T53747 T72042 T62764 AI064899 AA343060 T67832 T72440 T71770 T68091 T69108 T72449 T69167 T71289 T68251 AV654844 T64375
 AA345234 T67598 AA011414 T68036 H48262 AI207557 T68219 W86031 T69081 T64232 R93196 T62136 AV650539 H67459 T72978
 AA344583 T60362 H58121 T95711 T72803 T68055 T71715 R29036 T72793 T69122 T64595 T62868 T69139 T68291 T64652 T67971 T468862
 AA693592 AI248502 R29454 T64764 T57001 T73052 T71429 T51176 T58866 AV655414 H90426 AA342489 T73666 T67848 T72512 T53835
 T67837 T73317 T74273 T69420 T68245 T74380 T67862 T74474 T56068
 AI972788 BE142230 AA252019
 50 AI910275 X00474 X52003 X05030 NM_003225 AA314326 AA308400 AA506787 AA314825 AI571948 AA507595 AA614579 AA587613 R83818
 AA568312 AA614409 AA307578 AI925552 AW950155 AI910083 M12075 BE074052 AW004668 AA578674 AA582084 BE074053 BE074126
 BE074140 AA514776 AA588034 BE074051 BE074068 AW009769 AW050690 AA858276 R55389 AI001051 AW050700 AW750216 AA614539
 BE074045 AI307407 AW602303 BE073575 AI202532 AA524242 AI970839 AI909751 BE076078 AI909749 R55292
 AW881145 AA490718 N85637 AA304575 T06067 AA331991
 55 AL119930 AA320696 AW752565
 AL031985 AL137241 AI792386 AI733664 AI857654 AI049911
 AA337221 AA336756 AW966196
 AW953120 R56325 AA349562
 AI493134 AI498691 AW771508 AI498457 AI768408 AI763624 AI383985 AI580267 D79813 AA393768
 60 AK001536 AA191092 AW510354 AI554256 AL353968 AA134266
 AA663848 AA400100 AA401424
 AL038843 AA161338 BE268213 AA425597 N87306 AA092969 BE566038 AA247451 N47392 AI928802 AW182584 AW027872 AI819831
 AI936994 W56258 AI653448 AI278611 AI283557 AI824306 AW338658 AW150899 AA687514 N47393 N29885 AA973469 AI038904 AI292064
 AI034339 AW674593 N72156 AI079733 AI038683 AI291616 AA491599 AA933675 AA837380 BE006554 BE006473 AI087090 T33044
 AA652043 AI203503 AA583959 W35283 AI129926 Z41844 AW020925 AW575848 AI684603 AA493297 AI140689 AI277175 AA425444
 65 AI932767 W02632 BE396786 R37261
 AW207206 AW341473 AA448195 AI951341
 AA249027 AL038984 AK001993 AL080066 AV652725 BE566226 AA345557 AA315222 AA090585 AA375688 AA301092 AA298454 W05762
 AW607939 H51658 D83880 N84323 BE296821 AW947007 D61461 AW079261 AA329482 AW901780 AI354442 AA772275 R31663 AI354441
 AI767525 H92431 AI916735 H93575 AI394255 AW014741 AI573090 C06195 AW612857 AW265195 AI339558 AI377532 AI008821 AI919424
 AI589705 AW055215 AI336532 AI338051 AA806547 C75509 C00618 AW071172 AW769904 AA630381 AI678018 AI863985 D79662 BE221049
 AW265018 AI589700 AW196655 N76573 AI370908 BE042393 N75017 AI698870 AW960115
 70 AL133561 AL041090 AL117481 AL122069 AW439292 AI968826
 AW072916 AI184913 AA489195 AW466994 AW469044 N59350 AI819642 AI280239 AI220572 AA789302 AI473611 AW841126 D60937
 BE041395 AA491826 AA621946 AA715980 AA666102
 AW970622 AA503009 AA502998 AA502989 AA502805 T92188
 AA221036 R87170 BE537068 BE544757 C18935 AW812058 T92565 AA227415 AA233942 AA223237 AA668403 AA601627 AW869639
 BE061833 BE000620 AW961170 AW847519 AA308542 AW821833 AW945688 C04699 AA205504 AA377241 AW821667 AA055720
 AW817981 AW856468 AA155719 AA179928 T03007 AW754298 AA227407 AA113928 AA307904 C16859
 AI798376 S46400 AW811617 AW811616 W00557 BE142245 AW858232 AW861851 AW858362 AA232351 AA218567 AA055556 AW858231
 80 AW857541 AW814172 H66214 AW814398 AF134164 AA243093 AA173345 AA199942 AA223384 AA227092 AA227080 T12379 AA092174
 T61139 AA149776 AA699829 AW879188 AW813567 AW813538 AI267168 AA157718 AA157719 AA100472 AA100774 AA130756 AA157705
 AA157730 AA157715 AA053524 AW849581 AW854566 C05254 AW882836 T92637 AW812621 AA206583 AA209204 BE156909 AA226824
 AI829309 AW991957 N66951 AA527374 H66215 AA045564 AI694265 H60808 AA149726 AW195620 BE081333 BE073424 AW817662
 AW817705 AW817703 AW817659 BE081531 H59570
 85 AA628880 AI126603 BE504035

438091	44964_1	AW373052 T55662 AI299190 BE174210 AW579001 H01811 W40186 R67100 AI923886 AW952164 AA628440 AW898607 AW898616 AA709126 AW898628 AW898544 AA947932 AW898625 AW898622 AI276125 AI185720 AW510698 AA987230 T52522 BE467708 AW243400 AW043642 AI288245 AI186932 D52654 D55017 D52715 D52477 D53933 D54679 AI298739 AI146984 AI922204 N98343 BE174213 AA845571 AI813854 AI214518 AI635262 AI139455 AI707807 AI698085 AW884528 AI024768 AI004723 AW087420 AI565133 N94964 AI268939 AW513280 AI061126 AI435818 AI859106 AI360506 AI024767 AA513019 AA757598 X56196 AA902959 AI334784 AI860794 AA010207 AW890091 AW513771 AI951391 AI337671 T52499 AA890205 AI640908 H75966 AA463487 AA358688 AI961767 AI866295 AA780994 AI985913 BE174196 AA029094 AW592159 T55581 N79072 AI611201 AA910812 AI220713 AW149306 AI758412 AA045713 R79750 N76096 AW979121 AA847986 AA829098
439000	467716_1	AL109688 R23665 R26578
439285	47065_1	AA570256 AW014761 AA573721 AI473237 AI022165 AA554071 AA127551 N90525 AW973623 AA447991 AA243852 BE328850 AI148171 AI359627 AI005068 AI356567 AA232991 AW016855 AA906902 AA233101 AA127550 BE512923
439780	47673_1	AI188710 AI032142 AW078833 N30308 AW675632 AI219028 AI341201 N22181 H95390
441128	51021_2	W24187 W24194 R17789
443068	558874_1	Y10043 NM_005342 L05085 AL034450 BE614226 AW749053 AA379173 AA248230 BE514634 AA334622 R70656 AA367593 AA214649
443947	586160_1	AA369318 AW957081 R05760 AA039903 AI886597 AW630122 AA906264 AA041527 R01145 AI088688 BE463637 AA398795 AI354883
447636	7301_1	AI768938 AI569996 AI452952 AI168582 AI189869 AI088670 AW262560 AW613854 AA862839 AA435840 AA670197 AI024032 AI990659 AI990089 N81095 AA847919 AW960150 AA211075 AA044704 AA367594 AW582587 AW658854 AW818630 AW818281 AW818433 AW582595 AA096002 N83992
448993	79225_1	AI471630 BE540637 BE265481 AW407710 BE513882 BE546739 AA053597 BE140503 BE218514 AW956702 AI656234 AI636283 AI567265 AW340852 BE207794 AA053085 R69173 AA292343 AA454908 AA283504 AI659741 AI927478 AA399460 AI760441 AA346416 BE047245 AA730380 AA394063 AA454833 AI982791 AI567270 AI813332 AI767858 AA427705 D20284 AI221458 BE048537 AI263048 AA346417 AA911497 BE537702
449305	804424_1	AI638293 AW813561
451105	859083_1	AI761324 AW880941 AW880937
451320	86576_1	AW118072 AI631982 T15734 AA224195 AI701458 W20198 F26326 AA890570 N90552 AW071907 AI671352 AI375892 T03517 R88265 AI124088 AA224388 AI084316 AI354686 T33652 AI140719 AI720211 T03490 AI372637 T15415 AW205836 AA630384 T03515 T33230 AA017131 AA443303 T33623 AI222556 T33511 T33785 AI419606 D55612
451807	8865_1	W52854 AL117600 BE208116 BE208432 BE206239 BE082291 AW953423 AA351619 BE180648 BE140560 W60080 AA865478 N90291
452410	9163_1	AW450852 AW449519 AA993634 AI806539 AA351618 AW449522 AI827626 AA904788 AA380381 AA886045 AA774409 BE003229 Z41756 AL133619 AA468118 AA383064 AI476447 T09430 AI673758 AA524895 AI581345 AI300820 AW498812 AA256162 AI559724 AI685732 AA602400 AA905453 AI204595 AW166541 AA157456 AA156269 AA383652 AA431072 AW592707 AI435410 AW272464 AI215594 AA622747 R74039 N35031 AI804128 AW513621 AA868351 AI026826 AI493388 AA614641 W81604 AI567080 AI214351 AA730140 AI125754 AI200813 AI269603 AI565082 AI807095 AI476629 AA505909 AI368449 AI686077 AI582930 AW085038 AA757863 AA730154 AI767072 AA468316 AI734130 AI734138 AA426284 AA433997 AI741241 AW043563 AI732741 AI732734 AA437369 AA425820 AA664048 R74130
454241	1067807_1	BE144666 BE184942 AW238414 BE184946
455175	1257335_1	AW993247 AW861464
456237	168730_1	AA203682 R11958
458098	47395_1	BE550224 AA832519 N45402 AW888587 N29245 BE465409 W07677 AW970089 AI299731 AA482971 BE503548 H18151 W79223 AF086393 AA461301 W74510 R34182 AI090689 N46003 BE071550 R28075 AW134982 AI240204 AI138906 AW026179 AI572316 BE466182 AI206395 AI276154 AI273269 AI422817 AI371014 AI421274 AI188525 AA939164 BE549810 AW137865 AI694996 BE503841 AA459718 BE327407 BE467534 BE218421 BE467767 AA989054 BE467063 AI797130 BE327781

TABLE 9C

Pkey: Unique number corresponding to an Eos probeset
 Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
 Strand: Indicates DNA strand from which exons were predicted.
 Nt_position: Indicates nucleotide positions of predicted exons.

	Pkey	Ref	Strand	Nt_position
55	400512	9796593	Minus	1439-1615
	400517	9796686	Minus	49996-50346
	400560	9843598	Plus	94182-94323,97056-97243,101095-101236,102824-103005
	400664	8118496	Plus	13558-13721,13942-14090,14554-14679
	400665	8118496	Plus	16879-17023
60	400666	8118496	Plus	17982-18115,20297-20456
	400749	7331445	Minus	9162-9293
	400763	8131616	Minus	35537-35784
	401027	7230983	Minus	70407-70554,71060-71160
	401093	8516137	Minus	22335-23166
	401203	9743387	Minus	172961-173056,173868-173928
	401212	9858408	Plus	87839-88028
	401411	7799787	Minus	144144-144329
	401435	8217934	Minus	54508-55233
	401464	6682291	Minus	170688-170834
70	401714	6715702	Plus	96484-96681
	401747	9789672	Minus	118596-118816,119119-119244,119609-119761,120422-120990,130161-130381,130468-130593,131097-131258,131866-131932,132451-132575,133580-134011
	401760	9929699	Plus	83126-83250,85320-85540,94719-95287
	401780	7249190	Minus	26397-28617,28920-29045,29135-29296,29411-29567,29705-29787,30224-30573
75	401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
	401785	7249190	Minus	165776-165996,166189-166314,166408-166569,167112-167268,167387-167469,168634-168942
	401797	6730720	Plus	6973-7118
	401961	4581193	Minus	124054-124209
	401985	2580474	Plus	61542-61750
80	401994	4153858	Minus	42904-43124,43211-43336,44607-44763,45199-45281,46337-46732
	402075	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124610,125672-126076
	402260	3399665	Minus	113765-113910,115653-115765,116808-116940
	402265	3287673	Plus	21059-21168
	402297	6598824	Plus	35279-35405,35573-35659
85	402408	9796239	Minus	110326-110491

	402420	9796339	Plus	129750-129919
	402674	8077108	Minus	39290-39502
	402802	3287158	Minus	53242-53432
5	402994	2996643	Minus	4727-4969
	403137	9211494	Minus	92349-92572,92958-93084,93579-93712,93949-94072,94591-94748,95214-95337
	403306	8099945	Plus	127100-127251
	403329	8516120	Plus	96450-96598
	403381	9438267	Minus	26009-26178
10	403478	9958258	Plus	116458-116564
	403485	9966528	Plus	2888-3001,3198-3532,3655-4117
	403627	8569879	Minus	23868-24342
	403715	7239669	Plus	85128-85292
	404044	9558573	Minus	225757-225939
15	404076	9931752	Minus	3848-3967
	404101	8076925	Minus	125742-125997
	404140	9843520	Plus	37761-38147
	404165	9926489	Minus	69025-69128
	404185	4572584	Minus	129171-129327
20	404210	5006246	Plus	169926-170121
	404253	9367202	Minus	55675-56055
	404287	2326514	Plus	53134-53281
	404298	9944263	Minus	73591-73723
	404347	9838195	Plus	74493-74829
	404440	7528051	Plus	80430-81581
25	404721	9856648	Minus	173763-174294
	404794	4826439	Plus	101619-101898
	404854	7143420	Plus	14260-14537
	404877	1519284	Plus	1095-2107
30	404927	7342002	Plus	68690-69563
	404996	6007890	Plus	37999-38145,38652-38998,39727-39872,40557-40674,42351-42450
	405449	7622497	Plus	42236-42570
	405568	6006906	Plus	35912-36065
	405572	3800891	Plus	85230-85938
35	405646	4914350	Plus	741-969
	405876	4557087	Plus	73195-73917
	405770	2735037	Plus	61067-62075
	405932	7767812	Minus	123525-123713
	406137	9166422	Minus	30487-31058
40	406360	9256107	Minus	7513-7673
	406399	9256288	Minus	63448-63554
	406467	9795551	Plus	182212-182958

45 TABLE 10A: Potential Therapeutic, Diagnostic and Prognostic targets for Therapy of Lung Cancer and Non-malignant Lung Disease
 Table 2A shows about 307 genes up-regulated in non-malignant lung disease relative to lung tumors and normal body tissues and/or down-regulated in lung tumors relative to normal lung and non-malignant lung disease. These genes were selected from about 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

50 Table 10B show the accession numbers for those Pkey's lacking UnigenelD's for table 10A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

55 Table 10C show the genomic positioning for those Pkey's lacking UnigenelD's and accession numbers in table 10A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

60 Pkey: Unique Eos probeset identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: UnigenelD number
 UnigenelD Title: UnigenelD gene title
 R1: Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
 R2: Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

	Pkey	ExAccn	UnigenelD	UnigenelD Title	R1	R2
	404394			ENSP00000241075.TRRAP PROTEIN.	0.79	3.10
	404916			Target Exon	1.00	159.00
	405257			Target Exon	1.00	422.00
70	407228	M25079	Hs.155376	hemoglobin, beta	0.47	2.33
	407568	AA740964	Hs.62699	ESTs	1.00	123.00
	408562	AI436323	Hs.31141	Homo sapiens mRNA for KIAA1568 protein,	1.00	230.00
	409031	AA376836	Hs.76728	ESTs	1.00	128.00
	410434	AF051152	Hs.63668	tol-like receptor 2	39.65	149.00
	410467	AF102546	Hs.63931	dachshund (Drosophila) homolog	1.00	109.00
75	410808	T40326	Hs.167793	ESTs	1.14	13.14
	412351	AL135960	Hs.73828	T-cell acute lymphocytic leukemia 1	0.37	2.27
	412372	R65998	Hs.285243	hypothetical protein FLJ22029	1.00	173.00
	413795	AL040178	Hs.142003	ESTs	0.10	11.90
80	414154	AW205314	Hs.323060	ESTs	0.62	2.09
	414214	D49958	Hs.75819	glycoprotein M6A	0.03	4.55
	414998	NM_002543	Hs.77729	oxidised low density lipoprotein (lectin	0.64	2.97
	415122	D60708	Hs.22245	ESTs	0.07	8.97
	415765	NM_005424	Hs.78824	tyrosine kinase with immunoglobulin and	0.67	1.65
	415775	H00747	Hs.29792	ESTs, Weakly similar to I38022 hypotheti	0.29	2.64
85	415910	U20350	Hs.78913	chemokine (C-X3-C) receptor 1	1.00	145.00

	416319	AI815601	Hs.79197	CD83 antigen (activated B lymphocytes, I	15.32	237.00
	416402	NM_000715	Hs.1012	complement component 4-binding protein,	0.64	4.00
	417355	D13168	Hs.82002	endothelin receptor type B	0.01	3.90
5	417421	AL138201	Hs.82120	nuclear receptor subfamily 4, group A, m	36.30	357.00
	417511	AL049176	Hs.82223	chordin-like	1.00	179.00
	418489	U76421	Hs.85302	adenosine deaminase, RNA-specific, B1 (h	0.02	6.00
	418726	BE241812	Hs.87860	protein tyrosine phosphatase, non-recept	1.00	113.00
	418741	H83265	Hs.8881	ESTs, Weakly similar to S41044 chromosom	0.44	1.90
	418883	BE387036	Hs.1211	acid phosphatase 5, tartrate resistant	0.96	2.04
10	419086	NM_000216	Hs.89591	Kallmann syndrome 1 sequence	0.62	2.74
	419150	T29618	Hs.89640	TEK tyrosine kinase, endothelial (venous	0.03	6.90
	419235	AW470411	Hs.288433	neurotrophin	1.48	5.13
	419407	AW410377	Hs.41502	hypothetical protein FLJ21276	37.55	338.00
15	420556	AA278300	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L	0.80	3.65
	420656	AA279098	Hs.187636	ESTs	1.65	8.07
	420729	AW964897	Hs.290825	ESTs	2.99	25.82
	421177	AW070211	Hs.102415	Homo sapiens mRNA; cDNA DKFZp586N0121 (f	0.46	1.95
	422060	R20893	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	1.00	156.00
20	422426	W79117	Hs.58559	ESTs	0.03	7.44
	422652	AW967969	Hs.118958	syntaxin 11	0.14	3.62
	423099	NM_002837	Hs.123641	protein tyrosine phosphatase, receptor t	0.01	3.16
	424433	H04607	Hs.9218	ESTs	0.75	141.75
	424585	AA464840	Hs.131987	ESTs	1.00	167.00
25	424711	NM_005795	Hs.152175	calcitonin receptor-like	0.43	3.01
	424973	X92521	Hs.154057	matrix metalloproteinase 19	0.37	19.45
	425023	AW956889	Hs.154210	endothelial differentiation, sphingolipi	0.14	3.35
	425664	AJ006276	Hs.159003	transient receptor potential channel 6	1.00	94.00
	425998	AJ076629	Hs.165950	fibroblast growth factor receptor 4	0.68	1.42
30	426657	NM_015865	Hs.171731	solute carrier family 14 (urea transport	0.03	3.74
	426753	T89832	Hs.170278	ESTs	1.00	141.00
	427558	D49493	Hs.2171	growth differentiation factor 10	1.00	117.00
	427983	M17706	Hs.2233	colony stimulating factor 3 (granulocyte	0.75	2.20
	428467	AK002121	Hs.184465	hypothetical protein FLJ11259	0.76	2.25
35	428927	AA441837	Hs.90250	ESTs	0.01	3.62
	429496	AA453800	Hs.192793	ESTs	1.00	138.00
	430468	NM_004673	Hs.241519	angiotensin-like 1	1.00	132.00
	431385	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	1.00	157.00
	431728	NM_007351	Hs.268107	multimerin	1.00	157.00
40	431848	AI378857	Hs.126758	ESTs, Highly similar to AF175283 1 zinc	0.34	2.24
	432128	AA127221	Hs.117037	ESTs	0.00	1.15
	432519	AI221311	Hs.130704	ESTs, Weakly similar to BCHUIA S-100 pro	0.01	2.06
	433043	W57554	Hs.125019	lymphoid nuclear protein (LAF-4) mRNA	1.00	267.00
	433803	AI823593	Hs.27688	ESTs	1.00	105.00
45	434730	AA644669	Hs.193042	ESTs	1.05	3.15
	435472	AW972330	Hs.283022	triggering receptor expressed on myeloid	0.83	1.94
	436532	AA721522		gbmv54h12.r1 NCI_CGAP_Ew1 Homo sapiens	1.00	218.00
	437119	AI379921	Hs.177043	ESTs	1.00	133.00
	437140	AA312799	Hs.283689	activator of CREM in testis	0.67	122.67
50	437211	AA382207	Hs.5509	ecotropic viral integration site 2B	1.00	142.00
	437960	AI669586	Hs.222194	ESTs	1.00	147.00
	438202	AW169287	Hs.22588	ESTs	1.00	141.00
	438873	AI302471	Hs.124292	Homo sapiens cDNA: FLJ23123 fis, clone L	0.71	3.66
	438875	AA827640	Hs.189059	ESTs	23.32	370.00
55	441048	AA913488	Hs.192102	ESTs	0.77	8.50
	441188	AW292830	Hs.255609	ESTs	3.43	16.36
	441499	AW298235	Hs.101689	ESTs	1.00	167.00
	444513	AL120214	Hs.7117	glutamate receptor, ionotropic, AMPA 1	1.00	151.00
	444527	NM_005408	Hs.11383	small inducible cytokine subfamily A (Cy	46.47	153.00
60	444561	NM_004469	Hs.11392	c-fos induced growth factor (vascular en	0.01	3.08
	445279	R41900	Hs.22245	ESTs	0.60	141.00
	446017	N98238	Hs.55185	ESTs	0.18	2.39
	446984	AB020722	Hs.16714	Rho guanine exchange factor (GEF) 15	0.10	2.16
	446998	N99013	Hs.16762	Homo sapiens mRNA; cDNA DKFZp564B2062 (f	0.01	2.53
65	447357	AI375922	Hs.159367	ESTs	0.46	2.64
	448106	AI800470	Hs.171941	ESTs	18.05	296.00
	448253	H25899	Hs.201591	ESTs	1.00	141.00
	449275	AW450848	Hs.205457	periaxin	0.56	1.38
70	450400	AI694722	Hs.279744	ESTs	0.88	4.33
	450696	AI654223	Hs.16026	hypothetical protein FLJ23191	0.52	2.08
	450726	AW204600	Hs.250505	retinoid acid receptor, alpha	0.79	2.01
	451497	H83294	Hs.284122	Wnt inhibitory factor-1	0.35	2.03
	451533	NM_004657	Hs.26530	serum deprivation response (phosphatidyl	0.13	2.25
75	453636	R67837	Hs.169872	ESTs	1.00	116.00
	458332	AI000341	Hs.220491	ESTs	1.00	192.00
	459580	AA022888	Hs.176065	ESTs	0.20	2.98
	400269			Eos Control	0.40	2.40
	403421			NM_016369*:Homo sapiens claudin 18 (CLDN	0.53	1.77
	407570	Z19002	Hs.37096	zinc finger protein 145 [Kruppel-like, e	0.01	3.18
80	412295	AW088826	Hs.117176	poly(A)-binding protein, nuclear 1	0.56	1.74
	414517	M24461	Hs.76305	surfactant, pulmonary-associated protein	0.64	1.50
	417204	N81037	Hs.1074	surfactant, pulmonary-associated protein	0.33	1.16
	418307	U70867	Hs.83974	solute carrier family 21 (prostaglandin	0.53	1.55
	418935	T28499	Hs.89485	carbonic anhydrase IV	0.20	1.28
85	421502	AF111856	Hs.105039	solute carrier family 34 (sodium phospho	0.78	1.90
	421798	N74880	Hs.29877	N-acylsphingosine amidohydrolase (acid c	0.59	1.54

	423354	AB011130	Hs.127436	calcium channel, voltage-dependent, alph	0.59	1.55
	423738	AB002134	Hs.132195	airway trypsin-like protease	10.14	51.00
	425211	M18667	Hs.1867	progastricsin (pepsinogen C)	0.35	1.62
	425438	T62216	Hs.270840	ESTs	0.23	9.45
5	426828	NM_000020	Hs.172670	activin A receptor type II-like 1	0.03	1.71
	427019	AA001732	Hs.173233	hypothetical protein FLJ10970	0.01	1.49
	428043	T92248	Hs.2240	uteroglobin	0.42	1.26
	430280	AA361258	Hs.237868	interleukin 7 receptor	0.46	2.43
	431433	X65018	Hs.253495	surfactant, pulmonary-associated protein	0.57	1.59
10	431723	AW058350	Hs.16762	Homo sapiens mRNA; cDNA DKFZp564B2062 (f	0.29	1.80
	432985	T92363	Hs.178703	ESTs	0.32	2.27
	441835	AB036432	Hs.184	advanced glycosylation end product-speci	0.31	1.51
	442275	AW449467	Hs.54795	ESTs	0.55	1.78
	443709	AI082692	Hs.134662	ESTs	0.00	3.02
15	444325	AW152618	Hs.16757	ESTs	0.32	2.49
	450954	AI904740	Hs.25691	receptor (calcitonin) activity modifying	0.46	1.74
	451558	NM_001089	Hs.26630	ATP-binding cassette, sub-family A (ABC1	0.52	1.87
	453310	X70697	Hs.553	solute carrier family 6 (neurotransmitte	0.00	3.30
	456855	AF035528	Hs.153863	MAD (mothers against decapentaplegic, Dr	0.01	2.31
20	444342	NM_014398	Hs.10887	similar to lysosome-associated membrane	0.66	2.20
	400754			Target Exon	1.00	297.00
	401045			C11001883*:gij6753278[ref]NP_033938.1) c	1.00	109.00
	401083			NM_016582*:Homo sapiens peptide transp	0.89	1.39
25	402474			NM_004079:Homo sapiens cathepsin S (CTSS	1.45	4.47
	402808			ENSP00000235229:SEMB.	1.00	1.87
	403021			C21000030:gij9955960[ref]NP_063957.1) AT	1.00	149.00
	403438			NM_031419*:Homo sapiens molecule possess	1.06	2.96
	403687			NM_007037*:Homo sapiens a disintegrin-li	0.04	4.89
30	403764			NM_005463:Homo sapiens heterogeneous nuc	1.00	225.00
	404277			NM_019111*:Homo sapiens major histocompa	0.97	1.93
	404288			NM_002944*:Homo sapiens v-ras avian UR2	1.00	68.00
	404518	AI815601		CD83 antigen (activated B lymphocytes, i	0.02	1.83
	405106			C11001637*:gij5032241[ref]NP_005732.1) z	1.00	235.00
	405381			Target Exon	1.00	93.00
35	406387			Target Exon	1.37	6.02
	406646	M33600		major histocompatibility complex, class	0.86	2.46
	406714	AI219304	Hs.266959	hemoglobin, gamma G	0.01	3.19
	406753	AA505665	Hs.217493	annexin A2	1.00	147.00
40	406973	M34996	Hs.198253	major histocompatibility complex, class	1.03	2.04
	407248	U82275	Hs.94498	leukocyte immunoglobulin-like receptor,	1.00	64.00
	407510	U96191		gb:Human trophoblast hypoxia-regulated f	1.00	90.00
	407731	NM_0000066	Hs.38069	complement component 8, beta polypeptide	1.00	67.00
	407830	NM_001086	Hs.587	arylacetamide deacetylase (esterase)	1.00	102.00
45	408045	AW138959	Hs.245123	ESTs	1.00	70.00
	408074	R20723		ESTs	1.00	112.00
	408374	AW025430	Hs.155591	forkhead box F1	0.07	10.17
	409064	AA062954	Hs.141883	ESTs	0.39	2.31
	409083	AL0499083	Hs.673	interleukin 12A (natural killer cell sti	1.00	95.00
50	409153	W03754	Hs.50813	hypothetical protein FLJ20022	0.01	4.55
	409203	AA780473	Hs.687	cytochrome P450, subfamily IVB, polypept	0.01	3.72
	409238	AL0499990	Hs.51515	Homo sapiens mRNA; cDNA DKFZp564G112 (fr	1.00	79.00
	409389	AB007979	Hs.301281	Homo sapiens mRNA, chromosome 1 specific	0.14	27.35
	409718	D86640	Hs.56045	src homology three (SH3) and cysteine ri	1.00	113.00
55	410798	BE178622	Hs.16291	gb:PM3-HT0605-270200-001-a02 HT0605 Homo	0.64	2.47
	411020	NM_006770	Hs.67726	macrophage receptor with collagenous str	0.55	2.40
	411667	BE160198		gb:QV1-HT0413-010200-059-h03 HT0413 Homo	1.00	111.00
	412000	AW576555	Hs.15780	ATP-binding cassette, sub-family A (ABC1	1.00	96.00
	412358	BE047490	Hs.24172	ESTs	1.00	87.00
60	412420	AL035668	Hs.73853	bone morphogenetic protein 2	1.43	8.07
	412564	X83703	Hs.31432	cardiac ankyrin repeat protein	0.02	3.07
	412869	AA280712	Hs.82407	CXC chemokine ligand 16	0.93	1.72
	412870	N22788	Hs.82407	CXC chemokine ligand 16	0.97	1.51
	413529	U11874	Hs.846	interleukin 8 receptor, beta	0.02	2.42
65	413533	BE146973		gb:QV4-HT0222-011199-019-e05 HT0222 Homo	0.65	1.50
	413689	BE157286	Hs.20631	zinc finger protein, subfamily 1A, 5 (Pe	20.87	232.00
	413724	AA131466	Hs.23767	hypothetical protein FLJ12666	1.00	80.00
	413800	AI129238	Hs.192235	ESTs	1.00	85.00
	413802	AW964490	Hs.32241	ESTs, Weakly similar to S65657 alpha-1C-	1.00	213.00
70	413829	NM_001872	Hs.75572	carboxypeptidase B2 (plasma)	0.02	3.93
	414376	BE393856	Hs.66915	ESTs, Weakly similar to 16.7Kd protein (1.00	115.00
	414577	AI056548	Hs.72116	hypothetical protein FLJ20992 similar to	0.49	1.94
	414700	H63202	Hs.38163	ESTs	0.03	3.75
	415078	AA311223	Hs.283091	found in inflammatory zone 3	0.86	1.95
75	415120	N64464	Hs.34950	ESTs	1.00	120.00
	415323	BE269352	Hs.949	neutrophil cytosolic factor 2 (65kD, chr	0.60	2.48
	415335	AA847758	Hs.111030	ESTs	1.00	95.00
	415582	W92445	Hs.165195	Homo sapiens cDNA FLJ14237 fis, clone NT	1.00	136.00
	416030	H15261	Hs.21948	ESTs	0.02	8.07
80	416427	BE244050	Hs.79307	Rac/Cdc42 guanine exchange factor (GEF)	1.00	73.00
	416464	NM_000132	Hs.79345	coagulation factor VIII, procoagulant co	0.70	3.36
	416585	X54162	Hs.79386	leiomodulin 1 (smooth muscle)	0.06	6.56
	416847	L43821	Hs.80251	enhancer of filamentation 1 (cas-like do	0.70	3.66
	417148	AA359896	Hs.293885	hypothetical protein FLJ14902	1.00	114.00
85	417370	T28651	Hs.82030	tryptophanyl-tRNA synthetase	0.85	1.30
	417673	T87281	Hs.16355	ESTs	0.15	15.54

	418067	AI127958	Hs.83393	cystatin E/M	0.81	1.74
	418296	C01566	Hs.86671	ESTs	1.00	99.00
	418643	J03798	Hs.86948	small nuclear ribonucleoprotein D1 polyp	1.00	60.00
	418832	X04011	Hs.88974	cytochrome b-245, beta polypeptide (chro	2.40	14.74
5	418945	BE246762	Hs.89499	arachidonate 5-lipoxygenase	0.67	3.16
	419261	X07876	Hs.89791	wingless-type MMTV integration site fami	1.00	73.00
	419564	U08989	Hs.91139	solute carrier family 1 (neuronal/aplthe	1.00	192.00
	419574	AK001989	Hs.91165	hypothetical protein	1.00	94.00
	419968	X04430	Hs.93913	interleukin 6 (interferon, beta 2)	61.16	500.00
10	420256	U84722	Hs.76206	cadherin 5, type 2, VE-cadherin (vascula	0.52	1.70
	420285	AA258124	Hs.293878	ESTs, Moderately similar to ZN91_HUMAN Z	1.00	172.00
	420577	AA278436	Hs.186649	ESTs	1.00	97.00
	421262	AA286746	Hs.9343	Homo sapiens cDNA FLJ14265 fis, clone PL	1.00	64.00
	421445	AA913059	Hs.104433	Homo sapiens, clone IMAGE:4054868, mRNA	0.88	1.51
15	421470	R27496	Hs.1378	annexin A3	0.05	11.26
	421478	AI683243	Hs.97258	ESTs, Moderately similar to S29539 ribos	1.00	73.00
	421563	NM_006433	Hs.105806	granulysin	0.82	2.42
	421566	NM_000399	Hs.1395	early growth response 2 (Krox-20 (Drosop	5.50	31.57
	421855	F06504	Hs.27384	ESTs, Moderately similar to ALLU4_HUMAN A	1.00	129.00
20	421913	AI934365	Hs.109439	osteolectin (osteoinductive factor, mime	1.00	101.00
	421952	AA300900	Hs.98849	ESTs, Moderately similar to AF161511 H	0.60	63.60
	422232	D43945	Hs.113274	transcription factor EC	1.00	148.00
	422386	AF105374	Hs.115830	heparan sulfate (glucosamine) 3-O-sulfot	1.40	3.98
	423168	R34385	Hs.124940	GTP-binding protein	0.34	3.59
25	423196	AK001866	Hs.125139	hypothetical protein FLJ11004	0.55	2.00
	423387	AJ012074		vasoactive intestinal peptide receptor 1	0.09	2.13
	423424	AF150241	Hs.128433	prostaglandin D2 synthase, hematopoietic	1.00	141.00
	423456	AL110151	Hs.128797	DKFZP586D0824 protein	1.00	66.00
	423696	Z92546		Sushi domain (SCR repeat) containing	0.73	1.27
30	424027	AW337575	Hs.201591	ESTs	0.54	2.58
	424212	NM_005814	Hs.143131	glycoprotein A33 (transmembrane)	0.77	2.47
	425087	R62424	Hs.126059	ESTs	1.00	74.00
	425175	AF020202	Hs.155001	UNC13 (C. elegans)-like	0.85	1.96
35	425771	BE561776	Hs.159494	Bruton agammaglobulinemia tyrosine kinas	1.18	2.56
	426486	BE178285	Hs.170056	Homo sapiens mRNA; cDNA DKFZp586B0220 (f	1.00	76.00
	427507	AF240467	Hs.179152	tol-like receptor 7	1.00	63.00
	427618	NM_000760	Hs.2175	colony stimulating factor 3 receptor (gr	0.60	2.19
	427732	NM_002980	Hs.2199	secretin receptor	0.97	1.42
40	427952	AA765368	Hs.293941	ESTs, Moderately similar to A53959 throm	1.00	105.00
	428709	BE268717	Hs.104916	hypothetical protein FLJ21940	1.00	80.00
	428769	AW207175	Hs.106771	ESTs	0.09	2.55
	428780	AI478578	Hs.50636	ESTs	1.00	98.00
	428833	AI928355	Hs.185805	ESTs	1.00	113.00
	429657	D13626	Hs.2465	KIAA0001 gene product; putative G-protei	1.00	52.00
45	430212	AA469153		gb:nc67f04.s1 NCL_CGAP_Pr1 Homo sapiens	1.00	132.00
	430226	BE245562	Hs.2551	adrenergic, beta-2-, receptor, surface	0.11	15.60
	430376	AW292053	Hs.12532	chromosome 1 open reading frame 21	1.00	103.00
	430414	AW365665	Hs.120388	ESTs	0.50	6.96
50	430656	AA482900	Hs.162080	ESTs	1.00	70.00
	430843	AI734149	Hs.119514	ESTs	1.00	90.00
	430998	AF128847	Hs.204038	indolethylamine N-methyltransferase	0.29	1.84
	431217	NM_013427	Hs.250830	Rho GTPase activating protein 6	1.00	79.00
	431921	N46466	Hs.58879	ESTs	0.91	1.67
55	432176	AW090386	Hs.112278	arrestin, beta 1	0.66	2.63
	432203	AA305746	Hs.49	macrophage scavenger receptor 1	1.00	76.00
	432231	AA339977	Hs.274127	CLST 11240 protein	0.46	1.46
	432485	N90866	Hs.276770	CDW52 antigen (CAMPATH-1 antigen)	0.79	2.25
	432522	D11466	Hs.51	phosphatidylinositol glycan, class A (pa	1.93	4.83
60	432596	AJ224741	Hs.278461	maltrin 3	0.04	5.79
	432850	X87723	Hs.3110	angiotensin receptor 2	1.00	167.00
	433138	AB029496	Hs.59729	semaphorin sem2	0.04	9.16
	433563	AI732637	Hs.277901	ESTs	1.00	91.00
	433588	AI056872	Hs.133386	ESTs	120.16	315.00
65	434445	AI349306	Hs.11782	ESTs	0.60	1.84
	435496	AW840171	Hs.265398	ESTs, Weakly similar to transformation-r	1.00	128.00
	435974	U29690	Hs.37744	Homo sapiens beta-1 adrenergic receptor	1.00	108.00
	436061	AI248584	Hs.190745	Homo sapiens cDNA: FLJ21326 fis, clone C	1.00	91.00
	437157	BE048860	Hs.120655	ESTs	1.00	87.00
70	437207	T27503	Hs.15929	hypothetical protein FLJ12910	1.00	105.00
	437311	AA370041	Hs.9456	SWI/SNF related, matrix associated, acti	1.00	71.00
	437439	H29796	Hs.269822	ESTs	1.00	115.00
	438199	AW016531	Hs.122147	ESTs	1.00	80.00
	439551	W72062	Hs.11112	ESTs	0.30	3.10
75	440515	AJ131245	Hs.7239	SEC24 (S. cerevisiae) related gene famil	1.00	77.00
	440887	AI799488	Hs.135905	ESTs	1.00	85.00
	441025	AA913880	Hs.176379	ESTs	1.00	82.00
	441384	AA447849	Hs.288660	Homo sapiens cDNA: FLJ22182 fis, clone H	0.79	1.89
	441735	AI738675	Hs.127346	ESTs	1.00	75.00
80	442200	AW590572	Hs.235768	ESTs	0.78	5.83
	442832	AW206560	Hs.253569	ESTs	0.03	10.88
	442957	AI949952	Hs.49397	ESTs	1.00	70.00
	443282	T47764	Hs.132917	ESTs	1.00	197.00
	443547	AW271273	Hs.23767	hypothetical protein FLJ12666	1.00	253.00
85	443951	F13272	Hs.111334	femlin, light polypeptide	0.55	2.09
	444330	AI597655	Hs.49265	ESTs	1.00	90.00

	444515	AW204908	Hs.169979	ESTs	1.00	84.00
	445769	AI741471	Hs.23666	ESTs	0.02	4.38
	445908	R13580	Hs.13436	Homo sapiens clone 24425 mRNA sequence	1.00	97.00
5	446291	BE397753	Hs.14623	interferon, gamma-inducible protein 30	0.93	1.69
	446917	AI347863	Hs.156672	ESTs	1.00	106.00
	447261	NM_006691	Hs.17917	extracellular link domain-containing 1	0.40	47.20
	447432	AW958473	Hs.301957	nudix (nucleoside diphosphate linked mol	1.00	100.00
	447482	AB033059	Hs.18705	KIAA1233 protein	0.05	8.21
10	447997	H00656	Hs.29792	ESTs, Weakly similar to I38022 hypotheti	0.02	5.42
	448299	AA497044	Hs.20887	hypothetical protein FLJ10392	1.00	79.00
	448782	AL050295	Hs.22039	KIAA0758 protein	0.42	1.56
	450575	NM_005859	Hs.29117	purine-rich element binding protein A	0.17	11.33
	450584	AA040403	Hs.60371	ESTs	1.00	94.00
15	450693	AW450461	Hs.203965	ESTs	1.00	91.00
	450715	AI266484	Hs.31570	ESTs, Weakly similar to KIAA1324 protein	1.00	152.00
	451103	R52804	Hs.25956	DKFZP564D206 protein	1.00	86.00
	451220	AF124251	Hs.26054	novel SH2-containing protein 3	0.60	1.30
	451668	Z43948	Hs.326444	cartilage acidic protein 1	0.54	1.91
20	452197	AW023595	Hs.232048	ESTs	1.00	67.00
	452331	AA598509	Hs.29117	purine-rich element binding protein A	4.53	11.07
	452353	C18825	Hs.29191	epithelial membrane protein 2	0.72	2.24
	453049	BE537217	Hs.30343	ESTs	1.00	68.00
	453107	NM_016113	Hs.279746	vanilloid receptor-like protein 1	0.83	1.70
25	453355	AW295374	Hs.31412	Homo sapiens cDNA FLJ11422 fis, clone HE	1.00	132.00
	453390	AA852496	Hs.28482	ESTs	1.00	72.00
	453531	AA417940		ESTs, Weakly similar to JC5795 CDEP prot	1.00	68.00
	454741	BE154396		gb:CM2-HT0342-091299-050-b05 HT0342 Homo	0.57	2.89
	456579	AA287827	Hs.284205	up-regulated by BCG-CWS	1.00	82.00
30	456672	AK002016	Hs.114727	Homo sapiens, clone MGC:16327, mRNA, com	0.79	1.96
	457400	AF032906	Hs.252549	cathepsin Z	1.03	3.25
	457718	F18572	Hs.22978	ESTs, Weakly similar to ALU4_HUMAN ALU S	1.00	113.00
	459696	F03027		gb:HSC1KA072 normalized infant brain cDN	1.00	544.00

TABLE 10B

35	Pkey:	Unique Eos probeset identifier number	
	CAT number:	Gene cluster number	
	Accession:	Genbank accession numbers	
40	Pkey	CAT Number	Accession
	408074	103584_1	R20723 AA263003 AA333976 AA334725 AA334151 AW965490 AA310513 AI810530 D31302 AW134897 AA830127 AA046953 AI668930 C06094 AW104534
	411667	1253334_1	BE160198 AW935898 T11520 AW935930 AW856073 AW861034
45	413533	1375344_1	BE146973 BE146972 BE147042 BE147018 BE146783 BE147020 BE146781 BE147019 BE146766 BE147021 BE146952 BE146767 BE147044 BE146797 BE146776 BE146985 BE146793 BE146768 BE146771 BE146954 BE146760 BE147048 BE147025 BE147030
	423387	22779_1	AJ012074 U11087 L13288 X75299 L20295 AW630780 H14880 T28037 AI872991 R72136 AW449839 T81622 T79697 T29519 R94105 T83923 R73300 AJ797007 R73390 AA961010 H74168 AI689932 BE045543 AI808418 AI608912 AI806573 AW884084 AW872978 AW872985 AA565655 AI022915 R50647 R73210 H45098 R46451 AW166269 T71132 AI264547 R52146 AI304920 R73391 AW884059 AW884085 H73241 T60038 T79612 R73145 R50549 AI094557 AI668793 R72302 AI564365 W01956 AA418962 W32571 R72840 H45409 R72085 R46356 R46758 AA508805 AA418798 T83751 R94072 T16182 AA928785 AA903896
50	423698	23112_1	Z92546 AA330586 AI570568 AW341487 AI827050 AW298668 AI792189 AI015693 AI733599 AI572251 AI672488 AW193262 AI244716 AI864375 AI206100 AA912444 AI269365 AI640254 AW772466 AI867336 AA627604 H16914 AA358477 AA338009
	430212	314437_1	AA469153 AI718503 AA469225
55	436532	421802_1	AA721522 AW975443 T93070
	453531	97026_1	AA417940 AA036735 T07025
	454741	1232559_1	BE154396 AW817959 BE154393

TABLE 10C

60	Pkey:	Unique number corresponding to an Eos probeset		
	Ref:	Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.		
65	Strand:	Indicates DNA strand from which exons were predicted.		
	NL_position:	Indicates nucleotide positions of predicted exons.		
70	Pkey	Ref	Strand	NL_position
	400754	7331445	Plus	144559-144684
	401045	8117619	Plus	90044-90184,91111-91345
	401083	3242744	Plus	33192-33360
	402474	7547175	Minus	53526-53628,55755-55920,57530-57757
	402808	6456148	Minus	114964-115136,115461-115585,115931-116047,117666-117771,118004-118102
	403021	7547270	Plus	120799-120956
75	403421	9665041	Minus	126609-126773,139986-140205
	403438	9719679	Plus	90792-90938
	403687	7387384	Plus	9009-9534
	403764	7717105	Minus	118692-118853
	404277	1834458	Minus	91665-91946
	404288	2769644	Plus	3512-3691
80	404394	3135305	Minus	37121-37205,37491-37762,41053-41140,41322-41593,41773-41919
	404518	8151988	Plus	84494-84603
	404916	7341826	Plus	91057-91188
	405106	8079395	Minus	80877-81418
85	405257	7329310	Plus	73121-73273
	405381	6006920	Minus	7638-8054

TABLE 11A: Genes Distinguishing Adenocarcinoma from Other Lung Diseases and Normal Lung

Table 11A shows about 84 genes upregulated in lung adenocarcinomas relative to other lung tumors, non-malignant lung disease, and normal lung. These genes were selected from about 59680 probesets on the Eos/Affymatrix Hu03 Genechip array.

Table 11B show the accession numbers for those Pkey's lacking UnigenelD's for table 11A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 11C show the genomic positioning for those Pkey's lacking UnigenelD's and accession numbers in table 11A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Unique Eos probeset Identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: UnigenelD number
 UnigenelD Title: UnigenelD gene title
 R1: Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
 R2: Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85

Pkey	ExAccn	UnigenelD	UnigenelD Title	R1	R2
403329			Target Exon	1.00	61.00
406399			NM_003122*:Homo sapiens serine protease	1.00	39.00
406690	M29540	Hs.220529	carcinoembryonic antigen-related cell ad	226.37	350.00
407869	A1827976	Hs.24391	hypothetical protein FLJ13612	0.77	1.18
407881	AW072003	Hs.40968	heparan sulfate (glucosamine) 3-O-sulfot	1.00	10.00
408908	BE296227	Hs.250822	serine/threonine kinase 15	7.76	1.00
409103	AF251237	Hs.112208	XAGE-1 protein	80.44	40.00
409187	AF154830	Hs.50966	carbamoyl-phosphate synthetase 1, mitoch	1.00	1.00
409269	AA576953	Hs.22972	hypothetical protein FLJ13352	1.00	1.00
410076	T05387	Hs.7991	ESTs	1.12	1.50
410102	AW248508	Hs.279727	Homo sapiens cDNA FLJ14035 fis, clone HE	9.89	1.00
410399	BE068889		synuclein, gamma (breast cancer-specific	0.92	1.06
411908	L27943	Hs.72924	cytidine deaminase	1.00	1.00
412612	NM_000047	Hs.74131	arylsulfatase E (chondrodysplasia puncta	1.02	1.03
414075	U11862	Hs.75741	amiloride binding protein 1 (amine oxida	0.84	1.07
416208	AW291168	Hs.41295	ESTs, Weakly similar to MUC2_HUMAN MUCN	3.67	1.00
417542	J04129	Hs.82269	progastagen-associated endometrial prote	1.28	1.35
419183	U60669	Hs.89663	cytochrome P450, subfamily XXIV (vitamin	1.00	1.00
419502	AU076704		fibrinogen, A alpha polypeptide	13.05	115.00
419631	AW188117	Hs.303154	popeye protein 3	1.00	13.00
420931	AF044197	Hs.100431	small inducible cytokine B subfamily (Cy	1.00	8.00
421155	H87879	Hs.102267	lysyl oxidase	1.00	15.00
421190	U95031	Hs.102482	mucln 5, subtype B, tracheobronchial	1.17	1.55
421474	U76362	Hs.104637	solute carrier family 1 (glutamate trans	1.46	1.76
421515	Y11339	Hs.105352	GalNAc alpha-2, 6-sialyltransferase 1, I	1.00	3.00
421582	A1910275		trefoil factor 1 (breast cancer, estroge	1.23	1.00
422026	U80736	Hs.110826	trinucleotide repeat containing 9	1.00	52.00
422095	A1868872	Hs.282804	hypothetical protein FLJ22704	4.37	2.34
422311	AF073515	Hs.114948	cytokine receptor-like factor 1	1.15	1.78
422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	1.69	3.17
423472	AF041260	Hs.129057	breast carcinoma amplified sequence 1	48.13	72.00
423554	M90516	Hs.1674	glutamine-fructose-6-phosphate transamin	1.00	50.00
424502	AF242388	Hs.149585	lengsin	1.00	1.00
424544	M88700	Hs.150403	dopa decarboxylase (aromatic L-amino aci	1.00	59.00
424905	NM_002497	Hs.153704	NIMA (never in mitosis gene a)-related k	21.35	1.00
424960	BE245380	Hs.153952	5' nucleotidase (CD73)	1.00	1.00
425523	AB007948	Hs.158244	KIAA0479 protein	1.00	35.00
426230	AA367019	Hs.241395	protease, serine, 1 (trypsin 1)	1.00	83.00
427701	AA411101	Hs.243886	nuclear autoantigenic sperm protein (his	7.41	34.00
428585	AB007863	Hs.185140	KIAA0403 protein	1.00	6.00
428758	AA433988	Hs.98502	hypothetical protein FLJ14303	1.06	1.13
429170	NM_001394	Hs.2359	dual specificity phosphatase 4	16.18	105.00
429263	AA019004	Hs.198396	ATP-binding cassette, sub-family A (ABC1	1.07	1.00
429610	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas	1.59	1.69
430508	A1015435	Hs.104637	ESTs	4.75	7.27
430985	AA490232	Hs.27323	ESTs, Weakly similar to I78885 serine/th	0.94	1.28
431548	A1834273	Hs.9711	novel protein	5.66	15.00
431586	AF176012	Hs.260720	J domain containing protein 1	49.76	37.00
431986	AA536130	Hs.149018	Novel human gene mapping to chromosome 20	1.19	1.47
432375	BE536069	Hs.2962	S100 calcium-binding protein P	1.65	1.06
432677	NM_004482	Hs.278611	UDP-N-acetyl-alpha-D-galactosamine:polyp	1.00	48.00
433556	W56321	Hs.111460	calcium/calmodulin-dependent protein kin	1.00	19.00
433819	AW511097	Hs.112765	ESTs	3.71	8.00
434001	AW950905	Hs.3697	serine (or cysteine) proteinase inhibito	29.31	72.00
434424	A1811202	Hs.325335	Homo sapiens cDNA: FLJ23523 fis, clone L	1.00	64.00
434792	AA649253	Hs.132458	ESTs	8.52	44.00
436217	T53925	Hs.107	fibrinogen-like 1	57.97	31.00
436749	AA584890	Hs.5302	lectin, galactoside-binding, soluble, 4	1.10	1.41
436972	AA284679	Hs.25640	claudin 3	1.59	1.46
437866	AA156781		metallothionein 1E (functional)	3.62	101.00
437935	AW939591	Hs.5940	mucln 13, epithelial transmembrane	1.60	1.39
438915	AA280174	Hs.285681	Williams-Beuren syndrome chromosome regi	1.00	1.00
439451	AF086270	Hs.278554	heterochromatin-like protein 1	23.28	52.00

	439759	AL359055	Hs.67709	Homo sapiens mRNA full length insert cDN	1.00	21.00
	441031	AI110684	Hs.7645	fibrinogen, B beta polypeptide	1.41	99.00
	441377	BE218239	Hs.202656	ESTs	22.03	1.00
5	443614	AV655386	Hs.7645	fibrinogen, B beta polypeptide	1.00	16.00
	443813	AA876372	Hs.93961	Homo sapiens mRNA; cDNA DKFZp667D095 (fr	1.20	1.99
	443991	NM_002250	Hs.10082	potassium intermediate/small conductance	5.71	6.87
	444670	H58373	Hs.332938	hypothetical protein MGC5370	1.98	38.00
	444931	AV652066	Hs.75113	general transcription factor IIIA	1.00	54.00
10	446102	AW168067	Hs.317694	ESTs	1.00	1.00
	446163	AA026880	Hs.25252	Homo sapiens cDNA FLJ13603 fis, clone PL	1.00	36.00
	446469	BE094848	Hs.15113	homogentisate 1,2-dioxygenase (homogenit	1.00	11.00
	447388	AW630534	Hs.76277	Homo sapiens, clone MGC:9381, mRNA, comp	1.24	1.16
	447532	AK000614	Hs.18791	hypothetical protein FLJ20607	1.23	1.63
15	448243	AW369771	Hs.52620	integrin, beta 8	15.84	1.00
	448844	AI581519	Hs.177164	ESTs	1.00	31.00
	449444	AW818436	Hs.23590	solute carrier family 16 (monocarboxylic	1.00	83.00
	451807	W52854		hypothetical protein FLJ23293 similar to	1.55	35.00
	452689	F33868	Hs.284176	transferrin	1.54	1.44
20	453392	U23762	Hs.32964	SRY (sex determining region Y)-box 11	1.00	16.00
	453464	AI884911	Hs.32989	receptor (calcitonin) activity modifying	1.55	2.45
	453735	AI066629	Hs.125073	ESTs	1.01	1.30

TABLE 11B

25 Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey	CAT Number	Accession
30	410399	11995_1
		BE068889 BE068882 AF044311 AF017256 NM_003087 AF037207 AF010126 AA633976 AA872835 BE298825 BE299889 AI016464 AI684600 AI936527 AA804675 AA394097 AI139933 AA946606 BE171313 AA722407 AA293803 AI468480 AA056035 AA055968 AW796957 AI637713 AA410737 H49348 AA486472 AA411094 AA235594 AA402624 AA443638 AW452137 AA421708 AW265211 AI493266 AA365132 AW966044 AU076704 T74854 T74860 T72098 T73265 T73873 T69180 T74658 T58786 T60385 T73410 T68781 T67845 T67593 T73952 T67864 T60630 T68367 T68401 T53959 T72360 T72099 T60377 T58961 T71712 T72821 T64738 T74645 T72037 T68668 T72063 T73258 T72826 T64242 T68220 T74673 T71800 T68355 T61227 T62738 T69317 T53850 T64692 T73768 T73962 T73382 T68914 T70975 T73400 T60631 T73277 T73203 T70498 T61409 T58925 NM_000508 M64982 T68301 T73729 T69445 T60424 T67922 T67736 T68716 T67755 T74765 T73819 T58719 T74756 T60477 T74863 T61109 T68329 T58850 T71857 T73425 T53736 T68607 T58898 T64309 T72031 T72079 T64305 T71908 T68107 T71916 T73787 T56035 T64425 T71870 T60476 T61376 T67820 T71895 T41006 T69441 T68170 T74617 T71958 T69440 T61875 R06796 H48353 T71914 T53939 T64121 AA693996 T72525 T67779 T68078 AA011465 AA345378 AV654847 AV654272 AV656001 AI064740 T82897 N33594 AA344542 AW805054 AI207457 T61743 AA026737 H94389 AA382695 AA918409 T68044 S82092 T39959 AI017721 AA312395 AA312919 T40156 H66239 AV652989 H38728 R98521 AV655200 R95790 W03250 W00913 AA344136 AV660126 R97923 AA343596 AW470774 AV651256 N54417 AA812862 AW182929 AI111192 H61463 H72060 AA344503 H38639 AI277511 AV661108 AI207625 T47810 AA235252 T27853 T47778 R95746 H70620 AA701463 AW827166 R98475 C20925 AV657287 T71959 T71313 T73920 T73333 T61618 T69293 T69283 T73931 T72178 T72456 AV645639 AV653476 T72957 T72300 T58906 T71457 T70494 T72956 T70495 T68267 T74407 T85778 AA344726 T27854 T74485 T74101 T73868 T71518 T72304 AA343853 T73909 T68070 T72065 H72149 T73493 T73495 AV645993 R02293 T70475 T64751 AA344441 AA343657 AA345732 AA344328 AI110639 AA344603 AF063513 T64696 T68516 T72223 T60507 T67633 R29500 T72517 R02292 T60599 T69206 T70452 T74677 R29366 T61277 T74914 T60352 R29675 T74843 AV645792 AA344408 T69197 T72057 T69368 T69358 T68258 AV650429 T73341 T61702 T74598 T40095 K02272 T40106 AA343045 AA341908 AA341907 AA342807 AA341964 T53747 T72042 T62764 AI064899 AA343060 T67832 T72440 T71770 T68091 T69108 T72449 T69167 T71289 T68251 AV654844 T64375 AA345234 T67598 AA011414 T68036 H48262 AI207557 T68219 W86031 T69081 T64232 R93196 T62136 AV605539 H67459 T72978 AA344583 T60362 H58121 T95711 T72803 T68055 T71715 R29036 T72793 T69122 T64595 T62888 T69139 T68291 T64652 T67971 T46862 AA693592 AI248502 R29454 T64764 T57001 T73052 T71429 T51176 T58866 AV655414 H90426 AA342489 T73666 T67848 T72512 T53835 T67837 T73317 T74273 T69420 T68245 T74380 T67862 T74474 T56068 AI910275 X00474 X52003 X05030 NM_003225 AA314326 AA308400 AA505787 AA314825 AI571948 AA507595 AA614579 AA587613 R83818 AA568312 AA614409 AA307578 AI925552 AW950155 AI910083 M12075 BE074052 AW004668 AA578674 AA582084 BE074053 BE074126 BE074140 AA514776 AA588034 BE074051 BE074068 AW009769 AW050690 AA656276 R55389 AI001051 AW050700 AW750216 AA614539 BE074045 AI307407 AW602303 BE073575 AI202532 AA524242 AI970839 AI909751 BE076078 AI909749 R55292 AA156781 AW293839 U52054 AA024963 AA778446 BE073977 AW444904 AW602574 BE164040 BE164012 BE163972 BE163974 BE163992 AA837481 AW468444 BE185091 AW468002 AA687333 AA811830 AA581806 AI866686 AI572124 AA043777 AA040926 D20160 AI536733 AA812489 AW874142 AI471883 W84421 AA156850 W52854 AL117600 BE208116 BE208432 BE206239 BE082291 AW953423 AA351619 BE180648 BE140560 W60080 AA865478 N90291 AW450652 AW449519 AA993634 AI806539 AA351618 AW449522 AI827626 AA904788 AA380381 AA886045 AA774409 BE003229 Z41756

65 TABLE 11C

70 Pkey: Unique number corresponding to an Eos probeset
 Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
 Strand: Indicates DNA strand from which exons were predicted.
 Nt_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position	
75	403329	8516120	Plus	96450-96598
	406399	9256288	Minus	63448-63554

TABLE 12A: Genes Distinguishing Squamous Cell Carcinoma from Other Lung Diseases and Normal Lung

Table 12A shows about 72 genes upregulated in squamous cell carcinomas of the lung relative to other lung tumors, non-malignant lung disease, and normal lung. These genes were selected from about 59680 probesets on the Eos/Affymatrix Hu03 Genechip array.

Table 12B show the accession numbers for those Pkey's lacking UnigenelD's for table 12A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 12C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 12A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Unique Eos probeset identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: Unigene number
 Unigene Title: Unigene gene title
 R1: Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
 R2: Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2
400289	X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin	132.45	4.00
400666			NM_002425:Homo sapiens matrix metallopro	3.26	3.22
401780			NM_005557*:Homo sapiens keratin 16 (foca	26.47	10.50
401781			Target Exon	10.33	4.61
401785			NM_002275*:Homo sapiens keratin 15 (KRT1	4.13	2.70
401994			Target Exon	61.84	47.00
402075			ENSP00000251056*:Plasma membrane calcium	1.00	1.00
404996			Target Exon	1.00	1.00
407839	AA045144	Hs.161566	ESTs	173.91	108.00
408000	L11690	Hs.620	bullous pemphigoid antigen 1 (230/240kD)	151.17	8.00
408522	AI541214	Hs.46320	Small proline-rich protein SPRK [human,	1.98	1.24
410561	BE540255	Hs.6994	Homo sapiens cDNA: FLJ22044 fis, clone H	10.04	1.00
415091	AL044872	Hs.77910	3-hydroxy-3-methylglutaryl-Coenzyme A sy	1.00	30.00
415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t	24.30	1.00
416658	U03272	Hs.79432	fibrillin 2 (congenital contractural ara	53.29	51.00
417034	NM_006183	Hs.80962	neurotensin	1.00	1.00
417366	BE185289	Hs.1076	small proline-rich protein 1B (comiflin)	8.97	3.27
418663	AK001100	Hs.41690	desmocollin 3	112.17	19.00
418678	NM_001327	Hs.87225	cancer/testis antigen	1.18	1.10
419121	AA374372	Hs.89626	parathyroid hormone-like hormone	1.00	1.00
420783	AI659838	Hs.99923	lectin, galactoside-binding, soluble, 7	3.04	1.25
421773	W69233	Hs.112457	ESTs	1.12	1.14
421948	L42583	Hs.334309	keratin 6A	51.83	20.25
421978	AJ243662	Hs.110196	NICE-1 protein	1.01	0.91
422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	2.37	1.10
422440	NM_004812	Hs.116724	aldo-keto reductase family 1, member B10	47.53	32.00
423634	AW959908	Hs.1690	heparin-binding growth factor binding pr	76.02	1.00
423725	AJ403108	Hs.132127	hypothetical protein LOC57822	4.20	1.00
423738	AB002134	Hs.132195	airway trypsin-like protease	10.14	51.00
424012	AW368377	Hs.137569	tumor protein 63 kDa with strong homolog	233.42	68.00
424046	AF027866	Hs.138202	serine (or cysteine) proteinase inhibito	1.00	1.00
424098	AF077374	Hs.139322	small proline-rich protein 3	137.82	54.00
424834	AK001432	Hs.153408	Homo sapiens cDNA FLJ10570 fis, clone NT	56.19	12.00
425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen	33.45	1.00
427099	AB032953	Hs.173560	odd Oz/ten-m homolog 2 (Drosophila, mous	4.24	17.00
427335	AA448542	Hs.251677	G antigen 7B	51.83	4.00
428182	BE386042	Hs.293317	ESTs, Weakly similar to GGC1_HUMAN G ANT	1.00	1.00
428645	AA431400	Hs.98729	ESTs, Weakly similar to 2017205A dihydro	1.00	16.00
428748	AW593206	Hs.98785	Ksp37 protein	1.00	87.00
429259	AA420450	Hs.292911	ESTs, Highly similar to S60712 band-6-pr	2.01	1.18
429538	BE182592	Hs.11261	small proline-rich protein 2A	4.43	2.90
429903	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	11.80	1.00
430486	BE062109	Hs.241551	chloride channel, calcium activated, fam	12.28	41.00
430890	X54232	Hs.2699	glypican 1	1.58	1.40
431009	BE149762	Hs.48956	gap junction protein, beta 6 (connexin 3	60.25	28.00
431846	BE019924	Hs.271580	uropod 1B	4.49	2.51
433091	Y12642	Hs.3185	lymphocyte antigen 6 complex, locus D	1.20	1.09
434360	AW015415	Hs.127780	ESTs	40.98	27.00
434880	U02388	Hs.101	cytochrome P450, subfamily IVF, polypept	1.00	1.00
435505	AF200492	Hs.211238	interleukin-1 homolog 1	1.00	38.00
435793	AB037734	Hs.4993	KIAA1313 protein	23.68	42.00
436511	AA721252	Hs.291502	ESTs	16.76	14.00
438403	AA806507	Hs.292206	ESTs	1.00	1.00
439285	AL133916		hypothetical protein FLJ20093	46.23	139.00
439605	W79123	Hs.58561	G protein-coupled receptor 87	33.61	1.00
439670	AF088076	Hs.59507	ESTs, Weakly similar to AC004858 3 U1 sm	1.00	1.00
439706	AW872527	Hs.59761	ESTs, Weakly similar to DAP1_HUMAN DEATH	86.55	11.00
440325	NM_003812	Hs.7164	a disintegrin and metalloproteinase doma	62.88	147.00
441525	AW241867	Hs.127728	ESTs	1.53	1.42
443162	T49951	Hs.9029	DKFZP434G032 protein	31.11	38.00
444378	R41339	Hs.12569	ESTs	1.00	1.00

5	446292	AF081497	Hs.279682	Rh type C glycoprotein	1.55	1.26
	447078	AW885727	Hs.9914	ESTs	47.24	24.00
	447342	A199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	28.63	1.00
	449003	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o	1.00	1.00
	449101	AA205847	Hs.23016	G protein-coupled receptor	2.58	27.00
	450832	AW970602	Hs.105421	ESTs	25.17	36.00
	452240	A1591147	Hs.61232	ESTs	13.42	1.00
	453317	NM_002277	Hs.41696	keratin, hair, acidic,1	1.19	1.27
10	453830	AA534296	Hs.20953	ESTs	24.92	25.00
	454098	W27953	Hs.292911	ESTs, Highly similar to S60712 band-6-pr	1.26	1.11
	455601	A1368680	Hs.816	SRY (sex determining region Y)-box 2	206.11	1.00

TABLE 12B

15 Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

20	Pkey	CAT Number	Accession
	439285	47065_1	AL133916 N79113 AF086101 N76721 AW950828 AA364013 AW955684 A1346341 A1867454 N54784 A1655270 A1421279 AW014882 AA775552 N62351 N59253 AA626243 A1341407 BE175639 AA456968 A1358918 AA457077

TABLE 12C

25 Pkey: Unique number corresponding to an Eos probeset
 Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
 30 Strand: Indicates DNA strand from which exons were predicted.
 NL_position: Indicates nucleotide positions of predicted exons.

35	Pkey	Ref	Strand	NL_position
	400666	8118496	Plus	17982-18115,20297-20456
	401780	7249190	Minus	28397-28617,28920-29045,29135-29296,29411-29567,29705-29787,30224-30573
	401781	7249190	Minus	83215-83435,83531-83656,83740-83901,84237-84393,84955-85037,86290-86814
	401785	7249190	Minus	165776-165996,166189-166314,166408-166569,167112-167268,167387-167469,168634-168942
	401994	4153858	Minus	42904-43124,43211-43336,44607-44763,45199-45281,46337-46732
	402075	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124610,125672-126076
40	404996	6007890	Plus	37999-38145,38652-38998,39727-39872,40557-40674,42351-42450

TABLE 13A: Genes Distinguishing Non-Malignant Lung Disease from Lung Tumors and Normal lung

Table 13A shows about 23 genes upregulated in non-malignant lung disease relative to lung tumors and normal lung. These genes were selected from about 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 13B show the accession numbers for those Pkey's lacking UnigenelD's for table 13A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 13C show the genomic positioning for those Pkey's lacking UnigenelD's and accession numbers in table 13A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkey: Unique Eos probeset identifier number
ExAccn: Exemplar Accession number, Genbank accession number
UnigenelD: UnigenelD number
Unigene Title: Unigene gene title
R1: Average of lung tumors (including squamous cell carcinomas, adenocarcinomas, small cell carcinomas, granulomatous and carcinoid tumors) divided by the average of normal lung samples
R2: Average of non-malignant lung disease samples (including bronchitis, emphysema, fibrosis, atelectasis, asthma) divided by the average of normal lung samples

Pkey	ExAccn	UnigenelD	Unigene Title	R1	R2
408562	AI436323	Hs.31141	Homo sapiens mRNA for KIAA1568 protein,	1.00	230.00
409031	AA376836	Hs.76728	ESTs	1.00	128.00
412372	R65998	Hs.285243	hypothetical protein FLJ22029	1.00	173.00
415910	U20350	Hs.78913	chemokine (C-X3-C) receptor 1	1.00	145.00
417511	AL049176	Hs.82223	chordin-like	1.00	179.00
418819	AA228776	Hs.191721	ESTs	1.00	140.00
422060	R20893	Hs.325823	ESTs, Moderately similar to ALU5_HUMAN A	1.00	156.00
424585	AA464840	Hs.131987	ESTs	1.00	167.00
426753	T89832	Hs.170278	ESTs	1.00	141.00
429498	AA453800	Hs.192793	ESTs	1.00	138.00
430719	AA488988	Hs.293796	ESTs	1.00	133.00
431089	BE041395		ESTs, Weakly similar to unknown protein	23.32	941.00
431385	BE178536	Hs.11090	membrane-spanning 4-domains, subfamily A	1.00	157.00
431728	NM_007351	Hs.268107	multimerin	1.00	157.00
436532	AA721522		gb:rv54h12.r1 NCL_CGAP_Ew1 Homo sapiens	1.00	218.00
437960	AI669586	Hs.222194	ESTs	1.00	147.00
438202	AW169287	Hs.22588	ESTs	1.00	141.00
441499	AW298235	Hs.101689	ESTs	1.00	167.00
444513	AL120214	Hs.7117	glutamate receptor, ionotropic, AMPA 1	1.00	151.00
448253	H25899	Hs.201591	ESTs	1.00	141.00
453636	R67837	Hs.169872	ESTs	1.00	116.00
458332	AI000341	Hs.220491	ESTs	1.00	192.00
459587	AA031956		gb:zk15e04.s1 Soares_pregnant_Uterus_NbH	1.00	154.00

TABLE 13B

Pkey: Unique Eos probeset identifier number
CAT number: Gene cluster number
Accession: Genbank accession numbers

Pkey	CAT Number	Accession
431089	327825_1	BE041395 AA491826 AA621946 AA715980 AA666102
436532	421802_1	AA721522 AW975443 T93070

TABLE 13C

Pkey: Unique number corresponding to an Eos probeset
Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.

Strand: Indicates DNA strand from which exons were predicted.
Nt_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	Nt_position
402076	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124610,125572-126076

TABLE 14A: Preferred Utility and Subcellular Localization for Potential Lung Disease Targets

Table 14A shows the subcellular localization and preferred utility for the genes appearing in Tables 9A and 10A. mAb symbolizes monoclonal antibody, diag symbolizes diagnostic, s.m. symbolizes small molecule, and CTL symbolizes cytotoxic lymphocytic ligand. These genes were selected from 59680 probesets on the Eos/Affymetrix Hu03 Genechip array.

Table 14B show the accession numbers for those Pkay's lacking Unigenes ID's for table 14A. For each probeset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

Table 14C show the genomic positioning for those Pkay's lacking Unigene ID's and accession numbers in table 14A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

Pkay: Unique Eos probeset identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenesID: Unigene number
 Unigene Title: Unigene gene title
 Pref.Utility: Preferred Utility
 Pred.Loc: Predicted subcellular localization

Pkay	ExAccn	UnigenesID	Unigene Title	Pref Utility	Pred. Loc
400289	X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin)	mAb & diag & s.m.	extracellular
400303	AA242758	Hs.79136	LIV-1 protein, estrogen regulated	mAb	plasma membrane
402075			ENSP00000251056*:Plasma membrane calcium	mAb & diag	secreted
407811	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagon	diag	secreted
408243	Y00787	Hs.624	interleukin 8	diag	secreted
408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor,	mAb & s.m.	plasma membrane
408908	BE296227	Hs.250822	serine/threonine kinase 15	s.m.	cytoplasm
409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119	CTL & diag	secreted
409103	AF251237	Hs.112208	XAGE-1 protein	CTL	nuclear
409420	Z15008	Hs.54451	laminin, gamma 2 (nicein (100kD), kallni	diag	secreted
409632	W74001	Hs.55279	serine (or cysteine) proteinase inhibito	diag	secreted
409757	NM_001898	Hs.123114	cystatin SN	diag	extracellular
409893	AW247090	Hs.57101	minichromosome maintenance deficient (S.	CTL	nuclear
409956	AW103364	Hs.727	Inhibin, beta A (activin A, activin AB a	diag	extracellular
410001	AB041036	Hs.57771	kallikrein 11	diag	extracellular
410407	X66839	Hs.63287	carbonic anhydrase IX	mAb & s.m.	plasma membrane
410418	D31382	Hs.63325	transmembrane protease, serine 4	mAb & diag & s.m.	plasma membrane
412140	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines	s.m.	
412719	AW016610	Hs.816	ESTs	s.m.	nuclear
414774	X02419	Hs.77274	plasminogen activator, urokinase	diag	extracellular
414883	AA926960		CDC28 protein kinase 1	s.m.	
415138	C18356	Hs.295944	tissue factor pathway inhibitor 2	CTL & diag	extracellular
415669	NM_005025	Hs.78589	serine (or cysteine) proteinase inhibito	mAb & diag & s.m.	secreted
415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t	mAb & s.m.	plasma membrane
416658	U03272	Hs.79432	fibrillin 2 (congenital contractural ara	diag	extracellular
417034	NM_006183	Hs.80962	neurotensin	diag	extracellular
417079	U65590	Hs.81134	interleukin 1 receptor antagonist	diag	extracellular
417308	H60720	Hs.81892	KIAA0101 gene product	s.m.	mitochondrial
417389	BE260964	Hs.82045	midkine (neurite growth-promoting factor	mAb & diag	secreted
417433	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein	mAb	plasma membrane
417933	X02308	Hs.82962	thymidylate synthetase	s.m.	endoplasmic reticulum
418478	U88945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me	s.m.	cytoplasm
418506	AA084248	Hs.85339	G protein-coupled receptor 39	mAb & s.m.	plasma membrane
418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)	CTL	cytoplasmic
419121	AA374372	Hs.89626	parathyroid hormone-like hormone	diag	secreted
419171	NM_002846	Hs.89655	protein tyrosine phosphatase, receptor t	mAb & s.m.	plasma membrane
419183	U60669	Hs.89663	cytochrome P450, subfamily XXIV (vitamin	CTL & s.m.	mitochondrial
419216	AU076718	Hs.164021	small inducible cytokine subfamily B (Cy	diag	secreted
419235	AW470411	Hs.288433	neurotrimin	mAb & diag	plasma membrane
419452	U33635	Hs.90572	PTK7 protein tyrosine kinase 7	mAb & s.m.	plasma membrane
419556	U29615	Hs.91093	chitinase 1 (chitotriosidase)	mAb & diag	extracellular
420610	AJ683183	Hs.99348	distal-less homeo box 5	CTL	nuclear
421110	AJ250717	Hs.1355	cathepsin E	sm & diag	extracellular
421379	Y15221	Hs.103932	small inducible cytokine subfamily B (Cy	diag	secreted
421474	U76362	Hs.104637	solute carrier family 1 (glutamate trans	mAb & s.m.	plasma membrane
421552	AF026692	Hs.105700	secreted frizzled-related protein 4	diag	secreted
421753	BE314828	Hs.107911	ATP-binding cassette, sub-family B (MDR/	mAb & s.m.	plasma membrane
421817	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR	mAb & s.m.	plasma membrane
422109	S73265	Hs.1473	gastrin-releasing peptide	diag	secreted
422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL	diag	secreted
422282	AF019225	Hs.114309	apolipoprotein L	diag	secreted
422283	AW411307	Hs.114311	CDC45 (cell division cycle 45, S.cerevis	s.m.	nuclear
422424	A1186431	Hs.296638	prostate differentiation factor	diag	extracellular
422765	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur	s.m.	cytoplasm
422809	AK001379	Hs.121028	hypothetical protein FLJ10549	s.m.	nuclear
422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse	diag	extracellular
422956	BE545072	Hs.122579	ECT2 protein (Epithelial cell transformi	CTL & s.m.	
423634	AW959908	Hs.1690	heparin-binding growth factor binding pr	diag	
423673	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage	mAb & diag & s.m.	secreted
423961	D13666	Hs.136348	perforin (OSF-2os)	mAb & diag	extracellular
424046	AF027866	Hs.138202	serine (or cysteine) proteinase inhibito	diag	secreted
424381	AA285249	Hs.146329	protein kinase Chk2	s.m.	nuclear

	424502	AF242388	Hs.149585	lengsin	s.m.	cytoplasmic
	424503	NM_002205	Hs.149609	integrin, alpha 5 (fibronectin receptor,	mAb & s.m.	plasma membrane
	424687	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B	diag	extracellular
5	425247	NM_005940	Hs.155324	matrix metalloproteinase 11 (stromelysin	mAb & diag & s.m.	secreted
	425322	U63630	Hs.155637	protein kinase, DNA-activated, catalytic	s.m.	cytoplasmic
	425650	NM_001944	Hs.1925	desmoglein 3 (permphigus vulgaris antigen	mAb	plasma membrane
	425734	AF056209	Hs.159396	peptidylglycine alpha-amidating monooxyg	s.m.	
	425776	U25128	Hs.159499	parathyroid hormone receptor 2	mAb & diag	plasma membrane
10	425852	AK001504	Hs.159651	death receptor 6, TNF superfamily member	mAb & s.m.	plasma membrane
	426215	AW963419	Hs.155223	stanniocalcin 2	mAb & diag	secreted
	426427	M86699	Hs.169840	TTK protein kinase	CTL & s.m.	nuclear
	426514	BE616633	Hs.170195	bone morphogenetic protein 7 (osteogenic	mAb & diag	secreted
	427335	AA448542	Hs.251677	G antigen 7B	CTL	cytoplasmic
15	427747	AW411425	Hs.180655	serine/threonine kinase 12	s.m.	cytoplasmic
	428242	H55709	Hs.2250	leukemia inhibitory factor (cholinergic	diag	
	428330	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin,	mAb & diag & s.m.	extracellular
	428450	NM_014791	Hs.184339	KIAA0175 gene product	s.m.	nuclear
	428479	Y00272	Hs.334562	cell division cycle 2, G1 to S and G2 to	s.m.	nuclear
20	428484	AF104032	Hs.184601	solute carrier family 7 (cationic amino	mAb & s.m.	plasma membrane
	428664	AK001666	Hs.189095	similar to SALL1 (sal (Drosophila)-like	CTL & s.m.	nuclear
	428698	AA852773	Hs.334838	KIAA1866 protein	mAb	
	428748	AW593206	Hs.98785	Ksp37 protein	diag	extracellular
	428758	AA433988	Hs.98502	CA125 antigen; mucin 16	diag	mitochondria*
25	428969	AF120274	Hs.194689	artemin	diag	extracellular
	429211	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3	mAb & s.m.	plasma membrane
	429263	AA019004	Hs.198396	ATP-binding cassette, sub-family A (ABC1	mAb & s.m.	plasma membrane
	429547	AW009166	Hs.99376	ESTs	diag	secreted
	429610	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas	mAb & diag	secreted
30	429903	AL134197	Hs.93597	cyclin-dependent kinase 5, regulatory su	s.m.	
	430486	BE062109	Hs.241551	chloride channel, calcium activated, fam	mAb & s.m.	plasma membrane
	431462	AW583672	Hs.256311	granin-like neuroendocrine peptide precu	diag	extracellular
	431515	NM_012152	Hs.258583	endothelial differentiation, lysophospha	mAb & s.m.	plasma membrane
	431846	BE019924	Hs.271580	uroplakin 1B	mAb & diag	plasma membrane
35	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta	mAb & diag	plasma membrane
	432201	AI538613	Hs.298241	Transmembrane protease, serine 3	mAb & diag & s.m.	plasma membrane
	433001	AF217513	Hs.279905	clone HQ0310 PRO0310p1	s.m.	nuclear
	435505	AF200492	Hs.211238	interleukin-1 homolog 1	diag	secreted
	436481	AA379597	Hs.5199	HSPC150 protein similar to ubiquitin-con	s.m.	
40	437016	AU076916	Hs.5398	guanine monphosphate synthetase	s.m.	cytoplasm
	437044	AL035864	Hs.69517	differentially expressed in Fanconi's an	CTL	ER
	437789	AI581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti	CTL	nuclear
	437852	BE001836	Hs.256897	ESTs, Weakly similar to dJ365012.1 [H.sa	mAb & s.m.	plasma membrane
	439223	AW238299	Hs.250618	UL16 binding protein 2	mAb	plasma membrane
45	439477	W69813	Hs.58042	ESTs, Moderately similar to GFR3_HUMAN	mAb & s.m.	
	439606	W79123	Hs.58561	G protein-coupled receptor 87	mAb & s.m.	plasma membrane
	439738	BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig),	mAb & s.m.	plasma membrane
	440006	AK000517	Hs.6844	NALP2 protein; PYRIN-Containing APAF1-li	s.m.	nuclear
	441362	BE144410	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re	s.m.	
50	442117	AW664964	Hs.128899	ESTs; hypothetical protein for IMAGE:447	mAb & s.m.	plasma membrane
	443247	BE614387	Hs.333893	c-Myc target JPO1	CTL	extracellular*
	443426	AF098158	Hs.9329	chromosome 20 open reading frame 1	CTL	
	443859	NM_013409	Hs.9914	folliculin	diag	extracellular
	444006	BE395085	Hs.10086	type I transmembrane protein Fn14	mAb	plasma membrane
55	444371	BE540274	Hs.239	forkhead box M1	s.m.	nuclear
	444381	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti	diag	secreted
	444781	NM_014440	Hs.11950	GPI-anchored metastasis-associated prote	mAb & diag	plasma membrane
	445537	AJ245671	Hs.12844	EGF-like-domain, multiple 6	mAb & diag	secreted
	446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,	diag	secreted
60	446921	AB012113	Hs.16530	small inducible cytokine subfamily A (Cy	diag	extracellular
	447033	AI357412	Hs.157601	ESTs	CTL & diag	secreted
	447342	AI199268	Hs.19322	Homo sapiens, Similar to RIKEN cDNA 2010	CTL	
	448243	AW369771	Hs.52620	Integrin, beta 8	mAb & s.m.	plasma membrane
	448844	AI581519	Hs.177164	ESTs	mAb & s.m.	
65	449048	Z45051	Hs.22920	similar to S68401 (cattle) glucose induc	mAb	plasma membrane
	449722	BE280074	Hs.23960	cyclin B1	s.m.	cytoplasm
	450001	NM_001044	Hs.406	solute carrier family 6 (neurotransmitte	mAb & s.m.	plasma membrane
	450376	AA009647		a disintegrin and metalloproteinase doma	mAb & diag & s.m.	plasma membrane
70	450701	H39960	Hs.288467	hypothetical protein XP_098151 (leucine-	mAb & diag	plasma membrane
	450983	AA305384	Hs.25740	ERO1 (S. cerevisiae)-like	diag	secreted
	451668	Z43948	Hs.326444	cartilage acidic protein 1	mAb & diag	plasma membrane
	452281	T93500	Hs.28792	Homo sapiens cDNA FLJ11041 fis, clone PL	diag	
	452401	NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro	diag	extracellular
	452747	BE153855	Hs.61460	Ig superfamily receptor LNIR	mAb	plasma membrane
75	452838	U65011	Hs.30743	preferentially expressed antigen in mela	CTL	nuclear
	453968	AA847843	Hs.62711	High mobility group (nonhistone chromoso	CTL & s.m.	nuclear
	457489	AI693815	Hs.127179	cryptic gene	diag	secreted

TABLE 14B

80 Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey CAT Number Accession

414883 15024_1 AA926960 AA926959 W76521 W24270 W21526 AA037172 BE267636 H83186 AA469909 N86396 AA001348 BE535736 AA081745 BE566245
 AA082436 H72525 H77575 N49786 W80565 H78746 BE569085 W04339 R98127 T55938 BE279271 AW960304 T29812 AA476873 BE297387
 AA292753 AA177048 NM_001826 X54941 BE314366 AA908783 AI719075 BE270172 BE269819 AA889955 AI204630 W25243 AI935150
 AA872039 W72395 T99630 AI422691 H98460 N31428 BE255916 H03265 AI857576 AA776920 AA910644 AA459522 AA293140 AW514667
 R75953 AW662396 AA662522 AI865147 AI423153 AW262230 AA584410 AA583187 AW024595 AW069734 AI828996 AA282997 AA876046
 AW613002 AA527373 AW972459 AI831360 AA621337 AA100926 AA772418 AA594628 AI033892 W95096 AI034317 AA398727 AI085031
 N95210 AI459432 AI041437 AA932124 AA627684 AA935829 AI004827 AI423513 AI094597 H42079 R54703 AI630359 AA617681 AA978045
 AA643280 W44561 AI991988 AI537692 AI090262 AA740817 AI312104 AI911822 AA416871 AI185409 AA129784 AA701623 AI075239
 AI139549 AA633648 AI339996 AI336880 AA399239 AI078708 AI085351 AI362835 AI346618 AI146955 AI989380 AI348243 N92892 AA765850
 AI494230 AI278887 AA962596 AI492600 W80435 AA001979 R97424 AI129015 N24127 AA157451 AA235549 AA459292 AA037114 AA129785
 AI494211 AW059601 AW886710 R92790 N59755 AI361128 AW589407 H47725 H97534 H48076 H48450 T99631 AW300758 H03431 R76789
 AA954344 H77576 R96823 AI457100 N92845 N49682 H42038 BE220698 BE220715 H99552 AA701624 N74173 R54704 H79520 H72923
 H03266 BE261919 AA769633 AA480310 AA507454 AA910586 AI203723 AW104725 W25611 W25071 T88980 H03513 T77589 R99156
 W95095 R97470 AA702275 T77551 AA911952 H82956 N83673 AA283672
 450375 83327_1 AA009647 AA131254 AA374293 AW954405 H04410 AW606284 AA151166 BE157467 BE157601 H04384 W46291 AW663674 H04021 H01532
 AA190993 H03231 H59605 H01642 AA852876 AA113758 AA626915 AA746952 AI161014 AA099554 R69067

TABLE 14C

Pkey: Unique number corresponding to an Eos probeset
 Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
 Strand: Indicates DNA strand from which exons were predicted.
 NL_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	NL_position
402075	8117407	Plus	121907-122035, 122804-122921, 124019-124161, 124455-124610, 125672-126076

TABLE 15A: Information for all sequences in Table 16

Table 15A shows the Seq ID No, Pkey, ExAccn, UnigenelD, and Unigene Title for all of the sequences in Table 16.

5 Table 15B show the accession numbers for those Pkey's lacking UnigenelD's for table 15A. For each probaset we have listed the gene cluster number from which the oligonucleotides were designed. Gene clusters were compiled using sequences derived from Genbank ESTs and mRNAs. These sequences were clustered based on sequence similarity using Clustering and Alignment Tools (DoubleTwist, Oakland California). The Genbank accession numbers for sequences comprising each cluster are listed in the "Accession" column.

10 Table 15C show the genomic positioning for those Pkey's lacking Unigene ID's and accession numbers in table 15A. For each predicted exon, we have listed the genomic sequence source used for prediction. Nucleotide locations of each predicted exon are also listed.

15 Seq ID No: Sequence ID number
 Pkey: Unique Eos probaset identifier number
 ExAccn: Exemplar Accession number, Genbank accession number
 UnigenelD: Unigene number
 Unigene Title: Unigene gene title

20	Seq ID No:	Pkey	ExAccn	UnigenelD	Unigene Title
	Seq ID No: 1 & 2	410407	X66839	Hs.63287	carbonic anhydrase IX
	Seq ID No: 3 & 4	412719	AW016610	Hs.816	ESTs
	Seq ID No: 5 & 6	417034	NM_006183	Hs.80962	neurotensin
25	Seq ID No: 7 & 8	430486	BE062109	Hs.241551	chloride channel, calcium activated, fam
	Seq ID No: 9 & 10	407788	BE514982	Hs.38991	S100 calcium-binding protein A2
	Seq ID No: 11 & 12	407788	BE514982	Hs.38991	S100 calcium-binding protein A2
	Seq ID No: 13 & 14	407788	BE514982	Hs.38991	S100 calcium-binding protein A2
	Seq ID No: 15 & 16	407788	BE514982	Hs.38991	S100 calcium-binding protein A2
30	Seq ID No: 17 & 18	439285	AL133916		hypothetical protein FLJ20093
	Seq ID No: 19 & 20	413753	U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kalinin
	Seq ID No: 21 & 22	120486	AW368377	Hs.137569	tumor protein 63 kDa with strong homolog
	Seq ID No: 23 & 24	425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen
	Seq ID No: 25 & 26	412140	AA219691	Hs.73625	RAB6 interacting, kinesin-like (rabkines
35	Seq ID No: 27 & 28	423673	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage
	Seq ID No: 29 & 30	452838	U65011	Hs.30743	preferentially expressed antigen in mela
	Seq ID No: 31 & 32	418663	AK001100	Hs.41690	desmocollin 3
	Seq ID No: 33 & 34	418663	AK001100	Hs.41690	desmocollin 3
40	Seq ID No: 35 & 36	409632	W74001	Hs.55279	serine (or cysteine) proteinase inhibito
	Seq ID No: 37 & 38	429510	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas
	Seq ID No: 39 & 40	406690	M29540	Hs.220529	carcinoembryonic antigen-related cell ad
	Seq ID No: 41 & 42	431846	BE019924	Hs.271580	uropod 1B
	Seq ID No: 43 & 44	418830	BE513731	Hs.88959	hypothetical protein MGC4816
	Seq ID No: 45 & 46	424098	AF077374	Hs.139322	small proline-rich protein 3
45	Seq ID No: 47 & 48	443648	AI085377	Hs.143610	ESTs
	Seq ID No: 49	311034	BE567130	Hs.311389	ESTs, Highly similar to NKGD_HUMAN NKGD-
	Seq ID No: 50 & 51	408522	AI541214	Hs.46320	Small proline-rich protein SPRK [human,
	Seq ID No: 52 & 53	422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL
	Seq ID No: 54 & 55	435505	AF200492	Hs.211238	interleukin-1 homolog 1
50	Seq ID No: 56 & 57	417366	BE185289	Hs.1076	small proline-rich protein 1B (comifin)
	Seq ID No: 58 & 59	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta
	Seq ID No: 60 & 61	441020	W79283	Hs.35962	ESTs
	Seq ID No: 62 & 63	423217	NM_000094	Hs.1640	collagen, type VII, alpha 1 (epidermolys
	Seq ID No: 64 & 65	429538	BE182592	Hs.11261	small proline-rich protein 2A
55	Seq ID No: 66 & 67	448733	NM_005629	Hs.187958	solute carrier family 6 (neurotransmitte
	Seq ID No: 68 & 69	444371	BE540274	Hs.239	forkhead box M1
	Seq ID No: 70 & 71	444371	BE540274	Hs.239	forkhead box M1
	Seq ID No: 72 & 73	444371	BE540274	Hs.239	forkhead box M1
	Seq ID No: 74 & 75	422168	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias
60	Seq ID No: 76 & 77	422168	AA586894	Hs.112408	S100 calcium-binding protein A7 (psorias
	Seq ID No: 78 & 79	429259	AA420450	Hs.292911	Plakophilin
	Seq ID No: 80 & 81	426440	BE382756	Hs.169902	solute carrier family 2 (facilitated glu
	Seq ID No: 82 & 83	437044	AL035864	Hs.69517	differentially expressed in Fanconi's an
	Seq ID No: 84 & 85	423662	AK001035	Hs.130881	B-cell CLL/lymphoma 11A (zinc finger pro
65	Seq ID No: 86 & 87	428484	AF104032	Hs.184601	solute carrier family 7 (cationic amino
	Seq ID No: 88 & 89	429211	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3
	Seq ID No: 90 & 91	417389	BE260964	Hs.82045	midkine (neurite growth-promoting factor
	Seq ID No: 92 & 93	423634	AW959908	Hs.1690	heparin-binding growth factor binding pr
	Seq ID No: 94 & 95	417515	L24203	Hs.82237	ataxia-telangiectasia group D-associated
70	Seq ID No: 96 & 97	441362	BE614410	Hs.23044	RAD51 (S. cerevisiae) homolog (E coli Re
	Seq ID No: 98 & 99	425322	U63630	Hs.155637	protein kinase, DNA-activated, catalytic
	Seq ID No: 100 & 101	449003	X76342	Hs.389	alcohol dehydrogenase 7 (class IV), mu o
	Seq ID No: 102 & 103	431009	BE149762	Hs.48956	gap junction protein, beta 6 (connexin 3
	Seq ID No: 104 & 105	409103	AF251237	Hs.112208	XAGE-1 protein
75	Seq ID No: 106 & 107	417542	J04129	Hs.82269	progesterone-associated endometrial prote
	Seq ID No: 108 & 109	428471	X57348	Hs.184510	stratiferin
	Seq ID No: 110 & 111	418004	U37519	Hs.87539	aldehyde dehydrogenase 3 family, member
	Seq ID No: 112 & 113	414761	AU077228	Hs.77256	enhancer of zeste (Drosophila) homolog 2
	Seq ID No: 114 & 115	418203	X54942	Hs.83758	CDC28 protein kinase 2
80	Seq ID No: 116	447343	AA256641	Hs.236894	ESTs, Highly similar to S02392 alpha-2-m
	Seq ID No: 117 & 118	437016	AU076916	Hs.5398	guanine monophosphate synthetase
	Seq ID No: 119 & 120	449230	BE613348	Hs.211579	melanoma cell adhesion molecule
	Seq ID No: 121 & 122	446989	AK001898	Hs.16740	hypothetical protein FLJ11036
	Seq ID No: 123 & 124	457819	AA057484	Hs.35406	ESTs, Highly similar to unnamed protein
85	Seq ID No: 125 & 126	424687	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B

	Seq ID No: 127 & 128	414430	AI346201	Hs.76118	ubiquitin carboxyl-terminal esterase L1
	Seq ID No: 129 & 130	418462	BE001596	Hs.85266	integrin, beta 4
	Seq ID No: 131 & 132	100668	L05424	Hs.169610	CD44 antigen (homing function and Indian
5	Seq ID No: 133 & 134	458933	AI638429	Hs.24763	RAN binding protein 1
	Seq ID No: 135 & 136	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me
	Seq ID No: 137 & 138	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me
	Seq ID No: 139 & 140	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me
	Seq ID No: 141 & 142	418478	U38945	Hs.1174	cyclin-dependent kinase inhibitor 2A (me
10	Seq ID No: 143 & 144	446269	AW263155	Hs.14559	hypothetical protein FLJ10540
	Seq ID No: 145 & 146	422765	AW409701	Hs.1578	baculoviral IAP repeat-containing 5 (sur
	Seq ID No: 147 & 148	436481	AA379597	Hs.5189	HSPC150 protein similar to ubiquitin-con
	Seq ID No: 149 & 150	440325	NM_003812	Hs.7164	a disintegrin and metalloproteinase doma
	Seq ID No: 151 & 152	439606	W79123	Hs.58561	G protein-coupled receptor 87
15	Seq ID No: 153 & 154	453884	AA355925	Hs.36232	KIAA0186 gene product
	Seq ID No: 155 & 156	453884	AA355925	Hs.36232	KIAA0186 gene product
	Seq ID No: 157 & 158	453884	AA355925	Hs.36232	KIAA0186 gene product
	Seq ID No: 159 & 160	453884	AA355925	Hs.36232	KIAA0186 gene product
	Seq ID No: 161 & 162	404877			NM_005365:Homo sapiens melanoma antigen,
20	Seq ID No: 163 & 164	413129	AF292100	Hs.104613	RP42 homolog
	Seq ID No: 165 & 166	413281	AA861271	Hs.222024	transcription factor BMAL2
	Seq ID No: 167 & 168	444781	NM_014400	Hs.11950	GPI-anchored metastasis-associated prote
	Seq ID No: 169 & 170	416819	U77735	Hs.80205	pim-2 oncogene
	Seq ID No: 171 & 172	451320	AW118072		diacylglycerol kinase, zeta (104kD)
	Seq ID No: 173 & 174	418543	NM_005329	Hs.85962	hyaluronan synthase 3
25	Seq ID No: 175 & 176	454034	NM_000691	Hs.575	aldehyde dehydrogenase 3 family, member
	Seq ID No: 177 & 178	425397	J04088	Hs.156346	topoisomerase (DNA) II alpha (170kD)
	Seq ID No: 179 & 180	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 181 & 182	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
30	Seq ID No: 183 & 184	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 185 & 186	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 187 & 188	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 189 & 190	419121	AA374372	Hs.89626	parathyroid hormone-like hormone
	Seq ID No: 191 & 192	448993	AI471630	Hs.8127	KIAA0144 gene product
35	Seq ID No: 193 & 194	421817	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR
	Seq ID No: 195 & 196	430393	BE185030	Hs.241305	estrogen-responsive B box protein
	Seq ID No: 197 & 198	425057	AA826434	Hs.1619	achaete-scute complex (Drosophila) homol
	Seq ID No: 199 & 200	420462	AF050147	Hs.97932	chondromodulin 1 precursor
	Seq ID No: 201 & 202	102963	X02404	Hs.274534	calcitonin-related polypeptide, beta
40	Seq ID No: 203 & 204	100576	X00356	Hs.37058	calcitonin/calcitonin-related polypeptid
	Seq ID No: 205 & 206	101175	U82671	Hs.36980	melanoma antigen, family A, 2
	Seq ID No: 207 & 208	429038	AL023513	Hs.194766	seizure related gene 6 (mouse)-like
	Seq ID No: 209 & 210	418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)
	Seq ID No: 211 & 212	418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)
45	Seq ID No: 213 & 214	131927	AJ003112	Hs.34780	doublecortax, lissencephaly, X-linked (d
	Seq ID No: 215 & 216	428182	BE386042	Hs.293317	ESTs, Weakly similar to GGC1_HUMAN G ANT
	Seq ID No: 217 & 218	427335	AA448542	Hs.251677	G antigen 7B
	Seq ID No: 219 & 220	409420	Z15008	Hs.54451	laminin, gamma 2 (niclin (100kD), kalini
	Seq ID No: 221 & 222	114346	AL137256	Hs.130489	ATPase, aminophospholipid transporter-II
50	Seq ID No: 223 & 224	438956	W00847	Hs.135056	Human DNA sequence from clone RP5-850E9
	Seq ID No: 225 & 226	404440			NM_021048:Homo sapiens melanoma antigen,
	Seq ID No: 227 & 228	415669	NM_005025	Hs.78589	serine (or cysteine) proteinase inhibitor
	Seq ID No: 229 & 230	103312	Y12642	Hs.3185	lysosomal
	Seq ID No: 231 & 232	320843	BE069288	Hs.34744	Homo sapiens mRNA; cDNA DKFZp547C136 (fr
55	Seq ID No: 233	429065	AI753247	Hs.29643	Homo sapiens cDNA FLJ13103 fis, clone NT
	Seq ID No: 234 & 235	446102	AW168067	Hs.317694	ESTs
	Seq ID No: 236 & 237	330495	U47924	Hs.71642	guanine nucleotide binding protein (G pr
	Seq ID No: 238	413573	AI733859	Hs.149089	ESTs
	Seq ID No: 239 & 240	428479	Y00272	Hs.334562	cell division cycle 2, G1 to S and G2 to
60	Seq ID No: 241 & 242	428479	Y00272	Hs.334562	cell division cycle 2, G1 to S and G2 to
	Seq ID No: 243 & 244	332180	AF134160	Hs.7327	claudin 1
	Seq ID No: 245	437915	AI637993	Hs.202312	Homo sapiens clone N11 Ntera2D1 teratoca
	Seq ID No: 246 & 247	441553	AA281219	Hs.121296	ESTs
	Seq ID No: 248 & 249	331692	AI683487	Hs.152213	wingless-type MMTV integration site fami
65	Seq ID No: 250 & 251	429413	NM_014058	Hs.201877	DESC1 protein
	Seq ID No: 252 & 253	422283	AW411307	Hs.114311	CDC45 (cell division cycle 45, S.cerevis
	Seq ID No: 254 & 255	448357	N20169	Hs.108923	RAB38, member RAS oncogene family
	Seq ID No: 256 & 257	446292	AF081497	Hs.279682	Rh type C glycoprotein
	Seq ID No: 258 & 259	416209	AA236776	Hs.79078	MAD2 (mitotic arrest deficient, yeast, h
70	Seq ID No: 260 & 261	453922	AF053306	Hs.36708	budding uninhibited by benzimidazoles 1
	Seq ID No: 262 & 263	424046	AF027866	Hs.138202	serine (or cysteine) proteinase inhibitor
	Seq ID No: 264 & 265	439223	AW238299	Hs.250618	UL16 binding protein 2
	Seq ID No: 266 & 267	429228	AI553633	Hs.326447	ESTs
	Seq ID No: 268 & 269	409757	NM_001898	Hs.123114	cystatin SN
75	Seq ID No: 270 & 271	411089	AA456454	Hs.214291	cell division cycle 2-like 1 (PITSLRE pr
	Seq ID No: 272 & 273	436511	AA721252	Hs.291502	ESTs
	Seq ID No: 274 & 275	428969	AF120274	Hs.194689	artemin
	Seq ID No: 276 & 277	428969	AF120274	Hs.194689	artemin
	Seq ID No: 278 & 279	428969	AF120274	Hs.194689	artemin
80	Seq ID No: 280 & 281	428969	AF120274	Hs.194689	artemin
	Seq ID No: 282	407137	T97307		gbye53h05.s1 Soares fetal liver spleen
	Seq ID No: 283 & 284	412723	AA648459	Hs.335951	hypothetical protein AF301222
	Seq ID No: 285 & 286	450701	H39960	Hs.288467	hypothetical protein XP_098151 (leucine-
	Seq ID No: 287 & 288	405770			NM_002362:Homo sapiens melanoma antigen,
85	Seq ID No: 289 & 290	439453	BE264974	Hs.6566	thyroid hormone receptor interactor 13
	Seq ID No: 291 & 292	414774	X02419	Hs.77274	plasminogen activator, urokinase

	Seq ID No: 293 & 294	424629	M90656	Hs.151393	glutamate-cysteine ligase, catalytic sub
	Seq ID No: 295 & 296	437789	A1581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
	Seq ID No: 297 & 298	437789	A1581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
5	Seq ID No: 299 & 300	437789	A1581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
	Seq ID No: 301 & 302	437789	A1581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
	Seq ID No: 303 & 304	437789	A1581344	Hs.127812	ESTs, Weakly similar to T17330 hypotheti
	Seq ID No: 305 & 306	453968	AA847843	Hs.62711	High mobility group (nonhistone chromoso
	Seq ID No: 307 & 308	403478			NM_022342Homo sapiens kinesin protein 9
	Seq ID No: 309	441525	AW241867	Hs.127728	ESTs
10	Seq ID No: 310 & 311	434105	AW952124	Hs.13094	presenilins associated rhomboid-like pro
	Seq ID No: 312 & 313	428810	AF068236	Hs.193788	nitric oxide synthase 2A (inducible, hep
	Seq ID No: 314 & 315	413691	AB023173	Hs.75478	ATPase, Class VI, type 11B
	Seq ID No: 316 & 317	423934	U89995	Hs.159234	forkhead box E1 (thyroid transcription f
15	Seq ID No: 318 & 319	409228	R16811	Hs.22010	ESTs, Weakly similar to 2109260A B cell
	Seq ID No: 320 & 321	425734	AF056209	Hs.159396	peptidylglycine alpha-amidating monooxyg
	Seq ID No: 322 & 323	413582	AW295647	Hs.71331	hypothetical protein MGCS350
	Seq ID No: 324 & 325	438403	AA806607	Hs.292206	ESTs
	Seq ID No: 326 & 327	403329			unnamed protein product [Homo sapiens]
	Seq ID No: 328 & 329	409993	AW247090	Hs.57101	minichromosome maintenance deficient (S.
20	Seq ID No: 330 & 331	119073	BE245360	Hs.279477	v-ets erythroblastosis virus E26 oncogen
	Seq ID No: 332 & 333	113195	H83265	Hs.8881	ESTs, Weakly similar to S41044 chromosom
	Seq ID No: 334 & 335	102283	AW161552	Hs.83381	guanine nucleotide binding protein 11
	Seq ID No: 336 & 337	101345	NM_005795	Hs.152175	calcitonin receptor-like
	Seq ID No: 338 & 339	103280	U84722	Hs.76206	cadherin 5, type 2, VE-cadherin (vascula
25	Seq ID No: 340 & 341	102012	BE259035	Hs.118400	singed (Drosophila)-like (sea urchin fas
	Seq ID No: 342 & 343	105729	H46612	Hs.293815	Homo sapiens HSPC285 mRNA, partial cds
	Seq ID No: 344 & 345	134299	AW580939	Hs.97199	complement component C1q receptor
	Seq ID No: 346 & 347	412719	AW016610	Hs.816	ESTs
	Seq ID No: 348 & 349	422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL
30	Seq ID No: 350 & 351	128924	BE279383	Hs.26557	plakophilin 3
	Seq ID No: 352 & 353	100486	T19006	Hs.10842	RAN, member RAS oncogene family
	Seq ID No: 354 & 355	419121	AA374372	Hs.89626	parathyroid hormone-like hormone
	Seq ID No: 356 & 357	409459	D86407	Hs.54481	low density lipoprotein receptor-related
	Seq ID No: 358 & 359	330493	M27826		endogenous retroviral protease
35	Seq ID No: 360 & 361	417866	AW067903	Hs.82772	collagen, type XI, alpha 1
	Seq ID No: 362 & 363	418113	A1272141	Hs.83484	SRY (sex determining region Y)-box 4
	Seq ID No: 364 & 365	437016	AU076916	Hs.5398	guanine monophosphate synthetase
	Seq ID No: 366 & 367	429612	AF062649	Hs.252587	pituitary tumor-transforming 1
	Seq ID No: 368 & 369	440704	M69241	Hs.162	insulin-like growth factor binding prote
40	Seq ID No: 370 & 371	431221	AA449015	Hs.286145	SRB7 (suppressor of RNA polymerase B, ye
	Seq ID No: 372 & 373	431565	AF161470	Hs.260622	butyrate-induced transcript 1
	Seq ID No: 374 & 375	431565	AF161470	Hs.260622	butyrate-induced transcript 1
	Seq ID No: 376 & 377	132354	BE185289	Hs.1076	small proline-rich protein 1B (cornifin)
	Seq ID No: 378 & 379	424441	X14850	Hs.147097	H2A histone family, member X
45	Seq ID No: 380 & 381	103768	AF086009	Hs.296398	gb:Homo sapiens full length insert cDNA
	Seq ID No: 382 & 383	417512	X76534	Hs.82226	glycoprotein (transmembrane) nmb
	Seq ID No: 384 & 385	425266	J00077	Hs.155421	alpha-fetoprotein
	Seq ID No: 386 & 387	424503	NM_002205	Hs.149609	Integrin, alpha 5 (fibronectin receptor,
	Seq ID No: 388 & 389	400289	X07820	Hs.2258	matrix metalloproteinase 10 (stromelysin
50	Seq ID No: 390 & 391	418007	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial
	Seq ID No: 392 & 393	418007	M13509	Hs.83169	matrix metalloproteinase 1 (interstitial
	Seq ID No: 394 & 395	418738	AW388633	Hs.6682	solute carrier family 7, (cationic amino
	Seq ID No: 396 & 397	415138	C18356	Hs.295944	tissue factor pathway inhibitor 2
	Seq ID No: 398 & 399	418508	AA084248	Hs.85339	G protein-coupled receptor 39
55	Seq ID No: 400 & 401	423961	D13666	Hs.136348	perforin (OSF-2os)
	Seq ID No: 402 & 403	414812	X72755	Hs.77367	monokine induced by gamma interferon
	Seq ID No: 404 & 405	417433	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein
	Seq ID No: 406 & 407	417433	BE270266	Hs.82128	5T4 oncofetal trophoblast glycoprotein
	Seq ID No: 408 & 409	422867	L32137	Hs.1584	cartilage oligomeric matrix protein (pse
60	Seq ID No: 410 & 411	428227	AA321649	Hs.2248	small inducible cytokine subfamily B (Cy
	Seq ID No: 412 & 413	444381	BE387335	Hs.283713	ESTs, Weakly similar to S64054 hypotheti
	Seq ID No: 414 & 415	400303	AA242758	Hs.79136	LIV-1 protein, estrogen regulated
	Seq ID No: 416 & 417	411789	AF245505	Hs.72157	Adican
	Seq ID No: 418 & 419	428698	AA852773	Hs.334838	KIAA1866 protein
65	Seq ID No: 420 & 421	450098	W27249	Hs.8109	hypothetical protein FLJ21080
	Seq ID No: 422 & 423	421552	AF026692	Hs.105700	secreted frizzled-related protein 4
	Seq ID No: 424 & 425	452747	BE153855	Hs.61460	Ig superfamily receptor LNIR
	Seq ID No: 426 & 427	450375	AA009647		a disintegrin and metalloproteinase doma
	Seq ID No: 428 & 429	426215	AW963419	Hs.155223	stannocalcin 2
70	Seq ID No: 430 & 431	425247	NM_005940	Hs.155324	matrix metalloproteinase 11 (stromelysin
	Seq ID No: 432 & 433	432201	A1538613	Hs.298241	Transmembrane protease, serine 3
	Seq ID No: 434 & 435	427585	D31152	Hs.179729	collagen, type X, alpha 1 (Schmid melaph
	Seq ID No: 436 & 437	442117	AW664964	Hs.128899	ESTs; hypothetical protein for IMAGE:447
	Seq ID No: 438 & 439	431211	M86849	Hs.323733	gap junction protein, beta 2, 26kD (conn
75	Seq ID No: 440 & 441	447033	A1357412	Hs.157601	ESTs
	Seq ID No: 442 & 443	447033	A1357412	Hs.157601	ESTs
	Seq ID No: 444 & 445	447033	A1357412	Hs.157601	ESTs
	Seq ID No: 446 & 447	115522	BE614387	Hs.333893	c-Myc target JPO1
	Seq ID No: 448 & 449	410418	D31382	Hs.63325	transmembrane protease, serine 4
80	Seq ID No: 450 & 451	409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119
	Seq ID No: 452 & 453	409041	AB033025	Hs.50081	Hypothetical protein, XP_051860 (KIAA119
	Seq ID No: 454 & 455	452461	N78223	Hs.108106	transcription factor
	Seq ID No: 456 & 457	412420	AL035668	Hs.73853	bone morphogenetic protein 2
	Seq ID No: 458 & 459	416658	U03272	Hs.79432	fibrillin 2 (congenital contractural ara
85	Seq ID No: 460 & 461	407811	AW190902	Hs.40098	cysteine knot superfamily 1, BMP antagou

	Seq ID No: 462 & 463	437852	BE001836	Hs.256897	ESTs, Weakly similar to dJ365012.1 [H.sa
	Seq ID No: 464 & 465	402075			ENSP00000251056*:Plasma membrane calcium
	Seq ID No: 466 & 467	421110	AJ250717	Hs.1355	cathepsin E
5	Seq ID No: 468 & 469	451668	Z43948	Hs.326444	cartilage acidic protein 1
	Seq ID No: 470 & 471	451668	Z43948	Hs.326444	cartilage acidic protein 1
	Seq ID No: 472 & 473	451668	Z43948	Hs.326444	cartilage acidic protein 1
	Seq ID No: 474 & 475	422282	AF019225	Hs.114309	apolipoprotein L
	Seq ID No: 476 & 477	425852	AK001504	Hs.159651	death receptor 6, TNF superfamily member
10	Seq ID No: 478 & 479	439738	BE246502	Hs.9598	sema domain, immunoglobulin domain (Ig),
	Seq ID No: 480 & 481	427747	AW411425	Hs.180655	serine/threonine kinase 12
	Seq ID No: 482 & 483	420281	AI623693	Hs.323494	Predicted cation efflux pump
	Seq ID No: 484 & 485	405932			C15000305:gij3806122[gb]AAC69198.1] (AF0
	Seq ID No: 486 & 487	405932			C15000305:gij3806122[gb]AAC69198.1] (AF0
15	Seq ID No: 488 & 489	444342	NM_014398	Hs.10887	similar to lysosome-associated membrane
	Seq ID No: 490 & 491	421379	Y15221	Hs.103982	small inducible cytokine subfamily B (Cy
	Seq ID No: 492 & 493	417079	U65590	Hs.81134	Interleukin 1 receptor antagonist
	Seq ID No: 494 & 495	430890	X54232	Hs.2699	glypican 1
	Seq ID No: 496 & 497	419721	NM_001650	Hs.288650	aquaporin 4
20	Seq ID No: 498 & 499	444471	AB020684	Hs.11217	KIAA0877 protein
	Seq ID No: 500 & 501	413063	AL035737	Hs.75184	chitinase 3-like 1 (cartilage glycoprote
	Seq ID No: 502 & 503	433800	AI034361	Hs.135150	lung type-I cell membrane-associated gly
	Seq ID No: 504 & 505	452401	NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro
	Seq ID No: 506 & 507	452401	NM_007115	Hs.29352	tumor necrosis factor, alpha-induced pro
	Seq ID No: 508 & 509	450001	NM_001044	Hs.406	solute carrier family 6 (neurotransmitte
25	Seq ID No: 510 & 511	410407	X66839	Hs.63287	carbonic anhydrase IX
	Seq ID No: 512 & 513	309931	AW341683		gb:hd13d01.x1 Soares_NFL_T_GBC_S1 Homo s
	Seq ID No: 514 & 515	412719	AW016610	Hs.816	ESTs
	Seq ID No: 516 & 517	417034	NM_006183	Hs.80962	neurotensin
30	Seq ID No: 518 & 519	430486	BE062109	Hs.241551	chloride channel, calcium activated, fam
	Seq ID No: 520 & 521	413753	U17760	Hs.75517	laminin, beta 3 (nicein (125kD), kalin
	Seq ID No: 522 & 523	425650	NM_001944	Hs.1925	desmoglein 3 (pemphigus vulgaris antigen
	Seq ID No: 524 & 525	423673	BE003054	Hs.1695	matrix metalloproteinase 12 (macrophage
	Seq ID No: 526 & 527	418663	AK001100	Hs.41690	desmocollin 3
	Seq ID No: 528 & 529	418663	AK001100	Hs.41690	desmocollin 3
35	Seq ID No: 530 & 531	429610	AB024937	Hs.211092	LUNX protein; PLUNC (palate lung and nas
	Seq ID No: 532 & 533	406690	M29540	Hs.220529	carcinoembryonic antigen-related cell ad
	Seq ID No: 534 & 535	431846	BE019924	Hs.271580	uroplakin 1B
	Seq ID No: 536 & 537	422158	L10343	Hs.112341	protease inhibitor 3, skin-derived (SKAL
	Seq ID No: 538 & 539	431958	X63629	Hs.2877	cadherin 3, type 1, P-cadherin (placenta
40	Seq ID No: 540 & 541	437044	AL035864	Hs.69517	differentially expressed in Fanconi's an
	Seq ID No: 542 & 543	428484	AF104032	Hs.184601	solute carrier family 7 (cationic amino
	Seq ID No: 544 & 545	429211	AF052693	Hs.198249	gap junction protein, beta 5 (connexin 3
	Seq ID No: 546 & 547	417389	BE260964	Hs.82045	midkine (neurite growth-promoting factor
	Seq ID No: 548 & 549	431009	BE149762	Hs.48956	gap junction protein, beta 6 (connexin 3
45	Seq ID No: 550 & 551	417542	J04129	Hs.82269	progesterone-associated endometrial prote
	Seq ID No: 552 & 553	449230	BE613348	Hs.211579	melanoma cell adhesion molecule
	Seq ID No: 554 & 555	410555	U92649	Hs.64311	a disintegrin and metalloproteinase doma
	Seq ID No: 556 & 557	410555	U92649	Hs.64311	a disintegrin and metalloproteinase doma
	Seq ID No: 558 & 559	424687	J05070	Hs.151738	matrix metalloproteinase 9 (gelatinase B
50	Seq ID No: 560 & 561	418462	BE001596	Hs.85266	integrin, beta 4
	Seq ID No: 562 & 563	410274	AA381807	Hs.61762	hypoxia-inducible protein 2 -
	Seq ID No: 564 & 565	439606	W79123	Hs.58561	G protein-coupled receptor 87
	Seq ID No: 566 & 567	404877			NM_005365:Homo sapiens melanoma antigen,
55	Seq ID No: 568 & 569	444781	NM_014400	Hs.11950	GPI-anchored metastasis-associated prote
	Seq ID No: 570 & 571	418543	NM_005329	Hs.85962	hyaluronan synthase 3
	Seq ID No: 572 & 573	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 574 & 575	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 576 & 577	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 578 & 579	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
60	Seq ID No: 580 & 581	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 582 & 583	415817	U88967	Hs.78867	protein tyrosine phosphatase, receptor-t
	Seq ID No: 584 & 585	421817	AF146074	Hs.108660	ATP-binding cassette, sub-family C (CFTR
	Seq ID No: 586 & 587	418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)
	Seq ID No: 588 & 589	418678	NM_001327	Hs.167379	cancer/testis antigen (NY-ESO-1)
65	Seq ID No: 590 & 591	409420	Z15008	Hs.54451	laminin, gamma 2 (nicein (100kD), kalini
	Seq ID No: 592 & 593	332180	AF134160	Hs.7327	claudin 1
	Seq ID No: 594 & 595	408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor,
	Seq ID No: 596 & 597	408790	AW580227	Hs.47860	neurotrophic tyrosine kinase, receptor,
	Seq ID No: 598 & 599	439223	AW238299	Hs.250618	UL16 binding protein 2
70	Seq ID No: 600 & 601	409757	NM_001898	Hs.123114	cystatin SN
	Seq ID No: 602 & 603	428969	AF120274	Hs.194689	artemin
	Seq ID No: 604 & 605	428969	AF120274	Hs.194689	artemin
	Seq ID No: 606 & 607	428969	AF120274	Hs.194689	artemin
	Seq ID No: 608 & 609	428969	AF120274	Hs.194689	artemin
75	Seq ID No: 610 & 611	450701	H39960	Hs.288467	hypothetical protein XP_098151 (leucine-
	Seq ID No: 612 & 613	450701	H39960	Hs.288467	hypothetical protein XP_098151 (leucine-
	Seq ID No: 614 & 615	414774	X02419	Hs.77274	plasminogen activator, urokinase
	Seq ID No: 616 & 617	407944	R34008	Hs.239727	desmocollin 2
	Seq ID No: 618 & 619	407944	R34008	Hs.239727	desmocollin 2
80	Seq ID No: 620 & 621	457489	AI693815	Hs.127179	cryptic gene
	Seq ID No: 622 & 623	429547	AW009166	Hs.99376	ESTs
	Seq ID No: 624 & 625	407242	M18728		gb:Human nonspecific crossreacting anti
	Seq ID No: 626 & 627	407242	M18728		gb:Human nonspecific crossreacting anti
	Seq ID No: 628 & 629	407242	M18728		gb:Human nonspecific crossreacting anti
85	Seq ID No: 630 & 631	444006	BE395085	Hs.10086	type I transmembrane protein Fn14

5	Seq ID No: 632 & 633	429597	NM_003816	Hs.2442	a disintegrin and metalloproteinase doma
	Seq ID No: 634 & 635	422109	S73265	Hs.1473	gaslin-releasing peptide
	Seq ID No: 636 & 637	419235	AW470411	Hs.288433	neurotrimin
	Seq ID No: 638 & 639	449048	Z45051	Hs.22920	similar to S68401 (cattle) glucose Induc
	Seq ID No: 640 & 641	419216	AU076718	Hs.164021	small inducible cytokine subfamily B (Cy
	Seq ID No: 642 & 643	431462	AW583672	Hs.256311	granin-like neuroendocrine peptide precu
	Seq ID No: 644 & 645	448243	AW369771	Hs.52620	integrin, beta 8
	Seq ID No: 646 & 647	426427	M86699	Hs.169840	TTK protein kinase
10	Seq ID No: 648 & 649	445537	AJ245671	Hs.12844	EGF-like-domain, multiple 6
	Seq ID No: 650 & 651	422278	AF072873	Hs.114218	frizzled (Drosophila) homolog 6
	Seq ID No: 652 & 653	428450	NM_014791	Hs.184339	KIAAD175 gene product
	Seq ID No: 654 & 655	446619	AU076643	Hs.313	secreted phosphoprotein 1 (osteopontin,
	Seq ID No: 656 & 657	453392	U23752	Hs.32964	SRY (sex determining region Y)-box 11
15	Seq ID No: 658 & 659	426514	BE616633	Hs.170195	bone morphogenetic protein 7 (osteogetic
	Seq ID No: 660 & 661	425776	U25128	Hs.159499	parathyroid hormone receptor 2
	Seq ID No: 662 & 663	425776	U25128	Hs.159499	parathyroid hormone receptor 2
	Seq ID No: 664 & 665	431515	NM_012152	Hs.258583	endothelial differentiation, lysophospha
	Seq ID No: 666 & 667	419452	U33635	Hs.90572	PTK7 protein tyrosine kinase 7
20	Seq ID No: 668 & 669	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci
	Seq ID No: 670 & 671	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci
	Seq ID No: 672 & 673	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci
	Seq ID No: 674 & 675	432653	N62096	Hs.293185	ESTs, Weakly similar to JC7328 amino aci
	Seq ID No: 676 & 677	410001	AB041036	Hs.57771	kallikrein 11
25	Seq ID No: 678 & 679	426501	AW043782	Hs.293616	ESTs
	Seq ID No: 680 & 681	408369	R38438	Hs.182575	solute carrier family 15 (H7??) transport
	Seq ID No: 682 & 683	445413	AA151342	Hs.12677	CGI-147 protein
	Seq ID No: 684 & 685	422424	AJ186431	Hs.296638	prostate differentiation factor
	Seq ID No: 686 & 687	428330	L22524	Hs.2256	matrix metalloproteinase 7 (matrilysin,
30	Seq ID No: 688 & 689	420610	A1683183	Hs.99348	distal-less homeo box 5

TABLE 15B

35 Pkey: Unique Eos probeset identifier number
 CAT number: Gene cluster number
 Accession: Genbank accession numbers

Pkey	CAT Number	Accession
309931	AW341683	
330493	33264_5	M27826 R78416 AA307645 AW957879 AW957800 AA633529 H03662
439285	47065_1	AL133916 N79113 AF086101 N76721 AW950828 AA364013 AW955684 AJ346341 AI867454 N54784 AI655270 AJ421279 AW014882 AA775552 N62351 N59253 AA626243 AJ341407 BE175639 AA456968 AI358918 AA457077
450375	83327_1	AA009647 AA131254 AA374293 AW954405 H04410 AW606284 AA151166 BE157467 BE157601 H04384 W46291 AW663674 H04021 H01532 AA190993 H03231 H59605 H01642 AA852876 AA113758 AA626915 AA746952 AI161014 AA099554 R69067
451320	86576_1	AW118072 AI631982 T15734 AA224195 AJ701458 W20198 F26326 AA890570 N90552 AW071907 AI671352 AI375892 T03517 R88265 AI124088 AA224388 AI084316 AI354686 T33652 AI140719 AI720211 T03490 AI372637 T15415 AW205836 AA630384 T03515 T33230 AA017131 AA443303 T33623 AI222556 T33511 T33785 AI419606 D55612

TABLE 15C

50 Pkey: Unique number corresponding to an Eos probeset
 Ref: Sequence source. The 7 digit numbers in this column are Genbank Identifier (GI) numbers. "Dunham I. et al." refers to the publication entitled "The DNA
 sequence of human chromosome 22." Dunham I. et al., Nature (1999) 402:489-495.
 55 Strand: Indicates DNA strand from which exons were predicted.
 NT_position: Indicates nucleotide positions of predicted exons.

Pkey	Ref	Strand	NT_position
402075	8117407	Plus	121907-122035,122804-122921,124019-124161,124455-124610,125672-126076
403329	8516120	Plus	96450-96598
403478	9958258	Plus	116458-116564
404440	7528051	Plus	80430-81581
404877	1519284	Plus	1095-2107
405770	2735037	Plus	61057-62075
65 405932	7767812	Minus	123525-123713

Table 16

Seq ID NO: 1 DNA sequence
 Nucleic Acid Accession #: NM_001216
 Coding sequence: 43..1422

5

	1	11	21	31	41	51	
10	GCCCGTACAC	ACCGTGTGCT	GGGACACCCC	ACAGTCAGCC	GCATGGCTCC	CCTGTGCCCC	60
	AGCCCTCGGC	TCCCTCTGTT	GATCCCGGCC	CCTGCTCCAG	GCCTCACTGT	GCAACTGCTG	120
	CTGTCACTGC	TGCTTCTGAT	GCCTGTCCAT	CCCCAGAGGT	TGCCCCGGAT	GCAGGAGGAT	180
	TCCCCCTTGG	GAGGAGGCTC	TTCTGGGGAA	GATGACCCAC	TGGCCGAGGA	GGATCTGCCC	240
	AGTGAAGAGG	ATTCAACCAG	AGAGGAGGAT	CCACCCGGAG	AGGAGGATCT	ACCTGGAGAG	300
15	GAGGATCTAC	CTGGAGAGGA	GGATCTACCT	GAAGTTAAGC	CTAAATCAGA	AGAAGAGGGC	360
	TCCCTGAAGT	TAGAGGATCT	ACCTACTGTT	GAGGCTCCTG	GAGATCCTCA	AGAACCCAG	420
	AATAATGCCC	ACAGGGACAA	AGAAGGGGAT	GACCAGAGTC	ATTGGCGCTA	TGGAGCGCAC	480
	CCGCCCTGGC	CCCGGGTGTG	CCCAGCCTGC	GCGGGCCGCT	TCCAGTCCCC	GGTGGATATC	540
	CGCCCCCAGC	TGCGCCGCTT	CTGCCCGGCC	CTGCGCCCCC	TGGAACTCCT	GGGCTTCCAG	600
20	CTCCCGCCGC	TCCAGAACT	GCGCCTCGGC	AACAATGGCC	ACAGTGTGCA	ACTGACCCCTG	660
	CCTCCTGGGC	TAGAGATGCG	TCTGGGTCCC	GGGCGGGAGT	ACCGGGCTCT	GCAGCTGCAT	720
	CTGCACTGGG	GGGCTGCAGG	TCGTCCGGGC	TCGAGACACA	CTGTGGAAGG	CCACCGTTTC	780
	CCTGCCGAGA	TCCACGTGGT	TCACCTCAGC	ACCGCCTTTG	CCAGAGTTGA	CGAGGCCTTG	840
	GGGCGCCCGG	GAGGCTGGC	CGTGTGGCC	GCCTTTCTGG	AGGAGGGCCC	GGAAAGAAAC	900
	AGTGCCTATG	AGCAGTTGCT	GTCTCGCTTG	GAAGAAATCG	CTGAGGAAGG	CTCAGAGACT	960
25	CAGGTCCCAG	GACTGGACAT	ATCTGCCTCT	CTGCCCTCTG	ACTTCAGCCG	CTACTTCCAA	1020
	TATGAGGGGT	CTCTGACTAC	ACCGCCCTGT	GCCAGGGGTG	TCATCTGGAC	TGTGTTTAAC	1080
	CAGACAGTGA	TGCTGAGTGC	TAAGCAGCTC	CACACCCCTT	CTGACACCCCT	GTGGGGACCT	1140
	GGTGACTCTC	GGCTACAGCT	GAACTTCCGA	GCGACGCAGC	CITTGAATGG	GCGAGTGATT	1200
	GAGGCTCCT	TCCCTGCTGG	AGTGGACAGC	AGTCTCGGG	CTGCTGAGCC	AGTCCAGCTG	1260
30	AATTCTCGCC	TGGCTGCTGG	TGACATCCTA	GCCCTGGTTT	TTGGCCCTCT	TTTTGCTGTC	1320
	ACCAGCGTGC	CGTTCCTTGT	GCAGATGAGA	AGGCAGCACA	GAAGGGGAAC	CAAAGGGGGT	1380
	GTGAGCTACC	GCCCAGCAGA	GGTAGCCGAG	ACTGGAGCCT	AGAGGCTGGA	TCTTGGAGAA	1440
	TGTGAGAAGC	CAGCCAGAGG	CATCTGAGGG	GGAGCCCGTA	ACTGTCTCTG	CCTGCTCATT	1500
35	ATGCCACTTC	CTTTAACTG	CCAAGAAATT	TTTTAAAATA	AATATTTATA	AT	

Seq ID NO: 2 Protein sequence:
 Protein Accession #: NP_001207

40

	1	11	21	31	41	51	
40	MAPLCPSPWL	PLLIPAPFAPG	LIVQLLLSLL	LLMPVHPQRL	PRMQEDSPLG	GGSSGEDDPL	60
	GEEDLPSEED	SPREDPPGE	EDLPGEEDLP	GEEDLPVVKP	KSEBEGSLKL	EDLPTVEAPG	120
	DPQEQNNAH	RDKEGDDQSH	WRYGGDPPWP	RVSPACAGRF	QSPVDIRPQL	AAFPCALRPL	180
	ELLGFQLPPL	PELRLRNNGH	SVQLTLPPLG	EMALPGREY	RALQLHLHWG	AAGRPFGEHT	240
45	VEGHRFPAEI	HVVHLSTAF	RVDEALGRPG	GLAVLAAFL	EGPEENSAYE	QLLSRLEBIA	300
	EGSETPVPG	LDISALLPSD	FSRYFQYEGS	LTPPCAGQV	IWTFVNQTM	LSARQLHTLS	360
	DTLWGPQDSR	LQLNFRATQP	LNGRVIEASF	PAGVDSFRA	AEPVQLNSCL	AAGDILALVF	420
	GLLFAVTSVA	FLVQMRQRH	RGTKGGVSYR	PAEVAETGA			

50

Seq ID NO: 3 DNA sequence
 Nucleic Acid Accession #: BC013923
 Coding sequence: 438-1391

55

	1	11	21	31	41	51	
55	AGCGGGGTTG	TCTATTAAC	TGTTCAAAAA	GTATCAGGAG	TTGTCAAGGC	AGAGAAGAGA	60
	GTGTTTGCAA	AAGGGGAAA	GTAGTTTGCT	GCCTCTTAA	GACTAGGACT	GAGAGAAGA	120
	AGAGGAGAGA	GAAAGAAGG	GAGAGAAGTT	TGAGCCCCAG	GCTTAAGCCT	TTCCAAAAA	180
60	TAATAATAAC	AATCATGCGC	GGCGCAGGA	TCGGCCAGAG	GAGGAGGGAA	GCGCTTTTTT	240
	TGATCCTGAT	TCCAGTTGCT	CTCTCTCTTT	TTTTCCCCCA	AATTATTCTT	CGCCTGATT	300
	TCCTCGCGGA	GCCCTGCGCT	CCCGACACCC	CCGCCCCGCT	CCCCTCTCC	TCTCCCCCG	360
	CCCGCGGGCC	CCCCAAAGTC	CCGGCCGGGC	CGAGGGTCGG	CGGCCCGCG	CGGGCCGGGC	420
	CCGCGCACAG	CGCCCGCATG	TACAACATGA	TGGAGACGGA	GCTGAAGCCG	CCGGCCCGGC	480
	AGCAAACCTC	GGGGGGCGGC	GGCGGCAACT	CCACCCCGGC	GGCGCCCGGC	GGCAACCAGA	540
65	AAAACAGCCC	GGACCGCGTC	AAGCGGCCCA	TGAATGCCTT	CATGGTGTGG	TCCCGCGGGC	600
	AGCGGCGCAA	GATGGCCCG	GAGAACCCCA	AGATGCACAA	CTCGGAGATC	AGCAAGCGCC	660
	TGGGCGCGGA	GTGGAACCTT	TTGTGCGAGA	CGGAGAAGCG	GCCGTTTATC	GACGAGGCTA	720
	AGCGGCTGCG	AGCGCTGCAC	ATGAAGGAGC	ACCCGGATTA	TAAATACCGG	CCCCGGCGGA	780
	AAACCAAGAC	GCTCATGAAG	AAGGATAAGT	ACACGCTGCC	CGCGGGGCTG	CTGGCCCCCG	840
70	GCGGCAATAG	CATGGCGAGC	GGGGTCGGGG	TGGGCGCCGG	CCTGGGCGCG	GGCGTGAACC	900
	AGCGCATGGA	CAGTTACGCG	CACATGAACG	GCTGGAGCAA	CGGCAGCTAC	AGCATGATGC	960
	AGGACCAGCT	GGGCTACCCG	CAGCACCCCG	GCCTCAATGC	GCACGCGGCA	GCGCAGATGC	1020
	AGCCCATGCA	CCGCTACGAC	GTGAGCGCCC	TGCAGTACAA	CTCCATGACC	AGCTCGCAGA	1080
	CCTACATGAA	CGGCTGCCCC	ACCTACAGCA	TGTCTACTC	GCAGCAGGGC	ACCCCTGGCA	1140
75	TGGCTCTTGG	CTCCATGGGT	TCGGTGGTCA	AGTCCGAGGC	CAGCTCCAGC	CCCCTGTGG	1200
	TTACCTCTTC	CTCCCACTCC	AGGGCGCCCT	GCCAGGCCGG	GGACCTCCGG	GACATGATCA	1260
	GCATGATATC	CCCCGGCGCC	GAGGTGCCGG	AACCCGCCGC	CCCCAGCAGA	CTTCAATGT	1320
	CCCAGCACTA	CCAGAGCGGC	CCGGTGCCTG	GCACGGCCAT	TAACGGCACA	CTGCCCTCT	1380
	CACACATGTG	AGGGCCGGAC	AGCGAACTGG	AGGGGGGAGA	AATTTTCAA	GAAAAACGAG	1440
80	GGAAATGGGA	GGGGTGCAA	AGAGGAGAGT	AAGAAACAGC	ATGGAGAAAA	CCCGGTACGC	1500
	TCAAAAAATA	AAAAAATAAA	AAAAATCCAT	CACCCACAGC	AAATGACAGC	TGCAAAAGAG	1560
	AACACCAATC	CCATCCACAC	TCACGCAAAA	ACCGCGATGC	CGACAAGAAA	ACTTTTATGA	1620
	GAGAGATCCT	GGACTCTCTT	TKGGGGGACT	ATTTTTGTAC	AGAGAAAAAC	TGGGGAGGGT	1680
	GGGGAGGGCG	GGGGAATGGA	CCTTGTATAG	ATCTGGAGGA	AAGAAAGCTA	CGAAAAACTT	1740
85	TTTAAAGTT	CTAGTGTGAC	GGTAGGAGCT	TTGCAGGAAG	TTTGCAAAAG	TCTTTACCAA	1800
	TAATATTAG	AGCTAGTCTC	CAAGCGACGA	AAAAAATGTT	TTAATATTGT	CAAGCAACTT	1860
	TTGTACAGTA	TTTATCGAGA	TAAACATGGC	AATCAAAATG	TCCATTGTTT	ATAAGCTGAG	1920

AATTGGCCAA TATTTTTCAA GGAGAGGCTT CTTGCTGAAT TTTGATTCTG CAGCTGAAAT 1980
 TTAGGACAGT TGCAAACGTG AAAAGAAGAA AATATTCAA ATTTGGACAT TTTAATTGTT 2040
 TAAAAATTGT ACAAAGGAA AAAATTAGAA TAAGTACTGG CGAACCATCT CTGTGGTCTT 2100
 GTTAAAAAG GGCAAAAGTT TTAGACTGTA CTAATTTTA TAACTTACTG TTA AAAAGCAA 2160
 5 AAATGGCCAT GCAGTTGAC ACCGTTGGTA ATTTATAATA GCTTTTGTTC GATCCCAACT 2220
 TTCCATTTTG TTCAGATAAA AAAAACCATG AAATTACTGT GTTTGAAATA TTTTCTTATG 2280
 GTTTGTAATA TTCTGTAAA TTTATTGTGA TATTTAAGG TTTTCCCCC TTTATTTTCC 2340
 GTAGTTGTAT TTTAAAAGAT TCGGCTCTGT ATTATTTGAA TCAGTCTGCC GAGAATCCAT 2400
 GTATATATTT GAACTAATAT CATCCTTATA ACAGGTACAT TTTCAACTTA AGTTTCTACT 2460
 10 CCATTATGCA CAGTTTGAGA TAAATAAAT TTTGAAATAT GGACACTGAA AAAAAA AAAA 2520
 AAAAAACAA AACAAAAAA CAAAAACAA AACAGAAAA AACAAAAAA AAAAAA AAC 2580
 CACAACAAA AACAAAAAA AAAAAAAGA AACAAACACA CAACACAACA CAACAAAAA 2640
 CCACAACACA AACACAACA CACAGAGGG

Seq ID NO: 4 Protein sequence:
 Protein Accession #: CAA83435.1

1 11 21 31 41 51
 | | | | | |
 20 MYNMMETELK PPGPQQTSGG GGGNSTAAAA GGNQKNSPDR VKRPMNAPMV WSRGQRRKMA 60
 QENPKMHNSE ISKRLGAEWK LLESETEKRPF IDEAKRLRLR HMKEHPDYKY RPRRKTFLM 120
 KDKKYLTPGG LLAPGNSMA SGVGVGAGLG AGVNQRMSY AHMNGWSNGS YSMNQDQLGY 180
 PQHPGLNAHG AAQMPPHRY DVSALQYNM TSSQTYMNGS PTYSMSYSQQ GTPGMALGSM 240
 GSVVKSEASS SPVVTSSSH SRAPCQAGDL RDMISMYLPG AEPVEPAAPS RLHMSQHYQS 300
 25 GPVPGTAING TLPLSHM

Seq ID NO: 5 DNA sequence
 Nucleic Acid Accession #: U91618
 Coding sequence: 29-541

1 11 21 31 41 51
 | | | | | |
 30 CGGACTTGGC TTGTTAGAAG GCTGAAAGAT GATGGCAGGA ATGAAAATCC AGCTTGTATG 60
 CATGCTACTC CTGGCTTTCA GCTCCTGGAG TCTGTGCTCA GATTAGAAAG AGGAAAATGAA 120
 35 AGCATTAGAA GCAGATTCTT TGACCAATAT GCATACATCA AAGATTAGTA AAGCACATGT 180
 TCCTCTTTGG AAGATGACTC TGCTAAAATGT TTGCAGTCTT GTAAAATAAT TGAACAGCCC 240
 AGCTGAGGAA ACAGGAGAAG TTCATGAAGA GGAGCTTGTG GCAAGAAGGA AACTTCCTAC 300
 TGCTTTAGAT GCCTTTAGCT TGGAAAGCAAT GTTGACAATA TACCAGCTCC ACAAATCTG 360
 40 TCACAGCAGG GCTTTTCAAC ACTGGGAGTT AATCCAGGAA GATATTCTTG ATACTGGAAA 420
 TGACAAAAAT GGAAGGAAG AAGTCATAAA GAGAAAAATT CCTATATTC TGAACCGGCA 480
 GCTGTATGAG AATAAACCCA GAAGACCTCA CATACTCAA AGAGATTCTT ACTATTACTG 540
 AGAGAATAAA TCATTTATTT ACATGTGATT GTGATTCATC ATCCCTTAAT TAAATATCAA 600
 ATTATATTTG TGTGAAAATG TGACAAACAC ACTTATCTGT CTCTTCTACA ATTTGTGTTT 660
 45 ATTGAATGTG TTTTCTGCA CTAATAGAAA TTAGACTAAG TGTTTTCAA TAAATCTAAA 720
 TCTTCAAAA AAAAAA AAAATGGGGCC GCAATT

Seq ID NO: 6 Protein sequence:
 Protein Accession #: AAB50564

1 11 21 31 41 51
 | | | | | |
 55 MMAGMKIQLV CMLLLAFSSW SLCSDSEEM KALEADFLTN MHTSKISKAH VPSWKMTLLN 60
 VCSLVNNLWS PAEETGEVHE EELVARRKLP TALDGFSLA MLTIYQLHKI CHSRAFQHWE 120
 LIQEDILDTG NDKNGKEEVI KRKIPYILKR QLYENKPRRP YILKRDSYYY

Seq ID NO: 7 DNA sequence
 Nucleic Acid Accession #: NM_006536.2
 Coding sequence: 109-2940

1 11 21 31 41 51
 | | | | | |
 65 ACCTAAAACC TTGCAAGTTC AGGAAGA AAC CATCTGCATC CATATTGAAA ACCTGACACA 60
 ATGTATGCAG CAGGCTCAGT GTGAGTGAAC TGGAGGCTTC TCTACAACAT GACCCAAAGG 120
 AGCATTGCAG GTCTTATTTG CAACCTGAAG TTTGTGACTC TCCTGGTTGC CTTAAGTTCA 180
 GAACTCCCAT TCCTGGGAGC TGGAGTACAG CTTCAGACA ATGGGTATAA TGGATTGCTC 240
 ATTGCAATTA ATCTCAGGT ACCTGAGAAT CAGAACCCTCA TCTCAAACAT TAAGGAAATG 300
 70 ATAACTGAAG CTTCAITTTA CCTATTTAAT GCTACCAAGA GAAGAGTATT TTTGAGAAAT 360
 ATAAAGATTT TAATACCTGC CACATGGAAA GCTAATAATA ACAGCAAAAT AAAACAAGAA 420
 TCATATGAAA AGGCAATGT CATAGTGAAT GACTGGTATG GGGCAGATGG AGATGATCCA 480
 TACACCCTAC AATACAGAGG GTGTGGAAA GAGGGAAAAT ACATTCATTT CACACCTAAT 540
 TTCCTACTGA ATGATAACTT AACAGCTGGC TACGGATCAC GAGGCCGAGT GTTTGTCCAT 600
 GAATGGGCCC ACCTCGGTTG GGGTGTGTTT GATGAGTATA ACAATGACAA ACCTTCTTAC 660
 75 ATAAATGGGC AAAATCAAT TAAAGTGACA AGGTGTTTAT CTGACATCAC AGGCATTTTT 720
 GTGTGTGAAA AAGGTGCTTG CCCCAGAA AACTGTATTA TTAGTAAGCT TTTTAAAGAA 780
 GGATGCACCT TTATCTACAA TAGCACCCAA AATGCAACTG CATCAATAAT GTTCATGCAA 840
 AGTTTATCTT CTGTGGTTGA ATTTGTAAAT GCAAGTACCC ACAACCAAGA AGCACCRAAC 900
 80 CTACAGAACC AGATGTGCAG CCTCAGAAGT GCATGGGATG TAATCACAGA CTCTGCTGAC 960
 TTTCAACACA GCTTTCCCAT GAATGGGACT GAGCTTCCAC CTCTCCAC ATTCTCGCTT 1020
 GTACAGGCTG GTGACAAAGT GGTCTGTTTA GTGCTGGATG TGTCCAGCAA GATGGCAGAG 1080
 GCTGACAGAC TCCTTCAACT ACAACAAGCC GCAGAAATTT ATTTGATGCA GATTGTTGAA 1140
 ATTATACCTC TCGTGGGACT TGCCAGTTTC GACAGCAAAG GAGAGATCAG AGCCCAGCTA 1200
 CACCAAAATTA ACAGCAATGA TGCAGAAAG TTGCTGGTTT CATATCTGCC CACCACTGTA 1260
 85 TCAGCTAAA CAGACATCAG CATTGTGTTCA GGGCTTAAGA AAGGATTTGA GGTGGTTGAA 1320
 AAATGGAATG GAAAGCTTA TGGCTCTGTG ATGATATTAG TGACCAGCGG AGATGATAAG 1380
 CTCTTTGGCA ATTGCTTACC CACTGTGCTC AGCAGTGGTT CAACAATTC AATCCATTGCC 1440

5
10
15
20
25
30
35
40

```

CTGGGTTCAT CTGCAGCCCC AAATCTGGAG GAAATATCAC GTCTTACAGG AGGTTTAAAG 1500
TTCTTTGTTC CAGATATATC AAACCTCCAAT AGCATGATTG ATGCTTTCAG TAGAATTTCC 1560
TCTGGAACCTG GAGACATTTT CCAGCAACAT ATTCAGCTTG AAAGTACAGG TGAAAATGTC 1620
AAACCTCACC ATCAATTGAA AAACACAGTG ACTGTGGATA ATACTGTGGG CAACGACACT 1680
ATGTTTCTAG TTACGTGGCA GGCCAGTGGT CCTCCTGAGA TTATATTAT TGTACTGAT 1740
GGACGAAAAA ACTACACAAA TAATTTTATC ACCAATCTAA CTTTTCGGAC AGCTAGTCTT 1800
TGGATTCCAG GAACAGCTAA GCCTGGGCAC TGGACTTACA CCCTGAACAA TACCCATCAT 1860
TCTCTGCAAG CCTGAAAGT GACAGTGACC TCTCGCGCT CCAACTCAGC TGTGCCCCCA 1920
GCCACTGTGG AAGCCTTTGT GGAAGAGAC AGCCTCCATT TTCTCATCC TGTGATGATT 1980
TATGCCAATG TGAACAGGG ATTTTATCCC ATTCTTAATG CCACTGTCC TGCCACAGTT 2040
GAGCCAGAGA CTGGAGATCC TGTACGCTG AGACTCCCTG ATGATGGAGC AGGTGCTGAT 2100
GTTATAAAAA ATGATGGAAT TFACTCGAGG TATTTTTTCT CTTTGTGTC AAATGGTAGA 2160
TATAGCTTGA AAGTGCATGT CAATCACTCT CCCAGCATAA GCACCCCAAC CCACCTTATT 2220
CCAGGGAGTC ATGCTATGTA TGTACCAGGT TACACAGCAA ACGGTAATAT TCAGATGAAT 2280
GCTCCAAGGA AATCAGTAGG CAGAATAGAG GAGGAGCGAA AGTGGGGCTT TAGCCGAGTC 2340
AGCTCAGGAG GTCCTTTTTC AGTGTCTGGA GTTCCAGCTG GCCCCCACCC TGATGTGTTT 2400
CCACCATGCA AATTTATTGA CCTGGAAGCT GTAAAAGTAG AAGAGGAAT TACCCATCT 2460
TGGACAGCAC CTGGAGAAGA CTTTATCAG GGCCAGGCTA CAAGCTATGA AATAAGAATG 2520
AGTAAAAGTC TACAGAATAT CCAAGATGAC TTTAACAATG CTATTTTAGT AAATACATCA 2580
AAGCGAAATC CTGACGACG TGGCATCAGG GAGATATTTA CGTTCTCACC CCAGATTTCC 2640
AGGAATGGAC CTGAAATGGA GCCAAATGGA GAAACACATG AAAGCCACAG AATTTATGTT 2700
GCAATACGAG CAATGGATAG GAACTCCTTA CAGTCTGCTG TATCTAACAT TGCCAGGGCG 2760
CCTCTGTTTA TTCCCCCAA TTCTGATCCT GTACTGCCA GAGATTATCT TATATTGAAA 2820
GGAGTTTAA CAGCAATGGG TTTGATAGGA ATCATTGCCC TTATTATAGT TGTGACACAT 2880
CATACTTAA GCAGGAAAAA GAGAGCAGAC AAGAAAGAGA ATGGAACAAA ATTATTATAA 2940
ATAAATATCC AAGTGTCTT CCTTCTTAGA TATAAGACCC ATGGCCTTCC ACTACAAAAA 3000
CATACTAACA AAGTCAAAT AACATCAAAA CTGTATTAAA ATGCATTGAG TTTTGTGACA 3060
ATACAGATAA GATTTTACA TGGTAGATCA ACAATCTTT TGGGGGTAG ATTAGAAAAA 3120
CCTTACACTT TGCGTATGAA CAAATAATAA AAATTATTCT TTAAGTAAT GTCCTTAAAG 3180
GCAAAGGAA GGTAAAGTC GGACCAGTGT CAAGGAAAGT TTGTTTTATT GAGGTGGAAA 3240
AATAGCCCA AGCAGAGAAA AGGAGGGTAG GTCTGCATTA TAACTGCTG TGTGAAGCAA 3300
TCATTTAGTT ACTTTGATTA ATTTTCTTT TCTCCTTATC TGTGAGTAC AGGTGCTTG 3360
TTTACATGAA GATCATGCTA TATTTTATAT ATGTAGCCCC TAATGCAAAG CTCTTTACCT 3420
CTTGTATTT TGTATATAT ATTTTCAATG ACATCTCCCT GCTAATGCTC AGAGATCTTT 3480
TTTCACTGA AGAGGTAACC TTTAACAATA TGGGTATTAC CTTTGTCTCT TCATACGGGT 3540
TTTATGACAA AGGTCTATTG AATTTATTG TNTGTAAGTT TCTACTCCCA TCAAAGCAGC 3600
TTTCTAAGTT TATTGCCTG GGTATTATG GAATGATAGT TATAGCCCN TATAATGCCT 3660
TACCTAGGAA A

```

Seq ID NO: 8 Protein sequence:
Protein Accession #: NP_006527.1

45
50
55
60

```

1 11 21 31 41 51
| | | | |
MTQRSIAGPI CNLKFVTLV ALSSLEPFLG AGVQLQDNGY NGLLIAINPQ VPENQNLSN 60
IKEMITEASF YLFNATKRRV FFRNIKILIP ATWKANNNSK IKQESYEKAN VIVTDWYGAAH 120
GDDPYTLQYR GCGKEGKYIH FTPNFLNDN LTAGYGSRRG VFWHEMAHLR WGVFDEYVND 180
KFFYINGQNG IKVTRCSSDI TGFVCEKGP CPQENCIISK LFKEGCTFIY NSTQNATASI 240
MEMQSLSSVV EFCNASTHNQ EAPNLQNMCM SLRSADVIT DSADFHHSFP MNGTELPPPP 300
TFSLVQADGK VVCLVLDVSS KMAEADRLQ LQQAEEFVLM QIVEIHTFVG IASFDKSGEI 360
RAQLHQINSN DDRKLLVSVL PTTVSAKTDI SICSGLKKGF EVVEKLNKGA YGSMVILVTS 420
GDDKLLGNCL PTVLSSGSTI HSIALGSSAA PNLEELSRLT GGLKFFVVDI SNSNSMIDAF 480
SRISSGTGI FQHQIQLEST GENVKPHQL KNTVTVDNTV GNDTFLVTW QASGPPPIIL 540
FDPDGRKYIT NNFITNLTFR TASLNIPGTA KPGHWYTLN NTHSLQALK VVTVSRASNS 600
AVPPATVEAF VERDSLHFPF FVMYANVKQ GFYPILNATV TATVEPETGD PVTLRLLDDG 660
AGADVIKNDG IYSRYFFSFA ANGRYSLKVH VNHSPSISTP AHSIPGSHAM YVPGYTANGN 720
IQMNAPRKSQ GRNEEBERKMG FSRVSSGGSF SVLGVPAAGP PDVPPCKII DLEAVKVEEE 780
LTLNWTAPGE DFDQGGQTSY EIRMSKSLQN IQDDFNAIL VNTSKRNPQQ AGIREIPTFS 840
PQISTNGPEH QPNGETHESH RIYVAIRAMD RNSLQSAVSN IAQAPLFIPP NSDPVPARDY 900
LILKGVLTAM GLIGITCLII VVTHHTLSRK KRADKENG T KLL

```

Seq ID NO: 9 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 336-632

70
75
80
85

```

1 11 21 31 41 51
| | | | |
CTCCCCAC CCGGTCCAG GATGCCAGT CCCCACGACA CCTCCCCTT CCCACTGTGG 60
CCTGGGTGGG CTCAGGGGCT GCCCTTGACC TGGCCTAGAG CCCTCCCCCA GCTGGTGGTG 120
GAGCTGGCAC TCTCTGGGAG GGAGGGGCT GGGAGGGAAT GAGTGGGAAT GGCAAGAGGC 180
CAGGGTTTGG TGGGATCAGG TTGAGGCAGG TTTGGTTTCC TTAAATGCC AAGTTGGGGG 240
CCAGTGGGCG CCACATATAA ATCCTCACCC TGGGAGCCTG GCTGCCTTGC TCTCCTTCT 300
GGGTCTGTCT CTGCCACCTG GTCTGCCACA GATCCATGAT GTGCAGTTCT CTGAGCAGG 360
CGCTGGCTGT GCTGGTCACT ACCTTCCACA AGTACTCCTG CCAAGAGGGC GACAAGTCA 420
AGCTGAGTAA GGGGAAATG AAGGAACTTC TGCACAAGGA GCTGCCCAGC TTTGTGGGGG 480
AGAAAAGTGA TGAGGAGGGG CTGAAGAAGC TGATGGGCAG CCTGGATGAG AACAGTGACC 540
AGCAGGTGGA CTTCCAGGAG TATGCTGTTT TCCTGGCACT CATCACTGTC ATGTGCAATG 600
ACTTCTTCCA GGGCTGCCA GACCGACCTT GAAGCAGAAC TCTTGACTTC CTGCCATGGA 660
TCTCTTGGGC CCAGGACTGT TGATGCCTTT GAGTTTGTGA TTCAATAAAC TTTTFTTGTCT 720
TGTGATAAT ATTTTAATG CTCAGTGATG TTCCATAACC CGGCTGGCTC AGCTGGAGTG 780
CTGGGAGATG AGGGCCTCTT GGATCCTGCT CCCTTCTGGG CTCTGACTCT CCTGGAATC 840
TCTCCAAGGC CAGAGCTATG CTTTAGTCTT CAATTTTGGG ATTTCAACA CCAGCAAAAA 900
ATTGGAATC GAGATAGGTT GCTGACTTTT ATTTTGTCAA ATAAAGATAT TAAAAAAGGC 960
AAATACCA

```

Seq ID NO: 10 Protein sequence:

Protein Accession #: NP_005969.1

5 1 11 21 31 41 51 60
 | | | | | | |
 MNCSSLEQAL AVLVTTFHKY SCQEGDKFKL SKGEMKELLH KELPSFVGEK VDEEGLKILM
 GSLDENSDQQ VDFQEYAVFL ALITVMCNDP FQGCPCDRP

Seq ID NO: 11 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 336-626

15 1 11 21 31 41 51 60
 | | | | | | |
 CTCCCTCAC CCCGGTCCAG GATGCCAGT CCCCACGACA CCTCCCACTT CCCACTGTGG 60
 CCTGGGTGGG CTCAGGGGCT GCCCTTGACC TGGCCTAGAG CCCTCCCCCA GCTGGTGGTG 120
 GAGCTGGCAC TCTCTGGGAG GGAGGGGGCT GGGAGGGAAT GAGTGGGAAT GGCAAGAGGC 180
 CAGGGTTTGG TGGGATCAGG TTGAGGCAGG TTTGGTTTCC TTAAAATGCC AAGTTGGGGG 240
 CCAGTGGGGC CCACATATAA ATCCTCACCC TGGGAGCCTG GCTGCCTTGC TCTCCTTCTT 300
 GGGTCTGTCT CTGCCACCTG GTCTGCCACA GATCCATGAT GTGCAGTTCT CTGGAGCAGG 360
 CGCTGGCTGT GCTGGTCACT ACCTTCCACA AGTACTCCTG CCAAGAGGGC GACAAGTTCA 420
 AGCTGAGTAA GGGGGAATG AAGGAACTTC TGCACAAGGA GCTGCCCCAGC TTTGTGGGGC 480
 ATTCAGAGA ACCATGTGCT GTGAGGGCCT TCCGAGTCCA TCTGTTTAAAT CCTGTCAATTG 540
 GAGACTTGAG AAACCCAGAGC CCAGAAGGGA AAAGTGATTG TCCCAAGATC ACACAGCACT 600
 25 GGAGAAAGTG GATGAGGAGG GGCTGAAGAA GCTGATGGGC AGCCTGGATG AGAACAGTGA 660
 CCAGCAGGTG GACTTCCAGG AGTATGCTGT TTTCTGGCA CTCATCACTG TCATGTGCAA 720
 TGACTTCTTC CAGGGCTGCC CAGACCGACC CTGAAGCAGA ACTCTTGACT TCCTGCCATG 780
 GATCTCTTGG GCCCAGGACT GTTGATGCCT TTGAGTTTGG TATTCAATAA ACTTTTTTTG 840
 TCTGTTGATA ATATTTTAAAT TGCTCAGTGA TGTTCATAA CCCGGCTGGC TCAGCTGGAG 900
 30 TGCTGGGAGA TGAGGGCCTC TCGGATCCTG CTCCTTCTG GCTCTGACT CTCCTGGAAA 960
 TCTCTCCAAAG GCCAGAGCTA TGCTTTAGGT CTCAAATTTG GAATTTCAA CACCAGCAA 1020
 AAATTTGAAA TCGAGATAGG TTGCTGACTT TTATTTTGTG AAATAAAGAT ATTAATAAAG 1080
 GCAATACCA

Seq ID NO: 12 Protein sequence:
 Protein Accession #: Eos sequence

40 1 11 21 31 41 51 60
 | | | | | | |
 MNCSSLEQAL AVLVTTFHKY SCQEGDKFKL SKGEMKELLH KELPSFVGH S REPCAVRAFR
 VHLFNPVIGD LRNQSPGK S DCPKITQHW R KWMRRG

Seq ID NO: 13 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 58-354

50 1 11 21 31 41 51 60
 | | | | | | |
 GTGAGCTCAC CATGTGGGGG TGAGGCTGAG AGAAAACAAG TACACAGCCA CAGATCCATG 60
 ATGTGCAGTT CTCTGGAGCA GCGCTGGCT GTGCTGGTCA CTACCTCCA CAAGTACTCC 120
 TGCCAAGAGG GCGACAAGTT CAAGCTGAGT AAGGGGGAAA TGAAGGAACT TCTGCACAAG 180
 GAGCTGCCCA GCTTTGTGGG GGAGAAAGTG GATGAGGAGG GGCTGAAGAA GCTGATGGGC 240
 AGCTGGATG AGAACAGTGA CCAGCAGGTG GACTTCCAGG AGTATGCTGT TTTCTTGCCA 300
 55 CTCATCACTG TCATGTGCAA TGACTTCTC CAGGGCTGCC CAGACCGACC CTGAAGCAGA 360
 ACTCTTGACT TCCTGCCATG GATCTCTTGG GCCCAGGACT GTTGATGCCT TTGAGTTTGG 420
 TATTCAATAA ACTTTTTTTG TCTGTTGATA ATATTTTAAAT TGCTCAGTGA TGTTCATAA 480
 CCCGGCTGGC TCAGCTGGAG TCGTGGGAGA TGAGGGCCTC CTGGATCCTG CTCCTTCTG 540
 60 GGCTCTGACT CTCCTGGAAA TCTCTCAAAG GCCAGAGCTA TGCTTTAGGT CTCAAATTTG 600
 GAATTTCAA CACCAGCAA AAATTTGAAA TCGAGATAGG TTGCTGACTT TTATTTTGTG 660
 AAATAAAGAT ATTAATAAAG GCAATACCA

Seq ID NO: 14 Protein sequence:
 Protein Accession #: NP_005969.1

65 1 11 21 31 41 51 60
 | | | | | | |
 MNCSSLEQAL AVLVTTFHKY SCQEGDKFKL SKGEMKELLH KELPSFVGEK VDEEGLKILM
 GSLDENSDQQ VDFQEYAVFL ALITVMCNDP FQGCPCDRP

Seq ID NO: 15 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 62-358

75 1 11 21 31 41 51 60
 | | | | | | |
 GGAGGGTGTG CCGCTGAGTC ACTGCCTGGG CATCTGGGCC TGGAACTCTG GCCACAGATC 60
 CATGATGTGC AGTTCTCTGG AGCAGGCGCT GGCTGTGCTG GTCACTACTT TCCACAAGTA 120
 CTCTGCCCAA GAGGGGACAA AGTTCAAGCT GAGTAAGGGG GAAATGAAGG AACTTCTGCA 180
 80 CAAGGAGCTG CCCAGCTTTG TGGGGGAGAA AGTGGATGAG GAGGGGCTGA AGAAGCTGAT 240
 GGGCAGCCTG GATGAGAACA GTGACCAGCA GGTGGACTTC CAGGAGTATG CTGTTTTCTT 300
 GGCACCTCAT ACTGTCAATG GCATGACTT CTCCAGGGC TGCCAGACC GACCCTGAAG 360
 CAGAACTCTT GACTTCTGTC CATGGATCTC TTGGGCCAG GACTGTTGAT GCCTTTGAGT 420
 TTTGATTCA ATAAACTTTT TTTGTCTGTT GATAATATTT TAATTGCTCA GTGATGTTCC 480
 85 ATAAACCCGC TGGCTCAGCT GGAGTGTCTG GAGATGAGGG CCTCTGGAT CCTGCTCCCT 540
 TCTGGGCTCT GACTCTCTG GAAATCTCTC CAAGGCCAGA GCTATGCTTT AGGTCTCAAT 600
 TTTGGAATT CAAACACCAG CAAAAAATTG GAAATCGAGA TAGGTTGCTG ACTTTTATT 660

Seq ID NO: 16 Protein sequence:
Protein Accession #: NP_005969.1

1 11 21 31 41 51 60
| | | | | |
MCCSSLEQAL AVLVTTTFHKY SQEGDKFKL SKGEMKELLH KELPSFVGEK VDEEGLKRLM
GSLDENSQQ VDFQEYAVFL ALITVNCNDF FQGCPCDRP

Seq ID NO: 17 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 939-2372

1 11 21 31 41 51 60
| | | | | |
AAGACGGATT CTCAGACAAG GCTTGCAAAAT GCCCCGCAGC CATCATTAA CTGCACCCGC 60
AGAAATAGTTA CGGTTTGTCA CCCGACCCCTC CCGGATCGCC TAATTTGTCC CTAGTGAGAC 120
CCCGAGGCTC TGCCCGCGCC TGGCTTCTTC GTAGCTGGAT GCATATCGTG CTCGCGGCAG 180
CGCGGGCGCA GGGCAGCGGT TCGCGCACAC CCTAGCACAC ATGAACACGC GCAAGAGCTG 240
AACCAGCAC GGTTCATT TCACAAAAGG AGACAGCCTC TACCGGATT GTAGAAGAGA 300
CTGTGGTGTG AATTAGGGAC CGGGAGGCGT CGAACGGAGG AACGGTTCAT CTTAGAGACT 360
AATTTTCTGG AGTTCCTGCC CCTGCTCTGC GTCAGCCCTC ACGTCACTTC GCCAGCAGTA 420
GCAGAGGCGG CGGGCGCGGC TCOCGGAATT GGGTTGGAGC AGGAGCCTCG CTGGCTGCTT 480
CGCTCGCGCT CTACGCGCTC AGTCCCCGGC GGTAGCAGGA GCCTGGACCC AGGCGCGGCC 540
GGCGGGCGTG AGGCGCCGGA GCCCGGCCTC GAGGTGCATA CCGGACCCCT ATTGCATCT 600
AACAAAGAAAT CTGCGCCCCA GAGAGTCCCG GGAGCGCCGC CGGTCCGTGC CCGGCGCGCC 660
GGGCCATGCA GCGACGCGCG CCGCGGAGCT CCGAGCAGCG GTAGCGCCCC CCTGTAAGC 720
GGTTCGCTAT CCGCGGCGCA CTGTGAAACC TGCCGCCTGC CGGAACACTC TTCGCTCCGG 780
ACCAAGCTAG CCTCTGATAA CTGTGACTCG GCACGCGCCG AACAAAGCAC GAGGAGTTAA 840
GAGAGCCGCA AGCGCAGGGA AGGCCTCCCC GCACGGGTGG GGGAAAGCGG CCGGTGCAGC 900
CGCGGGACAG GCACTCGGGC TGGCACTGGC TGCTAGGGAT GTCGTCTCTG ATAAGGTGGC 960
ATGGACCCGC CATGCGCGCG TCTGGGGCT TCTGCTGGCT GGTGTGGGC TTCTGGAGGG 1020
CGCTTTTGGC CTGTCCACAG TCCTGCAAAAT GCAGTGCCTC TCGGATCTGG TGCAGCGACC 1080
CTTCTCTCG CATCGTGGCA TTTCCGAGAT TGGAGCCTAA CAGTGTAGAT CCTGAGAACA 1140
TCACCGAAAT TTTTCATCGCA AACCAAGAAA GGTAGAAAAT CATCAACGAA GATGATGTTG 1200
AAGCTTATGT GGGACTGAGA AATCTGACAA TTGTGGATTC TGGATTAAAA TTTGTGGCTC 1260
ATAAAGCATT TCTGAAAAAC AGCAACCTGC AGCACATCAA TTTTACCCGA AACAACTGA 1320
CGAGTTTGT TAGGAACAT TTCCGTCACC TTGACTTGTG TGAACTGATC CTGGTGGGCA 1380
ATCCATTTAC ATGCTCCTGT GACTTATGT GGATCAAGAC TCTCCAAGAG GCTAAAATCCA 1440
GTCCAGACAC TCAGGATTTG TACTGCCTGA ATGAAAGCAG CAAGAATATT CCCCTGGCAA 1500
ACCTGCAGAT ACCCAATTGT GGTTCGCCAT CTGCAAAATCT GGCCGCACCT AACCTCACTG 1560
TGGAGGAAGG AAGTCTATC ACATTATCCT GTAGTGTGGC AGGTGATCCG GTTCTTAATA 1620
TGATTTGGGA TGTGTGTAAC CTGGTTTCCA AACATATGAA TGAACAAGC CACACACAGG 1680
GCTCCTTAAG GATAACTAAC ATTTCACTCG ATGACAGTGG GAAGCAGATC TCTTGTGTGG 1740
CGGAAAAATCT TGTAGAGAAA GATCAAGATT CTGTCAACCT CACTGTGCAT TTTGCACCAA 1800
CTATCACATT TCTCGAATCT CCAACCTCAG ACCACCACTG GTGCATTCCA TCACTGTGA 1860
AAGGCAACCC CAAACCAGCG CTTCAGTGGT TCTATAACGG GGCATATTTG AATGAGTCCA 1920
AATACATCTG TACTAAAAATA CATGTTACCA ATCACACGGA GTACCACGGC TGCCTCCAGC 1980
TGGATAATCC CACTCACATG AACAAATGGG ACTACACTCT AATAGCCAAG AATGAGTATG 2040
GGAAGGATGA GAAACAGATT TCTGCTCACT TCAATGGGCTG GCCTGGAAAT GACGATGGTG 2100
CAAAACCCAAA TTATCCTGAT GTAATTTATG AAGATTATGG AACTGCAGCG AATGACATCG 2160
GGGACACCCAC GAACAGAAGT AATGAAATCC CTTCACAGA CGTCACTGAT AAAACCGGTC 2220
GGGAACATCT CTGGTCTAT GCTGTGGTGG TGATTGCGTC TGTGGTGGGA TTTTGCCTTT 2280
TGTTAATGCT GTTCTGCTT AAGTTGGCAA GACTCCCAA GTTGGCATG AAAGTTTTG 2340
TTTTGTTTCA TAAGATCCCA CTGGATGGGT AGCTGAAATA AAGGAAAAGA CAGAGAAAGG 2400
GGCTGTGGTG CTGTGTGGTT GATGCTGCCA TGTAAGCTGG ACTCCTGGGA CTGCTGTGG 2460
CTTATCCCGG GAAGTGTCTG TTATCTGGGG TTTTCTGGTA GATGTGGGCG GTGTTGGAG 2520
GCTGTACTAT ATGAAGCCTG CATATACTGT GAGCTGTGAT TGGGGAACAC CAATGCAGAG 2580
GTAACCTCA GGCAGCTAAG CAGCACCTCA AGAAAACATG TTAATAATAT GCTTCTCTTC 2640
TTACAGTAGT TCAATAACA AACTGAAATG AAATCCCATG GGATTGTACT TCTCTCTGA 2700
AAAGTGTGCT TTTGACCCCT ACTGGACATT TATTGACTTA ATTGCTTCTG TTTATTAATA 2760
TTGACCTGCA AAGTAAAAAA AAAATTAAG TTGAGAACAG GTATAAGTGC ACACGTAATA 2820
GTCTAATCTA CATGTAACAC ATATTTAGT GTGATTTTCT ATACTCTAAT CAGCACTGAA 2880
TTACAGAGGT TTGACTTTTT CATCTATAAC ACAGTGACTA AAAGAGTTAA GGGTATATAT 2940
ACCATCACTT TGGGACTTGG TAGTATTAT AAAAGGTTAT TTCTTCACT GTCAATAAAA 3000
GTCCAAATGT TTAGCTTAGG TCTGAGAGTC AAACAATGTT AAGGATGTG TTAAGTTCC 3060
TTAGCCAGCA AAACAACAACA AAACAACAACA AACAAATGAA AACGTTTAA AAAGAAGAAG 3120
AAGAAAAAAA ACAAGAACAA GCAGCAACAG CTGTTTTGTT GGGCTATAG ATTTAAGTTA 3180
GGCATACTCA ATTTAGAAAT AACTAAGAGT GGAATATATG CATATGGTGA AATTATAACC 3240
TTGCCCTTTT TTAATTTGCC TCTGCGATCC ACCTGCTTTT TAGAAGTCTG CCGAGTGAGA 3300
AGGCCACAGT ATCTCATGCT GTTTGCATTA CAGAACTGCA GCTTTTCTAC TCTGAAAAGG 3360
CCTGGGAGCA GAATGGCTGG CCTGCTGTGA GCAGGAGAGG AGATTCTAAG AAGGATAGTC 3420
CCCCCTACAA CATACTGTCA TACTGTGGG TTTTCATGGG TAGGAAAGCT TGCTCTGACC 3480
CCAGCAGCAA AGAGGTGGCA GGTGCTAAT GAATATATGC TTTATATGT CCTTCTCTAT 3540
TGCTGAGAGG GCAGCCTTAG AGCTGTGGAT TTCTGCATCC CCCCTGAGTC TGACCCATGG 3600
ACACCTGTTT CATTCACTTT AGCATCACAG TGACCTTTGT ATGCTCTGTT CAGTCTGTGT 3660
CAGGCAGTAT GCTTGTCCCTG AAGAGAGGTT TGGCTATCCC CACCCACCC CACCCACCC 3720
TGTTCTTTTT TTATCAGGAG GACTTCAGAG CCAGGCTGCG AGCATTTTGT TTGAAAACAC 3780
AATCAGCTCT GACAGTTGTA CATGCACACA GACGCCATAG CTGGATTGGA AACATTGATG 3840
TTTTAAAAAT TTATTTTTTT TGGAAATAGT TGCACAAATG CTGCAATTTA GCTTTAAGGT 3900
TCTATAGATT TTTAACTAGT CCAACACAGT CAGAAACATT GTTTTGAATC CTCTGTA AAC 3960
CAAGGCATTA ATCTTAATAA ACCAGGATCC ATTTAGGTAC CACTTGATAT AAAAAGGATA 4020
TCCATAATGA ATATTTTATA TACATCCCTT TACATTAGCC ACTAAATACG TTATTGCTTG 4080
ATGAAGACCT TTCACAGAAAT CCTATGGATT GCAGCATTTT ACTTGGCTAC TTCATACCCA 4140

TGCCTTAAAG AGGGGCAGTT TCTCAAAGC AGAAACATGC CGCAGTTCT CAAGTTTTC 4200
 TCCTAACTCC ATTTGAATGT AAGGGCAGCT GGCCCCAAT GTGGGGAGGT CCGAACATTT 4260
 TCTGAATCC CATTTCCTGT TTCGCGGCTA AATGACAGTT TCTGTCAATTA CTTAGATTCC 4320
 GATCITTTCC AAAGGTGTTG ATTTACAAG AGGCCAGCTA ATAGCAGAAA TCATGACCCT 4380
 GAAAGAGAGA TGAATTCAA GCTGTGAGCC AGGCAGGAGC TCAGTATGGC AAAGGTTCTT 4440
 GAGAATCAGC CATTGTGTAC AAAAAAGATT TTTAAAGCTT TTATGTTATA CCATGGAGCC 4500
 ATAGAAAGGC TATGGATTGT TTAAGAACTA TTTTAAAGTG TTCCAGACCC AAAAAGGAAA 4560
 AATAAAAAA AAGGAATATT TGTACCCAAC AGCTAGAAGG ATTGCAAGGT AGATTTTGT 4620
 TTTAAATGG AGAGAAGTGG ACAGATAAGG CCATTTAATA TATCAAAGAT CAGTTGACAT 4680
 CTCCTAGGGA ATGATGAAAA CAGCAGGCTA T

Seq ID NO: 18 Protein sequence:
 Protein Accession #: CAA53571

1 11 21 31 41 51
 | | | | |
 MSSWIRWHP AMARLWGFV LUVGFWRAAF ACPTSCKCSA SRIWCSDPSP GIVAFPRLEP 60
 NSVDPENITE IFIANQKRL EINEDDVEAY VGLRNLIVD SGLKPFVAHKA FLKNSNLQHI 120
 NPTRNKLTSL SRKHFRLDL SELILVGNPF TCSCDIMWIK TLQEARSSPD TQDLYCLNES 180
 SKNIFLANLQ IPNCGLPASN LAAPNLVVEE GKSITLSCSV AGDPVFNMYW DVGNLVSKHM 240
 NETSHTQSSL RITNISSDDS GKQISCVAEV LVGEDQDSVN LTVHFAPTIT FLESPTSDHH 300
 WCIPTVKGN PKPALQWFYN GAILNESKYI CTKIHVTNHT EYHGCLQLDN PTHMNGDYT 360
 LIAKNEYGKD EKQISAHFMG WPGIDDGANP NYPDVIYEDY GTAANDIGDT TNRSNEIPST 420
 DVTDKTGREH LSVYAVVVIA SVVGFCLLVM LFLKLARHS KFGMKGFVLF HKIPLDG

Seq ID NO: 19 DNA sequence
 Nucleic Acid Accession #: NM_000228
 Coding sequence: 82-360

1 11 21 31 41 51
 | | | | |
 GCTTTCAGGC GATCTGGAGA AAGAACGGCA GAACACACAG CAAGGAAAGG TCCTTTCTGG 60
 GGATCACCCC ATTGGCTGAA GATGAGACCA TTCTTCCTCT TGTGTTTTC CCTGCCTGGC 120
 CTCCTGCATG CCCAACAGC CTGCTCCCGT GGGGCCTGCT ATCCACTGTG TGGGGACCTG 180
 CTTGTTGGGA GGACCCGGTT TCTCCGAGCT TCATCTACCT GTGGACTGAC CAAGCCTGAG 240
 ACCTACTGCA CCCAGTATGG CGAGTGGCAG ATGAAATGCT GCAAGTGTGA CTCAGGCAG 300
 CCTCACAAC ACTACAGTCA CCGAGTAGAG AATGTGGCTT CATCTCCGG CCCCATGCCG 360
 TGGTGGCAGT CCCAGAATGA TGTGAACCTT GTCTCTCTGC AGCTGGACCT GGACAGGAGA 420
 TTCCAGCTTC AAGAAGTCAT GATGGAGTTC CAGGGGCCCA TGCCCGCCGG CATGCTGATT 480
 GAGCGCTCCT CAGACTCCGG TAAGACCTGG CGAGTGTACC AGTACCTGGC TGCCGACTGC 540
 ACCTCCACCT TCCCTCGGGT CCGCCAGGGT CGGCCTCAGA GCTGGCAGGA TGTTCGTTGC 600
 CAGTCCCTGC CTCAGAGGCC TAATGACCGC CTAATGCGGG GGAAGGTCCA ACTTAACCTT 660
 ATGGATTTAG TGCTGGGAT TCCAGCAACT CAAAGTCAA AAATTCAGA GGTGGGGGAG 720
 ATCACAACCT TGAGAGTCAA TTTCACAGG CTGGCCCTTG TGCCCAAAG GGGCTACCAC 780
 CCTCCACAGG CACTACTATG TGTGTCCAG CTCGCTCTGC AGGGGAGCTG CTTCTGTAC 840
 GGCCATGCTG ATCGTGGCC ACCCAAGCCT GGGCCCTCTG CAGGCCCTTC CACCCTGTG 900
 CAGTCCACG ATGTCTGTGT CTGCCAGCAC AACACTGCCG GCCCAAATTG TGAGCGCTGT 960
 GCACCCCTCT ACAACAACCG GCCCTGGAGA CCGGCGGAGG GCCAGGACGC CCATGAATGC 1020
 CAAAGGTGCG ACTGCAATGG CCACTCAGAG ACATGTCACT TTGACCCCGC TGTGTTTGGC 1080
 GCCAGCCAGG GGCATATGG AGGTGTGTGT GACAATTGCC GGGACCACAC CGAAGGCAAAG 1140
 AACTGTGAGC GGTGTACGCT GCACTATTC CGGAACCGGC GCCCGGGAGC TTCCATTGAG 1200
 GAGACCTGCA TCTCCTGCGA GTGTGATCCG GATGGGGCAG TGCCAGGGGC TCCCTGTGAC 1260
 CCAGTGACCG GGCAGTGTGT GTGCAAGGAG CATGTGCAGG GAGAGCGCTG TGACCTATGC 1320
 AAGCCGGGCT TCACTGGACT CACCTACGCC AACCCGAGG GCTGCCACCG CTGTGACTGC 1380
 AACATCCTGG GGTCCCGGAG GGACATGCCG TGTGACGAGG AGAGTGGGCG CTGCCTTTGT 1440
 CTGCCCAAAG TGGTGGGTCC CAAATGTGAC CAGTGTGCTC CCTACCCTG GAAGCTGGCC 1500
 AGTGGCCAGG GCTGTGAACC GTGTGCCCTG GACCCGCACA ACTCCCTCA GCCCACAGTG 1560
 CAACCAGTTC ACAGGGCAGT GCCCTGTCCG GAAGGCTTTG GTGGCCCTGAT GTGCAGCGCT 1620
 GCAGCCATCC GCCAGTGTCC AGACCGGACC TATGGAGACG TGGCCACAGG ATGCCGAGCC 1680
 TGTGACTGTG ATTTCCGGGG AACAGAGGGC CCGGGCTGCG ACAAGGCATC AGGCCGCTGC 1740
 CTCTGCCGCC CTGGCTTGAC CCGGCCCCGC TGTGACCAGT GCCAGCGAGG CTACTGCAAT 1800
 CGCTACCCGG TGTGCGTGGC CTGCCACCCT TGCTTCCAGA CCTATGATGC GGACCTCCGG 1860
 GAGCAGGCCG TGCGCTTTGG TAGACTCCGC AATGCCACCG CCAGCCTGTG GTCAGGGCCT 1920
 GGGCTGGAGG ACCGTGGCCT GGCCCTCCGG ATCCTAGATG CAAAGAGTAA GATTGAGCAG 1980
 ATCCGAGCAG TTCTCAGCAG CCCCAGCAGT ACAGAGCAGG AGGTGGCTCA GGTGGCCAGT 2040
 GCCATCCTCT CCCTCAGGCG AACTCTCCAG GGCCTGCAGC TGGATCTGCC CCTGGAGGAG 2100
 GAGACGTTGT CCCTCCGAG AGACCTGGAG AGTCTTGACA GAAGCTTCAA TGGTCTCCTT 2160
 ACTATGTATC AGAGGAAGAG GGAGCAGTTT GAAAAATAA GCAGTGTCTA TCCTTCAGGA 2220
 GCCTTCCGGA TGCTGAGCAC AGCCTACGAG CAGTCAGCCC AGGCTGTCTA GCAGGTCTCC 2280
 GACAGCTCGC GCCTTTTGGG CCAGCTCAGG GACAGCCGGA GAGAGGCAGA GAGGCTGGTG 2340
 CGCAGGCGGG GAGGAGGAGG AGGCACCGGC AGCCCAAGC TTGTGGCCCT GAGGCTGGAG 2400
 ATGTCTTCGT TGCTGACCT GACACCCACC TTCAACAAGC TCTGTGGCAA CTCAGGCAG 2460
 ATGGCTTGCA CCCCAATATC ATGCCCTGGT GAGCTATGTC CCCAAGACAA TGGCACAGCC 2520
 TGTGCTCCCG GCTCAGGGG TGTCTTCCCG AGGGCCGGTG GGGCCTTCTT GATGGCCGGG 2580
 CAGGTGGCTG AGCAGCTGCG GGGCTTCAAT GCCCAGCTCC AGCGGACCAG GCAGATGATT 2640
 AGGGCAGCCG AGGAATCTGC CTCACAGATT CAATCCAGTG CCCAGCGCTT GGAGACCCAG 2700
 GTGAGCGCCA GCGCTCCCA GATGGAGGAA GATGTCAGAG GCACACGGCT CCTAATCCAG 2760
 CAGGTCCGGG ACTTCTCAAC AGACCCCGAC ACTGATGACG CCACTATCCA GGAGGTGAG 2820
 GAGGCCGTGC TGGCCCTGTG GCTGCCCAACA GACTCAGCTA CTGTCTGCA GAAGATGAAT 2880
 GAGATCCAGG CCATTGCGAG CAGGCTCCCC AACGTGGACT TGGTGTCTC CCAGACCAA 2940
 CAGGACATTG CCGGTGCCCG CCGGTTGCGG GCTGAGGCTG AGGAAGCCAG GAGCCGAGCC 3000
 CATGCAGTGG AGGGCCAGGT GGAAGATGTG GTTGGGAACC TGCGGCAGGG GACAGTGGCA 3060
 CTCAGGGAAG CTCAGGACAC CATGCAAGGC ACCAGCCGCT CCCTCCGGCT TATCCAGGAC 3120
 AGGTTGCTG AGGTTGAGCA GGTACTGCGG CCAGCAGAAA AGCTGGTGAC AAGCATGACC 3180
 AAGCAGCTGG GTGACTTCTG GACACCGATG GAGGAGCTCC GCCACCAAGC CCGGCAGCAG 3240
 GGGGCAGAGG CAGTCCAGGC CCAGCAGCTT GCGGAAGGTG CCAGCGAGCA GGCATTGAGT 3300
 GCCCAAGAGG GATTTGAGAG AATAAAACAA AAGTATGCTG AGTTGAAGGA CCGGTTGGGT 3360

CAGAGTTCCA TGCTGGGTGA CGAGGGTGCC CGGATCCAGA GTGTGAAGAC AGAGGCAGAG 3420
 GAGCTGTTTG GGGAGACCAT GGAGATGATG GACAGGATGA AAGACATGGA GTTGGAGCTG 3480
 CTGCGGGGCA GCCAGGCCAT CATGCTGCGC TCGGCGGACC TGACAGGACT GGAGAACGCT 3540
 GTGGAGCAGA TCCGTGACCA CATCAATGGG CGCGTGCTCT ACTATGCCAC CTGCAAGTGA 3600
 5 TGCTACAGCT TCCAGCCCGT TGCCCCACTC ATCTGCCGCC TTTGCTTTTG GTTGGGGGCA 3660
 GATTGGGTTG GAATGCTTTC CATCTCCAGG AGACTTTCAT GCAGCCTAAA GTACAGCCTG 3720
 GACCAACCCCT GGTGTGTAGC TAGTAAGATT ACCCTGAGCT GCAGCTGAGC CTGAGCCCAAT 3780
 GGGACAGTTA CACTTGACAG ACAAAGATGG TGGAGATTGG CATGCCATTG AAACCTAAGAG 3840
 CTCTCAAGTC AAGGAAGCTG GGCTGGGCAG TATCCCCCGC CTTTAGTCTT CCACTGGGGGA 3900
 10 GGAATCCTGG ACCAAGCACA AAAACTTAAC AAAAGTGATG TAAAAATGAA AAGCCAATAA 3960
 AAAATCTTTG G

Seq ID NO: 20 Protein sequence:
 Protein Accession #: NP_000219

1 11 21 31 41 51
 MRFFFLLCFA LPGLLHAQQA CSRGACYPPV GDLLVGRTRF LRASSTCGLT KPETYCTQYG 60
 EQMKCKCKCD SRQPHNYISH RVENVASSG PMRWWQSQND VNPVSLQLDL DRRFQLQEVN 120
 20 MEFQGPMPAG MLIERSSDFG KTRWVYQYLA ADCTSTFPRV RQGRPQSWQD VRCQSLPQRP 180
 NARLNGGKQV LNLMDLVSGI PATQSQKIQE VGEITNLRVN FTRLAPVPQR GYHPPSAYYA 240
 VSQRLRLQGSC FCHGHADRCR PKPGASAGPS TAVQVHDCV CQHNTAGPNC ERCAPFYNNR 300
 PWRPAEQGDA HEQQRCDQNC HSETCHFDPA VFAASQGAAYG GVCDCNCRDHT EGKNCERCQL 360
 25 HYFRNRPRGA SIQETCSICE CDPDGAVPGA PCDPVTGQCV CKEHVQGERC DLCKPGFTGL 420
 TYANPQGCHR CDCNILGSRR DMPCEDEESGR CLCLPNVVGPF KCDQCAPYHW KLASGQGCPE 480
 CACDPHNSFQ PTVQPVHRAV PCREGFGGLM CSAAAIRQCP DRTYGDVATG CRACDCDFRG 540
 TEGPGCDKAS GRCLCRPGLT GPRCDQCQRG YCNRYPVCAV CHPCFQTYDA DLREQALRFG 600
 RLNRNATASLW SGPGLERDGL ASRILDASK IEQIRAVLSS PAVTEQEVAV VASAISLRR 660
 TIQGLQLDLP LEEETLSLPR DLESLDRSFN GLLTMYQRKR EQFEKISSAD PSGAFRMLST 720
 30 AYEQSAQAQ QVSDSSRLLD QLRDSRREAE RLVQAGGGG GTGSPKLVAL RLEMSSLPDL 780
 TPTFNKLCGN SRQMACTPIS CPGELCPQDN GTACGSRCRG VLPRAGGAFV MAGQVAEQLR 840
 GFNAQLQRTR QMIRAEESA SIQISSAQLR ETQVSASRSQ MEEDVRRTRL LIQQRVDFLT 900
 DEDTDAATI EVSEAVLALW LPTDSATVLQ KMNEIQALIA RLPNVLDVLS QTKQDIARAR 960
 RLQAEAEAR SRAHAVEGVQ EDVVGNLRQ TVALQEAQDT MQGTSRSLRL IQDRVAEVQ 1020
 35 VLRPAEKLVV SMTKQLGDFW TRMEELRHQA RQQGAEAVQA QQLAEGASEQ ALSAQEGFER 1080
 IKQKYAELKD RLQGSMLGE QGARIQSVKT EAEELFGETM EMMDRMKDME LELLRGSQAI 1140
 MLRSADLTGL EKRVEQIRDH INGRVLYYAT CK

Seq ID NO: 21 DNA sequence
 Nucleic Acid Accession #: NM_003722
 Coding sequence: 145-1491

1 11 21 31 41 51
 TCGTTGATAT CAAAGACAGT TGAAGGAAAT GAATTTTGAA ACTTCACGGT GTGCCACCCT 60
 ACAGTACTGC CCTGACCCTT ACATCCAGCG TTTCTGTAGAA ACCCAGCTCA TTTCTCTTGG 120
 AAAGAAAGTT ATTACCGATC CACCATGTCC CAGAGCACAC AGACAATGA ATTCCTCAGT 180
 CCAGAGGTTT TCCAGCATAT CTGGGATTTT CTGGAACAGC CTATATGTTT AGTTCAGCCC 240
 50 ATTGACTTGA ACTTTGTGGA TGAACCATCA GAAGATGTTG CGACAACAA GATTGAGATT 300
 AGCATGGACT GTATTCGATG GCAGGACTCG GACCTGAGTG ACCCCATGTG GCCACAGTAC 360
 ACGAACCTGG GGCTCCTGAA CAGCATGGAC CAGCAGATTC AGAACGGCTC CTCGTCCACC 420
 AGTCCTCATA ACACAGACCA CGCGCAGAAC AGCGTCACGG CGCCCTCGCC CTACGCACAG 480
 CCCAGCTCCA CCTTCGATGC TCTCTCTCCA TCACCCGCCA TCCCCTCCA CACCGACTAC 540
 55 CCAGGCCCGC ACAGTTTCGA OGTGTCTTTC CAGCAGTCGA GCACCGCAA GTCCGCCACC 600
 TGGACGTATT CCACTGAACT GAAGAAACTC TACTGCCAAA TTGCAAAGAC ATGCCCCATC 660
 CAGATCAAGG TGAATGACCC ACCTCCTCAG GGAGCTGTGA TCCGCGCCAT CCGGTCTAC 720
 AAAAAGCTG AGCAGCTCAC GGAGGTGGTG AAGCGGTGCC CCAACCATGA GCTGAGCCGT 780
 GAATTCACG AGGGACAGAT TGCCCTCCTT AGTCATTGTA TTCGAGTGA GGGAAACAGC 840
 60 CATGCCAGT ATGTAGAAGA TCCCATCACA GGAAGACAGA GTGTGCTGGT ACCTTATGAG 900
 CCACCCAGG TTGCACCTGA ATTCACGACA GTCTGTGACA ATTTTCATGT TAACAGCAGT 960
 TGTGTGTGAG GGATGAACCG CCGTCCAATT TTAATCATTG TTACTCTGGA AACCAGAGAT 1020
 GGGCAAGTCC TGGCCGACCG CTGCTTTGAG GCCCGGATCT GTGCTTGCCC AGGAAGAGAC 1080
 AGGAAGGCGG ATGAAGATG CATCAGAAAG CAGCAAGTTT OGGACAGTAC AAAGAACGGT 1140
 65 GATGGTACGA AGCCCCGCTT TGTCAGAAC ACACATGGTA TCCAGATGAC ATCCATCAAG 1200
 AAACGAAGAT CCCCAGATGA TGAACGTGTA TACTTACCAG TGAGGGGCCG TGAGACTTAT 1260
 GAAATGCTGT TGAAGATCAA AGAGTCCCTG GAACCTATGC AGTACCTTCC TCAGCACACA 1320
 ATTGAAACGT ACAGGCAACA GCACACAGCAG CAGCACCAGC ACTTACTTCA GAAACATCTC 1380
 CTTTCAGCCT GCTTCAGGAA TGAGCTTGTG GAGCCCCGGA GAGAACTCC AAAACAATCT 1440
 GACGCTCTCT TTAGACATTC CAAGCCCCCA AACCGATCAG TGTACCATA GAGCCCTATC 1500
 70 TCTATATTTT AAGTGTGTGT GTTGTATTTT CATGTGTATA TGTGAGTGTG TGTGTGTGTA 1560
 TGTGTGTGCG TGTGTATCTA GCCCTCATAA ACAGGACTTG AAGACACTTT GGCTCAGAGA 1620
 CCCACTGCT CAAAGGCACA AAGCCACTAG TGAGAGAATC TTTTGAAGGG ACTCAAACCT 1680
 TTACAAGAAA GGATGTTTTC TGCAGATTTT GTATCCTTAG ACCGGCCATT GGTGGGTGAG 1740
 75 GAAACCACTGT GTTGTCTGTG GAGCTTCTG TTTGTTCTCG GGAGGGAGGG GTCAGGTGGG 1800
 GAAAGGGGCA TTAAGATGTT TATTGGAACC CTTTTCTGTC TTCTTCTGTT GTTTTTCTAA 1860
 AATTACACAG GAAGCTTTTG AGCAGGTCTC AAACCTAAGA TGTCTTTTTA AGAAAAGGAG 1920
 AAAAAAGTTG TTAATGTCTG TGATAAGTA AGTTGTAGGT GACTGAGAGA CTCAGTCAGA 1980
 CCCTTTTAA TCTGGTCATG TAATAATATT GCAAGTAGTA AGAAACGAAG GTGTCAAGTG 2040
 80 TACTGCTGGG CAGCGAGGTG ATCATTACCA AAAGTAATCA ACTTTGTGGG TGGAGAGTTC 2100
 TTTGTGAGAA CTTGCATAT TTTGTCTCTC CCCTCATGTG TAGGTAGAAC ATTTCTTAA 2160
 GCTGTGTACC TGGCTCTGCC ACTGTATGTT GGCACTCTGT ATGCTAAAGT TTTTCTGTG 2220
 CATGAAACCC TGGAAAGACT ACTACAACAAA AACTGTTGTT TGGCCCCCAT AGCAGGTGAA 2280
 CTCATTTTGT GCTTTTAAATA GAAAGACAAA TCCACCCAG TAAATTGCCC CTTACGTAGT 2340
 TGTTTACCAT TATTCAAAGC TCAAAATAGA ATTTGAAGCC CTCTCAAAA ATCTGTGATT 2400
 85 AATTTGCTTA ATTAGAGCTT CTATCCCTCA AGCCTACCTA CCATAAAACC AGCCATATTA 2460
 CTGATACTGT TCAGTGCATT TAGCCAGGAG ACTTACGTTT TGAGTAAGTG AGATCCAAGC 2520
 AGACGTGTTA AAATCAGCAC TCCTGGACTG GAAATTAAG ATTGAAAGGG TAGACTACTT 2580

TTCTTTTTT TACTCAAAAG TTTAGAGAAT CTCTGTTTCT TTCCATTTTA AAAACATATT 2640
 TTAAGATAAT AGCATAAAGA CTTTAAAAAT GTTCCCTCCC TCCATCTTCC CACACCCAGT 2700
 CACCAGCACT GTATTTTCTG TCACCAAGAC AATGATTTCT TGTATTGAG GCTGTTGCTT 2760
 TTGTGGATGT GTGATTTTAA TTTTCAATAA ACTTTTGCAT CTGTGGTTAA AAGAAA

5

Seq ID NO: 22 Protein sequence:
 Protein Accession #: NP_003713

10 1 11 21 31 41 51
 MSQSTQTNEF LSPEVFQHIW DFLEQPICSV QPIDLNFVDE PSEDGATNKI EISMDCIRMQ 60
 DSDLSDPMWP QYTNLGLLNS MDQQIQNGSS STSPYNTDHA QNSVTAPSPY AQPSTFDAL 120
 SPSPAIPSNT DYPGPHSFDV SFQSSSTAKS ATWTYSTELK KLYCQIAKTC PIQIKVMTFP 180
 15 PQGAVIRAMP VYKKAHVTE VVKRCPNHEL SREFNEGQIA PPSHLIRVEG NSHAQYVEDP 240
 ITGRQSVLVP YEPPQVGTGF TTVLYNFMCN SSCVGMNRR PILIIVTLET RDGQVLGRRC 300
 FEARICACPG RDRKAEDDSI RKQQVSDSTK NGDGTKRPPR QNTHGIQMTS IKKRRSPDDE 360
 LLYLFPVRGE TYEMLLKIKE SLELMQYLPQ HTIETRQQO QQQHQHLLQK HLLSACFRNE 420
 LVEPRRETEK QSDVFRHRSK PPNRSVYP

20

Seq ID NO: 23 DNA sequence
 Nucleic Acid Accession #: NM_001944.1
 Coding sequence: 84-3083

25 1 11 21 31 41 51
 TTTTCTTAGA CATTAACTGC AGACGGCTGG CAGGATAGAA GCACGGGCTC ACTTGGACTT 60
 TTTACCAGG GAAATCAGAG ACAATGATGG GGCTCTTCCC CAGAACTACA GGGGCTCTGG 120
 30 CCATCTTCGT GGTGGTCATA TTGGTTCATG GAGAAATGCG AATAGAGACT AAAGGTCAAT 180
 ATGATGAAGA AGAGATGACT ATGCAACAAG CTAAGAAGAG GCAAAAACGT GAATGGGTGA 240
 AATTGGCCAA ACCCTGCAGA GAAGGAGAAG ATAACCTAAA AAGAAACCCA ATTGCCAAGA 300
 TTACTTCAGA TTACCAAGCA ACCCAGAAAA TCACCTACCG AATCTCTGGA GTGGGAATCG 360
 ATCAGCCGCG TTTTGGAAATC TTTGTTGTTG ACAAACACAC TGGAGATATT AACATAACAG 420
 CTATAGTCGA CCGGGAGGAA ACTCCAAGCT TCCTGATCAC ATGTCGGGCT CTAATGCCCC 480
 35 AAGGACTAGA TGTAGAGAAA CCACTTATAC TAACGGTTAA AATTTTGGAT ATTAATGATA 540
 ATCCTCCAGT ATTTTCAAAA CAAATTTTCA TGGGTGAAAT TGAAGAAAAT AGTGCCCTCAA 600
 ACTCACTGGT GATGATACTA AATGCCACAG ATGCAGATGA ACCAAACCAC TTGAATTTCTA 660
 AAATTCGCTT CAAAATGTCT TCTCAGGAAC CAGCAGGCAC ACCCATGTTT CTCCTAAGCA 720
 40 GAAACACTGG GGAAGTCCGT ACTTTGACCA ATTCTCTTGA CCGAGAGCAA GCTAGCAGCT 780
 ATCGTCTGGT TGTGAGTGGT GCAGACAAAG ATGGAGAAGG ACTATCAACT CAATGTGAAT 840
 GTAATATTA AGTGAAGAT ACTCAACGATA ACTTCCCAAT GTTAGAGAC TCTCAGTATT 900
 CAGCACGTAT TGAAGAAAAT ATTTAAGTT CTGAATTACT TCGATTTCAA GTAACAGATT 960
 TGGATGAAGA GTACACAGAT AATTGGCTTG CAGTATATTT CTTTACCTCT GGAATGAAG 1020
 GAAATTTGGT TGAATACAA AACTGATCCTA GAACATAATGA AGGCATCTG AAAGTGGTGA 1080
 45 AGGCTCTAGA TTATGAACAA CTACAAAGCG TGAACCTTAG TATTGCTGTC AAAACAAAG 1140
 CTGAATTTCA CCAATCAGTT ATCTCTCGAT ACCGAGTCA GTCAACCCCA GTCACAAATTC 1200
 AGTAATAAAA TGTAAAGAAA GGAATTGCAT TCCGTCCTGC TTCCAAGACA TTTACTGTGC 1260
 AAAAAGGCAT AAGTAGCAAA AAATTTGGTG ATTATATCCT GGGAACATAT CAAGCCATCG 1320
 ATGAGGACAC TAACAAAGCT GCCTCAAATG TCAAATATGT CATGGGACGT AACGATGGTG 1380
 50 GATACCTAAT GATTTGATTTA AAAACTGCTG AAATCAAATTT TGTCAAAAAT ATGAACCCAG 1440
 ATTCTACTTT CATAGTTAAC AAAACAATCA CAGCTGAGGT TCTGGCCATA GATGAATACA 1500
 CGGGTAAAC TTCTACAGGC ACGGTATATG TTAGAGTACC CGATTTCAAT GACAATTGTC 1560
 CAACAGCTGT CCTCGAAAAA ACTGCAGTTT GCAGTTCTTC ACCTTCCGTG GTTGTCTCCG 1620
 CTAGAACACT GAATAATAGA TACACTGGCC CCTATACATT TGCACTGGAA GATCAACCTG 1680
 55 TAAAGTTGCC TGCCGTATGG AGTATCAAAA CCCTCAATGC TACCTCGGCC CTCCTCAGAG 1740
 CCCAGGAACA GATACCTCCT GGAGTATACC ACATCTCCCT GGTACTTACA GACAGTCAGA 1800
 ACAATCGGTG TGAGATGCCA CGCAGCTTGA CACTGGAAGT CTGTCACTGT GACAACAGGG 1860
 GCATCTGTGG AACTTCTTAC CCAACCAAA GCCCTGGGAC CAGGTATGGC AGGCCGCACT 1920
 CAGGGAGGCT GGGCCCTGCC GCCATCGGCC TGCTGCTCCT TGGTCTCCTG CTGCTGCTGT 1980
 60 TGGCCCCCTT TCTGCTGTG ACCTGTGACT GTGGGGCAGG TTCTACTGGG GGAGTGACAG 2040
 GTGGTTTTAT CCCAGTTCTT GATGGCTCAG AAGGAACAAT TCATCAGTGG GGAATGAAG 2100
 GAGCCCATCC TGAAGACAAG GAAATCAAAA ATATTTGTGT GCCCTCTGTA ACAGCCAATG 2160
 GAGCCGATTT CATGAAAAGT TCTGAAAGTT GTACAAAATAC GTATGCCAGA GGCAACAGCG 2220
 TGAAGGCAC TTCAGGAATG GAAATGACCA CTAAGCTTGG AGCAGCCACT GAATCTGGAG 2280
 65 GTGCTGCAGG CTTTGCAACA GGGACAGTGT CAGGAGCTGC TTCAGGATTC GGAGCAGCCA 2340
 CTGGAGTTGG CATCTGTTC TCAAGGCAGT CTGGAACCAT GAGAACAAAG CATTCCACTG 2400
 GAGGAACCAA TAAGGACTAC GCTGATGGGG CGATAAGCAT GAATTTTCTG GACTCCTACT 2460
 TTTCTCAGAA ASCATTTGCC TGTGCGGAGG AAGACGATGG CCAGGAAGCA AATGACTGCT 2520
 TGTGTATCTA TGATAATGAA GGCAGAGATG CCACTGGTTC TCCTGTGGGC TCCGTGGGTT 2580
 70 GTTGCAGTTT TATTGCTGAT GACCTGGATG ACAGCTTCTT GGACTCACTT GGACCCAAAT 2640
 TTAATAAACT TGCAGAGATA AGCCTTGGTG TTGATGGTGA AGGCAAAGAA GTTCAGCCAC 2700
 CCTCTAAGAA CAGCGGTTAT GGGATTGAAT CCTGTGCCCA TCCCATAGAA GTCCAGCAGA 2760
 CAGGATTTGT TAAGTGCCAG ACTTTGTGAG GAAAGTCAAGG AGCTTCTGCT TTGTCGSCCT 2820
 CTGGGTCTGT CCAGCCAGCT GTTTCATACC CTGACCCCTC GCAGCATGGT AACTATTTAG 2880
 75 TAAOCGAGAC TTAAGTCCGT TCTGTTTCCC TCGTGCACC TTCCACTGCA GCCTTTGATC 2940
 CACTTCTCAC ACAAATGTG ATAGTGACAG AAAGGGTGTACT CTGTCCCATC TCCAGTGTTC 3000
 CTGGCAACCT AGCTGGCCCA ACGCAGCTAC GAGGGTCACT TACTATGCTC TGTACAGAGG 3060
 ATCCTTGCTC CCGTCTAATA TGACCAGAA GAGCTGGAAT ACCACCTGA CCAAATCTGG 3120
 80 ATCTTTGGAC TAAAGTATTC AAAATAGCAT AGCAAAGCTC ACTGTATTGG GCTAATAAAT 3180
 TGGCACTTAT TAGCTTCTCT CATAAATCTA TCACGATTAT AAATTAATG TTTGGGTTCA 3240
 TACCCAAAA GCAATATGTT GTCACTCCTA ATTCTCAAGT ACTATTCAA TTGTAGTAAA 3300
 TCTTAAAGTT TTTCAAAACC CTAATAATCAT ATTCCG

85

Seq ID NO: 24 Protein sequence:
 Protein Accession #: NP_001935.1

1 11 21 31 41 51

	MMGLPFRRTG	ALAI FVVVIL	VHGLRIETK	QYDEEEMTM	QAKRRQKRE	WVKFAKPCRE	60
	GEDNSKRNPI	AKITSDYQAT	QKITYRISGV	GIDQPPFGIF	VVDKNTGDIN	ITAI VDREET	120
5	PSFLITCRAL	NAQGLDVEKP	LILTVKILDI	NDNPPVFSQQ	IFMGEIEENS	ASNLSVMLIN	180
	ATDADEFNHL	NSKIAFKIVS	QEPAGTFMFL	LSRNTGEVRT	LTSNLDREQA	SSYRLVVSQA	240
	DKDGEGLSTQ	CECNIKVKDV	NDNPFMFRDS	QYSARIEENI	LSSELLRFQV	TDLDEEYTDN	300
	WLAVYFPTSG	NEGNWFBIQT	DPRTNEGILK	VVKALDYBQL	QSVKLSIAVK	NKAEFHQSVI	360
	SRVRVQSTPV	TIQVINVREG	IAPRPASKTF	TVQKGISSKK	LVDYILGTQY	AIDEDTNKAA	420
10	SNVKYVMGRN	DGGYLMIDSK	TAEIKFVKNM	NRDSTFIVNK	TITAEVLAI	EYTKGTSTGT	480
	VYVRVDFPND	NCPTAVLEKD	AVCSSSPSVV	VSARTLNNRY	TGPYTFALD	QPVKLPAVWS	540
	ITTLNATSAL	LRAQEQIPFG	VYHISLVLTD	SQNNRCEMPR	SLTLEVCQCD	NRGICGTSYP	600
	TTSPGTRYGR	PHSGRLGPA	IGLLLLGLLL	LLLAPLILLT	CDCGAGSTGG	VTGGFIPVFD	660
	GSEGTIHQWG	IEGAHPDEKE	ITNICVFPVT	ANGADFMESS	EVCTNTYARG	TAVEGTSGME	720
15	MTTKLGAATE	SGGAAGFATG	TVSGAASGFG	AATGVGICSS	QSGTMRTRH	STGGTNKYDA	780
	DGAISMNPLD	SYFSQKAFAC	AEEDDGQEAN	DCLLIYDNEG	ADATGSPVGS	VGCCSFIADD	840
	LDDSFLDLSL	PKFKKLAEIS	LGVDGEGKEV	QPPSKDSGYG	IESCGHPIEV	QQTGFVKCQT	900
	LSGSQGASAL	SASGSVQPAV	SIPDPLQHG	YLVTEYSAS	GSLVQPSTAG	FDPLLTQNV	960
	VTERRVICPIS	SVFPGNLAGPT	QLRGSHTMLC	TEDPCSRLI			

Seq ID NO: 25 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 56-1642

25	1	11	21	31	41	51	
	AGTATCCCAG	GAGGAGCAAG	TGGCACGCTCT	TCGGACCTAG	GCTGCCCCCTG	CCGTCATGTC	60
	GCAAGGGAATC	CTTTCTCCGC	CAGCGGGCTT	GCTGTCCGAT	GACGATGTCG	TAGTTTCTCC	120
	CATGTTTGGAG	TCCACAGCTG	CAGATTGGG	GTCTGTGGTA	CGCAAGAACC	TGCTATCAGA	180
	CTGCTCTGTC	GTCTCTACTT	CCCTAGAGGA	CAAGCAGCAG	GTTCCATCTG	AGGACAGTAT	240
30	GGAGAAGGTG	AAAGTATACT	TGAGGGTTAG	GCCCTTGTTA	CCTTCAGAGT	TGGAACGACA	300
	GGAAGATCAG	GGTGTGTGCC	GTATTGAGAA	TGTGGAGACC	CTTGTCTCAC	AAGCACCCAA	360
	GGACTCTTTT	GCCCTGAAGA	GCAATGAACG	GGGAATTGGC	CAAGCCACAC	ACAGGTTTCC	420
	CTTTTCCAG	ATCTTTGGGC	GAGAAGTGGG	ACAGGCATCC	TTCTTCAACC	TAACGTGTAA	480
	GGAGATGGTA	AAGGATGTAC	TCAAAGGGCA	GAACCTGGCTC	ATCTATACAT	ATGGAGTAC	540
35	TAACCTCAGG	AAAACCCACA	CGATTCAAGG	TACCATCAAG	GATGGAGGGA	TTCTCCCCCG	600
	GTCCCTGGCG	CTGATCTTCA	ATAGCCCTCA	AGGCCAACTT	CATCCAACAC	CTGATCTGAA	660
	GCCTTGTCTC	TCCAAATGAG	TAATCTGGCT	AGACAGCAAG	CAGATCCGAC	AGGAGGAAAT	720
	GAAAGAGCTG	TCCCTGTATA	ATGGAGGCCCT	CCAAGAGGAG	GAGCTGTCCA	CTTCTTGAA	780
40	GAGGAGTGT	TACATCGAAA	GTCCGATAGG	TACCAGCACC	AGCTTCGACA	GTGGCATTGC	840
	TGGGCTCTCT	TCTATCAGTC	AGTGTACCAG	CAGTAGCCAG	CTGGATGAAA	CAAGTCATCG	900
	ATGGGACACAG	CCAGACACTG	CCCCACTACC	TGTCCCGGCA	AACATTCGCT	TCTCCATCTG	960
	GATCTCATT	TTTGAGATCT	ACAACGAAC	GCTTTATGAC	CTATTAGAAC	CGCCTAGCCA	1020
	ACAGCGCAAG	AGGCAGACTT	TGCGGCTATG	CGAGGATCAA	AATGGCAACT	CCTATGTGAA	1080
45	AGATCTCAAC	TGGATTCATG	TGCAAGATGC	TGAGGAGGCC	TGGAAGCTCC	TAAAAGTGGG	1140
	TCGTAAGAAC	CAGAGCTTTG	CCAGCACCCA	CCTCAACCAG	AACTCCAGCC	GCAGTACAG	1200
	CATCTTCTCA	ATCAGGATCC	TACACCTTCA	GGGGAAAGGA	GATATAGTCC	CCAAGATCAG	1260
	CGAGCTGTCA	CTCTGTGATC	TGGCTGGCTC	AGAGCGCTGC	AAAGATCAGA	AGAGTGGTGA	1320
	ACGGTTGAAG	GAAAGCAGAA	ACATTAACAC	CTCTCTACAC	ACCCTGGGCC	GCTGTATTGC	1380
50	TGCCCTTCGT	CAAAACCCAG	AGAACCGGTC	AAAGCAGAAC	CTGGTTCCTT	TCCGTGACAG	1440
	CAAGTTGACT	CGAGTGTTC	AAAGTTTCTT	CACAGGCCGA	GGCGTTCCTT	GCATGATTGT	1500
	CAATGTGAAT	CCCTGTGCAT	CTACCTATGA	TGAAACTCTT	CATGTGGCCA	AGTTCTCAGC	1560
	CATTGTAGC	CAGGTGACTT	GTGCATGCC	CACCTATGCA	ACTGGGATTC	CCATCCCTGC	1620
	ACTCGTTTCA	CAAGGAACAT	AGTCTTCAGG	TATCCCCAG	CTTAGAGAAA	GGGGCTAAGG	1680
55	CAGACACAGG	CCTGTGATGAT	GATATTGAAA	ATGAAGCTGA	CATCTCCATG	TATGGCAAAG	1740
	AGGAGCTCCT	ACAAGTTGTG	GAAGCCATGA	AGACACTGCT	TTTGAAGGAA	CGACAGGAAA	1800
	AGCTACAGCT	GGAGATGCAT	CTCCGAGATG	AAATTTGCAA	TGAGATGGTA	GAACAGATGC	1860
	AAACAGCGGA	ACAGTGTGTC	AGTGAACATT	TGGACACCCA	AAAGGAACTA	TTGGAGGAAA	1920
	TGTATGAAGA	AAAACATAAT	ATCCTCAAGG	AGTCACTGAC	AAAGTTTTAC	CAAGAAGAGA	1980
60	TTACAGGAGCG	GGATGAAAAG	ATTGAAGAGC	TAGAAGCTCT	CTTGCAGGAA	GCCAGACAAC	2040
	AGTCAGTGGC	CCATCAGCAA	TCAGGGTCTG	AATTGGCCCT	ACGGCCGTCA	CAAAGGTTGG	2100
	CAGCTTCTGC	CTCCACCCAG	CAGCTTCAGG	AGGTTAAAGC	TAAATTACAG	CAGTGCAAAAG	2160
	CAGAGCTAAA	CTCTACCACT	GAAGAGTTGC	ATAAGTATCA	GAAAATGTTA	GAACCAACC	2220
	CCTCAGCCAA	GCCCTTCACC	ATTGATGTGG	ACAAGAAATT	AGAAGAGGGC	CAGAAGAATA	2280
	TAAGGCTGTT	GCGGACAGAG	CTTCAGAAA	TTGGTGAAGT	TCTCCATCA	GCAGAGAGAG	2340
65	CTTGTGTTGCA	CAGCACTGGG	GCAGGAAAAC	TTCTGCAAGC	CTTGACCAC	TGTGATGACA	2400
	TCTTAATCAA	ACAGGACCAG	ACTCTGGCTG	AACTGCAGAA	CAACATGGTG	CTAGTGAAC	2460
	TGGACCTTCG	GAAGAAGGCA	CAGATGATTG	CTGAGCAGTA	TCATACTGTG	TTGAAACTCC	2520
	AAGGCCAGGT	TTCTGCCAAA	AAGCGCCTTG	GTACCAACCA	GGAAAATCAG	CAACCAAAACC	2580
70	AAACACCACC	AGGGAAGAAA	CCATTCTCTC	GAAATTTACT	TCCCAGAAC	CCAACCTGCC	2640
	AAAGCTCAAC	AGACTGCAGC	CCTTATGCC	GGATCCTACG	CTCACGGCGT	TCCCCTTTAC	2700
	TCAAATCTGG	GCCTTTGGC	AAAAAGTACT	AAGGCTGTGG	GGAAAGAGAA	GAGCAGTCAT	2760
	GGCCCTGAGG	TGGGTGAGT	ACTCTCTCTG	AGAAATAGGT	CTCTTTTATG	CTTTACCATA	2820
	TATCAGGAAT	TATATCCAGG	ATGCAATACT	CAGACACTAG	CTTTTCTC	ACTTTGTAT	2880
75	TATAACCACC	TATGTAATCT	CATGTTGTTG	TTTTTTTTTA	TTTACTTATA	TGATTCTAT	2940
	GCACACAAA	ACAGTTATAT	TAAGATATT	ATTGTTTACA	TTTTTTATTG	AATTCCAAAT	3000
	GTAGCAAAAT	CATTAAAAA	AATTAAAAA	GGGACAGAAA	AA		

Seq ID NO: 26 Protein sequence:
 Protein Accession #: Eos sequence

80	1	11	21	31	41	51	
	MSQGILSPPA	GLLSDDVVV	SPMFESTAAD	LGSVVRKNLL	SDCSVVSTSL	EDKQVPSSE	60
	SMEKRVVYLR	VRPLLPSELE	RQEDQGCVRI	ENVETLVLQA	PKDSFALKSN	ERGIQATHR	120
85	PTFSQIFGPE	VQASPFNLT	VKEMVKDVLK	GQNWLIYTYG	VTNSGKHTHI	QGTIKDGGIL	180
	PRSLALIFNS	LQGLHPPTPD	LKPLLSNEVI	WLDSSKQIRQE	EMKLSLLNG	GLQEELSTS	240
	LKRSVYIESR	IGTSTSFDSG	IAGLSSISQC	TSSSQLDETS	HRWAQPDATP	LPV PANIRFS	300

IWISFFEIYN ELLYDLLEPP SQQRKQRTL R LCEDQNGNPF VKDLNWIHVQ DABEAWKLLK 360
 VGRKNQSPAS THLNQNSRSR HSIFSRILH LQEGGDIVPK ISELSLCDLA GSERCKDQKS 420
 GERLKEAGNI NTSLHTLGRG IAALRQNOON RSKQNLVPPF DSKLTRVFGQ PFTGRGRSCM 480
 IVNVNFCAS YDETLHVAKF SAIASQVTC A CPTYATGIPI PALVHQGT

5

Seq ID NO: 27 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 13-1424

10 1 11 21 31 41 51
 | | | | | |
 TAGAAGTTTA CAATGAAGTT TCTTCTAATA CTGCTCCTGC AGGCCACTGC TCTGGAGCT 60
 CTTCCCTGA ACAGCTCTAC AAGCCTGGAA AAAAATAATG TGCTATTGG TGAAGATAC 120
 15 TTAGAAAAAT TTTATGCGCT TGAGATAAAC AAACCTCCAG TGACAAAAAT GAAATATAGT 180
 GGAAACTTAA TGAAGGAAAC AATCCAAGAA ATGCAGCACT TCTTGGGTCT GAAAGTGACC 240
 GGGCAACTGG ACACACTCAC CCTGGAGATG ATGCACGAC CCGATGTGG AGTCCCCGAT 300
 GTCCATCAT TCCAGGAAAT GCCAGGGGGG CCGTATGGA GGAACATTA TATCACCTAC 360
 AGAATCAATA ATTACACACC TGACATGAAC CGTGAGGATG TTGACTACG AATCCGGAAA 420
 GCCTTCCAAAG TATGGAGTAA TGTTACCCCC TTGAAATTCA GCAAGATTAA CACAGGCATG 480
 20 GCTGACATTT TGGTGGTTTT TGCCCGTGA GCTCATGGAG ACTTCCATGC TTTTGTATGGC 540
 AAAGGTGGAA TCCTAGCCCA TGCTTTTGA CCTGGATCTG GCATTGGAGG GGATGCACAT 600
 TTCGATGAGG ACGAATTCTG GACTACACAT TCAGGAGGCA CAAACTTGT CCTCACTGCT 660
 GTTCACGAGA TTGGCCATCT CTTAGTCTT GGCCATTCTA GTGATCCAAA GGCCGTAATG 720
 TTCCCACTT ACAAATATG TGACATCAAC ACATTTGCGC TCTCTGCTGA TGACATACGT 780
 25 GGCATTCACT CCGTGTATGG AGACCCAAA GAGAACCAAC GCTTGCCAAA TCCTGACAAT 840
 TCAGAACCAAG CTCTCTGTGA CCCCAAATTG AGTTTTGATG CTGTCACTAC CGTGGGAAAAT 900
 AAGATCTTTT TCTTCAAGA CAGGTTCTTC TGGCTGAAGG TTTCTGAGAG ACCAAAGACC 960
 AGTGTAAAT TAATTTCTTC CTTATGGCCA ACCTTGCCAT CTGGCATTGA AGCTGCTTAT 1020
 30 GAAATTTAAG CCGAATAATCA AGTTTTTCTT TTTAAAGATG ACAAATACTG GTTAATTAGC 1080
 AATTTAAGAC CAGAGCCAAA TTATCCCAAG AGCATACATT CTTTGGTTT TCCTAACTTT 1140
 GTGAAAAAAA TTGATGCAGC TGTTTTTAAC CCACGTTTTT ATAGGACCTA CTTCTTTGTA 1200
 GATAACCACT ATTTGGAGTA TGATGAAAGG AGACAGATGA TGGACCCCTG TTATCCCAA 1260
 CTGATTACCA AGAATTCCTA AGGAATCGGG CCTAAAATTG ATGCAGTCTT CTACTCTAAA 1320
 35 AACAAATACT ACTATTTCTT CCAAGGATCT AACCAATTG AATATGACTT CCTACTCCAA 1380
 CGTATCACCA AACCACTGAA AAGCAATAGC TGGTTTGGTT GTTGAAAATG GTGTAATTA 1440
 TGGTTTTTGT TAGTCACTT CAGCTTAATA AGTATTTATT GCATATTTGC TATGTCCTCA 1500
 GTGTACCACT ACTTAGAGAT ATGTATCATA AAAATAAAAT CTGTAACCA TAGGTAATGA 1560
 TTATATAAAA TACATAATAT TTTTCAATTT TGAAACTCT AATTGTCCAT TCTTGTCTGA 1620
 40 CTCTACTATT AAGTTTGAAA ATAGTTACCT TCAAAGCAAG ATAATTTCTAT TTGAAGCATG 1680
 CTCTGTAAGT TGCTTCTCAA CATCCTTGA CTGAGAAAT ATACTACTT CTGGCATAAC 1740
 TAAAATTAAG TATATATATT TTGGCTCAA TAAAATTG

Seq ID NO: 28 Protein sequence:
 Protein Accession #: Eos sequence

45 1 11 21 31 41 51
 | | | | | |
 MKFLILLLLQ ATASGALPLN SSTSLEKNNV LFGERYLEKF YGLEINKLPV TKMKYSGNLM 60
 KEKIQEMQHF LGLKRVTQLD TSTLEMMHAP RCGVDPVHFP REMPGGPVWR KHYITYRINN 120
 50 YTFDMNREEDV DYAIRKFAFV WSNVTPLKFS KINTGMADIL VVFARGAHD FHFADGKGGI 180
 LAHAFPGSSG IGGDAHFDED EFWTTHSGGT NLFLLTAVHEI GHSLGLGHSS DPKAVMPPTY 240
 KYVDINTPRL SADDIRGIQS LYGDPKENQR LEPNDNSEPA LCDPNLSFDA VITVGNKIFF 300
 FKDRPFWLKV SERFKTSVNL ISSLWPTLPS GIEAAEIEA RNQVFLFKDD KYWLISNLRP 360
 55 EPNYPKSIHS FGFNPFVKKI DRAVFNPRFY RTYFPVDNQY WRVDERRQMM DPGYPKLITK 420
 NFQGIKPKID AVFYSKNKYY YFFQGSNQPE YDFLLQRITK TLKNSNSWFGC

Seq ID NO: 29 DNA sequence
 Nucleic Acid Accession #: NM_006115.1
 Coding sequence: 236..1765

60 1 11 21 31 41 51
 | | | | | |
 GCTTCAGGTT ACAGCTCCCC CGCAGCCAGA AGCCGGGCCT GCAGCCCTC AGCACCCTC 60
 CGGACACCC CACCCGCTTC CCAGGCGTGA CCTGTCAACA GCAACTTCG GGTGTGGTGA 120
 65 ACTCTCTGAG GAAAAACCAT TTTGATTATT ACTCTCAGAC GTGCGTGGCA ACAAGTGACT 180
 GAGACCTAGA AATCCAAGCG TTGGAGGTCC TGAGGCCAGC CTAAGTCGCT TCAAATGGA 240
 ACGAAGGCGT TTGTGGGGTT CCATTAGAG CCGATACATC AGCATGAGT TGTGGACAAG 300
 CCCACGGAGA CTTGTGGAGC TGGCAGGSCA GAGCCTGCTG AAGGATGAGG CCCTGGCCAT 360
 70 TGCCGCCCTG GAGTTGCTGC CCAGGGAGCT CTTCCCGCCA CTCTTCATGG CAGCCTTTGA 420
 CGGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCCTTCA CCTGCCTCCC 480
 TCTGGGAGTG CTGATGAAGG GACAACATCT TCACCTGGAG ACCTTCAAAG CTGTGCTTGA 540
 TGGACTTGAT GTGCTCCTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAAC TTCAAGTGTCT 600
 GGATTACGG AAGAACTCTC ATCAGGACTT CTGACTGTA TGGTCTGGAA ACAGGGCCAG 660
 75 TCTGTACTCA TTTCCAGAGC CAGAAGCAGC TCAGCCCATG ACAAAGAAGC GAAAAGTAGA 720
 TGGTTTGAGC ACAGAGGCAG AGCAGCCCTT CATTCCAGTA GAGGTGCTCG TAGACCTGTT 780
 CCTCAAGGAA GGTGCGTGTG ATGAATTGTT CTCCTACCTC ATTTGAGAAA TGAAGCGAAA 840
 GAAAAATGTA CTACGCCTGT GCTGTAAGAA GCTGAAGATT TTTGCAATGC CCATGCAGGA 900
 TATCAAGATG ATCTGAAAA TGGTGCAGCT GGACTCTATT GAAGATTGG AAGTGACTTG 960
 80 TACCTGGAAG CTACCCACCT TCCGAAATTT TCTCTTAC CTGGCCAGA TGATTAATCT 1020
 GCGTAGACTC CTCTCTTCCC ACATCCATGC ATCTTCTTAC ATTTCCCCCG AGAAGGAAGA 1080
 CGAGTATATC GCCCAGTTCA CCTCTCAGTT CCTCAGTCTG CAGTGCCTCG AGGCTCTCTA 1140
 TGTGGACTCT TTATTTTTC TTAGAGGCCG CCTGGATCAG TTGCTCAGGC ACGTGTATGA 1200
 CCCTTGGAA ACCCTCTCAA TAACTAAGT CCGGCTTTCG GAAGGGGATG TGATGCATCT 1260
 GTCCAGAGT CCCAGGCTCA GTCAGCTAAG TGTCTGAGT CTAAGTGGGG TCATGCTGAC 1320
 85 CGATGTAAGT CCCGAGCCCC TCCAAGCTCT GCTGGAGAGA GCCTCTGCCA CCCTCCAGGA 1380
 CCTGGTCTTT GATGAGTGTG GGATCAGGGA TGATCAGCTC CTGCCCCTCC TGCTTCTCT 1440
 GAGCCACTGC TCCAGCTTAA CAACCTTAAG CTTCTACGGG AATTCATCT CCATATCTGC 1500

CTTGACAGT CTCTGCAGC ACCTCATCGG GCTGAGCAAT CTGACCACCG TGCTGTATCC 1560
 TGTCCTCCCTG GAGAGTTATG AGGACATCCA TGGTACCCTC CACCTGGAGA GGCTTGCCTA 1620
 TCTGCTACGCC AGGCTCAGGG AGTTGCTGTG TGAGTTGGGG CGGCCACGCA TGGTCTGGCT 1680
 TAGTGCCAAAC CCTGTCTCTC ACTGTGGGGA CAGAACCTTC TATGACCCGG AGCCCATCCT 1740
 5 GTGCCCCCTGT TTATGCCTA ACTAGCTGGG TGCACATATC AAATGCTTCA TTCTGCATAC 1800
 TTGGACACTA AAGCCAGGAT GTGCATGCAT CTTGAAGCAA CAAAGCAGCC ACAGTTTCAG 1860
 ACAAATGTTT AGTGTGAGTG AGGAAAAACAT GTTCAGTGAG GAAAAAACAT TCAGACAAAT 1920
 GTTCAGTGAG GAAAAAAGG GGAAGTTGGG GATAGGCAGA TGTGACTTGG AGGAGTTAAT 1980
 10 GTGATCTTTG GGGAGATACA TCTTATAGAG TTAGAAATAG AATCTGAATT TCTAAAGGGA 2040
 GATTCCTGGCT TGGGAAGTAC ATGTAGGAGT TAATCCCTGT GTAGACTGTT GTAAAGAAAC 2100
 TGTTGAAAAA AAAGAGAAGC AATGTGAAGC AAAAAAATA AAAAAAAA

Seq ID NO: 30 Protein sequence:
 Protein Accession #: NP_006106.1

1 11 21 31 41 51
 | | | | | |
 GCTTCAGGGT ACAGTCTCCC CGCAGCCAGA AGCCGGGCTT GCAGCGCTCT AGCACCCTC 60
 CGGGACACCC CACCCGCTTC CCAGGCGTGA CCTGTCAACA GCAACTTCGC GGTGTGGTGA 120
 20 ACTCTCTGAG GAAAAACCAT TTTGATTATT ACTCTCAGAC GTGCGTGGCA ACAAGTGACT 180
 GAGACCTAGA AATCCAACGG TTGGAGSTCC TGAGGCCAGC CTAAGTCGCT TCAAAATGGA 240
 ACGAAGGCGT TTGTGGGGTT CCATTTCAGAG CCGATACATC AGCATGAGTG TGTGGACAAG 300
 CCCACGGAGA CTGTGTGGAG TGGCAGGGCA GAGCCTGCTG AAGGATGAGG CCCTGGCCAT 360
 TGCCGCTGAT GTGCTGCTGC CCAGGGAGCT CTCTCCGCCA CTCTTCATGG CAGCCTTTGA 420
 25 CGGGAGACAC AGCCAGACCC TGAAGGCAAT GGTGCAGGCC TGGCCCTTCA CCTGCCCTCC 480
 TCTGGGAGAT CTGATGAAGG GACACATCTC TCACCTGGAG ACCTTCAAAG CTGTGCTTGA 540
 TGGACTTGTG GTGCTGCTTG CCCAGGAGGT TCGCCCCAGG AGGTGGAAC TTCAAGTGCT 600
 GGATTTACGG AAGAACTCTC ATCAGGACTT CTGGACTGTA TGGTCTGAA ACAGGGCCAG 660
 TCTGTACTCA TTTCAGAGC CAGAAGCAGC TCAGCCCATG ACAAAGAAGC GAAAAGTAGA 720
 30 TGGTTTGAGC ACAGAGGCCAG AGCAGCCCTT CATTCCAGTA GAGGTGCTCG TAGACCTGTT 780
 CCTCAAGGAA GGTGCTGTG ATGAATTGTT CTCCTACCTC ATTGAGAAAG TGAAGCGAAA 840
 GAAAAATGTA CTACGCTGTG GCTGTAAGAA GCTGAAGATT TTTGCAATGC CCATGCAGGA 900
 TATCAAGATG ATCCTGAAAA TGGTGCAGCT GGACTCTATT GAAGATTGG AAGTGACTTG 960
 TACCTGGAAG CTACCCACCT TGGCGAAATT TTCTCCTTAC CTGGCCAGA TGATTAATCT 1020
 35 GCGTAGACTC CTCTCTCCC ACATCCATGC ATCTTCTTAC ATTTCCCCGG AGAAGGAAGA 1080
 GCAGTATATC GCCCAGTTCA CCTCTCAGTT CCTCAGTCTG CAGTGCCTGC AGGCTCTCTA 1140
 TGTGACTCTT TTATTTTCC FTAGAGGCCG CCTGGATCAG TTGCTCAGCC ACGTGTAGAA 1200
 CCCCTTGGAA ACCCTCTCAA TAACTAAGT CCGGCTTTCG GAAGGGGATG TGATGCATCT 1260
 40 GTCCAGAGT CCGAGCGTCA GTCAGCTAAG TGTCTGAGT CTAAGTGGGG TCAATGCTGAC 1320
 CGATGTAAGT CCGAGCCCTC TCCAAGCTCT GCTGGAGAGA GCCTCTGCCA CCCTCCAGGA 1380
 CCTGGTCTTT GATGAGTGTG GGATCACGGA TGATCAGCTC CTGCCCCTCC TGCCTTCCCT 1440
 GAGCCACTGC TCCAGCTTA CAACCTTAAG CTCTACGGG AATTCATCT CCATATCTGC 1500
 CTTGCAGAT CTCTCTGAC ACCTCATCGG GCTGAGCAAT CTGACCACCG TGCTGTATCC 1560
 TGTCCCTGAG GAGAGTTATG AGGACATCCA TGGTACCCTC CACCTGGAGA GGCTTGCCTA 1620
 45 TCTGCATGCC AGGCTCAGGG AGTTGCTGTG TGAGTTGGGG CGGCCACGCA TGGTCTGGCT 1680
 TAGTGCCAAAC CCTGTCTCTC ACTGTGGGGA CAGAACCTTC TATGACCCGG AGCCCATCCT 1740
 GTGCCCTTGT TTTATGCCTA ACTAGCTGGG TGCACATATC AAATGCTTCA TTCTGCATAC 1800
 TTGGACACTA AAGCCAGGAT GTGCATGCAT CTTGAAGCAA CAAAGCAGCC ACAGTTTCAG 1860
 ACAAATGTTT AGTGTGAGTG AGGAAAAACAT GTTCAGTGAG GAAAAAACAT TCAGACAAAT 1920
 50 GTTCAGTGAG GAAAAAAGG GGAAGTTGGG GATAGGCAGA TGTGACTTGG AGGAGTTAAT 1980
 GTGATCTTTG GGGAGATACA TCTTATAGAG TTAGAAATAG AATCTGAATT TCTAAAGGGA 2040
 GATTCCTGGCT TGGGAAGTAC ATGTAGGAGT TAATCCCTGT GTAGACTGTT GTAAAGAAAC 2100
 TGTTGAAAAA AAAGAGAAGC AATGTGAAGC AAAAAAATA AAAAAAAA

Seq ID NO: 31 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 64-2754

1 11 21 31 41 51
 | | | | | |
 GGCAGGTCTC GCTCTCGGCA CCTTCCCGGC GCCCGCGTTC TCCTGGCCCT GCCCGGCATC 60
 CCGATGGGCG CCCTGGGGCC CCGGCGCTCC GTGCGCGGAG CCGTCTGCCT GCATCTGCTG 120
 65 CTGACCCTCG TGATCTTCAG TCGTATGGT GAAGCCTGCA AAAAGGTGAT ACTTAATGTA 180
 CCTTCTAAAC TAGAGGCAGA CAAAATAATT GGCAGAGTTA ATTTGGAAGA GTGCTTCAGG 240
 TCTGCAGACC TCATCCGGTC AAGTATCCTT GATTTTCAGAG TTCTAAATGA TGGGTCACTG 300
 TACACAGCCA GGGCTGTTGC GCTGTCTGAT AAGAAAAGAT CATTTACCAT ATGGCTTCTT 360
 GACAAAAGGA AACAGACACA GAAAGAGGTT ACTGTGCTGC TAGAACATCA GAAGAAGGTA 420
 70 TCGAAGACAA GACACACTAG AGAACTGTT CTCAGGCGTG CCAAGAGGAG ATGGGCACCT 480
 ATTCTTGTCT CTATGCAAGA GAATTCCTTG GGCCTTTTCC CATTGTTTCT TCAACAAGTT 540
 GAATCTGATG CAGCAGAGAA CTATACTGTC TTCTACTCAA TAAGTGGACG TGGAGTTGAT 600
 AAAGAACCTT TAAATTTGTT TTATATAGAA AGAGACTCTG GAAATCTATT TTGCACTCGG 660
 CCTGTGGATC GTGAAGAATA TGATGTTTTT GATTTGATTG CTTATGCGTC AACTGCAGAT 720
 75 GGATATTCAG CAGATCTGCC CCTCCCACTA CCCATCAGGG TAGAGGATGA AAATGACAAC 780
 CACCCTGTTT TCACAGAAGC AATTTATAAT TTTGAAGTTT TGGAAAGTAG TAGACCTGGT 840
 ACTACAGTGG GGGTGTGTTG TGCCACAGAC AGAGATGAAC CGGACACAAT GCATACGCGC 900
 CTGAAATACA GCAATTTGCA GCAGACACCA AGGTCACTG GGCCTTTTTC TGTGCATCCC 960
 AGCAGCAGGG TAATCACCAC AGTCTCTCAT TATTGGACA GAGAGGTTGT AGACAAGTAC 1020
 80 TCATGATAAA TGAAGTACAA AGACATGGAT GGCCAGTTTT TTGATTGAT AGGCACATCA 1080
 ACTTGTATCA TAACAGTAAC AGATTCAAAT GATAATGCAC CCACCTTTCAG ACAAATGCTT 1140
 TATGAAGCAT TTGTAGAGGA AAATGCATTC AATGTGAAA TCTTACGAAT ACCTATAGAA 1200
 GATAAGGATT TAATTAACAC TGCCAAATTG AGAGTCAATT TTACCATTTT AAAGGGAAT 1260
 GAAAATGGAC ATTTCAAATC CAGCAGAGC AAAGAAACTA ATGAAGGTTG TCTTTCTGTT 1320
 85 GTAAAGCCAC TGAATATGA AGAAAACCGT CAAGTGAACC TGGAAATTGG AGTAAACAAT 1380
 GAAGCGCCAT TTGCTAGAGA TATTCCAGG GTGACAGCCT TGAACAGAGC CTTGGTTACA 1440
 GTTCATGTGA GGGATCTGGA TGAGGGGCCCT GAATGCACTC CTGCAGCCCA ATATGTGCGG 1500
 ATTAAGAAA ACTTAGCAGT GGGGTCAAAG ATCAACGGCT ATAAGGCATA TGACCCCGAA 1560

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85

AATAGAAATG GCAATGGTTT AAGGTACAAA AAATTGCATG ATCCTAAAGG TTGGATCACC 1620
 ATTGATGAAA TTTCAGGGTC AATCATAACT TCCAAAATCC TGGATAGGGA GGTGAAACT 1680
 CCCAAAATAG AGTTGTATAA TATTACAGTC CTGGCAATAG ACAAAGATGA TAGATCATGT 1740
 ACTGGAACAC TTGCTGTGAA CATTGAAGAT GTAATGATA ATCCACCAGA AATACTTCAA 1800
 GAAATATGTAG TCATTTGCAA ACCAAAAATG GGGTATACCG ACATTTTAGC TGTGTACTCT 1860
 GATGAACCTG TCCATGGAGC TCCATTTTAT TTCAGTTTGC CCAATACTTC TCCAGAAAATC 1920
 AGTAGACTGT GGAGCTCTAC CAAAGTTAAT GATACAGCTG CCGTCTTTC ATATCAGAAA 1980
 AATGCTGGAT TTCAAGAATA TACCATTCTT ATTACTGTAA AAGACAGGGC CGGCCAAGCT 2040
 GCAACAAAAT TATTGAGAGT TAATCTGTGT GAATGTACTC ATCCAACTCA GTGTCGTGGG 2100
 ACTTCAAGGA GTACAGGAGT AATACTTGGG AATGGGCAA TCCTTGCAAT ATTACTGGGT 2160
 ATAGCACTGC TCTTTTCTGT ATTGCTAACT TTAGTATGTG GAGTTTTTGG TGCAACTAAA 2220
 GGGAAACGTT TTCTCGAAGA TTTAGCACAG CAAAACCTAA TTATATCAA CACAGAAGCA 2280
 CCTGGAGAGC ATAGACTGTG CTCTGCCAAT GGATTTATGA CCAAACCTAC CAACAACTCT 2340
 AGCCAAGGTT TTTGTGGTAC TATGGGATCA GGAATGAAAA ATGGAGGGCA GGAACCCATT 2400
 GAAATGATGA AAGGAGGAAA CCAGACCTTG GAATCTTGCC GGGGGCTGG GCATCATCAT 2460
 ACCCTGAGCT CCTGCAAGGG AGGCACACAG GAGGTGACAC ACTGCAGATA CACTTACTCG 2520
 GAGTGGCACA GTTTTACTCA ACCCGTCTC GGTGAAAAAT TGCATCGATG TAATCAGAAAT 2580
 GAAGACCCGA TGCCATCCCA AGATTATGTC CTCACITATA ACTATGAGGG AAGAGGATCT 2640
 CCAGCTGGTT CTGTGGGGTG CTGCAGTGAA AAGCAGGAAG AAGATGGCCCT TGACTTTTTA 2700
 AATAATTTGG AACCCAAAT TATTACATTA GCAGAAGCAT GCACAAAGAG ATAATGTCAC 2760
 AGTGCTACAA TTAGGTCTTT GTCAGACATT CTGGAGGTTT CCAAAAATAA TATTGTAAG 2820
 TTCAATTTCA ACATGTATGT ATATGATGAT TTTTTTCTCA ATTTTGAATT ATGCTACTCA 2880
 CCAATTTATA TTTTAAAGC CAGTTGTGTG TTATCTTTTC CAAAAGTGA AAAATGTTAA 2940
 AACAGACAAC TGGTAAATCT CAAACTCCAG CACTGGAATT AAGGTCTCTA AAGCATCTGC 3000
 TCTTTTTTTT TTTTAGGGAT ATTTTAGTAA TAAATATGCT GGATAAATAT TAGTCCAACA 3060
 ATAGCTAAGT TATGCTAATA TCACATTATT ATGTATTAC TTTAAGTGAT AGTTTAAAAA 3120
 ATAAACAAGA AATATTGAGT ATCACTATGT GAAGAAAGTT TTGGAAGAAGA AACAAATGAAG 3180
 ACTGAATTAAT ATTTAAAAATG TTGCAGCTCA TAAAGAATTG GGACTCACCC CTACTGCACT 3240
 ACCAAATTCAT TTTGACTTTG GAGGCAAAAT GTGTTGAAGT GCCTTATGAA GTAGCAATTT 3300
 TCTATAGGGA TATAGTTGGA AATAAATGTG TGTGTGTATA TTATTATTAA TCAATGCAAT 3360
 ATTTAAAAATG AAATGAGAAC AAAGAGGAAA ATGGTAAAAA CTGAAATGA GGCTGGGGTA 3420
 TAGTTTGTCC TACAATAGAA AAAAGAGAGA GCTTCCTAGG CCTGGGCTCT TAAATGCTGC 3480
 ATTATAACTG AGTCTATGAG GAAATAGTTC CTGTCCAATT TGTGTAATTT GTTTAAAAAT 3540
 GTAATAAAT TAACTTTTC TGGTTCTGT GGAAGGAAA TAGGGAATCC AATGGAACAG 3600
 TAGCTTTGCT TTGCAGTCTG TTTCAAGATT TCTGCATCCA CAAGTTAGTA GCAAACCTGG 3660
 GAAACTCTGC TGCAGCTGGG TTTCCCTGCT TTTTGGTAGC AAGGGTCCAG AGATGAGGTG 3720
 TTTTTCGGG GGAGCTAATA ACAAAAACAT TTTAAAACCT ACCTTACTG AAGTAAATC 3780
 CTCTATTGCT GTTCTATTTC TCTCTTAG TAGCCAACAT CTTTTAATT TAGATCCAAA 3840
 TAAACATGTC TCCTAGATG TTAGAGGCTA GAGGGAGCTG AAGGGAGGAT CTTACTGAAA 3900
 GCACCCTGGG GAGATTGATT GTCCCTAAAC CTAAGCCCCA CAAACTGAC ACCTGATCAG 3960
 GTCTGGGAGC TACAAAATTT CATTTTCTC CTCACTGCC TCTCTCTGAG TGGCATTGGC 4020
 CTGAATCAAG GAAAGCCAGG CCTGTGGGC CCCCCTCTT CGGCTTCTG CTAAGCAAC 4080
 ACCTCCAGCA GAGATTCCCT TAAAGTACTC CAGGTTTTCC ACCATCCCTC AGCGTGAATT 4140
 AATTTTTAAT CAGTTGTCT TCTCCAGAGA AATTTTAAAA TAATAGAAGA AATAGAAAT 4200
 TTGAATGTAT AAAAGAAAAA GATCAAGTTG TCATTTTAGA ACAGAGGGAA CTTTGGGAGA 4260
 AAGCAGCCCA AGTAGGTTAT TTGTACAGTC AGAGGGCAAC AGGAAGATGC AGGCCTTCAA 4320
 GGGCAAGGAG AGGCCATAG GAAATGGGT GGGAGTAAAA GCAACATCGT CTGCTTCATA 4380
 CTTTTCTCTA GGCTTGGCAC TGCCTTTTCC TTTCTCAGGC CAATGGCAAC TGCCATTTGA 4440
 GTCCGGTGGG GGATCAGCCA ACCCTCTCTC TATGGCTCAC CTTATTGGA GTGAGAAATC 4500
 AAGGAGACAG AGCTGACTGC ATGATGAGTC TGAAGGCATT TGCAGGATGA GCCTGAACTG 4560
 GTTGTGAGA ACAACAAGG CATTATGTTG AATGTTGTA TTCCTTCTGC AGCCCTCCTT 4620
 CTGGGCCTA AGAAGGTCTA TGAATTAAT GCCTATCTAA AATCTGATT TATTCCTACA 4680
 TTTCTGTGTT TCTAATTTGA CCTAAAAATC TATGTGTTTT AGACTTAGAC TTTTATTGCT 4740
 CCCCCCCCC TTTTTTTTGG AGACGGAGTC TCGCTCTGAC GCACAGGCTG GAGTGCAGTG 4800
 GCTCCGATCT CTGCTCACTG AAAGTCCCGC CTCCCGGGTT CATGCCATTC TCCTGCCTCA 4860
 GCCTCCTGAG TAGCTGGGAC TACAGGCGCC CACCACCACG CCGGCTAAT TTTTGTATT 4920
 TTTAATAGAG ACCGGGTTTC ACTGTGTAG CCAGGATGGT CTGATCTCTC TGACCTCGTG 4980
 ATCCGCTGCT CTGCGCTCC CAAAGTGCTG GGATTACAGG CATGACCCAC CGCTCCCGGC 5040
 CTGTTTTTCC GTTTAAAGTC GTCTTCTTTT AATGTAATCA TTTTGAACAT GTGTGAAAGT 5100
 TGATCATACG AATTGATCA ATCTTGAAT ACTCAACCAA AAGACAGTCG AGAAGCCAGG 5160
 GGGAGAAAGA ACTCAGGGCA CAAAATATTG GTCGAGAAT GGAATTCCT GTAAGCCTAG 5220
 TTGCTGAAAT TTCTCTGCT AACCAAGC CAGTTTTATC TAACGGCTAC TGAAACACCC 5280
 ACTGTGTTTT GCTCACTCCC TCACTCACCG ATCAAAAACCT GCTACTCTCC CAAGACTTTA 5340
 CTAGTCCGA TAACTTTCT CAAAGAGCAA CCAGTATCAC TTCCCTGTTT ATAAAACTC 5400
 TAAACATCTC TTTGTTCTT GAACATGCTG AAAACCACCT GGTCTGATG TATGCCGAA 5460
 TTTGTAATTC TTTTCTCTA AATGAAAAT TAATTTTAGG GATTCATTC TATATTTTCA 5520
 CATATGTAGT ATATTATT CCTTATATGT GTAAGGTGAA ATTTATGGTA TTTGAGTGTG 5580
 CAAGAAAATA TATTTTAA GCTTTCATT TTCCCCAGT GAATGATTTA GAATTTTTTA 5640
 TGAAAATA CAGAATGTT TTTCTTACT TTATAAGGAA GCAGCTGTCT AAAATGCAGT 5700
 GGGGTTTGT TTGCAATGTT TTAACAGAG TTTTAGTATT GCTATTAAAA GAAGTTACTT 5760
 TGCTTTTAAA GAAACTTGGC TGCTTAAAT AAGCAAAAT TGGATGCATA AAGTAAATTT 5820
 TACAGATGTG GGGAGATGTA ATAAAACAA ATTAACCTGG TTCTTGTGTT TTGCTGTATT 5880
 TAGAGATTAA ATAATTCTAA GATGATCACT TTGCAAAAT ATGCTTATGG CTGGCATGGA 5940
 AATAGAAATA CTCAATATG TCTTTGTGT ATTAATGGGG AATATTTGG CAAATGTTTC 6000
 ATTATCAAT TTGTCAGATC ATTAATATAT ATTGTAATGT TGGGAAGAGA TCACTATTTT 6060
 GAAGCACAGC TTACAGATG ATCATATGT ATATAAAT TTGATCGGGT 6120
 ATAAAAGTA TTAGAAGGTG GTTATAATG CAGAGTATTC CATGAATAGT ACACTGACAC 6180
 AGGGGTTTTA CTTTGGAGC CAGTGTAGT AAGGAAAAC ATGAGTTAAA AAGAAAAGCA 6240
 GGCAATATG CAGTCTTGT TCTGCCACTT TCTGCACAGT GAATCTTTTC CCCATGCAGG 6300
 CAAGATGATC CAACCAATAA GTGTCTCTGT GCTTCAAGT TCAATTTCAA AATCTATTAG CTATATCAA 6420
 AGTGTGCTCC CCTACAACG TTAAGACTGA TCAATTTCAA AATCTATTAG CTATATCAA 6480
 AGCCTTACAT TTTAATATAG TTGAACCAA AATTTCAATT CCAGTAACTT CTATTGTAAC 6540
 CATTATTTT GTGTATGCT TCAAGAATGT TCATTTGATT TTTGTTTGA ATAGTAAAAAT 6600
 ACCGGATACA TTTCAGTGT CCTTCAGTAT TGATTTGGT GAATATGGG TCATAATGGT 6660
 TGAGAAAGCAT GGACACTAGA GCCAGAATGC TTGGATATGA ATCCTGGATC TGTCACTTAC 6720
 TTCTGTGTA CCTTGAAG GCTACTTAT TCCTCTCTA GCTTCTCAT TAAAATCAAT 6780
 GAACAATGCC AGCCTCATGG GGTGTTGAA TGATTAATTA AGTTAATATA CCTAAAGTAC 6840

ATAGAACACT GCCTGCACAT AGTAAAAGAA TTATAAGTGT GAGGTAGTTG G7AAAAATTAT 6840
 GTAGTTGGAT ATACTACCGA ACAATATCTA ATCTCTTTT AGGGAAATAA AGTTTGTGCA 6900
 TATATATAAT CCGGAACAT G

5 Seq ID NO: 32 Protein sequence:
 Protein Accession #: NP_001932.1

1 11 21 31 41 51
 10 MAAAGPRRSV RGAVCLHLLL TLVIFSRDGE ACKKVILNVP SKLEADKIIG RVNLEECFRS 60
 ADLIRSSDDP FRVLNDGSVY TARAVALSDK KRSFTIWLSD KRKQTQKEVT VLEHQQKVS 120
 KTRHRETIVL RRAKRWAPI PCSMQENSLG PFLPLFQQVE SDAAQNYTVF YSISGRGVDK 180
 EPLNLFYIER DTGNLFCTRFP VDREYDVDF LIAYASTADG YSADLPLPLP IRVEDENDNH 240
 15 PVFTEAIYNF EVLESSRPGT TVGVVCATDR DEPDTMHTRL KYSILQQTFR SPGLFSVHPS 300
 TGVITTVSHY LDREVVDKYS LIMKVDMDG QFFGLIGTST CIITVDSND NAPTFRONAY 360
 EAFVEENAFN VEILRPIED KDLINTANWR VNFITLKGNE NGHFKISTDK ETNEGVLSSV 420
 KPLNVEENRQ VNLIEGVNNE AFFARDIPRV TALNRLVTV HVDRDLEGEPE CTPAAQYVRI 480
 KENLAVGSKI NGYKADYPEN RGNGLRYKK LHDPKGWITI DEISGSIIS KILDREVETP 540
 KNELYNITVL AIDKDRSCT GFLAVNIEDV NDNPEILQE YVVICKPKMG YTDILAVDPP 600
 20 EFPVHGAPFYF SLPNTSPEIS RLMSLTKVND TAARLSYQKN AGFQBYTPI TVKDRAGQAA 660
 TKLLRVNLCE CTHPTQCRAT SRSTGVILGK WAILAILLGI ALLFSVLLTL VCGVFGATKG 720
 KFPFEDLAQQ NLIISNTEAP GDDRVCSANG FMTQTTNNS QGFCTMGSG MKNGGQETIE 780
 MMKGGNQTFE SCRGAHHHT LDSCRGGHTE VDNCRYTYSE WHSFTQPRLG EKLHRCNQNE 840
 25 DRMPQDYVL TYNVYBGRSP AGSVGCCSEK QEEDGLDFLN NLEPKFITLA EACTKR

Seq ID NO: 33 DNA sequence
 Nucleic Acid Accession #: Eos sequence.
 Coding sequence: 64-2583

30 1 11 21 31 41 51
 35 GGCAGGTCTC GCTCTCGGCA CCTCCCGGC GCCCGCGTTC TCCTGGCCCT GCCCGGCATC 60
 CCGATGGCCG CCGCTGGGCC CCGGCGCTCC GTGCGCGGAG CCGTCTGCCT GCATCTGCTG 120
 CTGACCCCTCG TGATCTTCAG TCGTGATGGT GAAGCCTGCA AAAAGGTGAT ACTTAATGTA 180
 CCTCTAAAC TAGAGGCAGA CAAAATAATT GGCAGAGTTA ATTTGGAAGA GTGCTTCAG 240
 TCTGCAGACC TCATCCGGTC AAGTGATCCT GATTTCAGAG TTCTAAATGA TGGGTCAAGT 300
 TACACAGCCA GGGCTGTGTC GCTGTCTGAT AAGAAAAGAT CATTACCAT ATGGCTTTCT 360
 40 GACAAAAGGA AACAGACACA GAAGAGGTT ACTGTGCTGC TAGAACATCA GAAGAAGGTA 420
 TCGAAGACAA GACACACTAG AGAAACTGTT CTCAGGCGTG CCAAGAGGAG ATGGGCACCT 480
 ATTCTTGCT CTATGCAAGA GAATTCCTTG GGCCTTTCC CATTGTTCT TCAACAAGTT 540
 GAATCTGATG CAGCACAGAA CTATACTGTC TTCTACTCAA TAAGTGGACG TGGAGTTGAT 600
 AAAGAACCTT TAAATTTGTT TTATATAGAA AGAGACACTG GAAATCTATT TTGCACTCGG 660
 CCTGTGGATC GTGAAGAATA TGATGTTTTT GATTGATTG CTTATGCGTC AACTGCAGAT 720
 45 GGATATTCAG CAGATCTGCC CCTCCCACTA CCCATCAGGG TAGAGGATGA AAATGACAAC 780
 CACCTGTTT TCACAGAAGC AATTTATAAT TTTGAAGTTT TGGAAAGTAG TAGACCTGGT 840
 ACTACAGTGG GGTGTGTTTT TGCCACAGAC AGAGATGAAC CCGCACAAAT GCATACGCGC 900
 CTGAAATACA GCATTTTGCA GCAGACACCA AGGTCACCTG GGCTCTTTTC TGTGCATCCC 960
 AGCACAGGCG TAATCACCAC AGTCTCTCAT TATTTGGACA GAGAGGTTGT AGACAAGTAC 1020
 50 TCATTGATAA TGAAGTACA AGACATGGAT GGCCAGTTTT TTGGATTGAT AGGCACATCA 1080
 ACTTGATATCA TAACAGTAAC AGATTCAAAT GATAATGCAC CCACTTTCAG ACAAATGCT 1140
 TATGAAGCAT TTGTAGAGGA AAATGCATTC AATGTGGAAA TCTTACGAAT ACCTATAGAA 1200
 GATAAGGATT TAATTAACAC TGCCCAATGG AGAGTCAATT TTACCATTTT AAAGGGAAT 1260
 GAAAATGGAC ATTTCAAAT CAGCACAGAC AAAGAAACTA ATGAAGGTGT TCTTCTGTT 1320
 55 GTAAAGCCAC TGAATATGA AGAAAACCGT CAAGTGAACC TGGAAATTGG AGTAAACAA 1380
 GAAGCGCCAT TTCTGAAGA TTTCCCGAGA GTGACAGCCT TGAACAGAGC CTTGGTTACA 1440
 GTTCATGTGA GGGATCTGGA TGAGGGGCC GAATGCACTC CTGACGCCA ATATGTGCGG 1500
 ATTAAGAAA ACTTAGCAGT GGGGTCAAAG ATCAACGGCT ATAAGGCATA TGACCCCGAA 1560
 AATAGAAATG GCAATGGTTT AAGGTACAAA AAATGTGAT ATCTTAAAGG TTGGATCACC 1620
 60 ATTGATGAAA TTTCAAGGTC AATCATAACT TCCAAAATCC TGGATAGGGA GGTGAAACT 1680
 CCCAAAATG AGTTGTATAA TATTACAGTC CTGGCAATAG ACAAAGATGA TAGATCATGT 1740
 ACTGGAAACAC TTGCTGTGAA CATTGAAGAT GTAATGATA ATCCACCAGA AATACTTCAA 1800
 GAATATGTAG TCATTTGCAA ACCAAAATG GGGTATACCG ACATTTTAGC TGTGTATCCT 1860
 65 GATGAACCTG TCCATGGAGC TCCATTTTAT TTCAGTTTGC CCAACTTTC TCCAGAAATC 1920
 AGTAGACTGT GGAGCCCTAC CAAAATTAAT GATACAGCTG CCGTCTTTC ATATCAGAAA 1980
 AATGCTGGAT TTCAAGAATA TACCATTCTT ATTACTGTAA AAGACAGGGC CGGCCAAGCT 2040
 GCAACAAAAT TATTGAGAGT TAATCTGTGT GAATGTACTC ATCCAATCA GTGTGCTGCG 2100
 ACTTCAAGGA GTACAGGAGT AATACTTGGA AAATGGGCAA TCCTTGCAAT ATTACTGGGT 2160
 ATAGCACTGC TCTTTCTGT ATTGCTAAT TTAGTATGTG GAGTTTTTGG TGCAACTAAA 2220
 70 GGGAAACGTT TTCTGAAGA TTTAGCACAG CAAAACCTAA TTATATCAA CACAGAAGCA 2280
 CCTGGAGACG ATAGAGTGTG CTCTGCCAAT GGATTTATGA CCCAACTAC CAACAACCTT 2340
 AGCCAAAGTT TTTGTGTATC TATGGGATCA GGAATGAAA ATGGAGGGCA GGAACCAATT 2400
 GAAATGATGA AAGGAGGAAA CCAGACCTTG GAATCCTGCC GGGGGCTGG GCATCATCAT 2460
 75 ACCCTGGACT CCTGCAGGGG AGGACACAGC GAGGTGGACA ACTGCAGATA CACTTACTCG 2520
 GAGTGGCACA GTTTTACTCA ACCCCGTCTC GGTGAAGAAAT CCATTAGAGG ACACACTGGT 2580
 TAAAAATTAA ACATAAAGA AATTGCATCG ATGTAATCAG AATGAAGACC GCATGCCATC 2640
 CCAAGATTAT GTCTCACTT ATAACATGA GGAAGAGGA TCTCCAGCTG GTTCTGTGGG 2700
 CTGCTGCAGT GAAAGCAGG AAGAAGATGG CCTTGACTTT TTAATAAAT TGAACCCCAA 2760
 80 ATTTATTACA TTAGCAGAAG CATGCACAAA GAGATAATGT CACAGTGCTA CAATTAGGTC 2820
 TTTGTACAGC ATTCGAGG TTTCCAAAA TAATATTGTA AAGTTCAAAT TCAACATGTA 2880
 TGTATATGAT GAITTTTTTC TCAATTTTGA ATTATGCTAC TCACCAATTT ATATTTTAA 2940
 AGCCAGTTGT TGCTTATCTT TTCCAAAAG TGAAAAATGT TAAAAAGACC AACTGGTAAA 3000
 TCTCAAACCT CAGCACTGGA ATTAAGGTCT CTAAAGCATC TGCTCTTTT TTTTTTACG 3060
 85 GATATTTTAG TAATAAATAT CCTGGATAAA TATTAGTCCA ACAATAGCTA AGTTATGCTA 3120
 ATATCACATT ATTATGTATT CACTTTAAGT GATAGTTTAA AAAATAAACA AGAAATATTG 3180
 AGTATCACTA TGTGAAGAAA GTTTTGGAAA AGAAAACATG AAGACTGAAT TAAATTAATA 3240
 ATGTTGCAGC TCATAAAGAA TTGGGACTCA CCCCTACTGC ACTACCAAAT TCATTTGACT 3300

5
10
15
20
25
30
35
40
45
50
55
60
65

TTGAGGCAA AATGTGTGA AGTGCCTAT GAAGTAGCAA TTTTCTATAG GAATATAGTT 3360
 GAAATAAAT GTGTGTGTGT ATATTATTAT TAATCAATGC AATATTTAAA ATGAAATGAG 3420
 AACAAAGAGG AAAATGGTAA AAACCTGAAA TGAGGCTGGG GTATAGTTTG TCCTACAATA 3480
 GAAAAAGAG AGAGCTTCCT AGGCCTGGGC TCTTAAATGC TGCAITATAA CTGAGTCTAT 3540
 GAGGAAATAG TTCTGTGCCA ATTTGTGTAA TTTGTTTAAA ATTGTAATAA AATTAACCTT 3600
 TTCTGGTTTC TGTTGGGAGG AAATAGGGAA FCCAATGGAA CAGTAGCTTT GCTTTGCAGT 3660
 CTGTTTCAAG ATTTCTGCAT ACACAAGTGA GTAGCAAAC GGGGAATACT CGCTGCAGCT 3720
 GGGGTTCCCT GCTTTTGTGT AGCAAGGGTC CAGAGATGAG GGTGTTTTTT CGGGGAGCTA 3780
 ATAACAAAAA CATTTTAAAA CTTACCTTTA CTGAAGTTAA ATCCTCTATT GCTGTTTCTA 3840
 TTCTCTCTTA TAGTGACCAA CATCTTTTAA ATTTAGATCC AAATAACCAT GTCCTCCTAG 3900
 AGTTTAGAGG CTAGAGGGAG CTGAGGGGAG GATCTTACTG AAAGCACCTT GGGGAGATTG 3960
 ATTTGCTTTA AACCTAAGCC CCACAACCTT GACACCTGAT CAGGCTCTGG AGCTACAAAA 4020
 TTTCAATTTT CTCTCACTG CCGTCTTCT GAGTGGCATT GGCCTGAATC AAGGAAAAGCC 4080
 AGGCCTGTGT GGGCCCTTTC TTTCGGCTTT CTGCTAAAGC AACACCTCCA GCAGAGATTG 4140
 CCTTAAGTGA CTCACAGTTT TCCACCATCC TTCAGCGTGA ATTAATTTTT AATCAGTTTG 4200
 CTTTCTCCAG AGAAATTTTA AAATAATAGA AGAAATAGAA ATTTTGAATG TATAAAAAGAA 4260
 AAAGATCAAG TTGTCAATTT AGAACAGAGG GAACCTTGGG AGAAAGCAGC CCAAGTAGGT 4320
 TATTTGTACA GTCAGAGGGC AACAGGAAGA TGCAGGCCTT CAAGGCCAAG GAGAGGCCAC 4380
 AAGGAATATG GGTGGGAGTA AAAGCAACAT CGTCTGCTTC ATACTTTTTT CTAGGCTTGG 4440
 CACTGCCTTT TCCTTTCTCA GGCCAATGGC AACTGCCATT TGAGTCCGGT GAGGGATCAG 4500
 CCAACCTCTT CTCTATGGCT CACCTTATTT GGAGTGAGAA ATCAAGGAGA CAGAGCTGAC 4560
 TGCATGATGA GTCTGAAGGC ATTTGCAGGA TGAGCCTGAA CTGGTTGTGC AGAACAAACA 4620
 AGGCATTCAT GGGAAATGTT GTATTCTTTC TGCAGCCCTC CTTCTGGGCA CTAAGAAAGT 4680
 CTATGAATTA AATGCCTATC TAAATTCCTG ATTTATTCCT ACATTTCTG TTTCTAATT 4740
 TGACCCTAAA ATCTATGTGT TTTAGACTTA GACTTTTTAT TGCCCCCCC CCCTTTTTTT 4800
 TTGAGACGGA GTCTCGCTCT GAGCCACAGG CTGGAGTGCA GTGGCTCCGA TCTCTGCTCA 4860
 CTGAAAGCTC CGCCTCCCGG GTTCATGCCA TTCCTCTGCA TCAGCCTCCT GAGTAGCTGG 4920
 GACTACAGGC GCCCACCACC AGCCCGGCT AATTTTTTGT ATTTTATAA GAGACGGGGT 4980
 TTCACTGTGT TAGCCAGGAT GGTCTCGATC TCCTGACCTC GTGATCCGCC TGCCTCGGCC 5040
 TCCCAAAGTG CTGGGATTAC AGGCATGACC CACCGCTCCC GGCCTGTGTT TCCGTTTAAA 5100
 GTCGCTTCTT TTTAATGTAA TCATTTGAA CATGTGTGAA AGTTGATCAT ACGAATTGGA 5160
 TCAATCTTGA AATACTCAAC CAAAAGACAG TCGAGAAGCC AGGGGGAGAA AGAACTCAGG 5220
 GCACAAAATA TTGGTCTGAG AATGGAAATC TCTGTAAGCC TAGTTGCTGA AATTTCTGTC 5280
 TGTAACAGGA AGCCAGTTTT ATCTAACCGC TACTGAAACA CCCACTGTGT TTTGCTCACT 5340
 CCCACTCACC GATCAAAACC TGCTACCTCC CCAAGACTTT ACTAGTCCCG ATAAACTTTC 5400
 TCAAAGAGCA ACCAGTATCA CTTCCCTGTT TATAAAACCT CTAACCATCT CTTTGTCTCT 5460
 TGAACATGCT GAAAACCACC TGGTCTGCAT GTATGCCCGA ATTTGTAATT CTTTCTCTC 5520
 AAATGAAAAT TTAATTTTAG GAGTTCATTT CTATATTTTC ACATATGTAG TATTATTAT 5580
 TCCTTATATG TGTAAGGTGA AATTTATGTT ATTTGAGTGT GCAAGAAAAT ATATTTTAA 5640
 AGCTTTCATT TTTCCCCAG TGAATGATTT AGAATTTTT ATGTAATAAT ACAGAATGTT 5700
 TTTCTTACT TTTATAGGA AGCAGCTGTC TAAATGCAG TGGGGTTTGT TTTGCAATGT 5760
 TTTAAACAGA GTTTTAGTAT TGCTATTAAG AGAAGTACT TTGCTTTTAA AGAACTTGG 5820
 CTGCTTAAA TAAGCAAAA TTGGATGCAT AAAGTAATAT TTACAGATGT GGGGAGATGT 5880
 AATAAAACAA TATTAACCTG CTGCTTAAA ATAAGCAAAA ATGGATGCA TAAAGTAATA 5940
 TTTACAGATG TGGGGAGATG TAATAAAACA ATATTAACCT GGTTCCTTGT TTTGCTGTA 6000
 TTTAGAGATT AAATAATTCT AAGATGATCA CTTTGCAAAA TTATGCTTAT GGCTGGCATG 6060
 GAAATAGAAA TACTCAATTA TGCTTTTGTG GTATTAATGG GAAATATTT GGCAATGTT 6120
 TCATTATCAA ATTTGTGACA TCATTAATAT ATATTGTAAT GTTGGGAGA GATCACTATT 6180
 TTGAAGCACA GCTTTACAGA TGAGTATCTA TGATACATAT GTATAATAA TTTTGTCCG 6240
 GTATTAAGAG TTTTAGAAGG TGGTTATAAT TGCAGATAT TCCATGAATA GTACACTGAC 6300
 ACAGGGGTTT TACTTTGAGG ACCAGTGTAG TCAAGGGAAA ACATGAGTTA AAAAGAAAAG 6360
 CAGGCAATAT TGCAGTCTG ATCTGCCCAC TTACAGGATA GATAATGCCT GAACTTTAA 6420
 GACAAGATGA TCCAACATA AAGGTGCTCT GTGCTTACA GTGAATCTTT TCCCATGCA 6480
 GGAGTGTGCT CCCTACAAA CGTTAAGACT GATCATTTCA AAAATCTATT AGCTATATCA 6540
 AAAGCCTTAC ATTTTAAAT AGGTTGAACC AAAATTCAA TTCCAGTAC TCTATTGTA 6600
 ACCATTATTT TTGTGTATGT CTTCAAGAAT GTTCATTGGA TTTTGTGTTG TAATAGTAAA 6660
 ATACCGGATA CATTTCAGT GTCCCTCAGT ATTTGATTGG TTGAATATTG GGTATAATG 6720
 GTTGAGAAGC ATGGACACTA GAGCCAGAA GCTTGGATAT GAATCCTGGA TCTGTCACT 6780
 ACTTCTGTGT GACCTTTGAA AGGCTACTTA TTTCTCTCT TAGCTTCTC ATTAATAATCA 6840
 ATGAACAATG CCAGCCTCAT GGGGTTGTTG AATGATTAAT TTAGTATAA TACCTAAAGT 6900
 ACATAGAACA CTGCCTCAC ATAGTAAAAG AATTATAAGT GTGAGTAGT TGGTAAAAT 6960
 ATGTAGTTGG ATATACTACC GAACAATATC TAATCTCTTT TTAGGGAAAT AAAGTTTGTG 7020
 CATATATATA ATCCGAAAC ATG

Seq ID NO: 34 Protein sequence:
 Protein Accession #: NP_077741.1

70
75
80
85

1 11 21 31 41 51
 MAAAGPRRSV RGAVCLHLLL TLVIFSRDGE ACKKVILNVP SKLEADKIIG RVNLEECFRS 60
 ADLIRSSDDP FRVLNDGSVY TARAVALS DKRSFTIWLSD KRKQTQKEVT VLEHQKQKVS 120
 KTRHRTRETVL RRAKRRWAPI PCSMQENSLG PFPFLQQVE SDAAQNYTVF YSISGRGVDK 180
 EPLNLFYIER DTGNLFCRTP VDREBYDVED LIAYASTADG YSADLPLPLP IRVEDENDNH 240
 PVFTEAIYNF EVLSSRRPQT TVGVVCAADR DEPDTMTRL KYSILQQTFR SPGLFSVHPS 300
 TGVITTVSHY LDREVVDKYS LIMKQDMDG QFFGLIGTST CIIITVDSND NAPTFRQYAY 360
 EAPVEENAFN VEILRIPIED KDLINTANWR VNFTILKQNE NGHFKISTDK ETNEGVLVSV 420
 KFLNYEENRQ VNLIEGVNNE AFFARDIPRV TALNRLVTV HVRDLDEGPE CTPAAQVYRI 480
 KNELAVGSKI NGYKAYDPEN RGNGLRYKK LHPKGNITI DEISGSIITS KILDREVETP 540
 KNELYNITVL AIDKDRSCT GTLAVNIEDV NDNPPAILQE YVVICKPKMG YTDILAVDPD 600
 EPVHGAPPYF SPLNTSPETS RLWLSLTKVND TAARLSYQKN AGFQYETIPI TVKDRAGQAA 660
 TKLLRVNLCE CTHEPTQCRAT SRSTGVILGK WAILAILLGI ALLFSVLLTL VCGVFGATKG 720
 KRFPEDLAQQ NLIISNTEAP GDDRVCASNG FMTQTTNNS QGFCGTMSSG MKNGQETIE 780
 MMKGNQTL ESCRAGHHT LDCRGGHTE VDNCRYTYSE WHSFTQPRLG EESIRGHTG

Seq ID NO: 35 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 146-1273.

	1	11	21	31	41	51	
5	GGGAGTGGGG	GTGGCGGTGC	TGCCCAGGTG	AGCCACCGCT	GCTTCTGCC	AGACACGGTC	60
	GCCTCCACAT	CCAGGCTCTT	GTGCTCCTCG	CTTGCTGTT	CCTTTCCAC	GCATTTTCCA	120
	GGATAACTGT	GACTCCAGGC	CCGCAATGGA	TGCCCTGCAA	CTAGCAAAT	CGGCTTTTGC	180
	CGTTGATCTG	TTCAAACAAC	TATGTGAAAA	GGAGCCACTG	GGCAATGTCC	TCTTCTCTCC	240
	AATCTGTCTC	TCCACCTCTC	TGTCACCTGC	TCAAGTGGGT	GCTAAAGGTG	ACACTGCAAA	300
	TGAAATGGGA	CAGGTCTTTC	ATTTTGA AAA	TGTCAAAGAT	ATACCCCTTG	GATTTCAAAC	360
10	AGTAACATCG	GATGTAAACA	AACTTAGTTC	CCTTTACTCA	CTGAAACTAA	TCAAGCGGCT	420
	CTACGTAGAC	AAATCTCTGA	ATCTTCTAC	AGAGTTCATC	AGCTCTACGA	AGAGACCCTA	480
	TGCAAAGGAA	TTGGA AACTG	TTGACTTCAA	AGATAAATG	GAAGAAACGA	AAGGTCAGAT	540
	CAACAACCTCA	ATTAAGGATC	TCACAGATGG	CCACTTTGAG	AACATTTTAG	CTGACAACAG	600
	TGTGAACGAC	CAGACC AAA	TCCTTGTGGT	TAAATGCTGCC	TACTTTGTGT	GCAAGTGGAT	660
15	GAAGAAATTT	CCTGAATCAG	AAACAAAAGA	ATGTCCTTTC	AGACTCAACA	AGACAGACAC	720
	CAAACCAAGT	GACAGATGA	ACATGGAGGC	CACGTTCTGT	ATGGGAAACA	TTGACAGTAT	780
	CAATGTAAAG	ATCATAGAGC	TTCCITTTCA	AAATAAGCAT	CTCAGCATGT	TCATCCTACT	840
	ACCCAAGGAT	GTGGAGGATG	AGTCCACAGG	CTTGGAGAAG	ATTGAAAAC	AACTCAACTC	900
	AGAGTCACTG	TCACAGTGGG	CTAAATCCCAG	CACCATGGCC	AATGCCAAGG	TCAAACCTCTC	960
20	CATTCCAAA	TTTAAGGTGG	AAAAGATGAT	TGATCCCAAG	GCTTGTCTGG	AAAACTAGG	1020
	GCTGAAACAT	ATCTTCAGT	AGACACATC	TGATTTCTCT	GGAATGTCAG	AGACCAAGGG	1080
	AGTGGCCCTA	TCAAATGTTA	TCCACAAAGT	GTGCTTAGAA	ATAACTGAAG	ATGGTGGGGA	1140
	TTCCATAGAG	GTGCCAGGAG	CACGGATCCT	GCAGCACAAG	GATGAATTGA	ATGCTGACCA	1200
	TCCCTTTATT	TACATATCA	GGCACAACAA	AACTCGAAAC	ATCATTTTCT	TTGGCAAATT	1260
25	CTGTTCTCCT	TAAGTGGCAT	AGCCCATGTT	AAGTCCTCCC	TGACTTTTCT	GTGGATGCCG	1320
	ATTTCTGTAA	ACTCTGCATC	CAGAGATTCA	TTTTCTAGAT	ACAATAAAT	GCTAATGTTG	1380
	CTGGATCAGG	AGCCGCCAG	TACTTGTCA	ATGTAGCCTT	CACACAGATA	GACCTTTTTT	1440
	TTTTTCCAAT	TCTATCTTTT	GTTTCCTTTT	TTCCCAFAAG	ACAATGACAT	ACGCTTTTAA	1500
	TGAAAAGGAA	TCACGTTAGA	GGAAAAATAT	TTATTCATTA	TTTGTCAAAT	TGTCGGGGGT	1560
30	AGTTGGCAGA	AAATCAGTCT	TCCACAAGA	AAATCCCTAT	AAGGAAGATT	TGGAAGCTCT	1620
	TCTTCCAGC	ACTATGCTTT	CCTTCTTTGG	GATAGAGAAT	GTCCAGACA	TCTCGCTTC	1680
	CCTGAAAGAC	TGAAGAAAGT	GTAGTGCATG	GGACCCACGA	AACTGCCCTG	GCTCCAGTGA	1740
	AACTTGGGCA	CATGCTCAGG	CTACTATAGG	TCCAGAAGTC	CTTATGTTAA	GCCCTGGCAG	1800
	GCAGGTGTTT	ATTAAAATTC	TGAATTTTGG	GGATTTCAA	AAGATAATAT	TTTACATACA	1860
35	CTGTATGTTA	TAGA AACTCA	TGGATCAGAT	CTGGGGCAGC	AACCTATAAA	TCAACACCTT	1920
	AATATGCTGC	AACAAAATGT	AGAAATTTCA	GACAAAATGG	ATACATAAAG	ACTAAGTAGC	1980
	CCATAAGGGG	TCAA AATTTG	CTGCCAAATG	CGTATGCCAC	CAACTTACAA	AAACACTTCG	2040
	TTCCGAGAGC	TTTTAGATT	GTGGAATGTT	GGATAAGGAA	TTATAGACCT	CTAGTAGCTG	2100
40	AAAATGCAAGA	CCCCAAGAGG	AAGTTCAGAT	CTTAATATAA	ATTCACCTTC	ATTTTTGATA	2160
	GCTGTCCCAT	CTGGTCAATG	GGTTGGCACT	AGACTGGTGG	CAGGGGCTTC	TAGCTGACTC	2220
	GCACAGGGAT	TCTACAATA	GGCCATATCA	GAATTTGTGT	TGAAGGAAC	TGTCTCTTCA	2280
	TCTAATATGA	TAGCCGGAAA	AGGAGAGGAA	ACTACTGCCT	TTAGAAAATA	TAAGTAAAGT	2340
	GATTAAGAGT	CTCACGTTAC	CTTGACACAT	AGTTTTTCAG	TCTATGGGTT	TAGTTACTTT	2400
	AGATGGCAAG	CTGTA AACTT	ATATTAATAG	TAATTTGTTA	AGTTGGGTGG	ATAAGCTATC	2460
45	CCTGTGCGG	GTTCATGGAT	TACTTCTCTA	TAAAAAATAT	ATATTTACCA	AAAAATTTTG	2520
	TGACATTCCT	TCTCCCATCT	CTTCCCTGAC	ATGCATTGTA	AATAGGTTCT	TCTTGTCTCG	2580
	AGATTC AATA	TTGAAATTTCT	CCTATGCTAT	TGACAATAAA	ATATTATTGA	ACTACC	

Seq ID NO: 36 Protein sequence:
Protein Accession #: NP_002630.1

	1	11	21	31	41	51	
55	MDALQLANSA	FAVDLPKQLC	EKEPLGNVLF	SPICLSTSLS	LAQVGAAGDT	ANEIGQVLHF	60
	ENVKDIPFGF	QVTSVDVNLK	SSFYSLKLIK	RLYVDKSLNL	STEFISSTKR	PYAKELETVD	120
	FKDKLEETKG	QINNSIKDLT	DGHFENILAD	NSVNDQTKIL	VVNAAYFVVK	WMKFPPESET	180
	KECPFRLNKT	DTEPVMQMMN	EATFCMGNID	SINCKIIELP	FQNKHLSMFI	LLPKDVEDES	240
	TGLEKIEKQL	NSESLSQWTN	PSTMANAKVK	LSIPKFKVEK	MIDPKACLEN	LGLKHIIPSED	300
60	TSDPFGMSET	KVALSNVVIH	KVCLEBITEDG	GDSIEVPGAR	ILQHKDELNA	DHPFIYIIRH	360
	NKTRNIIFFG	KFCSP					

Seq ID NO: 37 DNA sequence
Nucleic Acid Accession #: NM_0168583
Coding sequence: 72-842

	1	11	21	31	41	51	
70	GGAGTGGGGG	AGAGAGAGGA	GACCAGGACA	GCTGCTGAGA	CCTCTAAGAA	GTCCAGATAC	60
	TAAGAGCAAA	GATGTTTCAA	ACTGGGGGCC	TCATGTCTTT	CTACGGGCTG	TTAGCCGAGA	120
	CCATGGCCCA	GTTTGGAGGC	CTGCCCGTGC	CCCTGGACCA	GACCCTGCC	TTGAATGTGA	180
	ATCCAGCCCT	GCCCTTGAGT	CCCACAGGTC	TTGCAGGAAG	CTTGACAAAT	GCCCTCAGCA	240
	ATGGCCTGCT	GTCTGGGGGC	CTGTTGGGCA	TCTGGAAAA	CCTTCCGCTC	CTGGACATCC	300
75	TGAAGCCTGG	AGGAGGTACT	TCTGGTGGCC	TCCTTGGGGG	ACTGCTTGGG	AAAGTGACGT	360
	CAGTGATTCC	TGGCCTGAAC	AACATCATTG	ACATAAAGGT	CACGTACCCC	CAGCTGCTGG	420
	AACTTGGCCT	TGTGCAAGAG	CCTGATGGCC	ACCGTCTCTA	TGTACCATC	CCTCTCGGCA	480
	TAAAGCTCCA	AGTGAATAAG	CCCTGGTTCG	GTGCAAGTCT	GTTGAGGCTG	GCTGTGAAGC	540
	TGGACATCAC	TGCAGAAATC	TTAGCTGTGA	GAGATAAGCA	GGAGAGGATC	CACCTGGTCC	600
80	TTGGTGACTG	CACCCATTCC	CCTGGAAGCC	TGCAAATTTT	TCTGCTTGAT	GGACTTGGCC	660
	CCCTCCCAT	TCAAGGCTCT	CTGGACAGCC	TCACAGGGAT	CCTGAATAAA	GTCCCTGCCTG	720
	AGTTGGTTCA	GGGCAAGCTG	TGCCCTCTGG	TCAATGAGGT	TCTCAGAGGC	TTGGACATCA	780
	CCCTGGTGA	TGACATTGTT	AACATGCTGA	TCCACGGACT	ACAGTTTGTG	ATCAAGGCTCT	840
	AAGCCCTCCA	GGAAAGGGGT	GGCCTCTGCT	GAGCTGCTTC	CCAGTGTCTC	CAGATGGCTG	900
	GCCCATGTGC	TGGAGATGA	CACAGTTGCC	TTCTCTCCGA	GGAACCTGCC	CCCTCTCCTT	960
85	TCCACCAGG	CGTGTGTAAC	ATCCCATGTG	CCTCACCTAA	TAAAATGGCT	CCTCTCTCTG	1020
	AAAAAAAAA	AAAAAAAAA	AAAAAAAAA				

Seq ID NO: 38 Protein sequence:
Protein Accession #: NP_057667

5	1	11	21	31	41	51	
	MFQTGGLIVF	YGLLAQTMAQ	FGGLPVPLDQ	TLPLNVNPFAL	PLSFTGLAGS	LTNALSNGLL	60
	SGGLLGILEN	LPLLDILKPG	GGTSGGLLGG	LLGKVTSVIP	GLMNIIDIKV	TDFQLLELGL	120
	VQSPDGHRLY	VTFPLGKIKQ	VNTPLVGASL	LRLAVKLDIT	AEILAVRDQK	ERIHVLVLDG	180
10	THSPGSLQIS	LLDGLGLPI	QGLLDSLTI	LNVKLPVLVQ	GNVCPVNEV	LRGLDITLVH	240
	DIVNMLIHGL	QFVIKV					

Seq ID NO: 39 DNA sequence
Nucleic Acid Accession #: NM_004363.1
Coding sequence: 115-2223

15	1	11	21	31	41	51	
	CTCAGGGCAG	AGGGAGGAAG	GACAGCAGAC	CAGACAGTCA	CAGCAGCCTT	GACAAAAAGT	60
20	TCCTGGAAGT	CAAGCTCTTC	TCCACAGAGG	AGGACAGAGC	AGACAGCAGA	GACCATGGAG	120
	TCTCCCTCGG	CCCTCCCCCA	CAGATGGTGC	ATCCCTTGGC	AGAGGCTCCT	GCTCACAGCC	180
	TCACTTCTAA	CCTTCTGGAA	CCCGCCCAAC	ACTGCCAAGC	TCACTATTGA	ATCCACGCCG	240
	TTCAATGTGG	CAGAGGGGAA	GGAGGTGCTT	CTACTTGTCC	ACAATCTGCC	CCAGCATCTT	300
	TTTGGTACA	GCTGGTACAA	AGGTGAAAGA	GTGGATGGCA	ACCGTCAAAT	TATAGGATAT	360
25	GTAATAGGAA	CTCAACAAGC	TACCCCAAGG	CCCGCATACA	GTGGTCGAGA	GATAATATAC	420
	CCCAATGCAT	CCCTGTGTAT	CCAGAACATC	ATCCAGAATG	ACACAGGATT	CTACACCCTA	480
	CACGTCATAA	AGTCAGATCT	TGTGAATGAA	GAAGCAACTG	GCCAGTCCG	GGTATACCCG	540
	GAGCTGCCCA	AGCCCTCCAT	CTCCAGCAAC	AACTCCAAAC	CCGTGGAGGA	CAAGGATGCT	600
	GTGGCCTTCA	CCTGTGAACC	TGAGACTCAG	GACGCAACCT	ACCTGTGGTG	GGTAAACAAAT	660
30	CAGAGCCTCC	CSGTCAGTCC	CAGGCTGCAG	CTGTCCAATG	GCAACAGGAC	CCTCACTCTA	720
	TTCAATGTCA	CAAGAAATGA	CACAGCAAGC	TACAAATGTG	AAACCCAGAA	CCCAGTGAAT	780
	GCCAGGCGCA	GTGATTCAGT	CATCCTGAAT	GTCCTCTATG	GCCCGGATGC	CCCCACCATT	840
	TCCCCTCTAA	ACACATCTTA	CAGATCAGGG	GAAATCTCGA	ACCTCTCCTG	CCACGCAGCC	900
35	TCTAACCCAC	CTGCACAGTA	CTCTTGGTTT	GTCAATGGGA	CTTCCAGCA	ATCCACCCAA	960
	GAGCTCTTTA	TCCCAACAT	CACTGTGAAT	AATAGTGGAT	CCTATACGTG	CCAAGCCCAT	1020
	AACTCAGACA	CTGCCTCAA	TAGGACCACA	GTCACGACGA	TCACAGTCTA	TGCAGAGCCA	1080
	CCCAAAACCT	TCATACCAG	CAACAACCTC	AACCCCGTGG	AGGATGAGGA	TGCTGTAGCC	1140
	TAAACCTGTG	AACTGAGAT	TCAGAACACA	ACCTACCTGT	GGTGGGTAAT	TAATCAGAGC	1200
	CTCCCGGTCA	GTCCAGGCT	GAGCTGTCC	AATGACAACA	GGACCCCTAC	TCTACTCAGT	1260
40	GTCACAAGGA	ATGATGTAGG	ACCCTATGAG	TGTGGAAATC	AGAACGAAT	AAGTGTGAC	1320
	CACAGCGACC	CAGTCACTCT	GAATGTCTCT	TATGGCCCG	ACGACCCAC	CATTTCCCCC	1380
	TCATACACCT	ATTACCGTCC	AGGGGTGAAC	CTCAGCCTCT	CCTGCCATGC	AGCCTCTAAC	1440
	CCACCTGCAC	AGTATCTTGG	GCTGATTGAT	GGGAACATCC	AGCAACACAC	ACAAGAGCTC	1500
	TTTATCTCCA	ACATCACTGA	GAAGAACAGC	GGACTCTATA	CCTGCCAGGC	CAATAACTCA	1560
45	GCCAGTGGCC	ACAGCAGGAC	TACAGTCAAG	ACAATCAAG	TCTCTGCGGA	GCTGCCCAAG	1620
	CCCTCCATCT	CCAGCAACAA	CTCCAAACCC	GTGGAGGACA	AGGATGCTGT	GGCCTTCACC	1680
	TGTGAACCTG	AGGCTCAGAA	CACAACCTAC	CTGTGGTGGG	TAAATGGTCA	GAGCCTCCCA	1740
50	GTCACTCCCA	GGCTGCAGCT	GTCCAATGGC	AACAGGACCC	TCACTCTATT	CAATGTCACA	1800
	AGAAATGACG	CAAGAGCCTA	TGTATGTGGA	ATCCAGAACT	CAGTGAAGTC	AAACCCGAGT	1860
	GACCCAGTCA	CCCTGGATGT	CCTCTATGGG	CCGACACACC	CCATCATTTT	CCCCCAGAC	1920
	TCGTCTTACC	TTTGGGAGC	GAACCTCAAC	CTCTCCTGCC	ACTCGGCCTC	TAACCCATCC	1980
	CGCCAGTATT	CTTGGCGTAT	CAATGGGATA	CCGAGCAAC	ACACACAAGT	TCTCTTTATC	2040
	GGCAAAATCA	CGCCAAATAA	TAAACGGACC	TATGCCTGTT	TTGTCTCTAA	CTTGGTACT	2100
55	GGCCGCAATA	ATTCCATAGT	CAAGAGCATC	ACAGTCTCTG	CATCTGGAAC	TTCTCCTGGT	2160
	CTCTCAGCTG	GGGCCACTGT	CGGCATCATG	ATTGGAGTGC	TGTTTGGGGT	TGCTCTGATA	2220
	TAGCAGCCCT	GGTGTAGTTT	CTTCATTTCA	GGAAGACTGA	CAGTTGTTTT	GCTTCTTCTT	2280
	TAAAGCATT	GCAACAGCTA	CAGTCTAAAA	TTGCTTCTTT	ACCAAGGATA	TTTACAGAAA	2340
	AGACTCTGAC	CAGAGTCTGA	GACCATCTTA	GCCAAACATG	TGAAACCCCA	TCTCTACTAA	2400
60	AAATACAAA	ATGAGCTGGG	CTTGGTGGCG	CGCACCTGTA	GTCCAGTTA	CTCGGAGGCG	2460
	TGAGGCAGGA	GAATCGCTTG	AACCCGGGAG	GTGGAGATTG	CAGTGAAGCC	AGATCGCACC	2520
	ACTGCACTCC	AGTCTGGCAA	CAGAGCAAGA	CTCCATCTCA	AAAAGAAAAG	AAAAGAAGAC	2580
	TCTGACCTGT	ACTCTTGAAT	ACAAGTTTCT	GATACCCTG	CAGTGTCTGA	GAATTTCCAA	2640
	AACTTAAATG	AACTAACTGA	CAGCTTCATG	AAACTGTCCA	CCAAGATCAA	CGCAGAGAAA	2700
65	TAATTAATTT	CATGGGACTA	AATGAACATA	TGAGGATTGC	TGATCTTTA	AATGCTTGT	2760
	TTCCAGATT	TCAGGAAACT	TTTTTCTTT	TAAGCTATCC	ACTCTTACAG	CAATTTGATA	2820
	AAATATACTT	TTTGAACAA	AAATGAGAC	ATTTACATTT	TCTCCCTATG	TGGTCGCTCC	2880
	AGACTTGGGA	AACTATTCAT	GAATATTTAT	ATTGTATGGT	AATATAGTTA	TGCACAAGT	2940
	TCAATAAAAA	TCTGCTCTTT	GTATAACAGA	AAAA			

Seq ID NO: 40 Protein sequence:
Protein Accession #: NP_004354.1

70	1	11	21	31	41	51	
	MESPSAPPHR	WCIPQWRLLL	TASLLTFWNP	PTTAKLTIES	TPFNVAEGKE	VLLLVHNLPO	60
75	HLFGYSWYK	ERVDGNRII	GVVIGTQOAT	PGPAYSGREI	IYPNASLLIQ	NI IQNDTGFY	120
	TLHVIKSDLV	NEEATGQFRV	YPELKPSPIS	SNNSKPVEDK	DAVAFTCEPE	TQDATYLVWV	180
	NNQSLVPSPR	LQLSNGNRTL	TLFNVTRNDT	ASYKCEQNP	VSARRSDSVI	LNVLVYGPDP	240
	TISPLATSYR	SGENLNLSC	AASNPPAQYS	WVFNQTFQQS	TQELFIPNIT	VNNSGSYTCQ	300
80	AHNSDTGLNR	TTVTITIVYA	EPKPPITSN	NSNPVEDEDA	VALTCEPEIQ	NTTYLVWVNN	360
	QSLVPSVRLQ	LSNDRRLTLL	LSVTRNDVGP	YECGQNELS	VDHSDPVLN	VLYGPDPTI	420
	SPSYTYRPG	VNLSLSCHAA	SNPPAQYSWL	IDGNIQQHTQ	ELPISNITEK	NSGLYTCQAN	480
	NSASGHSRTT	VKTIIVSAEL	PKPSISSNNS	KPVEDKDAVA	FTCEPEAONT	TYLVWVWVNS	540
	LVPVSRQLQS	NGNRLTLFN	VTRNDARAYV	CGIQNSVSAN	RSDPVTLDVL	YGPDPPIISP	600
85	PDSSYLSGAN	LNLSCHSASN	PSPQYSWRIN	GIPQOHTQVL	FIARKTPNNN	GTYACFVSNL	660
	ATGRNNSIVK	SITVSASGTS	PGLSAGATVG	IMIGVLVQVA	LI		

Seq ID NO: 41 DNA sequence
 Nucleic Acid Accession #: NM_006952.1
 Coding sequence: 11-793

5
 10
 15
 20

1	11	21	31	41	51	
AATCCCGACA	ATGGCGAAAG	ACAACTCAAC	TGTTGTTGC	TTCCAGGGCC	TGCTGATTTT	60
TGGAATATG	ATTATTGGTT	GTTCGGGCAT	TGCCCTGACT	GCGGAGTGCA	TCTTCTTGT	120
ATCTGACCAA	CACAGCCTCT	ACCCACTGCT	TGAAGCCACC	GACAACGATG	ACATCTATGG	180
GGCTGCCTGG	ATCGGCATAT	TTGTGGGCAT	CTGCCTCTTC	TGCCTGTCTG	TTCTAGGCAT	240
TGTAGGCATC	ATGAAGTCCA	GCAGGAAAAT	TCTTCTGGCG	TATTTCAATC	TGATGTTTAT	300
AGTATATGCC	TTTGAAGTGG	CATCTTGTAT	CACAGCAGCA	ACACAACGAG	ACTTTTTTAC	360
ACCCAACCTC	TTCTGAAGC	AGATGCTAGA	GAGGTACCAA	AACAACAGCC	CTCCAAACAA	420
TGATGACCAG	TGGA AAAACA	ATGGAGTCAC	CAAAACCTGG	GACAGGCTCA	TGCTCCAGGA	480
CAATGCTGT	GGGTAAATG	GTCCATCAGA	CTGGCAAAA	TACACATCTG	CCTCCGGAC	540
TGAGAATAAT	GATGCTGACT	ATCCCTGGCC	TCGTCAATGC	TGTGTTATGA	ACAATCTTAA	600
AGAACTCTC	AACTTGAGG	CTTGTAAACT	AGGCGTGCT	GGTTTTTATC	ACAATCAGGG	660
CTGCTATGAA	CTGATCTCTG	GTCCAATGAA	CCGACACGCC	TGGGGGGTTG	CCTGGTTTGG	720
ATTTGCCATT	CTCTGCTGGA	CTTTTGGGT	TCTCTGGGT	ACCATGTTCT	ACTGGAGCAG	780
AATTGAATAT	TAAGAA					

Seq ID NO: 42 Protein sequence:
 Protein Accession #: NP_008883.1

25
 30

1	11	21	31	41	51	
MAKDNSTVRC	FQGLLIFGNV	IIGCCGIALT	AECIFFVSDQ	HSLYPLLEAT	DNDDIYGAAW	60
IGIFVGIICLF	CLSVLGVIGI	MKSSRKILLA	YFILMFIVYA	FEVASCITAA	TQRDFFTPNL	120
FLKQMLERYQ	NNSFPNDDQ	WKNNGVTKTW	DRMLLQDNCC	GVNGPSDWQK	YTSARFTENN	180
DADYFWRPQC	CVMNMLKEPL	NLEACKLGVP	GFYHNQGCYE	LISGPMNRHA	WGVAVWFGFAI	240
LCWTFWVLLG	TMFYWSRIEY					

Seq ID NO: 43 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 83-2605

35
 40
 45
 50
 55
 60
 65
 70
 75
 80
 85

1	11	21	31	41	51	
GCCGGACAGA	TCTGCGCGTA	TCCTGGAGCC	GGCCCAAGTG	TGAACTAGGA	GAGCTTTGGG	60
ACCTCTGTCC	CAAGCAAGAG	AGATGAATGG	AGAGTATAGA	GGCAGAGGAT	TGGACGAGG	120
AAGATTTCAA	AGCTGGA AAA	GGGGAAGAGG	TGGTGGGAAC	TTCTCAGGAA	AATGGAGAGA	180
AAGAGAACAC	AGACCTGATC	TGAGTAA AAC	CACAGG AAA	CGTACTTCTG	AACAAACCCC	240
ACAGTTTTTG	CTTTCAACAA	AGACCCCA	GTCAATGCAG	TCAACATTGG	ATCGATTTCAT	300
ACCATATAAA	GGCTGGAAGC	TTTATTTCTC	TGAAGTTTAC	AGCGATAGCT	CTCCCTTGAT	360
TGAGAAGATT	CAAGCATTTG	AAAAATTTT	CACAAGGCAT	ATTGATTTGT	ATGACAAGGA	420
TGAAATAGAA	AGAAAAGGAA	GTATTTTGGT	AGATTTTAAA	GAACTGCAG	AAGGTGGTGA	480
AGTAACTAAC	TTGATACCAG	ATATAGCAAC	TGAAC TAAGA	GATGCACCTG	AGAAAACCTT	540
GGCTTGCATG	GGTTGGCAA	TACATCAGGT	GTTA ACTAAG	GACCTTGAAA	GGCATGCAGC	600
TGAGTTACAA	GCCCAAGGAA	GATTGTCTAA	TGATGGAGAA	ACAATGGTAA	ATGTGCCACA	660
TATTCATGCA	AGGGTGATCA	ACTATGAGCC	TTTGACACAG	CTCAAGAAATG	TCAGAGCAAA	720
TTACTATGGA	AAATACATTG	CTCTAAGAGG	GACAGTGGTT	CGTGTCAATG	ATATAAAGCC	780
TCTTTGCACC	AAGATGGCTT	TTCTTTGTGC	TGCATGTGGA	GAAATTCAGA	GCTTTCTCT	840
TCAGATGGA	AAATACAGTC	TTCCCAAAA	GTGTCTGTG	CCTGTGTGTC	GAGGCAGGTC	900
ATTTACTGCT	CTCCGAGCT	CTCTCTCAC	AGTTACGATG	GACTGGCAGT	CAATCAAAAT	960
CCAGGAATTG	ATGCTGTGAT	ATCAGAGAGA	AGCAGGTCGG	ATTCCACGAA	CAATAGAAATG	1020
TGAGCTTGT	CATGATCTTG	TGGATAGCTG	TGTCCTGGGA	GACACAGTGA	CTATTACTGG	1080
AAATGTCAA	GTCTCAAATG	CGGAAGAAGG	TTCTCGAAAT	AAGAATGACA	AGTGTATGTT	1140
CCTTTTGTAT	ATTGAAGCAA	ATTCTATTAG	TAATAGCAAA	GGACAGAAA	CAAAGAGTTC	1200
TGAGGATGGG	TGTAAGCATG	GAATGTTGAT	GGAGTTCTCA	CTTAAAGACC	TTTATGCCAT	1260
CCAAGAGATT	CAAGCTAAG	AAAACCTGTT	TAAACTCATT	GTCAACTCGC	TTTGCCCTGT	1320
CATTTTTGGT	CATGAACCTG	TTAAAGCAGG	TTTGGCATT	GCACTCTTTG	GAGGAAGCCA	1380
GAAATACGCA	GATGACAAA	ACAGAATTCC	AATTCGGGGA	GACCCCAACA	TCCTTGTGTT	1440
TGGAGATCCA	GGCCTAGGAA	AAAGTCAAAT	GCTACAGGCA	GGGTGCAATG	TTGCCCCACG	1500
TGGCGTGTAT	GTTTGTGGTA	ACACCACGAC	CACCTCTGGT	CTGACGGTAA	CTCTTCAA	1560
AGATAGTTCC	TCTGGAGATT	TTGCTTTGGA	AGCTGGTGCC	CTGGTACTTG	GTGATCAAGG	1620
TATTTGTGGA	ATCGATGAAT	TTGATAAGAT	GGGGAATCAA	CATCAAGCCT	TGTTGGAAGC	1680
CATGGAGCAG	CAAAGTATTA	GTCTTGCTAA	GGCTGGTGTG	GTTTGTAGCC	TTCTGCAAG	1740
AACTTCCATT	ATTGCTGCTG	CAAATCCAGT	TGGAGGACAT	TACAATAAAG	CCAAAACAGT	1800
TTCTGAGAAT	TTAAAAATGG	GGAGTGCAT	ACTATCCAGA	TTTGATTTGG	TCTTTATCCT	1860
GTATAGACT	CCAAATGAGC	ATCATGATCA	CTTACTCTCT	GAACATGTGA	TGCAATAAG	1920
AGCTGGAAAG	CAGAGAACCA	TTAGCAGTGC	CACAGTAGCT	CGTATGAATA	GTCAAGATT	1980
AAATACTTCC	GTACTTGAAG	TAGTTTCTGA	GAAGCCATTA	TCAGAAAGAC	TAAAGGTGGT	2040
TCTCGGAGAA	ACAAATAGAT	CCATCCCCA	CCAGCTATTG	AGAAAAGTACA	TGGCTATGC	2100
TGGCAGTAT	GTGTACCCAA	GGCTATCCAC	AGAAGCTGCT	CGAGTTCTCT	AAGATTTTAA	2160
CCTTGAGCTC	CGGAACAGA	GCCAGAGGTT	AAATAGCTCA	CCAATCACTA	CCAGGCAGCT	2220
GGAACTTTTG	ATTCGTCTGA	CAGAGGCAGC	AGCAAGGTTG	GAATTGAGAG	AGGAAGCAAC	2280
CAAAGAAGAC	GCTGAGATA	TAGTGGAAAT	TATGAAATAT	AGCATGCTAG	GAACCTACTC	2340
TGATGAATTT	GGGAACCTAG	ATTTTGAGCG	ATCCAGCAT	GGTCTGGAA	TGAGCAACAG	2400
GTCAACAGCG	AAAAGATTTA	TTTCTGCTCT	CAACAACGTT	GCTGAAAGAA	CTTATAATAA	2460
TATATTTCAA	TTTCATCAAC	TTGGCAGAT	TGCCAAAGAA	CTAAACATTC	AGGTTGCTGA	2520
TTTTGAAAAT	TTTATGGAT	CACTAAATGA	CCAGGGTTAC	CTCTTGA AAA	AAGGCCAAA	2580
AGTTTACCAG	CTTCAACTA	TGTAAAAGGA	CTTCCCAAG	TTAGGGCTTC	CTGGGTTTAT	2640
TGCAGATTAA	AGCCATCTCA	GTGAAGATAT	GCGTGCAAGC	ACAGACAGAC	AGACACACAC	2700
ACACACACAC	ACACACACAC	ACACACACAC	ACACACAGTC	AAATACTGTT	CTCTGAAAAA	2760
TGATGTCCCA	AAAGTATTAT	AATAGGAAAA	AAGCATTAAA	TATAATAAAC	TAATTTAAGA	2820

AGTGATAAAG TCTCCAGATG CAGTAGCTCA CACTGTAATC ACAGTGACTC AGGAGGCTGA 2880
 GGTGAGAGGA TTCCTTGAGG CCAGGGTTCG AGACCAACCT TGGGCAACAT AGCAAGACCC 2940
 CATTTCCTAA AAAAAAAAAA AAAAAATTTA AACTTAGCTG GGTATGGTGG CACATGCCTA 3000
 TAGTCTCAGC TACTTGTGAG GCTGAGGCAG GAGGATTCTT TGAGCCOCAGG AGTTTGAGGT 3060
 TACAGTGAGC CACAATCACA CCAATCACTG CACTCCAGCC TGGGCAATAA AGTAACTCTT 3120
 GACTCAAAAA AATAAAAAAA ATGTAGTGGG TAGCCATGTG TTAATTTGTA AATAAATCTT 3180
 CCAAAGGGCT AAAAGTAAAT TACTTATAAA TTTTATAG TTGTATTTT GACCTGCCTT 3240
 TTATATGTAT GAATATTCA TAGTTTGTCA TATCAGATGT AGGCATACAG ACAATAACAT 3300
 AAACCAATGA ATATATTACA TATCTGTGTG TCCATAAAA CTTTATTTAT GGCACTAAA 3360
 ATTTGAATTT CATAAAATTT TCCCATGTCA AGAATACAAA ATACTTGAGT TTTGTTTTTA 3420
 GCTATTTAAT AATAGGTCTC ATTTATTTCCA CAGGCTGTAG TTTGTAGTCT TGCTGAAAC 3480
 AATAGAAACA GACTGATTA GACAGGAGAAG TTTTTTGAAG GAATTTTGT TGGCTCACGG 3540
 AATATTAGA AGGCAGGTGA ACCAGGAGGG TAAGCTTCCA GCAGCAATT GTAAAACCAT 3600
 GCCTTAGAAT TGGACTAAGG AAGAAGCTGC TGACACTCCA CTGCCACACA GGGCACTGGA 3660
 AGAAAGTGCT GCTGCTTCCC TGCCCCACCT TTGCCACTTC TGCAGCAGGA ATAGGTAGAA 3720
 GAATGCCCCC ACCCGCACCG GAACAGCAAC AAAAGGATTTC TGCATGAGAT GCCTCCCTAA 3780
 ATGTCTGAAT TCAAAAAAGA AGTTGCATAC AAAGACATCT GATTGAAAAA GGGTATGTTA 3840
 TATGCCCTTT TCATAGGCTG CTAGGGAGTT TTCCTGGTTC TACTTTCAGG TGGTGGGATC 3900
 AATAAGACCA GAATTTCTCA TATGTTGTGA GAGGATTCAA ATGTTACAGG GTTGCCAGCC 3960
 AAACATCAA TCATGTATAA ATCCAACAAA CACTTTGTAA CATAACAAGAA CTCAGGAAAT 4020
 GTGAACCATT GTTGAGAAT CTAATAAAT ACGGCTTCCC GCAAACGAAG ATGAATGGAA 4080
 AATGTAATA AAAAGAATG GCAGTGTATA TCAGATGTTT AACTATAGGA CCAGAACTAA 4140
 GATGTGGAGA CTATTGCCAT AGACCACAAT GTAATTTTT AAGTGAGGAA GGAAAAATCA 4200
 GGAATCAAA GGGGCCAGGT CACATCTATA TCCCAGAGCT TGGGAGTTC 4260
 GAGGCAGGAG GATCACTTGA AGCCAGTTTT GAGACCAGCC TATGCAACAC ATTGAGACCC 4320
 TATCTCTACA AAAAATAGAT TAGCTGGGCA CGGTGGTGA TGCCATATTG CTACTCTACT 4380
 GTGGAGGCTG AAGTAGGAAA TCACTTGAGC CCGAGAGTTT GAGGTTACAG TGAGCTATGA 4440
 TTATACCACT GCACTCCAGC CTGGGCAAGA GAGCAAGACC TTGTCTCTT

Seq ID NO: 44 Protein sequence:
 Protein Accession #: CAB55276.2

1 11 21 31 41 51
 MNGEYRGRGF GRGRFQSWKR GRGGNFSGK WREREHRPDL SKTTGKRTSE QTPQFLSTK 60
 TPQSMQSTLD RFIPYKQWKL YFSEVYSDSS PLIEKIQAPE KPFTRHIDLY DKDEIERKGS 120
 ILVDFKELTE GGEVTNLIPD IATELRDAPE KTLACMGLAI HQVLTKDLER HAAELQAQEG 180
 LSNDETMVN VPHIHARVYN YEPLTQLKNV RANYYKYIA LRGTVVVRVSN IKPLCTKMAF 240
 LCAACGEIQS FPLPDGKYSL PRKCPVPVCR GRSPTALRSS PLTVTMDWQS IKIQELMSDD 300
 QREAGRIPRT IECELVHDLV DSCVPGDVTV ITGIVKVSNA EBGSRNKNDK CMFLLYIEAN 360
 SISISKQKQT KSSEDGCKHG MLMEFSLKDL YAIQEIQAEE NLFKLVNLSL CPVIFGHELV 420
 KAGLALALFG GSQKYADDDKN RPIRIGDPHI LVVGDPLGLK SQMLQAACNV APRGVYVCGN 480
 TTTTSGLTVT LSKDSSSGDF ALEAGALVLG DQIGICGIDEF DKMGNHQHQL LEAMEQQSIS 540
 LAKAGVVCSL PARTSIIAAA NPVGGHYNKA KTVSENLMKG SALLSRFDLV FILLDTPNEH 600
 HDHLLSEHVI AIRAGKQRTI SSATVARMNS QDSNTSVLEV VSEKPLSERL KVPVGETIDP 660
 IPHQLLRKYI GYARQVYVPR LSTEARVLQ DFYLELRKQS QRLNSSPITT RQLESILRLT 720
 EARARLELRE EATKEADAEDI VEIMKYSMLG TYSDEFNLD FERSQHGSGM SNRSTAKRFI 780
 SALNVAERT YNNIFQPHQL RQIAKELNIQ VADPENFIGS LNDQGYLLKK GPKVYQLQTM

Seq ID NO: 45 DNA sequence
 Nucleic Acid Accession #: NM_005416.1
 Coding sequence: 149..658

1 11 21 31 41 51
 ACCAGATCCC AGAGGCTGAA CACCTCGACC TTCTCTGCAC AGCAGATGAT CCCTGAGCAG 60
 CTGAAGACCA GAAAGCCAC TAAGACTTTC TGCTTAATTC AGGAGCTTAG AGGATTCTTC 120
 AAAGAGTGTG TCCACGATCC TTTGAAGCAT GAGTCTTAC CAGCAGAAGC AGACCTTTAC 180
 CCCACCACCT CAGCTTCAAC AGCAGCAGGT GAAACAACCC AGCCAGCCTC CACCTCAGGA 240
 AATATTTGTT CCCACAACCA AGGAGCCATG CCACCTCAAG GTTCCACAAC CTGGAAACAC 300
 AAAGATTCCA GAGCCAGGCT GTACCAAGGT CCCTGAGCCA GGCTGTACCA AGGTCCCTGA 360
 GCCAGGCTGT ACCAAGTCC CTGAGCCAGG TTGTACCAAG GTCCTGAGC CAGGCTGTAC 420
 CRAAGTCCCT GAGCCAGGTT GTACCAAGGT CCCTGAGCCA GGCTACACCA AGGTCCCTGA 480
 ACCAGGCAGC ATCAAGTCC CTGACCAAGG CTTTATCAAG TTTCTGAGC CAGGTGCCAT 540
 CAAAGTTCCT GAGCAAGGAT ACACCAAAGT TCCTGTGCCA GGCTACACAA AGCTACACGA 600
 GCCATGTCTC TCAACGGTCA CTCCAGGCC AGCTCAGCAG AAGACCAAGC AGAAGTAATT 660
 TGGTGCACAG ACAAGCCCTT GAGAAGCCAA CCACCAGATG CTGGACACCC TCTTCCCATC 720
 TGTTTCTGTG TCTTAATTTG CTGTAGACCT TGTAAATCAGC ACATTGTAC CCCAAGCCAT 780
 AGTCTCTCTC TTATTTGTAT CCTAAAAATA CGTACTATAA AGCTTTTGT CACACACACT 840
 CTGAAGATC CTGTAAGCCC CTGAATTAAG CAGAAAGTCT TCATGGCTTT TCTGGTCTTC 900
 GGCTGCTCAG GGTTCATCTG AAGATTCGAA TGAAGAAGAA TGCATGTTTC CTGCTCTTCC 960
 CTCATTAAT TGCTTTAAT TCCA

Seq ID NO: 46 Protein sequence:
 Protein Accession #: NP_005407.1

1 11 21 31 41 51
 MESSYQKQTF TPPPQLQQQK VKQPSQPPPK EIFVPTTKEP CHSKVPQPGN TKIPEPGCTK 60
 VPEPGCTKVP EPGCTKVPEP GCTKVPEPGC TKVPEPGCTK VPEPGYTKVP EPGSIKVPDQ 120
 GFIKFPEPGA IKVPEQGYTK VVVPGYTKLF EPCPSTVTPG PAQKQTKQK

Seq ID NO: 47 DNA sequence
 Nucleic Acid Accession #: Eos sequence

```

1      |      |      |      |      |      |
11     |      |      |      |      |      |
21     |      |      |      |      |      |
31     |      |      |      |      |      |
41     |      |      |      |      |      |
51     |      |      |      |      |      |
5      |      |      |      |      |      |      |
GGGTCGTGTG CAGGCGTCCC CCGGCTGTGG ATAATTAGAC ACGTTCCTCC CTCATTGCC 60
AAGGCTCGTT AGAATTCGCC CTAGAGCTGT ATCATGTATT TTCCTTCAAA TTAACCTTGC 120
TTGCAATTAA GCTTAGGGAA CCAGCAACAA AAGCAAACCT GGCCCGAGGT CGTTCACCCG 180
GAAATGGAT TAGAGAACT TCTTCCCCTA TTTAAGGGGA AAGATTCTCT CGGCCAGCGC 240
TTTGGGAAA GTGCCCGGAC CGCAGAGGCG ACGACAGGGG AGCAGGAAGC TGCTCACGGT 300
AGTCGGCGTT GGCGGCAGCG GTGGCCTTCC TCATCTGGGC GATGTGGGCT CCTAGAAGAG 360
TAAGGATAAC ATCTCGGAAA TGACTTCTGT ACGGTTTGAG CCCAACTGCA CACTCATGAC 420
10    TTGGAGCTCG CCTGTGGAGT TACAGTTTAC CAAACACATT CATGAAACATA ATCTCATTTA 480
CTAAAAACTT TGTGAGAATT TTCTTTTACT AAAATTTTTT CTTATTACAA A

```

Seq ID NO: 48 DNA sequence:
Nucleic Acid Accession #: CAT cluster

```

1      |      |      |      |      |      |
11     |      |      |      |      |      |
21     |      |      |      |      |      |
31     |      |      |      |      |      |
41     |      |      |      |      |      |
51     |      |      |      |      |      |
20    |      |      |      |      |      |      |
TTCCAAATTT TTTTTTTTGT AATAAGAAAA AATTTTAGTA AAAGAAAATT CTCACAAAGT 60
TTTTAGTAAA TGAGATTATG TTCATGAATG TGTTTGGTAA ACTGTAACCT CACAGGGCAG 120
CTCCAAGTCA TGAGTGTGCA GTTGGGCTCA AACCGTACAG AAGTCATTTC CAGGATGTGA 180
TCCTTACTCT TCTCGGAGCC CACATCGCCC AGATGAGGAA GGCCACCGCT GCCGCCAACG 240
CCGACTACCG TGAGCAGCTT CCTGCTCCCC TGTCTGCGCC TCTGCGTCCG GGGCACTTTC 300
CCCAAGCGC TGGCCCGCAG AATCTTCCCT CTTAAATCGG GGAAGAAGTT TCTCTAATCC 360
25    ATTTTCGCGG TGAACGACCT CGGGCCAAGT TTGCTTTTGT TGCTGGTTC CTAAGCTTAA 420
TTGCAAGCAA AGTTAATTTG AAAGAAAATA CATGATACAG CTCTAGGGCG AATTCTAAGC 480
AGCCTTGGGC AATGAGGGAA GAACGTGTCT AGTTATCCAC AGCCCCGGGA CGCCTGCACA 540
CGACGCT

```

Seq ID NO: 49 DNA sequence:
Nucleic Acid Accession #: CAT cluster

```

1      |      |      |      |      |      |
11     |      |      |      |      |      |
21     |      |      |      |      |      |
31     |      |      |      |      |      |
41     |      |      |      |      |      |
51     |      |      |      |      |      |
35    |      |      |      |      |      |      |
TCTTCTCTCT GCTGCTCGTT TGCTCTCTCT GTGCTCTTCT TCTTCTTTC CCTCGCCGCT 60
CCTGCCGACC TCTGTGTCTT CTTCTCTGAT GCGCGGGGGC GGGAGAAGCT GACCGGTGAG 120
ACCGTAGACC CGAAACCACT GGGTGTGACA AGCCGGTCCG CGGCTTTTTT GGGAGAAGCC 180
GACACATGCA GACCAGTTTT CCTGGAAACG CATGACCATG TTATFACTAT GGGCCGCTCT 240
CCCAACCAA GTGTTTAAAA CTTTTTAGGG CACCCCAAAA ATTTTTTTTT TTTTTTTTTT 300
TTCAATTTAA AAACCTAAT ATTTATATTA AATACAAAGA TACCCAAACC CTTTATGCTT 360
CTTCTCTGTA TCTGTGTCTT TTTCTTTGA CAGCATCTCC ATTTTTTTC TGCTGCTTCA 420
TCGCTGTAGC CATGGGAATC CGTTTCATTA TTATGGTAGC AATATGGAGT GCTGTATTCC 480
TAAAGAAACT GACACAGGAG AATCACTTGA ACTTGGGAGG CAGAGTTTGC AGTGAGCCGA 540
GATTGAACCA GTGCACTCCA GCCTTGGCAG CGGAGCAAGA TTCTGTGACA GTTCTTGAAG 600
45    TGCTGGTATC GTCTGTCAGC CCCATCTCCG GTTCCATGTC GCTGCCAGGC AGGGTGTCTGG 660
GACGTGGGGA GAGCTGTGCT ATATATCCCG GTGAAGTCA GCTGTGGCAC ACCTTGGATG 720
CGGGTCTCT CCTGGCCCGG GGGACCTAGT ATTTTGGCCA CGAGTGTACA CCAAACAAG 780
GAGACAGCAT CATTATGAG CCTGCAGCAT CCACCCTACT GCTGTATCCA GTTTCATTG 840
ACTG

```

Seq ID NO: 50 DNA sequence:
Nucleic Acid Accession #: L05187
Coding sequence: 1991..2260

```

1      |      |      |      |      |      |
11     |      |      |      |      |      |
21     |      |      |      |      |      |
31     |      |      |      |      |      |
41     |      |      |      |      |      |
51     |      |      |      |      |      |
55    |      |      |      |      |      |      |
CTGCAGGGAG GCAGGTAGAA AAGGCTTTTG GGTTTTCAGG TGGGGGGCAG TCTAGCCTGA 60
TCAGAAAGGA GGAAGAGGCC AGGCGAGATG TCTGGGTGGA GTGAAGGAAA AAAGTGATCC 120
CAGAAGAAGG ATTAGCCCTT GAAAGTCCCT GAAGTAGGAG AAGGGTAAAG GTGTGGTTGG 180
TGAAGGAARAG CAGGTTTTCC CAGATTAGCA ACCAGTCAGG GGGAGGAAGG TGAGAGTGGG 240
AGAGTCATAA GTAATATTAT CTGAATGTGT GTAGTTAAT GGAATTGGGA AAAAGATGGG 300
GAAATGGAT GGAAGGCTCT GGAATCTGAG ACAAGGGGTC TATAATCAGT CCATTTCATT 360
ATTTCTAGCT TCACCTTCA CCAAGGCAGA CAAGGAGGGC CCACCTCAGC TCCTCTGCTC 420
CCCCTCCCTT TCCCACCTAT TCAATGTGTC AAGAGTGCCC TGTCCACAG AACACGGGGA 480
65    ACAACCATCT CAATGACAAG GACAGCAGGT GGCAAGGCTC AACAGGACTC AGATGTCCTC 540
CCAGGGTTAA CTCATGAAAC CCTCCATGAA GCCTGCTGCT CACCCCTCCC TCAAGGCAAG 600
CCCTGCACCT GGGCTGAGG ATGAGGGTGG CAGTGAATA TAGGCCAGTG ACATCATTTT 660
CAGCCAGCTA GTGCCAAAA ATATCAGGTG GTGTTTATCA AATAAGCCGA GCCAACCGGT 720
GATGAGGATG GTAGTGTGAG TCATGTGTGA CAGGTGAGGA ATGAAAACAG AGTGCCCGAG 780
AGCTTCTATT TCCTTGAGGC AGGGCTCATT CATCTTATAA AAGCCAGCTG GCCATTGCCT 840
TCACACCAA CCCAAGGGAC CACACAGCCC ATTCTGTCTC GTATACCAGG TAAGTCTCTG 900
ATTGCAACAA ACTGGCAATT CTAGTGTACT TTTTCATTAT TAGAAATTAG CTAAGGCCAA 960
ATATGTGTAA GCAGGTTAAT CCAGGTTTC AATGGGAGAT AGAGAATAGT GGAATATCTT 1020
TATTTAAGT TAAATTACAG TCTGGATTG AAAGGACCTT AGAGATGGTT AGGGCTCCCA 1080
75    CCTCAGTAGA TAGTCATTGA ACTGGGAGTC CTGGAGAAGA TTGTTCAAAT GCCCATGGGA 1140
AGTTCATAGC AGAACTAGAA CTCAGGCCAG AGCACTCTCA GTAACACTGC AATTTCCCCC 1200
TGACAAGATA TTTATAGAAA TTTTAAATTA TTAGATGGAT CTCTACTGAG CATTATTTCC 1260
ATTTAAGGCA GTATGTAGG CACTTTGGAC AAATCAATGC CCTAACGTAC TTACTTAACA 1320
AACATAAAC CTAGCAGGAA GGTAATACAT ATATATAAAT AANTGAAATG CAAAGTAGAT 1380
80    AGTAATTTGG ATGACGGAGA TGGCCAGAGA AGGGCTGTGC ACTTTTGGGA GACTTGTCTA 1440
AGGAGACCTC TAGGGTGTCA AGTGATGTGA GCTATGATGG AGGGGTATTG GACAAAGCAG 1500
AGATGGGAAG AAAAGCAATT GGAAGGGACT GTGTAAGCAC AGACCAGAAG CAAAACATA 1560
GAGGCTTAGA TGAATATAAA GCCATCCTAT AAGTACAGG CTTTCTACAT GGTACTAGGA 1620
GAGGAAAAGT GCTGTAGTCC ATTTTCCAAA AGACCTAATA TGCGGACCTC ATGTCTCTCA 1680
85    GAAGCCAGCT TTAGTAGGGC ATTTTCCAG AACAGATATA AGGTGCCTTG GGTAGGAAGG 1740
GAGCCAAGAA GAGAACTCCA ATAAAATGGA GCAGAAGAAA TTGCCTTTTA GCTCCTCCTC 1800
TTCAAAGGCG CTGAAAATTA TCCAAGCTTA TTTTATTTT AAATGTAATG GGGGAGCTAA 1860

```


GGGAGATGAA AGGCTTTCTC TTCTAAAGGG TCCTGAAATA AAATCTGTTT GGCATTGAAT 1920
 TTGTATCCAT CTTTCTTTAA TTGAATCACT GTGTGAGCTT TCTGTCTCTA GAAAAAACA 1980
 CATTTGAAGC ATGAATTCTC AGCAGCAGAA GCAGCCTTGC ACCCCACCCC CTCAGCCTCA 2040
 GCAGCAGCAG GTGAACAAC CTTGCCAGCC TCCACCCAG GAACCATGCA TCCCCAAAAC 2100
 CAAGGAGCCC TGCCAACCCA AGGTGCCTGA GCCCTGCCAC CCCAAAGTGC CTGAGCCCTG 2160
 CCAGCCCAGG ATTCAGAGC COTGCCAGCC CAAGGTGCCT GAGCCCTGCC CTTCAACGGT 2220
 CACTCCAGCA CCAGCCCAGC AGAAGACCAA GCAGAAGTAA TGTGGTCCAC AGCCATGCC 2280
 TTGAGGAGCT GCCCACTGGA TACTGAACAC CCTACTCCAT TCTGCTTATG AATCCCATTT 2340
 GCCTATTGAC CCTGCAGTTA GCATGCTGTC ACCCTGAATC ATAATCGCTC CTTTGCACCT 2400
 CTA AAAAGAT GTCCCTTACC CTCAATTCTGG AGGCTCCTGA GCCTCTGCGT AAGGCTGAAC 2460
 GTCTCACTGA CTGAGCTAGT CTCTTGTGTG CTCGGGTGCA TTTGAGGATG GATTTGGGGA 2520
 AGGTCAAGTG ACCATCCCTA G

Seq ID NO: 51 Protein sequence:
 Protein Accession #: AAC26838

1 11 21 31 41 51
 MNSQQQKQPC TPPPQQQQQ VKQPCQPPPO EPCIPKTKEP CQPKVPEPCH PKVPEPCQPK 60
 IPEPCQPKVP EPCFSTVTPA PAQQKTKQK

Seq ID NO: 52 DNA sequence
 Nucleic Acid Accession #: NM_002638.1
 Coding sequence: 120-473

1 11 21 31 41 51
 CAATACAGCT AAGGAATTAT CCCTTGTAAT TACCACAGAC CCGCCCTGGA GCCAGGCCAA 60
 GCTGGAGTGC ATAAAGATTG GTATGGCCTT AGCTCTTAGC CAAACACCTT CCTGACACCA 120
 TGAGGGCCAG CAGCTTCTTG ATCGTGGTGG TGTTCCTCAT CGTGGGAGC CTGGTCTTAG 180
 AGGCAGCTGT CAGGGAGATT CCTGTAAAG GTCAGACAC TGTCAAAGGC CGTGTTCAT 240
 TCAATGGACA AGATCCCGTT AAAGGACAAG TTTCAATTA AGGTCAAGAT AAAGTCAAAG 300
 CGCAAGAGCC AGTCAAAGGT CCACTCTCCA CTAAGCCTGG CTCTGCCCC ATTATCTTGA 360
 TCCGGTGGCC CATGTGAAT CCCCTAACC GCTGCTTAA AGATACTGAC TGCCAGGAA 420
 TCAAGAAATG CTGTGAAGC TCTTGGCGGA TGGCCTGTTT CGTCCCCAG TGAAGGGAGC 480
 CGGTCTTGC TGCACTGTG CCGTCCCCAG AGCTACAGGC CCCATCTGGT CCTAAGTCCC 540
 TGCTGCCCTT CCCCTTCCA CACTGTCCAT TCTTCTCCC ATTCAGGATG CCCAGGCTG 600
 GAGCTGCCCTC TCTCATCCA TTTCCAATAA A

Seq ID NO: 53 Protein sequence:
 Protein Accession #: NP_002629.1

1 11 21 31 41 51
 MRASSFLIVV VFLLIAGTLVL EAAVTGVPVK GQDTVKGRVP FNGQDPVKGQ VSVKGQDKVK 60
 AQEPVKGPVS TKFGSCEPIL IRCAMLNPPN RCLKDTCDFG IKKCEGSGC MACFPVQ

Seq ID NO: 54 DNA sequence
 Nucleic Acid Accession #: NM_019618
 Coding sequence: 75-584

1 11 21 31 41 51
 GGCAGAGCC ACGATTCACT CCCCTGGACT GTAGATAAAG ACCCTTCTT GCCAGGTGCT 60
 GAGACAAACA CACTATGAGA GGCACTCCAG GAGACGCTGA TGGTGGAGGA AGGGCCGTCT 120
 ATCAATCAAT GTGTAACCT ATTACTGGGA CTATTAATGA TTTGAATCAG CAAGTGTGGA 180
 CCCTTCAGGG TCAGAACCCT GTGGCAGTTC CACGAAGTGA CAGTGTGACC CCAGTCACTG 240
 TTGCTGTTAT CACATGCAAG TATCCAGAGG CTCTTGAGCA AGGCAGAGGG GATCCCATTT 300
 ATTTGGGAAT CCAGAACTCA GAAATGTGTT TGTATTGTA GAAGGTGGA GAACAGCCCA 360
 CATTGCAGCT AAAAGAGCAG AAGATCATGG ATCTGTATGG CCAACCCGAG CCGTGA AAC 420
 CCTTCTTTT CTACCGTACC AAGACTGGTA GGACTCCAC CCTTGAGTCT GTGGCCTTCC 480
 CGGACTGTTT CATTGCCTCC TCCAAGAGAG ACCAGCCCAT CATTTCTGACT TCAGAACTTG 540
 GGAAGTCATA CAACACTGCC TTTGAATTAA ATATAAATGA CTGAACTCAG CCTAGAGGTG 600
 GCAGCTTGGT CTTTGTCTTA AAGTTTCTGG TTCCCAATGT GTTTTCTGCT ACATTTTCTT 660
 AGTGTCAATT TCACGCTGGT GCTGAGACAG GGGCAAGGCT GCTGTATCA TCTCATTTTA 720
 TAATGAAGAA GAAGCAATTA CTTCATAGCA ACTGAAGAAC AGGATGTGGC CTCAGAAGCA 780
 GGAGAGCTGG GTGTGATAAG GCTGTCTCT CAAGCTGGTG CTGTGTAGGC CACAAGGCAT 840
 CTGCATGAGT GACTTTAAGA CTCAAAGACC AAACACTGAG CTTTCTTCTA GGGGTGGGTA 900
 TGAAGATGCT TCAGAGCTCA TGCGCGTTAC CCACGATGGC ATGACTAGCA CAGAGCTGAT 960
 CTCTGTTTCT GTTTTGTCTT ATTCCCTCT GGGATGATAT CATCCAGTCT TTATATGTTG 1020
 CCAATATACC TCATTGTGTG TAATAGAACC TTCTTAGCAT TAAGACCTTG TAAACAAAA 1080
 TAATCTTGT GTTAAGTTAA ATCAATTTTG TCCTAATTGT AATGTGTAAT CTTAAAGTTA 1140
 AATAAATTT GTGATTTTAT ATAATAAAAA AAAAAAAAAA AAA

Seq ID NO: 55 Protein sequence:
 Protein Accession #: NP_062564

1 11 21 31 41 51
 MRGTPGDADG GGRAVYQSMC KPITGTINDL NQQVWTLQGG NLVAVPRSDS VTPVTVAVIT 60
 CKYPEALEQG RGDPIYLGII NPEMCLYCEK VGEQPTLQLK EQKIMDLYGQ PEPVKPFLFY 120
 RAKTGRTSTL ESVAFPDPWFI ASSKRDQPII LTSELGKSYN TAFELNIND

Seq ID NO: 56 DNA sequence
 Nucleic Acid Accession #: NM_003125
 Coding sequence: 65-334

```

1      11      21      31      41      51
|      |      |      |      |      |
5  AGCAGTTCTA AGGGACCATA CAGAGTATTC CTCTCTTCAC ACCAGGACCA GCCACTGTTG 60
   CAGCATGAGT TCCCAGCAGC AGAAGCAGCC CTGCATCCCA CCCCTCAGC TTCAGCAGCA 120
   GCAGGTGAAA CAGCCTTGCC AGCCTCCACC TCAGGAACCA TGCCATCCCA AAACCAAGGA 180
   GCCCTGCCAC CCCAAGGTGC CTGAGCCCTG CCACCCCAAA GTGCCTGAGC CCGCCAGCC 240
   CAAGCTTCCA GAGCCATGCC ACCCAAGGT GCCTGAGCCC TGCCCTCAA TAGTCACTCC 300
   AGCACGAGCC CAGCAGAAGA CCAAGCAGAA GTAATGTGGT CCACAGCCAT GCCCTTGAGG 360
10  AGCCGGCCAC CAGATGCTGA ATCCCTATC CCATTCTGTG TATGAGTCCC ATTTGCCTTG 420
   CAATTAGCAT TCTGTCTCCC CCAAAAAAGA ATGTGCTATG AAGCTTTCTT TCCTACACAC 480
   TCTGAGTCTC TGAATGAAGC TGAAGGTCTT AGTACCAGAG CTAGTTTTC A GCTGCTCAGA 540
   ATTCATCTGA AGAGAGACTT AAGATGAAAG CAAATGATTC AGCTCCCTTA TACCCCCATT 600
   AAATTCACTT TCAATTCCA

```

Seq ID NO: 57 Protein sequence:
Protein Accession #: NP_003116

```

1      11      21      31      41      51
|      |      |      |      |      |
25  MSSQQQKQPC IPPPQLQQQQ VKQPCQPPPO EPCIPKTKEP CHPKVPEPCH PKVPEPCQPK 60
   LPEPCHPKVP EPCPSIVTPA PAQKTKQK

```

Seq ID NO: 58 DNA sequence
Nucleic Acid Accession #: NM_001793.2
Coding sequence: 71-2560

```

30  1      11      21      31      41      51
   |      |      |      |      |      |
   AAAGGGGCAA GAGCTGAGCG GAACACCGGC CCGCCGTCGC GGCAGCTGCT TCACCCCTCT 60
   CTCTGCAGCC ATGGGGCTCC CTCTGCGTCT CTCCTCCTTC TCCAGGTTTG 120
   CTGGCTGCAG TGGCGGCGCT CCGAGCCGTG CCGGGCGGTC TTCAGGGAGG CTGAAGTGAC 180
35  CTTGGAGCGG GGAGGCGCGG AGCAGGAGCC CGGCCAGCG CTGGGGAAAG TATTCAATGG 240
   GATGCCCTGG CAAGAGCCAG CTCTGTTTAG CACTGATAAT GACTACTTCA CTGTGCGGAA 300
   TGGCGAGACA GTCCAGGAAA GAAGGTCACT GAAGGAAAGG AATCCATTGA AGATCTTCCC 360
   ATCCAAACST ATCTTACGAA GACACAAGAG AGATTGGGTG GTTGCTCAA TATCTGTCCC 420
   TGAAAATGGC AAGGGTCCCT TCCCCAGAG ACTGAATCAG CTCAAGTCTA ATAAAGATAG 480
40  AGACACCAAG ATTTTCTACA GCATCACGGG GCCCGGGGCA GACAGCCCCC CTGAGGGTGT 540
   CTTGCTGTA GAGAAGGAGA CAGGCTGGTT GTTGTGAAT AAGCCACTGG ACCGGGAGGA 600
   GATTGCCAAG TATGAGCTCT TTGGCCACGC TGTGTCAGAG AATGGTGCCT CAGTGGAGGA 660
   CCCCATGAAC ATCTCCATCA TCGTGACCGA CCAGAATGAC CACAAGCCCA AGTTTACCCA 720
   GGACACCTTC CGAGGGAGTG TCTTAGAGGG AGTCTTACCA GGTACTTCTG TGAATGAGGT 780
45  GACAGCCACG GATGAGGATG ATGCCATCTA CACCTACAAT GGGGTGGTTG CTTACTCCAT 840
   CCATAGCCAA GAACCAAAAG ACCCACACGA CCTCATGTTT ACCATTACC GGAGCACAGG 900
   CACCATCAGC GTCATCTCCA GTGGCCTGGA CCGGAAAAAA GTCCCTGAGT ACACACTGAC 960
   CATCCAGGCC ACAGACATGG ATGGGGACGG CTCACACCAC ACGGCAGTGG CAGTAGTGGG 1020
   GATCCTTGAT GCCAATGACA ATGCTCCCAT GTTTGACCCC CAGAAGTACG AGGCCCATGT 1080
50  GCCTGAGAAAT GTGCGGGGCC ATGAGGTGCA GAGGCTGAC GTCACTGATC TGGACGCCCC 1140
   CACTCACCA GCGTGGCGTG CCACCTACCT TATCATGGGC GGTGACGACG GGGACCAATT 1200
   TACCATCACC ACCCACCTG AGAGCAACCA GGGCATCCTG ACAACCAGGA AGGGTTTGGG 1260
   TTTTGAGGCC AAAAAACCAG ACACCCTGTA CGTTGAAAGT ACCAAGCAGG CCCCTTTTGT 1320
   GCTGAAGCTC CCAACCTCCA CAGCCACCAT AGTGGTCCAC GTGGAGGATG TGAATGAGGC 1380
55  ACCTGTGTTT GTCCCACCTT CCAAAGTCGT TGAGGTCCAG GAGGGCATCC CCACTGGGGA 1440
   GCCTGTGTGT GTCTACACTG CAGAAGACCC TGACAAGGAG AATCAAAGA TCAGCTACCG 1500
   CATCTGAGA GACCCAGCAG GGTGGCTAGC CATGGACCCA GACAGTGGG AGGTCAAGC 1560
   TGTGGGCACC CTCGACCGTG AGGATGAGCA GTTGTGAGG AACAACTAT ATGAAGTCAT 1620
   GGTCTTGGCC ATGGACAATG GAAGCCCTCC CACCACTGGC ACGGGAACCC TTCTGCTAAC 1680
60  ACTGATTGAT GTCAATGACC ATGGCCAGT CCCTGAGCCC CGTCAGATCA CCATCTGCAA 1740
   CCAAGCCCT GTGCGCCAGG TGCTGAACAT CACGGACAAG GACCTGTCTC CCCACACCTC 1800
   CCCTTTCCAG GCCCAGCTCA CAGATGACTC AGACATCTAC TGGACGGCAG AGGTCAACGA 1860
   GGAAAGGTAC ACAGTGTGCT TGTCCCTGAA GAAGTTCCTG AAGCAGGATA CATATGACGT 1920
   GCACCTTTCT CTGTCTGACC ATGGCAACAA AGAGCAGCTG ACGGTGATCA GGGCCACTGT 1980
65  GTGCGACTGC CATGGCCATG TCGAAACCTG CCCTGGACCC TGGAGGGGAG GTTTCATCCT 2040
   CCCTGTGCTG GGGGCTGTCC TGGCTGTGCT GTTCTCTCTG CTGGTGTCTG TTTTGTGTGG 2100
   GAGAAAGAAG CGGAAGATCA AGGAGCCCTT CCTACTCCA GAAGATGACA CCGTGACAA 2160
   CGTCTTCTAC TATGGCGAAG AGGGGGTGG CBAAGAGGAC CAGGACTATG ACATCACCCA 2220
   GCTCCACCGA GGTCTGAGG CCAGGCCGGA GGTGGTCTC CGCAATGACG TGGCACCAC 2280
70  CATCATCCCG ACACCATGT ACCGTCCTCG GCCAGCCAAC CCAGATGAAA TCGGCAACTT 2340
   TATAATTGAG AACCTGAAGG CGGCTAACAC AGACCCACA GCCCGCCCT ACACACCCCT 2400
   CTTGGTGTTC GACTATGAGG GCAGCGGCTC GCAGCCGCGG TCCCTGAGCT CCCTCACCTC 2460
   CTCGCGCTCC GACCAAGACC AAGATTACGA TTATCTGAAC GAGTGGGGCA GCCGCTCAA 2520
   GAAGCTGGCA GACATGTACG GTGGCGGGGA GGACGACTAG GCGGCCTGCC TGCAGGGCTG 2580
75  GGGACCAAAC GTCAGGCCAC AGAGCATCTC CAAGGGTCTC CAGTTCCTCC TTCAGCTGAG 2640
   GACTTCGAG CTGTCTCAGG AGTGGCCGTA GCAACTTGGC GGAGACAGGC TATGAGTCTG 2700
   ACGTTAGAGT GGTGTCTTCC TTAGCCTTTC AGGATGGAGG AATGTGGGCA GTTTGACTTC 2760
   AGCACTGAAA ACCTCTCCAC CTGGGCCAGG GTTGCCTCAG AGGCCAAGTT TCCAGAAGCC 2820
80  TCTTACCTGC CGTAAAATGC TCAACCCTGT GTCCTGGGCC TGGGCTGTCT GTGACTGACC 2880
   TACAGTGGAC TTTCTCTCTG GAATGGAACC TTCTTAGGCC TCCTGGTGCA ACTTAATTTT 2940
   TTTTTTAAAT GCTATCTTCA AAACGTTAGA GAAAGTTCTT CAAAAGTGCA GCCCAGAGCT 3000
   GCTGGGCCCA CTGGCCGTCC TGCATTTCTG GTTTCAGAC CCCAATGCCT CCCATTGCGG 3060
   TGGATCTCTG CGTTTTTATA CTGAGTGTGC CTAGGTGGCC CCTTATTTT TATTTTCCCT 3120
85  GTTGGCTGTC TATAGATGAA GGTGAGGAC AATCGTGTAT ATGTACTAGA ACTTTTTTAT 3180
   TAAAGAAACT TTTCCAGAA AAAAA

```

Seq ID NO: 59 Protein sequence:

Protein Accession #: NP_001784.2

	1	11	21	31	41	51	
5	MGLPRGPLAS	LLLLQVCWLO	CAASEPCRAV	FREAEVTLA	GGAEQEPGQA	LGKVFMGCPG	60
	QBPALFSTDN	DDFTVNRNET	VQERRSLKER	NPLKIFPSKR	ILRRHKRDWV	VAPISVPENG	120
	KGFPFQRLNQ	LKSNKDRDTR	IFYSITGPGA	DSPPEGVFAV	EKETGWLLLN	KPLDREEIAK	180
	YELFGHAVSE	NGASVEDPMN	ISIIIVTDQND	HKPKFTQDTF	RGSVLEGVLP	GTSVMQVTAT	240
	DEDDAIYTYN	GVVAYSIIHQ	EPKDPHDLMP	TIHRSTGTIS	VISSGLDREK	VPEYTLTIQA	300
10	TDMDGDGSTT	TAVAVVEILD	ANDNAMPFDF	QKYEAHVPEV	AVGHEVQRLT	VTDLDAPNSP	360
	AWRATYLIMG	GDDGDHFTIT	THPESNQGIL	TTRKGLDFEA	KNQHTLYVEV	TNEAPFVLKL	420
	PTSTATIVVH	VEDVNEAPVF	VPPSKVVEVQ	EGIPTGEPVC	VYTAEDPDKE	NQKISYRILR	480
	DPAGWLAMPD	DSGQVAVGT	LDREDEQFVR	NNIYEVMLA	MDNGSPPTTG	TGTLTLLTLD	540
	VNDHGFVPEP	RQIFICNQSP	VRQVLNITDK	DLSPTSPFQ	AQLTDDSDIY	WTAEVNBEED	600
15	TVVLSLKKPL	KQDTYDVHLS	LSDHGNKEQL	TVIRATVCDG	HGHVETCPGF	WKGGFILPVL	660
	GAVLALLFLL	LVLALLLRKK	RKIKEPLLLP	EDDTRDNVFI	YGEEGGGEED	QDYDITQLHR	720
	GLEARPEVVL	RNDVAPTIIP	TPMYRPRPAN	FDEIGNFIIIE	NLKAANTDPT	APPYDTLLVF	780
	DYEGSGSDAA	SLSSLTSSAS	DQDQDYDYLN	EWGSRPKKLA	DMYGGGEDD		

Seq ID NO: 60 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 162-428

	1	11	21	31	41	51	
25	GGTTCCGTT	GGCGCGGAT	TCGAACGTT	GGACTGAGGT	TTTTCTGCCT	GAAGAAGCGT	60
	CATACGGACC	GGATTGTTTT	CGCTGGCCCA	GTGTCCCGG	AGCTTGTGTG	CGATACAGAG	120
	AGCACTCGG	AAGCTGAGGC	AGCTGGTACT	TGACAGAGAG	GATGGCGCTG	TCGACCATAG	180
	TCTCCAGAG	GAAGCAGATA	AAGCGGAAGG	CTCCCCGTGG	CTTTCTAAAG	CGAGTCTTCA	240
30	AGCGAAAGAA	GCCTCAACTT	CGCTGGAGA	AAAGTGGTGA	CTTATTGGTC	CATCTGAACT	300
	GTTTACTGTT	TGTTTACTCGA	TTAGCAGAAG	AGTCCAGGAC	AAACGCTTGT	GCGAGTAAAT	360
	GTAGAGTCAT	TAACAAGGAG	CATGTACTGG	CCGAGCAAA	GGTAATTCTA	AAGAAGAGCA	420
	GAGGTAGAA	GTCAAAGAAC	ATATTCTTGA	AAGTTATGAT	GCATTCTTTT	GGGTGGTAAAC	480
	AGATCATAAA	GACATTTTTT	ACACATCAGT	TAAATATGGA	TTATTAATA	TTGG	

Seq ID NO: 61 Protein sequence:
 Protein Accession #: Eos sequence

	1	11	21	31	41	51	
40	MALSTIVSQR	KQIKRKAPRG	FLKRVFKRKK	PQLRLEKSGD	LLVHLNCLLF	VHRLAESRST	60
	NACASKCRVI	NKEHVLAAAK	VILKKSRL				

Seq ID NO: 62 DNA sequence
 Nucleic Acid Accession #: NM_000094.2
 Coding sequence: 99-8933

	1	11	21	31	41	51	
50	GGGCTGGAGG	GGCGCTGGGC	TCGGACCTGC	CAAGGCCACC	GCAGGGGGGA	GCAAGGGACA	60
	GAGGCGGGGG	TCCTAGCTGA	CGGCTTTTAC	TGCCTAGGAT	GACGCTGCGG	CTTCTGGTGG	120
	CGCGCTCTG	CGCCGGGATC	CTGGCAGAGG	CGCCCCGAGT	GCGAGCCGAG	CACAGGGAGA	180
	GAGTGACCTG	CACCGCCCTT	TACGCCGCTG	ACATGTGTGT	CTTACTGAGT	GGCTCCTCAT	240
	CCATTGGCCG	CAGCAATTTT	CGCGAGGTC	GCAGCTTCTT	CGAAGGGCTG	GTGCTGCCTT	300
55	TCTCTGGAGC	AGCCAGTGCA	CAGGGTGTGC	GCTTTGCCAC	AGTGCAGTAC	AGCGATGACC	360
	CACGGACAGA	GTTCGGCCTG	GATGCACITG	GCTCTGGGGG	TGATGTGATC	CGCGCCATCC	420
	GTGAGCTTAG	CTACAAGGGG	GGCAACACTC	GCACAGGGGC	TGCAATTCTC	CATGTGGCTG	480
	ACCATGTCTT	CTTGCCCCAG	CTGGCCCGAC	CTGGTGTCCC	CAAGGTCTGC	ATCCTGATCA	540
	CAGACGGGAA	GTCCAGGAC	CTGGTGGACA	CAGCTGCCCA	AAGGCTGAAG	GGGCAGGGGG	600
60	TCAAGCTATT	TGCTGTGGGG	ATCAAGAATG	CTGACCCCTG	GGAGCTGAAG	CGAGTTGCCT	660
	CACAGCCCAAC	CTCCGACTTC	TTCTTCTTCG	TCAATGACTT	CAGCATCTTG	AGGACACTAC	720
	TGCCCCCTCG	TTCCCGGAGA	GTGTGCACGA	CTGCTGTGTG	CGTGCCCTGT	ACCCGACCTC	780
	CGGATGACTC	GACTCTGTCT	CCACGAGACC	TGGTGTCTGC	TGAGCCAAGC	AGCCAATCCT	840
	TGAGAGTACA	GTGGCAGCG	CCGAGTGGCC	CTGTGACTGG	CTACAAGGTC	CAGTACACTC	900
65	CTCTGACGGG	GCTGGGACAG	CCACTGCCGA	GTGAGCCGCA	GGAGGTGAAC	GTCCAGCTG	960
	GTGAGACCAG	TGTGCGGCTG	CGGGGTCTCC	GGCCACTGAC	CGAGTACCAA	GTGACTGTGA	1020
	TTGCCCTCTA	CGCCAACAGC	ATCGGGGAGG	CTGTGAGCGG	GACAGCTCGG	ACCACTGCCC	1080
	TAGAAGGGCC	GGAAGTACC	ATCCAGAATA	CCACAGCCCA	CAGCCTCCTG	GTGGCCTGGC	1140
	GGAGTGTGCC	AGGTGCCACT	GGTACCGTGT	TGACATGGCG	GGTCTCTAGT	GGTGGGCCCA	1200
70	CACAGCAGCA	GGAGCTGGGC	CCTGGGCAGG	GTTTCAAGTT	GCTGCGTGAC	TTGGAGCCTG	1260
	GCACGGACTA	TGAGGTGACC	GTGAGCACC	TATTGTGGCG	CAGTGTGGGG	CCCCCACTT	1320
	CCCTGATGGC	TCGCACTGAC	GCTTCTGTGT	AGCAGACCCT	GCGCCCGGTC	ATCCTGGGCC	1380
	CCACATCCAT	CCTCCTTTCC	TGGAACCTGG	TGCCCTGAGG	COGTGGCTAC	CGGTGGGAAT	1440
	GGCGGCGTGA	GACTGGCTTG	GAGCCACCGC	AGAAGGTGGT	ACTGCCCTCT	GATGTGACCC	1500
75	GCTACCAGTT	GSATGGGCTG	CAGCCGGGCA	CTGAGTACCG	CCTCACACTC	TACACTCTGC	1560
	TGGAGGGCCA	CGAGGTGGCC	ACCCCTGCAA	CCGTGGTTC	CACTGGACCA	GAGCTGCCTG	1620
	TGAGCCCTGT	AACAGACTG	CAAGCCACCG	AGTGCCTGG	GCAGCGGGTG	CGAGTGTCT	1680
	GGAGCCAGT	CCCTGGTGGC	ACCCAGTACC	GCATCATTTG	GCGCAGCACC	CAGGGGGTTG	1740
	AGCGGACCTT	GSTGCTTCT	GGGAGTCAGA	CAGCATTCGA	CTTGGATGAC	GTTGAGGCTG	1800
80	GGCTTAGCTA	CACTGTGCGG	GTGTCTGTCT	GAGTGGGTCC	CCGTGAGGGC	AGTGCCAGTG	1860
	TCCTCACTGT	CCGCGGGGAG	CCGAAACTC	CACCTTGTCT	TCCAGGGCTG	CGGGTGTGG	1920
	TGTCAGATGC	AACCGAGTG	AGGGTGGCCT	GGGACCCGT	CCCTGGAGCC	AGTGGATTTT	1980
	GGATTAGCTG	GAGCACAGGC	AGTGGTCCGG	AGTCCAGCCA	GACACTGCCC	CCAGACTCTA	2040
	CTGCCACAGA	CATCACAGG	CTGCAGCCTG	GAACCACTA	CCAGGTGGCT	GTGTCCGTAC	2100
85	TGCCAGGAC	AGAGGAGGGC	CCTGTGTCAG	TCATCGTGGC	TCCAACGGAC	CCACTGGGCC	2160
	CAGTGAGGAC	GGTCCATGTG	ACTCAGGCCA	GCAGCTCATC	TGTCCACATT	ACCTGGACCA	2220
	GGGTTCCTGG	CGCCACAGCA	TACAGGGTTT	CCTGGCACTC	AGCCACGGC	CCAGAGAAAT	2280

	CCCACTGGT	TTCTGGGGG	GCCACGGTG	CTGAGCTGGA	TGGACTGGAG	CCAGATACTG	2340
	AGTATACGGT	GCATGTGAGG	GCCCATGTGG	CTGGCGTGG	TGGGCCCCCT	GCCTCTGTGG	2400
	TTGTGAGGAC	TGCCCCCTGAG	CTCTGTGGGT	GTGTGTGCG	GCTGCGAGATC	CTCAATGTCTT	2460
	CCAGCGAGCT	TCTACGGATC	ACTTGGGTAG	GGGTCACTGG	AGCCACAGCT	TACAGACTGG	2520
5	CCTGGGGCCG	GAGTGAAGGC	GGCCCCATGA	GGCACCAGAT	ACTCCCAGGA	AACACAGACT	2580
	CTGCGAGAGT	CCGGGGTCTC	GAAGGTGGAG	TCAGCTACTC	AGTGGGAGTG	ACTGCACTTG	2640
	TCGGGGACCG	CGAGGGGACA	CCTGTCTCCA	TFGTGTGTC	TACGCGCCCT	GAGGCTCCG	2700
	CAGCCCTGGG	GACGCTTAC	GTGGTGCAGC	GCGGGGAGCA	CTGCTGAGG	CTGCGTGGG	2760
	AGCCCGTGCC	CAGAGGCGAG	GGCTTCTTTC	TGCACTGGCA	ACCTGAGGGT	GGCCAGGAAC	2820
10	AGTCCCGGGT	CCTGGGGCCC	GAGCTCAGCA	GCTATCACCT	GGACGGGCTG	GAGCCAGCGA	2880
	CACAGTACCG	CGTGAAGCTG	AGTGTCTTAG	GGCCGGCTGG	AGAAGGGCCC	TCTGCAGAGG	2940
	TGACTGCGCG	CACGTAGTCA	CCTCGTGTTC	CAAGCATTGA	ACTACGTGTG	GTGGACACCT	3000
	CGATCGACTC	GGTCACTTTG	GCCTGGACTC	CAGTGTCCAG	GGCATCCAGC	TACATCCTAT	3060
	CCTGGCGGCC	ACTCAGAGGC	CCTGGCCAGG	AAGTGCCTGG	GTCGCCGCTG	ACACTTCCAG	3120
15	GGATCTCAAG	CTCCCAGCGG	GTGACAGGGC	TAGAGCCTGG	CGTCTCTTAT	ATCTTCTCCC	3180
	TGACGCGTGT	CCTGGATGGT	GTGCGGGGTC	CTGAGGCATC	TGTACACAG	ACGCCAGTGT	3240
	GCCCCCGTGG	CCTGGCGGTC	GTGGTGTTC	TACCACATGC	CACCTAAGAC	AATGTCTACC	3300
	GTGCGGAGGC	TACGAGGAGG	GTCTGGAGC	GTCTGGTGT	GGCACTTGGG	CCTCTTGGCC	3360
	CACAGGAGT	TCAGGTTGGC	CTGCTGTCTT	ACAGTCACTG	GCCTCCCCA	CTGTTCCAC	3420
20	TGAATGGCTC	CCATGACCTT	GGCATATCT	TGCAAAGGAT	CCGTGACATG	CCCTACATGG	3480
	ACCCAAGTGG	GAAACAAGCT	GGCACAGCCG	TGGTACAGC	TCACAGATAC	ATGTTGGCAC	3540
	CAGATGCTCC	TGGGCGCCCG	CAGCACGTAC	CAGGGGTGAT	GGTCTGTCTA	GTGGATGAAC	3600
	CCTTGAGAGG	TGACATATTC	AGCCCCATCC	GTGAGGCCCA	GGCTTCTGGG	CTTAATGTGG	3660
	TGATGTTGGG	AATGGTGGGA	GCGGACCCAG	AGCAGCTGCG	TCGCTTGGCC	CCGGTATGG	3720
25	ACTCTGTCCA	GACCTTCTTC	GCCGTGGATG	ATGGGCCAAG	CCTGGACCAG	GCAGTCACTG	3780
	GTCTGGCCAC	AGCCCTGTGT	CAGGCATCTC	TCACTACTCA	GCCTCCGCCA	GAGCCCTGCC	3840
	CAGTGTATTG	TCCAAGGGTC	CAGAAGGGGG	AACCTGGAGA	GATGGGCTGG	AGAGACAAG	3900
	TTGGGCTTCC	TGGCGACCTC	GGCCTCCCGG	GCAGGACCCG	TGCTCCCGGC	CCCCAGGGGC	3960
	CCCTTGAAG	TGCCACTTGC	AAGGGCGAGA	GGGGCTTCCC	TGGAGCAGAT	GGGCGTCCAG	4020
30	GCAGCCCTGG	CCGCGCCGGG	AATCCTGGGA	CCCCTGGAGC	CCCTGGCCTA	AAGGGCTCTC	4080
	CAGGGTTGCC	TGGCCCTCGT	GGGACCCCGG	GAGAGCGAGG	ACCTCGAGGC	CCAAAGGGGG	4140
	AGCCGGGGGC	TCCCGGACAA	GTCACTGGAG	GTGAAGGACC	TGGGCTTCTT	GGGCGGAAAG	4200
	GGGAACCTGG	ACCATCGGGC	CCCCCTGGAC	CTCGTGGAC	ACTGGGGGAC	CCAGGACCCC	4260
	GTGGCCCCCC	AGGGCTTCTC	GGAACAGCCA	TGAAGGGTGA	CAAAGGCGAT	CGTGGGGAGC	4320
35	GGGGTCCCC	TGGACCAAGT	GAAGGTGGCA	TTGCTCTTGG	GGAGCCTGGG	CTGCGGGTTC	4380
	TTCCCGGAAG	CCCTTGAACC	CAAGGCCCCG	TTGGCCCCCC	TGGAAAGAAA	GGAGAAAAG	4440
	GTGACTCTGA	GGATGAGACT	CCAGGCCTCC	CAGGACAACC	TGGGTCTCCG	GGTGAAGCAG	4500
	GCCCCCGGG	ACCTCTGGGA	GCTATTTGGC	CCAAAGGTGA	CCGGGGCTTT	CCAGGGCCCC	4560
40	TGGGTGAGGC	TGGAGAGAAG	GGCGAACGTG	GACCCCCAGG	CCCAGCGGGA	TCCCGGGGGC	4620
	TGCCAGGGGT	TGCTGAGACT	CCTGGAGCCA	AGGGTCTTGA	AGGGCCACCA	GGACCCACTG	4680
	GCCGCCAAGG	AGAGAAGGGG	GAGCCTGGTC	GCCCTGGGGA	CCCTGCACTG	GTGGGACCTG	4740
	CTGTTGCTGG	ACCCAAGGGA	GAAAAGGGAG	ATGTTGGGGC	CGCTGGGGCC	AGAGGAGCTA	4800
	CCGGAGTCCA	AGGGAAACCG	GGCCCCACCG	GCTTGGTFTT	TCCTGGAGAC	CCTGGCCCCA	4860
45	AGGGAGACCT	TGGAGACCGG	GGTCCCATTT	GCTTACTTGG	CAGAGCAGGA	CCCCAGGTG	4920
	ACTCAGGGCC	TCTTGGAGAG	AAGGGAGACC	CTGGGGGGCC	TGGCCCCCCA	GGACCTGTGT	4980
	GCCTCCGAGG	ACGAGATGGT	GAAGTTGGAG	AGAAAGGTGA	CGAGGGTCTT	CCGGGTGACC	5040
	CGGTTTGGC	TGGAAGAGCA	GGCGAGCGTG	GCCTTCCGGG	GGCACTTGGG	GTTCGGGGGC	5100
	CTGTGGGTGA	AAAGGGAGAC	CAGGGAGATC	CTGGAGAGGA	TGGACGAAAT	GGCAGCCCTG	5160
50	GATCATCTGG	ACCCAAGGGT	GACCTTGGGG	AGCCGGGTCC	CCCAGGACCC	CCGGGACCGG	5220
	TGGTAGACAC	AGGACTTGGG	CCAGAGAGGA	AGGGAGAGCC	TGGGGACCCG	GGACAAGAGG	5280
	GTCTCTGAGG	GCCCAAGGGT	GATCCTGGCC	TCCCTGGAGC	CCCTGGGGAA	AGGGGCATTT	5340
	AAGGGTTTCC	GGGACCCCCA	GGCCACACAG	GGGACCCAGG	TGCTCCGAGC	CCAGCAGGAG	5400
	AAAAGGGTGA	CCGGGGTCCC	CCTGGGCTGG	ATGGCCGGAG	CGGACTGGAT	GGGAAACCAG	5460
55	GAGCCGCTGG	GCCTCTGGGG	CCGAATGGTG	CTGCAGGCAA	AGCTGGGGAC	CCAGGGGAGG	5520
	ACGGGCTTCC	AGGCCTCCGT	GGAGAACAAG	GCCTCCCTGG	CCCTCTGGGT	CCCCCTGGAT	5580
	TACCCGGAAA	GCCAGGGGAG	GATGGGAAAC	CTGGCCCTGAA	TGGAAAAAAC	GGAGAACCTG	5640
	GGGACCTTGG	AGAAGACCGG	AGGAAGGGAG	AGAAGGAGGA	TTCAGGCGCC	TCTGGGAGAG	5700
	AAGGTCGTGA	TGGCCCCCAA	GGTGGACCTG	GAGCTCCTGG	TATCCTTGGG	CCCCAGGGGC	5760
60	CTCCAGGCTT	CCCAAGGGT	CTGGGGCCCT	CTGGCCAGGG	TTTTCTGGGT	GTCCAGGAGG	5820
	GCACGGGCCC	CAAGGGTGGC	CGTGGGGAGA	CTGGATCCAA	AGGGGAGCAG	GGCCTCCCTG	5880
	GAGAGCGTGG	CCTGCAGAGG	GAGCCTGGAA	GTGTGCCGAA	TGTGGATCGG	TTGCTGGAAA	5940
	CTGCTGGCAT	CAAGGCATCT	GCCCTGCGGG	AGATCGTGGG	GACCTGGGAT	GAGAGCTCTG	6000
	GTAGCTTCTT	GCCTGTGCCC	GAAACGGCTG	GAGGCCCCAA	GGGGACTCA	GGCGAACAGG	6060
65	GCCCCCCAGG	CAAGGAGGGC	CCCATCGGCT	TTCCTGGAGA	ACCGGGGCTG	AAGGGCCACC	6120
	GTGGAGACCC	TGGCCCTCAG	GGGCCACCTG	GTCTGGCCCT	TGGGGAGAGG	GGCCCCCCCG	6180
	GGCCTTCCGG	CCTTGGCCGG	GAGCCTGGAA	AGCCTGGTAT	TCCGGGGCTC	CCAGGCAGGG	6240
	CTGGGGGTGT	GGGAGAGGCA	GGAAAGGCCAG	GAGAGAGGGG	AGAACGGGGA	GAGAAAAGGAG	6300
	AACGTGAGGA	ACAGGGCAGA	GATGGCCCTC	CTGGACTCCC	TGGAAACCCCT	GGGCCCCCCG	6360
70	GACCCCTTGG	CCCCAAGGGT	TCTGTGGATG	AGCCAGGTCC	TGGACTCTCT	GGAGAACCTG	6420
	GACCCCTTGG	ACTCAAGGGT	GCTAAGGGGG	AGCCGGGCG	CAATGGTGC	CAAGGTCCCA	6480
	AAGGAGACAG	GGTGTGCCCA	GGCATCAAAG	GAGACCGGGG	AGAGCCTTGA	CCGAGGGGTC	6540
	AGGACGGCAA	CCCGGTCTA	CCAGGAGAGC	GTGGTATGGC	TGGGCTTGA	GGGAAGCCGG	6600
	GTCTGCAGGG	TCCAAGAGGC	CCCCCTGGCC	CAGTGGGTGG	TCAATGGAGC	CCTGGACCAC	6660
75	CTGGTGGCCC	GGGTCTTGGT	GGCCCTGCAG	GACCCCAAGG	ACCTTCTGGC	CTGAAGGGGG	6720
	AGCCTGGAGA	GACAGGACCT	CCAGGACGGG	GCCTGACTGG	ACCTACTTGA	GCTGTGGGAC	6780
	TTCTTGGACC	CCCCGGCCCT	TCAGGCCTTG	TGGGTCCACA	GGGGTCTCCA	GGTTTGCCTG	6840
	GACAAGTGGG	GGAGACAGGG	AAGCCGGGAG	CCCCAGGTCC	AGATGGTGGC	AGTGAAAAG	6900
	ATGGAGACAG	AGGGAGCCCT	GGTGTGCCAG	GGTACCAGG	TCTGCTGGC	CCTGTCCGAC	6960
80	CTAAAGGAGA	ACCTGGCCCC	ACGGGGGGCC	CTGGACAGGC	TGTGGTGGG	CTCCCTGGAG	7020
	CAAAGGGAGA	GAAGGGAGCC	CTTGGAGGCC	TTGCTGGAGA	CCTGGTGGGT	GAGCCGGGAG	7080
	CCAAAGGTGA	CCGAGGACTG	CCAGGGCCCG	GAGGGCAGAA	GGGTGAAGCT	GGCCCTGCAG	7140
	GGGAGCCCGG	AGACCTTGGG	GAAGATGGTC	AGAAAGGGGC	TCCAGGACCC	AAAGTTTCA	7200
	AGGGTGAACC	AGGAGTCCGG	GTCCCGGGCT	CCCCTGGGCC	TCCTGGCCCT	CCAGGTGTGA	7260
85	AGGGAGATCT	AGGGCTCCTT	GGCCTGCCCG	GTGCTCCTGG	TGTTGTGGG	TTCCCGGGTC	7320
	AGACAGGCCC	TGAGGAGAGG	ATGGGTGAGC	CAGGCCCTAG	TGGAGAGCGG	GGTCTGGCAG	7380
	GCCCCCCAGG	GAGAGAAGGA	ATCCAGGAC	CCCTGGGGCC	ACCTGGACCA	CCGGGGTCCG	7440
	TGGGACACC	TGGGCCCTCT	GGACTCAAAG	GAGACAAGGG	AGACCCCTGA	GTAGGGCTGC	7500

5
10
15
20
25
30

```

CTGGGCCCCG AGGCGAGCGT GGGGAGCCAG GCATCCGGGG TGAAGATGGC CGCCCCGGCC 7560
AGGAGGGACC CCGAGGACTC ACGGGGCCCC CTGGCAGCAG GGGAGAGCGT GGGGAGAAGG 7620
GTGATGTTGG GAGTGCAGGA CTAAGGGGTG ACAAGGGAGA CTCAGCTGTG ATCCTGGGGC 7680
CTCCAGGCCC ACGGGGTGCC AAGGGGGACA TGGGTGAACG AGGGCCTCGG GGCTTGGATG 7740
GTGACAAAAG ACCTCGGGGA GACAATGGGG ACCCTGGTGA CAAGGGCAGC AAGGGAGAGC 7800
CTGGTGACAA GGGCTCAGCC GGGTTGCCAG GACTGCGTGG ACTCCTGGGA CCCCAGGGTC 7860
AACCTGGTGC AGCAGGGATC CTTGGTGACC CGGGATCCCC AGGAAAGGAT GGAGTGCCTG 7920
GTATCCGAGG AGAAAAAGGA GATGTTGGCT TCATGGGTCC CCGGGGCTC AAGGGTGAAC 7980
GGGAGTGAA GGGAGCCTGT GGCCTTGATG GAGAGAAGGG AGACAAGGGA GAAGCTGGTC 8040
CCCCAGGCCG CCCCGGGCTG CAGGACACA AAGGAGAGAT GGGGGAGCCT GGTGTGCCGG 8100
GCCAGTCCGG GGGCCCTGGC AAGGAGGGCC TGATCGTCC CAAGGGTGAC CGAGGCTTTG 8160
ACGGGCAGCC AGGCCCCAAG GGTGACCAGG GCGAGAAAGG GGAGCGGGGA ACCCCAGGAA 8220
TTGGGGGCTT CCCAGGGCCC AGTGGAAATG ATGGCTCTGC TGGTCCCCCA GGGCCACCTG 8280
GCACTGTTGG TCCAGAGGC CCGAAGGAC TTCAGGGCCA GAAGGGTGAG CGAGGTCCCC 8340
CCGGAGAGAG AGTGGTGGGG GCTCCTGGGG TCCCTGGAGC TCCTGGCGAG AGAGGGGAGC 8400
AGGGCGCGCC AGGCCTGACC GGTCTCCGAG GCGAGAAGGG AGAAGCTGCA CTGACGGAGG 8460
ATGACATCCG GGGCTTGTG CGCAAGAGA TGAGTCAGCA CTGTGCTGCG CAGGGCCAGT 8520
TCATCGCATC TGGATCAGCA CCCCTCCCTA GTTATGCTGC AGACACTGCC GGCTCCACG 8580
TCCATGCTGT GCCTGTGCTC CCGCTCTCTC ATGCAGAGGA GGAAGAGCGG GTACCCCCTG 8640
AGGATGATGA GTACTCTGAA TACTCCGAGT ATTCTGTGGA GGAGTACCAG GACCCCTGAA 8700
CTCCTTGGGA TAGTGTATGAC CCTCTGTTCC TGCCACTGGA TGAGGGCTCC TGCCTCCCT 8760
ACACCTGGC CTGGTACCAT CCGGCTGTGA CAGGCAGCAC AGAGGCCTGT CACCCCTTTG 8820
TCTATGGTGG CTGTGGAGGG AATGCCAACG GTTTTGGGAC CCGTAGGGCC TGCGAGCCGC 8880
GCTGCCACC CCGGCTGGTC CAGAGCCAGG GGACAGGTAC TGCCACGAC TGAGGCCAG 8940
ATAATGAGCT GAGATTACG ATCCCTGGA GGAGTCGGGG TCTCAGCAGA ACCCCACTGT 9000
CCCTCCCCTT GGTGCTAGAG GCTTGTGTGC ACGTGAGCGT GCGAGTGCAC GTCCGTTATT 9060
TCAGTGAATG GGTCCGTTGG GTCTAGCCTT CCCCCTGTG GACAAAACCC CATTTGGGCT 9120
CCTGCCACC CTGCAGATGA CTCACTGTGG GGGGGTGGCT GTGGGCAGT AGCCGATGTG 9180
ACTGGCGTCT GACCCGCCCC TTGACCCAAAG CCTGTGATGA CATGGTGTG ATTCGGGGG 9240
GCATTAAGC TGCTGTTTTA AAAGGCAAAA AA
    
```

Seq ID NO: 63 Protein sequence:
Protein Accession #: NP_000085.1

35
40
45
50
55
60
65
70
75
80
85

```

1 11 21 31 41 51
| | | | |
MTLRLVAAL CAGILAEAPR VRAQHRERV CTRLYAADIV FLLDGSSSIG RSNFREVRSF 60
LEGLVLPFSG AASAQGVRFV TQYSDDPRT EFGLDALGSG GDVIRAIREL SYKGNTRTG 120
AAILHVADHV FLQPLARPGV PKVCILITDG KSQDLVDTA QRLKGGVKL FAVGIKNADP 180
EELKRVASQP TSDFFFFVND FSILRLLLEL VSRRVCTTAG GVPVTRPPDD STSAPRDLVL 240
SEFSSQSLRV QWTAASGTVT GKVKQYTPLT GLGQLPFSER QEVNVFAGET SVRLRGLRPL 300
TEYQVTIAL YANSIGEAVS GTARTTALEG PELTIQNTTA HSLLVAVRSV PGATGYRVTW 360
RVLSGGTQQ QELGPGQGSV LLRLDLEPGTD YEVTVSTLFG RSVGPATSLM ARTDASVEQT 420
LRPVILGPTS ILLSNLWVPE ARGYLEWRR ETGLEPQKV VLPDVTTRYQ LDGLQPGTEY 480
RLTYLLEGE HEVATPATVV PTGPELPSV VTDLQATELP QORVRVSWSP VPGATQYRII 540
VRSTQGVERT LVLPQSGTAF DLDDVQAGLS YTVRVSARVG PREGSASVLT VRREPETPLA 600
VPGLRVVVD ATRVRVWAGP VPGASGFRIS WSTGSGPESS QTLPPDSTAT DITGLQPGTT 660
YQVAVSVLRG REEGPAAVIV ARTDPLGPVR TVHVTAQASS SVTITWTRVP GATGYRVSWH 720
SAHGPEKSQL VSGEATVAEL DGLEPDTYTT VHVRAHVAGV DGPPASVVVR TAPEPVGRVS 780
RLQILNASSD VLRIITWGVV GATAYRLAWG RSEGGPMRHQ IILPNTDSAE IRGLEGGVSY 840
SVRVTAALVD REGTVPVIVV TTPPEAPPAL GTLHVVRQGE HSLRLRWEVP PRAQGFLLHW 900
QPEGGQEQR VLGPPELSSYH LDGLEPATQY RVRLSVLQPA GEGPSAEVTA RTESPRVPSI 960
ELRVVDTSID SVTLAWTPVS RASSYILSWR PLRGPQEVV GSPQTLPGIS SSQRVTGLEP 1020
GVSYIFSLTP VLDGVRGPEA SVTQTPVPCR GLADVVLPH ATQDNHRAE ATTRVLERLV 1080
LALGPLQPA VQVGLLSYSH RPSPLFPLNG SHDLGIILQR IRDMPYMDPS GNNLGTAVVT 1140
AHRVMLAPDA PGRRQHVPGV MVLVDPELR GDIFSPAREA QASGLNVVML GMAGADPEQL 1200
RRLAPGMDSV QTFPAVDGPT SLDQAVSGLA TALQASFTT QPRPEPCPVY CPFKQKGEPE 1260
ENGLRQVQPV GDFPGLPGR GADPGQGPFG SATAKGERGF PGADGRPGSP GRAGNPGTPG 1320
APGLKGSPLG FGRGDPGERT GPRGPKGEPG APGQVIGGEG PGLPGRKGDG GPGSGPPGPRG 1380
PLGDGPRGPG PGLPPTAMKG DKGDRGERGP PGPGEGLIAP GEPGLPGLPG SPFGQGPVGP 1440
PGKKEKEDS EDGAPGLPGQ PPSPEQGER GPPGAIKFGK DRGFFPLGEG AGEKGERGPP 1500
GPAGSRGLPG VAGRPKAGKP EGPPGPTGRQ GEKGEPRGPG DPAVVGPAVA GPKKEKGDVG 1560
PAGPRGATGV QGERGPPGLV LPPDGPCKGD PDRGPIGLT GRAGPPGDSG PPEKGDPEGR 1620
FGPPGVPVGR GRDGEVGEKG DEGPPGDPGL PGKAGERGLR GAPGVRGPFV EKGDQGDPE 1680
DGRNGSPGSS GPKGDRCEPG PPGPPGRLVD TPGGAREKGE PGRDQGEPR GPKGDPGLPG 1740
APGERGIEGF RGPFPQGDG GVRGPAGEKG DRGPPGLDGR SGLDGRPGAA GPGSGPNAAG 1800
KAGDPGRDGL PGLRSEQGLP GPGSGPGLPG KPGEDEKPLG NGKNGEPGDP GEDGRKKEKG 1860
DSGASGREGR DGPKGERGAP GLLGPPQPPG LPPGVPVPPG GPPGVPVGGT PKGDRGETGS 1920
KGEQGLPGER GLRGEPSVNV NDRLLLETAG IKASALREIV ETWDESSGSF LPVPERRRGP 1980
KGDSEGEQPP GKBPPIGFPG ERLKGDGRD PGPQPPGLA LGERGPPGPP GLAGEPGKPG 2040
IPGLPGRAGG VEAGRPFGER GERGEKGERG EQGRDGPPLG PGTGPPGPPF GPKVSVDEPG 2100
PGLSGEQPPP GLKGAKEGEP SNGDQPKGD RGVPGIKGDR GEPGPRQDG NPGLPGERGM 2160
AGPEKGPLQL GPRGPPGPGV GHGDPGPGA PGLAGPAGPQ GPGSLKGEPE ETGPPGRLT 2220
GPTGAVGLPG PPGPSGLVGP QGSPGLPGQV GETGKPGAPG RDGASGKGDG RGSPPVPGSP 2280
GLPSPVPGPK EPGPTGAPG AVVGLPGAAG EKGAPGGLAG DLVGEPAKAG DRGLPGRGE 2340
KGEAGRAGEP GDSGEGQKG APGPKGFKGD PGVGVPSGPG PPGPPGVKGD LGLPGLPGAP 2400
GVVGFPGQTG PRGEMQPPG SGERGLAGPP GREGIPGLG PPGPPGSPV GPASGLKGDK 2460
GDFGVGLPGP RGERGEPGIR GEDRFPQEG PRGLTGPFGS RGERGEKGDV GSAGLKGDKG 2520
DSAVILGPPP PRGAKGDMGE RGRGLDGDG GPRGDNGDGP DKGSKGEPGD KGSAGLPGLR 2580
GLLGPPQPPG AAGIPGDPGS PKDGVVPIR GEKGDVGFPM PRGLKGERGV KGACGLDGEK 2640
GDKGEAGPPG RFLGAKHKE MGEPEGVPGQS GAPKKEGLIG PKGDRGFDG PPKGDQGEK 2700
GERGTPGIGG FPGPSGNDGS AGPPGPPGVS GPRGPEGLQG QKGERGPPGE RVVGPVPG 2760
APGERGEPGR PGPAGPRGK GEALTEDDI RGFVRQEMSQ HCACQGFIA SGSRPLPSYA 2820
ADTAGSQLHA VPLRVSHAE EEERVPEEDD EYSEYSEYSV EEEYQDEAPV DSDDFCSLPL 2880
DEGSCATYTL RWHYRAVTGS TEACHPFVYG GCGGNANRFG TREACERRCP PRVVSQGTG 2940
TAQD
    
```

Seq ID NO: 64 DNA sequence
 Nucleic Acid Accession #: NM_006945
 Coding sequence: 1-219

5
 1 11 21 31 41 51
 | | | | | |
 ATGTCCTATC AACAGCAGCA GTGCAAGCAG CCCTGCCAGC CACCTCCTGT GTGCCCCACG 60
 CCAAAGTGCC CAGAGCCATG TCACCCCCG AAGTGCCCTG AGCCCTGCC ACCACCAAAG 120
 TGTCACACAG CCTGCCACC TCAGCAGTGC CAGCAGAAAT ATCCTCCTGT GACACCTTCC 180
 CCACCCCTGCC AGCCAAAGTA TCCACCGAAG AGCAAGTAA

Seq ID NO: 65 Protein sequence:
 Protein Accession #: NP_008876

15
 1 11 21 31 41 51
 | | | | | |
 MSYQQQQCKQ PCQPPPVCPPT PKCPEPCPPF KCPEPCPPPK CPQPCPPQQC QQKYPPVTPS 60
 PPCQPKYPPK SK

Seq ID NO: 66 DNA sequence
 Nucleic Acid Accession #: NM_005629.1
 Coding sequence: 639-2546

20
 25
 30
 35
 40
 45
 50
 55
 60
 65
 70
 75
 80
 85
 1 11 21 31 41 51
 | | | | | |
 TAGTCGGAGC GAGTGCGGA GTGCTGAGC CCGCCGCGGC CCGAGAGAGC GCTGCAGCCG 60
 CCGCCGCGCG GAAGGAGAGG GCGAGGCGCG CCCGAGCCGC CGCCGCGCCG GCCACCGCCG 120
 CCGCCGCCAC CACCGCCACC GGAGTCGCGG GCCAGCCGGG CAGCCTCCGC GGGCCCCGGC 180
 CCGGGCGGGG GGGCGGGGCC ACAGGCCCCC GCTCCGGCCG TCGTTTGCAG ACCGCGGGCG 240
 CCGATGTGCG CCGCGCCCGG TTAGGATGAG TCTCGGGTCG GCGAGGAGC CCGCCGAGCC 300
 GCCCGCGCCC GAGCCGCGGG CAGGAGCCTC GGGAGCCGCC GCGCCGCGG CCGCCGCCCCG 360
 GCCGGGCCCC GAGCCGCCCC GCGCGCCCCC GGGCCCCCGA CACACATGAG ATTCTTCAGG 420
 CTCACCTTCA AGTGCCTTCG GACTGCTTC TGAATGCGCC GCCCGCGCCC CGCACCCCGC 480
 CGTCGCGCCG CCGCCCGGTC CCGCGCCCGG GCGCCCGCCC GCGCCCGCGC CGGCCGCGGC 540
 CCTCGGGGCC CTCGCCGGTG CCGCCGGTGC CCGCCGCTTG ACCGCGGCC CCGTGTAGGC 600
 GCCCGAGCCC CGGCCCGGCC GTGCCGCCCG CCGGGGCCAT GCGAAGAAG AGCGCCGAGA 660
 ACGGCATCTA TAGCGTGTCC GCGAGCAGAG AGAAGGGCCC CCTCATCGCG CCGGGGCCCCG 720
 ACGGGGCCCC GSCCAAGGGC GACCGCCCGG TGGGCTGGG GACACCGCG GCGCGCCTGG 780
 CCGTGCCGCC GCGCGAGACC TGGACGCGCC AGATGGACTT CATCATGTGC TCGTGGGCT 840
 TCGCCGTGGG CTTGGCCCAAC GTGTGGCGCT TCCCTACCT GTGCTACAAG AACGGCGGAG 900
 GTGTGTTTCT TATTCCTTAC GTCCGTGATC CCTGTGTGG AGGAATCCCC ATTTTCTTCT 960
 TAGAGATCTC GCTGGGCCAG TTCATGAAG CCGGCAGCAT CAATGTCTGG AACATCTGTC 1020
 CCCTGTTCAA AGGCCTGGGC TACGCCTCCA TGGTGTGCGT CTCTACTGTC AACACCTACT 1080
 ACATCATGTT GTTGGCCCTG GGTCTTCTAT ACCTGGTCAA GTCCCTTACC ACCACGCTGC 1140
 CCTGGGCCAT ATGTGGCCAC ACCTGGAACA CTCGCGACTG CTTGGAGATC TTCGCCATG 1200
 AAGACTGTGC CAATGCCAGC CTGGCCCAAC TCACCTGTGA CCACTTGTCT GACCGCCGGT 1260
 CCCCTGTCAAT CGAGTCTTGG GAGAACAAAG TCTTGAGGCT GTCTGGGGGA CTGGAGGTGC 1320
 CAGGGGCCCT CAACTGGGAG GTGACCCTTT GTCTGTGGC CTGCTGGGTG CTGGTCTACT 1380
 TCTGTGTCTG GAAGGGGGTC AAATCCACGG GAAAGATCGT GTACTTCACT GCTACATTC 1440
 CCTACGTGTT CTGTGTCTGT CTGTGGTGC GTGGAGTGTG GTCGCTGGC GCCCTGGATG 1500
 GCATCATTTA CTATCTCAAG CTGACTGGT CAAAGCTGGG GTCCCTCAG GTGTGGATAG 1560
 ATGCGGGGAC CCAGATTTTC TTTTCTTAG CCATGGCCT GGGGGCCCTC ACAGCCCTGG 1620
 GCGACTTCAA CCGCTTCAAC AACAACTGCT ACAAGGACGC CATCATCCGT GCTCTCATCA 1680
 ACAGTGGGAC CAGTCTCTTT GCTGGCTTCG TGGTCTTCTC CATCTGGGC TTCATGGCTG 1740
 CAGAGCAGGG CGTGCACAT TCCAAGTGG CAGAGTCAG GCCGGGCTG GCCTTCATCG 1800
 CCTACCCGCG GCTGTCTCAG CTGATGCCAG TGGCCCCACT CTGGGCTGCC CTGTCTTCT 1860
 TCATGCTGTT GCTGTCTGG CTGACAGCC AGTTTGTAGG TGTGGAGGGC TTCATCACCG 1920
 GCCTCTCGA CTTCTCTCCG CCTCCTACT ACTTCCGTTT CCAAAGGGAG ATCTCTGTGG 1980
 CCCTCTGTTG TSCCCTCTGC TTTGTCTATG ATCTCTCCAT GGTACTGAT GCGGGGATGT 2040
 ACGTCTTCCA GCTGTTTGC TACTACTCG CCAGCGGCAC CACCCCTGCT TGGCAGGCCT 2100
 TTTGGGAGTG CSTGGGTGG GCTTGGGTGT ACGGAGCTGA CCGCTTCATG GACGACATTG 2160
 CCTGTATGAT CCGGTACCGA CCTTGCCCCC GGATGAAATG GTGCTGGTCC TTCTTCAACC 2220
 CGCTGGTCTG CATGGGCATC TTCATCTTCA ACCTTGTGTA CTACGAGCCG CTGGTCTACA 2280
 ACAACACCTA GTGTATCCG TGTGGGGTGG AGGCCATGGG CTGGGCCCTC GCCCTGTCTC 2340
 CCATGCTGTG CSTGCCGCTG CACTCCTGG GCTGCTCCT CAGGGCCAAG GGCACCATGG 2400
 CTGAGCGCTG GCAGCACCTG ACCCAGCCCA TCTGGGGCCT CCACCACTTG GAGTACCAG 2460
 CTCAGGACGC AGATGTCAGG GGCCTGACCA CCCTGACCCC AGTGTCCGAG AGCAGCAAGG 2520
 TCGTCTGTTG GGAGAGTGTG ATGTGACAA TCAGCTCACA TCACCAGCTC ACCTCTGTTA 2580
 GCCATAGCAG CCCCTGCTTC AGCCCCACCG CACCCCTCCA GGGGGCCTGC CTTTCCCTGA 2640
 CACTTTTGGG GTCTGCTCGT GGGAGGAGGG GAGAAAGCAC CATGAGTGTCT CACTAAAACA 2700
 ACTTTTCCA TTTTAAATAA AAGCCAAAAT ATATCACAAC CCACCAAAA TAGATGCCTC 2760
 TCCCCTCCA GCCCTAGCCG AGCTGGTCTT AGGCCCGCC TAGTGCCTCA CCCCACCCA 2820
 CAGTCTGCA CTCCTCTGTC CCCTGCCAG CCCACCCCTT GCCACCTCT CCAGGCTCTG 2880
 CTCTGAGCA CACCCGTGGG TGACCCCTCA CCCAGAGAGC AGCAGTGGCA GCTTGGGAAA 2940
 TGTGAGGAAG GGAAGGAGGG AGAGACGGGA GGGAGGAGAG AGAGGAGAAG GGAGGAGGG 3000
 GAGGGGAGC AGAACCAAGG CAAATATTTC AGCTGGGCTA TACCCCTCTC CCCATCCCTG 3060
 TTATAGAAGC TTAGAGAGCC AGCCAGCAAT GGAACCTTCT GGTTCCTGCG CCAATCGCCA 3120
 CCAGTATCAA TTGTGTGAGG TTTGGTGGCA GTGCACGCTG GCGTGTGATC GGAGAGTATA 3180
 TATAGATCTC TATCTCTTAG CAAAGGTGAA TGCCAGATGT AAATGGCGCC TCTGGGCAAA 3240
 GGAGGCTGTG ATTTTGCACA TTTTATAAAA ACTTGAGAGA ATGAGATTTT TGCTTGTATA 3300
 TTTCTAAAAA GAGGAAGGAG CCCAAACCAT CCTCTCCTTA CCACCTCCAT CCGTGTGAGC 3360
 CCTACCTTAC CCTCTGCCCC CTAGCCAAGG AGTGTGAATT TATAGATCTA ACTTTCATAG 3420
 GCAAAACAAA AGCTTCAGAG TGTGTGCTGT GTGAGTCTGT TGTGTGGATG TGCGTGTGTG 3480
 GTCCCCAGCC CCAGACTGGA TTGGAAAAAG GCATGGTGGG GGCCTCGGGG CTGTCCCCAC 3540
 GCTGTCCCTT TGCCACAAGT CTGTGGGGCA AGAGGCTGCA ATATTCGCTC CTGGGTGTCT 3600
 GGGCTGCTAA CCTGGCTGCG TCAGGCTTCC CACCCGTGTC GGGGCACACC CCCAGGAAGG 3660
 GACCCCTGGAC ACGGCTCCCA CGTCCAGGCT TAAGGTGGAT GCACCTCCCG CACCTCCAGT 3720

CTTCTGTGTA GCAGCTTTAA CCCACGTTTG TCTGTCAAGT CCAGTCCCGA GACGGCTGAG 3780
 TGACCCCAAG AAAGGCTTCC CCGACACCCA GACAGAGGCT GCAGGGCTGG GGCTGGGTGA 3840
 GGGTGGCGGG CCTGCGGGGA CATTCTACTG TGCTAAAAAG CCAGTGCAGA CATAGCAATA 3900
 AAAACATGTC ATTTTCC

5

Seq ID NO: 67 Protein sequence:
 Protein Accession #: NP_005620.1

10 1 11 21 31 41 51
 | | | | | |
 MAKKSAENGI YSVSGDEKKG PLIAPGPDGA PAKGDDPVGL GTPGGRLAVP PRETWTRQMD 60
 FIMSCVGFV GLGNVWRFPY LCYKNGGGVF LIPYVLIALV GGIPIFFLEI SLGQFMKAGS 120
 INVWNICPLP KGLGYASPMVI VFYCNYYIM VLAWGFYYLV KSFTTLPWA TCGHTWNTPD 180
 CVEIFRHEDC ANASLANLTC DQLADRRSPV IEFWENKVLRLSGGLEVPGA LNWEVTLCLL 240
 15 ACWLVLVYFCV WKGVKSTGKI VYFTATFPYV VLVVLLVRGV LLPGALDGI I YLKPDPWSKL 300
 GSPQWIDAG TQIFPYSYAI G LGALTAGLSY NRFNNNCYKD AIIILALINS TSPFFAGFVVF 360
 SILGFMAAEQ GVHLSKVAES GPGLAFIAYP RAVTLMPVAP LWAAALFFFML LLLGLDLSQFV 420
 GVEGFITGLL DLLPASYFYR FQREISVALC CALCFVIDLS MVTDDGGMYVF QLFDYYSASG 480
 20 TLLNQAQWE CVVVAVYGA DRFMDDIACM IGYRCPWMK WCWSFFTPLV CMGIFIFNVV 540
 YYEPLVYNNY YVYFWGGEAM GWAFALSSML CVPLHLGLCL LRAKGTMAER WQHLTQPIWG 600
 LHHLEYRAQD ADVRLGLTTLT PVSSESKVVV VESVM

25 Seq ID NO: 68 DNA sequence
 Nucleic Acid Accession #: NM_021953.1
 Coding sequence: 178-2469

30 1 11 21 31 41 51
 | | | | | |
 GGCACGAGGG GGACCCGGCC GGTCCGGCGC GAGCCCCCGT CCGGGGCCCT GGCTCGGCC 60
 CCAGGTTGGA GGAGCCCGGA GCCCGCCTTC GGAGCTACGG CCTAACGGCG GCGGGGACTG 120
 CAGTCTGGAG GGTCACACT TGTGATTCTC AATGGAGAGT GAAAACGCAG ATTCATAATG 180
 AAAGCTAGCC CCGTCCGGCC ACTGATTCTC AAAAGACGGA GGCTGCCCTC TCCTGTTCAA 240
 35 AATGCCCAA GTGAACATC AGAGGAGGAA CCTAAGAGAT CCCTGCCCA ACAGGAGTCT 300
 AATCAAGCAG AGGCCTCCAA GGAAGTGGCG GAGTCCAAC TTGCAAGTT TCCAGCTGGG 360
 ATCAAGATTA TTAACCAACC ACCATGCCCC AACACGCAAG TAGTGGCCAT CCCCACAAT 420
 GCTAATATTC ACAGCATCAT CACAGCACTG ACTGCCAAGG GAAAAGAGAG TGGCAGTAGT 480
 GGGCCCAACA AATTCATCCT CATCAGCTGT GGGGGAGCCC CAACTCAGCC TCCAGGACTC 540
 40 CGCCCTCAA ACCAAACCCG CTATGATGCC AAAAGGACAG AAGTGACCCCT GGAGACCTTG 600
 GGACCAAAAC CTCGAGCTAG GGATGTGAAT CTCCTAGAC CACCTGGAGC CCTTTGCGAG 660
 CAGAAACGGG AGACCTGTGC AGATGGTGAG GCAGCAGGCT GCACTATCAA CAATAGCCTA 720
 TCCAACATCC AGTGGCTTCG AAAGATGAGT TCTGATGGAC TGGGCTCCCG CAGCATCAAG 780
 CAAGAGATGG AGGAAAAGGA GAATTGTAC CTGGAGCAGC GACAGGTTAA GGTGTGAGGAG 840
 CCTTCGAGAC CATCAGCTC CTGGCAGAAC TCTGTGTCTG AGCGGCCACC CTACTCTTAC 900
 45 ATGGCCATGA TACAATTCCG CATCAACAGC ACTGAGAGGA AGCGCATGAC TTTGAAAGAC 960
 ATCTATACGT GGATTGAGGA CCACTTTCCC TACTTTAAGC ACATTGCCAA GCCAGGCTGG 1020
 AAGAACTCCA TCCGCCACAA CCTTCCCTG CACGACATGT TGTCCGGGA GACGCTGCCC 1080
 AATGGCAAGG TCTCCTTCTG GACCATTAC CCCAGTGCCA ACCGCTACTT GACATTGGAC 1140
 CAGGTGTTTA AGCCACTGGA CCCAGGGTCT CCACAATTGC CCGAGCACTT GGAATCAGAC 1200
 50 CAGAAACGAC CGAATCCAGA GCTCCGCCGG AACATGACCA TCAAACCGA ACTCCCCCTG 1260
 GGCGCACCGG GGAAGATGAA GCCACTGCTA CCACGGGTCA GCTCATACCT GGTACCTATC 1320
 CAGTTCOCGG TGAACCACTG ACTGGTGTGG CAGCCCTCGG TGAAGGTGCC ATTGCCCCTG 1380
 GCGGCTTCCC TCATGAGCTC AGAGCTTGCC CGCCATAGCA AGCGAGTCCG CATTGCCCCC 1440
 AAGTGTCTGC TAGCTGAGGA GGGGATAGCT CCTCTTTCT CTGCGAGACC AGGGAAGAG 1500
 55 GAGAACTCC TGTTGGAGA AGGGTTTTCT CCTTTGCTTC CAGTTCAGC TATCAAGGAG 1560
 GAAGAAATCC AGCCTGGGGA GGAAATGCCA CACTTAGCCA GACCCATCAA AGTGGAGAGC 1620
 CCTCCCTTGG AAGAGTGGCC CTCGCCGGCC CCATCTTCA AAGAGGAATC ATCTCACTCC 1680
 TGGGAGGATT CGTCCCAATC TCCCACCCCA AGACCCAAGA AGTCTACAG TGGGCTTAGG 1740
 TCCCAACCCC GGTGTGTCTC GGAAATGCTT GTGATTCAAC ACAGGGAGAG GAGGGAGAGG 1800
 60 AGCCCGTCTC GGAGGAAACA GCATCTACTG CCTCCCTGTG TGGATGAGCC GGAGCTGTCT 1860
 TTCTCAGAGG GTCCCAATAC TTCCCGCTGG GCCGCAGAGC TCCCGTCCC AGCAGCACTC 1920
 TCTGACCCGT CCTCCAGCTC CAGCTACTCC CAGGAAGTGG GAGGACCTTT TAAGACACCC 1980
 ATTAAGGAAA CGCTGCCATC CTCCTCCACC CCGAGCAAAT CTGTCTCCC CAGAACCCCT 2040
 65 GAATCCTGGA GGCTCAGGCC CCGAGCCAAA GTAGGGGAGC TGGATTTGAG CCCAGTACAA 2100
 ACCTCCAGG GTGCCTCTGA CCCCTGCGCT GACCCCTTGG GGCTGATGGA TCTCAGCACC 2160
 ACTCCCTTGC AAAGTGTCTC CCCCCTTGAA TCACCGCAAA GGCTCCTCAG TTCAGAACCC 2220
 TTAGACCTCA TCTCCGTCCC CTTTGGCAAC TCTTCTCCCT CAGATATAGA GTCGCCAAG 2280
 CCAGGCTCCC CCGAGCCACA GGTTCCTGGC CTTGCGAGCA ATCGTCTCT GACAGAAGGC 2340
 CTGGTCCCTG ACACAATGAA TGACAGCCTC AGCAGATCC TGCTGGACAT CAGCTTTCCT 2400
 70 GGCTTGGAGC AGGACCCACT GGGCCCTGAC AACATCAACT GGTCCCAGTT TATTCTGAG 2460
 CTACAGTAGA GCCCTGCCCT TGCCCTGTG CTCAAGCTGT CCACCATCCC GGGCACTCCA 2520
 AGGCTCAGTG CACCCCAAGC CTCTGAGTGA GGACAGCAGG CAGGGACTGT TCTGCTCCTC 2580
 ATAGTCCCTC GTGCTGTGAT TATGCAAAAG TAGCAGTAC ACCCTAGCCA CTGCTGGGAC 2640
 75 CTTGTGTCC CCAAGAGTAT CTGATTCCCT TGCTGTCCCT GCCAGGAGCT GAAGGGTGGG 2700
 AACAAACAA GCAATGGTGA AAAGAGATTA GGAACCCCCC AGCCTGTTTC CATTCTCTGC 2760
 CCAGCAGTCT CTACCTTCC CTGATCTTTG CAGGGTGGTC CGTGTAAATA GTATAAATTC 2820
 TCCAAATTAT CCTCTAATTA TAAATGTAAG CTTATTCTCT TAGATCATA TCCAGAGACT 2880
 GCCAGAAGGT GGTAGGATG ACCTGGGGTT TCAATTGACT TCTGTCTCTI GCTTTTAGTT 2940
 80 TTGATAGAG GGAAGACCTG CAGTGCACGG TTTCTCCAG GCTGAGGTAC CTGGATCTTG 3000
 GGTCTCTCAC TGCAAGGACC CAGCAAGATG GATCTGCTTG CCAGAGTCTT TTTTCCCTC 3060
 CCTCGCACCC TCCCGTGTG TCCAAGTCAG CTTTCTGCA AGAAGAAATC CTGGTTAAAA 3120
 AAGTCTTTTG TATTGGGTCA GGAGTTGAAT TTGGGGTGGG AGGATGGATG CAACTGAAGC 3180
 AGAGTGTGGG TGCCAGATG TGCGCTATTA GATGTTTCTC TGATAATGTC CCCAATCATA 3240
 CCAGGGAGAC TGGCATTGAC GAGAACTCAG GTGGAGGCTT GAGAAGGCCG AAAGGGCCCC 3300
 85 TGACCTGCCT GGCTTCCTTA GCTTGCCCTC CAGCTTGCA AAGAGCCACC CTAGGCCCCA 3360
 GCTGACCGCA TGGGTGTGAG CCAGCTGAG AACACTAAT ACTCAATAAA AGCGAAGGTG 3420
 GACCNAAAAA AAAAAAAAAA AAAA

Seq ID NO: 69 Protein sequence:
 Protein Accession #: NP_068772.1

5
 10
 15
 20

1	11	21	31	41	51	
MKASPRRPLI	LKRRRLPLPV	QNAPSETSEE	EPKRSPAQOE	SNQAEASKEV	AESNSCKFFPA	60
GKILNHPTM	ENTQVVAIPN	NANIHSIITA	LTAKGKESGS	SGPNKFILIS	CGGAPTQPPG	120
LRPQTQTSYD	AKRTEVILET	LGPKPAARDV	NLPRPPGALC	EQKRETCADG	EAAGCTINNS	180
LSNIQWLRKM	SSDGLGSRSI	KQEMEKEKNC	HLEQRQVKVE	EPSRSPASWQ	NSVSEPPYS	240
YNAMIQFAIN	STERKRMTLK	DIYTWIEDHF	PYFKHIAKPG	WKNISIRHNS	LHDMFVRETS	300
ANGKVSFWTI	HPSANRYLTL	DQVFKPLDPG	SPQLPEHLES	QQRPNPELRL	RNMTIKTELP	360
LGARRKMKPL	LPRVSSYLVP	IQFPVNSQLV	LQPSVKVPLP	LAASLMSEEL	ARHSKRVRIA	420
PKVLLAEBGI	APLSAGSGPK	EKKLLEFGEGF	SPLLEPVQTIK	EBEIQPGEEM	PHLARPIKVE	480
SPPLEEWPSF	APSPKEBSSH	SWEDSSQSPT	PRPKKSYSL	RSPTRCVSEM	LVIQHRERRE	540
RSRSRRKQHL	LPPCVDEPEL	LFSEGPSTSR	WAAELPPPAD	SSDPASQLSY	SQEVGGPFKT	600
PIKETLPISS	TPSKSVLPRT	PESWRLTPPA	KVGGLDPSPV	QTSQASDPL	PDPLGLMDLS	660
TTPLQSAFPL	ESPORLLSSE	PLDLISVPPG	NSSPSDIDVP	KFGSPEPQVS	GLAANRSLTE	720
GLVLDTMNDS	LSKILLDISP	PGLDEDPLGP	DNINWSQFIP	ELQ		

Seq ID NO: 70 DNA sequence
 Nucleic Acid Accession #: BC006529.1
 Coding sequence: 178-2424

25
 30
 35
 40
 45
 50
 55
 60
 65
 70
 75
 80
 85

1	11	21	31	41	51	
GGCAGAGGGG	GGACCCGGCC	GGTCCGGCGC	GAGCCCCCGT	CGGGGGCCCT	GGCTCGGCC	60
CCAGGTTGGA	GGAGCCCGGA	GCCCCCCTTC	GGAGCTACGG	CCTAACGGCG	GCGGCGACTG	120
CAGTCTGGAG	GGTCCACACT	TGTGATTCTC	AATGGAGAGT	GAAAAACGCG	ATTCATAATG	180
AAAACTAGCC	CCCGTCGGCC	ACTGATTCTC	AAAAGACGGA	GGCTGCCCTC	TCCTGTTCAA	240
AATGCCCCAA	GTGAAACATC	AGAGGAGGAA	CCTAAGAGAT	CCCCTGCCCA	ACAGGAGTCT	300
AATCAAGCAG	AGGCCTCCAA	GGAAAGTGCA	GAGTCCAACT	CTTGCAAGTT	TCCAGCTGGG	360
ATCAAGATTA	TTAACACACC	CACCATGCCC	AACACGCAAG	TAGTGGCCAT	CCCCAACAA	420
GCTAATATTC	ACAGCATCAT	CACAGCACTG	ACTGCCAAGG	GAAAAGAGAG	TGGCAGTAGT	480
GGGCCCAACA	AAATTCATCT	CATCAGCTGT	GGGGGAGCCC	CAACTCAGCC	TCCAGGACTC	540
CGGCCCTCAA	CCCAAAACCG	CTATGATGCC	AAAAGGACAG	AAAGTACCCT	GGAGACCTTG	600
GGACCAAAAC	CTGCAGCTAG	GATGTGGAAT	CTTCTAGAC	CACCTGGAGC	CCTTTCGAGG	660
CAGAAACGGG	AGACCTGTGC	AGATGGTGAG	GCAGCAGGCT	GCACTATCAA	CAATAGCCTA	720
TCCAACATCC	AGTGGCTTCG	AAAGATGAGT	TCTGATGGAC	TGGGCTCCCG	CAGCATCAAG	780
CAAGAGATGG	AGGAAAAGGA	GAATTGTAC	CTGGAGCAGC	GACAGGTTAA	GGTTGAGGAG	840
CCTTCGAGAC	CATCAGCTGC	CTGGCAGAAC	TCTGTGTCTG	AGCGGCCACC	CTACTCTTAC	900
ATGGCCATGA	TACAATTCGC	CATCAACAGC	ACTGAGAGGA	AGCGCATGAC	TTTGAAGAG	960
ATCTATAGCT	GGATGAGGA	CACCTTCCCG	TACTTTAAGC	ACATTGCCAA	GCCAGGCTGG	1020
AAGAACTCCA	TCCGCCACAA	CCTTCCCTCG	CACGACATGT	TTGTCCGGGA	GACGCTGCC	1080
AATGGCAAGG	TCTCTTCTGT	GACCATTCAC	CCCAGTGCCA	ACCGCTACTT	GACATTGGAC	1140
CAGTGTTTAA	AGCAGCAGAA	ACGACCGAAT	CCAGAGCTCC	GCCGGAAACAT	GACCATCAAA	1200
ACCGAACTCC	CCCTGGGCGC	ACGGCGGAAG	ATGAAGCCAC	TGCTACCACG	GGTCAGCTCA	1260
TACCTGGTAC	CTATCCAGTT	CCCCGTGAAC	CAGTCACTGG	TGTTGCAGCC	CTCGGTGAAG	1320
GTGCCAATTGC	CCCTGGGCGC	TTCCCTCATG	AGCTCAGAGC	TTGCCCGCCA	TAGCAAGCGA	1380
GTCCGCATTG	CCCCAAGGT	GCTGCTAGCT	GAGGAGGGGA	TAGCTCCTCT	TTCTCTGCA	1440
GGACCAGGGA	AAGAGGAGAA	ACTCCTGTTT	GGAGAAGGTT	TTTCTCCTTT	GCTTCCAGTT	1500
CAGACTATCA	AGGAGGAGAA	AATCCAGCCT	GGGGAGGAAA	TGCCACACTT	AGCGAGACCC	1560
ATCAAAGTGG	AGAGCCCTCC	CTTGGAAAGG	TGGCCCTCCC	CGGCCCCATC	TTTCAAAGAG	1620
GAATCATCTC	ACTCCTGGGA	GGATTCTGCC	CAATCTCCCA	CCCCAAGACC	CAAGAAGTCC	1680
TACAGTGGGC	TTAGGTCCTC	AACCCGGTGT	GTCTCGGAAA	TGCTTGTGAT	TCAACACAGG	1740
GAGAGGAGGG	AGAGGAGCCG	GTCTCGGAGG	AAACAGCATC	TACTGCCTCC	CTGTGTGGAT	1800
GAGCCGGAGC	TGCTTCTCTG	AGAGGGGCC	AGTACTTCCC	GCTGGGCCCG	AGAGCTCCCG	1860
TTCCAGCAGC	ACTCCTCTGA	CCCTGCCTCC	CAGCTCAGCT	ACTCCCAGGA	AGTGGGAGGA	1920
CCTTTTAAAG	CACCCATTA	GGAAACGCTG	CCCATCTCCT	CCACCCCGAG	CAAATCTGTC	1980
CTCCCCAGAA	CCCTGGAATC	CTGGAGGCTC	ACGCCCCCAG	CCAAAGTAGG	GGGACTGGAT	2040
TTCCAGCCAG	TACAAACCCC	CCAGGGTGCC	TCTGACCCTT	TGCCTGACCC	CCTGGGGCTG	2100
ATGGATCTCA	GCACCACTCC	CTTGCAAAAGT	GCTCCCCCCC	TTGAATCACC	GCAAAGGCTC	2160
CTCAGTTTCA	AACCCCTTAGA	CCTCATCTCC	GTCCCTTTTG	GCAACTCTTC	TCCCTCAGAT	2220
ATAGACCTCC	CAAAGCCAGG	CTCCCGGAG	CCACAGGTTT	CTGGCCTTTC	AGCCAAATGT	2280
TCTCTGACAG	AAGCCCTGGT	CCTGGACACA	ATGAATGACA	GCCTCAGCAA	GATCCTGCTG	2340
GACATCAGCT	TTCTGGCCCT	GGACGAGGAC	CCACTGGGCC	CTGACAAACAT	CAACTGGTCC	2400
CAGTTTATTC	CTGAGCTACA	GTAGAGCCCT	GCCCTTGCCC	CTGTGCTCAA	GCTGTCCACC	2460
ATCCCGGGCA	CTCCAAGGCT	CAGTGCACCC	CAAGCCTCTG	AGTGAGGACA	GCAGGCAGGG	2520
ACTGTTCTGC	TCCCTCATAGC	TCCCCTGTGC	CTGATTATGC	AAAAGTAGCA	GTACACCCCT	2580
AGCCACTGCT	GGGACCTTGT	GTTCGCCAAG	AGTATCTGAT	TCCTCTGCTG	TCCCTGCCAG	2640
GAGCTGAAGG	GTGGGAACAA	CAAGAGCAAT	GGTGAAAAGA	GATTAGGAAC	CCCCCAGCCT	2700
GTTCCCATTC	TCTGCCCAGC	AGTCTCTTAC	CTTCCCTGAT	CITTCGAGGG	TGGTCCGTGT	2760
AAATAGTATA	AAATCTCCAA	ATTATCCTCT	AAATATAAAT	GTAAGCTTAT	TTCTTATAGT	2820
CATTATCCAG	AGACTGCCAG	AGAGTGGGTA	GGATGACCTG	GGGTTTCAAT	TGACTTCTGT	2880
TCTTGTCTTT	TAGTTTGTAT	AGAAGGGAAG	ACCTGCAGTG	CACGGTTTCT	TCCAGGCTGA	2940
GGTACCTGGA	TCTTGGGTTT	TTCACTGCAG	GGACCCAGAC	AAGTGGATCT	GCTTGCAGGA	3000
GTCCCTTTTG	CCCTCCCTG	CCACCTCCCG	GTGTTTCCAA	GTCAGCTTTC	CTGCAAGAAG	3060
AAATCCTGGT	TAAAAAGTC	TTTTGTATTG	GGTCAGGAGT	TGAATTTGGG	GTGGGAGGAT	3120
GGATGCAACT	GAAGCAGAGT	GTGGGTGCC	AGATGTGCGC	TATTAGATGT	TTCTCTGATA	3180
ATGTCCCCAA	TCATACCAGG	GAGACTGGCA	TTGACGAGAA	CTCAGGTGGA	GGCTTGAGAA	3240
GGCCGAAAGG	GCCCTGACC	TGCCTGGCTT	CCTTAGCTTG	CCCCTCAGCT	TGCAAAAGAG	3300
CCACCCTAGG	CCCCAGCTGA	CCGCTAGGGT	GTGAGCCAGC	TTGAGAACAC	TAACACTACTA	3360
ATAAAAGCGA	AGGTGGAAAA	AAAAAATAAA	AAAAAATAAA	AAAAAATAAA		

Seq ID NO: 71 Protein sequence:
 Protein Accession #: AAH06529.1

	1	11	21	31	41	51	
5	MKTSPPRPLI	LKRRRLPLPV	QNAPSETSEE	EPKRSAPAQBE	SNQAEASKEV	AESNSCKFFPA	60
	GIKIINHPTM	ENTQVVAIPN	NNAHISIITA	LTARGKESGS	SGPNKPFILIS	CGGAPTQPPG	120
	LRPQTQTSYD	AKRTEVTLET	LGPKPAARDV	NLPRPPGALC	EQKRETCADG	EAAGCTINNS	180
	LSNIQWLRKM	SSDGLGSRSI	KQEMBEKENC	HLEQRQVKVE	EPSRPSASWQ	NSVSERPPYS	240
	YMAMIQFAIN	STERKRMTLK	DIYTWIEDHF	PYFKHIAKPG	WKN SIRHNL S	LHDMFVRETS	300
10	ANGKVSFWTI	HPSANRYLTL	DQVFKQQRK	NPELRNMTI	KTEPLPLGARR	KMKPLLPRVS	360
	SYLVPIQFPV	NQSLVLPQSV	KVPLPLAASL	MSSSELARHSK	RVRIAPKVL L	AEEGLAPLSS	420
	AGPGKKEKLL	FGEGFSPLLP	VQTIKEEEIQ	PGEEMPHLAR	PIKVESPPLE	EWPSAPSPFK	480
	ESSSHSWEDS	QSPTPRPKK	SYSGLRSPTR	CVSEMLVIQH	RERRERSR SR	RKQHL LPPCV	540
	DEPELLFSEG	PSTRRWAAEL	PPPADSSDPA	SQLSYSQEVG	GPFKTPIKET	LPISTSTPSKS	600
15	VLPRTPESWR	LTPPAKVGG L	DFSPVQTPQG	ASDPLPDLPG	LMDLSTPLQ	SAPPLESPQR	660
	LLSSEPLDLI	SVPPGNSSPS	DDVPKPGSP	EPQVSGLAAN	RSLTEGLVLD	TMNDSL SKIL	720
	LDISFPGLDE	DPLGPDNINW	SQFIPELQ				

Seq ID NO: 72 DNA sequence
 Nucleic Acid Accession #: U74612.1
 Coding sequence: 178-2583

	1	11	21	31	41	51	
25	GGCAOGAGGG	GGACCCGGCC	GGTCCGGCGC	GAGCCCCCGT	CGGGGGCCCT	GGCTOGGCCC	60
	CCAGGTTGGA	GGAGCCCGGA	GCCTCCCTTC	GGAGCTACGG	CCTAACGGCG	GCGGCGACTG	120
	CAGTCTGGAG	GGTCCCACT	TTGTATTCTC	AATGGAGAGT	GAAAAAGCAG	ATTCATAATG	180
	AAAAGTACCC	CCCGTGGCC	ACTGATTCTC	AAAAGACGGA	GGCTGCCCTC	TCCTGTTCAA	240
	AATGCCCAA	GTGAAACAT	AGAGGAGGAA	CCTAAGAGAT	CCCCTGCCCA	ACAGGAGTCT	300
30	AATCAAGCAG	AGGCCTCCAA	GGAAGTGGCA	GAGTCCAACT	CTTGCAAGTT	TCCAGCTGGG	360
	ATCAAGATTA	TTAACCAACC	CACCATGCC	AACACGCAAG	TAGTGGCCAT	CCCCAACAA	420
	GCTAATATTC	ACAGCATCAT	CACAGCACTG	ACTGCCAAGG	GAAAAGAGAG	TGGCAGTAGT	480
	GGGCCCAACA	AAATCATCCT	CATCAGCTGT	GGGGGAGCCC	CAACTCAGCC	TCCAGGACTC	540
	CGGCCTCAAA	CCCAAAACCG	CTATGATGCC	AAAAGGACAG	AAGTGACCCT	GGAGACCTTG	600
35	GGACCAAAAC	CTGCAGCTAG	GGATGTGAAT	CTTCTAGAC	CACCTGGAGC	CCTTTGGGAG	660
	CAGAAACGGG	AGACCTGTGC	AGATGGTGAG	GCAGCAGGCT	GCACTATCAA	CAATAGCCTA	720
	TCCAACATCC	AGTGGCTTCG	AAAGATGAGT	TCTGATGGAC	TGGGCTCCCG	CAGCATCAAG	780
	CAAGAGATGG	AGGAAAGGA	GAATTGTAC	CTGGAGCAGC	GACAGGTTAA	GGTTGAGGAG	840
40	CCTTCGAGAC	CATCAGCTGC	CTGGCAGAAC	TCTGTGCTG	AGCGGCCACC	CTACTCTTAC	900
	ATGGCCATGA	TACAATTCGC	CATCAACAGC	ACTGAGAGGA	AGCGCATGAC	TTTGAAAGAC	960
45	ATCTATAGCT	GGATTGAGGA	CCACTTCCC	TACTTTAAG	ACATTGCCAA	GCCAGGCTGG	1020
	AAGAAGTCCA	TCCGCCACAA	CCTTCCCTG	CACGACATGT	TTGTCCGGGA	GACGTCGACC	1080
	AATGGCAAGG	TCTCCTTCTG	GACCATTCA	CCCAGTGCCA	ACCGTACTTT	GACATTGGAC	1140
	CAGGTGTTTA	AGCCACTGGA	CCCAGGGTCT	CCCAAAATGC	CCGAGCACTT	GGAATCAAG	1200
	CAGAAACGAC	CGAATCCAGA	GCTCCGCGG	AACATGACCA	TCAAAACCGA	ACTCCCCCTG	1260
	GGCGCACCGG	GGAAAGATGAA	GCCACTGCTA	CCACGGGTCA	GTCATACCT	GGTACCTATC	1320
	CAGTTCOCGG	TGAACCAAGT	ACTGTGTTG	CAGCCCTCGG	TGAAGGTGCC	ATTGCCCTG	1380
	GGGGTCTCCC	TCATGAGCTC	AGAGCTTGCC	CGCCATAGCA	AGCGAGTCCG	CATTGCCCCC	1440
	AAGGTTTTTG	GGGAACAGGT	GGTGTGTTG	TACATGAGTA	AGTTCCTTAG	TGGCGATCTG	1500
50	CGAGATTTTG	GTACACCCAT	CACCAGCTTG	TTTAATTTTA	TCTTCTTTTG	TTTATCAGTG	1560
	CTGCTAGCTG	AGGAGGGGAT	AGCTCCTCTT	TCTTCTGAG	GACCAGGGAA	AGAGGAGAAA	1620
	CTCCGTTTTG	GAGAAGGGTT	TTCTCCTTTG	CTTCCAGTTC	AGACTATCAA	GGAGGAAGAA	1680
	ATCCAGCCTG	GGGAGGAAAT	GCCACACTTA	GCGAGACCCA	TCAAAGTGGG	GAGCCCTCCC	1740
	TGGAAAGAGT	GGCCCTCCCC	GGCCCATCT	TTCAAAGAGG	AATCATCTCA	CTCCTGGGAG	1800
55	GATTGCTCCC	AATCTCCAC	CCCAAGACCC	AAGAAGTCT	ACAGTGGGCT	TAGTTCOCCA	1860
	ACCCGGTGTG	TCTGGGAAAT	GCTTGTGATT	CAACACAGGG	AGAGGAGGGA	GAGGAGCCGG	1920
	TCTCGGAGGA	AAACAGATCT	ACTGCCTCCC	TGTGTGGATG	AGCCGGAGCT	GCTCTTCTCA	1980
	GAGGGGCCCA	GTACTTCCCG	CTGGCCCGCA	GAGCTCCCGT	TCCCAGCAGA	CTCCTCTGAC	2040
60	CCTGCCTCCC	AGCTCAGCTA	CTCCCAGGAA	GTGGGAGGAC	CTTTAAGAC	ACCCATTAAG	2100
	GAAACGCTGC	CCATCTCTCT	CACCCGAGC	AAATCTGTCC	TCCCCAGAAC	CCCTGAATCC	2160
	TGGAGGCTCA	CGCCCCAGC	CAAAGTAGGG	GGACTGGATT	TCAGCCCACT	ACAAACCTCC	2220
	CAGGCTGCCT	CTGACCCCTT	GCCTGACCCC	CTGGGGCTGA	TGGATCTCAG	CACCACTCCC	2280
	TTGCAAAGTG	CTCCCCCTCT	TGAATCACCG	CAAAGGCTCC	TCAGTTCAGA	ACCCATTAGC	2340
65	CTCATCTCCG	TCCCTTTTGG	CAACTCTTCT	CCCTCAGATA	TAGACGTCCC	CAAGCCAGGC	2400
	TCCCGGAGC	CACAGTTCCT	TGGCCTTGCA	GCCAACTGTT	CTCTGACAGA	AGGCCTGGTC	2460
	CTGGACACAA	TGAATGACAG	CCTCAGCAAG	ATCCTGTCTG	ACATCAGCTT	TCCTGGCCTG	2520
	GACGAGGACC	CACCTGGGCC	TGACAAATC	AACTGGTCCC	AGTTTATTCC	TGAGCTACAG	2580
	TAGAGCCCTG	CCCTTGCCCC	TGTGCTCAAG	CTGTCCACCA	TCCCGGGCAC	TCCAAGGCTC	2640
70	AGTGACACCC	AAGCCTCTGA	GTGAGGACAG	CAGGCAGGGA	CTGTTCTGCT	CCTCATAGCT	2700
	CCCTGTCTGC	TGATTATGCA	AAAGTAGCAG	TCACACCCTA	GCCACTGCTG	GGACTTTGTG	2760
	TTCCCAAGA	GTATCTGATT	CCTCTGCTGT	CCCTGCCAGG	AGCTGAAGGG	TGGGAACAAC	2820
	AAAGCAATG	GTGAAAGAG	ATTAGGAACC	CCCCAGCCTG	TTTCCATTCT	CTGCCAGCA	2880
	GTCTCTTACC	TTCCCTGATC	TTTGACGGGT	GGTCCGTGTA	AATAGTATAA	ATTCTCCAAA	2940
75	TTATCTCTTA	ATTATAAATG	TAAGCTTATT	TCCTTAGATC	ATTATCCAGA	GACTGCCAGA	3000
	AGGTGGTAG	GATGACCTGG	GGTTTCAATT	GACTTCGTGT	CCTTGTCTTT	AGTTTGTATA	3060
	GAAGGGAAGA	CCTGCAGTGC	ACGGTTTCTT	CCAGGCTGAG	GTACCTGGAT	CTTGGGTTCT	3120
	TCACTGCAGG	GACCCAGACA	AGTGGATCTG	CTTGCCAGAG	TCCTTTTTCG	CCCTCCCTGC	3180
	CACCTCCCGG	TGTTTCCAAG	TCAAGCTTCC	TGCAAGAGA	AATCCTGGTT	AAAAAAGTCT	3240
80	TTTGTATTGG	GTCAGGAGTT	GAATTTGGGG	TGGGAGGATG	GATGCAACTG	AAGCAGAGTG	3300
	TGGGTGCCCA	GATGTGCGCT	ATTAGATGTT	TCTCTGATAA	TGTCCCAAT	CATACCAGGG	3360
	AGA CTGGCAT	TGACGAGAAC	TCAGGTGGAG	GCTTGAGAAG	GCCGAAAGGG	CCCCTGACCT	3420
	GCCTGGCTTC	CTTAGCTTGC	CCCTCAGCTT	TGCAAGAGC	CACCCTAGGC	CCCAGCTGAC	3480
85	CGCATGGGTG	TGAGCCAGCT	TGAGAACACT	AACTACTCAA	TAAAAGCGAA	GGTGACAAA	3540
	AAAAAAAAAA	AAAAA					

Seq ID NO: 73 Protein sequence:
 Protein Accession #: AAC51128.1

1 11 21 31 41 51
 MKTSPRRPLI LKRRRLPLPV QNAPSETSEE EPKRSQAQOE SNQAEASKEV AENSNSCKFPA 60
 5 GIRIINHPTM PNTQVVAIPN NANIHSIITA LTARGKESGS SGNKPFILIS CGGAPTQPPG 120
 LRPQTQTSYD AKRTEVTLET LGPKPAARDV NLPRPPGALC EQKRETCADG EAAGCTINNS 180
 LSNIQWLRKM SSDGLGSRSI KQEMEKEKENC HLEQRQVKVE EPSRPSASWQ NSVSERPYPYS 240
 YNAMIQFAIN STERKRMTLK DIYTWIEDHF PYPKHIAKPG WKNRIRHNL SLDHMFVRETS 300
 10 ANGKVSFWTI HPSANRYLTL DQVFKPLDPG SPQLPEHLES QQKRPNPELR RNMTIKTELP 360
 LGARRKMKPL LPRVSSYLVP IQPPVNSQLV LQPSVKVPLP LAASLMSSEL ARHSKRVRRIA 420
 PKVFGQVVF GYMSKFFSGD LRDFTGTPITS LFNFIPLCLS VLLAEBGIAP LSSAGPGKKEE 480
 KLLFGEQFSP LLPVQTIKEE EIQPGEEMPH LARPIKVESP PLEEWSPAP SFKESSSHSW 540
 EDSSQSPTPR PKKSYSGLRS PTRCVSEMLV IQHRERRERS RSRKQHLPL PCVDEPELLF 600
 15 SEGFSSTRWA AELFFPADSS DPASQLSYSQ EVGGFFKTP I KETLPISSSTP SKSVLPRTPPE 660
 SWRLTPPARV GGLDFSPVQT SQGASDPLPD PLGLMDLSTT PLQSAPPLES PQRLLSSEPL 720
 DLISVFPFNS SPSDIDVPK GSPEPQVSGL AANRSLTEGL VLDTMNDSL S KILLDISFPG 780
 LDEDPLGPDN INWSQFIPEL Q

Seq ID NO: 74 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 111-416

1 11 21 31 41 51
 25 GGGAGAGCC AGGCTGAGCC TTATAAAGGA CTGCTCTTTG TCCAAACACA CACATCTCAC 60
 TCATCCTTCT ACTCGTGACG CTCCAGTCTG CTGGCTTTTT GAAAGCAAAG ATGAGCAACA 120
 CTCAGCTGA GAGTCCATA ATAGGCATGA TCGACATGTT TCACAATATC ACCGACGCTG 180
 ATGACAGAT TGAGAAGCCA AGCCTGCTGA CGATGATGAA GGAGAACTTC CCCAACTTCC 240
 30 TTAGTGCCTG TGACAAAAGG GGCACAAATT ACCTCGCCGA TGTCTTTGAG AAAAAGGACA 300
 AGAATGAGGA TAAGAAGATT GATTTTTCTG AGTTTCTGTC CTTGCTGGGA GACATAGCCA 360
 CAGACTACCA CAAGCAGAGC CATGGAGCAG CGCCCTGTTT CCGGGGCAGC CAGTGACCCA 420
 GCCCCACCAA TGGGCTTCCA GAGACCCAG GAACAATAAA ATGCTCTTCTC CCACCAGA

Seq ID NO: 75 Protein sequence:
 Protein Accession #: Eos sequence

1 11 21 31 41 51
 40 MSNTQAERSI IGMIDMFHKY TRRDDKIEKP SLLTMMKENF PNFLSACDKK GTNYLADVFE 60
 KDKNEDKKI DFSEFLSLLG DIAADYHKQS HGAAPCSGGS Q

Seq ID NO: 76 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 111-416

1 11 21 31 41 51
 50 GGGAGAGCC AGGCTGAGCC TTATAAAGGA CTGCTCTTTG TCCAAACACA CACATCTCAC 60
 TCATCCTTCT ACTCGTGACA CTCCAGTCTG CTGGCTTTTT GAAAGCAAAG ATGAGCAACA 120
 CTCAGCTGA GAGTCCATA ATAGGCATGA TCGACATGTT TCACAATATC ACCGACGCTG 180
 ATGGAAGAT TGAGAAGCCA AGCCTGCTGA CGATGATGAA GGAGAACTTC CCCAATTTC 240
 55 TCAGTGCCTG TGACAAAAGG GGCATACATT ACCTCGCCAC TGTCTTTGAG AAAAAGGACA 300
 AGAATGAGGA TAAGAAGATT GATTTTTCTG AGTTTCTGTC CTTGCTGGGA GACATAGCCG 360
 CAGACTACCA CAAGCAGAGC CATGGAGCAG CGCCCTGTTT TGGGGGAAGC CAGTGATCCA 420
 GCCCCACCAA TGGGCTTCCA GAGACCCAG GAACAATAAG TGTCTCTTCC CACCAGA

Seq ID NO: 77 Protein sequence:
 Protein Accession #: XP_048124.1

1 11 21 31 41 51
 60 MSNTQAERSI IGMIDMFHKY TGRDGKIEKP SLLTMMKENF PNFLSACDKK GIHYLATVFE 60
 KDKNEDKKI DFSEFLSLLG DIAADYHKQS HGAAPCSGGS Q

Seq ID NO: 78 DNA sequence
 Nucleic Acid Accession #: Z73678.1
 Coding sequence: 253-2433

1 11 21 31 41 51
 75 GGGTGTGTC AGGGCAGGGG TGTATATATCC TGTCTGACGG AGGGCGGGCC TCGCCAGTGC 60
 CAGAGAGGGA CGAACCAGGG TGAAGCGCC AGGAGCAGCT GCAGGGAGCC CTCACGCGGA 120
 CCTCGCACTC TATGGCCGTA GGGAGCGGCT GAGAGCGAGA AGAGCACGCT CCTGCCCGCC 180
 CGTGCACCGC CACCTCGCCT CGCCTCTCTG CTCTCTTAGG CCCCAGCCGC GCGCCACCCG 240
 CCTCCGCCCA CCATGAACCA CTCGCGCCTC AAGACCGCCT TGGCGTACGA ATGCTTCCAG 300
 80 GACCAGGACA ACTCCAGTT GGCCTTTCGCG TCGAACCAAA AGATGAAAC AGGCACGCTCT 360
 GGCAGGCAGC GCGTGCAGGA GCAGGTGATG ATGACCGTCA AGCGGCAGAA GTCCAAGTCT 420
 TCCAGTCTGT CCACCCTGAG CCACTCCAAT CGAGTTCCTA TGTATGATGG CTGTGGTGTG 480
 AATTCAACT ATGGGACCAC CAGCAGGAGC AGCTACTACT CCAAGTTCCA GGCAGGGAAT 540
 GGCTCATGGG GATATCCGAT CTACAATGGA ACCCTCAAGC GGGAGCCTGA CAACAGGCGC 600
 TTCAGTCTCT ACAGCCAGAT GGAGAACTGG AGCCGGCACT ACCCCCGGGG CAGCTGTAAC 660
 85 ACCACCAGCG CAGGCAGGCA CATCTGCTTC ATGCAGAAAA TCAAGGCGAG CCGCAGTGAG 720
 CCGACCTCT ACTGTGACCC ACGGGCAGCC CTGCGCAAGG GCAGCGTGGG CAGCAAGGGC 780
 CAGAAGACCA CCGAAGACC CTACAGCTTT TACAGCACCT GCAGTGGTCA GAAGGCCATA 840
 AAGAAGTGCC CTGTGCGCCC GCCTCTTGT GCCTCAAGC AGGACCTGT GTATATCCCG 900

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75

```

CCCATCTCCT  GCAACAAGGA  CCTGTCTCTT  GGCCACTCTA  GGGCCAGCTC  CAAGATCTGC  960
AGTGAGGACA  TCGAGTGCAG  TGGGCTGACC  ATCCCCAAGG  CTGTGCAGTA  CTTGAGCTCC  1020
CAGGATGAGA  AGTACCAGGC  CATTGGGGCC  TATTACATCC  AGCATACCTG  CTTCCAGGAT  1080
GAATCTGGCA  AGCAACAGGT  CTATCAGCTG  GGAGGCATCT  GCAAGCTGGT  GGACCTCCTC  1140
CGCAGCCCCA  ACCAGAACGT  CCAGCAGGCC  GCGGCAGGGG  CCCTGCGCAA  CCTGTGTGTT  1200
AGGAGCAGCA  CCAACAAGCT  GGAGACCCGG  AGGCAGAATG  GGATCCGGGA  GGCAGTFCAG  1260
CTCCTGAGGA  GAACCCGGAA  CGCCGAGATC  CAGAAGCAGC  TGACTGGGCT  GCTCTGGAAC  1320
CTGTCTTCCA  CTGACGAGCT  GAAGGAGGAA  CTCATTGCCG  ACGCCCTGCC  TGTTCFGGCC  1380
GACCCGCTCA  TCATTCCCTT  CTCTGGCTGG  TGCGATGGCA  ATAGCAACAT  GTCCCCGGAA  1440
GTGGTGGACC  CTGAGGTCTT  CTTCAATGCC  ACAGGCTGCT  TGAGGAACCT  GAGCTCGGCC  1500
GATGCAGGCC  GCCAGACCAT  GCGTAACTAC  TCAGGGCTCA  TTGATTCCCT  CATGGCCTAT  1560
GTCCAGAACT  GTGTAGCGGC  CAGCCGCTGT  GACGACAAGT  CTGTGGAAAA  CTGCATGTGT  1620
GTCTGACACA  ACCTCTCCTA  CCGCCTGGAC  GCGCAGGTGC  CCACCCGCTA  CCGCCAGCTG  1680
GAGTATAAAG  CCCGCAACGC  CTACACCGAG  AAGTCTCTCA  CTGGCTGCTT  CAGCAACAAG  1740
AGCGACAAGA  TGATGAACAA  CAACTATGAC  TGCCCCCTGC  CTGAGGAAGA  GACCAACCCC  1800
AAGGGCAGCG  GCTGGTGTGA  CCATTAGAT  GCCATCCGCA  CCTACCTGAA  CCTCATGGGC  1860
AAGAGCAGAA  AAGATGTCTC  CCTGGAGGCC  TGTGCTGGTG  CCCTGCAGAA  CCTGACAGCC  1920
AGCAAGGGGC  TGATGTCCAG  TGCCATGAGC  CAGTTGATFG  GGCTGAAGGA  AAAGGGCCTG  1980
CCACAAATTG  CCGCCCTCCT  GCAATCTGGC  AACTCTGATG  TGGTGGCGTC  CGGAGCCTCC  2040
CTCTGAGACA  ACATGTCCCG  CCACCCTCTG  CTGCACAGAG  TGATGGGGAA  CCAGGTGTTC  2100
CCGGAGGTGA  CCAGGCTCCT  CACCAGCCAC  ACTGGCAATA  CCAGCAACTC  CGAAGACATC  2160
TTGTCTCGG  CCTGTACAC  TGTGAGGAAC  CTGATGGCCT  CGCAGCCACA  ACTGGCCAAG  2220
CAGTACTTCT  CCAGCAGCAT  GCTCAACAAC  ATCATCAACC  TGTGCCGAAG  CAGTGCCTCA  2280
CCCAAGGCCG  CAGAAGTGC  CGGCTTCTC  CTGTCTGACA  TGTGGTCCAG  CAAGGAACGT  2340
CAGGGTGTCC  TCAGACAGCA  AGGTTTCGAT  AGGAACATGC  TGGGAACCTT  AGCTGGGGCC  2400
AACAGCCTCA  GGAACCTCAC  CTCGCGATT  TAAGAAGAGA  CTGTCCAAGC  AAGTTAGGCT  2460
TG CAGGAAGA  TATGACCAG  CTGAGAAGCC  CTCAGGCCCT  GCTGGATGGG  GTTTTCTGTC  2520
CATCCTGTGC  AGTATTGGG  AAAGTTCACA  AGAAACTGAG  AAGAACTTA  AAACTGTGG  2580
ATAGTGGAAA  GATTTTTAGA  TTTTTTTTT  CCTGGGGAA  ACTGGCAGGC  AATGGGGGTT  2640
AGGGAGTTG  GGGCGGGGG  GGCCTTCTTG  AGTTAAAGGG  GCTTATATGT  GATGTCAATA  2700
TTTCTCTCCT  TGAGAAATGG  TATATATATG  TGTCTAATGT  AAGTGTGTGC  ATGCATGTGC  2760
CGGTGCATGT  GTGTGTGTGT  GAGTGTCTTA  AAGCATAACC  ACAAACTGCA  AAAAGCTAGG  2820
TAAGCTATT  TGTTCAGCT  CATAAGGTGG  TGAAAAGGAC  TCTCCTGTGT  TTCTTACTCA  2880
TAGGCAAGGA  CACATGTGC  TTTTGGTGA  GCTGTCTATA  ATTCTGAAA  TGTGTGGTGC  2940
CAGGGCAAGG  GGGCCATCAC  TGCAGTCAGG  CCCTCAGAGG  AGTCCCTGCA  GCTTCTTACC  3000
AGTGTCTCC  AAGGGTGCAG  GAGTAACTGG  GGCTGGGCCA  GCCTCCCCC  TTACAAGGCT  3060
GCTTCCACG  AAGGGAGGTC  TGGTGTATCT  CATGGGAGAA  TCTGGGGTGT  CTGTAGTGTG  3120
ACCCCTCCAG  CAGCGCCACA  AGGACTGAGG  TTGGTAGGT  GTGAGGTTCC  AGAGGACAGC  3180
AGGACACTCT  CGCATACTTT  GCCAAATGAG  GCCTGCTCAG  AGGAGTAGGA  GCTGAAAGAT  3240
GGTGCCTTCC  ACCCTCTTGG  GCTGTGTGCC  CATCAGAGCA  GGCTCAGCCT  GCAAAGGCC  3300
TGCAITCAGA  GGTCTTGTAA  TCTACTTGT  GCAGGAGAAA  GAAGGTAAAA  AATGATTTT  3360
TTAAGAAAAG  CTATTTTATT  CGAGCTCTTT  CCCAAGAGCT  GTTCTGGGAA  TGGCTGGTCT  3420
TCATATCCC  AGTGGAGAGG  AGAACAAATG  GGGCTGGGCA  TATACCTATT  CCGGCTTCTA  3480
GTGGGATGGA  GTTGGGTAT  GAAAATTAAC  CAGGAAGATG  TTTCCACCAA  GCCTGCTGTG  3540
AGTCAATTGA  GGGAGTGT  GGGTCCCAGG  AGACTTGGAC  GGGGGAGTT  TGGGTAGACT  3600
AGGAAGGAA  AGTGCATAT  CAGGGTACC  GTACCGGCAA  GCTCATCT  CAGCCAGGG  3660
CCATGCCCA  CTTCCTCTGA  CCCCAGCTGT  CTTGTCTCCA  CTCGTGAAA  CCCACAGGG  3720
ATGTGATAAA  CAGGGCTATT  AGGGGTATCA  GCCACGTCGA  GCCCCAGAC  TCTGTGCACT  3780
TCAGACCAG  AGCAAGCAGGA  GGCTCCCGA  GGGCCTTATG  AGAAAACCTG  TGTGGACATC  3840
CCTTGGTGA  CACTAAGACA  GAGCAGAGCC  CAGCGCTCCC  AAGCCTTCT  CCTTCCAGCT  3900
TCTACTCCA  TGCTAGCATT  GCTGGTGT  GAGAGGAATT  AACTTCTGG  TCTGTGCCCT  3960
TCTCTAGAG  AATATAAGAT  GCTCCTCCT  CTCACCCCTT  CTCAGCCTCC  TCCCAGTCT  4020
TCTCTCTG  CACCACCC  GAGTCCAAC  CCACCTCTG  CCCCAGCATT  CAGGCTGGAA  4080
AACACTGAT  TGAAGTCA  ATGACAATG  AGATGGGGGA  AGCCAGACAT  GTGAGGACGC  4140
TGCTCTCCG  GAGGTGTCCC  CGGCTGTTAG  CCAGCTGTGC  TGTGGTGTG  TGGGTCTGTC  4200
ATACCTCCC  TTGCTTCTGT  TCACACTGG  AGGCCCACT  CTGGCTCACC  TCTCCCTCT  4260
AGGGACCCAC  GTGGAGCCT  GGATCCCTGG  ACTGTCTGG  GCATAGGTT  CAGGGGCTC  4320
CTTTGTGTC  ATCAGAAC  AGAGGAATTC  TTCTCCTAAA  AAATACGTAT  GGCATACCAA  4380
TCTGTGCGG  GCAGTGTCT  AAGCACTTAG  ACTACATCAG  GGAAGAACAC  AGACCACATC  4440
CCGTCCTCA  TGGGCTTAT  GTTTCTGGA  GGAAGTGG  GACACAAGTC  CTTGGCTTTA  4500
GGGCTCCCC  GGCTGGGGC  TGTGCAGTCC  GGTGAGGG  GGAGGGGAAA  TGCACCGCTG  4560
CATGTGAACC  TTACCAGCCC  AGCGGATG  CCCTTCCCT  TAGCACTACC  CTGGCTCCT  4620
GCATCCCCT  GCCTCATGTT  CCTCCCACT  TCAAAGAATG  AAGAGCCCA  TGGGCCAGC  4680
CCTGCCCCT  GGAACAGGC  AGCCTCCAG  ACCTCAGGG  CTGAGGCAGA  CTATTAGGG  4740
AGGGTCACT  TGGTGCAC  TGCCCATTC  CTCTCAGGCC  AGCTCAGGTC  ACCCGGCCT  4800
CTGACCCAG  CCTGTCACT  TGAGAGGGC  AAAACTGAGA  GGGGCTTTC  CTAGAGAAAG  4860
AGAACAAGGA  GCTTCCAGG  CTTATGTAG  CCGACACACG  TCTCAGGATT  TTAAGTCCAC  4920
ATTGGCCTCA  CACTAGCCTA  GGCAATGCC  CAAAATAAGG  AGTTCAATT  TGGGGCCAAA  4980
TGAGGAAGGA  CACAGACTCT  GCCTGGGAT  CTCCTGTGCT  AGGGGCCAAT  GACAAATCCA  5040
GTCAITGGCC  ACCAGCCACC  TCTGCAGTGG  GGACCACACT  AGCAGCCCTG  ACTCCACACT  5100
CCTCCTGGG  ACCAAGAGG  CAGTGTGCT  GTCTGCTGT  CCACCTTGA  ATCTGGCTGA  5160
ACTGCTGGG  AGGACCAAGA  CTGCGGCTG  GGTGGGCAGG  GAAGGGAAGC  CGGGGGCTGC  5220
TGTGAGGAT  CTGGAGCTT  CCCTGAGCC  CACCTCCCC  TTGCTTCATG  TTTGTAGAGG  5280
AACCTGTGC  CGGCCAGGCC  CAGTTTCTT  GTGTGATACA  CTAATGTATT  TGCTTTTTT  5340
GGAATAGAG  AAAATCAATA  AATTGCTAGT  GTTCTTTGA  AAAAAAAA
    
```

Seq ID NO: 79 Protein sequence:
Protein Accession #: CAA98022.1

80
85

```

1      11      21      31      41      51
|      |      |      |      |      |
MNHSPKLTAL  AYEFCQDQDN  STLALPSDQK  MKTGTSGRQR  VQEQVMHTVK  RQSKSKSQSS  60
TLSHSNRGS  YDGLADNYG  GTTSRSYSYS  KFAQNGSWG  YPIYNGTLKR  EPDNRFRFSY  120
SQMENNRSR  PRGSCNTTGA  GSDICFMQKI  KASRSEPDLY  CDRPRTLRLK  TLGSKGQKIT  180
QNRYSFYST  SGQKAIKKCP  VRPPSCASKQ  DPVYIPIISC  NKDLSFGHSR  ASSKICSEDI  240
ECSGLTIPKA  VQYLSSQDEK  YQAIGAYYIQ  HTCQFQDESA  QVVQLGGIC  KLVDLLRSPN  300
QNVQAAAGA  LRNLVFRSTT  NKLETRRQNG  IREAVSLRLR  TGNAEIQKQL  TGLLWNLSST  360
    
```

DELKEELIAD	ALPVLADRVI	IPFSGWCDGN	SNMSREVVDV	EVFFNATGCL	RNLSSADAGR	420
QTMRNYSGLI	DSLMAVYQNC	VAASRCDDKS	VENCMCVLHN	LSYRLDAEVP	TRYRQLEVNA	480
RNAVTEKSSST	GCFPSNKSXDM	MNNNYDCPLP	EEETNPKRGG	WLYHSDAIET	YLNLMGKSKK	540
DATLEACAGA	LQNLTASKGL	MSSGMSQLIG	LKERGLPQIA	RLLOSQNSDV	VRSGASLLSN	600
MSRHPLLRHV	MGNQVFFEVF	RLLTSHTGNT	SNSEDI LSSA	CYTVRNLMAS	QPQLAKQYFS	660
SSMLNINI NL	CRSSASPKAA	EAARLLLSDM	WSSKELQGV	RQQGFDRNML	QTLAGANSLR	720
NFTSRF						

10 Seq ID NO: 80 DNA sequence
 Nucleic Acid Accession #: NM_006516.1
 Coding sequence: 180-1658

15	1	11	21	31	41	51	
	TAGTCGCGGG	TCCCCGAGTG	AGCACGCCAG	GGAGCAGGAG	ACCAAACGAC	GGGGGTCCGA	60
	GTCAGAGTCG	CAGTGGGAGT	CCCCGGACCG	GAGCACGAGC	CTGAGCGGGA	GAGCGCCGCT	120
	CGCAGCOCOG	TCGCCACCCG	CGTACCCGGC	GCAGCCAGAG	CCACCAGCGC	AGCGCTGCCA	180
20	TGGAGCCCAG	CAGCAAGAAG	CTGACGGGTC	GCCCTCATGCT	GGCTGTGGGA	GGAGCAGTGC	240
	TTGGCTCCCT	GCAGTTTGGC	TACAACACTG	GAGTCACTAA	TGCCCCCAG	AAGGTGATCG	300
	AGGAGTTCTA	CAACCAAGCA	TGGGTCCACC	GCTATGGGGA	GAGCATCCTG	CCCACCACGC	360
	TCACCACGCT	CTGGTCCCTC	TCAGTGGCCA	TCTTTTCTGT	TGGGGGCATG	ATTGGCTCCT	420
	TCTCTGTGGG	CCTTTTCGTT	AACCGCTTTG	GCCGGCGGAA	TTCAATGCTG	ATGATGAACC	480
	TGCTGGCCTT	CGTGTCCGCC	GTGCTCATGG	GCTTCTCGAA	ACTGGGCAAG	TCCTTTGAGA	540
25	TGCTGATCCT	GGGCCGCTTC	ATCATCGGTG	TGTA CTGGG	CCTGACCA CA	GGCTTCGTGC	600
	CCATGTATGT	GGGTGAAGTG	TCACCACAG	CCTTTCGTGG	GGCCCTGGGC	ACCTTCGACC	660
	AGCTGGGCGT	CGTGTCCGCG	ATCCTCATCG	CCCAGGTGTT	CGCCCTGGAC	TCCATCATGG	720
	GCAACAAGGA	CCTGTGGCCC	CTGCTGCTGA	GCATCATCTT	CATCCCGGCC	CTGCTGCAGT	780
	GCATCGTGCT	GCCCTTCTGC	CCCGAGAGTC	CCCCTTCCT	GCTCATCAAC	CGCAACGAGG	840
30	AGAACCCGGC	CAAGAGTGTG	CTAAAGAAGC	TGCGCGGGAC	AGCTGACGTG	ACCCATGACC	900
	TGCAGGAGAT	GAAGGAAGAG	AGTCGGCAGA	TGATGCGGGA	GAAGAAGGTC	ACCATCCTGG	960
	AGCTGTTCOG	CTCCCCCGCC	TACCCGCCAGC	CCATCCTCAT	CGCTGTGGTG	CTGCAGCTGT	1020
	CCCAGCAGCT	GCTCTGCATC	AACGCTGTCT	TCTATTACTC	CACGAGCATC	TTCGAGAAGG	1080
	CGGGGGTGCA	GCAGCCTGTG	TATGCCACCA	TTGGCTCCGG	TATCGTCAAC	ACGGCCTTCA	1140
35	CTGTCTGTGC	GCTGTTTGTG	GTGGAGCGAG	CAGGCCGGCG	GACCTGCAC	CTCATAGGCC	1200
	TCGCTGGCAT	GGGGGTTGT	GCCATACTCA	TGACCATCGC	GCTAGCACTG	CTGGAGCAGC	1260
	TACCTGTGGT	GTCTTATCTG	AGCATCGTGG	CCATCTTTGG	CTTTGTGGCC	TTCTTTGAAG	1320
	TGGTTCCTGG	CCCCATCCCA	GGTTTCATCG	TGGCTGAACT	CTTCAGCCAG	GGTCCACGTC	1380
40	CAGCTGCCAT	TGCCGTTGCA	GGCTTCTCCA	ACTGGACCTC	AAATTTTCATT	GTGGGCATGT	1440
	GCTTCCAGTA	TGTGGAGCAA	CTGTGTGGTC	CCTACGCTTT	CATCATCTTC	ACTGTGCTCC	1500
	TGGTTCGTGT	CTTCACTTCC	ACCTACTTCA	AAGTTCCTGA	GACTAAAGGC	CGGACCTTCG	1560
	ATGAGATCGC	TTCCGGCTTC	CGGCAGGGGG	GAGCCAGCCA	AAGTGATAAG	ACACCCGAGG	1620
	AGCTGTTCCT	TCCCCGGGG	GCTGATTCCT	AAGTGTGAGT	CGCCCCAGAT	CACCAGCCCG	1680
45	GCCTGCTCCC	AGCAGCCCTA	AGGATCTCTC	AGGAGCACAG	GCAGCTGGAT	GAGACTTCCA	1740
	AACCTGACAG	ATGTCAGCCG	AGCCGGGCTC	GGGCTCCTT	TCTCCAGCCA	GCAATGATGT	1800
	CCAGAAGAAT	ATTCAAGACT	TAACGGCTCC	AGGATTTTAA	CAAAAGCAAG	ACTGTGTGCT	1860
	AAATCTAATC	AGACAAGCAA	CAGGTTTTAT	AATTTTTTAA	TTACTGATTT	TGTTATTTTT	1920
	ATATCAGCCT	GAGTCTCCTG	TGCCCACATC	CCAGGCTTCA	CCCTGAATGG	TTCCATGCTT	1980
	GAGGGTGGAG	ACTAAGCCCT	GTCGAGACAC	TTGCCTTCTT	CACCCAGCTA	ATCTGTAGCG	2040
50	CTGGACCTAT	GTCTAAGGA	CACACTAATC	GAACTATGAA	CTACAAAAGT	TCTATCCCAG	2100
	GAGGTGGGTA	TGCCACCCCG	TTCTGCTGGC	CTGATCTCC	CCACTTAGG	GGTCAGGCTC	2160
	CATTAGGATT	TGCCCCCTCC	CATCTCTTCC	TACCAACCA	CTCAATTTAA	TCTTCTTTA	2220
	CCTGAGACCA	GTGGGAGCA	CTGGAGTGCA	GGGAGGAGAG	GGGAAGGGCC	AGTCTGGGCT	2280
	GCCGGGTTCT	AGTCTCCTTT	GCACCTGAGG	CCACACTATT	ACCATGAGAA	GAGGGCCTGT	2340
55	GGGAGCCTGC	AAACTCACTG	CTCAAGAAGA	CATGGAGACT	CCTGCCCTGT	TGTGTATAGA	2400
	TGCAAGATAT	TTATATATAT	TTTTGGTTGT	CAATATTTAA	TACAGACACT	AAGTTATAGT	2460
	ATATCTGGAC	AAGCCAACTT	GTAATAACAC	CACCTCACTC	CTGTACTTAA	CCTAACAAGA	2520
	TATAAATGGC	TGGTTTTTAG	AAACATGGTT	TTGAAATGCT	TGTGGATTGA	GGGTAGGAGG	2580
	TTTGGATGGG	AGTGAGACAG	AAGTAAGTGG	GSTTGCAACC	ACTGCAACGG	CTTAGACTTC	2640
60	GACTCAGGAT	CCAGTCCCTT	ACACGTACCT	CTCATCAGTG	TCTCTTGCT	CAAAAATCTG	2700
	TTTGATCCCT	GTTACCCAGA	GAATATATAC	ATTCTTTATC	TTGACATTCA	AGGCATTTCT	2760
	ATCACATATT	TGATAGTTGG	TGTTCAAAA	AACACTAGTT	TTGTGCCAGC	CGTGATGCTC	2820
	AGGCTTGAAA	TGCAATTATT	TTGAATGTGA	AGGGAA			

65 Seq ID NO: 81 Protein sequence:
 Protein Accession #: NP_006507.1

70	1	11	21	31	41	51	
	MEPSSKLLTG	RLMLAVGGAV	LQSLQFGYNT	GVINAPQKVI	BEFYNQTVWH	RYGESILPPT	60
	LTTLWLSLSVA	IFSVGGMIGS	FSVGLFVNRF	GRRNSMLMMN	LLAFVSAVLM	GFSLKGSFE	120
	MLILGRFIIG	VYCGLTTFGV	PMYVGEVSP	AFRGALGTLH	QLGIVVGLI	AQVFLDSIM	180
	GNKDLWPLLL	SIIFIPALLQ	CIVLPFCPEP	FRPLLINRNE	ENRAKSVLKK	LRGTADVTHD	240
75	LQEMKEESRQ	MMREKRVITL	ELFRSPAYRQ	PILIAVVLQL	SQQLSGINAV	FYYSTSIFEK	300
	AGVQPVVAT	IGSGIVNTAF	TVVSLFVVER	AGRRTLHLIG	LAGMAGCAIL	MTIALALLEQ	360
	LPWMSYLSIV	AIFGFVAFPE	VGPGPIPWFI	VAEFLSQGPR	PAIAVAGFSP	NWTSNFIVGM	420
	CFQVVEQLCG	PYVFIIFTVL	LVLFFIPTYF	KVPETKGRTP	DEIASGFRQG	GASQSDKTP	480
	ELFPELGADS	QV					

80 Seq ID NO: 82 DNA sequence
 Nucleic Acid Accession #: BC001291
 Coding sequence: 44-541

85	1	11	21	31	41	51	
	GGGGGCGCGG	CGCGCTGACC	CTCCCTGGGC	ACCGCTGGGG	ACGATGGCGC	TGCTCGCCTT	60
	GCTGCTGCTC	GTGGCCCTAC	CGCGGCTGTG	GACAGACGCC	AACCTGACTG	CGAGACAACG	120

5
10
15
20

```

AGATCCAGAG GACTCCCGAG GAACGGACGA GGGTGACAAT AGAGTGTGGT GTCATGTTG 180
TGAGAGAGAA AACACTTTCC AGTGCCAGAA CCCAAGGAGG TGCAAATGGA CAGAGCCATA 240
CTGCGTATA GCGGCGGTGA AAATATTTCC ACGTTTTTTC ATGGTTGCGA AGCAGTGCTC 300
CGCTGGTGTG GCGAGCATGG AGAGACCCAA GCCAGAGGAG AAGCGGTTTC TCCTGGAAGA 360
GCCCCATGCC TTCTTTTACC TCAAGTGTG TAAAATTGCG TACTGCAATT TAGAGGGGCC 420
ACCTATCAAC TCATCAGTGT TCAAAGAATA TGCTGGGAGC ATGGGTGAGA GCTGTGGTGG 480
GCTGTGGCTG GCATGCTCC TCCTGCTGGC CTCATTGCA GCGGCGCTCA GCCTGTCTTG 540
AGCCACGGGA CTGCCACAGA CTGAGCCTTC CGGAGCATGG ACTGCTCCA GACCGTGTTC 600
ACCTGTTGCA TTAACCTGT TTTCTGTGA TTACCTCTTG GTTTGACTTC CCAGGGTCTT 660
GGGATGGGAG AGTGGGGATC AGGTGCAGTT GGCTCTAAC CCTCAAGGGT TCTTTAACTC 720
ACATTCAAGG GAAGTCCAGA TCTCCTGAGT AGTGATTTTG GTGACAAGTT TTTCTCTTTG 780
AAATCAAACC TTGTAACCTA TTTATTGCTG ATGGCCACTC TTTTCTTGA CTCCTCTCTG 840
CCTCTGAGG CTTCAGCATT GATGGGGAGG GAGGCTTAAG TACCCTCAT GGAGAGTATG 900
TGCTGAGATG CTTCGCACTT TFCAGGTGAC GCAGGAACAC TGGGGGAGTC TGAATGATG 960
GGGTGAAGAC ATCCCTGGAG TGAAGSACTC CTCAGCATGG GGGGCGAGTG GGCACAGTT 1020
AGGGCTGCC CCATTCCAGT GGTGGAGGCG CTGTGGATGG CTGCTTTTCC TCAACCTTTC 1080
CTACAGGATT CCAGGAGGCA GAAGATAACT AATGTGTGTG AAGAACTTA GACTTCAACC 1140
ACCAGCTGGC ACAGGTGCAC AGATTCATAA ATCCACACG GTGTGTGTT AACATCTGAA 1200
ACTTAGGCCA AGTAGAGAGC ATCAGGGTAA ATGGCGTTCA TTTCTCTGTT AAGATGCAGC 1260
CATCCATGGG GAGCTGAGAA ATCAGACTCA AAGTTCACC AAAAACAAT ACAAGGGAC 1320
TTCAAAAGTT CAGAAAAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA AAA

```

Seq ID NO: 83 Protein sequence:
Protein Accession #: AAH01291

25
30

```

1 11 21 31 41 51
MALLALLLVV ALPRVWTDAN LVARQRDPED SRTDEGDNR VVCHVCEREN TFECQNPERRC 60
KWTEPYCVIA AVKIFRPFPM VAKQCSAGCA AMERPKPEEK RFLLEEFMPF FYLKCKKIRY 120
CNLEGGPPINS SVFKEYAGSM GESCGGLWLA ILLLLASIAA GLSL

```

Seq ID NO: 84 DNA sequence
Nucleic Acid Accession #: NM_022893.1
Coding sequence: 229-2726

35
40
45
50
55
60
65
70
75
80
85

```

1 11 21 31 41 51
TTTTTTTTTT TTTTGTGCTT AAAAAAAAAAGC CATGACGGCT CTCCCACAAAT TCATCTTCCC 60
TGCGCCATCT TTGTATTATT TCTAATTTAT TTTGGATGTC AAAAGGCACT GATGAAGATA 120
TTTTCTCTGG AGTCTCCTTC TTTCTAACCC GGCTCTCCCG ATGTGAACCG AGCCGTCGTC 180
CGCCGCGCGC GCGCGCCGCG GCGGCGCGCG CCGCCCGCGC AGCCCAACCAT GTCTCGCCGC 240
AAGCAAGGCA AACCCACGCA CTTAAGCAAA CGGGAATTCT CGCCGAGCC TCTTGAAGCC 300
ATTCTTACAG ATGATGAAAC AGACCACGGC CCGTTGGGAG CTCCAGAAGG GGATCATGAC 360
CTCTCACTCT GTGGGCAGTG CCAGATGAAC TTCCCATTTG GGGACATTTCT TATTTTTATC 420
GAGCACAAAC GGAACAATG CAATGGCAGC CTCTGCTTAG AAAAGCTGT GGATAAGCCA 480
CCTTCCCCTT CACCAATCGA GATGAAAAAA GCATCCAAAT CCGTGGAGGT TGGCATCCAG 540
GTACGCGCAG AAGATAGACA TTGTTTATCA ACGTCACTA GAAGAATTTG CCCCAAACAG 600
GAACACATAG CAGATAAACT TCTGCACTGG AGGGGCCTCT CCTCCCTCG TTCTGCACAT 660
GGAGCTCTAA TCCCCACGCC TGGGATGAGT GCAGAAATAG CCCCAGCAGG TATTTGTAAA 720
GATGAGCCCA GCGAGTACAC ATGTACAAC TGCAAAACAG CATTCAACAG TGCATGTTT 780
CTCTTGCAAC ACGCACAGAA CACTCATGGA TTAAGAACT ACTTAGAAG CGAACACGGA 840
AGTCCCCTGA CCCCOCGGGT TGGTATCCCT TCAGGACTAG GTGCAGAATG TCCTTCCCAG 900
CCACCTCTCC ATGGGATCCA TATTGCAGAC AATAACCCCT TTAACCTGCT AAGAATACCA 960
GGATCAGTAT CGAGAGAGGC TTCCGGCCTG GCAGAGGGGC GCTTTCACCC CACTCCCCCC 1020
CTGTTTAGTC CACCACCGAG ACATCACTTG GACCCCAACC GCATAGAGCG CCTGGGGCGC 1080
GAAGAAATGG CCCTGGCCAC CCATCACCG AGTGCCTTTG ACAGGGTGCT GCGGTTGAAT 1140
CCAATGGCTA TGGAGCTCC CGCCATGGAT TTCTCTAGGA GACTTAGAGA GCTGGCAGGG 1200
AACAGCTCTA GCCCACCGCT GTCCCCAGGC CGGCCACGCC CTATGCAAA GTTACTGCAA 1260
CCATTCCAGC CAGGTAGCAA GCGGCCCTTC CTGGCGACGC CCCCCTCCC TCCTCTGCAA 1320
TCCGCCCTCT CTCCTCCCA GCCCCCGGTC AAGTCCAAGT CATGGAGTT CTGCGGCAAG 1380
ACGTTCAAAT TTCAGAGCAA CTTGTTGTTG CACCGGCGCA GCCACACGG CGAGAAGCCC 1440
TACAAGTGA ACCTGTGCGA CCACGCGTGC ACCCAGGCCA GCAAGCTGAA GCGCCACATG 1500
AAGACGCACA TGCAAAAATC GTCCCCATG ACGTCAAGT CCGACGACGG TCTCTCCACC 1560
GCCAGCTCCC CGGAACCCCG CACCAGCGAC TTGTTGGGCA GCGCCAGCAG CGCGCTCAAG 1620
TCCGTGGTGG CCAAGTTCAA GAGCGAGAAC GACCCCAACC TGATCCCGGA GAACGGGGAC 1680
GAGGAGGAGG AGGAGGACGA CGAGGAAGAG GAAGAAGAGG AGGAAGAGGA GGAGGAGGAG 1740
CTGACGGAGA GCGAGAGGCT GGACTACGGC TTCGGGCTGA GCCTGGAGGC GCGCGCCAC 1800
CACGAGAACA GCTCGCGGGG CCGGCTCGTG GCGTGGGCG ACGAGAGCGG CGCCCTGCC 1860
GACGTCATGC AGGGCATGTT GCTCAGCTCC ATGCAGCACT TCAGCGAGGC CTTCACCAG 1920
GTCCTGGGCG AGAAGCATAA GCGCGGCCAC CTGGCCGAGG CCGAGGGCCA CAGGGACACT 1980
TGCGACGAAG ACTCGTGTGC GCGCGAGTGC GACCGCATAG ACGATGGCAC TGTTAATGGC 2040
CGCGGCTGCT CCCCAGGCGA GTCCGCCTCG GGGGCGCTGT CCAAAAAGCT GCTGCTGGGC 2100
AGCCCCAGCT CGCTGAGCCC TTCTCTAAG CGCATCAAGC TCGAGAAGGA GTTCGACCTG 2160
CCCCCGGCA CGATGCCAA CACGGAGAAC GTGACTCGC AGTGGCTCG CGGCTACGG 2220
GCCTCCAGC AGCTCAAAGA TCCCTTCCTT AGCTTCGGAG ACTCCAGACA ATCGCTTTT 2280
GCCTCTCGT CGGAGCACTC CTGGAGAAC GGGAGCTTGC GCTTCTCCAC ACCGCGGGG 2340
GAGCTGGAGC GAGGATCTC GGGGCGCAGC GGCACGGGAA GTGGAGGAG CACGCCCAT 2400
ATTAGTGTGC CGGCACGGG CAGGCCAGC TCAAAAGAGG GCAGACGCG CGACACTTGT 2460
GAGTACTGTG GGAAGTCTT CAAGAACTGT AGCAACTCTA CTGTCCACAG GAGAAGCCAC 2520
ACGGGGGAAA GCGCTTATAA ATGCGAGCTG TGCAACTATG CCTGTGCCCA GAGTAGCAAG 2580
CTCACACGC ACATGAAAAC GCATGGCCAG GTGGGGAAGG ACGTTTACAA ATGTGAAT 2640
TGTAAGATGC CTTTATAGCT GTACAGTACC CTGGAGAAC ACATGAAAA ATGGCACAGT 2700
GATCGAGTGT TGAATAATG TATAAAAAC GAATAGAGGT ATATTAATAC CCCTCCCTCA 2760
CTCCACCTG ACACCCCTT TTTCCACT CCCTTCCCC ATCGCCCTCC AGCCCACTC 2820
CCTGTAGGAT TTTTCTTAG TCCCATGTA TTTAAACAAA CAACCAACA AACAGAAGTA 2880
ACGAAGCTAA GAATATGAGA GTGCTGTGCA CCAGCACACC TGTTTTTTT CTTTCTCTT 2940
TCTTTTTTTC TTTTCTCTT TTTTTTTTT TCCTTTATG TCTCACCGT TGAATGCATG 3000

```

ATCTGTATGG GGC AACTACTA TTGCATTTTA CGCAAAC TTT GAGCCTTTCT CTTGTGCAAT 3060
 AATTTACATG TTGTGTATGT TTTTFTTTAA ACTTAGACAG CATGTATGGT ATGTTATGGC 3120
 TATTTTAAAT TGTCOCCTAAT TCGTTGCTGA GCAACATGT TGCTGTTTCC AGTTCOCGTT 3180
 5 TGAGAGAAAA AGAGAGAGAG AGAGAAAAAG ACCATGCTGC ATACATTCTG TAATACATAT 3240
 CATGTACAGT TTTATTTTAT AACGTGAGGA GGAAAAACAG TCTTTGGATT AACCCCTAT 3300
 AGACAGAATA GATAGCACTG AAAAAAATC TCTATGAGCT AAATGTCTGT CTCTAAAAGG 3360
 TAAATGTAT CAATTGGAAA GGAAGAAAAA AGGCCTTGAA TTGACAAAT AACAGAAAAA 3420
 CAGAACAAGT TTATTTCTATC ATTTGGTTT AAAATATGAG TGCCTTGGAT CTATTA AAC 3480
 10 CACATCGATG GTTCTTTCTA CTGTGTATAA ACTTGTAGCT TAATTCAGCA TTGGGTGAGG 3540
 TAATAAACCT TAGGAAGTAC CATATAATTC TATATTGTAT TTCTCACAC AACGGCTACC 3600
 TAAAAAGATG ACCCATATG TCCTAGTTAA TCATCATTTT TCCTTTAGTT TAATTTTATA 3660
 AACAAAACCTG ATTATAACAG TATAAAAGCT ACTTTGCTCC TGGTGAGAGC TTAAGAAAA 3720
 TGGGCTGTTT TGCCCAAAGT TTTATTTT TTAACAATG ATTAATTTGA ATGTGTAATG 3780
 15 TGCAAAAGCC TCGGAACGCA ATTAATAACA CTAGTAAGGA GTTCATTTTA TGAAGATATT 3840
 TGCITTAATA ATGTCTTTT AAAAATACTG GCACCAAAAG AAATAGATCC AGATCTACTT 3900
 GGTGTCAAG TGACAAATCA AATGATAAAC TTTAAGACCT TGTATACCAT ATTGAAAGGA 3960
 AGAGGCTGAC AATAAGGTTT GACAGAGGG AACAGAAGAA AATAATATGA TTTATTAGCA 4020
 CAACGTGGTA CTATTTGCCA TTTAAAACTA GAACAGGTAT ATAAGCTAAT ATTGATACAA 4080
 20 TGATGATTA CTATGAATTC TTAAGACTTG CATTAAATG TGACATCTT AAAAAAGAA 4140
 GAGAAAGAA TTTAAGAGTA GCAGTATATA TGTCTGTGCT CCCTAAAAGT TGTACTTCAT 4200
 TTTCTTTCCA TACACTGTGT GCTATTTGTG TTAACATGGA AGAGGATTA TTGTTTTTAT 4260
 TTTTATTTT TTAATTTT TTTTATTTT AAGCTAGCAT CTGCCCCAGT TGGTGTCAA 4320
 ATAGCACTG ACTCTGCCG TGATATCTGT ATCTTTTCTC TAATCAGAGA TACAGAGGTT 4380
 GAGTATAAAA TAAACCTGCT CAGATAGGAC AATTAAGTGC ACTGTACAAT TTTCCAGTT 4440
 25 TACAGGTTAC TACCTAAGG AAAAGTTGCA AGAATGCTGA AAAAAAATG AACACAATCT 4500
 CATTGAGGAG CATTTTTTAA AAACATAAAA AAAAAAACT TTGCCAGCCA TTTACTTGAC 4560
 TATTGAGCTT ACTTACTTGG ACGCAACATT GCAAGCGCTG TGAATGGAAA CAGAATACAC 4620
 TTAACATAGA AATGAATGAT TGCCTTCGCT TCTACAGTGC AAGGATTTT TTGTACAAAA 4680
 30 CTTTTTAA TATAATGTT AAGAAAAAT TTTTTTAAA AACACTTCAT TATGTTTAGG 4740
 GGGGAAC TGC AATTTAGGTT TCCATTGCT TGGTGGTGT ACAAGACTG TTAATCCATT 4800
 AAAAAATGTA TTGGAATTC TATGCCCTGG ATACACACCG CTCTTCAGT TGTAAAAAAA 4860
 AAAAAATAC ATTGGGGAAA GGTTTAAGAT TATATAGTAC TTAATATAG GAAATGCAC 4920
 ACTCATGTTT ATTCCTATG TAAATACAT TTAGGGTCT TTTCTGTAT TCTAGAAATG 4980
 35 GTATTGGAAT TAAATGTTCA TCTAGTGTTA GGCATATAG TATTATAT TAAGCTTGTA 5040
 TTTTAACTG TTGCTGTGCT TCTTAAAAGG TATCAATGTA CCTTTTTGG TAGTGGAAAA 5100
 AAAAAAGACA GGCCTGCCACA GTATATTTT TTAATTTGGC AGGATAATAT AGTGCAAT 5160
 ATTTGTATGC TCAAAAAA AAAAAAGAG AGAAACAAA AAGTGTGACA TTACAGATGA 5220
 GAAGCCATAT AATGGCGGTT TGGGGGAGCC TGCTAGAAAT TCACATGGAT GGCTGTGATA 5280
 40 GGGGTTGAC ATATCCTTT TTGTTCTTT TCTCTGCTGC CATACTGTAT GCAGTACTGC 5340
 AAGCTAATA CGTTGGTTG TTAGTAGTG TGCTTTTGT CCCTTCTCT CTATCACCT 5400
 ACATCCAGC ATCTTACCTT CATATGCAGT AAAAGAAAGA AAGAAAAAA AAGGAAAAA 5460
 AAAAAAACA CAATGTTTTG CAGTTTTTT CATGCCAAA AACTAAATGG TGCTTTATAT 5520
 TTAGATTGGA AAGAATTTCA TATGCAAAGC ATATTAAGA GAAAGCCCG TTAGTCAAT 5580
 ACTTTTTGT AATAGCAAT GCAGAATATT TTGTTATTG CCTTTTCTAT TCCGTGTAATG 5640
 45 AAAGCTGTT GTCTGTAAT GAAATTTAT CTTTACTAT GGGAGTCACT ATTTATTATT 5700
 GCTTATGTG CCTGTCAA ACAGAGGCAC TTAATTTGAT CTTTATTTT TCTTTGTTT 5760
 TATTTTTTT TTTATTTAGA TGACCAAAG TCATTACAAC CTGGCTTTT ATTGTATTG 5820
 TTTCTGCTCT TTGTTAAGTT CTATTGGAAA AACCACTGTC TGTGTTTTT TGGCAGTTG 5880
 50 CTGCATTAC CTGTTACAT ACCCATTTG TCCCTTTAT GAAAAATAA AAAAAATTA 5940
 A

Seq ID NO: 85 Protein sequence:
 Protein Accession #: NP_075044.1

55 1 11 21 31 41 51
 MSRRKQKPKP HSKREPFPE PLEAILTDDE PDHGPLGAPE GDHLLTCCQ QMNFPLGDI 60
 LIFIEHKRKK CNGSLCLEKA VDKPPSPSP EMKKAANPVE VGIQVTPEDD DCLSTSSRRI 120
 60 CPKQEHADK LHLWRGLSSP RSHAGALIPT PGMSAEYAPQ GICKDEPSSY TCTTCKQPPT 180
 SAWFLLQHAQ NTHGLRIYLE SEHGSPLTFR VGIPSGLGAE CPSQPPLHGI HIADNPNFNL 240
 LRIPGSVRE ASGLAEGFRP PTPPLFSPPP RHHLDPHRIE RLGAEMALA THHPSAFDRV 300
 LRLNPMAMEP PAMDFSRRLR ELAGNTSSPP LSPGRPSPMQ RLLQPFQPS KPPFLATPPL 360
 PPLQSA PPPS QPVPKSKSCE FCGKTFKFS NLVVHRSHT GEKPYKCNLC DHACTQASKL 420
 65 KRHMKTHMK SSPMTVKSDD GLSTASSPEP GTSDLVGSAS SALKSVVAKF KSEMDPNLIP 480
 ENGDEEEED DEEEEEE EEEELTESER VDYGFGLSLE AARHHENSSR GAVVGVGDES 540
 RALPDVMQGM VLSSMQHFSE AFHQVLGEKH KRGLHAEAG HRDTCDEDSV AGESDRIDDG 600
 TVNRCGCS PG ESASGLSKK LLLGSPSSLS PFSKRIKLEK EFDLPPATMP NTEENVYSQWL 660
 AGYAAASRLK DPFLSFGDSR QSPFASSEH SENGSLRFS TPPGELDGGI SGRSGTGGSG 720
 70 STPHISGPGT GRPSSKEGRR SDTCEYCGKV FKNCNLTVH RRSHTGERPY KCELCNYACA 780
 QSKLRRMK THGQVKDQVY KCEICKMPFS VYSTLEKHMK KWHSDRVLN DIKTE

Seq ID NO: 86 DNA sequence
 Nucleic Acid Accession #: XM_035292.2
 Coding sequence: 53-1576

75 1 11 21 31 41 51
 GCTCGCTGGG CCGCGGCTCC CGGGTGTCCC AGGCCCGGCC GGTGCGCAGA GCATGGCGGG 60
 80 TGCCGGCCCG AAGCGCGCGC CGCTAGCGGC GCCGCGGCC GAGGAGAAGG AAGAGGCGCG 120
 GGAGAAGATG CTGGCCGCCA AGAGCGCGGA CGGCTCGGCG CCGGCAGGCG AGGGCGAGGG 180
 CGTGACCCCTG CAGCGGCAACA TCACGCTGCT CAACGGCGTG GCCATCATCG TGGGGACCAT 240
 TATCGGCTCG GGCATCTTGG TGACGCCAC GGGCGTGCTC AAGGAGGCAG GCTCGCCGGG 300
 85 GCTGGCGCTG GTGGTGTGGG CCGCGTGGCG GTCCTTCTCC ATCGTGGCG CGCTCTGCTA 360
 CGCGGAGCTC GGCACCAACA TCTCCAATC GGGCGCGAC TACGCCATA TGCTGGAGGT 420
 CTAGGGCTCG CTGCCCGCT TCTCAAGCT CTGGATCGAG CTGCTCATCA TCCGCCCTTC 480
 ATCCGAGTAC ATCGTGGCCC TGGTCTTCGC CACCTACTG CTCAGCCGC TCTTCCCAC 540

5
10
15
20

```

CTGCCCGGTG CCGCAGGAGG CAGCCAAGCT CGTGGCCTGC CTCTGCGTGC TGCTGCTCAC 600
GGCCGTGAAC TGCTACAGCG TGAAGGCCGC CACCCGGTGC CAGGATGCCT TTGCCGCGCG 660
CAAGCTCCTG GCCCTGGCCC TGATCATCCT GCTGGGCTTC GTCCAGATCG GGAAGGGTGA 720
TGTGTCCAAT CTAGATCCCA ACTTCTCATT TGAAGGCACC AAATCGGATG TGGGGAACAT 780
TGTGCTGGCA TTATACAGCG GCCTCTTTGC CTATGGAGGA TGAATTACT TGAATTTCTG 840
CACAGAGGAA ATGATCAACC CCTACAGAAA CCTGCCCTG GCCATCATCA TCTCCCTGCC 900
CATCGTGACC CTGGTGTACG TGCTGACCAA CCTGGCCTAC TTCACCACC TGTCACCAGA 960
GCAGATGCTG TCGTCCGAGG CCGTGGCCGT GGACTTGGG AACTATCACC TGGGCGTCAT 1020
GTCCTGGATC ATCCCGTCT TCGTGGGCTC GTCCTGTCTC GGCTCCGTCA ATGGGTCCCT 1080
GTTCCATATC TCCAGGCTCT TCTTCGTGGG GTCGCCGGAA GGCACCTGC CCTCCATCCT 1140
TCCCATGATC CACCCACAGC TCCTCACCCC CGTGGCGTCC CTCGTGTCA CGTGTGTGAT 1200
GACGCTGCTC TAGCCCTTCT CCAAGGACAT CTTCTCGCTC ATCAACTTCT TCAGCTTCTT 1260
CAACTGGCTC TGCGTGGCCC TGGCCATCAT CGGCATGATC TGGCTGGCC ACAGAAAGCC 1320
TGAGCTTGAG CGGCCATCA AGGTGAACTT GGCCTGCCT GTGTCTTCA TCCTGGCCTG 1380
CCTCTTCTG ATCGCCGTCT CCTTCTGGAA GACACCGTGC GAGTGTGGCA TCGGCTTCC 1440
CATCATCCTC AGCGGCTGC CCGTCTACTT CTTGGGGTGC TGGTGGAAA ACAAGCCCAA 1500
GTGGCTCCTC CAGGGCATCT TCTCCACGAC CGTCTGTGT CAGAAGCTCA TGCAGGTGGT 1560
CCCCAGGAG ACATAGCCAG GAGGCCGAGT GGCTGCCGGA GGAGCATGC
    
```

Seq ID NO: 87 Protein sequence:
Protein Accession #: XP_035292.2

25
30
35

```

1 11 21 31 41 51
MAGAGPKRRA LAAPAAEKE EAREKMLAAK SADGSAPAGE GEGVTLQRNI TLLNGVAIIV 60
GTIIGSGIFV TPTGVLKEAG SPGLALVVWA ACGVFSIVGA LCYAEGLGTI SKSGGDVYAYM 120
LEVYVSLPAP LKLIWELLII RPSQYIVAL VFATYLLKPL FPTCPVPEEA AKLVAACLVL 180
LLTAVNVCYSV KAATRVQDAF AAALKLALAL IILGPFVQIG KGDVSNLDFN FSPEGRILDV 240
GNIVLALYSY LFAYGWNLYL NRVTEEMINP YRNLPLAII SLPIVTLVYV LTNLAYFTLL 300
STEQMLSSEA VAVDFGNVHL GVMSWIIPVF VGLSCFSGVN GSLFTSSRLF FVGSREHLP 360
SILSMIHPQL LTFVPSLVPT CVMTLLYAFS KDIPSVINFP SFFNWLVAL AIGMIWLRH 420
RKPELERPIK VNLALVFFI LACLFIAVS FWKTFVECGI GFTIILSLP VYFFGVWVKW 480
KPKWLLQGIF STTVLCQKLM QVVPQET
    
```

Seq ID NO: 88 DNA sequence
Nucleic Acid Accession #: NM_005268.1
Coding sequence: 168-989

40
45
50
55
60

```

1 11 21 31 41 51
TAAAAGCAA AAGAATTCGC GGCCGCTGCG ACACGGGCTT CCCCAGAAC CTTCGCCGCT 60
TCTGGATATG AAATTCAGC TGCTTGCTGA GTCCTATTGC CCGTCTGCTG GAGCCAGGAG 120
AGCCCTGAGG AGTAGTCACT CAGTAGCAGC TGACGCGTGG GTCCACCATG AACTGGAGTA 180
TCTTTGAGGG ACTCCTGAGT GGGGTCAACA AGTACTCCAC AGCCTTTGGG CGCATCTGGC 240
TGTCCTGCTG CTTCATCTTC CGCGTGTGCG TGTACCTGGT GACGGCCGAG CGTGTGTGGA 300
GTGATGACCA CAAGGACTTC GACTGCAATA CTCGCCAGCC CCGTCTGCTC AACGTCTGCT 360
TTGATGAGTT CTTCCTCTGT TCCCATGTGC CCCTCTGGG CCTGCACTT ATCCTGGTGA 420
CATGCCCTCCT ACTGCTCTGT GTCATGCACG TGGCCTACCG GGAGGTTTCA GAGAAGAGGC 480
ACCGAGAAGC CCATGGGGAG AACAGTGGGC GCCTCTACCT GAACCCCGCG AAGAAGCGGG 540
GTGGGCTCTG GTGGACATAT GTCTGCAGCC TAGTGTCAA GCGGAGCGTG GACATCGCCT 600
TTCTCTATGT GTTCCAACA TTCTACCCCA AATATACTCT CCCTCCTGTG GTCAAGTGCC 660
ACGCAGATCC ATGTCCCAAT ATAGTGGACT GCTTCATCTC CAAGCCCTCA GAGAAGAACA 720
TTTTCAACCCT CTTTATGGTG GCCACAGCTG CCATCTGCAT CCTGCTCAAC CTCGTGGAGC 780
TCATCTACCT GGTGAGCAA AGATGCCACG AGTGCCTGGC AGCAAGGAAA GCTCAAGCCA 840
TGTGCACAGG TCATCACCCC CACGGTACCA CCTCTTCTG CAAACAAGAC GACCTCCTTT 900
CGGGTGACCT CATCTTTCTG GGCTCAGACA GTCATCCTCC TCTCTTACCA GACCGCCCCC 960
GAGACCATGT GAAGAAAACC ATCTTGTGAG GGGCTGCTG GACTGTGCTG GCAGGTTGGG 1020
CCTGGATGGG GAGGCTCTAG CATCTCTCAT AGGTGCAACC TGAGAGTGGG GGAGCTAAGC 1080
CATGAGGTAG GGGCAGGCAA GAGAGAGGAT TCAGACGCTC TGGGAGCCAG TTCCTAGTCC 1140
TCAACTCCAG CCACCTGCCC CAGCTCGAGC GCACCTGGCC AGTTCCCCCT CTGCTCTGCA 1200
GCTCGGTTTC CTTTTCTAGA ATGGAAATAG TGAGGGCCAA TGC
    
```

Seq ID NO: 89 Protein sequence:
Protein Accession #: NP_005259.1

70
75

```

1 11 21 31 41 51
MNWSIFEGLL SGVNKYSTAF GRIWLSLVFI FRVLVYLVT A ERVWSDDHKD FDCNTRQPGC 60
SNVCFDEFFP VSHVRLWALQ LILVTCPSLL VVMHVAYREV QEKRHREANG ENSGRLVLP 120
GKKRGGWWT YVCSLVFKAS VDIAPLYVFH SFYPKYILPP VVKCHADPCP NIVDCFISKP 180
SEKNIFTLPM VATAAICILL NLVELIYLV S KRCHECLAAR KAQAMCTGHH PHGTSSCKQ 240
DDLISGDLIF LGSDSHPPLL PDRPRDHVK TIL
    
```

Seq ID NO: 90 DNA sequence
Nucleic Acid Accession #: NM_002391.1
Coding sequence: 26-457

80
85

```

1 11 21 31 41 51
CGGGCGAAGC AGCGCGGGCA GCGAGATGCA GCACCGAGGC TTCTCTCTCC TCACCCTCCT 60
CGCCCTGCTG CGCTCAACCT CCGCGTCTGC CAAAAGAAA GATAAGGTGA AGAAGGGCGG 120
CCCCGGGAGC GAGTGCCTG AGTGGGCTG GGGGCCCTGC ACCCCAGCA GCAAGGATTG 180
CGCGTGGTGT TTCGCGAGG GCACCTGCGG GCGCCAGACC CAGCGCATCC GGTGCAAGGT 240
GCCCTGCAAC TGAAGAAGG AGTTTGGAGC CGACTGCAAG TACAAGTTT AGAAGTGGGG 300
TGCGTGTGAT GGGGGCACAG GCACCAAAGT CCGCAAGGC ACCCTGAAGA AGGCGCGCTA 360
    
```

CAATGCTCAG TGCCAGGAGA CCATCCGCGT CACCAAGCCC TGCACCCCA AGACCAAAGC 420
 AAAGGCCAAA GCCAAGAAAG GGAAGGGAAA GGACTAGACG CCAAGCCTGG ATGCCAAGGA 480
 GCCCCTGTGG TCACATGGGG CCTGGCCACG CCCTCCCTCT CCCAGGCCCG AGATGTGACC 540
 CACCAAGTGC TTCTGTCTGG TCGTTAGCTT TAATCAATCA TGCCCTGCCT TGTCCCTCTC 600
 ACTCCCCAGC CCCACCCCTA AGTGCCTAAA GTGGGGAGGG ACAAGGGATT CTGGGAAGCT 660
 TGAGCCTCCC CCAAAAGCAAT GTGAGTCCCA GAGCCCGCTT TTGTTCTTCC CCACAATTC 720
 ATTACTAAGA AACACATCAA ATAACTGAC TTTTCCCCC CAATAAAAGC TCTTCTTTT 780
 TAATAT

10 Seq ID NO: 91 Protein sequence:
 Protein Accession #: NP_002382.1

15 1 11 21 31 41 51
 | | | | | |
 MQHRGFLLLT LLALLAL TSA VAKKKDKVKK GPGSECAEW AWGPTPSSK DCGVGFREGT 60
 CGAQTQRIRC RVP CNWKEF GADCKYKFEN WGACDGGTGT KVRQGLTKKA RYNAQCQETI 120
 RVTKPCTPKT KAKAKAKGK GKD

20 Seq ID NO: 92 DNA sequence
 Nucleic Acid Accession #: NM_005130.1
 Coding sequence: 98-802

25 1 11 21 31 41 51
 | | | | | |
 CTCTACCTGA CACAGCTGCA GCCTGCAATT CACTCCCCT GCCTGGGATT GCCTGGATC 60
 CGTGTGCTCA GAACAAGGTG AACGCCACG TGCAGCCATG AAGATCTGTA GCCTCACCT 120
 GCTCCTCTTC TCCTACTGG CTGCTCAGGT GCTCCTGGTG GAGGGGAAA AAAAAGTGAA 180
 GAATGGACTT CACAGCAAAG TGGTCTCAGA ACAAAGGAC ACTCTGGGCA ACACCCAGAT 240
 30 TAAGCAGAAA AGCAGGCCCG GGAACAAAGG CAAGTTTGTG ACCAAAGACC AAGCCAACTG 300
 CAGATGGGCT GCTACTGAGC AGGAGGAGGG CATCTCTCTC AAGTTTGAT GCATCAATT 360
 GGACCATGAA TTTTCCTGTG TCTTTGCTGG CAATCCAACC TCATGCCTAA AGCTCAAGGA 420
 TGAGAGATC TATTGAAAC AAGTTGCCCG GAATCTGCGC TCACAGAAAG ACATCTGTAG 480
 ATATTCCAAG ACAGCTGTGA AAACAGAGT GTGCAGAAAG GATTTCCAG AATCCAGTCT 540
 35 TAAGCTAGTC AGCTCCACTC TATTTGGGAA CACAAAGCCC AGGAAGGAGA AAACAGAGAT 600
 GTCCCCACAG GAGCACATCA AGGGCAAAGA GACCACCCC TCTAGCCTAG CAGTGACCCA 660
 GACCATGGCC ACCAAAGCTC CCGAGTGTGT GGAGGACCCA GATATGGCAA ACCAGAGGAA 720
 GACTGCCCTG GAGTCTGTG GAGAGACTTG GAGCTCTCTC TGCACATTCT TCCTCAGCAT 780
 40 AGTGCAGGAC ACCTCATGCT AATGAGGTCA AAAGAGAACG GGTTCCTTTA AGAGATGTCA 840
 TGTGTAAGT CCCTCTGTAT ACTTTAAAGC TCTCTACAGT CCCCCAAAA TATGAACCTT 900
 TGTGCTTAGT GAGTGCACG AATATTAA ACAAGTTTGT TATTTTTTGC TTTGTGTTT 960
 TGGAAATTTG CTTATTTTTC TTGGATGCGA TGTTCAGAGG CTGTTTCTCG CAGCATGTAT 1020
 TTCCATGGCC CACACAGCTA TGTGTTGAG CAGCGAAGAG TCTTTGAGCT GAATGAGCCA 1080
 45 GAGTGAAT TTCAGTGCAA CGAACTTTCT GCTGAATTAA TGTAATAAAA ACTCTGGGTG 1140
 TTTTCAAAA AAAAAAAAA AAA

50 Seq ID NO: 93 Protein sequence:
 Protein Accession #: NP_005121.1

55 1 11 21 31 41 51
 | | | | | |
 MKICSLTLLS FLLLAQVLL VEGKKVKVNG LHSKVVSEQK DTLGNTQIKQ KSRPGNKGKP 60
 VTKDQANCRW AATBQEGIS LKVECTQLDH EFSVVFAGNP TSLCLKKDER VYWKQVARNL 120
 RSQKDICRYS KTAVKTRVCR KDFPSSSLKL VSSTLFGNTK PRKEKTEMSF REHIKKGKETT 180
 PSSLAVTQTM ATKAPECVED PDMANQRKTA LEFCGETWSS LCTFFLSIVQ DTSC

60 Seq ID NO: 94 DNA sequence
 Nucleic Acid Accession #: NM_012101
 Coding sequence: 125-1891

65 1 11 21 31 41 51
 | | | | | |
 CTCCACACAG GTGTGTCTCT AGTCCTCGTG GTTGCCTGCC CCACTCCCTG CCGAGACGCC 60
 TGCCAGAAAG GTCACCTATC CTGAACCCCA GCAAGCCTGA AACAGCTCAG CCAAGCACCC 120
 TGCGATGAA GCTGCAGATG CCTCCAGGAG CAACGGGTG AGCCAGAAAG CCAGGGATGC 180
 COGGAGCCCG TCGGGCCCCA GTGGCAGCCT GGAGAATGGC ACCAAGGCTG ACGGCAAGGA 240
 TGCCAAAGACC ACCAAGGGGC ACGGCGGGGA GGCAGCTGAG GGCAAGAGCC TGGGCAGGCG 300
 CCTGAAGCCA GGGGAAGGTA GGAGCGCCCT GTTCGCGGGC AATGAGTGGC GGGGACCCAT 360
 70 CATCCAGTTT GTCGAGTCCG GGGACGACAA GAACTCCAAC TACTTCAGCA TGGACTCTAT 420
 GGAAGGCAAG AGGTCCCGGT ACGCAGGGCT CCAGCTGGGG GCTGCCAAGA AGCCACCGT 480
 TACCTTTGCC GAAAAGGGGG ACGTGCACAA GTCCATTTTC TCGAGTCCC GGAAGCCAC 540
 GGTGTCCATC ATGGAGCCCG GGGAGACCCG GCGGAACAGC TACCCCGGG CCGACACGGG 600
 CCTTTTTTCA CGGTCCAAGT CCGGCTCCGA GGAGGTGCTG TCGACTCCT GCATCGGCAA 660
 CAAGCAGAA GCGTCAAGT CTGCTGCTGT GTGCCAGGCC TCCTTCTGCG AGCTGCATCT 720
 75 CAAGCCCCC CTGGAGGGCG CCGCCTCCG AGACCACAG CTGCTCGAGC CCATCCGGGA 780
 CTTTGAAGCC CGCAAGTGTG CCGTGCATGG CAAGACGATG GAGCTCTTCT GCCAGACCGA 840
 CCAGACCTGC ATCTGTACCT TTTGCATGTT CCAGGAGCAC AAGAAATCATA GCACCGTGAC 900
 AGTGGAGGAG GCCAAGGCCG AGAAGGAGAC GGAGCTGTCA CTGCAAAAGG AGCAGCTGCA 960
 80 GCTCAAGATC ATTGAGATTG AGGATGAAGC TGAGAAGTGG CAGAAGGAGA AGGACCGCAT 1020
 CAAGAGCTTC ACCACCAATG AGAAGGCCAT CCTGGAGCAG AACTTCCGGG ACCTGGTGGC 1080
 GGACCTGGAG AAGCAAAAGG AGGAAGTGAG GGCTGCGCTG GAGCAGCGGG AGCAGGATGC 1140
 TGTGGACCAA GTGAAGTGA TCATGGATGC TCTGGATGAG AGAGCCAAGG TGCTGCATGA 1200
 GGACAAGCAG ACCCGGGAGC AGCTGCATAG CATCAGCGAC TCTGTGTTGT TPTGTCAGGA 1260
 85 ATTTGGTGCA TTAGTAGACA ATTACTCTCT CCCCCACCC CTGCCACCT ATCATGTCTCT 1320
 GCTGGAGGGG GAGGGCCTGG GACAGTCACT AGGCAACTTC AAGGACGACC TGCTCAATGT 1380
 ATGCATGGCC CACGTTGAGA AGATGTGCAA GGCGGACCTG AGCCGTAAC TCAATGAGAG 1440
 GAACCACATG GAGAACGGTG GTGACCATCG CTATGTGAAC AACTACACGA ACAGCTTCGG 1500

5
10
15
20
25

```

GGGTGAGTGG AGTGCACCGG ACACCATGAA GAGATACTCC ATGTACCTGA CACCCAAAGG 1560
TGGGGTCCGG ACATCATACC AGCCCTCGTC TCCTGGCCGC TTCACCAAGG AGACCACCCA 1620
GAAGAATTTT AACAACTCTT ATGGCAACAA AGGTAACACT ACCTCCCGGG TCTGGGAGTA 1680
CTCCTCCAGC ATTCAGAACT CTGACAATGA CCTGCCCGTC GTCCAAGGCA GCTCCTCCTT 1740
CTCCCTGAAA GGCTATCCCT CCCTCATGGG GAGCCAAAGC CCCAAGGCC AGCCCCAGAC 1800
TTGGAATCTT GGCAAGCAGA CTATGCTGTC TCACTACCGG CCATTCTACG TCAACAAAGG 1860
CAACGGGATT GGGTCCAACG AAGCCCCATG AGCTCCTGGC GGAAGGAACG AGGCGCCACA 1920
CCCTGCTCTT TCCTCCTGAC CCTGCTGCTC TTGCCTTCTA AGCTACTGTG CTGTCTGGG 1980
TGGGAGGGAG CCTGGTCTCG CACCTGCCTT CTGCAGCCCT CTGCCAGCCT CTGSGGGGCA 2040
GTTCCCGCCT FTCCGACTTC CCCACTGGCC ACACTCCATT CAGACTCCTT TCCTGCTTGG 2100
TGACCTCAGA TGGTCACCAT CATTCTGTG CTGAGAGGCC AACCCATCAC AGGGGTGAGA 2160
TAGGTGAGGG CCTGCCCCAA CCCGCCAGCC TCCTCCTCTC GGGCTGGATC TGGGGGCTAG 2220
CAGTGAGTAC CGCATGGTA TCAGCCTGCC TCTCCCGCCC ACGCCTGTCT GTCTCCAGCC 2280
CTATAGACGT TTCTCTCAA GGCCTATACC CCCAATGTTG TCAGCAGATG CTGAGACAGC 2340
ACAGCCACCC ATCTCCATT CACATGGCCC ACCTCCTGCT TCCCAGAGGA CTGGCCCTAC 2400
GTGCTCTCTC TCGTCTTACC TATCAATGCC CAGCATGGCA GAACTCTGAG TGGCCAAGGG 2460
CTGCAGATGG AAACCTCTCA GTGCTTGGC ATCACCCTAC CCAGCGGGTG GGTCTCCACC 2520
ACAGCCACTT TGAGTCTGTG GTCCTGGAG GGTGGCTTCT CCTGACTGGC AGGATGACCT 2580
TAGCCAAGAT ATCTCTGTG TCCCTCTGCT GAGATAAAGA ATTCCCTTAA CATGATATAA 2640
TCCACCCATG CAAATAGCTA CTGGCCAGC TACCATTAC CATTGCGCTA CAGAATTTCA 2700
TTCACTCTAC ACTTTGGCAT TCTCTCTGGC GATGGAGTGT GGCTGGGCTG ACCGCAAAAG 2760
GTGCTTACA CACTGCCCCC ACCCTCAGCC GTTCCCCCAT CAGAGGCTGC CTCCTCCTTC 2820
TGATTACCCC CCATGTTGCA TATCAGGGTG CTCAAGGATT GGAGAGGAGA CAAAACCAGG 2880
AGCAGCACAG TGGGGACATC TCCCGTCTCA ACAGCCCCAG GCCTATGGGG GCTCTGGAAG 2940
GATGGGCCAG CTTGCAGGGG TTGGGGAGGG AGACATCCAG CTTGGGCTTT CCCCTTGGGA 3000
ATAAACCATT GGTCTGTC
    
```

Seq ID NO: 95 Protein sequence:
Protein Accession #: NP_036233.1

30

```

1      11      21      31      41      51
|      |      |      |      |      |
MEAADASRSN GSSPEARDAR SPSGSPSLE NGTKADGKDA KTTNGHGGEA AEGKSLGSAL 60
KPEGRSALF AGNEWRRPII QFVESGDDKN SNYFSMDSME GKRSYPYAGLQ LGAARKPPVT 120
FAEKGDVRFK IFSERKPTV SIMEPGETRR NSYPRADTGL FRSRSKSGSEE VLCDSCIGNK 180
QKAVKSLCLV QASFCBLHLK PHLGAAFRD HQLLEPIRDF EARKCPVHGK TMELFCQTDQ 240
TCICYLKMFL EHKNHSTVTV EEAKAEKETE LSLQKEQLQL KIIIEIEDEAE KWQEKERDIK 300
SFTTNEKAIL EQNFRDLVRD LEKQKEEVRA ALEQRREQDAV DQVKVIMDAL DERAKVLHED 360
KQTRQLHSI SDVFLQRF GALSNSYSLP PPLETYHVLLE EGEGLGQSLG NFKDDLNLNV 420
MRHVEMCKA DLSRNFIERN HMENGGDHRV VNNYTNVFFG EWSAPDTPMKR YSMYLFKGG 480
VRTSYQPSSP GRFTKETTQK NFNPLYGTKV NYTSRVWEYS SSIQNSDNDL PVVQSSSSFS 540
LKGYPPLMRS QSPKAQPQTW KSGKQTMLSH YRPFYVKNKN GIGSNEAP
    
```

Seq ID NO: 96 DNA sequence
Nucleic Acid Accession #: NM_080668.1
Coding sequence: 83-841

45
50
55
60
65
70
75
80
85

```

1      11      21      31      41      51
|      |      |      |      |      |
GGCACGAGGG CAGCAGATGG CCTTCCCCTG TGGCGCGCGC CCGGGGCGGC GGCCTGGAG 60
GAGCTCGAGA CGGAGCCTAG TTATGCTTGG GAGGCGAACG CCGTCCGGAG GAGCCGCTCA 120
GCGCTCCGGG CCAAGGGCCC CATCTCCTAC TAAGCCTCTG CCGAGGTCCC AGCGGAAATC 180
AGGCTCTGAA CTCCCGAGCA TCCTCCCTGA AATCTGGCCG AAGACACCCA GTGCGGCTGC 240
AGTCAGAAAG CCCATCGTCT TAAAGAGGAT CGTGGCCCAT GCTGTAGAGG TCCCAGCTGT 300
CCAATCACCT CGCAGGAGCC CTAGGATTTCT CTTTTCTTG GAGAAAGAAA ACGAGCCCCC 360
TGGCAGGGAG CTTACTAAGG AGGACCTTT CAAGACACAC AGCGTCCCTG CCACCCCCAC 420
CAGCACTCCT GTGCCGAACC CTGAGGCCGA GTCCAGCTCC AAGGAAGGAG AGCTGGACGC 480
CAGAGACTTG GAAATGCTA AGAAAGTCAG GCGTTCCTAC AGCCGGCTGG AGACCTGGG 540
CTCTGCCTCT ACCTCCACCC CAGGCCCGCG GTCTCTGTTT GGCTTCGAGG GGCTGTGGG 600
GGCAGAAGAC TTGTCCGGAG TCTCGCCAGT GGTGTGCTCC AAACCTCACG AGGTCCCCAG 660
GGTTTGTGCA AAGCCCTGGG CCCCAGACAT GACTCTCCCT GGAATCTCCC CACCACCCGA 720
GAAACAGAAA CGTAAGAAGA AGAAAATGCC AGAGATCTTG AAAACGGAGC TGGATGAGTG 780
GGCTCGGCC ATGAATGCCG AGTTTGAAGC TGCTGAGCAG TTTGATCTCC TGGTTGAATG 840
AGATGCAGTG GGGGGTGCAC CTGGCCAGAC TCTCCTCCT GTCCCTGACA TAGCCACCTC 900
CCTGTGGAGA GGACACTTAG GGTCCCCTCC CCTGGTCTTG TTACCTGTGT GTGTGCTGGT 960
GCTGCGCATG AGGACTGTCT GCCTTTGAGG GCTTGGGCGC CAGCGGCAGC CATCTTGTT 1020
TTAGGAAATG GGGCCGCTG GCCCAGCCAC TCACTGGTGT CCTGTCTCT GTCTGCTGTT 1080
CCTTCCATAT TCCCCAAAGT ACCATAGCCA GTTTCCAGAT GGGCCACAGA CTGGGGAGGA 1140
GAATCAGTGG CCGAGCCAGA AGTTAAAGGG CTGAGGGTTG AGGTGAGAGG CACTCTGCT 1200
CTTGTGGGA GGGGTGCTG CTTGGAAATA GGCCAGGGG CTCTGCCAGC CTCGGCCTCT 1260
CCTCCTGAG TTGCCTTCTG TTGGTGGCTT TCTTCTTGAA CCCACCTGTG TAAAGAGTT 1320
TTCAGTTCCG TGGGTTTCCC CTTTGATTCT GTAATAATGC CCAGAGAGAA TTCGTTGGCT 1380
GAGGCAATT CTGTCTTGGG GGAGAAGCT GGACATTGAG CCTGTGGAGT CTGAGTTTGG 1440
AAGGATGTAG GGAGCCTTAG TTGGGCTCA GACCATAAGT GTGTACTACA CAGAAGCTGT 1500
GTTTTCTAGT TCTGGTCTGC TGTGAGATG TTTGTAATG GCCAGGTTGA TAGGGCGCTG 1560
GCTGCTTGA GCAAGGGTG CATTTCAGGG TGTGGCCACC AGGTGCTGTG AGTTTCTGTG 1620
GCTCATGGCC TCTGGGCTGG TCCCTTGCAC AGGGCCACG CTGGAGTCTT ACCACTCTGC 1680
TGCAGGGGTG GAAGGTGGCC CCTCTTGTCA CCCATACCCA TTTCTTACA AATAAGTTAC 1740
ACCGAGTCTA CTTGGCCCTA GAAGAGAAG TTGAAGATC CCAGACCTAC TAGCATTTTG 1800
CAACTATGCT TGTAAAGTCC TCCGAAAGTT TCCTCGCGTA CCAGACAGCG GCGGGGGCTG 1860
ATAGCAATTT TAGTTTGG CCTCCCTATC CTCTCACATG AGAACCTGC CTGGATGCAT 1920
CTCATGATCT CTGAGAAATC TCCCCTCTT TCTCTTCTT CCATCGTGTG GATTCAATAG 1980
TTTGATTTG AAGGCTGCCC TGCCCCGAC TCTCCTGGCG CACCCCTGGC CATTGTACTC 2040
TTTGTGTTT AGAAGTTCGT GGAAGTAGAC GCTGAGGTGT GCAGAGGAGC TGGTGGATAA 2100
CAGAGAATGC CAGGGAAGAT GAGTGTCTGG TCAGGCTACT TGGATGAAC GGTGCAGGCC 2160
AGCGGGGCC TAATAAAACC CTCTGCCAGS TCTGGGAGTC CCAGGCCATC TGCTCAACGC 2220
    
```

TCTGTGGTT GTCAGACCTG CAAGCAAGCC CCCTGCTGGG GAAGCCTAGG TGTCCCTGAG 2280
 CTGAACCGCA CTGAAGAACT CTTGTCTCTA CTGGCTGATG CAGCAGAACT CTTGGGAAAT 2340
 GTCTTAGTCC TGCAGAAATCA GGAGTACCA GATGATGAG AGTTGAGATC ATCATTGCAA 2400
 AGTTCTCTGT TCCTGAGGAA CTAATTTTAA GGAAAAATG GGATTTTGT TTAGAGTTGG 2460
 AAAAAAAGCC TGATTAAGA GTTCTCGCCT GTTAAAAAAA AAAAAA AAAA

Seq ID NO: 97 Protein sequence:
 Protein Accession #: NP_542399.1

1 11 21 31 41 51
 MSGRRTRSGG AAQRSGPRAP SPTKPLRRSQ RKSGSELPSI LPEIWPKTPS AA AVRKPIVL 60
 KRIVAHAVEV PAVQSPRRSP RISPFLEKEN EPPGRELTKE DLFKTHSVPA TPTSTPVFNP 120
 EAESSSKEGE LDARDLEMSK KVRRSYSRLE TLGSASTSTP GRRSCFGFEG LLGAEDLSGV 180
 SPVVCSKLTE VPRVCARPWA PDMTLPGISP PPEKQKRKKK KMPKILKTEL DEWAAAMNAE 240
 FEAAEQFDLL VE

Seq ID NO: 98 DNA sequence
 Nucleic Acid Accession #: Ros sequence
 Coding sequence: 58-12444

1 11 21 31 41 51
 GGGGCATTTC CGGGTCCGGG CCGAGCGGGC GCACGCGGGG GAGCGGGACT CGGCGGCATG 60
 GCGGCTCCG GAGCCGGTGT GCGTTGCTCC CTGCTGCGGC TGCAGGAGAC CTTGTCCGCT 120
 GCGGACCGCT GCGGTGCTGC CCTGGCCGGT CATCAACTGA TCCGCGGCCT GGGGACAGAA 180
 TGCGTCTGA GCAGCAGCCG CGCGGTGCTG GCATTACAGA CATCTTAGT TTTTCCAGA 240
 GATTTCGGTT TGCTTGATT TGTCCGGAAG TCACTCAACA GTATTGAAT TCGTGAATGT 300
 AGAGAAGAAA TCCTAAAGTT TTTATGATT TCTTAGAAA AAATGGCCA GAAGATCGCA 360
 CCTTACTCTG TTGAAATTA GAACACTTGT ACCAGTGTAT ATACAAAAGA TAGAGTCTGT 420
 AAATGTAATA TCCAGCCCT GGACCTTCTT ATTAAGTTAC TTCAGACTTT TAGAAGTTCT 480
 AGACTCATGG ATGAATTTAA AATTGGAGAA TTATTAGTA AATTCTATGG AGAAGTTGCA 540
 TIGAAAAAAA AAATACAGA TACAGTTTA GAAAAAGTAT ATGAGCTCCT AGGATTATTG 600
 GGTGAAGTTC ATCCTAGTGA GATGATAAAT AATGCAGAAA ACCTGTCCG CGCTTTTCTG 660
 GGTGAACCTA AGACCCAGAT GACATCAGCA GTAAGAGAGC CCAAACTACC TGTCTCGGCA 720
 GGATGTCTGA AGGGGTTGTC CTCACCTCTG TGCAACTTCA CTAAGTCCAT GGAAGAAGAT 780
 CCCCAGACTT CAAGGGAGAT TTTTAATTTT GACTAAAGG CAATTCGTCC TCAGATTGAT 840
 CTGAAGAGAT ATCCTGTGCC CTCAGCTGGC TTGGCCCTAT TTGCCCTGCA TGCATCTCAG 900
 TTAGCACCTT GCCTTCTGGA CAACTACGTC TCTCTATTG AAGTCTTGT AAAGTGGTGT 960
 GCCCACACAA ATGTAGAATT GAAAAAGCT GCACCTTCAG CCCTGGAATC CTTTCTGAAA 1020
 CAGTTTCTA ATATGGTGGC GAAAAATGCA GAAATGCATA AAAATAAAT GCAGTACTTT 1080
 ATGAGCAGT TTTATGAAAT CATTAGAAAT GTGGATTGCA ACAACAAGGA GTTATCTTAT 1140
 GCTATCCGTG GATATGGACT TTTTGCAGGA CCGTGCAGG TTATAAACGC AAAAGATGTT 1200
 GACTTCAIAT ACCTGTAGCT CATTACGCGC TGCAAGCAGA TGTTCCTCAC CCAGACAGAC 1260
 ACTGGTGACG ACGGTTGTTA TCAGATGCCA AGCTTCTTCC AGTCTGTGTC AAGCCTCTG 1320
 CTGTACCTTG ACACAGTTC TGAGGTGAT ACTCCAGTTC TGGAGCACCT CGTGGTGATG 1380
 CAGATAGACA GTTCCCACA GFACAGTCCA AAAATGCAGC TGGTGTGTTG CAGAGCCATA 1440
 GTGAAGGTG TCCTAGCTTT GGCAGCAAAA GGGCCAGTTC TCAGGAATTG CATTAGTACT 1500
 GTGGTGATC AGGGTTAAT CAGAATATGT TCTAAACCAG TGTCTCTTCC AAAGGGCCCT 1560
 GAGTCTGAAT CTGAAGACCA CCGTCTTCA GGGGAAGTCA GAACTGGCAA ATGGAAGGTG 1620
 CCCACATACA AAGACTACGT GGATCTCTTC AGACATCTCC TGAGCTCTGA CCAGATGATG 1680
 GATTCTATTT TAGCAGATGA AGCATTTTTT TCTGTGAATT CCTCCAGTGA AAGTCTGAAT 1740
 CATTACTTTT ATGATGAATT TGTAATAATCC GTTTGAGA TTGTTGAGAA ATTGGATCTT 1800
 ACACTTGAAA TACAGACTGT TGGGAACAA GAGAAATGGAG ATGAGGCGCC TGGTGTGTTG 1860
 ATGATCCCAA CTTCCAGATCC AGCGGCTAAC TTGCATCCAG CTAACCTTAA AGATTTTTCG 1920
 GCCTTCAATA ACCCTGTGGA ATTTGTCAGA GAGATTCTCC CTGAGAAAACA AGCAGAAATT 1980
 TTTGAACCAT GGGTGTACTC ATTTTCATAT GAATTAATTT TGCAATCTAC AAGGTTGCC 2040
 CTCATCAGTG GTTCTACAA ATTGCTTCTC ATTACAGTAA GAAATGCCAA GAAAATAAAA 2100
 TATTTGAGG GAGTTGACTG AAAGAGTCTG AAACACTCTC CTGAAGACCC AGAAAAGTAT 2160
 TCTGTCTTG CTTTATTGT GAAATTTGGC AAAGAGTGGC CAGTAAAAT GAAGCAGTAC 2220
 AAAGATGAAC TTTTGGCCTC TTGTTGACC TTTCTTCTGT CCTTGGCCA CAACATCAIT 2280
 GAACCTGATG TTAGAGCCTA TTCTCCTGCA CTGCAGATGG CTTTCAAAT GGGCCTGAGC 2340
 TATACCCCTT TGGCAGAAGT AGGCCTGAAT GCTCTAGAAG AATGGTCAAT TTATATTGAC 2400
 AGACATGTAA TGCAGCCTTA TTACAAGAC ATTTCTCCCT GCCTGGATGG ATACCTGAAG 2460
 ACTTCAGCCT TGTCAAGTGA GACCAAGAAT AACTGGGAAG TGTCACTCT TCTCGGGCT 2520
 GCCCAGAAAG GATTTAATA AGTGGTGTAA AAGCATCTGA AGAAGACAAA GAACCTTCA 2580
 TCAAACGAAG CAATATCTTT AGAAGAAATA AGAATTAGAG TAGTACAAAT GCTTGGATCT 2640
 CTAGGAGGAC AAATAACAAA AAATCTTCTG ACAGTCAAGT CCTCAGATGA GATGATGAAG 2700
 AGCTATGTGG CCTGGGACAG AGAGAAGCGG CTGAGCTTGT CAGTGCCTT TAGAGAGATG 2760
 AAACCTGTCA TTTCTGTGGA TGTGTTCTG CCTCGAGTCA CAGAATTAGC GCTCACAGCC 2820
 AGTGACAGAC AAATAAAGT TGCAGCCTGT GAACTTTTAC ATAGCATGGT TATGTTTATG 2880
 TTGGCAGAA CCACGCGACT GCCAGAAGGG GGACAGGGAG CCCCACCCAT GTACCAGCTC 2940
 TATAAGCGGA CGTTTCTGT GCTGCTTGA CTGCGTGTG ATGTTGATCA GGTGACAAAG 3000
 CAACTGTATG AGCCACTAGT TATGCAGCTG ATTTCACTGGT TCACTAACAA CAAGAAATTT 3060
 GAAAGTCAGG ATACTGTGTC CTTACTAGAA GCTATATTGG ATGGAATTTG GGACCTGTT 3120
 GACAGTACTT TAAGAGATT TTGTGGTGG TGTATTGAG AATTCCTTAA ATGCTCCATT 3180
 AAGCAAATA CACCACAGCA GCAGGAGAAG AGTCCAGTAA ACACCAAATC GCTTTTCAAG 3240
 CGACTTTATA GCCTTGGCT TCACCCCAAT GCTTTCAAGA GGTGGGAGC ATCACTTGCC 3300
 TTAATAATA TCTACAGGGA ATTCAGGGAA GAAGAGTCTC TGGTGAACA GTTTGTGTTT 3360
 GAAGCCTTGG TGATATACAT GGAGAGTCTG GCCTTAGCAC ATGCAGATGA GAAGTCTTAA 3420
 GGTACAATC AACAGTGTG TGATGCCATT GATCACCTAT GCCCATCAT TGAAGAAG 3480
 CATGTTCTT TAAATAAAGC AAAGAAACGA CGTTTGGCGC GAGGATTTCC ACCTTCCGCA 3540
 TCAATGTGTT TATTTGATCT GGTCAAGTGG CTTTGTAGCT ATTTGGGGAG GCCCAGACA 3600
 GAATGTGAC ACAATCTAT TGAATCTTT TATAAATTCG TTTCTTATT GCCAGGCAAC 3660
 AGATCCCTTA ATTTGTGGCT TCAAGGAAG AAGGTGTCTC TTTTCTCATC 3720
 AACACCTTGG AGGGGGTGG CTGTGGCCAG CCCTCGGCA TCCTGGCCA GCCCACCCTC 3780
 TTGTACCTTC GGGGCCATT CAGCTGCAG GCCAGCTAT GCTGGCTGGA CCTGCTCCTG 3840

	GCCGCGTTGG	AGTGCTACAA	CACGTTCAAT	GGCGAGAGAA	CTGTAGGAGC	GCTCCAGGTC	3900
	CTAGGTACTG	AAGCCAGTC	TTCACTTTTG	AAAGCAGTGG	CTTTCTTCTT	AGAAAGCATT	3960
	GCCATGCACT	ACATTATAGC	AGCAGAAAAG	TGCTTTGGCA	CTGGGGCAGC	AGGTAACAGA	4020
5	ACAGCCCCAC	AAGAGGGAGA	AAGGTACAAC	TACAGCAAAT	GCACCGTTGT	GGTCCGGATT	4080
	ATGGAGTTTA	CCACGACTCT	GCTAAACACC	TCCCCGGAAG	GATGGAAGCT	CCTGAGAAG	4140
	GACTTGTGTA	ATACACACCT	GATGAGAGTC	CTGGTGCAGA	CGCTGTGTGA	GCCCGCAAGC	4200
	ATAGGTTTCA	ACATFCGGAGA	CGTCCAGGTT	ATGGCTCATC	TTCTGTATGT	TTGTGTGAAT	4260
	CTGATGAAAG	CTCTAAAGAT	GTCCCATAC	AAAGATATCC	TAGAGACCCA	TCTGAGAGAG	4320
10	AAAAATAACAG	CACAGAGCAT	TGAGGAGCTT	TGTGCCGTCA	ACTTGTATGG	CCCTGACGGC	4380
	CAAGTGGACA	GGAGCGGGCT	GGCTGCTGTT	GTGTCTGCCT	GTAAAACAGCT	TCACAGAGCT	4440
	GGGCTTCTCG	ATAATATATT	ACCGTCTCAG	TCCACAGATT	TGCATCATTC	TGTTGGCACA	4500
	GAACTTCTTT	CCCTGGTTTA	TAAAAGCATT	GCCCTCGGAG	ATGAGAGACA	GTGTCTGCCT	4560
	TCTCTAGACC	TCAGTTGTAA	CAGCTGGCC	AGCGGACTTC	TGGAGTTAGC	CTTTGCTTTT	4620
	GGAGGACTGT	GTGAGCGCCT	TGTGAGTCTT	CTCCTGAACC	CAGCGGTGCT	GTCCACGGCG	4680
15	TCCTTGGGCA	GCTCACAGGG	CAGCGTCATC	CACCTTCTCC	ATGGGGAGTA	TTTCTATAGC	4740
	TTGTTCTCAG	AAACGATCAA	CACGGAATTA	TGAAAAATC	TGGATCTTGC	TGTATTGGAG	4800
	CTCATGCACT	CTTCAGTGGG	TAATACCCAA	ATGGTGAAGT	CCGTTTTGAA	CGGCATGTTA	4860
	GACCAGAGCT	TCAGGGAGCG	AGCAAACCCAG	AAACACCAAG	GACTGAAACT	TGCGACTACA	4920
	ATTCTGCAAC	ACTGGGAAGAA	TGTTGATTCA	TGTTGGGCCA	AAGATTCCCC	TCTCGAAACT	4980
20	AAAAATGGCAG	TGCTGGCCCT	ACTGGCAAAA	ATTTTACAGA	TTGATTTCATC	TGTATCTTTT	5040
	AATACAAGTC	ATGGTTCAAT	CCCTGAAGTC	TTTACAACAT	ATATTAGTCT	ACTTGTGCAC	5100
	ACAAAGCTGG	ATCTACATTT	AAAGGGCCAA	GCTGTCACTC	TTCTTCCATT	CTTCACCAGC	5160
	CTCACTGGAG	GCAGTCTGGA	GGAACCTAGA	CGTGTCTGG	AGCAGCTCAT	CGTTGCTCAC	5220
	TTCCCAATGC	AGTCCAGGGA	ATTTCCCTCA	GGAACCTCCG	GGTTCAATA	TTATGTGGAC	5280
25	TGCATGAAAA	AGTTTCTAGA	TGCATTGGAA	TTATCTCAA	GCCCTATGTT	GTTGGAATTG	5340
	ATGACAGAAAG	TTCTTTGTG	GGAAACAGCAG	CATGTCATGG	AAGAATTATT	TCAATCCAGT	5400
	TTACGAGAGA	TTGCCGGAAG	GGGTTCAATG	GTCACACAAG	TAGGCCCTTC	GGAAAGCGTG	5460
	TATGAAATGT	TCAGGAAGGA	TGACCCCGCG	CTAAGTTTCA	CAGCCAGTC	CTTTGTGGAC	5520
	CGCTCCCTCC	TCACTCTGCT	TGGGCACTGT	AGCCTGGATG	CTTTGAGAGA	ATTCTTCAGC	5580
30	ACAAITTTGG	TGATGCCCAT	GATGTGTTG	AAGTCCAGGT	TTACAAGACT	AAATGAATCT	5640
	ACCTTTGATA	CTCAAATCAC	CAAGAAGATG	GGCTACTATA	AGATTCTAGA	CGTGTATGAT	5700
	TCTCGCCTTC	CCAAAGATGA	TGTTTCATGCT	AAGGAATCAA	AAATTAATCA	AGTTTTCAT	5760
	GGCTCGTGT	TTACAGAAGG	AAATGAACTT	ACAAAGACAT	TGATTAATTT	GTGCTACGAT	5820
	GCATTTACAG	AGAACATGGC	AGGAGAGAA	CAGCTGCTGG	AGAGGAGAAG	ACTTTACCAT	5880
35	TGTGCAAGAT	ACAACATGGC	CATATCTGTC	ATCTGCTGTG	TCTTCAATGA	GTTAAAAATTT	5940
	TACCAAGGTT	TTCTGTTTAA	TGAAAAACCA	GAAAAGAAT	TGCTTATTTT	TGAAAAATCTG	6000
	ATCGACCTGA	AGCGCGGCTA	TAATTTTCT	GTAGAAGTTG	AGGTTCTTAT	GGAAAGAAAAG	6060
	AAAAAGTACA	TTGAAATTAG	GAAAGAAGCC	AGAGAAGCAG	CAARTGGGGA	TCAGATGGT	6120
	CCTTCTATA	TGCTTCTCCT	GTCATATTTG	GCACACAGTA	CCCTGAGTGA	GGAAATGAGT	6180
40	CAATTTGATT	TCCTCAACCGG	AGTTCAGAGC	TATTCATACA	GCTCCCAAGA	CCCTAGACCT	6240
	GCCACTGGTC	GTTTTCGGAG	ACGGGAGCAG	CGGGACCCCA	CGGTGCATGA	TGATGTGCTG	6300
	GAGCTGGAGA	TGGACGAGCT	CAATCGGCAT	GAGTGCATGG	CGCCCCGTAC	GGCCCTGGTC	6360
	AAGCACATGC	ACAGAGCGCT	GGGCCCCGCT	CAAGGAGAAG	AGGATTCAGT	GCCAAAGAGAT	6420
	CTTCCCTTCT	GGATGAAAT	CCTCCATGGC	AAACTGGGAA	ATCCAATAGT	ACCATTAAT	6480
45	ATCCGCTCT	TCTTAGCCAA	GCTTGTATT	AATACAGAAG	AGGTCCTTCG	CCCTTACGGC	6540
	AAGCACTGGC	TTAGCCCTTC	GCTGCACTG	GCTGCTCTG	AAAACAATGG	AGGAGAAGGA	6600
	ATCTACTACA	TGTTGGTTGA	GATAGTGGCC	ACTATTCTTT	CATGGACAGG	CTTGGCCACT	6660
	CCAACAGGGG	TCCCTAAAGA	TGAAGTGTTA	GCAAACTCAT	TGCTTAATTT	CCTAATGAAA	6720
	CATGTCTTTC	ATCCAAAAG	AGCTGTGTTT	AGACACAACC	TTGAAATTTAT	AAAGACCCTT	6780
50	GTCCAGTGT	GGAGGATTG	TTTATCCATC	CCTTATAGGT	TAATATTGGA	AAAGTTTTC	6840
	GGTAAAGATC	CTAATTTCAA	AGACAACCTCA	GTAGGGATTC	AATTGCTAGG	CATCGTATG	6900
	GCCAATGACC	TGCCCTCCCTA	TGACCCACAG	TGTGGCATCC	AGAGTAGCGA	ATACTTCCAG	6960
	GCTTTGGTGA	ATAAATATGT	CTTTGTAAGA	TATAAAGAAG	TGATGCCCC	TGCAGCAGAA	7020
	GTTCTAGGAC	TTATACTTCG	ATATGTTATG	GAGAGAAAA	ACATACTGGA	GGAGTCTCTG	7080
55	TGTGAACCTGG	TTGGCAAACA	ATTGAAGCAA	CATCAGAATA	CTATGGAGGA	CAAGTTTATT	7140
	GTGTGCTTGA	ACAAAGTGC	CAAGAGCTTC	CCTCCTCTTG	CAGACAGGTT	CATGAAATGCT	7200
	GTGTCTTTC	TGCTGCCAAA	ATTTCAATGA	GTGTTGAAAA	CACCTGTCT	GGAGGTGGTA	7260
	CTTTGTCCGT	TGGAGGGAAT	GACAGAGCTG	TACTTCCAGT	TAAGAGACAA	GGACTTCTGT	7320
60	CAAGTCAATGA	GACATAGAGA	TGATGAAAGA	CAAAAAGTAT	GTTTGGACAT	AATTTATAAG	7380
	ATGATGCCAA	AGTTAAAACC	AGTAGAATTC	CGAAGACTTC	TGAACCCCGT	TGTGGAATTC	7440
	GTTTCCCATC	CTTCTACAAC	AFTGAGGAA	CAAATGTATA	ATATTCTCAT	GTGGATTGAT	7500
	GATAATTACA	GAGATCCAGA	AAGTGAGACA	GATAATGACT	CCCAGGAAAT	ATTTAAGTTG	7560
	GCAAAAGATG	TGCTGATTC	AGGATTGATC	GATGAGAAC	CTGGACTTCA	ATTAATTTAT	7620
	CGAAAATTTCT	GGAGCCATGA	AACTAGGTTA	CCTTCAAATA	CCTTGGACCG	GTTGCTGGCA	7680
65	CTAAAATTTCT	TATATTCTCC	TAAGATAGAA	GTGCACTTTT	TAAGTTTAGC	AACAATTTT	7740
	CTGCTCGAAA	TGACCCAGAT	GAGCCAGAT	TATCCAAACC	CCATGTTTGA	GCATCCTCTG	7800
	TCAGAAATGCG	AAATTCAGGA	ATATACCATT	GATTCTGATT	GGCGTTTCCG	AAGTACTGTT	7860
	CTCACTCCGA	TGTTTGTGGA	GACCCAGGCC	TCCCAGGGCA	CTCTCCAGAC	CCGTACCCAG	7920
	GAAGGGTCCC	TCTCAGCTCG	CTGGCCAGTG	GCAGGGCAGA	TAAGGGCCAC	CCAGCAGCAG	7980
70	CATGACTTCA	CACGACACA	GACTGCAGAT	GGAAAGACT	CATTGATG	GCTGACCCGG	8040
	AGCAGCACTG	ACCCGCTGGT	CGACCAACC	AGTCCCTCAT	CTGACTCCTT	GCTGTTGCC	8100
	CACAAGAGGA	GTGAAAGGTT	ACAGAGAGCA	CCCTTGAAGT	CAGTGGGGCC	TGATTTTGGG	8160
	AAAAAAGGC	TGGCCCTTCC	AGGGGACGAG	GTGGATAACA	AAAGTAAAGG	TGCGCCGGC	8220
	CGGACGGACC	TACTACGACT	GCGCAGACGG	TTTATGAGGG	ACCAGGAGAA	GCTCAGTTTG	8280
75	ATGATGCCA	GAAAAGGCGT	TGCTGAGCAA	AAACGAGAGA	AGGAAATCAA	GAGTGAATTA	8340
	AAAAATGAAGC	AGGATGCCCA	GGTCTGCTG	TACAGAAGCT	ACCGGCAAGG	AGACCTTCT	8400
	GACATTCAGA	TCAAGCACAG	CAGCCCTCAT	ACCCCGTTAC	AGGCCGTTGC	CCAGAGGGAC	8460
	CCAATAATG	CAAAACAGCT	CTTTAGCAGC	TTGTTTTCTG	GAATTTTGA	AGAGATGGAT	8520
80	AAATTTAAGA	CACGTCTGTA	AAAAACAAC	ATCACTCAA	AGTTGCTTCA	AGACTTCAAT	8580
	CGTTTTCTTA	ATACCACTT	CTCTTCTTT	CCACCCTTTG	TCTCTGTAT	TGAGACATT	8640
	AGCTGTGAGC	ACGACGCCCT	CTGAGCCTC	GACCCAGCGG	CTGTTAGCGC	TGTTGCTGCT	8700
	GCCAGCCTAC	AGCAGCCCTT	GGGCATCCG	CTGCTAGAGG	AGGCTCTGCT	CCGCTGCTG	8760
	CTGCTGAGC	TGCTTGCCAA	GCGAGTCCGT	GGAAAGGCC	GCCTCCCTCC	TGATGTCTTC	8820
	AGATGGGTGG	AGCTTGCTAA	GCTGTATAGA	TCAATTTGAG	AATACGACGT	CCTCCGTGGG	8880
85	ATTTTTACCA	GTGAGATAGG	AACAAAGCAA	ATCACTCAGA	GTGCATTTAT	AGCAGAGCC	8940
	AGAAGTGATT	ATTTCTAAGC	TGCTAAGCAG	TATGATGAGG	CTCTCAATA	ACAAAGACTG	9000
	GTAGATGGTG	AGCCACAGA	AGCCGAGAAG	GATTTTTGGG	AACTTGATC	CCTTGACTGT	9060

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75

TACAACACC TTGCTGAGTG GAAATCACTT GAATACTGTT CTACAGCCAG TATAGACAGT 9120
GAGAACCCCC CAGACCTAAA TAAAACTGCG AGTGAACCAT TTTATCAGGA AACATATCTA 9180
CCTTACATGA TCCCGAGCAA GCTGAAGCTG CTGCTCCAGG GAGAGGCTGA CCAGTCCCCTG 9240
CTGACATTTA TTGACAAAGC TATGCACGGG GAGCTCCAGA AGGCGATTCT AGAGCTTCAT 9300
TACAGTCAAG AGCTGAGTCT GCTTTACCTC CTGCAAGATG ATGTTGACAG AGCCAAATAT 9360
TACATTCAAA ATGGCATTCA GAGTTTTATG CAGAATTATT CTAGTATTGA TGTCCCTCTA 9420
CACCAAAGTA GACTCACCAA ATTGCAGTCT GTACAGGCTT TAACAGAAAT TCAGGAGTTT 9480
ATCAGCTTTA TAAGCAAAAC AGGCAATTTA TCATCTCAAG TTCCCCTTAA GAGACTTCTG 9540
AACACCTGGA CAAACAGATA TCCAGATGCT AAAATGGACC CAATGAARAT CTGGGATGAC 9600
ATCATCACAA ATCGAGTTTT CTTTCTCAGC AAAATAGAGG AGAAGCTTAC CCCTCTTCCA 9660
GAAGATAATA GTATGAATGT GGATCAAGAT GGAGACCCCA GTGACAGGAT GGAAGTGCAA 9720
GAGCAGGAAG AAGATATCAG CTCCCCTGATC AGGAGTTGCA AGTTTCCAT GAAAATGAAG 9780
ATGATAGACA GTGCCCGGAA GCAGAACAAT TTCTCACTTG CTATGAAACT ACTGAAGGAG 9840
CTGCATAAAG AGTCAAAAC CAGAGACGAT TGGCTGGTGA GCTGGGTGCA GAGCTACTGC 9900
CGCCTGAGCC ACTGCCGGAG CCGGTCCCAG GGCTGCTCTG AGCAGGTGCT CACTGTGCTG 9960
AAAAACAGTCT CTTTGTGTTGA TGAGAACAC GTGTCAAGCT ACTTAAGCAA AAATATTCTG 10020
GCTTTCGGTG ACCAGAACAT TCTCTTGGGT ACAACTTACA GGATCATAGC GAATGCTCTC 10080
AGCAGTGAGC CAGCTGCCTT TGCTGAAATC GAGGAGGACA AGGCTAGAAG AATCTTAGAG 10140
CTTTCTGGAT CCAGTTCAGA GGATTTCAGAG AAGGTGATCG CCGGTCTGTA CCAGAGAGCA 10200
TCCAGCACC TCTCTGAGGC TGTGCAGGCG GCTGAGGAGG AGGCCACGCC TCCCTCCTGG 10260
AGCTGTGGGC CTGCAGCTGG GTGATTGAT GCTTACATGA CGCTGGCAGA TTTCTGTGAC 10320
CAACAGCTGC GCAAGGAGGA AGAGAATGCA TCAGTTATTG ATCTGCGAGA ACTGCAGGCG 10380
TATCCAGCAC TTGTGTGGA GAAAATGTTG AAAGCTTTAA AATTAATTC CAATGAAGCC 10440
AGATTGAAGT TTCTAGAGT ACTTCAGATT ATAGAACGGT ATCCAGAGGA GACTTTGAGC 10500
CTCATGACAA AAGAGATCTC TTCCGTTCCC TGCTGGCAGT TCATCAGCTG GATCAGCCAC 10560
ATGTTGGGCT TACTGGACAA AGACCAAGCC GTTGTCTGTC AGCACTCTGT GGAAGAAATC 10620
ACTGATAACT ACCCGCAGGC TATTGTTTAT CCCTTCATCA TAAGCAGCGA AAGCTATTCC 10680
TTCAAGGATA CTTCTACTGG TCATAAGAAAT AAGGAGTTTG TGGCAAGGAT TAAAGTAAAG 10740
TTGGATCAAG GAGGAGTGAT TCAAGATTTT ATTAATGCCT TAGATCAGCT CTCTAATCCT 10800
GAACTGCTCT TTAAGGATGT GAGCAATGAT GTAAGAGCTG AACATAGCAA AACCCCTGTA 10860
AATAAAAAAA ACATTGAAAA AATGTATGAA AGAATGTATG CAGCCTTGGG TGACCCAAAG 10920
GCTCCAGGCC TGGGGCCCTT TAGAAGGAAG TTTATTGAGA CTTTTGAAA AGAATTTGAT 10980
AAAACTTTTG GGAAGAGGAG TTCTAAACTA CTGAGAATGA AGCTCAGTGA CTTCAACGAC 11040
ATTACCAACA TGCTACTTTT AAAAAATGAA AAAGACTCAA AGCCCCCTGG GAATCTGAAA 11100
GAATGTTTCC CCTGATGAG CGACTTCAA GTGGAGTCC TGAGAATGA GCTGGAGATT 11160
CCCCGTCACT ATGACGGTAG GGGAAAGCCA TTGCCAGAGT ACCACGTGCG AATCGCCGGG 11220
TTGATGAGC GGGTACAGT CATGGCCTCT CTGGGAAGGC CCAAGCGCAT CATCATCCGT 11280
GGCCATGACG AGAGGGAACA CCTTTCCTG GTGAAGGGTG GCGAGGACCT GCGGCAGGAC 11340
CAGCCGCTGG AGCAGCTCTT CCAGGTCTAG AATGGGATCC TGGCCCAAGA CTCGCCCTGC 11400
AGCCAGAGGG CCCTGCACTG GAGGACCTAT AGCGTTGTGC CCATGACCTC CAGGTTAGGA 11460
TTAATTGAGT GCTTGAATA TACTGTTACC TTGAAGGACC TTCTTTTGA CACCATGTCC 11520
CAAGAGGAGA AGGCGGCTTA CCTGAGTGAT CCCAGGGCAC CGCCGTGTGA ATATAAAGAT 11580
TGGCTGACAA AAATGTCAGG AAAACATGAT GTTGGAGCTT ACATGCTAAT GTATAAGGGG 11640
GCATAACGTA CTGAACAGT CAGCTCTTTT AGAAAACGAG AAAGTAAAGT GCCTGTGAT 11700
CTCTTAAAGC GGGCCTTCGT GAGGATGAGT ACAAGCCCTG AGGCTTTCCT GGGCCTCCGC 11760
TCCCACTTCG CCAGCTCTCA CGCTCTGATA TGCATCAGCC ACTGGATCCT CGGGATTGGA 11820
GACAGACATC TGAACAACCT TATGGTGGCC ATGGAGACTG CGCGCGTGAT CGGGATCGAC 11880
TTTGGGCATG CGTTGGATC CGCTACACAG TTTCTGCCAG TCCTGAGTT GATGCCTTTT 11940
CGGCTAACTC GCCAGTTTAT CAATCTGATG TTACCAATGA AAGAACCAGG CCTTATGTAC 12000
AGCATCATG TACACGCCAT CCGGGCCTTC CGCTCAGACC CTGGCTGCTC CACCAACACC 12060
ATGGATGTTG TTGTCAGGGA GCCTCCTTT GATTGAAAA ATTTTGAACA GAAAATGCTG 12120
AAAAAAGGAG GGTCTGATG TCAAGAAATA AATGTTGCTG AAAAAATTG GTACCCCGGA 12180
CAGAAAAATG GTTACGCTAA GAGAAAGTTA GCAGGTGCCA ATCCAGCAGT CATTACTTGT 12240
GATGAGCTAC TCCTGGGTCA TGAGAAGGCC CCTGCCTTCA GAGACTATGT GGCTGTGGCA 12300
CGAGGAAGCA AAGATCACAA CATTCTGTC CAAGAACCAG AGAGTGGGCT TTCAGAAGAG 12360
ACTCAAGTGA AGTGCCTGAT GGACCAGGCA ACAGACCCCA ACATCCTTGG CAGAACCTGG 12420
GAAGGATGGG AGCCCTGATG GTGAGGTCTG TGGGAGTCTG CAGATAGAAA GCATTACATT 12480
GTTTAAAGAA TCTACTATG TTTGGTTGGC AGCATTCCAT GAGCTGATT TTCCTGAAA 12540
CTAAAGAGAA ATGTCCTTTG TGCTACAGTT TCGTAGCATG AGTTTAAATC AAGATTATGA 12600
TGAGTAAATG TGTATGGGTT AATCAAAGA TAAGTTTATA GTAACATCAA AGATTAGGTG 12660
AGGTTTATAG AAAGATGAT ATCCAGGCTT ACCAAAGTAT TAAGTCAAAGA ATATAATATG 12720
TGATCAGCTT TCAAAGCATT TACAAGTCTG GCAAGTTAGT GAAACAGCTG TCTCCGTA 12780
TGGAGGAAAT GTGGGGAAGC CTTGGAATGC CCTTCTGTTT CTGGCACATT GGAAGACACA 12840
CTCAGAAGGC TTACATCCCA AGATTTTGGG AGAGTAAAGC TAAGTATAGT TGATGTAACA 12900
TTGTAGAAGC AGCATAGGAA CAATAAAGAC AATAGGTAAA GCTATAATTA TGGCTTATAT 12960
TTAGAAATGA CTGCATTGTA TATTTTAGGA TATTTTCTA GGTTTTTTCC TTTCATTTTA 13020
TTCTCTTCTA GTTTGACAT TTTATGATAG ATTTGCTCTC TAGAAGGAAA CGTCTTTATT 13080
TAGGAGGGCA AAAATTTTGG TCATAGCATT CACTTTTGTCT ATTCCAATCT ACAACTGGAA 13140
GATACATAAA AGTGCCTTGC ATTGAATTTG GGATAACTTC AAAAAATCCA TGGTTGTGTG 13200
TAGGATAGT ACTAAGCATT TCAAGTCCAG GAGAATAAAA GAAATTCCTA TTTGAAATGA 13260
ATTCCTCAT TGGAGGAAAA AAAGCATGCA TTCTAGCACA ACAAGATGAA ATTATGGAAT 13320
ACAAAAGTGG CTCTTCCCA TGTGCAGTCC CTGTCCCTCC CCGCCAGTCC TCCACACCCA 13380
AACTGTTTCT GATTGGCTTT TAGCTTTTTT TTTTCTTCT AACACTTGTA 13440
TTTGGAGGCT CTTCTGTGAT TTTGAGAAGT ATACTCTTGA GTGTTTAAATA AAGTTTTTTT 13500
CCAAAAGTA

Seq ID NO: 99 Protein sequence:
Protein Accession #: NP_008835.5

80
85

1 11 21 31 41 51
| | | | | |
MAGSGAGVRC SLLRLQETLS AADRCGAALA GHQLIRGLGQ ECVLSSSPAV LALQTSLVFS 60
RDFGLLVFVR KSLNSIEFRE CREEILKFLC IFLEKMGQKI APYSVEIKNT CTSVYTKDRA 120
AKCKIPALDL LIKLLOTFRS SRLMDFEFIG ELFSKFYBEL ALKKKIPDVT LEKVYELLGL 180
LGEVHPSEMI NNAENLPRAP LGELKQMTS AVREPPLFVL AGCLKGLSSL LCNFTKSMEE 240
DPQTSREIFN FVLKAIKPI DLKRYAVPSA GLRPLFALHAS QFSTCLLDNY VSLFEVLLK 300
CAHTNVELKK AALSALSFL KQVSNMVAKN AEMHKNKLQY FMEQFYGIIR NVDSNNKELS 360

	IAIRGYGLFA	GPKRVINAKD	VDFMYVELIQ	RCKQMFLTQT	DTGDDRVYQM	PSFLQSVASV	420
	LLYLDTVPEV	YTFVLEHLVV	MQIDSFPQYS	PKMQLVCCRA	IVKVFLALAA	KGPVLRNCIS	480
	TVVHQLIRI	CSKEVVLPGK	PESEEDHRA	SGEVRTGKWK	VPTYKDYVDL	FRHLLSSDQM	540
	MDSILADEAF	FSVNSSSESL	NHLLYDEFVK	SVLKIVEKLD	LTLEIQTQVGE	QENGDEAPGV	600
5	WMIPTSDPAA	NLHPAKPKDF	SAPINLVEFC	REILPEKQAE	FFPEWVYSPS	YELILQSTRL	660
	PLISGIFYKLL	SITVNRANKI	KYFEGVSPKS	LKHSPEDEPK	YSCFALFVKF	GKEVAVKMKQ	720
	YKDELLASCL	TFLLSLPHNI	IELDVRAYVP	ALQMAFKLGL	SYTFLAEVGL	NALEWSIYI	780
	DRHVMQPYK	DILPCLDGYL	KTSALSDETK	NNWEVSALSR	AAQKGFNKVV	LKHLKCTKNL	840
	SSNEAISLEE	IRIRVQMLG	SLGGQINKNL	LTVTSSDEMM	KSYVANDREK	RLSPAVPFRE	900
10	MKPVIFLDVF	LPSRTQLALT	ASDRQTKVAA	CELLHSMVMF	MLGKATQMP	GGQGAPPMYQ	960
	LYKRTFPVLL	RLACDQDQVT	RQLYEPLVMQ	LIHWFTNKK	FESQDTVALL	EAILDGIQVDP	1020
	VDSTLRDFCG	RCIREFLKWS	IKQITPQQQE	KSPVNTKSLF	KRLYSLALHP	NAPKRLGASL	1080
	AFNNIYREFR	EESLVEQFV	FEALVIYMES	LALAHADEKS	LGTIQCCDA	IDHLCRIIEK	1140
	KHVSINKAKK	RRLPGRFPSP	ASLCLDLVVK	WLLAHCGRPQ	TECRHKSIEL	FYKFPVLLPG	1200
15	NRSNMLWLDK	VLKEGVSFLP	INTFEGGGCG	QPSGILAQPT	LLYLRGPFSL	QATLCWLDLL	1260
	LAALCEYNTF	IGRETSQALH	VLGTEAQSSL	LKAVAPFLES	IAMHDI IAAE	KCFGTGAAGN	1320
	RTSPQEGERY	NYSKCTVVVR	IMEFTTLLN	TSPGKWLKLL	KDLNTHLMR	VLVQTLCEPA	1380
	SIGFNIQDGV	VMAHLPDVCV	NLMKALKMSP	YKDILETHLR	EKITAQSIIE	LCAVNLVYGP	1440
	AQVDRSRLAA	VVSACQQLHR	AGLLHNILPS	QSTDHHSVVG	TELLSLVYKQ	IAPGDERQCL	1500
20	PSLDLSCQKL	ASGLLELAF	FGGLCERLVS	LLLNPAVLST	ASLGSSQGSV	IHFSGHEYFY	1560
	SLFSETINTE	LLKNLDLAVL	ELMQSSVDNT	KMVASVINGM	LDQSPFRERAN	QKHQGLKLAT	1620
	TILQHWKCD	SNWAKDSPLE	TKMAVLALLA	KILQIDSSVS	FNTSHGSPPE	VFTTYISLLA	1680
	DTKLDLHLKQ	QAVTLFFFT	SLTGGSELEL	RRVLEQLIVA	HFMQSPREPP	PGTFRPFNMY	1740
	DCMKKFLDAL	ELSQSPMLLE	LMTEVLCREQ	QHVMEELFQS	SPRRIARRGS	CVTQVGLLES	1800
25	VYEMFRKDDP	LSFTTRQSFV	DRSLTLTLLW	CSLDALREFF	STIVVDAIDV	LKSRFTKLINE	1860
	STFDTQITKK	MGYYKLLDVM	YSRLPKDDVH	AKESKINQVF	HGSCITEGNE	LTKTLIKLCY	1920
	DAFTENMAGE	NQLEERRRLY	HCAAYNCAIS	VICCVFNELK	FYQGFLEFSEK	PEKNLLIFEN	1980
	LIDLKRRYNF	PVEVEVPMER	KKKYIBIRKE	AREAANGSDS	GPSYMSLSY	LADSTLSEEM	2040
	SQFDFSTGVQ	SYSYSSQDPR	PATGRFRRRR	QRDPTVHDDV	LELEMDELNR	HECMAPLITAL	2100
30	VKHMERSLGP	QGEEDSVPR	DLPSPMKFLH	GKLGPNFVPL	NIRLFLAKLV	INTEEVFRPY	2160
	AKHWLSPLLQ	LAASENNGGE	GIHYMVVEIV	ATILSWTGLA	TPTGVPKDEV	LANRLLNFLM	2220
	KRVFHPKRAV	FRNLLEIKIT	LVECKWDCLS	IPYRLIFEKEF	SGDKPNSKDN	SVGIQLLGV	2280
	MANDLPPYDP	QCGIQSSEYF	HCVNVMMSFV	RYKEVYAAAA	EVLGLLRLYV	MERKNILLES	2340
	LCELVAKQLK	QHONTMEDKF	IVCLANKVTKS	FPPLADRFMN	AVFLLPKFH	GVLTLCLEV	2400
35	VLCRVEMTE	LYQKLSKDF	VQVMRHRDDE	RQKVCLDIY	KMPKPKPVE	LRELLNPVVE	2460
	FVSHPSTTCR	EQMYNLLMWI	HONYRDPSESE	TDNDSQEIFK	LAKDVLIQGL	IDENPGQLI	2520
	IRNFWSHETR	LPSNTLDRLL	ALNSLYSPKI	EVHFLSLATN	FLEMTSMSP	DYPNEMFEHP	2580
	LSECEFEYET	IDSDFWRFRST	VLTPMFVETQ	ASQGTQTRT	QEGSLSARWP	VAGQIRATQQ	2640
40	QHDFTLTQTA	DGRSSFDWLT	GSSDPLVDH	TSPSSDLSLF	AHKRSERLQR	APLKSXVGFDF	2700
	GKKRLGLPGD	EVDMKVKGAA	GRTDLLRLRR	RFMRDQEKLS	LMYARKGVAE	QKREKIKSE	2760
	LKMKQDAQV	LYRSYRHGDL	PDIIKHSLSL	ITPLQAVAR	DPIIAKQLFS	SLFSGILKEM	2820
	DKFKTLSEKN	NIQTKLLQDF	NRFLLTTFSP	PPPFSVCIQD	ISQHAALLS	LDPAAVSAGC	2880
	LASLQQPVGI	RLLEALLRL	LPAELPAKRV	RGKARLPPDV	LRWVELAKLY	RSIGEYDVL	2940
45	GIFTSEIGTK	QITQSALLAE	ARSDYSEAAK	QYDEALNKQD	WVDGEPTAE	KDFWELASLD	3000
	CYNHLAEWKS	LEYCASTASID	SENPPDLNKI	WSEPFYQETY	LPYMIRSKLK	LLLQGEADQS	3060
	LLTFIDKAMH	GEIQKALLEL	HYSQELSLLY	LLQDDVDRAK	YYIQNGIQSF	MQNYSSIDVL	3120
	LHQSLRTKLQ	SVQALTEIQE	FISFISKQGN	LSSQVPLKRL	LNTWTNRYPD	AKMDFMNIWD	3180
	DIITNRCFFL	SKIEEKLTP	PEDNSMNVQD	DGDPSTRMEV	QEQEEDISSL	IRSCKFSMKM	3240
50	KMIDSARKQN	NFSLAMKLLK	ELHKESKTRD	DWLVSWSQSY	CRLSHCRRSR	QGCSEQLTV	3300
	LKTVSLLDEN	NVSSYLSKNI	LAFRDQNIL	GTTYRIANA	LSSEPACLAB	IIEEDKARRIL	3360
	ELSGSSSEDS	EKVIAGLYQR	AFQHLSEAVQ	AAESEAQPPS	WSCGPAAGVI	DAYMTLADFC	3420
	DQLRKEEEN	ASVIDSAELQ	AYPALVVEKM	LKALKLNSNE	ARKKFPRLQ	IIBERYPEETL	3480
	SLMTKEISSV	PCWQFISWIS	HMVALLDKDQ	AVAVQHSVEE	ITDNYPOAIV	YFPIISSESY	3540
55	SPKDTSTGHK	NKEFVARIKS	KLDQGGVIQD	FINALDQLSN	PELLFKDWSN	DVRAELAKTP	3600
	VNKNKIEKMY	ERYMAYALGDP	KAPGLGAFRR	KPIQTFGKEF	DKHFGKGGSK	LLRMKLSDFN	3660
	DIITNMLLKM	NKDSKPPGNL	KCESPWMSDF	KVEFLRNELE	IPQYDGRGK	PLPEYHVRIA	3720
	GFDERVTYMA	SLRRPKRII	RGHDEREHFF	LVKGGEDLRQ	DQVEQLFQV	MNGILAQDSA	3780
	CSQALQLRT	YSVVPMTSRL	GLIEWLENTV	TLKDLLLNTM	SQEKAAYLS	DPRAPPCEYK	3840
60	DWLTRMSGKH	DVGAYMLMYK	GANRTETVTS	FRKRESKVPA	DLLKRAFVRM	STSPAEPLAL	3900
	RSHFASSHAL	ICISHWLLGI	GDHRLNFMV	AMETGGVIGI	DFGHAFGSAT	QFLPVPPELMP	3960
	FRLTRQFINL	MLPMKETGLM	YSIMVHALRA	FRSDPGLLTN	TMDVFKVEKPS	FDWKNFEQKM	4020
	LKKGGSWIQE	INVAEKNWYP	RQKICYAKRK	LAGANPAVIT	CDELLLGHEK	APAFRDYVAV	4080
	ARGSKDHNIR	AQEPESGLSE	ETQVKCLMDQ	ATDPNILGRT	WEGWEPWM		

Seq ID NO: 100 DNA sequence
Nucleic Acid Accession #: NM_000673
Coding sequence: 101-1225

70	1	11	21	31	41	51	
	ATGTGAAGGC	ACAAGCTGCT	GTTATATACA	ACAGAGTGAA	CTGAGCATCA	GTCAGAAAAA	60
	GTCTATGTTT	GCAGAAATAC	AGATCCAAGA	CAAAGACAGG	ATGGGCACTG	CTGGAAAAAGT	120
	TATTAATGTC	AAAGCAGCTG	TGCTTTGGGA	GCAGAAGCAA	CCCTTCTCCA	TTGAGGAAAT	180
75	AGAAGTTGCC	CCACCAAGA	CTAAAGAAGT	TCGCATTAA	ATTTTGGCCA	CAGGAATCTG	240
	TGCGACAGAT	GACCATGTGA	TAAAAGGAAC	AATGGTGICC	AAGTTTCCAG	TGATTGTGGG	300
	ACATGAGGCA	ACTGGGATTG	TAGAGAGCAT	TGGAGAAGGA	GTGACTACAG	TGAAACCCAGG	360
	TGACAAAGTC	ATCCCTCTCT	TTCTGCCACA	ATGTAGAGAA	TGCAATGCTT	GTCGCAACCC	420
	AGATGGCAAC	CTTTGCATTA	GGAGCGATAT	TACTGGTCGT	GGAGTACTGG	CTGATGGCAC	480
80	CACCAGATT	ACATGCAAGG	GCAAAACAGT	ACACCCTTC	ATGAACACCA	GTACATTTAC	540
	CGAGTACACA	GTGGTGGATG	AATCTTCTGT	TGCTAAGATT	GATGATGCAG	CTCCTCCTGA	600
	GAAAGTCTGT	TTAATGGCT	GTGGGTTTTC	CACTGGATAT	GCGCTGCTG	TTAAAACCTGG	660
	CAAGGTCAAA	CCTGGTTCCA	CTTGGCGCTG	GGAGGAGTTG	GCCTGTCACT	GCCTGTCACT	720
	CATCATGGGC	TGTAAGTCAG	CTGGTGTCAT	TAGGATCATT	GGGATTGACC	TCAACAAAGA	780
	CAAATTTGAG	AAGGCCATGG	CTGTAGGTGC	CACTGAGTGT	ATCAGTCCCA	AGGACTCTAC	840
85	CAAACCCATC	AGTGAGGTGC	TGTCAGAAAT	GACAGGCAAC	AACGTGGGAT	ACACCTTTGA	900
	AGTTATTGGG	CATCTTGAAA	CCATGATTGA	TGCCCTGGCA	TCCTGCCACA	TGAACTATGG	960
	GACCAGCGTG	GTTGTAGGAG	TTCCTCCATC	AGCCAAGATG	CTCACCTATG	ACCCGATGTT	1020

GCTCTTCACT GGACGCACAT GGAAGGGATG TGTCTTTGGA GGTTTGAAAA GCAGAGATGA 1080
 TGTCCCAAAA CTAGTGACTG AGTTCCTGGC AAAGAAATTT GACCTGGACC AGTTGATAAC 1140
 TCATGTTTTA CCATTTAAAA AAATCAGTGA AGGATTTGAG CTGCTCAATT CAGGACAAAAG 1200
 CATTGGAACG GTCCGACGCT TTTGAGATCC AAAGTGGCAG GAGGTCTGTG TTGTCATGGT 1260
 5 GAACTGGAGT TTCTCTGTG AGAGTCCCT CATCTGAAAT CATGTATCTG TCTCAAAAAT 1320
 ACAAGCATAA GTAGAAGATT TGTGAAAGAC ATAGAACCCT TATAAAGAAT TATTAACCTT 1380
 TATAAACATT TAAAGTCTTG TGAGCACCTG GGAATTAGTA TAATAACAAT GTTAATATT 1440
 TTGATTTACA TTTTGAAGG CTATAATGT ATCTTTAAG AAAACATACA CTGGGATTTC 1500
 TATGTTGAAA TGGAGATTTT TAAGAGTTTT AACCGACTGC TGCAGATATA TAACCTAAAA 1560
 10 CAGATATAGC GTATAAAGAT ATAGTAAATG CATCTCCAG AGTAATATTC ACTTAACACA 1620
 TTGAACTAT TATTTTTAG ATTTGAATAT AAATGFATT TTTAAACACT TGTATAGAT 1680
 TAACCTGGAT TACATTTGA AATCAGTTCA TTCCATGATG CATATTACTG GATTAGATTA 1740
 AGAAAGACAG AAAAGATTAA GGGACGGGCA CATTFTTCAA CGATTAAGAA TCATCATTAC 1800
 15 ATAACTTGGT GAAACTGAAA AAGTATATCA TATGGGTACA CAAGGCTATT TGCCAGCATA 1860
 TATTAATATT TTAGAAAATA TTCCTTTTGT AATACTGAAT ATAAACATAG AGCTAGAGTC 1920
 ATATTATCAT ACTTATCATA ATGTTCAATT TGATACAGTA GAATTGCAAG TCCTAAGTC 1980
 CCTATTCACT GTGCTTAGTA GTGACTCCAT TTAATAAAAA GTGTTTTTAG TTTTAAACAA 2040
 CTAACCCG

Seq ID NO: 101 Protein sequence:
 Protein Accession #: NP_000664

1 11 21 31 41 51
 | | | | | |
 25 MGTAGKVIK KA AVLWEQKQ PFSIEIEIVA PPKTKEVRIK ILATGICRTD DHVIKGMVVS 60
 KFPVIVGHEA TGIVESIGEG VTTVKPGDKV IFLFLPQCRE CNACRNPDGN LCIRSDITGR 120
 GVLADGTRF TCKGKPVHFF MNTSTFTEYT VVDESSVAKI DDAAPPEKVC LIGCGFSTGY 180
 GAAVKTKVKV PGSTCVVFLG GVGGLSVIMG CKSAGASRII GIDLNKDKFE KAMAVGATEC 240
 30 ISPKDSTKPI SEVLSEMTGN NVGYTFPEVIG HLETMIDALA SCHMNYGTSV VVGVPVPSAKM 300
 LTYDPMLETF GRTWKGCVFG GLKSRDVPK LVTEFLAKKF DLDQLITHVL PFKKISEGFE 360
 LLNSGQSIRT VLTP

Seq ID NO: 102 DNA sequence
 Nucleic Acid Accession #: NM_006783.1
 Coding sequence: 1..786

1 11 21 31 41 51
 | | | | | |
 40 ATGGATTGGG GSACGCTGCA CACTTTCATC GGGGGTGTCA ACAAACACTC CACCAGCATC 60
 GGAAGGTGT GGATCACAGT CATCTTTATT TTCGGAGTCA TGATCCTAGT GGTGGCTGCC 120
 CAGGAAGTGT GGGGTGACGA GCAAGAGGAC TTCGTCTGCA ACACACTGCA ACCGGGATGC 180
 AAAAAATGTT GCTATGACCA CTTTTTCCCG GTGTCCACA TCCGGCTGTG GGCCTCCAG 240
 CTGATCTTGG TCTCCACCCC AGCGCTGCTG GTGGCCATGC ATGTGGCCTA CTACAGGCAC 300
 45 GAAACCACTC GCAAGTTTCA GCGAGGAGAG AAGAGGAATG ATTTCAAAGA CATAGAGGAC 360
 ATTA AAAAGC ACAAGTTCG GATAGAGGGG TCGCTGTGGT GGACGTACAC CAGCAGCATC 420
 TTTTCCGAA TCATCTTTGA AGCAGCCTTT ATGTATGTGT TTTACTTCTT TTACAATGGG 480
 TACCACCTGC CCTGGGTGTT GAAATGTGGG ATTGACCCCT GCCCCAACCT TGTGTACTGC 540
 TTTATTTCTA GGCCACACGA GAAGACCGTG TTTACCATTT TTATGATTTT TCGGTCTGTG 600
 50 ATTTGCATGC TGCTTAACGT GGCAGAGTTG TGCTACCTGC TGCTGAAAGT GTGTTTTAGG 660
 AGATCAAAGA GAGCACACAG GCAAAAAAAT CACCCCAATC ATGCCCTAAA GGAGAGTAAG 720
 CAGAATGAAA TGAATGAGCT GATTTCCAGAT AGTGGTCAAA ATGCAATCAC AGGTTTCCCA 780
 AGCTAA

Seq ID NO: 103 Protein sequence:
 Protein Accession #: NP_006774.1

1 11 21 31 41 51
 | | | | | |
 60 MDWGLHTFI GGVNKHSTSI GKVWITVIFI FRVMILVVAA QEVWGDEQED FVCNTLQPGC 60
 KNVCYDHFEP VSHIRLWALQ LIFVSTPALL VAMHVAYYRH ETTRKFRRGE KRNDFKDIED 120
 IKKHKVRIEG SLWWTYTSI FFRIIFEAAF MYVVFYLYNG YHLPWLKCG IDPCPNLVDC 180
 FISRPTEKTV FTIFMISASV ICMLLNVAEL CYLLLVKCFR RSKRAQTQKN HPNHALKESK 240
 QNEMNELISD SQQNAITGFP S

Seq ID NO: 104 DNA sequence
 Nucleic Acid Accession #: NM_020411
 Coding sequence: 86-526

1 11 21 31 41 51
 | | | | | |
 70 GGACCTGGGA AGGAGCATAG GACAGGGCAA GGCGGGATAA GGAGGGGCAC CACAGCCCTT 60
 AAGGCACGAG GGAACCTCAC TGCGCATGCT CCTTTGGTGC CCACCTCAGT GCGCATGTTT 120
 ACTGGGCGTC TTCCCATCGG CCCCTTCGCC AGTGTGGGGA ACGGGGCGGA GCTGTGAGCC 180
 75 GCGGACTCGG GTCCCTGAGG TCTGGATTCT TTCTCCGCTA CTGAGACACG CCGGACACAC 240
 ACAACACACG AACACACAG CCAAGTCCAG GAGCCAGTA ATGGAGAGCC CCAAAAAGAA 300
 GAACACGACG CTGAAAGTCG GGATCCTACA CCTGGGCAGC AGACAGAAGA AGATCAGGAT 360
 ACAGCTGAGA TCCAGTTCGG CGACATGGAA GGTGATCTGC AAGAGCTGCA TCAGTCAAAC 420
 ACCGGGGATA AATCTGGATT TGGGTTCCGG CGTCAAGGTG AAGATAATAC CTAAGAGGGA 480
 80 ACACTGTAAA ATGCCAGAAG CAGGTGAAGA GCAACCAAA GTTTAAATGA AGACAGCTG 540
 AAACAACGCA AGCTGGTTTT ATATTAGATA TTTGACTTAA ACTATCTCAA TAAAGTTTTG 600
 CAGCTTTCAC CAAAAA AAAA

Seq ID NO: 105 Protein sequence:
 Protein Accession #: NP_065144.1

1 11 21 31 41 51

MLLWCPPQCA CSLGVFPPSAP SPVWGTTRRSC EPATRVPEVW ILSPLLRHGG HTQTQNHSTAS 60
 PRSPVMESEPK KKNQQLKVG I LHLGSRQKKI RIQLRSQCAT WKVICKSCIS QTPGINLIDLG 120
 SGVKVKIIPK EERCKMPEAG BEQPQV

Seq ID NO: 106 DNA sequence
 Nucleic Acid Accession #: J04129
 Coding sequence: 99-587

1 11 21 31 41 51
 CATCCCTCTG GCTCCAGAGC TCAGAGCCAC CCACAGCCGC AGCCATGCTG TGCCTCCTGC 60
 TCACCCCTGGG CGTGGCCCTG GTCTGTGGTG TCCCGCCAT GGACATCCCC CAGACCAAGC 120
 AGGACCTGGA GCTCCCAAAG TTGGCAGGGA CCTGGCACTC CATGGCCATG GCGACCAACA 180
 ACATCTCCCT CATGGCGACA CTGAAGGCCCT CTCTGAGGGT CCACATCACC TCACCTGTTC 240
 CCACCCCCGA GGACAACCTG GAGATCGTTC TGACACAGATG GGAGAACAAC AGCTGTGTTC 300
 AGAAGAAGGT CCTTGGAGAG AAGACTGGGA ATCCAAAGAA GTTCAAGATC AACTATAACGG 360
 TGGCGAACGA GGCCAACGCTG CTCGATACTG ACTACGACAA TTTCTGTTC CTCTGCCTAC 420
 AGGACACCAC CACCCCATC CAGAGCATGA TGTGCCAGTA CCTGGCCAGA GTCCTGGTGG 480
 AGGACGATGA GATCATGACG GGATTCATCA GGGCTTTCAG GCCCTGCCC AGGCACCTAT 540
 GGTACTTGCT GGACTTGAAA CAGATGGAAG AGCCGTGCCG TTTCTAGTTC ACCTCCGCTT 600
 CCAGGAAGAC CAGACTCCCA CCTTCCACA CCTCCAGAGC AGTGGGACTT CCTCCTGCCC 660
 TTTCAAAGAA TAACCAACAG TCAGAAGACG ATGACGTGTT CATCTGTGTC GCCATCCCCT 720
 TCCTGCTGCA CACCTGCACC ATTGCCATGG GGAGGCTGCT CCCTGGGGGC AGAGTCTCTG 780
 GCAGAGGTTA TTAATAAAC CTTGGAGCAT G

Seq ID NO: 107 Protein sequence:
 Protein Accession #: AAA60147

1 11 21 31 41 51
 MDIPQTKQDL ELPKLAGTWH SMAMATNNIS LMATLKAPLR VHITSLLEPT EDNLEIVLHR 60
 WENNSCVKEK VLGEKTNPK KFKINYTVAN EATLLDLDYD NFLFLCLQDT TTFIQSMMQ 120
 YLARVLVEDD EIMQGFIRAF RPLPRHLWYL LDLKQMEBPC RF

Seq ID NO: 108 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 48-794

1 11 21 31 41 51
 TCCAGGCAG CAGTAGCCC GCCGCCGCC TGTGTGTCCC CAGAGCCATG GAGAGAGCCA 60
 GTCGATCCA GAAGGCCAAG CTGGCAGAGC AGGCCGAACG CTATGAGGAC ATGGCAGCCT 120
 TCATGAAGG CGCCGTGGAG AAGGCCGAGG AGCTCTCCTG CGAAGAGCGA AACCTGCTCT 180
 CAGTAGCCTA TAAGAACGTG GTGGGCGGCC AGAGGGCTGC CTGGAGGGTG CTGTCCAGTA 240
 TTGAGCAGAA AAGCAACGAG GAGGGCTCGG AGGAGAAGGG GCCCGAGGTG CGTGAGTACC 300
 GCGAGAAGGT GGAGACTGAG CTCAGGGCCG TGTGCGACAC CGTGTGGGC CTGCTGGACA 360
 GCCACCTCAT CAAGGAGGCC GGGGACGCCG AGAGCCGGGT CTTCTACTG AAGATGAAG 420
 GTGACTACTA CCGCTACCTG GCCGAGGTGG CCACCGTGA CGACAAGAA CGCATATTG 480
 ACTCAGCCCG GTCAGCCTAC CAGGAGGCCA TGGACATCAG CAAGAAGGAG ATGCCGCCCA 540
 CCAACCCCAT CCGCTGGGC CTGGCCCTGA ACTTTTCCGT CTTCCACTAC GAGATCGCCA 600
 ACAGCCCCGA GGAGGCCATC TCTCTGGCCA AGACCACTTT CGACGAGGCC ATGGCTGATC 660
 TGACACCCCT CAGCGAGGAC TCCTACAAGG ACAGCACCTT CATCATGCAG CTGCTGCGAG 720
 ACAACCTGAC ACTGTGGACG CGCGACAACG CCGGGGAAGA GGGGGGCGAG GCTCCCAGG 780
 AGCCCCAGAG CTGAGTGTTC CCCGCCACCG CCCCGCCCTG CCCCTCCAG TCCCCACCC 840
 TGCCGAGAG ACTAGTATGG GGTGGGAGGC CCCACCTTC TCCCTAGGC GCTGTTCTTG 900
 CTCCAAAGGG CTCCTGTGAG AGGACTGGC AGAGCTGAGG CCACCTGGGG CTGGGGATCC 960
 CACTCTTCTT GCAGCTGTTG AGCGCACCTA ACCACTGGTC ATGCCCCAC CCCTGCTCTC 1020
 CGCACCCGCT TCCTCCGAC CCCAGGACCA GGCTACTTCT CCCCTCTCT TGCTCCCTC 1080
 CTGCCCTGC TGCCTCTGAT CGTAGGAATT GAGGAGTGTG CCGCTTGTG GCTGAGAACT 1140
 GGACAGTGGC AGGGCTGGA GATGGGTGTG TGTGTGTGTG TGTGTGTGTG TGTGTGTGTG 1200
 CGCGCGGCC AGTGCAAGAC CGAGATTGAG GGAAAGCATG TCTGCTGGGT GTGACCATGT 1260
 TTCTCTCAA TAAAGTTCCC CTGTGACACT C

Seq ID NO: 109 Protein sequence:
 Protein Accession #: NP_006133.1

1 11 21 31 41 51
 MERASLIQKA KLAEQAERYE DMAAFMRGAV ERGEELSCEE RNLLSVAYKN VVGGQRAAWR 60
 VLSSIEQKSN EBGSEKQPE VREYREKQVE ELQVCDTVL GLDLSHLIKE AGDAESRVFY 120
 LKMKGDYYRY LAEVATGDDK KRIIDSARSA YQEAMDISK EMPPTNPIRL GLALNFSVPH 180
 YEIANSEPEEA ISLAKTTFDE AMADLHTLSE DSYKIDSTLIM QLLRDNLTLW TADNAGEEGG 240
 EAPQEPQS

Seq ID NO: 110 DNA sequence
 Nucleic Acid Accession #: NM_000695
 Coding sequence: 407-1564

1 11 21 31 41 51
 CACGAGTTGG TTTGGGAGCT GCCAGTCTCC TGGGAGGATC GCAGTCAGCA GAGCAGGGCT 60
 GAGGCCTGGG GGTAGGAGCA GAGCCTGCGC ATCTGGAGGC AGCATGTCCA AGAAAGGGAG 120
 TGGAGGTGCA GCGAAGGACC CAGGGGCAGA GCCACGCTG GGGATGGACC CCTTCGAGGA 180
 CACACTGCGG CCGTGCCTG AGGCCTTCAA CTGAGGGCCG ACGCGGCCG CCGAGTTCCG 240
 GGCTGCGCAG CTCAGGGCC TGGGCCACTT CCTTCAAGAA AACAGCAGC TTCTGCGCGA 300

5
10
15
20
25
30
35
40

```

CGTGTGGCC CAGGACCTGC ATAAGCCAGC TTTGAGGCA GACATATCTG AGCTCATCTT 360
TTGCCAGAAC GAGGTTGACT ACGCTCTCAA GAACCTTCAG GCCTGGATGA AGGATGAACC 420
ACGGTCCACG AACCTGTGTA TGAAGCTGGA CTGGTCTTC ATCTGGAAGG AACCCCTTGG 480
CCTGGTCTCT ATCATGCGAC CCTGGAACCTA CCATTGAAAC CTGACCCCTGG TGCTCCTGGT 540
GGGCACCCCTC CCCGAGGGA ATTGCGTGGT GCTGAAGCCG TCAGAAATCA GCCAGGGCAC 600
AGAGAAGCTG CTGGCTGAGG TGCTGCCCA GTACCTGGAC CAGAGCTGCT TTGCCGTGGT 660
GCTGGGGCGA CCCCAGGAGA CAGGGCAGCT GCTAGAGCAC AAGTTGGACT ACATCTTCTT 720
CACAGGGAGC CCTCGTGTGG GCAAGATTGT CATGACTGCT GCCACCAAGC ACCTGACGCC 780
TGTCACCCCTG GAGCTGGGGG GCAAGAACC CTGCTACGTG GACGACAACT GCGACCCCA 840
GACCGTGGCC AACCGCGTGG CCTGGTCTG CTACTTCAAT GCGGGCCAGA CCTGCGTGGC 900
CCCTGACTAC GTCTGTGCA GCCCOGAGAT GCAGGAGAGG CTGTGCCCG CCCTGCAGAG 960
CACCATCACC CGTTTCTATG GCGAAGACCC CCAGAGCTCC CCAAACCTGG GCGCATCAT 1020
CAACCAGAAA CAGTTCACAGC GGCTGCGGGC ATTGCTGGGC TCGGGCCGGC TGCCCATTTG 1080
GGGCCAGAGC AACGAGAGCG ATCGCTACAT GCGCCCCAGC GTGCTGGTGG ACGTGCAGGA 1140
GACGAGCCT GTGATGCAGG AGGAGATCTT CCGGCCATC CTGCCCATCG TGAACGTGCA 1200
GAGCGTGGAC GAGGCCATCA AGTTCATCAA CCGGCAGGAG AAGCCCTGG CCCTGTACGC 1260
CTTCTCCAAC AGCAGACAGG TTGTGAACCA GATGCTGGAG CGGACCAGCA GCGGCAGCTT 1320
TGGAGGCAAT GAGGGCTTCA CCTACATATC TCTGCTGTCC GTGCCATCG GGGAGTCCG 1380
CCACAGTGGG ATGGCCGGT ACCACGGCAA GTTCACTTC GACACCTTCT CCCACCACCG 1440
CACCTGCTCG CTCGCCCTC CCGGCTGGA GAAATTAAG GAGATCCGCT ACCCACCTA 1500
TACCGACTGG AACACGAGC TGTTACGCTG GGGCATGGG TCCAGAGCT GCACCTCCT 1560
GTGAGCGTCC CACCGCCTC CAACGGGTCA CACAGAGAAA CCTGAGTCTA GCCATGAGGG 1620
GCTTATGCTC CCAACTCACA TTGTTCTCC AGACCGCAG CTCCCCAGC CTCAGTTC 1680
TGGAGCTGTC ACATGACTGC ATCTGCTCG CAGGGCTGC AAAGCAAGGT CTGTCTTCTA 1740
TCTGGGGGAC GCTGCTCGAG AGAGCCGAG AGGCCGAGA ACATGCCAGG TGTCCTCACT 1800
CACCCACCC TCCCAAATC CAGCCCTTG CCTCTCGGT CAGGGTTGGC CAGGCCAGT 1860
CACAGGGGCA GTGTACCCCT GGAATAACA GTGCCCTGCC TCTTAGGGG CATCAGCCCT 1920
GAACGTTGA GAGCGTGGG CCCTCCAGG CTTGCTCTC CCTCTAGGC ACACGCGCAC 1980
TTCCACCTCT GCCCATCCC AACTGCACCA GCACTGCCT CCCCAGGGAT CCTCTCACAT 2040
CCACACTGG TCTCTGACC ACCCTCTGG TTCACCCGC ACCCTGCACT CACCCACAGC 2100
AGCTCCATCC ACTGGGAAA CTGGGGTTG CATCACTCCA CTGCACAGT TTAGTGGGAC 2160
CTGGGGCAA GTCCCTGAC TTCTCTGAG CTGAGTTCC TTATGTGAAA GTTGTGGAA 2220
CCAAAATGGA GTCACTATG CCAAACTTA ATAAAATGGA GTCCGGGGG CATATAGAAG 2280
CCCTCACACA CACATGCCCG TAACAGGATT TATCACAAG ACACGCTGC ATGTAAGACC 2340
AGACACAGG CGTATGAAA AGCACGCTCT CAAAGACTGT AGTATTCCAG ATGAGCTGCA 2400
GATGCTTACC TTACCCAGCC GTCTCCACCA GAAAAACATC GCCAATCCT GCGATCAGT 2460
TGTGACTTAC AAACCTTGT TAAAGCTGC TTACATGGAC TTCTGTCTT TAAACGTTT 2520
CCCTTGGCTG TGGCCCTCG TGATGCTCG GGATCCTTCC AAGCACTCAT AGCCAGATA 2580
GGAATCCTCT GCTCCTCCA AATAAATCA TCTGTTT
    
```

Seq ID NO: 111 Protein sequence:
Protein Accession #: NP_000686

45
50
55

```

1 11 21 31 41 51
MKDEPRSTNL FMKLDSVFIW KEPFGLVLI I APWNYPLNLT LVLLVGLTLP A GNCVVLKPS E 60
ISQGTAKVLA EVLPLQYLDQS CFAVVLGGPQ ETGQLLEHLK DYIIFFTGSPR VGRIVMTAAT 120
KHLTPVLEL GGNKPCYVDD NCDPQTVANR VAWFCYFNAG QTCVAPDYVL CSPEMQERLL 180
PALQSTITRF YGDDPQSSFN LGRILNQKQF QRLRALLGCG RVAIGGQSNB SDRYIAPTVL 240
VDVQETEPVM QEIEFPGPIL IVNVQSVDEA IKFINRQKEP LALYAFNSR QVNVQMLERT 300
SSGSFGNEG FTYISLLEVP FGGVHSGMG RYHGKFTPDT FSHHRTCLA PSGLEKLKEI 360
RYPFYTDWNQ QLLRWGMGSQ SCTLL
    
```

Seq ID NO: 112 DNA sequence
Nucleic Acid Accession #: NM_004456
Coding sequence: 58-2298

60
65
70
75
80
85

```

1 11 21 31 41 51
GAATTCGGGG CGACGCGCGG GAACAACGG AGTCGGCGCG CGGGACGAAG AATAATCATG 60
GGCCAGACTG GGAAGAAATC TGAGAAGGGA CCAGTTTGTG GGCGGAAGCG TGTAATATCA 120
GAGTACATCG GACTGAGACA GCTCAAGAGG TTCAGACGAG CTGATGAAGT AAAGAGTATG 180
TTTAGTTCCA ATCTGCGAAA AATTTTGAAA AGAACGGAAA TCTTAAACCA AGAATGGAAA 240
CAGCGAAGGA TACAGCCTGT GCACATCCTG ACTTCTGTGA GCTCATTTGG CGGACTAGG 300
GAGTGTTCGG TGACAGTGA CTTGGATTTT CCAACACAAG TCATCCCATT AAAGACTCTG 360
AATGCAGTTG CTTGATACC CATAATGTAT TCTTGGTCTC CCCTACAGCA GAATTTTATG 420
GTGGAAGATG AAAGTGTTTT ACATAACATT CCTTATATGG GAGATGAAGT TTAGATCAG 480
GATGGTACTT TCATTAAGA ACTAATAAAA AATTATGATG GGAAGTACA CGGGATAGA 540
GAATGTGGGT TTATAAATGA TGAATTTTGT GTGGAGTTGG TGAATGCCCT TGGTCAATAT 600
AATGATGATG ACGATGATGA TGATGGAGAC GATCCTGAAG AAAGAGAAGA AAAGCAGAAA 660
GATCTGGAGG ATCACCGAGA TGATAAAGAA AGCCGCCAC CTCCGAAATT TCCTTCTGAT 720
AAAAATTTGG AGGCCATTTT CCAATGTTT CCAGATAAGG GCACAGCAGA AGAACTAAG 780
GAAAAATATA AGAACTCAC CGAACAGCAG CTCCAGGGC CACTTCTTCC TGAATGTACC 840
CCCAACATAG ATGGACCAA TGCTAAATCT GTTCAGAGAG AGCAAAGCTT ACCTCTTCTT 900
CATACGCTTT TCTGTAGGCG ATGTTTTAAA TATGACTGCT TCCTACATCC TTTTCTATGCA 960
ACACCCAACT CTTATAGCG GAAGAACACA GAAACAGCTC TAGACAACAA ACCTTGTGGA 1020
CCACAGTGT ACCAGCATTT GAGGGAGCA AAGGAGTTG CTGCTGCTCT CACCGCTGAG 1080
CGGATAAAGA CCCCACAAA ACGTCCAGGA GGCGCAGAA GAGGACGGCT TCCCAATAAC 1140
AGTAGCAGG CACGACCCCC CACCATTAAAT GTGCTGGAAT CAAAGGATAC AGACAGTGAT 1200
AGGAAGCAG GCACTGAAC TGAAGCAAA TCTCGGTGTC AAACACCAAT AAAGATGAAG 1260
GATGAAACTT CGAGCTCTCT TGAAGCAAA TCTCGGTGTC AAACACCAAT AAAGATGAAG 1320
CCAAATATTG AACCTCTGTA GAATGTGGAG TGGAGTGGT CTGAAGCCTC AATGTTTAGA 1380
GTCCTCATTG GCACTTACTA TGACAAATTC TGTGCCATTG CTAGGTTAAT TGGGACCAA 1440
ACATGTAGAC AGGTGTATGA GTTTAGAGTC AAAGAATCTA GCATCATAGC TCCAGCTCCC 1500
GCTGAGGATG TGATACTCC TCCAAGGAAA AAGAAGAGGA AACCCGGTT GTGGCTGCA 1560
CACTGCAGAA AGATACAGCT GAAAAGGAC GGCTCCTCTA ACCATGTTTA CAACTATCAA 1620
    
```


CCCTGTGATC ATCCACGGCA GCCTTGTGAC AGTTCGTGCC CTTGTGTGAT AGCACAAAAT 1680
 TTTTGTGAAA AGTTTTGTCA ATGTAGTICA GAGTGTCAA ACCGCTTTCC GGGATGCCGC 1740
 TGCAAAGCAC AGTGCAACAC CAAGCAGTGC CCGTGTACC TGGCTGTCCG AGAGTGTGAC 1800
 CCTGACCTCT GTCCTACTTG TTGAGCCGCT GACCATTGGG ACAGTAAAAA TGTGTCTGTC 1860
 AAGAACTGCA GTATTCAGCG GGGCTCCAAA AAGCATCTAT TGCTGGCACC ATCTGACGTG 1920
 GCAGGCTGGG GGATTTTTAT CAAGAATCCT GTGCAGAAAA ATGAATTCAT CTCAGAATAC 1980
 TGTGGAGAGA TTATTTCTCA AGATGAAGCT GACAGAAGAG GGAAGTGTGA TGATAAATAC 2040
 ATGTGCAGCT TTCTGTTCAA CTTGAACAAT GATTTTGTGG TGGATGCAAC CCGCAAGGGT 2100
 AACAAAATTC GTTTTGCAAA TCATTCGGTA AATCCAAACT GCTATGCAAA AGTTATGATG 2160
 GTTAAACGGTG ATCACAGGAT AGGTATTTTT GCCAAGAGAG CCATCCAGAC TGGCGAAGAG 2220
 CTGTTTGTGG ATTACAGATA CAGCCAGGCT GATGCCCTGA AGTATGTCCG CATCGAAAAG 2280
 GAAATGGAAA TCCCTTGACA TCTGCTACCT CCTCCCCCTC CTCTGAAACA GCTGCCTTAG 2340
 CTTACGGAAC CTCGAGTACT GTGGGCAATT TAGAAAAAGA ACATGCAGTT TGAAATTCGT 2400
 AATTGCAAAA GTACTGTAAG AATAAATTTAT AGTAATGAGT TTAATAATCA ACTTTTTATT 2460
 GCCTTCTCAC CAGCTGCAAA GTGTTTGTGA CCAGTGAATT TTTGCAATAA TGCAGTATGG 2520
 TACATTTTTC AACTTTGAAT AAAGAATACT TGAACCTGAA AAAAAAAA AAAAAA

Seq ID NO: 113 Protein sequence:
 Protein Accession #: NP_004447

1 11 21 31 41 51
 MGQTGKKSEK GPVCRWRKRVK SEYMRLRQLK RFRRADEVKS MFSSNRQKIL ERTEILNQEW 60
 KQRRIQPVHI LTSVSSLRGT RECSVTSDDL FPTQVIPLKT LNAVASVPIM YWSPLQONF 120
 MVEDETVLHN IPYMGDEVLD QDGTPIEELI KNYDGKVHGD RECGFINDEI FVELVNALGQ 180
 YNDDDDDDDDG DDPPEEREKQ KLEEDHRDDK ESRPPRKFPS DKILEALISSM FPDKGTAEBEL 240
 KEKYKELTEQ QLPALPPEC TPNIDGPNK SVQREQSLHS FHTLFCRRCF KYDCFLHFFH 300
 ATPNTYKRRN TETALDNKPC GPQCYQHLEG AKEFAALTA ERIKTPPKRP GRRRRGRLPN 360
 NSSRPSTPTI NVLESKDTDS DREAGTETGG ENNDKEEBEK KDETSSSSEA NSRCQTPFKM 420
 KPNIEFPENV EWSGAEASMF RVLIGTYDYN FCAIARLIGT KTCRQVYEFV VKESSIIAPA 480
 PAEDVDTPPR KKKRKHRLWA AHCRIQLKK DGSSNHVYNY QPCDHPRPC DSSCPVIAQ 540
 NFCEKFCQCS SECQNRFPFC RCKAQCNTKQ CPCYLAVREC DPDLCLTCGA ADHWDSKNVS 600
 CKNCSIQRGS KKHLLLPSPD VAGWGIPIKD PVQKNEFISE YCGEILSQDE ADRRGKVYDK 660
 YMCSFLFNLN NDFVVDATRK GNKIRFANHS VNPNCYAKVM MVNGDHRIGI FAKRAIQTGE 720
 ELFVDYRYSQ ADALKYVIGIE REMEIP

Seq ID NO: 114 DNA sequence
 Nucleic Acid Accession #: NM_001827
 Coding sequence: 96-335

1 11 21 31 41 51
 AGTCTCCGGC GAGTGTGTGC CTGGGCTGGA CGTGGTTTTG TCTGCTGCGC CCGCTCTTCG 60
 CGCTCTCGTT TCATTTTCTG CAGCGCGCCA CGAGGATGGC CCACAAGCAG ATCTACTACT 120
 CGGACAAGTA CTTGCGAGAA CACTACGAGT ACCGGCATGT TATGTTACCC AGAGAACTTT 180
 CCAACAAGT ACCTAAAACT CATCTGATGT CTGAAGAGGA TGGAGGAGA CTTGGTGTCC 240
 AACAGAGTCT AGGCTGGGTT CATTACATGA TTCATGAGCC AGAACCACAT ATTCTTCTCT 300
 TTAGAGCACC TCTTCCAAAA GATCAACAAA AATGAAGTTT ATCTGGGGAT CGTCAAATCT 360
 TTTTCAAATT TAATGTATAT GTGTATATAA GGTAGTATTC AGTGAATACT TGAGAAATGT 420
 ACAAACTCTT CATCCATACC TGTGCATGAG CTGTATTCTT CACAGCAACA GAGCTCAGTT 480
 AAATGCAACT GCAAGTAGGT TACTGTAAAG TGTTTAAGAT AAAAGTCTT CCAGTCAGTT 540
 TTTCTCTTAA GTTGCCTGTT GAGTTTACTG AAACAGTTTA CTTTGTGTCA ATAAAGTTTG 600
 TATGTTGCAT TAAAAAAA AAAAAA

Seq ID NO: 115 Protein sequence:
 Protein Accession #: NP_001818

1 11 21 31 41 51
 MAHKQIYYSY KYFDEHYEYR HVMLPRELSK QVPKTHLMSE EEWRRLLGVQQ SLGWVHYMIH 60
 EPEPHILLPR RPLPKDQQK

Seq ID NO: 116 DNA sequence
 Nucleic Acid Accession #: CAT cluster

1 11 21 31 41 51
 TCAGACCTCA TGAGTCACTT GGACTCTTGA GCCACCTCTG GGGGTGGAGT CTCTCTCCTG 60
 GCATCTGGAC CCTTGGTGCT ATCGACGAAG CTTGGGTGGG GCTCTTAGCT GCTATGTGCA 120
 AGAGGTGTGT TCCAGGGAAA GCCCCTATCT CTCTGCAGAG GTCAAGTGAA AGCGACGGCC 180
 GCAGCCAACA GAGTTCAAA TGCAAGCTTG GAAAGTACAG GGGGCTCTGT GGAGGATGGG 240
 AAGGACTGAT CCACATTCCC ACCAGGAAGT TTAGCAGAAC CCCCAGGTGC CAACTGGACC 300
 CCTTGGAAGG ACCTGGCTCA GGCTGGACCA CCTCTTGAGA GGGAGGAGCT CTGGATTTGA 360
 TCAGAAATTC TTTGCTGAGC ATGGTGCCTC ATGCCTATAA TACCAACACT TTGGGAGGCC 420
 AGTGTGGGAG GATCTCTTGA GCCCAGGAGT TCAAGACTAG CCTGGGCAAC ACAGAGAGAA 480
 CCCATCTCTA AAATAATAAT AATAATAAAA TAAAAAATA GCAGGGCATG GTGGCATGTG 540
 CCTGTAGTTC CAGCTACCCA GAGGCTGAG GCAAGAGGAT GGCTGGAGCC TGGGATGTTG 600
 AGGCTGCAAT GAAGTGTGAT TACCCCACTG CACTCCAGCC TGGGCAAAAG AGCGAGAGAA 660
 CCTGTCTCAA ATAATAATAA TAATAATAAT CTTATTTTGG AGAATAAAGA GACCTCTGGA 720
 TTTGAGGTGC CATTGGGTA GAAAGAAAAG ACGTTTACAC CGAGAAAATAG TCTGTGTTGC 780
 CCTGAAGGAG CAGAGGGATG CATCGCTGGA GGTGACCTAC AGTTGAAGAA GACTCATTAT 840
 GACAGACCTT GTCCTTCTCT CTTGTGGAAA GTGTTTCTCT TGCTGCTACT GCTCATGAGA 900
 CTCTTCCCCC TCCCTGTCCC AGGGAACCAA AGGGCTTTCT ACCACACCTT TTCTTCCCCC 960
 CCGCTCCCA TGTCTGCTGT GCCTTTGTAC TCAGCAATTC TGTGTTGCTC CATTATCTTC 1020
 CAGCCGGATA CAGAGTGAAT AGTTAACCCAC ACTTAGGTCA AATAGGATCT AAATTTTGTG 1080
 TCCTGCTCCG TGTAAGAGAG CCAGTGTTT TGTGTTGCAA GCAGCCTTGG AATAGTAAC 1140

5
10
15

```

CTTCTCATT  GTTTGGGATC  TGGCCACCAA  GTTCCAGAAT  GATACACGGA  TCAGTGCAGA  1200
AGTTCATCAG  GCTCTCGGAC  CTTAGGGCTG  TTGGAGAAGG  CTTCAGCAGC  AGAACTGATG  1260
GTGAAGGCTC  GTGTTCTCCA  TCCTCAACTT  TCITTGCTTC  GATCATACAC  AAGAATACAT  1320
TTGGAAGGGC  AAAAAATGAA  CACTGTGCTT  CATTGCAGCC  GTGTTTTGTG  ACACAGATGC  1380
ACAGTCTGCT  GTGAAGACCT  TCTCTCAAGT  GGCAATTGGG  AGTCCATGCC  AGATCATGTT  1440
GCTTCATGAG  AGACTGCAGC  CTATCAGGGG  TTGTGGCACT  TAGTGAGGAC  TCTCCTCCCC  1500
CAGTGTGTGC  TGATGACACA  TACACACCTG  ACAATAGCTT  GAGTCTTCTC  TGTTCCTTTT  1560
ACTCTGTAGC  CAACATACAC  ATGATTTAAA  ACCCTTTCTA  AATATCTATC  ATGGTTTCATC  1620
CTTGTCCAAA  TGCAGAGTCA  GAGCTATTGG  TACTTCATTA  TTATTTCCAA  GCGAATAGT  1680
TGGCTTTCTT  TTTGCCAAAA  TAAITAAAGT  TTTTGTATGT  TGCAAAAAAA  AAAAAAATA  1740
AAACAAAAAA

```

Seq ID NO: 117 DNA sequence
Nucleic Acid Accession #: BC012178.1
Coding sequence: 204-2285

20
25
30
35
40
45
50
55
60

```

1      11      21      31      41      51
|      |      |      |      |      |
CTTCTCCTCC  GCGGCGCTGG  GGCCCGCGCT  CGCTGCTGT  TGCTCCATTC  GGCGCTTTTC  60
TGGCGGCTGG  CTCCTCTCCG  CTGCGGCTG  CTCCTCGACC  AGGCCTCCTT  CTCACCTCA  120
GCCCAGGGCG  CCGACCCCTC  CGGCACCCCT  CCGCCCGTFC  TCGTACTGTC  GCGGTACCG  180
CCGCGGCTCC  GGCCCTGGCC  CCGATGGCTC  TGTGCAACGG  AGACTCCAAG  CTGGAGAAAT  240
CTGGAGGAGA  CCTTAAGGAT  GGCCACCACC  ACTATGAAGG  AGCTGTGTGC  ATCTCGGATG  300
CTGGTGTCTA  GTACGGGAAA  GTCATAGACC  GAAGAGTGAG  GGAAGTGTTC  GTGCAGTCTG  360
AAATTTTCCC  CTTGGAAAAC  CCGACATTGG  CTATAAAGGA  ACAAGGATTC  CGTGCTATTA  420
TCATCTCTGG  AGGACCTAAT  TCTGTGTATG  CTGAAGATGC  TCCCTGGTTC  GATCCAGCAA  480
TATTCACTAT  TGGCAAGCCT  GTTCTTGGAA  TTTGCTATGG  TATGCAGATG  ATGAATAAGG  540
TATTTGGAGG  TACTGTGCAC  AAAAAAAGTG  TCAGAGAAGA  TGGAGTTTTC  AACATTAGTG  600
TGGATAATAC  ATGTTCAATTA  TTCAGGGGCC  TTCAGAAGGA  AGAAGTTGTT  TTGCTTACAG  660
ATGGAGATAG  TGTAGACAAA  GTAGCTGATG  GATTCAGGT  TGTGGCAGCT  TCTGGAACA  720
TAGTAGCAGG  CATAGCAAAT  GAATCTAAAA  AGTTATATGG  AGCACAGTTC  CACCCTGAAG  780
TTGGCCCTAC  AGAAAATGGA  AAGTAATAC  TGAAGAATTT  CCTTTATGAT  ATAGCTGGAT  840
GCAGTGGAAC  CTTACCCGTG  CAGAACAGAG  AACTTGAGTG  TATTCGAGAG  ATCAAAGAGA  900
GAGTAGGCAC  GTCAAAAGTT  TTGGTTTTAC  TCAGTGGTGG  AGTAGACTCA  ACAGTTTGT  960
CAGCTTTGCT  AAATCGTGCT  TTGAACCAAG  AACAAAGTCA  TGCTGTGCAC  ATGATAAATG  1020
GCTTTATGAG  AAAACGAGAA  AGCCAGTCTG  TTGAAGAGGC  CCTCAAAAAG  CTTGGAATTC  1080
AGGTCAAAGT  GATAAATGCT  GCTCATTCTT  TCTACAATGG  AACAAACAAC  CTACCAATAT  1140
CAGATGAAGA  TAGAACCCCA  CGGAAAAGAA  TTAGCAAAAC  GTTAAATATG  ACCACAAGTC  1200
CTGAAGAGAA  AAAAAATGAA  ATTGGGGATA  CTTTGTGTTA  GATTGCCAAT  GAAGTAATTT  1260
GAGAAATGAA  CTTGAAACCA  GAGGAGGTTT  TCCTTGCCCA  AGTACTTTA  GCGCCTGATC  1320
TAATTGAAAG  TGCATCCCTT  GTTGCAGTGA  GCAAAGCTGA  ACTCATCAA  ACCCATACA  1380
ATGACACAGA  GCTCATCAGA  AAGTTGAGAG  AGGAGGGAAA  AGTAATAGAA  CCTCTGAAAG  1440
ATTTTCATA  AGATGAAGTG  AGAATTTTGG  GCAGAGAACT  TGGACTTCCA  GAAGAGTTAG  1500
TTTCCAGGCA  TCCATTTCCA  GGTCTTGGCC  TGGCAATCAG  AGTAATATGT  GCTGAAGAAC  1560
CTTATATTTG  TAAGGACTTT  CCTGAAACCA  ACAATATTTT  GAAAATAGTA  GCTGATTTTT  1620
CTGCAAGTGT  TAAAAGCCCA  CATACCCTAT  TACAGAGAGT  CAAAGCCTGC  ACAACAGAAG  1680
AGGATCAGGA  GAAGCTGATG  CAAATTACCA  GTCTGCATTC  ACTGAATGCC  TTCTTGCTGC  1740
CAATTAACAA  TGTAGGTGTG  CAGGGTGACT  GTCGTTCCTA  CAGTTACGTG  TGTGGAATCT  1800
CCAGTAAAGA  TGAACCTGAC  TGGGAATCAC  TTATTTTCT  GGCTAGGCTT  ATACCTCGCA  1860
TGTGTCAAA  CGTAAACAGA  GTTGTTTATA  TATTTGGCCC  ACCAGTTAAA  GAACCTCCTA  1920
CAGATGTTAC  TCCCACTTTC  TTGACAAACG  GGGTGCTCAG  TACTTTACGC  CAAGCTGATT  1980
TTGAGGCCCA  TAAACTTCTC  AGGGAGTCTG  GGTATGCTGG  GAAAATCAGC  CAGATGCCGG  2040
TGATTTTGAC  ACCATTACAT  TTTGATCGGG  ACCCACTTCA  AAAGCAGCCT  TCATGCCAGA  2100
GATCTGTGGT  TATTCGAACC  TTTATTACTA  GTGACTTCAT  GACTGGTATA  CCTGCAACAC  2160
CTGGCAATGA  GATCCGTTGA  GAGGTGGTAT  TAAAGATGGT  CACTGAGATT  AAGAAGATTC  2220
CTGGTATTT  TCGAATTATG  TATGACTTAA  CATCAAAGCC  CCCAGGAACT  ACTGAGTGGG  2280
AGTAATAAAC  TTCTGTCTCT  ATTAATAA

```

Seq ID NO: 118 Protein sequence:
Protein Accession #: AAH12178.1

65
70
75

```

1      11      21      31      41      51
|      |      |      |      |      |
MALCNGDSDL  ENAGGDLKDG  HHHYEGAVVI  LDAGAQQYK  IDRRVRELFV  QSEIFPLETP  60
AFAIKQGF  AIIISGGPNS  VYADAPWFD  PAIFTIKPV  LGICYGMQMM  NKVFGGTVHK  120
KSVREDFVFN  ISVDNCTSLF  RGLQKEBVL  LTHGDSVDK  ADGFKVVAR  GNVVAGIANE  180
SKKLYGAQPH  PEVGLTENGL  VILKNPLYDI  AGCSGFTVQ  NRELECI  KERVGTSKVL  240
VLLSGGVDST  VCTALLNRL  NQEQVI  DNGFMRKRES  QSVEEALKKL  GIQVKVINAA  300
HSPYNGTTL  PISDEDTRPR  KRISKTLNMT  TSPEERKII  GDTFVKIANE  VIGEMNLKPE  360
EVFLAQTLR  PDLIESASLV  ASGKAELIK  HNDTELIRK  LREEGKVI  LKDFHKDEVR  420
ILGRELGLPE  ELVSRHPPPG  PGLAIRVICA  EEPYICKDF  ETNNILKIVA  DPSASVKKPH  480
TLLQRVKACT  FEEDQEKLMQ  ITSLHSLNAP  LLPKIVGVQ  GDCRSYSV  GISSKDEPDW  540
ESLIFLARLI  PRMCHNVNVR  VYIFGPPVKE  PPTDVTPTFL  TTGVLSTLRQ  ADPEARNILR  600
ESGYACKISQ  MPVILTPLHF  DRDPLQKQPS  CQRSVVIRT  ITSDFMGTG  ATPGNEIPVE  660
VVLKMVTEIK  KIPGISRIMY  DLTSKPPGTT  EWE

```

Seq ID NO: 119 DNA sequence
Nucleic Acid Accession #: NM_006500.1
Coding sequence: 27..1967

80
85

```

1      11      21      31      41      51
|      |      |      |      |      |
ACTTGGTCT  GCCTCCCG  CCAAGCATGG  GGCTTCCCAG  GCTGGTCTGC  GCCTTCTTGC  60
TCGCCCGCT  CTGCTGCTG  CCTCGCTGCT  CGGGTGTGCC  CGGAGAGGCT  GAGCAGCCTG  120
CGCTGAGCT  GGTGGAGGTG  GAAGTGGGCA  GCACAGCCCT  TCTGAAGTGC  GGCCTCTCCC  180
AGTCCCAAG  CAACCTCAG  CATGTGACT  GGTTTCTGT  CCACAAGGAG  AAGCGGACGC  240

```

5
10
15
20
25
30
35
40
45
50
55

TCATCTCCG TGTGGCCAG GGCACGGCC AGAGCGAACC TGGGGAGTAC GAGCAGCGGC 300
TCAGCTCCA GGACAGAGGG GCTACTCTGG CCCTGACTCA AGTCACCCCC CAAGACGAGC 360
GCATCTTCT GTGCCAGGGC AAGCGCCCTC GGTCCCAGGA GTACCGCATC CAGCTCCCGC 420
TCTACAAAGC TCCGGAGGAG CCAAAACATCC AGGTCAACCC CCTGGGCATC CCTGTGAACA 480
GTAAGGAGCC TGAGGAGGTC GTTACCTGTG TAGGGAGGAA CGGGTACCCC ATTCCTCAAG 540
TCATCTGGTA CAAGAATGCG CGGCCTCTGA AGSAGGAGAA GAACCGGTC CACATTCACT 600
CGTCCACAGC TGTGGAGTCG AGTGGTTTGT ACACCTTGCA GAGTATTCTG AAGGCACAGC 660
TGGTTAAAGA AGACAAGATC GCCCAGTTTT ACTGTGAGCT CAACTACCCG CTGCCAGTGG 720
GGAACCCAT GAAGGAGTCC AGGGAAGTCA CCGTCCCTGT TTTCTACCCG ACAGAAAAAG 780
TGTGGCTGGA AGTGGAGCCC GTGGGAATGC TGAAGGAAGG GGACCCGCTG GAAATCAGGT 840
GTTTGGCTGA TGGCAACCTC CCACCACACT TCAGCATCAG CAAGCAGAAC CCCAGCACCA 900
GGGAGGCAGA GGAAGAGACA ACCAACGACA ACGGGTCCCT GGTGCTGGAG CCTGCCCGGA 960
AGGAACACAG TGGGCGCTAT GAATGTCAGG CCTGGAACCTT GGACACCATG ATATCGCTGC 1020
TGAGTGAACC ACAGGAACTA CTGGTGAAC TGTGTCTGTA CGTCCGAGTG AGTCCCGCAG 1080
CCCCTGAGAG ACAGGAAGGC AGCAGCCTCA CCCTGACCTG TGAGGCAGAG AGTAGCCAGG 1140
ACCTCGAGTT CCAGTGGCTG AGAGAAGAGA CAGACCAGGT GCTGGAAGAG GGGCCTGTGC 1200
TTCAGTTGCA TGACCTGAAA CCGGAGGCAG GAGGCGGCTA TCGCTCGCTG GCGTCTGTGC 1260
CCAGCATACC CGGCCCTGAAC CGCACACAGC TGGTCAAGCT GGCCATTTTT GGCCCCCTT 1320
GGATGGCATT CAAGGAGAGG AAGGTGTGGG TGAAGAGAAA TATGGTGTG AATCTGTCTT 1380
GTGAAGCGTC AGGGCACCCC CGGCCACCA TCTCTGGAA CGTCAACCGC ACGGCAAGTG 1440
AACAAAGACA AGATCCACAG CAGTCTCTGA GCACCCCTGAA TGTCTCTGAG ACCCGGAGC 1500
TGTGGAGAC AGGTGTTGAA TGCACGGCCT CCAACGACCT GGGCAAAAAC ACCAGCATCC 1560
TCTTCTGGA GCTGGTCAAT TTAACCACCC TCACACCAGA CTCACACACA ACCACTGGCC 1620
TCAGCACTTC CACTGCCAGT CCTCATACCA GAGCCAACAG CACTCCACA GAGAGAAAGC 1680
TGCCGGAGCC GGAGAGCCGG GCGTGGTCA TCGTGGCTGT GATGTGTGTC ATCTGGTCC 1740
TGGCGGTGCT GGGCGCTGTC CTCTATTTC TCTATAAGAA GGGCAAGCTG CCGTGCAGGC 1800
GCTCAGGAA GCAGGAGATC ACGCTGCCCC CGTCTCGTAA GACCGAAGCT GTAGTTGAAG 1860
TTAAGTCAGA TAAGCTCCCA GAAGAGATGG GCCTCCTGCA GGGCAGCAGC GGTGACAAGA 1920
GGGCTCCGGG AGACCAGGGA GAGAAATACA TCGATCTGAG GCATTAGCCC CGAATCACTT 1980
CAGCTCCCTT CCCTGCTGG ACCATTCCCA GCTCCCTGCT CACTCTTCTC TCAGCCAAAG 2040
CCTCAAAGG GACTAGAGAG AAGCCTCCTG CTCCCTCAC CTGCACACC CCTTTCAGAG 2100
GGCCACTGGG TTAGGACTGG AGGACCTCAC TTGGCCCTGC AAGCOGCTTT TCAGGACCA 2160
GTCCACCACC ATCTCTCCCA CGTTGAGTGA AGCTCATCCC AAGCAAGGAG CCCAGTCTC 2220
CCGAGCGGTT AGGAGAGTTT CTTCGAGAAC GTGTTTTTC TTTACACACA TTATGGCTGT 2280
AARTACCTGG CTCTGCGGAG CAGCTGAGCT GGGTAGCCTC TCTGAGCTGG TTTCTCGCCC 2340
CAAAGGCTGG CTTCCACCAT CCAGGTGCAC CACTGAAGTG AGGACACACC GGAGCCAGGC 2400
GGCTGCTCAT GTTGAAGTGC GCTGTTTACA CCCGCTCCGG AGAGCACCCC AGCGGCATCC 2460
AGAAGCAGCT CAGTGTGTC TGCCACCACC CTCTGCTCG CCTCTTCAA GTCTCTGTG 2520
ACATTTTTTC TTTGGTCAGA AGCCAGAAAC TGGTGTCACT CCTTAAAGA TACGTGCCGG 2580
GGCCAGGTTG GGTGGCTCAC GCCTGTAATC CCAGCACTTT GGGAGGCCGA GGGCGGCCGA 2640
TCACAAAGTC AGGACGAGAC CATCTGGCTC AACACCGTGA AACCCGTGT CTACTAAAAA 2700
TACAAAAAAA AATTAGCTAG GCGTAGTGGT TGGCACCTAT AGTCCCAGCT ACTCGGAAAG 2760
CTGAAGCAGG AGAATGGTAT GAATCCAGGA GGTGGAGCTT GCAGTGAGCC GAGACCGTGC 2820
CACTGCATCT CAGCTGGGCG AACACAGCGA GACTCCGCTC CGAGGAAAAA AAAAGAAAAG 2880
ACGCGTACCT GCGGTGAGGA AGCTGGGCGC TGTTCGAG TTAGGTTGAA TTAGCCTCAA 2940
TCCCGTGTCT CACTGTCTCC CATAGCCCTC TTGATGGATC ACGTAAAAC GAAAGGCAGC 3000
GGGAGCAGA CAAAGATGAG GTCTACACTG TCCTTCAATG GGATTAAAGC TATGGTTATA 3060
TTAGCACCAA ACTTCTACAA ACCAAGCTCA GGGCCCCAAC CCTAGAAGGG CCCAAATGAG 3120
AGAATGGTAC TTAGGGATGG AAAACGGGGC CTGGCTAGAG CTTGCGGTGT GTGTGTCTGT 3180
CTGTGTGTAT GCATACATAT ATGGTTTTGT ATGGTTTTGT CAGGTGTGTA AATTGCAAAA 3240
TTGTTTCTCT TATATATGTA TGTATATATA TATATGAAAA TATATATATA TATGAAAAAT 3300
AAAGCTTAA TGTCCCAGAA AATCATACAT TGCTTTTTTA TTCTACATGG GTACCACAGG 3360
AACCTGGGGG CCTGTGAAAC TACAACCAA AGGCACCAA AACCGTTCC AGTTGGCAGC 3420
AGAGATCAGG GGTTACCTCT GCTTCTGAGC AAATGGCTCA AGCTCTACCA GAGCAGACAG 3480
CTACCTACT TTTCAGCAGC AAAACGTCCC GTATGACGCA GCACGAAGGG CCTGGCAGGC 3540
TGTTAGCAGG AGCTATGTCC CTTCTATCG TTTCCGTCCA CTT

Seq ID NO: 120 Protein sequence:
Protein Accession #: NP_006491.1

65
70
75

1 11 21 31 41 51
MGLPRLVCAF LLAACCCPR VAGVPGAEQ PAPELVEVEV GSTALLKCGL SQSQGNLSHV 60
DWFVHKERK TLIFRVRQQG GQSEPEGEYEQ RLSLQDRGAT LALQVTPQD ERIFLCQGRK 120
PRSQYRIQL RVYKAPSEPN IQVNLGIPV NSKEPEEVAT CVGRNGYPIP QVIWYKNGRP 180
LKEEKNRVHI QSSQTVESVG MLTLQSLKKA QLVKEDKDAQ FYCELNYRLP SGNHMKESRE 240
VTVPVFPYTE KWLVEVEPVG LKKEGDRVEI RCLADGNPPP HFSISKQNPB TREAEETTN 300
DNGVLVLEPA RKEHSGRYEC QAWNLDTMIS LLSEPEQLLV NYVSDVRVSP AAPERQEGSS 360
LTLTCEAESS QDLEFQWLR ETDQVLERGP VLQLHDLKRE AGGGYRCVAS VPSIPLNRT 420
QLVKLAIIFGP PWMAFKERKV WVKENMVLNL SCEASGHPRP TISWNVNGTA SEQDQDPQRV 480
LSTLNLVLT ELETGVECT ASNDLGKNTS ILFLELVNLT TLTPTSNTTT GLSTSTASPH 540
TRANSTSTER KLPEPESRGV VIVAVIVCIL VLAVLGAVLY FLYKKGKLPK RRSRQKEITL 600
PPSRKTELVV EVKSDKLPFE MGLLQSSGD KRAPGDQGEK YIDLRH

Seq ID NO: 121 DNA sequence
Nucleic Acid Accession #: NM_018306
Coding sequence: 60-671

80
85

1 11 21 31 41 51
ATAGTCTACA CAGAGCTCCC CTTGCTGCCC AGACAAGCTG AAGGACCACA GAAAAAGCCA 60
TGGAGACTTC AGCATCCTCC TCCAGCCTC AGGACAACAG TCAAGTCCAC AGAGAAACAG 120
AAGATGTAGA CTATGGAGAG ACAGATTCC ACAAGCAAGA CGGGAAGGCT GGACTCTTT 180
CCCAAGAACA ATATGAGAGA AACAACTCT CTCTCTCTC CTCTCTCTC TCCTCATCCT 240
CCTCATCTTC TCACTCCTCC TCCTCTCAG GTCCTGGGCA TGGGGAGCCT GACGTTTTGA 300

5
10
15
20

```

AGGATGAGCT TCAACTCTAT GGAGATGCTC CTGGAGAGGT GGTACCCCTCT GGGGAATCAG 360
GACTCCGAGG GAGAGGCTCT GACCCAGCAA GTGGAGAAGT GGGAGCCTCT CAGTTAAGAA 420
GACTGAATAT AAAGAAGAT GATGAGTTTT TCCATTTCTG CCTCCTGTGC TTGCCATCG 480
GGGCCTTGCT GGTGTGTAT CACTATTACG CAGACTGGTT CATGTCTCTT GGGGTCGGCC 540
TGCTCACCTT CGCCTCCCTG GAAACCGTTG GCATCTACTT CGGACTAGTG TACCCTATCC 600
ACAGCGTCTT CCAAGGCTTC ATCCCCCTCT TCCAGAAGTT TAGGCTGACA GGGTTCAGGA 660
AGACTGACTG AGGCCACTTC CAGGTGGGCA GCAGAGGCAG GCCCCAGTGT GACCACCACT 720
GGACCCCTG AGCCACAAAG GGCAGAGCAG CATTTCTGAGA GACGCACAGG AGACCAAGCC 780
AGACCAATAA ACAGAACACT TTTCTTCCA TGTGGTCTGA ATGTTGGCAC CAGCCCGGGC 840
AGGGGCATCT CATTGGGCA GTACTGCTGT GCAACCAGC TGCAAGGATG GAAGGCAGAG 900
GGTGGGTGTG GGGCCTGAGG CTTTACAGTA CCTGGACCAG CAGGAAGATT CTGGGAGGTC 960
ACTGCTCTCA GAGGACAGCA AGGGACCCCTG AGCTCTGCAA GCTGTGATCT GTCTGGGTTT 1020
ATGGTTTTTC TCAAATCCCA GGCTATCTGC ATGCGTCTC AGGTGCTACC GAGCCATCCT 1080
GGGAGAGATG GATGGTCCAC TGCTTTGAGG CAGGGAGCCA TCGGGCTGGG GCCCCTTGGT 1140
GAACCTGATG CAGGTAAGAT GCTGAGGACT AAAACCAATT TTTTTCACC CAAAAAATAA 1200
GGCAGGAAAA TGATCATCAG AAACATAATG GCAGCCAGGC ATGGGGGCTC ACGACTGTAA 1260
TCCTCGCACT TTGGGAGGCT CAGGCTAAGG GTCGCTTGA GCTGAGAGTT CAAGACCAAC 1320
CTGGGCAACA TAGTCAAGAT CCCATCTCTA CAATTTTTTT TTAATGACCA AATGTGGCGG 1380
TACATACCTG TACATACCTG CGGTTCCAGC TACTCAAGAG GCTGAGGAGG GAGGACTGCT 1440
TGAGCCGAGG AGTTCAGGGC TGCAGTGAGG TACGATCAAG CCATGCACT CCAGCCTGGG 1500
CGACAGAGCA AGATCGTTTC TCTAAAAAT
    
```

25
Seq ID NO: 122 Protein sequence:
Protein Accession #: NP_060776

30

```

1      11      21      31      41      51
|      |      |      |      |      |
METSASSSQP QNSQVHRET EDVDYGETDF HKQDGKAGLF SQEQVERNKS SSSSFSSSSS 60
SSSSSSSSSS GPGHGEPDVL KDELQLYGDA PGEVVPSEGS GLRRRGSDPA SGEVEASQLR 120
RLNKKKDDDF FHFVLLCPAI GALLVCYHY ADWFMSLVG LLTPASLETV GIYFGLVYRI 180
HSLVQGFIPL FQKFRLTGFR KTD
    
```

35
Seq ID NO: 123 DNA sequence
Nucleic Acid Accession #: BC022542
Coding sequence: 243..896

40
45
50
55
60
65
70

```

1      11      21      31      41      51
|      |      |      |      |      |
ACTTGGTCCC AGCCGATAAA TCTGGGGCAG CGCGCGGTAG GAGCTCGCGG CGGCCAGGCC 60
CCTTCTCTGG TCCGACCTCG GCCCCGCGCG CCCCTCTCGG GCGTCCGGCT TCCGGCGTCC 120
TGGCGGCTCG GGTGGCGCGG GTTCGGGCGG CGCCTGGGCT GCTCCTCGGG GCGGCGACGG 180
GGCTCACGCG CGGGCCCGCC ACGGCCTTCA CCGCCGCGCG CTCTGACCGC GGCATAAGGG 240
CCATGTGTTT TGAATTTATT TTGAGGCAAG AAGTTTTGAA AGATGGTTTC CACAGAGACC 300
TTTAAATCAA AGTGAAGTTT GGGGAAAGCA TTGAGGACTT GCACACGTGC CGTCTCTTAA 360
TTAAACAGGA CATTCTGTCA GGACTTTATG TGGATCCGTA TGAGTTGGCT TCATTACGAG 420
AGAGAAACAT AACAGAGGCA GTGATGGTTT CAGAAAAATT TGATATAGAG GCCCCTAACT 480
ATTTGTCCAA GGAGTCTGAA GTTCTCATTT ATGCCAGAGC AGATTACAGC TGCAATTGACT 540
GTTTTCAGC CTTTTGGCT GTGCACTGCC GCTATCATCG GCCGCACAGT GAAGATGGAG 600
AAGCCTCGAT TGTGGTCAAT AACCCAGATT TGTGTATGTT TTGTGACCAA GAGTTCCTGA 660
TTTTGAAATG CTGGGCTCAC TCAGAAGTGG CAGCCCTTGG TGTCTTGGAT AATGAGGATA 720
TATGCCAATG GAACAAGATG AAGTATAAAT CAGTATATAA GAATGTGATT CTACAAGTTC 780
CAGTGGGACT GACTGTACAT ACCTCTCTAG TATGTTCTGT GACTCTGTCT ATTACATCC 840
TGTGCTCTAC ATTGATCCTT GTAGCAGTTT TCAAATATGG CCAATTTTCC CTATAAGTTT 900
TATGTAGTTA AATGCTTCTT AGAAACCTAA ATAAGATCTA TTAATTTCTG ACGAGAGGTT 960
TTCTCTAGA ATTAATTACT TTTATCTTTT GTCTTCATTT GTGGCCAAA TTAGTTTAC 1020
TAGAGGAAAT TTGGGATCAT TCTCAGCTAA TTCCAAAATG TAGTGCTCTA TTGCATGGAT 1080
CCTTGGTAAT CCTCAAGCAT CAGATGCCAT AAGGGGAAAC TTAATTTCTG TAAATTAATG 1140
TTTATTTTGT GAGAAGTGAC TTTATCTTCA TTTGGGGTAG AAAAATTATT TCTTTATGTA 1200
GTAGAGACAA ATTATTCTCA TTTTGCAAGT ACTTTCAATT TAAGCTACAA ATTGAGAAAA 1260
CCGTATATAA TAAGATAAAA ATAGGCCAGG CACAGTGGCT CACACCTGTA ATCCCAGCAC 1320
TTGGGAGGCG CGAGGTGGGC GGATCACCAG AGGTCAAGAG TTTGAGACCA GCTTGGTGAA 1380
ACCCTGTCTC TACTAAAAAT ACAAAGTTA GCTGGGGCTG GTGGTGGGCA TCTGTAGTCC 1440
CAGCTAATTG GAAGGGTGAG GCGGGAGGAT CGCTTGAACC TGGGAGGCGG AGGTTCCAGA 1500
GAGCCAAAGT CGCACCCTCG CACTACAGCC TGGGCGACAG AACGAGACCC TGCTCCAAA 1560
GGAAAAACAA AAAAGAAGAA TAAATAATT TGGATGAAAA TCAATGTTAT TTAATAGTA 1620
ATGTCATGAG ACTATTAAAG ATGTGCCAGA GTTTCAATGA AAATCATTAA AGTAGGACAG 1680
CTAAGAAATT AATATTATAA TAAAAATTAT TGATAATCTT AAATATTGTA TTATTCCTTA 1740
ACGCATCTCA TTCTCTTTT ACATTTATC ATGTTTCTTT TGAATATATG AATTGGCAAA 1800
GGACTTGATG AAACAGTGA CTAAGATTTG GTACAGAGTA TGTACAGGAG ACAACTCAGA 1860
TTGCCATTTT AAATAAAGTT GTACATGAAC AAAAAAATAA AAAAAA
    
```

75
Seq ID NO: 124 Protein sequence:
Protein Accession #: AAH22542

80

```

1      11      21      31      41      51
|      |      |      |      |      |
MCSEIILRQE VLKDGFRDL LKVKFGESI EDLHLCRLLI KQDIPAGLYV DPYELASLRE 60
RNITEAVMVS ENFDIEAPNY LSKSEVLIY ARRDSQCIDC FOAFLPVHCR YHRPHSEDEG 120
ASIVVNPDL LMFCDQAGSR RMIRFRFDSF DKTIEFPILK CWAHSEVAAP CALENEDICQ 180
WNMKYKSVY KNVILQVPVG LTVHTSLVCS VTLITLILCS KKKKK
    
```

85
Seq ID NO: 125 DNA sequence
Nucleic Acid Accession #: NM_004994.1
Coding sequence: 20..2143

```

1      11      21      31      41      51
|      |      |      |      |      |
AGACACCTCT GCCCTCACCA TGAGCCTCTG GCAGCCCTG GTCTCTGGTG TCCTGGTGCT 60
GGGCTGCTGC TTTGCTGCCC CCAGACAGCG CCAGTCCACC CTTGTGCTCT TCCCTGGAGA 120
5      CCTGAGAACC AATCTCACCG ACAGGCAGCT GGCAGAGGAA TACCTGTACC GCTATGGTTA 180
CACTCGGGTG GCAGGATGC GTGGAGAGTC GAAATCTCTG GGGCCTGCGC TGCTGCTTCT 240
CCAGAAGCAA CTGTCCCTGC CCGAGACCGG TGAGCTGGAT AGGCCACACG TGAAGGCCAT 300
CCGAACCCCA CGGTGGGGGG TCCCAGACCT GGGCAGATTC CAAACCTTTG AGGGCGACCT 360
CAAGTGGCAC CACCACAACA TCACCTATFG GATCCAAAAC TACTCGGAAG ACTTGGCCGG 420
10     GGCGGTGATT GACGACGCTT TFGCCCGCGC CTTGCACTG TGGAGCGCGG TGACGCCGCT 480
CACCTTCACT CGCGTGTACA GCCGGGACGC AGACATCGTC ATCCAGTTTG GTGTGCGCGA 540
GCACGGAGAC GGGTATCCCT TCGACGGGAA GGACGGGCTC CTGGCACACG CCTTTCCTCC 600
TGGCCCCGGC ATTCAGGGAG ACGCCCATTT CGACGATGAC GAGTTGTGGT CCCTGGGCAA 660
GGGCGTCTGT GTTCCAATCT GGTTTGGAAA CGCAGATGGC GGGCCCTGCC ACTTCCCCTT 720
15     CACTTTCGAG GGCCTCTCCT ACTCTGCCTG CACCACGAC GGTGCTCCG ACGGCTTGGC 780
CTGTGTCAGT ACCACGGCCA ACTACGACAC CGACGACCGG TTTGGTCTCT GCCCCAGCGA 840
GAGACTCTAC ACCCCGGGAG GCAATGTGTA TGGGAAACCC TGCCAGTTTC CATTTCATCT 900
CCAAGGCCAA TCCTACTCCG CCTGCACCAC GGACGGTCCG TCCGACGGCT ACCGCTGGTG 960
20     CGCCACCACC GCCAATACG ACCGGGACAA GCTCTTGGC TTTGCGCGA CCCGAGCTGA 1020
CTCGACGGTG ATGGGGGGCA ACTCGGGGGG GGAGCTGTGC GTCTTCCCCT TCACTTTCCT 1080
GGGTAAGGAG TACTCGACCT GTACACGCGA GGGCCCGCGA GATGGGCGCC TCTGGTGGCG 1140
TACCACCTCG AACTTTGACA GGCACAAGAA GTGGGGCTTC TGCCCGGACC AAGGATACAG 1200
TTTGTTCCTC GTGGCGGGCG ATGAGTTCGG CCACGCGCTG GGCTTAGATC ATTCCTCAGT 1260
25     GCCGGAGGCG CTGATCTACC CTTCACTGAG GGGCCCCCTC TGCATAAGGA 1320
CGACGTGAAT GGCATCCGGC ACCTCTATGG TCCTCGCCCT GAACCTGAGC CACGGCCTCC 1380
AACCACCACC ACACCGCAGC CCACGGCTCC CCGCAGGTC TGCCCCACCG GACCCCCCAC 1440
TGTCCACCCC TCAGAGCGCC CCACAGCTGG CCCCACAGGT CCCCCCTCAG CTGCCCCCAC 1500
AGGTCCCCCC ACTGCTGGCC CTTCTACGGC CACTACTGTG CCTTTGAGTC CGGTGGACGA 1560
30     TGCCTGCAAC GTGAACATCT TCGACGCCAT CGCGGAGATT GGGAAACGAG TGTATTGTGT 1620
CAAGGATGGG AAGTACTGGC GATTCTCTGA GGGCAGGGGG AGCCGGCCGC AGGGCCCCCT 1680
CCTTATCGCC GACAAGTGGC CCGCGCTGCC CCGCAAGCTG GACTCGGTCT TTAGGAGGCC 1740
GCTCTCAAAG AAGCTTTTCT TCTTCTCTGG GCGCCAGGTG TGGGTGTACA CAGGCGGCTC 1800
GGTGTGGGGC CCGAGGCGTC TGGACAAGCT GGGCCTGGGA GCCGACGTGG CCCAGGTGAC 1860
35     CGGGGCCCTC CCGAGTGGGA GGGGGAAGAT GCTGCTGTTT AGCGGGCCGC GCCTCTGGAG 1920
GTTGACGCTG AAGGCGCAGA TGGTGGATCC CCGGAGCGCC AGCGAGGTGG ACCGGATGTT 1980
CCCCGGGGTG CCTTTGACA CGCACGACGT CTTCCAGTAC CGAGAGAAAG CCTATTCTG 2040
CCAGGACCGC TTCTACTGGC GCGTGAAGTT CCGGAGTGA TGAACACAGG TGAACCAAGT 2100
GGGCTACGTG ACCTATGACA TCCTGCAATG CCTGAGGAC TAGGGCTCCC GTCCTGCTTT 2160
40     GCAGTGCATG GTAATCCCCC ACTGGGACCA ACCCTGGGGA AGGAGCCAGT TTGCGGATA 2220
CAAACCTGTA TTCTGTTCTG GAGGAAAGGG AGGAGTGGAG GTGGGCTGGG CCCTCTCTTC 2280
TCACCTTGT TTTTGTGG AGTGTTTCTA ATAAACTTGG ATTCCTAAC CTTT

```

Seq ID NO: 126 Protein sequence:
 Protein Accession #: NP_004985.1

```

45     1      11      21      31      41      51
|      |      |      |      |      |
MSLWQPLVLV LVLVGGCFAA PRQRQSTLVL FPGDLRNLTL DRQLAEYLY RYGVTRVAEM 60
RGEKSLGPA LLLLQKQLSL PETGELDSAT LKAMRTPRCG VPDLGRFQTF EGD LKWHHHLN 120
50     ITYWIQNYSE DLPRAVIDDA FARAFALWSA VTPLTFRVY SRDADIVIQF GVAEHGDGYP 180
FDGKDLLAH AFPPGPIQG DAHPDDELW SLKGVVVPT RFGNADGAAC HPPFIFEGRS 240
YSACITDGRS DGLPWCSTTA NYDTRDRFGF CPSELYTRD GNADGKPCQF PFIFGQGSYS 300
ACTTDGRSDG YRWCATTANY DRDKLFGFCP TRADSTVMGG NSAGELCVFP FTFGLKEYST 360
45     CTSEGRGDGR LWCATTSNFD SDKKWGFCPD QGYSLFLVAA HEFHALGLD HSSVPEALMY 420
PMYRFEFGPP LHKDDVNGIR HLYGPRPEPE PRPPTTTTPQ PTAPPVCPET GPPTVHPSER 480
PTAGPTGPPS AGPTGPTAG PSTATTVPLS PVDDACNVNI FDAIABIGNQ LYLPKDGKYW 540
RFSEGRGSRP QGFPLADKW PALPRKLDV FEEPLSKLFP FFSGRQVWVY TGASVGLGPR 600
60     LDKLGLGADV AQTGALRSG RGMMLLFSGR RLWRFDVKA MVDPRBASEV DRMPFGVPLD 660
THDFVQYREK AYFCQDRFYW RVSSRSELNQ VDQVGYVTYD ILQCPED

```

Seq ID NO: 127 DNA sequence
 Nucleic Acid Accession #: NM_004181
 Coding sequence: 32-670

```

65     1      11      21      31      41      51
|      |      |      |      |      |
GCAGAAATAG CCTAGGGAGA TCAACCCCGA GATGCTGAAC AAAGTGTCTGT CCCGGCTGGG 60
GGTCCGCGCG CAGTGGCGCT TCGTGGACGT GCTGGGGCTG GAAGAGGAGT CTCTGGGCTC 120
70     GGTGCCAGCG CAGTCTGTGG CGCTGCTGCT GCTGTTTCCC CTCACGGCCC AGCATGAGAA 180
CTTCAGGAAA AAGCAGATTG AAGAGCTGAA GGCACAAGAA GTTAGTCTTA AAGTGTACTT 240
CATGAAGCAG ACCATTGGGA ATTCCTGTGG CACAATCGGA CTTATTACAG CAGTGGCCAA 300
TAATCAAGAC AAATCGGGAT TTAGGATGG ATCAGTCTG AAACAGTTTC TTTCTGAAAC 360
AGAGAAAATG TCCCTGTAAG ACAGAGCAAA ATGCTTTGAA AAGAAATGAGG CCATACAGGC 420
AGCCCATGAT GCCGTGGCAC AGGAAGGCCA ATGTCGGGTA GATGACAAGG TGAATTTCCA 480
75     TTTTATTCTG TTTAAACAAG TGGATGGCCA CCTCTATGAA CTTGATGGAC GAATGCCTTT 540
TCCGGTGAAC CATGGGCCA GTTCAGAGGA CACCCTGCTG AAGGACGCTG CCAAGGTGTG 600
CAGAGAATTC ACCGAGCGTG AGCAAGGAGA AGTCCGCTTC TCTGCCGTGG CTCTCTGCAA 660
GGCAGCCTAA TGCTCTGTGG GAGGACTTT GCTGATTCC CCTCTCCCT TCAACATGAA 720
80     AATATATACC CCCATGCGAG TCTAAAATGC TTCAGTACTT GTGAAACACA GCTGTTCTTC 780
TGTTCTGCAG ACACGCTTTC CCTCAGCCA CACCCAGGCA CTTAAGCACA AGCAGAGTGC 840
ACAGCTGTCC ACTGGGCCAT TGTGGTGA GCTTCAGATG GTGAAGCATT CTCCCAGTG 900
TATGTCTTGT ATCCGATATC TAACGCTTAA AATGGCTACT TTGTTTCTG TCTGTAAGTT 960
AAGACCTTGG ATGTGTTTAT GTTGTCTTAA AGAATAAATT TTGCTGATAG TAGC

```

Seq ID NO: 128 Protein sequence:
 Protein Accession #: NP_004172

	1	11	21	31	41	51	
	MLNKVLSRLG	VAGQWRFDV	LGLEEESLGS	VPAPACALLL	LFPLTAQHEN	FRKKQIEELK	60
5	GQEVSPKVPY	MKQITIGNSCG	TIGLIHAVAN	NQDKLGFEDG	SVLKKQFLSET	EKMSPEDRAX	120
	CFEKNEAIQA	AHDAVAQEGQ	CRVDDKVNPH	FILFANNVDGH	LYELDGRMPF	PVNHGASSED	180
	TLLKDAARKV	REPTERBQGE	VRFSVAALCK	AA			

Seq ID NO: 129 DNA sequence
 Nucleic Acid Accession #: NM_000213
 Coding sequence: 127-5385

	1	11	21	31	41	51	
15	CGCCCCGCGG	CTGCAGCCCC	ATCTCCTAGC	GGCAGCCCAG	GCGCGGAGGG	AGCGAGTCCG	60
	CCCCGAGGTA	GGTCAGGAC	GGGCGCACAG	CAGCAGCCGA	GGCTGGCCCG	GAGAGGGAGG	120
	AAGAGGATGG	CAGGCCCACG	CCCCAGCCCA	TGGGCCAGGC	TGCTCCTGGC	AGCCTTGATC	180
	AGCGTCAGCC	TCTCTGGGAC	CTTGGCAAAC	CGTGCAAGA	AGGCCCCAGT	GAAGAGCTGC	240
20	ACGGAGTGTG	TCCGTGTGGA	TAAGGACTGC	GCCTACTGCA	CAGACGAGAT	GTTCAGGGAC	300
	CGGCGCTGCA	ACACCCAGG	GGAGCTGCTG	GCCGCGGGCT	GCCAGCGGGA	GAGCATCGTG	360
	GTCAATGAGA	GCAGCTTCCA	AATCACAGAG	GAGACCCAGA	TTGACACCCAC	CCTGCGGGCG	420
	AGCCAGATGT	CCCCCAAGG	CCTGCGGGTC	CGTCTGCGGC	CCGGTGAAGA	GCGGCATTTT	480
	GAGCTGGAGG	TGTTTGAGCC	ACTGGAGAGC	CCCGTGGACC	TGTACATCCT	CATGGACTTC	540
25	TCCAACTCCA	TGTCGGATGA	TCTGGACAAC	CTCAAGAAGA	TGGGGCAGAA	CCTGGCTCGG	600
	GTCTGAGACC	AGCTCACCAG	CGACTACACT	ATTGGATTGG	GCAAGTTTGT	GGACAAAATC	660
	AGCGTCCCGC	AGACGGACAT	GAGGCCTGAG	AAGCTGAAGG	AGCCCTGGCC	CAACAGTGC	720
	CCCCCTTCT	CCTTCAAGAA	CGTCATCAGC	CTGACAGAAG	ATGTGGATGA	GTTCCGGAAT	780
	AAACTGCAGG	GAGAGCGGAT	CTCAGGCAAC	CTGGATGCTC	CTGAGGGGGG	CTTCGATGCC	840
30	ATCTGTCAGA	CAGCTGTGTG	CACGAGGGAC	ATTGGCTGGC	GCCCGGACAG	CACCCACTGG	900
	CTGGTCTTCT	CCACCGAGTC	AGCCTTCCAC	TATGAGGCTG	ATGGCGCCAA	CGTGTGGCT	960
	GGCATCATGA	CGCCCAACGA	TGAACGCTGC	CACCTGGACA	CCACGGGCAC	CTACACCCAG	1020
	TACAGGACAC	AGGACTACCC	CTCGGTGCCC	ACCCTGGTGC	GCCTGCTCGC	CAAGCACAAAC	1080
	ATCATCCCCA	TCTTTGCTGT	CACCAACTAC	TCCTATAGCT	ACTACGAGAA	GCTTCACACC	1140
	TATTTCCCTG	TCTCCTCACT	GGGGGTGCTG	CAGGAGGACT	CGTCCAACAT	CGTGGAGCTG	1200
35	CTGGAGGAGG	CCTTCAATCG	GATCCGCTCC	AACCTGGACA	TCCGGCCCTT	AGACAGCCCC	1260
	CGAGGCCTTC	GGACAGAGGT	CACCTCCAAG	ATGTTCCAGA	AGACGAGGAC	TGGGTCTCTT	1320
	CACATCCGGC	GGGGGAAGT	GGGTATATAC	CAGGTGCAGC	TGCGGGCCCT	TGAGCACGTG	1380
	GATGGGACGC	ACGTGTGCCA	CGTCCCGGAG	GACCAGAAGG	GCAACATCCA	TCTGAAACCT	1440
40	TCCCTCTCCG	ACGGCCTCAA	GATGGACGCG	GGCATCATCT	GTGATGTGTG	CACCTGCGAG	1500
	CTGCAAAAAG	AGGTGCGGTC	AGCTCGCTGC	AGCTTCAACG	GAGACTTCTG	GTGCGGACAG	1560
	TGTGTGTGCA	CGCAGGGGCT	GAGTGGCCAG	ACCTGCAACT	GCTCCACCGG	CTCTCTGAGT	1620
	GACATTCAGC	CCTGCGCTGC	GAGGGGCGAG	GACAAGCCGT	GCTCCGGCCG	TGGGGAGTGC	1680
	CAGTGCGGGC	ACTGTGTGTG	CTACGGCGAA	GGCCGCTACG	AGGGTCAGTT	CTGCGAGTAT	1740
45	GACAACCTCC	AGTGTCCCGG	CACTTCCGGG	TTCCTCTGCA	ATGACCGAGG	ACGCTGCTCC	1800
	ATGGGCCAGT	GTGTGTGTGA	GCCTGGTTGG	ACAGGCCCAA	GCTGTGACTG	TCCCTCAGC	1860
	AATGCCACTC	GCATCGACAG	CAATGGGGGC	ATCTGTAATG	GACGTGGCCA	CTGTGAGTGT	1920
	GGCCGCTGCC	ACTGCCACCA	GCAGTCCGCT	TACACGGACA	CCATCTGCGA	GATCAACTAC	1980
	TCCGCGATCC	ACCCGGCCCT	CTGCGAGGAC	CTACGCTCCT	CGGTGCAAGT	CCAGCGGTGG	2040
50	GGCACCCGGC	AGAAGAAGGG	GGCCACGTGT	GAGGAATGCA	ACTTCAAGTT	CAAGATGGTG	2100
	GACGAGCTTA	AGAGAGCCGA	GGAGGTGGTG	GTGCGCTGCT	CCTTCCGGGA	CGAGGATGAC	2160
	GACTGCACCT	ACAGCTACAC	CATGGAAGGT	GACGGCGCCC	CTGGGCCCAA	CAGCACTGTC	2220
	CTGGTGCACA	AGAAGAAGGA	GTGCCCTCCG	GGCTCCTTCT	GGTGGCTCAT	CCCCCTGCTC	2280
	CTCCTCCTCC	TGCCGCTCCT	GGCCCTGCTA	CTGCTGTGAT	GCTGGAAGTA	CTGTGCTGTC	2340
	TGCAAGGCCCT	GCCTGGCCTG	TCTCCCGTGC	TGCAACCGAG	GTCCATGTTG	GGGCTTTAAG	2400
55	GAAGACCACT	ACATGCTGCG	GAGAAACCTG	ATGGCCCTCT	ACCACCTTGA	CACGCCCATG	2460
	CTGCCGACGG	GGAACTCAA	GGGCGGTGAC	GTGGTCCGCT	GGAAAGTTCAC	CAACAACATG	2520
	CAGCGCCCTG	GCTTGGCCAC	TCATGCCCGC	AGCATCAACC	CCACAGAGCT	GGTCCCTTAC	2580
	GGGCTGTCTT	TGGCCCTTGG	CCGCTTTTGC	ACCGAGAACC	TGCTGAAAGC	TGACACTCGG	2640
	GAGTGCGCCC	AGCTGCGCCA	GGAGGTGGAG	GAGAACCCTGA	ACGAGGTCTA	CAGGCAGATC	2700
60	TCCGGTGTAC	ACAAGCTCCA	GCAGACCAAG	TTCGGGCAGC	AGCCCAATGC	CGGGAAAAAG	2760
	CAAGACCACA	CCATTGTGGA	CACAGTGTCT	ATGGCGCCCC	GCTCGGCCAA	GCCGGCCCTG	2820
	CTGAAGCTTA	CAGAGAAGCA	GGTGAACAG	AGGCGCTTCC	ACGACCTCAA	GGTGGCCCCC	2880
	GGTACTACA	CCCTCACTGC	AGACAGGAC	GCCCGGGGCA	TGGTGGAGTT	CCAGGAGGGC	2940
	GTGGAGCTGG	TGGACGTACG	GGTGCCTTCC	TTTATCCGGC	CTGAGGATGA	CGACGAGAAG	3000
65	CAGCTGTGTT	TGGAGGCCAT	CGACGTGCCC	GCAGGCACTG	CCACCTCTCG	CCGCGGCTG	3060
	GTAAACATCA	CCATCATCAA	GGAGCAAGCC	AGAGACGTGG	TGTCTTTTGA	GCAGCCTGAG	3120
	TTCTCGGTCA	GCCCGGGGGA	CCAGGTGGCC	CGCATCCCTG	TCATCCGGCG	TGCTCTGGAC	3180
	GGCGGGAAGT	CCCAGGTCTC	CTACCGCACA	CAGGATGGCA	CCGCGCAGGG	CAACCGGGAC	3240
	TACATCCCGG	TGGAGGGTGA	GCTGCTGTTT	CAGCCTGGGG	AGGCCTGGAA	AGAGCTGCAG	3300
70	GTGAAGCTCC	TGGAGCTGCA	AGAAGTTGAC	TCCCTCCTGC	GGGGCCGCCA	GGTCCGCGCT	3360
	TTCCAGCTCC	AGCTCAGCAA	CCCTAAGTTT	GGGGCCACC	TGGGCCAGCC	CCACTCCACC	3420
	ACCATCATCA	TCAGGGACCC	AGATGAACCTG	GACCGGAGCT	TCACGAGTCA	GATGTTGTCA	3480
	TCACAGCCAC	CCCTCAACGG	CGACCTGGGC	GCCCCGACAG	ACCCCAATGC	TAAGGCCGCT	3540
	GGGTCCAGGA	AGATCCATT	CAACTGGCTG	CCCCCTTCTG	GCAAGCCAAAT	GGGTACAGG	3600
75	GTAAAGTACT	GGATTCAAGG	TGACTCCGAA	TCCGAAGCCC	ACCTGCTCGA	CAGCAAGGTG	3660
	CCCTCAGTGG	AGCTCACCAG	CCTGTACCCG	TATTGCGACT	ATGAGATGAA	GGTGTGCGCC	3720
	TACGGGGCTC	AGGGCGAGGG	ACCCTACAGC	TCCCTGGTGT	CCTGCGGCAC	CCACCAGGAA	3780
	GTGCCCAGCG	AGCCAGGGCG	TCTGGCCTTC	AATGTCGTCT	CCTCCACGGT	GACCCAGCTG	3840
	AGCTGGGGCT	AGCGGGCTGA	GACCAACGGT	GAGATCAAG	CCTACGAGGT	CTGCTATGGC	3900
80	CTGGTCAAGG	ATGACAACCG	ACCTATTGGG	CCCATGAAGA	AAGTGTGTTG	TGACAACCTT	3960
	AAGAACCGGA	TGCTGCTTAT	TGAGAACCTT	CGGGAGTCCC	AGCCCTACCG	CTACACGGTG	4020
	AAGGCGCGCA	ACGGGGCCGG	CTGGGGCCCT	GAGCGGGAGG	CCATCATCAA	CCTGGCCACC	4080
	CAGCCCAAGA	GGCCCATGTC	CATCCCATC	ATCCCTGACA	TCCCTATCGT	GGACGCCACG	4140
	AGCGGGGAGG	ACTACGACAG	CTTCCCTTATG	TACAGCGATG	ACGTTCTACG	CTCTCCATCG	4200
85	GGCAGCCAGA	GGCCACCGCT	CTCCGATGAC	ACTGAGCACC	TGGTGAATGG	CCGGATGGAC	4260
	TTTGCTCTCC	CGGCACGAC	CAACTCCCTG	CACAGGATGA	CCACGACCAG	TGCTGCTGCC	4320
	TATGGCACCC	ACCTGAGCCC	ACACGTGCCC	CACCGGCTGC	TAAGCACATC	CTCCACCTTC	4380

ACACGGGACT ACAACTCAT GACCCGCTCA GAACACTCAC ACTCGACCAC ACTGCGGAGG 4440
 GACTACTCCA CCCTCACCTC CGTCTCCTCC CACGACTCTC GCCTGACTGC TGGTGTGCC 4500
 GACACGCCCA CCCGCTTGGT GTTCTCTGCC CTGGGGCCCA CATCTCTCAG AGTGAGCTGG 4560
 CAGGAGCCGC GGTGCGAGCG GCCGCTGCAG GGCTACAGTG TGGAGTACCA GCTGCTGAAC 4620
 GGCGGTGAGC TGCACTGGCT CAACATCCCC AACCTGCCCC AGACCTCGGT GGTGGTGGAA 4680
 GACCTCTCTG CCAACCACTC CTAAGTGTTC CGCGTGCGGG CCCAGAGCCA GGAAGGCTGG 4740
 GGCCGAGAGC GTGAGGGTGT CATCACCAAT GAATCCCAGG TGCAACCCGCA GAGCCCACTG 4800
 TGTCCCTCTG CAGGCTCCGC CTTCACTTTG AGCACTCCCA GTGCCCCAGG CCCGCTGGTG 4860
 TTCACTGGCC TGAGCCAGA CTCGCTGCAG CTGAGCTGGG AGGGCCACG GAGGCCCAAT 4920
 GGGGATATCG TCGGCTACCT GGTGACCTGT GAGATGGCCC AAGGAGGAGG GCCAGCCACC 4980
 GCATTCGCGG TGGATGGAGA CAGCCCCGAG AGCCGGCTGA CCGTGCCTGG CCTCAGCGAG 5040
 AACGTGCCCT ACRAAGTCAA GGTGCAGGCC AGGACCACTG AGGGCTTCGG GCCAGAGCGC 5100
 GAGGGCATCA TCACCATAGA GTCCCAGGAT GGAGGACCCT TCCCGCAGCT GGGCAGCCGT 5160
 GCCGGGCTCT TCAGCACCCC GCTGCAAAGC GAGTACAGCA GCATCACCA CACCACACC 5220
 AGCGCCACCG AGCCCTTCCT AGTGGATGGG CCGACCCCTGG GGGCCACGA CCTGGAGGCA 5280
 GGCGGCTCCC TCACCCGSCA TGTGACCCAG GAGTTTGTGA GCCGGACACT GACCACCAGC 5340
 GGAAACCTTA GCACCAACAT GGACCAACAG TTCTTCCAAA CTTGACCGCA CCCTGCCCCA 5400
 CCCCAGCCAT GTCCCACTAG GCGTCCCTCC GACTCCTCTC COGGAGCCTC CTCAGCTACT 5460
 CCATCCTTGC ACCCTGGGG GCCCAGCCCA CCCGCATGCA CAGAGCAGGG GCTAGGTGTC 5520
 TCCTGGGAGG CATGAAGGG GCAAGGTCG TCCTCTGTGG GCCCAAACCT ATTTGTAACC 5580
 AAAGAGCTGG GAGCAGCACA AGGACCCAGC CTTTGTCTG CACTTAATAA ATGGTTTTGC 5640
 ACTG

5
10
15
20
25

Seq ID NO: 130 Protein sequence:
 Protein Accession #: NP_000204

1 11 21 31 41 51
 | | | | | |
 30 MAGPRPSPWA RLLLAALISV SLSGTLANRC KKAPVKSCTE CVRVDKDCAY CTDEMFRDRR 60
 CNTQAEALLAA GCGQRESIVVM ESSFQITEET QIDTTLRRSQ MSPQGLRVRL RPGEERHFEL 120
 EVFEPESEFV DLVILMDFSN SMSDDLNLK KMGQNLARVL SQLTSDYTI GFGKFDKVSFV 180
 PQTDMRPEKL KEPWPNSDPP FSKNVISLT EDVDEFRNKL QGERISGNLD APEGGFDAIL 240
 QTAVCTRIDG WRDPSLHLV FSTESAFHYE ADGANVLAGI MSRNDERCHL DTTGTYTQYR 300
 35 TDYFVSFTL VRLLAKHNI I PIPAVTNSY SYEKLHLYF FVSSLGVLQE DSSNIVELLE 360
 EAFNRIRSNL DIRALDSPRG LRTEVTSKMF QKTRTGSFHI RRGVGIYQV QLRALHVDG 420
 THVQQLPEDQ KGNHILKPSF SDGLKMDAGI ICDVCTCELQ KEVRSARCSF NGDFVCGQCVC 480
 CSEGWSSGQTC NCSTGSLSDI QPCLREGEDK PCSGRGECQC GHCVCYGEGR YEGQFCEYDN 540
 40 FQCPRTSGFL CNDGRGRCSMG QVCPEPGWTG PSCDCPLSNA TCIDSNGGIC NGRGHCECGR 600
 CHCHQQSLYT DTICEINYS A IHPGLCEDLR SCVQCQAWGT GEKKGRTCEE CNFKVKMVD E 660
 LKRAEEVVVR CSFRDEDDDC TYSYTMEDG APGNSTVLV HKKKDCPPGS FWLIPILL 720
 LLPLLALLLL LCKWYCAACK ACLALLPCCN RGHMVGFKED HYMLRENMA SDHLDTPLMR 780
 SGNLKGDRDV RWKVTNNMQR PGFATHAASI NPTELVPYGL SLRLARLCTE NLLKPDTR E 840
 AQLRQVEEEN LNEVYRQISG VHKLQQTFR QPNAGKKQD HTIVDTVLM PRSAKPALLK 900
 45 LTEKQVEQRA FHDLKVAPY YTLTADQDAR GMVEFQEGVE LVDVVRVPLFI RPEDDDEKQL 960
 LVEAIDVPAG TATLGRRLVN ITIIEQARD VVSFEQPEFS VSRGDQVARI FVIRRVLDGG 1020
 KSQVSYRTQD GTAQGNRDI Y PVEGELLFP GEAWKELQVK LLELQEVDSL LRGRQVRRFH 1080
 VQLSNPKFEGA HLGQPHSTTI IIRDPDELDR SFTSQMLSSQ PPHGLDLGAP QNPNAKAAGS 1140
 50 RKIHFNLWLP SGKPMGYRYK YIQGDSESE AHLDSKVPV VELTNLYPYC DYEMKVCAYG 1200
 AQGEGPYSSL VSCRTHQEV SEPGRLAFNV VSSTVTQLSW AEPAAETNGEI TAYEVCYGLV 1260
 NDDNRP1GPM KKVLVNPNK RMLLIENLRE SQPYRYTVKA RAGAGWGP ER EAIINLATQP 1320
 KRPMSP1IIP DIP1VDAQSG EYDYSFLMYS DDVLRSPSGS QRPVSDDT EHLVNGRMDFA 1380
 FPGSTNSLHR MTTTSAAYG THLSPHVPHR VLSTSSLTR DYNLSRSEH SHSTTLPRDY 1440
 55 SLTSLVSSHD SRLTAGVPDT PTRLVFSALG PTLRLVSWQE PRCEPLQGY SVEYQLLNGG 1500
 ELHRLNIENP AQTSVVVEDL LFNHSYVFRV RAQSQEGWGR EREGVITIES QVHPQPSLCP 1560
 LFGSAFTLST PSAPGLVFT ALSPDSLQLS WERPRRPNGD IVGYLVTC EM AQGGGPATAF 1620
 RVDGDSPE SR LTVPGLSENV PYKFKVQART TEGFPEREG IITIESQDGG FFPQLGSRAG 1680
 LFQHPLQSEY S1TTTHTSA TEPFLVDGPT LGAQHLEAGG SLTRHVTQEF VSRTLTTSGT 1740
 LSTHMDQOFF QT

30
35
40
45
50
55
60

Seq ID NO: 131 DNA sequence
 Nucleic Acid Accession #: BC004372
 Coding sequence: 132..2231

1 11 21 31 41 51
 | | | | | |
 65 CCTCGTGCCG CGGACCCAG CCTCTGCCAG GTTCGGTCCG CCATCCTCGT CCCGCTCTCC 60
 GCCGGCCCTC GCCCCGCGCC CAGGGATCCT CCAGCTCCTT TCGCCCGCGC CCTCCGTTCC 120
 CTCCGGACAC CATGGACAAG TTTTGGTGGC ACGCAGCCTG GGGACTCTGC CTGCTGCCGC 180
 70 TGAGCCTGGC GCAGATCGAT TTGAATATAA CCTGCCGCTT TGCAGGTGTA TTCCACGTGG 240
 AGAAAAATGG TCCTACAGC ATCTCTCGGA CGGAGGCGCG TGACCTCTGC AAGGCTTTCA 300
 ATAGCACCTT GCCACAATG GCCCAGATGG AGAAAGCTCT GAGCATCGGA TTTGAGACCT 360
 GCAGGTATGG GTTCATAGAA GGGCATGTGG TGATCCCCG GATCCACCCC AACTCCATCT 420
 GTGCAGCAA CAACACAGG GTGTACATCC TCACATCAA CACCTCCAG TATGACACAT 480
 75 ATTGCTTCAA TGCTTCACT CCACCTGAAG AAGATTGTAC ATCAGTCACA GACCTGCCCA 540
 ATGCTTTTGA TGGACCAAT ACCATAACTA TTGTTAACCG TGATGGCACC CGCTATGTCC 600
 AGAAAGGAGA ATACAGAAC AATCCTGAAG ACATCTACCC CAGCAACCT ACTGATGATG 660
 ACGTGAGCAG CGGCTCCTCC AGTGAAGGA GCAGCACTTC AGGAGGTTAC ATCTTTTACA 720
 CCTTTTCTAC TGTACACCCC ATCCAGACG AAGACAGTCC CTGGATCACC GACAGCACAG 780
 80 ACAGAAATCC TGCTACCAGT ACGTCTTCAA ATACCATCTC AGCAGGCTGG GAGCCAAATG 840
 AGAAAAATGA AGATGAAAGA GACAGACACC TCAGTTTTTC TGGATCAGG ATTGATGATG 900
 ATGAAGATTT TATCTCCAGC ACCATTTCAA CCACACCAGC GGCTTTTAC CACACAAAC 960
 AGAACCAGGA CTGGACCCAG TGGAAACCAA GCCATTCAA TCCGGAAGTG CTACTTCAGA 1020
 85 CAACCAAGAG GATGACTGAT GTAGACAGAA ATGGCACCA TGCCTTATGAA GGAACCTGGA 1080
 ACCCAGAAGC ACACCTTCCC CTCATTACCC ATGAGCATCA TGAGGAAGAA GAGACCCAC 1140
 ATTTACTAAG CACATCCAG GCAACTCCTA GTAGTACAAC GGAAGAAACA GCTACCCAGA 1200
 AGGAACAGTG GTTTGGCAAC AGATGGCATG AGGGATATCG CCAAACACCC AGAGAAGACT 1260

65
70
75
80
85

CCCATTGCAC AACAGGGAGC GCTGCAGCCT CAGCTCATA CAGCCATCCA ATGCAAGGAA 1320
 GGACAACACC AAGCCCAGAG GACAGTTCCT GGACTGATTT CTTCACCCCA ATCTCACACC 1380
 CCATGGGACG AGGTCATCAA GCAGGAAGAA GGATGGATAT GGACTCCAGT CATAGTACAA 1440
 CGCTTCAGCC TACTGCAAA CCAAACACAG GTTTGGTGGG AGATTTGGAC AGSACAGGAC 1500
 CTCTTTCAAT GACAAGCAG CAGAGTAATT CTCAGAGCCT CTCTACATCA CATGAAGGCT 1560
 TGAAGAAGA TAAAGACCAT CCAACAACCT CTACTCTGAC ATCAAGCAAT AGGAATGATG 1620
 TCACAGGTGG AAGAAGAGAC CCAAATCATT CTGAAGGCTC AACTACTTTA CTGGAAGGTT 1680
 ATACCTCTCA TTACCCACAC ACGAAGGAAA GCAGGACCTT CATCCCAGTG ACCTCAGCTA 1740
 AGACTGGGTC CTTTGGAGTT ACTGCAGTTA CTGTTGGAGA TTCCAACTCT AATGTCACT 1800
 GTTCCTTATC AGGAGACCAA GACACATTCC ACCCCAGTGG GGGGTCCCAT ACCACTCATG 1860
 GATCTGAATC AGATGGACAC TCACATGGGA GTCAGAAGG TGGAGCAAAC ACAACCTCTG 1920
 GTCTTAAGG GACACCCCAA ATTCCAGAAT GGCTGATCAT CTTGGCATCC CTCTTGCCT 1980
 TGGCTTTGAT TCTTGCAGTT TGCATTGCAG TCAACAGTGG AAGAAGGTGT GGGCAGAAGA 2040
 AAAAGCTAGT GATCAACAGT GGCAATGGAG CTGTGGAGGA CAGAAGCCA AGTGGACTCA 2100
 ACGGAGAGGC CAGCAAGTCT CAGGAAATGG TGCATTGGT GAACAAGGAG TCGTCAGAAA 2160
 CTCCAGACCA GTTTATGACA GCTGATGAGA CAAGGAACCT GCAGATGTG GACATGAAGA 2220
 TTGGGGTGTG ACACCTACAC CATTATCTTG GAAAGAAACA ACCGTTGGAA ACATAACCAT 2280
 TACAGGGAGC TGGGACACTT AACAGATGCA ATGTGCTACT GATTGTTTCA TTGCGAATCT 2340
 TTTTATGACAT AAAATTTTCT ACTCTTAAAA AAAAAAAAAA AAAAAAA

Seq ID NO: 132 Protein sequence:
Protein Accession #: AAH04372

1 11 21 31 41 51
 MDKFWHAAW GLCLVPLSLA QIDLNITCRF AGVPHVEKNG RYSISRTEAA DLCKAFNSTL 60
 PTMAQMEKAL SIGFETCRYG FIEGHVVIPIR IHPNSICAAN NTGVYLLTSN TSQYDITYCFN 120
 ASAPPEEDCT SVTDLNPAFD GPITITIVNR DGTRYVQKGE YRTNPEDIYP SNPTDDDVSS 180
 GSSSERSSTS GGYIFYTFST VHPIDEDSP WITDSTDRIP ATSTSSNTIS AGWEPNEENE 240
 DERDRHLSFS GSGIDDEDEF ISSTIStTFR AFDHTKQND WTQWNPESHN PEVLLQTTR 300
 MTDVDRNGTT AYEGRWNPEA HPPLIHHEHH EEEETPHSTS TIQATPSSTT BETATQKEQW 360
 FGNRWHEGYR QTPREDSHST TGTAASAAHT SHPMQGRTP SPEDSSWTFD FNPISHPMGR 420
 GHQAGRMDM DSSHSTLQF TANPNTGLVE DLDRTGPLSM TTQSSNSQSF STSHEGLEED 480
 KDHPITSTLT SSNRNDVTGG RRDPNHSEGS TTLLEGYTSY YPHTKESRTF IPVTSKTIQS 540
 FGVTAVTVDG SNSNVNRSLS GDQDTFHPSG GSHHTHGES DGHSHGSQEG GANTTSGPIR 600
 TPQIPEWLI LLSLLALALI LAVCIAVNSR RRCGQKKLV INSGNGAVED RKPSSLNGEA 660
 SKSQEMVHLV NKESSETPDQ FMTADETRNL QNVDMKIGV

Seq ID NO: 133 DNA sequence
Nucleic Acid Accession #: NM_002882
Coding sequence: 150-755

1 11 21 31 41 51
 CGAGGTTCCG GTGCTGGGCG GGAGGGAAGA GCGGGCGGGC GGGAGGCGCC GGCGCCAGAC 60
 GCGGAGGGAA GGAGCTACGA GTAGCCGCGC AGAGGCGCGG GAGCCAGCGA CGACCGACCC 120
 AGCCGAGCCG CCGCCGCGCG CGCGCCCCCA TGGCGGCCGC CAAGGACACT CATGAGGACC 180
 ATGATACTTC CACTGAGAAT ACAGACGAGT CCAACCATGA CCTCAGTTT GAGCCAAATG 240
 TTTCTCTTCC TGAGCAAGAA ATTAAACAC TGAAGAAGA TGAAGAGGAA CTTTTTAAAA 300
 TCGCGGCAAA ACTGTCCGA TTTGCCTCTG AGAACGATCT CCCAGAATGG AAGGAGCGAG 360
 GCACTGGTGA CGTCAAGCTC CTGAAGCACA AGGAGAAAGG GGCCATCCGC CTCCTCATGC 420
 GGAGGGACAA GACCCTGAAG ATCTGTGCCA ACCACTACAT CACGCGGATG ATGGAGCTGA 480
 AGCCCAACGC AGGTAGCGAC CGTGCCTGGG TCTGGACAC CCACGCTGAC TTCGCCGACG 540
 AGTGCCCCAA GCCAGAGCTG CTGGCCATCC GCTTCTGAA TGCTGAGAAT GCACAGAAT 600
 TCAAAACAAA GTTTGAAGAA TGCAGGAAAG AGATCGAAGA GAGAGAAAAG AAAGCAGGAT 660
 CAGGCAAAA TGATCATGCC GAAAAAGTGG CGGAAAAGCT AGAAGCTCTC TCGGTGAAGG 720
 AGGAGACCAA GGAGGATGCT GAGGAGAAGC AATAAATCGT CTPATTTTAT TTTCTTTCC 780
 TCTCTTCTCT TTCTTTTCTT TAAAAAATTT TACCCTGCCC CTCTTTTTTCG GTTTGTTTTT 840
 ATTCTTTTAT TTTTACAAGG GACGTTATAT AAAGAACTGA ACTC

Seq ID NO: 134 Protein sequence:
Protein Accession #: NP_002873

1 11 21 31 41 51
 MAAAKDTHED HDTSTENTDE SNHDPQFEPI VSLPEQEIKT LEEDEEELFK MRAKLFRFAS 60
 ENDLPEWKER GTGDVKLLKH KEKGAIRLLM RRDKTLKICA NHYITPMEL KFNAGSDRAW 120
 VWNTHADPAD ECPKPELLAI RPLNAENAQK FKTKFEECRK EIEEREKAG SGKNDHAEKV 180
 AEKLEALSVK EETKEDAEK Q

Seq ID NO: 135 DNA sequence
Nucleic Acid Accession #: NM_000077.2
Coding sequence: 277-742

1 11 21 31 41 51
 CCCAACCTGG GGGGACTTCA GGTGTGCCAC ATTTCGTAAG TGCTCGGAGT TAATAGCACC 60
 TCCTCCGAGC ACTCGCTCAC GCGTCCCTT TGCTGGAAA GATACCGCGG TCCTCCAGA 120
 GGATTTGAGG GACAGGGTGC GAGGGGGCTC TTCGCCAGC ACCGGAGGAA GAAAGAGGAG 180
 GGGCTGGCTG GTCACCAGAG GGTGGGGCGG ACCCGGTGCG CTCGGCGGCT GCGGAGAGGG 240
 GGAGAGCAGG CAGCGGGCGG CCGGGAGCAG CATGGAGCCG GCGGCGGGA GCAGCATGGA 300
 GCCTTCGGCT GACTGGCTGG CCAAGGCGCC GCGCCGGGTT CCGGTAGAGG AGGTCCGGGC 360
 GCTGCTGGAG GCGGGGCGCG TGCCCAACGC ACCGAATAGT TACGGTCGGA GGCCGATCCA 420
 GGTCAATGAT ATGGCGAGCC CCCGAGTGGC GGAGCTGCTG CTGCTCCAGC GCGCGGAGCC 480

CAACTGCGCC GACCCCGCCA CTCTCACCCG ACCCGTGAC GACGCTGCC GGGAGGCTT 540
 CTGTGACACG CTGTGTGTGC TGACACGGGC CGGGGCGGG CTGGACGTGC GCGATGCGTG 600
 GGGCGTCTG CCCGTGGACC TGGCTGAGGA GCTGGGCCAT CGCGATGTGC CACGGTACTT 660
 GCGCGCGGCT GCGGGGGGCA CCAGAGGCAG TAACCATGCC CGCATAGATG CCGCGGAAGG 720
 TCCCTCAGAC ATCCCOGATT GAAAGAACCA GAGAGGCTCT GAGAAACCTC GGGAAACTTA 780
 GATCATCAGT CACCGAAGGT CCTACAGGGC CACAACCTCC CCGCCACAA CCCACCCGCG 840
 TTTCTAGTT TTCATTTAGA AAATAGAGCT TTTAAAAATG TCCTGCCTTT TAACGTAGAT 900
 ATATGCCTTC CCCCACTACC GTAATGTCC ATTTATATCA TTTTATATAT ATTCTTATAA 960
 AAATGTAARA AAGAAAAACA CCGCTTCTGC CTTTCACTG TGTGGAGTT TCTGGAGTG 1020
 AGCACTCAGC CCCTAAGCGC ACATTTCATGT GGGCATTCTT TGGAGCCTC GCAGCCTCCG 1080
 GAAGCTGTGC ACTTCATGAC AAGCATTTTG TGAAC TAGGG AAGCTCAGGG GGGTTACTGG 1140
 CTTCTCTGA GTCACACTGC TAGCAAATGG CAGAACCAA GCTCAAATAA AAATAAAATA 1200
 ATTTTCATTC ATTCACTC

15 Seq ID NO: 136 Protein sequence:
 Protein Accession #: NP_000068.1

1 11 21 31 41 51
 20 MEPAAGSSME PSADWLATAA ARGRVEEVRA LLEAGALPNA PNSYGRRPIQ VMMGSRVA 60
 ELLLLHGAEP NCADPATLTR PVHDAAREGF LDTLVVLHRA GARLDVRDAW GRLPVDLAE 120
 LGHRDVARYL RAAAGGTRGS NHARIDAAG PSDIPD

25 Seq ID NO: 137 DNA sequence
 Nucleic Acid Accession #: NM_058196.1
 Coding sequence: 104-421

30 1 11 21 31 41 51
 TGTGTGGGG TCTGCTTGGC GTTGAGGGGG CTCTACACAA GCITCCTTTC CGTCATGCCG 60
 GCCCCACCC TGGCTCTGAC CATTCTGTTC TCTCTGGCAG GTCATGATGA TGGGCAGCGC 120
 CCGAGTGGCG GAGCTGTGTC TGCTCCACGG CGCGGAGCCC AACTGCGCCG ACCCCGCCAC 180
 35 TCTCACCCGA CCGGTGCAAG ACGCTGCCCG GGAGGGCTTC CTGGACACGC TGGTGGTGTCT 240
 GCACCGGGCC GGGGCGCGGC TGGACGTGCG CGATGCCTGG GGCCTGTGCG CCGTGGACTT 300
 GGCTGAGGAG CTGGGCCATC GCGATGTGCG ACGGTACCTG CCGCGCGGTG CCGGGGGCAC 360
 CAGAGGCAGT AACCATGCCG GCATAGATGC CGCGAAGGT CCCTCAGACA TCCCGATTG 420
 AAAGAACCAG AGAGGCTCTG AGAAACCTCG GGAAACTTAG ATCATCAGTC ACCGAAGGTC 480
 40 CTACAGGGCC ACAACTGCCG CCGCCACAAC CCACCCCGCT TCGTAGTTT TCATTTAGAA 540
 AATAGAGCTT TTAATAATGT CTTGCCTTTT AACGTAGATA TAAGCCTTCC CCCACTACCG 600
 TAAATGTCCA TTTATATCAT TTTTATATA TTCCTATAAA AATGTAATAA AGAAAAACAC 660
 CGCTTCTGCC TTTTCACTGT GTTGGAGTTT TCTGGAGTGA GCACTCAGCG CCTAAGCGCA 720
 45 CATTTCATGT GCGAGCCTCG CAGCCTCCGG AAGCTGTGCA CTTCATGACA 780
 AGCATTTTGT GAAGTAGGGA AGCTCAGGGG GGTACTGGC TTCTCTTGG TCACTACTGCT 840
 AGCAAATGGC AGAACCAAAG CTCAAATAAA AATAAAATAA TTTTCATTCA TTCACTC

50 Seq ID NO: 138 Protein sequence:
 Protein Accession #: NP_478103.1

1 11 21 31 41 51
 55 MMMGSRVAE LLLLHGAEPN CADPATLTRP VHDAAREGF LDTLVVLHRA ARLDVRDAW 60
 RLPVDLAE L GHRDVARYLR AAAGGTRGSN HARIDAAGBP SDIPD

60 Seq ID NO: 139 DNA sequence
 Nucleic Acid Accession #: NM_058197.1
 Coding sequence: 272-684

65 1 11 21 31 41 51
 CCCAACCTGG GGGGACTTCA GGTGTGCCAC ATTTCGTAAG TGCTCGGAGT TAATAGCAC 60
 TCCTCCGAGC ACTCGCTCAC GCGTCCCCT TGCCCTGAAA GATACCGCG TCCCTCCAGA 120
 GGATTTGAGG GACAGGGTCG GAGGGGGCTC TTCGCCACG ACCGGAGGAA GAAAGAGGAG 180
 GGGCTGGCTG GTCACCAGAG GGTGGGGCGG ACCCGTGGCG CTGCGCGGCT GCGGAGAGGG 240
 GGAGAGCAGG CAGCGGGCGG CCGGGAGCAG CATGGAGCCG CCGCGGGGGA GCAGCATGGA 300
 GCCGCGCGCG GGGGAGCAGC TGGAGCCTTC GGCTGACTGG CTGGCCACCG CCGCGGCCCG 360
 70 GGGTCCGGTA GAGGAGTGC GGGCGCTGCT GGAGGCGGGG GCGTGCCTCA ACGCACCGAA 420
 TAGTTACGGT CCGAGGCGGA TCCAGGTGGG TAGAAGGTCT GCAGCGGGAG CAGGGGATGG 480
 CGGGGAGACT TGGAGGACGA AGTTTGACAG GGAATTGGAA TCAGGTAGCG CTTGATTCT 540
 CCGGAAAAAG GGGAGGCTTC CTGGGGAGTT TTCAGAAGGG GTTTGTAATC ACAGACCTCC 600
 TCCTGGCGAC GCCCTGGGGG CTTGGGAAAC CAGGAAGAG GAATGAGGAG CCACGCGCGT 660
 ACAGATCTCT CGAATGCTGA GAAGATCTGA AGGGGGAAAC ATATTTGTAT TAGATGGAAG 720
 75 TCATGATGAT GGGCAGCGCC CGAGTGGCCG AGCTGCTGCT GCTCCACGCG GCGGAGCCCA 780
 ACTGCGCGCA CCCCGCCACT CTCACCCGAC CCGTGCACGA CGCTGCCCGG GAGGGCTTCC 840
 TGGACACGCT GGTGGTGTGCT CACCCGGCCG GGGCGCGGCT GGAAGTGGCG GATGCCTGGG 900
 GCGTCTGCC CGTGGACCTG GCTGAGGAGC TGGGCCATCG CGATGTGCGA CCGTACTGCG 960
 GCGCGGCTGC GGGGGGCACC AGAGGCAGTA ACCATGCCCG CATAGATGCC GCGGAAGGTC 1020
 80 CCTCAGACAT CCCCAGTTGA AAGAACCAGA GAGGCTCTGA GAAACCTCGG GAACTTAGAT 1080
 CATCAGTCA CAGAGGCTCT ACAGGCCAC AACTGCCCCC GCCACAACCC ACCCCGCTTT 1140
 CGTAGTTTTC ATTTAGAAAA TAGAGCTTTT AAAAAATGCC TGCCTTTTAA CGTAGATATA 1200
 TGCTTCCCC CACTACCGTA AATGTCATT TATATCATTT TTTATATATT CTTATAAAAA 1260
 85 TGTAAAAAAG AAAAACACCG TTTCTGCCTT TCACTGTGT TGGAGTTTTC TGGATGAGC 1320
 ACTCAGCCCG TAAGCGCACA TTCAATGTGG CATTCTGTGC GAGCCTCGCA GCCTCCGGAA 1380
 GCTGTGCAGT TCATGCACAG CATTGTGTA ACTAGGGAAG CTCAGGGGGG TTAAGTGGCT 1440
 CTCCTGAGTC ACATGCTAG CAAATGGCAG AACCAAAGCT CAAATAAAAA TAAATAAATT 1500

Seq ID NO: 140 Protein sequence:
Protein Accession #: NP_478104.1

5
10

1	11	21	31	41	51	
MEPAAGSSME	PAAGSSMEFSP	ADWLATAAAR	GRVEEVRALL	EAGALPNAPN	SYGRRPIQVG	60
RRSAAGAGDG	GRLWRKTFAG	ELESSESASIL	RKKGRLLPGEF	SEGVCNHRPP	PGDALGAWET	120
KEEE						

Seq ID NO: 141 DNA sequence
Nucleic Acid Accession #: NM_058195.1
Coding sequence: 163-684

15
20
25
30
35
40

1	11	21	31	41	51	
CCTCCCTACG	GGCGCCTCCG	GCAGCCCTTC	COGCGTGCGC	AGGGCTCAGA	GCGTTCOGA	60
GATCTTGGAG	GTCGCGGTGG	GAGTGGGGGT	GGGTGGGGGG	TGGGGGTGAA	GGTGGGGGGC	120
GGGCGCGCTC	AGGGAAGCGG	GGTGCOCGCC	TGCGGGGCGG	AGATGGGCAG	GGGCGGTGTC	180
GTGGGTCCCA	GTCTGCAGTT	AAGGGGCGAG	GAGTGGCGCT	GCTCACCTCT	GGTGCCAAAG	240
GGCGGCGCAG	CGGTGCOCGA	GCTCGGCCCT	GGAGGCGGCG	AGAACATGGT	GCGCAGGTTT	300
TTGGTGACCC	TCCGGATTCC	GCGCGCGTGC	GGCCCGCCGC	GAGTGAGGGT	TTCTGTGGTT	360
CACATCCCGC	GGCTCACGGG	GGAGTGGGCA	GCGCCAGGGG	CGCCCGCCGC	TGTGGCCCTC	420
GTGCTGATGC	TACTGAGGAG	CCAGCGTCTA	GGGCAGCAGC	CGTCTCTAG	AAGACCAGGT	480
CATGATGATG	GGCAGCGCCC	GAGTGGCGGA	GCTGTGCTGT	CTCCACGGCG	CGGAGCCCAA	540
CTGCGCCGAC	CCCGCCACTC	TCACCCGACC	CGTGACAGAC	GCTGCCGGG	AGGGCTTCTT	600
GGACACGCTG	GTGTGTGTGC	ACCGGGCCGG	GGCGGGGCTG	GACGTGCGCG	ATGCCCTGGG	660
CCGTCTGCCC	GTGACCTGG	CTGAGGAGCT	GGCCCATGSC	GATGTGCGAC	GGTACTGTGG	720
CGCGGCTGCG	GGGGGACCCA	GAGGCAGTAA	CCATGCCCGC	ATAGATGCCG	CGGAAGSTCC	780
CTCAGACATC	CCCATTGAA	AGAACCAGAG	AGGCTCTGAG	AAACCTCGGG	AAACTTAGAT	840
CATCAGTAC	CGAAGGTCCT	ACAGGGCCAC	AACTGCCCCC	GCCACAACCC	ACCCCGCTTT	900
CGTAGTTTTC	ATTTAGAAAA	TAGAGCTTTT	AAAAATGTCC	TGCCCTTTAA	CGTAGATATA	960
TGCCCTTCCC	CACTACCGTA	AATGTCCATT	TATATCATTT	TTTATATATT	CTTATAAAAA	1020
TGTAATAAAG	AAAAACACCG	CTTCTGCCCT	TTCAGTGTGT	TGGAGTTTTC	TGGAGTGAGC	1080
ACTCACGCCC	TAAGCGCACA	TTCATGTGGG	CATTTCTTGC	GAGCCTCGCA	GCCTCOCGAA	1140
GCTGTGACT	TCATGACAAG	CATTTTGTGA	ACTAGGGAAG	CTCAGGGGGG	TTACTGGCTT	1200
CTCTTGATC	ACACTGCTAG	CAAATGGCAG	AACCAAAGCT	CAAATAAAAA	TAAAAATAAT	1260
TTCATTCATT	CACTC					

Seq ID NO: 142 Protein sequence:
Protein Accession #: NP_478102.1

45
50

1	11	21	31	41	51	
MGRGRCVGSP	LQLRGQEWRC	SPLVPKGGAA	AAELGPGGGE	NMVRRLVTL	RIRRACGPPR	60
VRVFWVHIFR	LTGEWAAPGA	PAAVALVLML	LRSQLGQQP	LPRRPHDDG	QRPSGGAAAA	120
PRRGAQLRRP	RHSHPTRARR	CPGGLPGHAG	GAAPGRGAAG	RARCLGPSAR	GPG	

Seq ID NO: 143 DNA sequence
Nucleic Acid Accession #: NM_018131
Coding sequence: 412..1107

55
60
65
70
75
80
85

1	11	21	31	41	51	
GAAATTGAC	ACTTAAAGAC	ATCAGTGGAT	GAAATCACAA	GTGGGAAAG	AAAGCTGACT	60
GATAAAGAGA	GACAGAGACT	TTGGAGAAA	ATTCGAGTCC	TTGAGGCTGA	GAAGGAGAAG	120
AATGCTTATC	AACTCACAGA	GAAGGACAAA	GAAATACAGC	GACTGAGAGA	CCAAGTGAAG	180
GCCAGATATA	GTACTACCGC	ATTGCTTGAA	CAGCTGGAAG	AGACAACGAG	AGAAGGAGAA	240
AGGAGGGAGC	AGGTGTGAA	AGCCTTATCT	GAAGAGAAAG	ACGTATTGAA	ACAACAGTTG	300
TCTGTGCAA	CCTCAGAAAT	TGCTGAACTT	GAAAGCAAAA	CCAATACACT	CCGTTTATCA	360
CAGACTGTGG	CTCCAAACTG	CTTCAACTCA	TCAATAAATA	ATATTCATGA	AATGGAAATA	420
CAGCTGAAAG	ATGCTCTGGA	GAAAAATCAG	CAGTGGCTCG	TGTATGATCA	GCAGCGGGAA	480
GTCTATGTA	AAGGACTTTT	AGCAAAGATC	TTTGAGTTGG	AAAAGAAAAC	GGAAACAGCT	540
GCTCATTAC	TCCCACAGCA	GACAAAAAAG	CCTGAATCAG	AAGGTTATCT	TCAAGAAGAG	600
AAGCAGAAAT	GTTACAACGA	TCTCTTGCCA	AGTGCAAAA	AAGATCTTGA	GGTTGAACGA	660
CAAACATAA	CTCAGCTGAG	TTTGAACCTG	AGTGAATTC	GAAGAAAATA	TGAAGAAACC	720
CAAAAAGAAG	TTCACAATTT	AAATCAGCTG	TTGTATTCAC	AAAGAAGGGC	AGATGTGCAA	780
CATCTGGAAG	ATGATAGGCA	TAAAACAGAG	AAGATACAAA	AACTCAGGGA	AGAGAATGAT	840
ATTGCTAGGG	GAAAACCTGA	AGAAGAGAAG	AAGAGATCCG	AAGAGCTCTT	ATCTCAGGTC	900
CAGTCTCTTT	ACACATCTCT	GCTAAAGCAG	CAAGAAGAAC	AAACAAGGGT	AGCTCTGTGT	960
GAACAACAGA	TGCAGGCATG	TACTTTAGAC	TTTGAAAATG	AAAAACTCGA	CCGTCAACAT	1020
GTGCGCATC	AATGTCATGT	AATTCTTAAG	GAGCTCCGAA	AAGCAAGAAA	AAATAACACA	1080
GTTGGAATCC	TTGAACAGC	TTCATGAGTT	TGCCATCACA	GAGCCATTAG	TCACTTTCCA	1140
AGGAGAGACT	GAAAACAGAG	AAAAAGTTGC	CGCCTCACCA	AAAAGTCCCA	CTGCTGCAT	1200
CAATGGAAAC	CTGGTGAAT	GTCCCAAGTG	CAATATACAG	TATCCAGCCA	CTGAGCATCG	1260
CGATCTGCTT	GTCCATGTGG	AATACTGTTC	AAAGTAGCAA	AATAAGTATT	TGTTTTGATA	1320
TAAAAAGATT	CAATACTGTA	TTTTCTGTTA	GCTTGTGGGC	ATTTGAATT	ATATATTTCA	1380
CATTTTGCAT	AAAACCTGCT	ATCTACCTTT	GACACTCCAG	CATGCTAGTG	AATCATGTAT	1440
CTTTTAGGCT	GCTGTGCATT	TCTCTTGCCA	GTGATACCTC	CCTGACATGG	TTCATCATCA	1500
GGCTGCAATG	ACAGAAATGT	GTGAGCAGCG	TCTACTGAGA	TACTAACATT	TTGCACTGTC	1560
AAAATACTTG	GTGAGGAAAA	GATAGCTCAG	GTTATTGCTA	ATGGGTTAAT	GCACCAGCAA	1620
GCAAAATATT	TTATGTTTCG	GGGGTTTGA	AAAATCAAAG	ATAATTAACC	AAGGATCTTA	1680
ACTGTGTTCC	CATTTTTTAT	CCAAGCACTT	AGAAAACCTA	CAATCTAAT	TTTGATGTCC	1740
ATTGTTAAGA	GGTGTGTATA	GATACTATTT	TTTTTTCATA	TTGTATAGCG	GTTATTAGAA	1800

AAGTTGGGGA TTTTCTTGAT CTTTATTGCT GCTTACCATT GAAACTTAAC CCAGCTGTGT 1860
 TCCCAACTC TGTCTGCGC ACGAAACAGT ATCTGTTTGA GGCATAATCT TAAGTGGCCA 1920
 CACACAATG TTTCTCTTAT GTTATCTGGC AGTAACTGTA ACTTGAATTA CATTAGCACA 1980
 TTCTGCTTAG CTAAAAATGT TAAAAATAAC TTTAATAAAC CCATGTAGCC CTCTCATTGG 2040
 ATTGACAGTA TTTTAGTTAT TTTTGGCATT CTTAAAGCTG GGCAAATGTA TGTATCAGATC 2100
 TTTGTTTGTG TGAACAGGTA TTTTATACA TGCCTTTTGT AAACCAAAAA CTTTAAATTT 2160
 TCTCAGGTT TTCTAACATG CTTACCCTG GCTACTGTA AATGAGAAAA GAATAAAATTT 2220
 ATTTAATGTT TT

Seq ID NO: 144 Protein sequence:
 Protein Accession #: NP_060601

1 11 21 31 41 51
 MEIQLKDALE KNOQWLVDQ QREVVYKGLL AKIFELEKKT ETAHSLPQQ TKKPESEGYL 60
 QEEKQKCYND LLASAKKDL E VERQTITQLS FELSEFRKY EETQKEVHNL NQLLYSQRRA 120
 DVQHLEDDRH KTEKIQLKRE ENDIARGKLE EEKKRSEELL SQVQSLYTSL LKQEEQTRV 180
 ALLEQQMQAC TLDPFENEKLD RQHVQHQLHV ILKELRKARK NNTVGIETA S

Seq ID NO: 145 DNA sequence
 Nucleic Acid Accession #: NM_001168
 Coding sequence: 50..478

1 11 21 31 41 51
 CCGCCAGATT TGAATCGCGG GACCCGTTGG CAGAGGTGGC GCGGCGGCA TGGGTGCCCC 60
 GACGTTGCCC CCTGCTGGC AGCCCTTTCT CAAGGACCAC CGCATCTCTA CATTCAAGAA 120
 CTGGCCCTTC TTGGAGGGCT GCGCCTGCAC CCCGGAGCGG ATGGCCGAGG CTGGCTTCAT 180
 CCACTGCCCC ACTGGAACG AGCCAGACTT GGCCCACTGT TTCTCTGCT TCAAGGAGCT 240
 GGAAGGCTGG GAGCCAGATG ACGACCCCAT AGAGGAACAT AAAAAGCATT CGTCCGGTTG 300
 CGCTTTCCTT TCTGTCAAGA AGCAGTTTGA AGAATTAACC CTTGGTGAAT TTTTGAAACT 360
 GGACAGAGAA AGAGCCAAGA ACAAATTCG AAAGGAAACC AACAAATAAGA AGAAAGAATT 420
 TGAGGAAACT GCGAAGAAG TGCGCCGTGC CATCGAGCAG CTGGCTGCCA TGGATTGAGG 480
 CCTCTGGCCG GAGCTGCCTG GTCCCAGAGT GGCTGCACCA CTTCCAGGGT TTATTCCCTG 540
 GTGCCACACG CCTTCCTGTG GGCCCTTAG CAATGTCTTA GGAAGGAGA TCAACATTTT 600
 CAAATTAGAT GTTCAACTG TGCTCCTGTT TTGTCTTGAA AGTGGCACCA GAGGTGCTTC 660
 TGCCGTGCA GCGGGTCTG CTGGTAACAG TGGCTGCTTC TCTCTCTCTC TCTCTTTTTT 720
 GGGGCTCAT TTTTGTGTT TTGATTCCCG GGCTTACCAG GTGAGAAGT AGGGAGGAAG 780
 AAGGCAGTGT CCTTTTGTCT AGAGCTGACA GCTTTGTTCG CGTGGGCGA GCCTTCCACA 840
 GTGAATGTGT CTGGACCTCA TGTGTGTGAG GCTGTCACAG TCCTGAGTGT GGACTTGCCA 900
 GGTGCTGTT GAATCTGAGC TGCAGGTTCC TTATCTGTCA CACCTGTGCC TCCTCAGAGG 960
 ACAGTTTTTT TGTGTGTGTG TTTTTTGTG TTTTTTTTTT GGTAGATGCA TGACTTGTGT 1020
 GTGATGAGAG AATGGAGACA GAGTCCCTGG CTCCTCTACT GTTAAACAAC ATGGCTTTCT 1080
 TATTTTGTGTT GAATGTGTTA TTCACAGAAT AGCACAACT ACAATTAATA CTAAGCACAA 1140
 AGCCATTCTA AGTCATTGGG GAAACGGGGT GAACTTCAGG TGGATGAGGA GACAGAATAG 1200
 AGTGATAGGA AGCGTCTGGC AGATACTCCT TTGCCACTG CTGTGTGATT AGACAGGCC 1260
 AGTGAGCCGC GGGGCACATG CTGGCCGCTC CTCCCTCAGA AAAAGGCAGT GGCCCTAAATC 1320
 CTTTTTAAAT GACTTGCTC GATGCTGTGG GGGACTGGCT GGGCTGTGC AGGCCGTGTG 1380
 TCTGTACGC CAACCTTCAC ATCTGTACAG TTCTCCACAC GGGGAGAGA CGCAGTCCGC 1440
 CCAGGTCCCC GCTTCTTTG GAGGCAGCAG CTCCCGCAGG GCTGAGTCT GGCCTAAGAT 1500
 GATGGATTG ATTGCCCCC CTCCCTGTCA TAGAGCTGCA GGGTGGATTG TTACAGCTTC 1560
 GCTGGAACC TCTGGAGGTC ATCTCGGCTG TTCTGAGAA ATAAAAAGCC TGTCTTTT

Seq ID NO: 146 Protein sequence:
 Protein Accession #: NP_001159

1 11 21 31 41 51
 MGAPTLPPAW QPFLKDHRS TFKNWPFLG CACTPERMAE AGPIHCPTEN EPDLAQCFFC 60
 FKELEGWEPD DDPIEHHKH SSGCAPLSVK KQFBELTLGE FLKLDREK NRIAKETNNK 120
 KKEFEETAKK VRRALBQLAA MD

Seq ID NO: 147 DNA sequence
 Nucleic Acid Accession #: NM_014176.1
 Coding sequence: 127-720

1 11 21 31 41 51
 CCGCGCAGCG CTGGTACCCC GTTGGTCCGC GCGTTGCTGC GTTGTGAGGG GTGTCAGCTC 60
 AGTGCATCCC AGGCAGCTCT TAGTGTGGAG CAGTGAACCTG TGTGTGGTTC CTTCTACTTG 120
 GGGATCATGC AGAGAGCTTC ACCTCTGAAG AGAGAGCTGC ACATGTTAGC CACAGAGCCA 180
 CCCCCAGGCA TCACATGTTG GCAAGATAAA GACCAAAATGG ATGACCTGCG AGCTCAAATA 240
 TTAGGTGGAG CCAACACACC TTATGAGAAA GGTGTTTTTA AGCTAGAAGT TATCATTCCT 300
 GAGAGGTACC CATTGAAACC TCCTCAGATC CGATTTCTCA CTCCAATTTA TCATCAAAC 360
 ATTGATCTG CTGGAAGGAT TTGTCTGGAT GTTCTCAAAAT TGCCACCAAA AGGTGCTTGG 420
 AGACCATCCC TCAACATCGC AACTGTGTTG ACCTCTATTC AGCTGCTCAT GTCAGAACC 480
 AACCCTGATG ACCCGTCTAT GGCTGACATA TCCTCAGAAAT TTAATATAA TAAGCCAGCC 540
 TTCTCAAGA ATGCCAGACA GTGGACAGAG AAGCATGCAA GACAGAAACA AAAGGCTGAT 600
 GAGGAAGAGA TGCTTGATAA TCTACCAGAG GCTGGTACT CCAGAGTACA CAACTCAACA 660
 CAGAAAAGGA AGGCCAGTCA GCTAGTAGGC ATAGAAAAGA AATTTTATCC TGATGTTTAG 720
 GGGACTTGTG CTGGTTTATC TTAGTTAATG TGTCTTTTGC CAAGGTGATC TAAGTTGCCT 780
 ACCTGAAAT TTTTTTAAA TATATTTGAT GACATAAAT TTGTGTAGTT TATTTATCTT 840
 GTACATATGT ATTTTGAAT CTTTAAACC TGAAAATAA ATAGTCATTT AATGTTGAAA 900

Seq ID NO: 148 Protein sequence:
Protein Accession #: NP_054895.1

5
10

1	11	21	31	41	51	
MQRASRLKRE	LHMLATEPPP	GITCWQDKDQ	MDDLRAQILG	GANTPYEKGV	FKLEVIIPER	60
YPPEPPIRFP	LTPIYHPNID	SAGRICLDVL	KLPPKGAWRP	SLNIATVLTS	IQLLMSEPNP	120
DDPLMADISS	EFKYNKPAFL	KNARQWTEKH	ARQKQRADEE	EMLDNLPEAG	DSRVHNSTQK	180
RKASQLVIGIE	KKFHPDV					

Seq ID NO: 149 DNA sequence
Nucleic Acid Accession #: NM_003812
Coding sequence: 224-2722

15
20

1	11	21	31	41	51	
TCCTCTGCGT	CCCGCCCCGG	GAGTGGCTGC	GAGGCTAGGC	GAGCCGGGAA	AGGGGGCGCC	60
GCCACAGCCC	GAGCCCCGCG	CCCCGTGCCC	CGAGCCCGGA	GCCCCCTGCC	CGCGGCGGCA	120
CCATGCGGCG	CGAGCCGGCG	TGACCGGCTC	CGCCCGCGGC	CGCCCGCGCA	CTAGCCCGGC	180
GCTCTGCGCG	GCCACACGGA	GCGGCGCCCG	GGAGCTATGA	GCCATGAAGC	CGCCCGGCGC	240
CAGCTCGCGG	CAGCCGCCCC	TGGCGGGCTG	CAGCCTTGCC	GGCGCTTCCT	GCGGCCCCCA	300
ACGCGGCCCC	GCCCGCTCGG	TGCTTGCCAG	CGCCCGCGCC	CGCACGCGCG	CCTGCGCGCT	360
GCTTCTCGTC	CTTCTCCTGC	TGCTCCGCTC	CGCCCGCTCG	TCCCGGCCCC	GCGCCTGGGG	420
GGCTGCTGCG	CCCAGCGCTC	CGCATTGGAA	TGAAACTGCA	GAAAAAATT	TGGGAGTCTT	480
GGCAGATGAA	GACAATACAT	TGCAACAGAA	TAGCAGCAGT	AATATCAGTT	ACAGCAATGC	540
AATGCAGAAA	GAAATCACAC	TGCTTCAAG	ACTCATATAT	TACATCAACC	AAGACTCGGA	600
AAGCCCTTAT	CACGTTCTTG	ACACAAAGGC	AAGACACCAG	CAAAAACATA	ATAAGGCTGT	660
CCATCTGGCC	CAGGCAAGCT	TCCAGATTGA	AGCCTTCGGC	TCCAAATTC	TTCTTGACCT	720
CATACTGAAC	AATGGTTTGT	TGTCTTCTGA	TTATGTGGAG	ATTCACTACG	AAAAATGGGAA	780
ACCACAGTAC	TCTAAGGGTG	GAGAGCACTG	TTACTACCAT	GGAAGCATCA	GAGGCGTCAA	840
AGACTCCAAG	GTGGCTCTGT	CAACCTGCAA	TGGACTTCAT	GGCATGTTTG	AAGATGATAC	900
CTTCGTTGAT	ATGATAGAGC	CACCTAGAGCT	GGTTCATGAT	GAGAAAAGCA	CAGGTCGACC	960
ACATATAATC	CAGAAAACCT	TGGCAGGACA	GTATTTCTAAG	CAATGAAGA	ATCTCACTAT	1020
GGAAAGAGGT	GACCAAGTGC	CCTTTCTCTC	TGAATTACAG	TGGTTGAAAA	GAAGGAAGAG	1080
AGCAGTGAAT	CCATCAGCTG	GTATATTTGA	AGAAATGAAA	TATTTGGAAC	TTATGATTGT	1140
TARTGATCAC	AAAACGPTA	AGAAGCATCG	CTCTTCTCAT	GCACATACCA	ACAACTTTGC	1200
AAAGTCCGTG	GTCAACCTTG	TGGATTCTAT	TTACAAGGAG	CAGCTCAACA	CCAGGTTTGT	1260
CCTGTTGGCT	GTAGAGACCT	GGACTGAGAA	GGATCAGATT	GACATCACCA	CCAACCTTGT	1320
GCAGATGCTC	CATGAGTTCT	CAAAATACCG	GCAGCGCATT	AAGCAGCATG	CTGATGCTGT	1380
GCACCTCATC	TCGCGGGTGA	CATTTCACFA	TAAGAGAAGC	AGTCTGAGTT	ACTTTGGAGG	1440
TGTTCTTCTT	CGCACAGAGG	GAGTTGGTGT	GAATGAGTAT	GGTCTTCCAA	TGGCAGTGGC	1500
ACAAATATTA	TCGAGAGCCG	TGGCTCAAAA	CCTTGGAAAT	CAATGGGAAC	CTTCTAGCAG	1560
AAAGCCAAAA	TGTGACTGCA	CAGAATCCTG	GGGTGGCTGC	ATCATGGAGG	AAACAGGGGT	1620
GTCCCATTTT	CGAAAATTTT	CAAAGTGCAG	CATTTTGGAG	TATAGAGACT	TTTTACAGAG	1680
AGGAGGTGGA	GCCTCGGCTT	TCAACAGGCC	AACAAAGCTA	TTTGAGCCCA	CGGAATGTGG	1740
AAATGGATAC	GTGGAAGCTG	GGGAGGAGTG	TGATTGTGGT	TTTCATGTGG	AATGCTATGG	1800
ATTATGCTGT	AAGAATGTGT	CCCTCTCCAA	CGGGGCTCAC	TGCAGCGACG	GGCCCTGCTG	1860
TAACAATACC	TCAATGCTTT	TTCAGCCACG	AGGGTATGAA	TGCCGGGATG	CTGTGAACGA	1920
GTGTGATATT	ACTGAATATT	GTACTGGAGA	CTCTGGTCAG	TGCCCCACAA	ATCTTCATAA	1980
GCAAGACGGA	TATGCATGCA	ATCAAAATCA	GGGCCGCTGC	TACAATGGCG	AGTCAAGAC	2040
CAGAGACAAAC	CAGTGTGAGT	ACATCTGGGG	AACAAAGGCT	GCAGGGTCTG	ACAAGTTCTG	2100
CTATGAAAAA	CTGAATACAG	AAGGCACTGA	GAAGGAAAC	TGCCGGGAAAG	ATGGAGACCG	2160
GTGGATTGAG	TGCAGCAAAC	ATGATGTGTT	CTGTGGATT	TTACTCTGTA	CCAATCTTAC	2220
TCGAGCTCCA	CGTATTGGTC	AACTTCAGGG	TGAGATCATT	CCAATCTTCT	TCTACCATCA	2280
AGGCCGGGGT	ATTGACTGCA	GTGGTGCCCA	TGTAGTTTAA	GATGATGATA	CGGATGTGGG	2340
CTATGTAGAA	GATGGAAAGC	CATGTGGCCC	GTCTATGATG	TGTTTAGATC	GGAAATGCTT	2400
ACAAATTCAA	GCCCTAAATA	TGAGCAGCTG	TCCACTCGAT	TCCAAGGTA	AAGTCTGTTC	2460
GGGCCATGGG	GTGTGTAGTA	ATGAAGCCAC	CTGCATTTGT	GATTTCACT	GGGCAGGGAC	2520
AGATTGCGAT	ATCCGGGATC	CAGTTAGGAA	CCTTCAACCC	CCCAAGGATG	AAGGACCCAA	2580
GGTCTCTAGT	GCCACCAATC	TCATAATAGG	CTCCATCGCT	GGTGCCATCC	TGGTAGCAGC	2640
TATTGTCTTT	GGGGGCACAG	GCTGGGGATT	TAAAATGTC	AAGAAGAGAA	GGTTCGATCC	2700
TACTCAGCAA	GGCCCATCTG	GAATCAGCTG	CGCTGGATGG	ACACCGCCTT	GCACCTGTTG	2760
ATTCTGGGTA	TGACATACCT	GCAGCAGTGT	TACTGGAAT	ATTAAGTTTG	TAAACAAAAC	2820
CTTTGGGTGG	TAATGACTAC	GGAGCTAAAG	TTGGGGTGAC	AAGGATGGGG	TAAAAGAAAA	2880
CTGTCTCTTT	TGGAATAAAT	GTCAAAGAAC	ACCTTTCACC	ACCTGTCACT	AAACGGGGGA	2940
GGGGGCAAAA	GACCATGCTA	TAAAAGAAGC	TGTTCCAGAA	TCTTTTTTTT	TCCCTAATGG	3000
ACGAAGGAAC	AACACACACA	CAAAAATTA	ATGCAATAAA	GGAATCATA	AAAA	

Seq ID NO: 150 Protein sequence:
Protein Accession #: NP_003803

75
80
85

1	11	21	31	41	51	
MKPPGSSSRQ	PPLAGCSLAG	ASCPQGRGPA	GSVPASAPAR	TPPCRLLLV	LLLPLLAASS	60
RPRAWGAAAP	SAPHWNETAE	KNLGLVADED	NLTQQNSSSN	ISYSNMQKE	ITLPSRLIYY	120
INQDSESPYH	VLDTKARHQQ	KHNKAVHLAQ	ASFQIEAFGS	KFILDLLINN	GLLSSDYVEI	180
HYENGRPKQYS	KGGHECHYHG	SIRGVKDSKV	ALSTCNGLHG	MFEDDTFVYM	IEPLELVHDE	240
KSTGRPHIIQ	KTLAQYYSKQ	MKNLTMERGD	QWPLSELQW	LKRRKRAVNP	SRGIFEEMKY	300
LELMIVNDHK	FYKHRSSHA	HTNFAKSVV	NLVDSIYKEQ	LNTRVVLVAV	ETWTEKQDID	360
ITTNFVQMLH	EFSKYRQRIK	QHADAVHLIS	RVTFFHYKRSS	LSYFVGVCSS	TRGVGVNEYG	420
LPMAVAQVLS	KTLAQYYSKQ	WEPSSRKPKC	DCTESWGGCI	MEETGVSHSR	KFSKCSILEY	480
RDPLQRGGGA	CLFNRPRTKLF	EPTECGNGYV	EAGEECDOGF	HVRCYGLCCK	KCSLSNGAHC	540
SDGPCCNNTS	CLFPQRGYEC	RDAVNECDIT	EYCTGDSGGC	PPNLEHQDGY	ACNQNGRCY	600
NGECKTRDNQ	QYIWTGTRAA	GSDKFCYEKL	NTEGTEKGNK	GKGDGRNIQC	SKHDVFCGFL	660

LCINLNRAPR IGQLQGEIIP TSFYHQGRVI DCSGARHVLD DTDVGVYVED GTPCGPSMMC 720
LDRKCLQIQALNMSCLPLDS KGVVCSGHGV CSNEATCICD FTWAGTDCSI RDPVNRNLHPP 780
KDEGPKGPSA TNLIIIGSIAG AILVAAIVLG GTGWGFKNVK KRRFDPTQQG PI

5 Seq ID NO: 151 DNA sequence
Nucleic Acid Accession #: NM_023915
Coding sequence: 250-1326

10 1 11 21 31 41 51
GGCACGAGGG TTTGCTTTTC ATGCTTTACC AGAAAATCCA CTTCCTGACC GACCTTAGTT 60
TCAAAGCTTA TTCTTAATTA GAGACAAGAA ACCTGTTTCA ACTTGAAGAC ACCGTATGAG 120
GTGAATGGAC AGCCAGCCAC CACAATGAAA GAAATCAAAC CAGGAATAAC CTATGCTGAA 180
CCCAAGCCTC AATCGTCCCC AAGTGTTTCC TGACACGCAT CTTTGTCTAC AGTGCATCAC 240
15 AACTGAAGAA TGGGGTTCAA CTTGACGCTT GCAAAATTAC CAAATAACGA GCTGCACGGC 300
CAAGAGAGTC ACAATTCAGG CAACAGGAGC GACGGGCCAG GAAAGAACAC CACCCTTACC 360
AATGAATTTG ACACAATTTG CTTGCGGGTG CTTTATCTCA TTATATTTGT GGCAAGCATC 420
TTGCTGAATG GTTTAGCAGT GTGGATCTTC TTCCACATTA GGAATAAAAC CAGCTTCATA 480
TTCTATCTCA AAAACATAGT GGTGTCAGAC CTCATAATGA CGCTGACATT TCCATTTCCA 540
20 ATAGTCCATG ATGCAGGATT TGGACCTTGG TACTTCAAGT TTATCTCTCG CAGATACACT 600
TCAGTTTGT TTTATGCAAA CATGTATACT TCCATCGTGT TCCTTGGGCT GATAAGCATT 660
GATCCGCTATC TGAAGTGGT CAAGCCATT GGGGACTCTC GGATGTACAG CATAACCTTC 720
ACGAAGSTTT TATCTGTTG TGTGTTGGTG ATCATGGCTG TTTTGTCTTT GCCAAACATC 780
ATCCTGACAA ATGCTCAGCC AACAGAGGAC AATATCCATG ACTGCTCAAA ACTTAAAAGT 840
25 CCTTGGGGG TCAAATGGCA TAGCGGAGTC ACCTATGTGA ACAGCTGCTT GTTTGTGGCC 900
GTGCTGTGTA TTTGATCGG ATGTTACATA GCCATATCCA GGTACATCCA CAAATCCAGC 960
AGGCAATTCA TAAGTCAGT AAGCCGAAAG CGAAAACATA ACCAGAGCAT CAGGGTTGTT 1020
GTGGCTGTGT TTTTACCTG CTTTCTACCA TATCACTTGT GCAGAAATCC TTTTACTTTT 1080
AGTCACTTAG ACAGGCTTTT AGATGAATCT GCACAAAAA TCCTATATTA CTGCAAGAAA 1140
30 ATTACACTTT TCTTGTCTCG GTGTAATGTT TGCCTGGATC CAATAATTTA CTTTTCATG 1200
TGTAGGTCAT TTTCAAGAA GCTGTTCAAA AAATCAAATA TCAGAACCCAG GAGTGAAAGC 1260
ATCAGATCAC TGCAAAGTGT GAGAAAGATCG GAAAGTTCGCA TATATATGA TTACACTGAT 1320
GTGTAGCCCT TTTATTGTTT GTTGAATATCG ATATGTACAA AGTGTAATA AATGTTCTT 1380
35 TTCATTATCC TTAATAAAAA AA

Seq ID NO: 152 Protein sequence:
Protein Accession #: NP_076404

40 1 11 21 31 41 51
MGFNLTAKL PNNEHQQES HNSGNRSDGP GKNTLLHNEF DTIVLPVLYL IIFVASILLN 60
GLAVWIFFHI RNKTSFIYFL KNIVVADLIM TLTFFFRIVH DAGFGPWYFK FILCRYTSLV 120
45 FYANMYTSIV FLGLISIDRY LKVVKPFGDS RMYSTFTKLV LSVCVVWVMA VLSLNPNIILT 180
NGQPTEDNIH DCSKLKSPGL VKWHTAVTVV NSCLFVAVLV ILIGCYIAIS RYIHKSSRF 240
ISQSSRRKH NQSRVUVVAV PFTCFPLPYHL CRIPPTFPHL DRLLDESAQK ILYYCKEITL 300
FLSACNVCLD PIYYFFMCRS FSRRLFKKSN IRTRESIERS LQSVRRSEVR IYYDYTDV

50 Seq ID NO: 153 DNA sequence
Nucleic Acid Accession #: D80008.1
Coding sequence: 149-739

55 1 11 21 31 41 51
GTTCCGGCC AAAGCCGCGA GCGGAGGCC AGGCGAGAGC CTGGCGCTGT AGGACTAGAA 60
CGAAAGGAGT GAGGCGCCGA GAGCCAGAT ACCATTTTGG CGTGAGAGCT GGTGGTTGGC 120
AAGGCCGCGG GAGTGGGAA CGTCCGCCAT GTTCTGCGAA AAAGCCATGG AACTGATCCG 180
CGAGCTGCAT CGCCGCGCCG AAGGGCAACT GCCTGCCTTC AACGAGGATG GACTCAGACA 240
60 AGTTCGGAG GAGATGAAAG CTTGTATGA ACAAACCAG TCTGATGTA ATGAAGCAAA 300
GTCAAGTGGG CGAAGTGAAT TGATACCAAC TATCAAATTT CGACACTGTT CTCTGTTAAG 360
AAATCGACGC TGCACCTGAG CATACTGTGA TGACCGCTTG CTTGGGATCA GAGCATCAG 420
ATGGGAATAT GGTAGCTCTT TGCCAAATGC ATTACGATT CACATGGCTG CTGAAGAAAT 480
GGAGTGGTTT AATAATATATA AAAGATCTCT TGCTACTTAT ATGAGGTCAC TGGGAGGAGA 540
70 TGAAGGTTTG GACATTACAC AGGATATGAA ACCACCAAAA AGCCTATATA TTGAAGTCCG 600
GTGTCTAAAA GACTATGGAG AATTTGAAGT TGATGATGGC ACTTCAGTCC TATTAATAAAA 660
AAATAGCCAG CACTTTTAC CATGATGGAA ATGTGAGCAG CTGATCAGAC AAGGAGTCTC 720
GGAGCACATC CTGTATGAC CATGCGCCGA GGCACCTCCA GGCTTCACTC AACTCATGGA 780
CTCCTCTGTA CTCACCTCTC CCACCCTCC CTTCACCTCC CTCTTTGATT TTAGAAGCTA 840
TAGACATTGT TTAAGATAAC TAAGAATACT TGGCTAAGAA GTATAATTG CTAACTATTA 900
80 AGGACTTTCT TTTTTAATG TGTACACTA TTCTTCTAC TCTTTTTGG TTTTGGTTTT 960
GTTTTGTAGA GACTGTCTCA CTATGTTGCC CAAGCTGGTC TCAAACCTCT GGCCTCAAGC 1020
AGTCTCCCA CCTTAGCTTC TCAAAGTGT GAGATCACAG GCGTGAGCCA CTGCACCCGG 1080
CCCCTACTCC TTTTCTAAT AAGCTGTATC TGTAATCACA GCATTCTTAC AGTTGTTACA 1140
GTGTGTTTTT TAAATGAAAG TAAACATGGT TACATTTGAA TCTCTTAAAT AAGCAGTCAC 1200
75 TTGGCTGGAC AGGAAGAAG TAGATCCTGT GTGTCTGTT TCTGGTCACT GTGATTGTA 1260
CAAGCTAGAG AGCTGAATTT CTGAGATACA CATTTCAAA TCACATGCAA GTGAAGATGA 1320
TGGTCTGTAG AAATTTTCAG TATATATAAT GTTTAATGAC ATACTAATTT ATCATCTGGC 1380
TATTTGGGAA GCGAAGGAC ACATGGATTT TGACATTTT CACCATGGTG GCTGGTGTGG 1440
CTGTGGCTA TGGGGTATC ACCAGTATCA CCACTTTGGA AGGGGACAGT GAAATGGGG 1500
80 CTAGAGAAGG AACTTTGTAC AGTTTCCCT GAGATTCAGA TTGACTGAAA AGTCACATGA 1560
AGAGTTGATG TCTTTTAAAT GGTATGTTT AAACAGCTGA CATTTTAAAT TTTGATGAAA 1620
TCCAGTTTAT TCGTTTGTTC TTTTATGCTT TGGGTGTGC ATCCGAGAAA TCTTTTCCCA 1680
TCCAAGATC ACAATTTTTT TTCCTTTTTA CTCTAGAAG TGTATAATT TTAAGCTTTA 1740
TACTTTGGTC TATGACCCGT TTTTTTTTT GTTTTGTGTT GTTTTTTCGT TTTTCTTT 1800
GTTTTGAGAT GGAGTCTTGT TCTGTCAACC AGGCTGGGGT GCAGTGGCGT GATCTTGGCT 1860
CACTGCAATC TCTATCCCTT GGTTCAGT GAITCTCTG TCTCAGCCTC CCAAGTAGCT 1920
85 GGGATTACAG GCACAGGCCG CCACGCCCTG CTAATTTTTG TATTTTTAGT AGAGACAGAG 1980

TTTTACCATG TTGGCCAGGC TGGTTTCAA CTCCTGACCT CAAGTGACCC ACCTTGGCCT 2040
 CCCAAGTTTT TGGGATTACA AGTGTGGGCC ACCGCGGCCA GCCTATGATC CATTTTGAAT 2100
 GAATTTTTTA TATGGTGCAG GGTGTCAATC CACCTTCACT TTTTCTTGGG AATATAGATA 2160
 TCCAGCTGTT TCACCTACCAT TTTTGGAAAG GACTGCCCTT TGCTCTATCA CCTTTGCATT 2220
 TTTGTTAAAA AGTAGTTGTC AATGTATATG TGGGTTTATT TCAGGACTCT GTTTTGTTC 2280
 ATTGACCTGT TTTTCTCTCC TGAATGCCAA TACCATAATT GTATGTAGTG TATGTAATTT 2340
 TCTAATAATT CTTGAAACAG ATAGTATTAA TGTGTCATAT TTTTGTCTGT GTTTGTATTT 2400
 TTTGTAGAGA TGGGGTTTCA CCGTGTGTGC CAGGCTGTGT TGAACCTCTG AGCTAAAGCA 2460
 ATACACTTGC CTCGTCTCTCC CCATGTGCTG GGATTAACAGG CGTGAGCCTT GGTGCTGGCC 2520
 CAGGTGTACCA CATTTCTTTT TGAGATTTGT TTTGGCTATG TTAAGTCTCT TGCTTTTGAT 2580
 GTGAAATTTG GGAACAGGCC GGGTGTGGTG GCTTATGCCT GTAATCCTAG AACTTTGGGA 2640
 GGCTTAGATG GGTGGATCAC TTGAGCTCAG GAGTTCCAGA CCAGCCCGGG CCTATGGCAA 2700
 AACTCCGTCT CTACAAAAA TAGAAAAAT TAGCCAGGTG TGGTGGTGCA TGCTGTAGT 2760
 CACAGTTACA CGGCAGGCTG AGGTGGGAGG ATCACTTGAA CCCCAGAGGT CAAGACTGCA 2820
 GTGAGCTGAG ATCACAGCAC TGTACTCCAG CCTGGGTGAC AAAGTGAGAC TCTATCTCAA 2880
 AAAGAAATTA GGATCAATTT GTCAATTTCT ACAACAACAA CAACAAAAAC CCCTGTGGG 2940
 CACCTTGATT GAGATTTGAT TGAATTTATA TAAAACCTGT GGGAGAATTG ACATCTTAAT 3000
 AATATGAGT CTCTCGGCC CTATAACAAG TCTGTCTTCC TAGGTATTAA TGTTTTGTCT 3060
 TCTATTTCTC TTAATAATCT TTTGTAGTTT TCAGTGTACA GGTCTACCAT GTCAGCATT 3120
 CATAGTTTGT ATGCTAAATG GTATTTTAAA ATTTCAAATT CTAACCACTT GTTGCTAGTA 3180
 AATAGAAATA CAATTGATGT TGAACCTGTA TCCTTCAGCC TTGCTAAACT GTGAGTTCTC 3240
 ATGGTGTTTT TGTAATATC ATCAACAGTC ATGTGTTCTA TGAATAAAGA GTTTACTCC 3300
 TTC

Seq ID NO: 154 Protein sequence:
 Protein Accession #: BAA11503.1

1 11 21 31 41 51
 MFCEKAMELI RELHRAPEGQ LPAFNEGLR QVLEEMKALY EQNQSDVNEA KSGGRSDLIP 60
 TIKFRKSHLL RNRRTVAYL YDRLLRIRAL RWEYGSVLPN ALRPHMAAEE MEWFNNYKRS 120
 LATYMRSLGG DEGLDITQDM KPPKSLYIEV RCLKDYGEFE VDDGTSVLLK KNSQHFLPRW 180
 KCEQLIRQGV LEHILS

Seq ID NO: 155 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 149-709

1 11 21 31 41 51
 GTTCGGCGCC AAAGCGCGGA GCGGAGGCCG AGGCGAGAGC CTGGCGCTGT AGGACTAGAA 60
 CGAAAGGAGT GAGGCGCCGA GAGCCAGAT ACCATTTTGG CGTGAGAGCT GGTGGTTGGC 120
 AAGGCGCGG GAGTGGGAAG CGTCCGCCAT GTTCTGCGAA AAAGCCATGG AACTGATCCG 180
 CGAGCTGCAT CGCGCGCCG AAGGGCAACT GCCTGCCTTC AACGAGGATG GACTCAGACA 240
 AGTCTGGAG GAGATGAAAG CTTTGTATGA ACAAACCCAG TCTGATGTGA ATGAAGCAAA 300
 GTCAGGTGGA CGAAGTGATT TGATACCAAC TATCAAATTT CGACACTGTT CTCTGTTAAG 360
 AAATCGAGCG TGCAGTGTAG CATACTGTGA TGACCGCTTG CTTCGGATCA GAGCACTCAG 420
 ATGGGAATAT GGTAGCCTCT TGCCAAATGC ATTACGATTT CACATGGCTG CTGAAGAAAT 480
 GGAGTGGTTT AATAATTATA AAGATCTCT TGCTACTTAT ATGAGGTCAC TGGGAGGAGA 540
 TGAAGGTTTG GACATTACAC AGGATATGAA ACCACCAAAA AGCCTATATA TTGAAGCTGG 600
 ATGCAAGTGC GCGATCTCGG CTCCAACTGC AACCTCCACC TCCCAGGTTT ACCTCAACTG 660
 CAACTCCAC CTCCCAGTCA AAGACTATGG AGAATTTGAA GTTGATGATG 720
 GCACCTCAGT CCTATTAATA AAAAATAGCC AGCACTTTTT ACCTCGATGG AAATGTGAGC 780
 AGCTGATCAG ACAAGGAGTC CTGGAGCACA TCCGTGCATG ACCATGCGCC GAGGCACCTC 840
 CAGGCTTAC TCAACTATG TACTCCTCTG TACTCACTCT CTCCACCCTT CCCTTCACTT 900
 CCCTCTTGA TTTTGAAGC TATAGACATT GTTTAAGATA ACTAAGAATA CTGGCTAAG 960
 AAGTATAATT TGCTAACTAT TAAGGACTTT CTTTTTTTAA TGTGTACAC TATTCTTCTT 1020
 ACTCTTTTTT GGTTTTGTG TTTTGTGTA GAGACTGTCT CACTATGTTG CCCAAGCTGG 1080
 TCTCAAACCTC CTGGCCCTCA GCAGTCTCTC CACCTTAGCT TCTCAAAGTG TTGAGATCAC 1140
 AGGCGTGAGC CACTGCACCC GCGCCCTACT CTTTTTCTA ATAAGCTGTA TCTGTAATCA 1200
 CAGCAATTCCT ACAGTTGTTA CAGTGTGTTT TTTAAATGAA AGTAAACATG GTTACATTGG 1260
 AATCTCTTAA ATAAGCAGTC ACTTGGCTGG ACAGGAAGAA GGTAGATCCT GTGTCTCTG 1320
 TTTTCTGGTC ATGTTGATTG TACAAGCTAG AGAGCTGAAT TTCTGAGATA CACATTTTCA 1380
 AATCACATGC AAGTGAAGAT GATGGTCTGT AGAAATTTTC AGTATATATA ATGTTTAATG 1440
 ACATACTAAT TTATCATCTG GCTATTTGGG AAGGAAGGAC ACACATGGAT TTTGCACATT 1500
 TCCACCATGG TGGCTGTGTT GGCTTGTGGC TATGGGGTGA TCACCAGTAT CACCCTTGG 1560
 GAAGGGGACA GTGAAATTTG GGCTAGAGAA GGAACCTTGT ACAGTTTTCCT CTGAGATTCA 1620
 GAITGACTGA AAAGTCACAT GAAGAGTTGA TTGTCTTTTA ATGGTATGTT TTAACAGCT 1680
 GACATTTTAA ATTTGATGA AATCCAGTTT ATTCGTTTGT TCTTTTATGC TTTGGGTGTT 1740
 GCATCCGAGA AATCTTTTCC CATCCCAAGA TCACAATTTT TTTTCTTTT TACTTCTAGA 1800
 AGTGTATAAA TTTTAAAGCT TATACTTTGG TCTATGACCC GTTTTTTTTT TGTTTTGT 1860
 TTGTTTTTTC GTTTGTTTCT TTGTTTTGAG ATGGAGTCTT GTTCTGTAC CCAGGCTGGG 1920
 GTGCAAGTGG GTGATCTTGG CTCAGTGCAG TCTCTATCCC CTGGGTCAA GTGATCTCT 1980
 TGCTCAGCC TCCCAAGTAG CTGGGATTAC AGGCACAGC CGCCACGCTT GGCTAATTTT 2040
 TGTATTTTAA GTAGAGACAG AGTTTTACCA TGTGGCCAG GCTGGTTTCA AACTCCTGAC 2100
 CTCAGTGCAC CCACCTGGC CTCCCAAAGT TTTGGGATTA CAAGTGTGGG CCACCGCGGC 2160
 CAGCCTATGA TCCATTTTGA ATGAATTTT TATATGGTGC AAGGTGTCAA TCCACCTTCA 2220
 CTTTTTCTG GGAATATAGA TATCCAGCTG TTTCACTACC ATTTTTTGA AGGACTGCCC 2280
 TTTGCTCTAT CACCTTGTCA TTTTGTGTTA AAAGTAGTTG TCAATGTATA TGTGGGTTA 2340
 TTTCAGGACT CTGTTTGTGT CCATTGACCT GTTTTCTCT CCTGAATGCC AATACCATAT 2400
 TTGTATGTAG TGTATGTAAT TTCTAATAA TTCTTGAAC AGATAGTATT AATGTGTCAT 2460
 ATTTTGTGCT TTGTTGTAT TTTTGTGATA GATGGGGTTT CACCGTGTG GCCAGGCTGT 2520
 GTTGAACCTC TGAGCTAAAG CAATCACTT GCCTCGTCT CCCCATGTG TGGGATTACA 2580
 GCGGTGAGCC TTGGTCTGG CCCAGTGTAC CACATTTCTT TTTGAGATT GTTTGGCTA 2640
 TGTAAAGTCC TTTGCTTTTG ATGTGAAATT TGGGAACAG CAGGGTGTG TGGCTTATGC 2700
 CTGTAATCCT AGAATTTTGG GAGGCTTAGA TGGGTGATC ACTTGAGCTC AGGAGTTCCA 2760
 GACCAGCCCG GGCCTATGGC AAAACTCCGT CTCTACAAAA AATAGAAAAA ATTAGCCAGG 2820

TGTGGTGGTG CATGCCTGTA GTCCACAGTTA CACGGCAGGC TGAGGTGGGA GGATCACTTG 2880
 AACCCACAGAG GTCACAGCTG CAGTGTAGCTG AGATCACACC ACTGTACTCC AGCCTGGGTG 2940
 ACAAAGTGAG ACTCTATCTC AAAAAGAAAT TAGGATCAAT TTGTCAATTT CTACAACAAC 3000
 AACACAAAAA ACCCTCTTTG GGCACCTTGA TTGAGATTGC ATTGAATTTA TATAAACTG 3060
 TTGGGGAAT TGACATCTTA ATAATATTGA GTCTTCTGGC CTATAAACAA GGTCTGTCTT 3120
 CCTAGGTATT AATGTTTGT CTCTATTTC TCTTAATAAT CTTTGTAGT TTTCAAGTGA 3180
 CAGGTCTACC ATGTACAGAT TTCATAGTTT TGATGCTAAA TGGTATTTTA AAATTTCAAA 3240
 TTCTAACCACT TTGTGTCTAG TAAATAGAAA TACAATTGAT GTTGAAGCTG TATCCTTCAG 3300
 CTTGTCTAAA CTGTGAGTTC TCATGGTGT TTTGTAATTT ACATCAACAG TCATGTGTTC 3360
 TATGAATAAA GAGTTTACT CCTTC

Seq ID NO: 156 Protein sequence:
Protein Accession #: Eos sequence

1 11 21 31 41 51
 MFCEKAMELI RELHRAPEGQ LPAPFNEDGLR QVLEEMKALY EQNQSDVNEA KSGGRSDLIP 60
 TIKFRHCSLL RNRRCVTAYL YDRLLRIRAL RWEYGSVLPN ALRFHMAAEE MEWFNNYKRS 120
 LATYMRSLGG DEGLDITQDM KPPKSLYIEA GCSGAISAQP ATSTSQVHLN CNLHLPGPVS 180
 KRLWRI

Seq ID NO: 157 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 148-621

1 11 21 31 41 51
 TTCCGCGCCA AAGCGCGGAG CGGAGGCCGA GCGGAGAGCC TGGCGCTGTA GGACTIONAAC 60
 GAAAGGAGTG AGGCGCCGAG AGCCACAGATA CCATTTTGGC GTGAGAGCTG GTGGTTGGCA 120
 AGGCGCCGGG AGTGGGAAGC GTCCGCCATG TTCTGCGAAA AAGCCATGGA ACTGATCCGC 180
 GAGTGCATC GCGCGCCCGA AGGGCAACTG CCTGCCTTCA ACGAGGATGG ACTCAGACAA 240
 GTTCTGGAGG AGATGAAAGC TTTGTATGAA CAAAACCACT GTAGTGTGAA TGAAGCAAAG 300
 TCAGGTGGAC GAAGTGATTT GATACCAACT ATCAAATTTG GACACTGTTC TCTGTAAAGA 360
 AATCCAGCTG GCACCTGTAGC ATACCTGTAT GACCGCTTGC TTCGGATCAG AGCACTCAGA 420
 TGGGAATATG GTAGCGTCTT ACCAAATGCA TTACGATTTT ACATGGCTGC TGAAGAAAGTC 480
 CGGTGTCTAA AAGACTATGG AGAATTTGAA GTTGATGATG GCACCTCAGT CCTATTAAAA 540
 AAAAATAGCC AGCAGTTTTT ACCTCGATGG AAATGTGAGC AGCTGATCAG ACAAGGAGTC 600
 CTGAGACACA TCCTGTCTAG ACCATGCGCC GAGGCACCTC CAGGCTTCAC TCAACTCATG 660
 GACTCCTCTG TACTCACTCT CTCCACCCT CCCTTCACCT CCCTCTTGA TTTTGAAGC 720
 TATAGACATT GTTTAAGATA ACTAAGAATA CTTGGCTAAG AAGTATAATT TGCTAACTAT 780
 TAAGCACTTT CTTTTTTTAA TGTGTACAC TATTCTTCTT ACTCTTTTTT GGTTTTGGTT 840
 TTGTTTTGTA GAGACTGTCT CACTATGTGG CCCAAGCTGG TCTCAAATC CTGGCCTCAA 900
 GCAGTCTCC CACCTTAGCT TCTCAAATG TTGAGATCAC AGGCGTGAAG CACTGCACCC 960
 GGCCCTACT CTTTTTTTCTA ATAAAGCTGTA TCTGTAATCA CAGCATTCTT ACAGTTGTTA 1020
 CAGTGTGTTT TTTAAATGAA AGTAAACATG GTTACATTTG AATCTCTTAA ATAAGCAGTC 1080
 ACTTGGCTGG ACAGAAAGAA GTTAGATCCT GTGTGTCTTG TTTCTGGTC AFGTGTATTG 1140
 TACAAGCTAG AGAGCTGAAT TTCTGAGATA CACATTTTCA AATCACATGC AAGTGAAGAT 1200
 GATGGTCTGT AGAAATTTTC AGTATATATA ATGTTTAAAT ACATACCTAT TTATCATCTG 1260
 GCTATTTGGG AAGGAAGGAC ACACATGGAT TTGCACAT TCCACCATGG TGGCTGGTGT 1320
 GGCTTGTGGC TATGGGGTGA TCACCAGTAT CACCCTTTG GAAGGGGACA GTGAATTTGG 1380
 GGCTAGAGAA GGAACCTTTGT ACAGTTTTCC CTGAGATTCA GATTGACTGA AAAGTCACAT 1440
 GAAGAGTTGA TTGTCTTTTA ATGGTATGTT TTAACAGCT GACATTTTAA ATTTTGTATGA 1500
 AATCCAGTTT ATTGTTTGT TCTTTTATGC TTTGGGTGTT GCATCCGAGA AATCTTTTCC 1560
 CATCCCAAGA TCACAATTTT TTTTCTTTT TACTTCTAGA AGTGTATATA TTTTAAAGCTT 1620
 TATACTTTGG TCTATGACCC GTTTTTTTT TTGTTTTGTT TTGTTTTTTC GTTTGTTTTCT 1680
 TTGTTTTGAG ATGAGTCTT GTTCTGTAC CCAGGCTGGG GTGCAGTGGC GTGATCTTGG 1740
 CTCACGTCAA TCTCTATCCC CTGGGTTCAA GTGATTTCTT TGTCTCAGCC TCCCAAGTAG 1800
 CTGGGATTAC AGGCACAGCC CGCCACGCTT GGCTAATTTT TGTATTTTAA GTAGAGACAG 1860
 AGTTTTACCA TGTGTGGCAG GCTGGTTTCA AACTCCTGAC CTCAGGTGAC CCACCTTGGC 1920
 CTCCCAAAGT TTTGGGATTA CAAGTGTGGG CCACCGCGGC CAGCCTATGA TCCATTTTGA 1980
 ATGAATTTT TATATGGTGC AAGGTGTCAA TCCACCTTCA CTTTTCTTG GGAATATAGA 2040
 TATCCAGCTG TTTCACTACC ATTTTTTGA AGGACTGCCC TTTGCTCTAT CACCTTTGCA 2100
 TTTTGTAA AAAGTAGTTG TCAATGTATA TGTGGGTTTA TTTCAAGACT CTGTTTTGTT 2160
 CCATTGACCT GTTTTTCTCT CTTGAATGCC AATACCATAT TTGTATGTAG TGTAIGTAAT 2220
 TTTCTAATAA TTCTTGAAC AGATAGTATT AATGTGTCT ATTTTTGCTG TTGTTTGTAT 2280
 TTTTGTAGA GATGGGTTT CACCGTGTG GCCAGGCTGT GTTGAACCTC TGAGCTAAAG 2340
 CAATACACTT GCCTCGTCTT CCCCATGTGC TGGGATTACA GGCCTGAGCC TTGGTGTCTG 2400
 CCCAGTGTAC CACATTTCTT TTTGAGATT GTTTTGGCTA TGTAAAGTCC TTTGCTTTG 2460
 ATGTAAATTT TGGGAACAGG CAGGGTGTGG TGGCTTATGC CTGTAATCCT AGAACTTTGG 2520
 GAGGCTAGA TGGGTGATC ACTTGAGCTC AGGAGTTCCA GACCAGCCCG GGCCTATGGC 2580
 AAAACTCCGT CTCTACAAAA AATAGAAAAA ATTAGCCAGG TGTGGTGGTG CATGCCTGTA 2640
 GTCAAGTTA CACGGCAGGC TGAGGTGGGA GGATCACTTG AACCCAGAG GTCAAGACTG 2700
 CAGTGAAGCT AGATCACACC ACTGTACTCC AGCCTGGGTG ACAAAGTGA ACTCTATCTC 2760
 AAAAAGAAAT TAGGATCAAT TTGTCAATTT CTACAACAAC AACACAAAA ACCCTGTGTT 2820
 GGCACCTTGA TTGAGATTGC ATGAATTTA TATAAACTG TTGGGAGAA TTGACATCTTA 2880
 ATAATATTGA GTCTTCTGGC CTATAAACAA GGTCTGTCTT CCTAGGTATT AATGTTTTGT 2940
 CTCTATTTC TCTTAATAAT CTTTTGTAGT TTTCAAGTGA CAGGTCTACC ATGTGAGCAT 3000
 TTCATAGTTT TGATGCTAAA TGGTATTTA AAATTTCAAA TTCTAACCA CTGTTGCTAG 3060
 TAAATAGAAA TACAATTGAT GTTGAAGCTG TATCCTTCAG CCTTGTCTAAA CTGTGAGTTC 3120
 TCATGGTGT TTTGTAATTT ACATCAACAG TCATGTGTTC TATGAATAAA GAGTTTACT 3180
 CCTTC

Seq ID NO: 158 Protein sequence:
Protein Accession #: Eos sequence

1 11 21 31 41 51

MFCEKAMELI RELHRAPEGQ LPAFNEEDGLR QVLEEMKALY EQNQSDVNEA KSGGRSDLIP 60
 TIKFRHCSLL RNRRCYVAYL YDRLLRIRAL RWEYGSVLPN ALRPHMAAEE VRCLKDYGEF 120
 EVDGTSVLL KINSQHFLPR WRCEQLIRQS VLEHILS

5 Seq ID NO: 159 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 149-229

10 1 11 21 31 41 51
 | | | | | |
 GTTCGGCGCC AAAGCGCGGA GCGGAGGCGC AGGCGAGAGC CTGGCGCTGT AGGACTAGAA 60
 CGAAAGGAGT GAGGCGCCGA GAGCCAGAT ACCATTTTGG CGTGAGAGCT GGTGGTTGGC 120
 AAGGCCGCGG GAGTGGGAAG CGTCCGCCAT GTTCTGCGAA AAAGCCATGG AACTGATCCG 180
 CGAGCTGCAT CGCGCGCCCG AAGGGCAACT GCCTGCCTTC AACAAATTAGC TGGGTGTGGT 240
 15 GGACACACAC TGTAAGTCCCA GCAACTTAGG AGGCTGAAGT GAGAGGATTG CATGGCTCCA 300
 GGAAGTTGAA ACTGCAGTGA ACTGTGGTCA CGCTATTACA CTCCAGCCTG GGTGACAGAC 360
 TGAATCCCTG TCTCAAAAAG GAAAAGGAGG ATGGACTCAG ACAAGTTCCTG GAGGAGATGA 420
 AAGCTTTGTA TGAACAAAAC CAGTCTGATG TGTCTCTCTG TAAGAAATCG ACGCTGCACT 480
 GTAGCATACC TGTATGACCG CTTGCTTCGG ATCAGAGCAC TCAGATGG

20 Seq ID NO: 160 Protein sequence:
 Protein Accession #: Eos sequence

25 1 11 21 31 41 51
 | | | | | |
 ATGTTCTGCG AAAAAGCCAT GGAAGTATG CCGGAGCTGC ATCGCGCGCC CGAAGGGCAA 60
 CTGCCCTGCT TCAACAATTA G

30 Seq ID NO: 161 DNA sequence
 Nucleic Acid Accession #: U10694
 Coding sequence: 1333-2280

35 1 11 21 31 41 51
 | | | | | |
 GGATCCGGCC GGATCTCAGG GAGGTGAGGA CTTTGTCTC AGAGGGTGTG TGTGGACAAA 60
 ACAGGGAGGC CCTGTGTTCC ACAGACACAG TGGTCCCAGG ATTGGAGAGC AGTCCAGGTG 120
 AGGAACCTAA GGGAGGATCG AGGGTACCTC CAGGCCAGAG AAACCTCTCAG ATCAAGAGAG 180
 TTTGCCCTCG CCCTACTGTC ACCCCAGAGA GCCCGGGCAG GGCTGTCTGC TGAGTCCCTT 240
 40 CCTTTATCCT GGGATCACTG GTGTCCGGGA GGGCTGGCCT TGGTCTGAGG GGGTGCACCT 300
 CAGCTCAGCA GAGGGAGGGT CCGAGGCCCT GCCAGGAGTC CAGGTGCAGA CTGAGGGGAC 360
 CCCACTCACC AAACACAGAG GACCTAGCCC CACCCTGCCC CTTGTGTGAG CTGAGGGGAG 420
 CCGCTGGGTG GATGGACTCC CCTCACTTCC TCTTCAGGTG TCTCCTGGAG ATAGGGCCTC 480
 AGGTCAACAG AGGGAGGGTT CCAAGCCCTG CAGGCATCAA GATGAGGACC AGGCAGTATC 540
 45 CTCACCCAG GACACATGGA CCCCATGAA TTAGACATC TCTTACTGTA CTTCCGAGGA 600
 AACCCCTGGC AGGTGTGGGC AGATGTTGGT TGGGGCATGT CCTTCTGTTT CATATCAGGG 660
 ATGTGAGCTC CTGATCTGAG AGACTCTCAG GCAAGTAGAG GAGTAGAGTC CAGTCCCTGC 720
 CAGGAGAAAG GTCAGGGCCC TGAGTGAGCG CAGAGGGGAC CATCCACCCC AAAAGTGTGT 780
 AGAACTCAAG AGTGTCCAGC CCGCCCTCTT GACAGCACTG AGGGACCAGG GCTCTGCCTG 840
 CAGTCTGCAG CCTAAGGGCC CCTCGATTTT TCTTCCAGGA GCTCCAGGAA GCAGGCAGGC 900
 50 CTTGTTCTGA GACAGTGTCC TCAGGTGCGA GAGCAGAGGA GACCCAGGCA GTGTGAGCAG 960
 TGAAGGTGAA GTGTTCAACC TGAATGTGCA CCAAGGGCCC CACCTGCCCC AGCACACATG 1020
 GGACCCATA GCACCTGGCC CCATTCCCTT TACTGTCACT CATAGAGCCT TGATCTCTGC 1080
 AGGCTAGCTG CACGCTGAGT AGCCCTCTCA CTTCTCCCTC CAGTTTCTCG GGACAGGGTA 1140
 ACCAGGAGGA CAGGAGCCCC AAGAGGCCCC AGAGCAGCAC TGACGAAGAC CTGTAAGTCA 1200
 55 GCCTTTGTTA GAACTCCAA GGTTCGGTTC TCAGCTGAAG TCTCTCACAC ACTCCCTCTC 1260
 TCCCAGGGCC TGCCCGGCTC CATCGCCAG CTCCTGCCCA CGTCTCTGAC TGCTGCCCTG 1320
 ACCAGAGTCA TCATGTCTCT CGAGCAGAGG AGTCCGCACT GCAAGCCTGA TGAAGACCTT 1380
 GAAGCCCAAG GAGAGGACTT GGGCCTGATG GGTGCACAGG AACCCACAGG CGAGGGAGGAG 1440
 60 GAGACTACCT CCTCCTCTGA CAGCAAGGAG GAGGAGGTGT CTGTCTGTGG GTCATCAAGT 1500
 CCTCCCCAGA GTCCTCAGGG AGGCGCTTCC TCTCCATTT CCGTCTACTA CACTTTATGG 1560
 AGCCAATTCG ATGAGGGCTC CAGCAGTCAA GAAGAGGAAG AGCCAAAGTC CTCGGTCCGAC 1620
 CCAAGTCCAG TGGAGTTCAT GTTCCAAGAA GCACTGAAAT TGAAGGTGGC TGAGTGTGGT 1680
 CATTTCTCTG TCCACAATA TCAGTCAAG GAGCCGGTCA CAAAGGCAGA AATGTGGGAG 1740
 AGCGTACTCA AAAATTACAA CGGCTACTTT CCTGTGATCT TCGGCAAAGC CTCGGAGTTC 1800
 65 ATGCAGGTGA TCTTTGGCAC TGATGTGAAG GAGGTGGACC CCGCCGCCCA CTCCTACATC 1860
 CTTGTCACTG CTCTTGGCCT CTGCTGCGAT AGCATGTGG GTGATGGTCA TAGCATGCCC 1920
 AAGGCCGCCC TCCTGATCAT TGTCTGGGT GTGATCCTAA CCAAAGACAA CTCGCCCTCT 1980
 GAAGAGGTTA TCTGGGAAGC GTTGTGTGTG ATGGGGTGT ATGTTGGGAA GGAGCACATG 2040
 70 TTCTACGGGG AGCCCGAGAA GCTGCTCACC CAAGATTGGG TGCAGGAAAA CTACCTGGAG 2100
 TACCCGACAG TGCCCGGACG TGATCCTGGG CACTACGAGT TCCTGTGGGG TTCCAAGGCC 2160
 CACGCTGAAA CCAGCTATGA GAAGGTCATA AATTATTGG TCATGCTCAA TGCAAGAGAG 2220
 CCCATCTGCT ACCCATCCCT TTATGAAGAG GTTTTGGGAG AGGAGCAAGA GGGAGTCTGA 2280
 GCACCAGCCG CAGCCGGGGC CAAAGTTTGT GGGGTCAGGG CCCCATCCAG CAGTGCCTCT 2340
 75 GCCCATGTG ACATGAGGCC CATCTCTCGC TCTGTGTTG AAGAGAGCAA TCAGTGTCTT 2400
 CAGTGGCAGT GGGTGAAGT GAGCACACTG TATGTCATCT CTGGTTCCTT TGTCTATTGG 2460
 GTGATTTGGA CATTATCCT TGCTCCCTTT TGGAAATGTT CAAATGTTCT TTTAATGGTC 2520
 AGTTAATGA ACTTCCACAT CGAAGTTAAT GAATGACAGT AGTCAACAT ATTGCTGTTT 2580
 ATGTTATTTA GGAGTAAGAT TCTTGCTTTT GAGTCACATG GGGAAATCCC TGTATTATTG 2640
 80 TGAATTGGGA CAAGATAACA TAGCAGAGGA ATTAATAAAT TTTTGAAC TGAACCTTAG 2700
 CAGCAAAATA GAGCTCAATA AGAAATAGTG AAATGAAAT GTAGTTAATT CTGCTCTTAT 2760
 ACCTCTTCT CTCTCCTGTA AAATTAAC ATATACATGT ATACCTGGAT TTGCTTGGCT 2820
 TCTTTGAGCA TGTAAAGAAA ATAAAAATT AAAGAATAAT TTTTCTGTT CACTGGCTCA 2880
 TTTTCTCTC AGACACGCAC TGAACATCTG TTATTCGGAA CACCTGGGT T

85 Seq ID NO: 162 Protein sequence:
 Protein Accession #: AAA68877.1

1 11 21 31 41 51
 | | | | | |
 MSLEQRSPHC KPDEDLEAQQ EDLGLMGAQE PTGEEBETTS SSSKEEEVS AAGSSSPFQS 60
 5 PQGGASSSIS VYYTLWSQFD EGSSSQEBEE PSSSVDPAQL EFMFQELKLV KVAELVHPLL 120
 HKYRVKPEVT KAEMLESVVK NYKRYFPVIF GKASEFMQVI FGTDVKEVDP AGHSYILVTA 180
 LGLSCDSMLG DGHSMFKAAL LIIVLGVILT KDNCAPEEVI WEALSVMGVY VGKEHMFYGE 240
 PRKLLTQDWV QENYLEYRQV PGSDPAHYEF LWGSKAHAET SYEKVINYLVL MLNAREPICY 300
 PSLYEEVLGE EQBQV

Seq ID NO: 163 DNA sequence
 Nucleic Acid Accession #: AF292100
 Coding sequence: 30-809

15 1 11 21 31 41 51
 | | | | | |
 GGGGGGGGAG AGGCCTGGAG GACACCAACA TGAACAAGTT GAAATCATCG CAGAAGGATA 60
 AAGTTCGTCA GTTTATGATC TTCACACAAT CTAGTGAAAA AACAGCAGTA AGTTGTCTTT 120
 CTCAAAATGA CTGGAAAGTTA GATGTTGCAA CAGATAATTT TTTCCAAAAT CCTGAACTTT 180
 20 ATATACGAGA GAGTGTAAAA GGATCATTGG ACAGGAAGAA GTTAGAACAG CTGTACAATA 240
 GATACAAAGA CCCTCAAGAT GAGAATAAAA TTGGAATAGA TGGCATAACAG CAGTTCCTGTG 300
 ATGACCTGGC ACTCGATCCA GCCAGCATTG GTGTGTTGAT TATTGCGTGG AAGTTCAGAG 360
 CAGCAACACA GTGCGAGTTC TCCAAACAGG AGTTCATGGA TGGCATGACA GAATTAGGAT 420
 GTGACAGCAT AGAACAACTA AAGGCCAGA TACCCAAGAT GGAACAAGAA TTGAAAGAAC 480
 25 CAGGACGATT TAAGGATTTT TACCAGTTTA CTTTTAATTT TGCAAAGAAT CCAGGACAAA 540
 AAGGATTAGA TCTAGAAATG GCCATTGGCT ACTGGAACCT AGTGCTTAAT GGAAGATTTA 600
 AATCTTAGA CTTATGGAAT AAATTTTGTG TGGAAACATCA TAAACGATCA ATACCAAAAG 660
 ACACCTGGAA TCTTCTTTTA GACTTCAGTA CGATGATGTC AGATGACATG TCTAATATG 720
 ATGAAAGAAG AGCATGGCCT GTTCTTATTG ATGACTTTGT GGAATTTGCA CGCCCTCAA 780
 30 TTGCTGGGAC AAAAAGTACA ACAGTGTAGC ACTAAAGGAA CCTTTAGAA TGTACATAGT 840
 CTGTACAATA AATACAACAG AAAATTGCAC AGTCAATTTT TGCTGGCTGG ACTGAACTGA 900
 AGATCAATCC TCACAATTC GACTGAGGGT TGAGACAAAA CTTAAGGAT ACATCTTGA 960
 CCATATCGTA TTTCAATCTT CTAATGGTGG TTTGGGCTTG TCTCTAGTC TGGCCCGCTC 1020
 TAAACATTTA TAATCCAAC ATTGTGGATT TCATCTTATA TCTGTGGACC ATCCTAGTTT 1080
 35 ATTCTCCCAT AAGTCTTAGA AGCTTTATGG TGATTATTTT GAGGTTTTCA TTCTCGCATA 1140
 AAGACAATG CTTCTTTCAT CAGAAAAACAG TTGGCATAAG AATTAACAT ATGAACATCA 1200
 CAAAACAATT TATAAAAAC TCTTAAATAT ACGCTTTGGG CTAGTTGCAA AGACTATGCT 1260
 AATAGCACTT CCAAGTGAAG TGATATATTT AAGTGTACTG GATCTGGAAT GGTGTTTTGG 1320
 40 TTTGGGGGGA ATTTTTTTTT TTTCTGGCA AATCACATAT GTTGTGATG TGAGTATCTG 1380
 ATGAAAAAAC AATGTGAGAA TAACCGGACAT GAAAATTTTT TAGGATAACT TGGTGCCTAC 1440
 CTGAAAAATG TATTGTGTTT TAGACTCTTG ATTTCAAAG GTTCCACAGA ACTAGTCTGC 1500
 GCTTACCTTA CCCATGTTTA TATAAGCTG TCCTACAGGG AGCTTTTATT TAGAAAATGT 1560
 CTGCATAATG TTAGATCTTT CTCCTGTCTA CATTATGCAC TACATAAATG GACTTCATTA 1620
 45 TGCTTTGAA ATGCTTATCT GCCTGTACA TAAGTTAAAC TATTTAATTT GTTTTGAATG 1680
 TTTTGGATTG CTACACAATA CAATATCTTA AATTTAGGCA TGAGGTTTTT TTTGTTTTAT 1740
 TTTTACTTTT TTTTGTTCAT TGCACATGAG AACACAAATG AAATCTCTT AATTTATAAG 1800
 AAGATAGTAG GAGTTAAAT TTGAAAATGG TTGTGATGAG CACGAAAT CAATCTTTAT 1860
 AATATAGGTA CTGCTCTTTC AGACAAACAG TCCATTTTTA ATGACTTCTT ATTTTGTGTA 1920
 AATTACTTTA ACTGCTAATC ACTGTGGTGG CCAAATATTT ACTTCAGAAG CAAAGATTTT 1980
 50 CAAACAAGCA CACACATGTC AAAATACCAG TCTGGCTTCT AGTCTAATTA CTGTTTTGTT 2040
 TCACCTAGAT TAGCTCAGTT TCTCATCAA AGCAGAATGC TATCTTGGCT GTGTGTGTGT 2100
 GTGTGTGTGT GTGTGTGTGT GTATGTGTGT ATATATATAT ATATATATAT ATATATATTT 2160
 TTTTTTTTTT TTTTTTTTAA ATTACAAAAG CCAATGAGCTG CTTTATGCT GAAAATGGTC 2220
 ATTTCCCTGT TCACCTACTG ACATGTGAAG AAGGGTTTCT TGCTTCTTA AACATTTCCG 2280
 55 TAAGGCAGGC TAGAAATGTA ATACTTCAA TGTTTGATGA TTATGGTCTT TTGATAGGAA 2340
 TAGATTCTGC TTGGGATATA TATCCAGGCA CTCTTAAGG TCTAGGGTTG ATATTAACAA 2400
 AGGAATGTAC TTAGAATAGC AGTACATTTT ATGCAAATAT GGAATTTATT TTAAGAAACA 2460
 ATGACATATC AAAACGTCTT TTTACATGAT TTTGAAATAG ACTAGAAAGC TTTCCCTATA 2520
 60 GACATATTA TATTCCAATC ATAACCTTAA TTCAAGAATG CAGTTTTACC AAAAGAAAA 2580
 TTTGAAAAT TCTATTGAG CTAAGTGAAT TGGTTATTA AAGAAAAAG AAAAAGAGA 2640
 ATCTTGCTGC TTTCAATGAT TCTGATTTT TTTGTAATA TAAAGAGGAA CTTCAATAT 2700
 GAAAAATTTT TAAAAGATAT ATATATCTAT ATATCTATAT ATATGTACTG TTTTGTTC 2760
 TGTCTGGAAG ATTTGAGTT ATGGTTATG GTTTCAGAT GATTAATTC CATATGCTGT 2820
 GTTTCTTTA AAAGTCATAT GGGTTCGTGG CCTAATGCCT TGGATTTTAC ATATTTTCT 2880
 65 TTTTAAATGC AAAACCTTTT CAACAAAATA GTGTTTGTC TCAGGTGTGT ACTAAACATT 2940
 TATAATTAAT GTGTAATTTT AAACAAAAT ACATAAAGCT TTGAATATAA TTATGTAGCA 3000
 TAAAAGTTAA GGTGTTTAC TATGATGGCA TCTTAGAATT AAACAAAAC TTTACTAGGG 3060
 CTGAAAAGAG AAGACTGATT TAATGTGGTG TGATTTTCT GAAGATAAAT GTCTGGCTAC 3120
 70 AGGGAATATT TTGACTAAA AAATGATTAC ACATATGGCT GTGTGTGTT GAGTCTGTGT 3180
 CTGTGAGAGA GCCAGAGAGA GTGAGAGAGA TTGACAGAGA AAGGGAGAGA CACACACAG 3240
 CCCCTTGAAT TGCTTTAACT CCTAAGTGT TCACTCTCA TCCGGTAAA CTCCCATGC 3300
 TGATCTTTG TTTTAAACTG AACCATAGT ACAGTTTCT TTTGCCAAA TGTCAAACA 3360
 GGTACAAAT TAAAATGTA ATGCTTTTAA AATAGAAAA TGTATAAAT TAGAAGTGCC 3420
 75 CACATATAAA AAATACTTGA GATGAAGATT ATCTTAGTG AATATCATCT GCATATCTCT 3480
 GTAAGTTCAA TTGTGTTTCT TACAGTCCCT GTCATATTAC CAACAGAGGC AATAAAGCT 3540
 GCAGTGAAT TG

Seq ID NO: 164 Protein sequence:
 Protein Accession #: AAG00606

80 1 11 21 31 41 51
 | | | | | |
 MNKLRSSQKD KVRQFMIFTQ SSEKTAVSCL SQNDWKLQVA TDNFFQNPQL YIRESVKGSL 60
 85 DRKLEQLYLN RYKDPQDENK IGIDGIQFQC DDLALDPASI SVLIIAWKFR AATQCEFSKQ 120
 EFMGMEELG CDSIEQLKAO IPKMEQELKE PGRFKDFYQF TFFNFAKNPGQ KGLDLEMAIA 180
 YWNLVINGRF KPLDLWNKFL LEHHRKRSIPK DTWNLLLDPS TMIADDSMNY DEEGAWPVLV 240
 DDFVEFARPE IAGTKSTTV

Seq ID NO: 165 DNA sequence
Nucleic Acid Accession #: AF256215
Coding sequence: 220-2028

5

10

15

20

25

30

35

40

45

50

55

60

65

70

75

80

85

1	11	21	31	41	51	
CTCCAGTCCG	CATGCTCAGT	AGCTGCTGCC	GGCCGGGCTG	CGGGGGCGCG	TCCGCTGC	60
GCCTACGGGG	TGCGGTGGCG	GCCGCGCGG	CACCCGGCAG	GGCCCGCCAG	TCCCGGCTTC	120
CCTGCTCCAG	AGCCCGCGCC	TGGCCGGGG	CAGGGCGGGC	CCGGGGCTCC	TCCATGCTGC	180
CAGCGCGCGG	GCTCGGGAGC	CGACCAAGTG	GCTCCTGCGA	TGGCGGCGGA	AGAGGAGGCT	240
GCGGCGGGAG	GTAAGTGT	GAGAGAGGAG	AACCAGTGCA	TTGCTCCTGT	GGTTTCCAGC	300
CGCGTGAGTC	CAGGGACAAG	ACCAACAGCT	ATGGGGTCTT	TCAGCTCACA	CATGACAGAG	360
TTTCCACGAA	AACGCAAAG	AAGTGATTCA	GACCCATCCC	AAGTGGAAAG	TGGTGAACAC	420
CAAGTTAAA	TGAAGGCCTT	CAGAGAAGCT	CATAGCCAAA	CTGAAAAGCG	GAGGAGAGAT	480
AAAAAGAA	ACCTGATTGA	AGAACTGTCT	GCAATGATCC	CTCAGTGCAA	CCCCATGGCG	540
CGTAAACTGG	ACAAACTTAC	AGTTTAAAGA	ATGGCTGTTC	AACACTTGAG	ATCTTTAAAA	600
GGTTGACAA	ATCTTATGT	GGGAAGTAAT	TATAGACCAT	CATTCTTCA	GGATAATGAG	660
CTCAGACATT	TAATCCTTAA	GACTGCAGAA	GGCTTCTTAT	TTGTGGTTGG	ATGTGAAAGA	720
GGAAAAATTC	TCTTCGTTTC	TAAGTCAGTC	TCCAAAAATAC	TTAATTATGA	TCAGGCTAGT	780
TTGACTGGAC	AAAGCTTATT	TGACTTCTTA	CATCCAAAAG	ATGTTGCCAA	AGTAAAGGAA	840
CAACTTCTTT	CTTTTGATAT	TTCACCAAGA	GAAAAGCTAA	TAGATGCCAA	AACTGGTTTG	900
CAAGTTCACA	GTAATCTCCA	CGCTGGGAAG	ACACGTGTGT	ATTCTGGCTC	AAGACGATCT	960
TTTTTCTGTC	GGATAAAGAG	TCTGAAAAATC	TCTGTCAAAG	AAGAGCATGG	ATGCTTACCC	1020
AACTCAAAGA	AGAAAGGACA	CAGAAAATTC	TATACTATCC	ATTGCACTGG	TTACTTGAGA	1080
AGCTGGCCCTC	CAAAATATGT	TGGAATGGAA	GAAGAAAGGA	ACAGTAAGAA	AGACAACAGT	1140
AAITTTACCT	GCCTTGTGGC	CATTGGGAAG	TTACAGCCAT	ATATTGTTC	ACAGAACAGT	1200
GGAGAGATTA	ATGTGAAACC	AACCTGAATT	ATAACCCGGT	TTGCAGTGAA	TGAAAAATTT	1260
GTCTATGTAG	ATCAAAGGGC	AACAGCGATT	TTAGGATATC	TGCCTCAGGA	ACTTTTGGGA	1320
ACTTCTTGT	ATGAATCTTT	TCATCAAGAT	GACCACAATA	ATTGACTGA	CAAGCACAAA	1380
GCACTTCTAC	AGAGTAAGGA	GAAAATACTT	ACAGATTCCT	ACAAATTCAG	AGCAAAAGAT	1440
GGCTCTTTTG	TAACCTTAAA	AAGCCAAATG	TTTAGTTTCA	CAATCCTTG	GACAAAAGAA	1500
CTGGAATATA	TTGTATCTGT	CAACACTTTA	GTTTTGGGAC	ATAGTGAGCC	TGGAGAAGCA	1560
TCATTTTAC	CTGTAGCTC	TCATCATCA	GAAGAATCCT	CTAGACAGTC	CTGTATGAGT	1620
GTACCTGGAA	TGCTACTTGG	AACAGTACTT	GGTGCTGGTA	GTATTGGAAC	AGATATTGCA	1680
AATGAAATTC	TGGATTTACA	GAGGTTACAG	TCTTCTTCAT	ACCTTGATGA	TTCGAGTCCA	1740
ACAGGTTTAA	TGAAAGTATA	TCATACTGTA	AACTGCAGGA	GTATGTCAA	TAAGGAGTTG	1800
TTTTCCACAA	GTCCTCTGTA	AATGGGGGAG	CTAGAGGCTA	CCAGGCAAAA	CCAGAGTACT	1860
GTGCTGTCC	ACAGCCATGA	GCCACTCCTC	AGTGATGGTG	CACAGTTGGA	TTTCGATGCC	1920
CTATGTGACA	ATGATGACAC	AGCCATGGCT	GCATTATGTA	ATTACTTAGA	AGCAGAGGGG	1980
GGCCTGGGAG	AGCCTGGGAG	CTTCAGTGAC	ATCCAGTGG	CCCTTAGCC	TTGATTTTT	2040
AACTCCAAA	ATGAGAAACA	TTTTAAAGCA	TTATTTACGA	AAAACCTGTC	TCAACTATTC	2100
TTAAGTACTG	TATTGATATT	GTTTGTATCT	TTTATTAATG	TTTACCACCT	TTTTATAGAT	2160
TTGCATCTTC	CTGTACACAG	GATGTGGGA	AATACGTTTT	CCTCCCAAGA	GAACCAAGTT	2220
TATTATAGAC	TCCCTTATTC	AGTGAATGG	CTTATAATCC	ACTAGTTGCC	ATATTTTTGC	2280
TAAAATATTT	CTAACCAAGA	ATACTACTTA	CATATTGTTT	TGGCTTTGTT	TTATTTTTGA	2340
TGCAGTTTTT	TTTTAGTTGAG	GTAATGTAAT	ATATTGATGT	TTTTCTTTGT	GTCTAAGATT	2400
GATTTATAAT	AGTAGGTTTG	TATAATTTGG	AACATTTTCC	ATGCCCTGGC	AATTTCTTTA	2460
ATTGAGGATA	GGGCTTACAC	ACTTTAAGAA	AACAGTGAGT	ACTTGAACAT	TTAAAGGGAC	2520
AGTGCAATTT	ATAGTCAATA	TCACATTGAA	TACTGTATTT	GATCTTTGGA	GACTTAGGCA	2580
AGCACAGAGC	TGGGATATTT	ATGCTCAGTT	GAGCACTTTA	AGATGAATTT	TAAGTGAGAT	2640
GATTTCTTGC	TTAAAACCTA	GAAAGTCAA	AGAGTTTCAG	CTTCTCTTAC	AGAAAAGGAA	2700
GGATCTTGGG	CCCTAGATCT	TGGGGATTAA	CCTCTGCATA	TAAGATTTAC	TCTTAATAGG	2760
CCAGAGCTGG	TGCTCACGGC	TGTAATCCCA	GTACTTTGGG	AGGCTGAGAC	GGGCAGATCA	2820
CTTGAGGTCA	GGAGTCCAG	ACCAGCCTGG	CCAATATGGT	GAAACCCCGT	TTCTACTAAA	2880
AATACAAAA	AAATACCACA	GGCACTCACT	CTTGAGGTAA	CTAACCAACT	CCCACGATAA	2940
TGACAGTCCA	TTATGAGCG	CAAAGCCCTC	ATGACCTAAT	GGCACACACC	TGTAATCCCA	3000
ACTGCTTGGG	AGGCTGAGCC	GAGAGGATTG	CTTGAACCTG	GGAGGCAGAG	GTTCAGATGA	3060
GCCGAGATCG	CACCACTGCA	CTCCAGTCTG	GGCAACAGAG	TGAGACTTCA	TCTCAAAAA	3120
AGTAAAAAAA	AAGATTTAAT	ATAATCACTG	AAGATCTCTA	TTATAGATAG	ATTAGGTTTT	3180
TGACATTGGA	AACATCACTA	GGGATAGATT	TGCTCTAAAG	GAAAAAAGTA	GGCCCGGGCA	3240
GATTAATGT	CTTGTGTAAA	GTCCACATT	AAATTCAGTC	ACACATTA	TTCTAGAGAT	3300
TTTAAATGTT	TAATGTATAT	AAACAGTTT	CTTTATACAC	ATTTGGGAAA	ACATTGGTCT	3360
CACAGATTAA	ATGATTAAT	AACTGACCCA	GGAACCTAGT	GTAGCTTTCT	AAGTAATTAG	3420
GCAATTACAG	TTATGCGCTG	TAACCAAAGG	TAATAAAACA	AAATGACAAG	TACATGTTTA	3480
AAATATGAG	GCAATGAGAA	ATAATTTAAA	AACCAATTTT	CTAGTTATAA	TTTAAAATTT	3540
GGAGAGCATT	TTTAAACAGTA	ATTAATCCAG	AGGTGGCTCA	AATGAGTAT	AAGAATTAAG	3600
ATTATTTAAA	ATACTGCAATG	TCTACTCTCT	CGGGGATCAT	ACTTTATAAC	ACTTCTGCT	3660
TCAGTAGCTC	TTCATAGCTT	GCCAAGTATG	CTCCATATT	TTCTCTCTCG	TGCTCGCAA	3720
ATGAAAGTCA	GATAGGCTGG	GAACTCATGG	GGCAGCCCTC	AGACTTCAAT	GTGGGCTTCA	3780
AAATCCAGTTT	CCTGTTCTAT	ATGGTGCTAC	ATCTTCCAG	AAAATTTCCC	TCAGAGCCCC	3840
TCGCCAAAAC	AAAGCATTAT	TTTGACCCTG	CATGCTATTT	CTTTAGCTGT	AGGTGATAGA	3900
TTAGAACTTC	TGTCAGACAT	GTTAATGACA	AACATACCRA	CAGACAATAA	CCAAAGCAAA	3960
TGTTTCTCTC	AAGTGTGAAA	TGTGCAGGGG	CTCGTGGGCA	AGGATGTATT	GGCACACTGT	4020
CCTCTTGAAC	TGATAGTCTC	CCAGCAATGT	TGGAGGTTGG	CACCATTCCT	GGTCCGACAC	4080
TTGAGGACCT	GAGAGACATC	AGGTTTAGAA	TGAGCCAAAG	AAATCTTACA	AGATGGGGAG	4140
AAATGCTGTG	CAGCAGCCTA	AGTGTATAG	TTAAGTCTAA	AGAAGTATGA	AAGATCCCCT	4200
GTGTTCTCTA	AATTGAGCAG	AGGGCCCTGC	CTACCAATAT	CACTTTTTAG	GGGACTGAAC	4260
CATTGCAGGT	TAGACTTGGC	TTCCAAGAG	TCTGCCTAAG	CCAGGGGTGG	CAGGGTAGGC	4320
CATCATAGCT	GGATGGCCCTC	AAAAGCAGAT	GGGGGCAGAC	TTGCCCTCGT	GATGCCAGGA	4380
TTTGAGAGGC	AGAGTTTCTA	GAGGGAGACC	AGTCTGCTCT	CTCACAGTGG	CAGTTTTTTC	4440
TCTTTGCAAG	AGGAGGGGCT	GTTCAATTC	ATAGACCAGT	GGGCAGATAG	CCAGTTGAAT	4500
ACTCTGTGCA	TGTTTGTATC	CTTTATTAGT	TOGCTCTAAT	ATTTTTCTGT	AGATCCTTTT	4560
GTCCCTGACT	CAAAATCTAA	TCCATGCATT	GTATGATACC	GTAGCTCTCC	TAAGGTTTGT	4620
GTTTCTCTCA	AAAGTTTTTA	GTTTCTTCA	ACTAAATTTG	ATTTTTGCTG	TTAGAAGTGA	4680
CATATTTTTA	TGGTATACAC	TATGTTCTCT	TTTTCTACTG	CGAGTCAATT	TTTTGAATTT	4740
TCGTGAGAAA	GAATATATCT	ACAAATTCGA	CGAAAGTATC	ATAAAAACAG	TACTCTAGAG	4800

5
10
15
20
25
30
35

```

CAGCGCTGTC CAATAGAAAT ATAATCTGAG CCACATGTAT AATTTTATTT TCTTCTAGCC 4860
ACATTAAGA AGTAAAAAGA TACAAGTAGA ACTAATTTTA ATGTTTTAAT TCAGTATATC 4920
CAAAATATCA TTTGAAACATG TAATTAATAT AAAAATTATTA ATGTGATATT TTACATTCTT 4980
TTGGTAATAC TAGTCTTCAA AATCTGGTAT GTATCTTACA TTGATAGCAC ATCTCACTTT 5040
GTACTAGCCA CATTGCAAGT GCTCAGTAGC CACATGTGGC TAGTGGCTAC TGCACATGGAC 5100
AGCACAGTTC TAGTCTCCAC CCTAACACCC AAGTCCCTGG GATTAGAATC CCAGAATCAG 5160
AGCTGGAAGT AAACATAGAG ATCAAAACCTC CTTTTAAAAA TGAGGACGCT GAGGCACAGA 5220
GTTTAAATGG CTTGCATGAG GTCATACAGC TAAATTCAGC CTCAACAGGG TCTTCTGATT 5280
CCAGGCACCTC TTCCACCTCC ACTACATTAC TGTAGTGGTA ATTCTTAGGG TTAATAAAG 5340
TGTAGAGTAG GCGGGGCGCA FTGGCTCATG CCTGTAAATCC CAGCACCTTG GGAGGCCGAA 5400
GTGGGCGGAT CACGAGGTCA GGAGATCGAG ACCATCCTGG CCAACATGGT GAAACCCCGT 5460
CTCTACTGAA AATACAAAGC AAAATTAGCC AGGTGTGGTG GCGGGCGCCT GTGGTCCAG 5520
CTGCTCTGGA GGCTGAGGCA GAATGGCGTG AACCCAGGAG GCAGAGATGG CAGTGAGCCA 5580
AGATCGCGCC ACTGCACCCC AGCTGGGGCG ACAGAGCGAG ACTCCATCTC AAAAAAAAAA 5640
AAAAAAAAA AAGAAAAAGAA AAGAAAAAGT TAGAGAATC TATATTAAGT GGTATTATT 5700
GAAGTAGACC AAAGTTTATA CCATAAGGAT ATTTTTCTT AAATACCATG TTTGAAGAAC 5760
AATTAATTTA TGATCCTTGA ATCTGTAAAG TCAAATAACA AGTCTCTATC CATGTTACCA 5820
AATTTAACCT TTTGAAAATA ATAACTTTA AAATATCAGA TGTGTATTA CAGGATGATA 5880
CTTGGAAATCA AGTGAATGA GTTATATGGT CATCACTAAA TTTAGAAATC TATTGTGAAA 5940
CAAAGACAAA CAGGAAAGTA CAGAATAGAG ACTTTTAGTA AATAAATGGA ATTTAAAAGA 6000
AAGTGTATT TTACAGTGTG ACACAGAAA AGGATGTCTT TGTGTCTATA GTCTTTGAGG 6060
GATCTCCGTA AAATCTGGGG CACAGGTACA AGAAATAGCC AATATTAGT TCCAGACCA 6120
TGTATTAGTAG TGTCCAGTTT CAGATCATGC TGCCAAGAGG TATCTCCCCC TCAGGTGGGT 6180
CATCACTGAG CCCTGGAATT GGAGACTCAT ACTTGGCCAG CACAATGTA CCGGCAGACA 6240
GGCCGACATC TATGATTAGC TAGAAGCCAT AAAGAAAAGC TGCTAAGTGG CCACTAGGTG 6300
CCACTTTCTT GTTTTTGTAA TGCTTTCTAT AGCAGATCTT TTTTTTCAA GCTCCATGGG 6360
GCCTATGAGA GGCATTTATG ATTTTTGTGC CTACAATAAG TCAGCCTGTG TGGTGTGAGT 6420
TGTTTTATGA GAAATGCTTT CCAAGGGAGG TCTAGGAAGA TCCTGACACA TAAGAACTTT 6480
GGCTTAGAGA GCTTTCCAGG TGTAGTGCCA ATAAAACTG ACCTGGAAAG AAAACCTGCC 6540
CAGCACGAAA CACTTTCTCT GAACCTCACT GAGAGTGTAT GGTGTATGTC ACTTCTCATA 6600
TATTCTTGAG TTTAGATTGG TCTTTTATAC AATTTTATAG TCTTTTCCAG TTCACTTGTG 6660
CTGCTCTGTA TATTGGTATT TTTAAATTTT TGTGGTAAAT AATGAAAAGA GTGAAATTAT 6720
ATTTATAAT TACTCATTG TAGTTTTTTT TTTTAAATTA ATAAACTTCC TCCAAAAAGT 6780
GCTCCCTTAA AA

```

Seq ID NO: 166 Protein sequence:
Protein Accession #: AAG34652

40
45
50

```

1 11 21 31 41 51
MAEEBEEAAG GKVLREENQC IAPVVSSRVV PGTTRPTAMGS FSSHMTFPPR KRKGSDDSDPS 60
QVEDGHEQVVK MKAFREAHSQ TEKRRRDKMN NLIEELSAMI PQCNPMARKL DKLTVLRMAV 120
QHLRSLKGLT NSYVGSNYRP SFLQDNELRH LILKTAEGFL FVVGCEERGI LFSVKSVSKI 180
LNYDQASLQG QSLDFDLHPK DVAKVKBQLS SFDISPREKL IDAKTGLQVH SNLHAGRTRV 240
YSGRRSPFC RIKSCKISVK EEHGCLPNSK KKEHRKFYTI HCTGYLRSWP PNIVGMEER 300
NSKDNNSFT CLVALGRLOP YIVFQNSGEI NVKPTBFITR FAVNGKFVYV DQRATAILGY 360
LPQELGTSY YEFPHQDDHN NLTDKHKAVL QSKEKILTDS YKFRAKDGSF VTLKQWFSF 420
TNPWTKELEY IVSVNTLVLG HSEBPGEASF PCSSQSSEES SRQSCMSVPG MSTGTVLGAG 480
SIGTDIANEI LDQLRQSSS YLDDSSPTGL MKDTHTVNCR SMSNKELFPP SPSEMGELEA 540
TRQNQSTVAV HSHEPLLSDG AQLDFDALCD NDDTAMAAFM NYLEAEGGLG DPGDFSDIQW 600
TL

```

Seq ID NO: 167 DNA sequence
Nucleic Acid Accession #: NM_014400
Coding sequence: 86-1126

60
65
70
75
80
85

```

1 11 21 31 41 51
GGTTACTCAT CCTGGGCTCA GGTAAGAGGG CCGGAGCTCG GAGGCGGCAC ACCCAGGGGG 60
GAGCCNAAGG GAGCAGGACG GAGCCATGGA CCGCGCCAGG AAAGCAGGTG CCCAGGCCAT 120
GATCTGGACT GCAGGCTGGC TGCTGTCTGCT GCTGCTTCCG GGAGGAGCGC AGGCCCTGGA 180
GTGCTACAGC TGCGTGCAGA AAGCAGATGA CGGATGTCC CCGAACAAAG TGAAGACAGT 240
GAAGTGGCGG CCGGGCTGGG ACCTCTGCAC CGAGGCCCTG GGGGCGGTGG AGACCATCCA 300
CGGACAATTC TCGCTGGCAG TGCSGGGTTG CGGTTCGGGA CTCGCCGGCA AGAATGACCG 360
CGGCCTGGAT CTTACAGGGC TTCTGGCGTT CATCCAGCTG CAGCAATGCG CTCAGGATCG 420
CTGCAACGCC AAGCTCAACC TCACCTCGCG GCGCTCGAC CCGCAGGTA ATGAGAGTGC 480
ATACCCGCCC AACCGCGTGG AGTGCTACAG CTGTGTGGGC CTGAGCCGGG AGGCGTGCCA 540
GGGTACATCG CCGCGGTGCG TGAGCTGCTA CAACGCCAGC GATCATGTCT ACAAGGCTG 600
CTTGCACGCG AACGTCACCT TGACGGCAGC TAATGTGACT GTGTCCTTGC CTGTCCGGGG 660
CTGTGTCCAG GATGAATCT GCACCTCGGA TGGAGTAAAC GGCCAGGGT TCACGCTCAG 720
TGGCTCCTGT TGCCAGGGGT CCCGCTGTAA CTCTGACCTC CGCAACAAGA CTACTTCTC 780
CCCTCGAATC CCACCCCTTG TCCGGCTGCC CCTCCAGAG CCCACGACTG TGGCTCAAC 840
CACATCTGTC ACCACTTCTA CCTCGGCCCC AGTGAGACCC ACATCCACCA CCAAAACCCAT 900
GCCAGCGCCA ACCAGTCAGA CTCGAGACA GGGAGTAGAA CACGAGCCT CCGGGATGA 960
GGAGCCACAG TTAGCTGGAG GCGCCGCTGG CCACCAGGAC CGCAGCAATT CAGGGCAGTA 1020
TCCTGCAAAA GGGGGGCCCC AGCAGCCCCA TAATAAAGG TGTGTGGCTC CCACAGCTGG 1080
ATTGGCAGCC CTTCTGTTGG CGTGGCTGCG TGGTGTCTTA CTGTGAGCTT CTCACCTGG 1140
AAATTTCCCT CTCACCTACT TCTCTGGCCC TGGGTACCCC TCTTCTCATC ACTTCTCTGT 1200
CCCACCACTG GACTGGGCTG GCCCAGCCCC TGTTTTTCCA ACATTCACCA GTATCCCCAG 1260
CTTCTGCTGC GCTGTTTTCG GCTTTTGGGA AATAAAATAC CGTGTATAT ATTCTGGGCA 1320
GGGTGTTCTA GCTTTTTGAG GACAGCTCCT GTATCCTTCT CATCCTGTCT TCTCGCTG 1380
TCCTCTTGTG ATGTTAGGAC AGAGTGAGAG AAGTCAGCTG TCACGGGGAA GGTGAGAGAG 1440
AGGATGCTAA GCTTCTACT CACTTCTCC TAGCCAGCCT GGACTTTGGA GCGTGGGGTG 1500
GGTGGGACAA TGGCTCCCCA CTCTAAGCAC TGCTCCCTC ACTCCCGCA TCTTTGGGGG 1560
ATCGGTTCCC CATATGTCTT CCTTACTAGA CTGTGAGCTC CTCGAGGGCA GGGACCGTGC 1620
CTTATGCTCG TGTGTGATCA GTTTCTGGCA CATAAATGCC TCAATAAAGA TTTAATTACT 1680

```

TTGTATAGTG AAAAAAAA

Seq ID NO: 168 Protein sequence:
Protein Accession #: NP_055215

5
1 11 21 31 41 51
MDPARKAGAQ AMIWTAGNLL LLLLRRGGAQA LBCYSCVQKA DDGCSFNKMK TVKCAPGV DV 60
CTEAVGAVET IHGQFSLAVX GCGSGLPGKN DRGLDLHLGLL AFIQLQQCAQ DRCNAKLNLT 120
SRALDPAGNE SAYPPNGVEC YSCVGLSREA CQGTSPFVVS CYNASDHVYK GCCFDGNVTLT 180
AANVTYSLPV RGCYQDEPCT RDGVTGPGPT LSGSCCQGR CNSDLRNKTY FSPRIPLVLR 240
LPPPEPTVA STTSVTTSTN APVRPTSTTK PMPAPTSQTP RQGVHEASR DEEPRLTGGA 300
AGHQDRSNSG QYPAKGGPQQ PHNKGCVAPT AGLAALLLAV AAGVLL

Seq ID NO: 169 DNA sequence
Nucleic Acid Accession #: NM_006875
Coding sequence: 186-1190

20
1 11 21 31 41 51
GAATTCGGCA CGAGCGCGCG GCGAATCTCA ACGCTGCGCC GTCTGCGGGC GCTTCGGGGC 60
CACCAGTTTC TCTGCTTTC ACCCTGGCGC CCCCAGCCC TGGCTCCCA GCTGCGCTGC 120
CCCGGGCGTC CACGCCCTGC GGGCTTAGCG GGTTCAGTGG GCTCAAATCTG CGCAGCGCCA 180
CCTCCATGTT GACCAAGCCT CTACAGGGGC CTCCCGCGCC CCCCGGGACC CCCACGCCGC 240
CGCCAGGAGG CAAGGATCGG GAAGCGTTCG AGGCCGAGTA TCGACTCGGC CCCCTCCTGG 300
GTAAGGGGGG CTTTGGCACC GTCTTCGCAG GACACCGCCT CACAGATCGA CTCAGGTGG 360
CCATCAAAGT GATTCGCCGG AATCGTGTGC TGGCTGTGTC CCCCTGTCA GACTCAGTCA 420
CATGCCACT CGAAGTCGCA CTGCTATGGA AAGTGGGTGC AGGTGGTGGG CACCCTGGCG 480
TGATCCGCT GCTTGACTGG TTTGAGACAC AGGAAGGCTT CATGCTGGTC CTCGAGCGGC 540
CTTTGCCCGC CCAGGATCTC TTTGACTATA TCACAGAGAA GGGCCCACTG GGTGAAGGCC 600
CAAGCCGCTG CTTCTTTGGC CAAGTAGTGG CAGCCATCCA GCACTGCCAT TCCCGTGGAG 660
TTGTCCATCG TGACATCAAG GATGAGAACA TCCTGATAGA CCTACGCCGT GGCTGTGCCA 720
AACTCATTGA TTTTGGTCT GGTGCCCTGC TTCATGATGA ACCCTACACT GACTTTGATG 780
GGACAAGGGT GTACAGCCCC CCAGAGTGGG TCCTCTGACA CCAGTACCAT GCACTCCCGG 840
CCACTGTCTG GTCACTGGC ATCCTCCTCT ATGACATGGT GTGTGGGGAC ATTCCCTTTG 900
AGAGGGACCA GGAGATTCTG GAAGCTGAGC TCCACTCCC AGCCCATGTC TCCCAGACT 960
GCTGTGCCCT AATCCGCGG TGCTTGGCCC CCAAACCTTC TCCCGACCC TCACTGGGAG 1020
AGATCCTGCT GGACCCCTGG ATGCAAACAC CAGCCGAGGA TGTACCCCT CAACCCCTCC 1080
AAAGGAGGCC CTGCCCTTTT GGCCTGGTCC TTGCTACCCT AAGCCTGGCC TGGCCTGGCC 1140
TGGCCCCCAA TGGTCAGAAG AGCCATCCCA TGGCCATGTC ACAGGGATAG ATGGACATTT 1200
GTTGACTTGG TTTTACAGGT CATTACCAGT CATTAAAGTC CAGTATTACT AAGGTAAGGG 1260
ATTGAGGATC AGGGGTTAGA AGACATAAAC CAAGTTTGCC CAGTCCCTT CCAATCCTA 1320
CAAAGGAGCC TTCCTCCAG AACCTGTGGT CCCTGATTTT GGAGGGGGAA CTTCTTGCTT 1380
TTCATTTTGC TAAGGAAGTT TATTTTGGTG AAGTTGTGCC CATTGTGAGC CCCGGGACTC 1440
TTATTTTGTG GATGTGTAC CCCACATGG CACCTCCTAC TACCACCACA CAACTTAGT 1500
TCATATGCTT TACTTGGCC AAGGGTGGCT TCCTTCCAAT ACCCCAGTAG CTTTTATTTT 1560
AGTAAAGGGA CCCCTTCCCC TCCCATATG GGTCAAGTGG CTTACTTGCC 1620
TCAGCCGAGG ATTTTTTATT TTGGGGGAGG TAATGCCCTG TTGTTACCCC AAGGCTTCTT 1680
TTTTTTTTTT TTTTTTTTTT GGTGAGGGGA CCTACTTTG TTATCCCAAG TGCTCTTATT 1740
CTGGTGAGAA GAACCTTAAT TCATAAATT GGAAGGAAT GGAAGATGGA CACCACCGGA 1800
CACCACCAGA CAATAGGATG GGATGGATGG TTTTGGGGG GATGGGCTAG GGAATAAAG 1860
GCTTGTGCTT TGTTCCTCG GGGCGCTCCC TCCAATTTG CAGATTTTGG CAACCTCCTC 1920
CTGAGCCGGG ATTGTCCAAAT TACTAAAATG TAAATAATCA CGTATTGTGG GGAGGGGAGT 1980
TCCAAGTGTG CCCTCCTTTT TTTTCTGCCC TGGATTATTT AAAAAGCCAT GTGTGGAAC 2040
CCACTATTTA ATAAAGTAA TAGAATCAGA AAAAAA AAAAAA

Seq ID NO: 170 Protein sequence:
Protein Accession #: NP_006866

60
1 11 21 31 41 51
MLTKPLQGGP APPGPTPPP GGDREAFEA EYRLGPLLGG GGFQTVFAGH RLTDRLQVAI 60
KVI PRNRVLG WSPLESDSVTC PLEVALLWKV GAGGGHPGVI RLLDWFETQE GFLVLERPL 120
PAQDLFDYIT ERGLPEGFES RCFYQVVA IAQHCHSRGVV HRDIKDENIL IDLRRGCAKL 180
IDFGSGALLH DEPYTDFDGT RVYSPPEWIS RHQYHALPAT VWSLIGILLYD MVCGDIPFER 240
DQBLEALELH FPAHVSPOCC ALIRRCCLAPK PSSRPSLEEI LLDPWMQTPA EDVTPQLQQR 300
RPCPFLVLA TSLAWPLA PNGQKSHFMA MSQG

Seq ID NO: 171 DNA sequence
Nucleic Acid Accession #: NM_003646
Coding sequence: 89..2875

75
1 11 21 31 41 51
GCGGCGGCGA GCGGGCGTGC TGAGCCCCGG CCGCCGGCCC GGCATGGGCG TCTCCCGCGG 60
GCCCTCCGCC GGCOCGGGCT AGGGCCGGAT GGAGCCCGGG GACCGTAGCC CCGAGGCCCG 120
GAGCAGGCGC TCCGAGTGG CTTCCGCCTC GTCCAGCGGC TCCGAGCGCG ACGCCGGTCC 180
CGAGCCGGAC AAGCGCCCGC GCGGACTCAA CAAGCCGGCG TCCCGGGGGC TCGGCTCTTT 240
CGGGCACAGG AAAGCCATCA CCAAGTCCGG CCTCCAGCAC CTGGCCCCCC CTCGCCCCAC 300
CCCTGGGGCC CCGTGCAGCG AGTCAGAGCG GCAGATCCGG AGTACAGTGG ACTGGAGCGA 360
GTCAGCGACA TATGGGGAGC ACATCTGGTT CGAGACCAAC GTGTCCGGGG ACTTCTGCTA 420
CGTTGGGGAG CAGTACTGTG TAGCCAGGAT GCTGAAGTCA GTGTCTCGAA GAAAGTCCGC 480
AGCCTGCAAG ATTGTGGTGC ACACGCCCTG CATCGAGCAG CTGGAGAAGA TAAATTTCCG 540
CTGTARGCCG TCCTCCGCTG AATCAGGCTC CAGGAATGTC CGCGAGCCAA CCTTTGTAGC 600
GCACCCTGG GTACACAGAC GACGCCAGGA CGCAAGTGT CGGCACTGTG GGAAGGGATT 660
CCAGCAGAAG TTCACCTCC ACAGCAAGGA GATTGTGGCC ATCAGCTGCT CGTGGTGCAA 720

5
10
15
20
25
30
35
40

```

GCAGGCATAC CACAGCAAGG TGTCCTGCTT CATGCTGCAG CAGATCGAGG AGCCGTGCTC 780
GCTGGGGGTC CACGCAGCCG TGTCATCCC GCCCACCTGG ATCCTCCGGC CCCGAGGCC 840
CCAGAATACT CTGAAGCAA CCAAGAAAGG GAAGAGGGCA TCCTTCAAGA GGAAGTCCAG 900
CAAGAAAGGG CTAAGAGGAG GCGCTGGAG ACCCTTCATC ATCAGGCCCA CCCCCTCCCC 960
GCTCATGAAG CCCCTGCTGG TGTTTGTGAA CCCCAAGAGT GGGGGCAACC AGGGTCAAAA 1020
GATCATCCAG TCTTTCCTCT GGATCTCTAA TCCCOCGAAA GTCTTCGACC TGAGCCAGGG 1080
AGGGCCCAAG GAGGCGCTGG AGATGTACCG CAAAGTGCAC AACCTGGGGA TCCTGGCGTG 1140
CGGGGGCGAC GGCACGGTGG GCTGGATCCT CTCCACCCTG GACCAGTAC GCCTGAAGCC 1200
GCCACCCCTT GTTGCCATCC TGCCCCCTGG TACTGGCAAC GACTTGGCCC GAACCCCTCAA 1260
CTGGGGTGGG GGCTACACAG ATGAGCCTGT GTCCAAAGATC CTCTCCCAAG TGGAGGAGGG 1320
GAACGTGGTA CAGCTGGACC GCTGGGACCT CCAACGCTGAG CCCAACCCCG AGGCAGGGCC 1380
TGAGGACCGA GATGAAGGCG CCACCAGCCG GTTGGCCCTG GATGTCTTCA ACAACTACTT 1440
CAGCCTGGGC TTTGACGCCC ACGTCAACCT GGAGTTCAC GAGTCTCGAG AGGCCAACCC 1500
AGAGAAATTC AACAGCCGCT TCCGGAATAA GATGTCTTAC GCGGGGACAG CTTTCTCTGA 1560
CTTCTGTAGT GGCAGCTCCA AGGACCTGGC CAAGCACATC CGAGTGGTGT GTGATGGAAT 1620
GGACTTGACT CCCAAGATCC AGGACCTGAA ACCCCAGTGT GTTGTTTTCC TGAACATCCC 1680
CAGGTACTGT GCGGGCACCA TGCCCTGGGG CCACCCTGGG GAGCACCACG ACTTTGAGCC 1740
CCAGCGGCAT GACGACGGCT ACCTCGAGGT CATTGGCTTC ACCATGACGT CGTTGGCCGC 1800
GCTGCAGGTG GCGGACACAG GCGAGCGGCT GACGCACTGT CCGAGGTGG TGCTCACCAC 1860
ATCCAAGGCC ATCCCGGTGC AGGTGGATGG CGAGCCCTGC AAGCTTGACG CCTCACGCAT 1920
CGCATCGCC CTGCGCAACC GAGCCACCAT GGTGCAGAAG GCCAAGCGGC GGAGCGCCGC 1980
CCCCCTGCAC AGCGACCAGC AGCCCGTGCC AGAGCAGTTG CGCATCCAGG TGAGTCCGCT 2040
CAGCATGCAC GACTATGAGG CCCTGCACTA CGACAAGGAG CAGCTCAAGG AGGCCCTCTGT 2100
GCGCTGGGC ACTGTGGTGG TCCAGGAGA CAGTGACCTA GAGCTCTGCG GTGCCACAT 2160
TGAGAGACTC CAGCAGGAGC CCGATGGTGC TGGAGCCAAG TCCCGACAT GCCAGAAACT 2220
GTCCCCCAAG TGGTGTCTCC TGAGCACCAC CACTGCCAGC CGTCTTCTACA GGATCGACCG 2280
AGCCAGGAG CACTCTAAT ATGTACTGA GATCGCACAG GATGAGATT ATATCTGGA 2340
CCCTGAGCTG CTGCGGGCAT CGCCCGGCC TGACCTCCCA ACCCCACTT CCCCTCTCC 2400
CACTCACCC TTCTACCCA CGCCCGGTC ACTGCAAGGG GATGCTGCAC CCCCTCAAG 2460
TGAAGAGCTG ATGAGGCTG CCAAGAGGAA CGACTTCTGT AAGCTCCAGG AGCTGCACCG 2520
AGCTGGGGC GACCTCATGC ACCGAGACGA GCAGAGTCCG ACGTCTCTGC ACCACGCAGT 2580
CAGCACTGGC AGCAAGGATG TGGTCCGCTA CCTGTGGAG CAGCCTCCCG CAGAGATCCT 2640
TGATGCGGTG GAGGAAAACG GGGAGACCTG TTTGACCAAA CGACCGGCC TGGGCCAGCG 2700
CAGCATCTGC CACTACATCG TGGAGGCCGG GGCCTCGCTC ATGAAGACAG ACCAGCAGGG 2760
CGCACTCCC CCGCAGCCGG CTGAGAAGGC TCAGGACACC GAGCTGGCCG CCTACTCTGA 2820
GAACCGCCAG CACTACCCGA TGTCCAGCC GAGGACCCAG GAGACGGCTG TGTAGCGGGC 2880
    
```

Seq ID NO: 172 Protein sequence:
Protein Accession #: NP_003637

45
50
55
60

```

1 11 21 31 41 51
| | | | |
MEPRDGSPEA RSSDSESASA SSSGSEADAG PEPDKAPRRL NKRRFPGLRL FGHRKAITKS 60
GLQHLAPPPP TPGAPCSESE RQIRSTVDWS ESATYGEHIW FETNVSGDFC YVGEQYCVAR 120
MLKSVSRRC AACKIVVHTP CIEQLEKINF RCKPSFRESE SRNVREPTFV RHHVHRRRQ 180
DGRKRCRGGG FQKFTFHSK EIVAISSWC QYAIHSHKVC FMLQQIEEPC SLGVHAAVVI 240
PPTWILRARR PONTLKASKK KKRASFRRKS SKKGPEEGRW RPFILRPTPS PLMKPLLVFV 300
NPKSGGNQGA KIIQSFYLWL NPROVFDLSQ GGPKEALEMY RKVHNLRLA CGGDGTVGIWI 360
LSTLDQLRLK PPPVVALPLP GTGNDLARTL NWGGGYTDEP VSKILSHVVE GNVVQLDRWD 420
LHAEPNPEAG PEDRDEGATD RPLDVFVFN YSLGFDHVT LEPHESREAN PEKFNRSFRN 480
KMFYAGTAFS DFLMSSKDL AKHIRVVC DG MDLTPKIQDL KPQCVVFLNI PRYAGTMEFW 540
GHPGEHDFE PQRHDDGYLE VIGFTMTSLA ALQVGGHGER LTQCREVLT TSKAIPVQVD 600
GEPCKLAASR IRIALRNQAT MVQAKRRA APLHSDQQPV PEQLRIQVSR VSMHDEYALH 660
YDKQLKEAS VPLGTVVVPG DSDLELCRAH IERLQQEPDG AGAKSPTCQK LSPKWCFLDA 720
TTASRFRYID RAQEHNLVYT BIAQDEIYIL DPPELLGASAR PDLPTPTSPL PTPSPSPFPR 780
SLQGDAAAPQ GEELIEAAKR NDFCKLQELH RAGGDLMHRD EQSRTLHHA VSTGSKDVVR 840
YLLDHAPPEI LDAVEENGET CLHQAAALGQ RTICHYIVEA GASLMKTDQQ GDTPRQRAEK 900
AQDELAAYL ENRQHYQMIQ REDQETA V
    
```

Seq ID NO: 173 DNA sequence
Nucleic Acid Accession #: AF232772
Coding sequence: 1-1662

65
70
75
80
85

```

1 11 21 31 41 51
| | | | |
ATGCCGGTGC AGCTGACGAC AGCCCTGCGT GTGGTGGGCA CCAGCCTGTT TGCCCTGGCA 60
GTGCTGGGTG GCATCTGGC AGCCTATGTG ACGGGCTACC AGTTCATCCA CACGGAAAAG 120
CACTACTCTT CCTCGGCCT GTACGGCCG ATCCTGGGCC TGACCTGCT CATTAGAGC 180
CTTTTTGCCT TCCTGGAGCA CCGGCGCATG CGACGTGCGG GCCAGGCCCT GAAGCTGCC 240
TCCCOCGGC GGGCTCGGT GGCACTGTGC ATTGCCGAT ACCAGGAGGA CCTGACTAC 300
TTGCGCAAGT GCCTGCGCTC GGCCAGCGC ATCTCCTCC CTGACCTCAA GGTGGTCTG 360
GTGGTGGATG GCAACGCCCA GGAGGACGCC TACATGCTGG ACATCTTCCA CGAGGTGCTG 420
GGCGGCACCG AGCAGGCCGG CTTCTTTGTG TGGCGCAGCA ACTTCCATGA GGCAGCGGAG 480
GGTGAGACGG AGGCAGCCT GCAGGAGGGC ATGGACCGTG TCGGGGATGT GGTGCGGGCC 540
AGCACCTTCT CGTGATCAT GCAGAAGTGG GGAGGCAAGC GCGAGTCTAT GTACAGGCC 600
TTCAAGGCCCT TCGCGATTC GGTGGACTAC ATCCAGGTGT GCGACTCTGA CACTGTGCTG 660
GATCCAGCCT GCACCATCGA GATGCTTCCA GTCCCTGGAG AGGATCCCCA AGTAGGGGGA 720
GTGCGGGGAG ATGTCCAGAT CCTCAACAAG TACGACTCAT GGATTCTCT CCTGAGCAGC 780
GTGCGGTACT GGATGSCCTT CAACGTGGAG CCGGCCTGCC AGTCTACTT TGGCTGTGTG 840
CAGTGTATTA GTGGGCCCTT GGGCATGTAC CGCAACAGCC TCCTCCAGCA GTTCTGGGAG 900
GACTGTACTC ATCAGAAGTT CTTAGGCAGC AAGTGCAGCT TCGGGGATGA CCGGCACCTC 960
ACCAACCGAG TCCTGAGCCT TGGTACCGA ACTAAGTATA CCGCGCGCTC CAAGTCCCTC 1020
ACAGAGACCC CCACCTAAGTA CCTCCGGTGG CTCAACCAGC AAACCCGCTG GAGCAAGTCT 1080
TACTTCCGGG AGTGGCTCTA CAACTCTCTG TGGTTCATA AGCACCACT CTGATGACC 1140
TACGAGTCAG TGGTACGGG TTTCTTCCCC TTCTTCTCA TTGCCAGGT TATACAGCTT 1200
TTCTACCGG GCCCATCTG GAACATCTC CTCTTCTGCG TGACGGTGA GCTGGTGGGC 1260
ATTATCAAG CCACCTACGC CTGCTTCTT CCGGGCAATG CAGAGATGAT CTTATGTC 1320
    
```

5
10
15
20
25
30
35
40
45

```

CTCTACTCCC TCCTCTATAT GTCCAGCCTT CTGCCGGCCA AGATCTTTGC CATTGCTACC 1380
ATCAACAAAT CTGGCTGGGG CACCTCTGGC CGAAAAACCA TTGTGGTGAA CTTTCATTGGC 1440
CTCATTCTCG TGTTCCATCG GGTGGCAGTT CTCTGGGAGG GGCTGGCCTA CACAGCTTAT 1500
TGCCAGGACC GTTCCAGTGA GACAGAGCTA GCCTTCCTTG .TCTCTGGGGC TATACTGTAT 1560
GGCTGCTACT GGGTGGCCCT CCTCATGCTA TATCTGGCCA TCATCGCCCG GCGATGTGGG 1620
AAGAAGCCCG AGCAGTACAG CTTGGCTTTT GCTGAGGTGT GACATGGCCC CCAAGCAGAG 1680
CGGGTAAAGT GCAATGGGTA AGGGAGGGAA GGGGAATGGA AGAGAAAAGA CAGGGTGGGA 1740
GGGAGGAGGG AGTGTCTGTT TTTAGTCTCT TAATGTTCCA AAGGACAAAT CTAATAATGA 1800
AAGAACGGTG ATGTAGTATG GCCTGCAGCG TCTGTTTAGA GGAGGCAACA CTGATCCCCC 1860
AGATGCAGGG CTGCAGGGGA TTCTGTGTTT TCAGACTGCC TGTCTGCTTG CATCTGCACA 1920
TAGGCAGTAG CCTCTCTCTG GGTCCAGAG GCACCTCAGA AGTGTGCTA AACCAAGTTA 1980
AGTCCCATTG AGTGGCAACT TGTGATAGGT ACCTGAGTGA CCGCAACCTG CGGAAGGAGG 2040
TTCTCCCAGC CCATCTGAAC ACAACCAGAG GTGGCAGGAG AATTTCTACT GAGCGAGGTG 2100
GGCCGGTTAG TGTATGTAC CCCCACCCCA CCATAAGTA GTCATCAATG CAATAAGATT 2160
GCGCGTGAGA TACAAGGCC AGAAGCCTGA TCTTTGGGCA TCAGAAAACA GGGTCCAGGA 2220
ATGGTCTTTT ATGTGAGATA CCCCCTCCA CATCAACATT CAGGGATGA GCCAAACCAG 2280
CAGGGAGTTA GCATGAACT GCTTTTAAAA GTGCACATTA AAAAGGAAAG TTTGCCAGGA 2340
GGAACAAGA GATTGTGTTG GTGCTAAAG AGGCCATAAG CTACACAGAG GCCTTGGGTG 2400
TTCCACCTGG AAACCTGCTA GAGCTCTAGA TGGGTTCTTA GCTTGTCTGT GATCTCTGCT 2460
GGGGAGATAA AAGATTAAAG CCCCACCATG TTCAGAAAAG AAGTGAAGTC TTGGGTATTT 2520
TAACCTGTAT ACTCTTGAAT TCCTCTCAA TFCAGCTCTG ATCTGAGGCT AAGACACACT 2580
CCCCACTTCA CTTTCTCAA AGCCACATTT TTTGAGGTAT CACTGCAGTC ACCTCTTCTA 2640
CCCTCATCAT CATAGGTAAG GTTTTCAAGG TGGCAATTGG GCGGAGCCCC CGGCTTCTTA 2700
TAGAAGCTTC AAGAGGAGC AAGCGTGTTC TCAGCACATA TGGGAACATAT GAGGAGCCCT 2760
TGATCAAATT GGCTACAATC TTGGAGCTGC TTGGACGGAT TCCTTGGCAG CCGGTTAGC 2820
ATGTGTGACT TTCAGGCTAC TGTCTGTGAC AATCATCTCC AATGGAAGC TTTTCAGTGT 2880
TCCCAAAGTG AACTCTCAA TCCAAAATGG TTATCTTTGA GACCATCCAT TCTCCTCAGT 2940
GGCTTCTCCA GGAATTCTT ACAGCCAAGT TGTGACAGTC ACTGCATTG CCGTCTTCTT 3000
TCCAGAAACC AAACTAGGAG ATGAAACTGG TTCTACATC CTAAGGTTCT TGCTTTCTCT 3060
CTCATGCCTC CTGAGGCTGT TTTTGGCTGT TTTCCCTCTG CTGCTTTTGG GGAATGAGGG 3120
GAAGCCATTT TCCAAGTAC TTGCAATCCA GGCTGTTCTC AGCGTTTGA GTTTAAAACC 3180
TGGGATCCTG ACTAAGCCTT TGACTTAAGG GTTGCTTGTCT TGCCCTCAA ATGTCCTTTC 3240
TCAAAGGGGC CAACTAAACC GTGCAGAAC AGCCTAAGG TGGACAGCA ACAAGAGGGC 3300
AAGCCTCTAA TGTACCAAGT GCTTCTTACA AAGACGCAAG GTGTGCTCCG AACCCAGAT 3360
GGGCAAACC TGTTGCTTTC CTTCATCTCC CACGAACTCA AGGTTTTC AAGTGTAGCT 3420
AACAGTTGCC ACATCACACA GACCTCCAGT TTTCTGTAAG ACTGCTGGT GACATCAGAC 3480
CCAACCCAT GAAGCTGGA AGGCAGCAGG CATTGTCTAA GGCAGCTGAT CCAGGCAATC 3540
GTTCTGCTGG CCAAGAAGTT AAATAATTTT GAGCATTAGA ATGGAGGAAA TCCGGTCAGC 3600
CAAGTGCAGA GTTCAGACTT CGCTAAGGGC TTGTTTTTCT TCAGCATTTA CTTGAAGATT 3660
AATGTAGGAT GACAGGCTCT CCTGGCTGTC CTACCATCAG CTCTGCCTTG CACTGTGGTC 3720
GTCACATTTT CCAAACTCAA AAACAGGCAG GTACAGGTAG TGGGCTCACA ACGTTTGACC 3780
TCGACTGGTT TTTCTAAGTT ATTTTGTACA TTTTTCAGCA GCAAAACCAA ACTGGGCTT 3840
CAGCTTTATC CCGTTTCTT GCAAGGGGAG AGCCTTATA CAATTGGAGC CATTTTGGTT 3900
TTTCTCATTT GAGAATCAA ATCTCTTTT GTATTGTTT TACAATAATT TGTAAACATA 3960
TTTATTTTTA CCGTCTTTT TTTTTTTTT TAATTTTCAG GTCAGTTTTT TTATACTGCA 4020
CTTATTGTG AAAAAAAGA TTCTCACAT

```

Seq ID NO: 174 Protein sequence:
Protein Accession #: AAF36984

50
55
60

```

1 11 21 31 41 51
| | | | | |
MPVQLTALR VVGTSLPALA VLGGILAAAY TGYQPIHTEK HYLSFGLYGA IILGLHLIIQS 60
LFAFLERHRM RRAGQALKLP SPRRGSVALC IAAYQEDPDY LKRLCLRSAQR ISFPDLKVVUM 120
VVDGNRQEDA YMLDIFHEVL GGTEQAGFPV WRSNFHEAGE GETEASLQEG MDRVRDVRRA 180
STFSCIMQKW GSKREVMYTA FKALGDSVDY IQVCDSDTVL DPACTIEMLR VLEEDPQVGG 240
VGGDVQILNK YDSWISFLSS VRYWMAFNVE RACQSYFGCV QCISGPLEGMY RNSLLQQFLE 300
DWHYHQKFLGS KCSFGDDRHL TNRVLSLGYR TKYTARSKCL TETPTKYLRW LNQQTRWSKS 360
YFREWLYNSL WFKHHLWMT YESVVTGFFP FFLIATVIQL FYRGRINWIL LFLLTVLQVVG 420
IIKATYACFL RGNAAEMIFMS LYSLLYMSSL LPAKIFAIAT INKSGWGTSG RKTIVVNFPG 480
LIPVSIWVAV LLEGLAYTAY CQDLFSETEL AFLVSGAIIY GCVWVALLML YLAIIRRCG 540
KKPBEQYSLAF AEV

```

Seq ID NO: 175 DNA sequence
Nucleic Acid Accession #: NM_000691
Coding sequence: 43..1404

70
75
80
85

```

1 11 21 31 41 51
| | | | | |
CCAGGAGCCC CAGTTACCGG GAGAGGCTGT GTCAAAGGCG CCATGAGCAA GATCAGCGAG 60
GCCGTGAAGC GCGCCCGCGC CGCCTTCAGC TCGGCAGGA CCCGTCGCT GCAGTCCGA 120
TTCAGCAGC TGGAGGCGCT GCAGCGCCTG ATCCAGGAGC AGGAGCAGGA GCTGGTGGGC 180
GCGCTGGCCG CAGACTGCA CAAGAATGAA TGGAAAGCCT ACTATGAGGA GGTGGTGTAC 240
GTCCTAGAGG AGATCGAGTA CATGATCCAG AAGCTCCCTG AGTGGCCCGC GGATGAGCCC 300
GTGGAGAAGA CCCCCAGAC TCAGCAGGAC GAGCTCTACA TCCACTCGGA GCCACTGGGC 360
GTGGTCTCG TCATTGGCAC CTGGAATAC CCCTTCAACC TCACCATCA GCCCATGGT 420
GGCGCCATCG CTGCAGGGAA CGCAGTGGTC CTCAAGCCCT CGGAGCTGAG TGAGAACATG 480
GCGAGCCTGC TGGTACCAT CATCCCCAG TACCTGGACA AGGATCTGTA CCCAGTAATC 540
AATGGGGGTG TCCTGAGAC CACGGAGCTG CTCAAGGAGA GGTTCGACCA TATCCTGTAC 600
ACGGGAGCA CCGGGGTGGG GAAGATCATC ATGACGCTG CTGCCAAGCA CCTGACCCCT 660
GTCACGCTGG AGCTGGGAGG GAAGAGTCCC TGCTACGTGG ACAGAACTG TGACCTGGAC 720
GTGGCCTGCC GCGCATCGC CTGGGGGAAA TTCTATGAACA GTGGCCAGAC CTGCGTGGCC 780
CCAGACTACA TCTCTGTGA CCCCCTGATC CAGAAACCAA TTGTGGAGAA GCTCAAGAAG 840
TCACTGAAG AGTTCTACGG GGAAGATGCT AAGAAATCCC GGGACTATGG AAGAATCATT 900
AGTGCCCGGC ACTTCCAGAG GGTGATGGGC CTGATTGAGG GCCAGAAGGT GGCTTATGG 960
GGCACCGGG ATGCCGCCAC TCGCTACATA GCCCCACCA TCCTCACGGA CGTGGACCC 1020

```

CAGTCCCGG TGATGCAAGA GGAGATCTTC GGGCCTGTGC TGCCCATCGT GTGCGTGGC 1080
 AGCCTGGAGG AGGCCATCCA GTTCATCAAC CAGCGTGAGA AGCCCTGGC CCTCTACATG 1140
 TTCTCCAGCA ACGCAAGGT GATTAAGAAG ATGATTGCAG AGACATCCAG TGGTGGGGTG 1200
 GCGGCCAAGC ATGTCACTGT CCACATCACC TTGCACTCTC TGCCCTTCGG GGGCGTGGGG 1260
 AACAGCGGCA TGGGATCCTA CCATGGCAAG AAGAGCTTCG AGACTTTCTC TCACCCCGCG 1320
 TCTTGCTG TGAGGCCTCT GATGAATGAT GAAGGCTCGA AGGTCAGATA CCCCCGAGC 1380
 CCGGCCAAGA TGACCCAGCA CTGAGGAGGG GTTGCTCOGC CTGGCCTGGC CATACTGTGT 1440
 CCCATGGGAG TGGCGACCAC CCTCACTGGC TCTCTGGGCC CTGGAGAATC GCTCCTGCAG 1500
 CCCAGCCCA GCCCATCTCC TCTGCTGACC TGCTGACCTG TGCACACCCC ACTCCACAT 1560
 GGGCCAGGC CTCACATTC CAAGTCTCCA CCCCTTTCTA GACCAATAAA GAGACAAATA 1620
 CAATTTCTA ACTCGG

Seq ID NO: 176 Protein sequence:
 Protein Accession #: NP_000682

1 11 21 31 41 51
 MSKISEAVKR ARAAPSSGRT RPLQFRFQQL EALQRLIQEQ EQELVGLAA DLHKNEWNAY 60
 YEEVVVLEE IEYMQKLEPE WAADPEVEKT PQTQDELYI HSEPLGVVLV IGTWNYPFNL 120
 TIQPMVGAIA AGNAVVLKPS ELSENMASLL ATIIIPQYLDK DLYPVIINGV PETTELLKER 180
 FDHILYTGST GVGKIIMTAA AIGHLTPVTLE LGGKSPCYVD KNCDLDVACR RIAWGFMSN 240
 GQTCVAPDYI LCDPSIQNQI VEKLLKSLKE FYGEDAKKSR DYGRISARH FQRVMGLIEG 300
 QKVAYGGTSD AATRYIAPTI LTDVDQSPV MQEEIFGPVL PIVCVRSLEE AIQFINQREK 360
 PLALYMFSSN DAVIKKMIAE TSSGGVAAND VIVHITLHSL PFGVGVNSGM GSYHGKKSFE 420
 TFSHRRSCLV RPLMNDGLK VRYPPSPAKM TQH

Seq ID NO: 177 DNA sequence
 Nucleic Acid Accession #: NM_001067.1
 Coding sequence: 108-4703

1 11 21 31 41 51
 CTAACCGACG CGCGTCTGTG GAGAAGCGGC TTGGTGGGGG GTGGTCTCGT GGGTCTCTGC 60
 CTGTTTAGTC GCTTTCAGGG TTCTTGAGCC CCTTCACGAC CGTCAACATG GAAGTGTCCAC 120
 CATTTGAGCC TGTAATGAA AATATGCAAG TCAACAAAT AAAGAAAAAT GAAGATGCTA 180
 AGAAAAGACT GTCGTGTGAA AGAATCTATC AAAAGAAAAC ACAATTGGAA CATATTTTGC 240
 TCCGCCAGCA CACCTACATT GGTCTGTGG AATTAGTGAC CCAGCAAATG TGGGTTTACG 300
 ATGAAGATGT TGGCATTAA TATAGGGAAG TCACITTTGT TCCTGGTTTG TACAATACT 360
 TTGATGAGAT TCTAGTTAAT GCTGCGGACA ACAAACAAG GGACCCAAAA ATGCTCTGTA 420
 TTAGAGTCAC AATTGATCCG GAAAACAATT TAATTAGTAT ATGGAATAAT GAAAAAGGTA 480
 TTCCTGTTGT TGAACACAAA GTTGAAGA TGTATGTCCC AGCTCTCATA TTTGGACAGC 540
 TCCTAACTTC TAGTAACTAT GATGATGATG AAAAGAAAGT GACAGGTGGT CGAAATGGCT 600
 ATGGAGCCAA ATTGTGTAAC ATATTCACTA CCAAAATTTAC TGTGGAAACA GCCAGTAGAG 660
 AATACAAGAA AATGTTCAAA CAGACATGGA TGGATAATAT GGGAAAGCT GGTGAGATGG 720
 AACTCAAGCC CTTCAATGGA GAAGATTATA CATGTATCAC CTTTCAGCCT GATTGTCTA 780
 AGTTTAAAT GCAAAAGCCTG GACAAAAGATA TTGTTGCAC AATGGTCAGA AGAGCATATG 840
 ATATTGCTGG ATCCACAAA GATGTCAAAG TCTTTCTTAA TGGAAATAAA CTGCCAGTAA 900
 AAGGATTTCC TAGTTATGTG GACATGTATT TGAAGGACAA GTTGGATGAA ACTGGTAACT 960
 CCTTGAAGT AATACATGAA CAAGTAAACC ACAGTGGGA AGTGTGTTTA ACTATGAGTG 1020
 AAAAAAGCTT TCAGCAAAT AGCTTTGTCA ACAGCATTGC TACATCCAAG GGTGGCAGAC 1080
 ATGTTGATTA TGTAGCTGAT CAGATTGTGA CTAAACTTGT TGATGTTGTG AAGAAGAAGA 1140
 ACAAGGGTGG TGTTCAGTA AAAGCACATC AGGTGAAAA TCACATGTGG ATTTTTGTAA 1200
 ATGCCTTAAT TGAAAACCCA ACCTTTGACT CTCAGACAAA AGAAAACATG ACTTTACAAC 1260
 CCAAGAGCTT TGGATCAACA TGCCAATTGA GTGAAAAAT TATCAAAGCT GCCATTGGCT 1320
 GTGGTATTGT AGAAAGCATA CTAAACTGGG TGAAGTTTAA GGCCCAAGTC CAGTTAAACA 1380
 AGAAGTGTTC AGCTGTAAAA CATAATAGAA TCAAGGGAAT TCCCAAACTC GATGATGCCA 1440
 ATGATGCAGG GGGCCGAAAC TCCACTGAGT GTACGCTTAT CCTGACTGAG GGAGATTCAG 1500
 CCAAACTTT GGCTGTTCA GGCCTTGGTG TGGTGGGAG AGACAAATAT GGGGTTTTCC 1560
 CTCTTAGAGG AAAAATACTC AATGTTGAG AAGCTTCTCA TAAGCAGATC ATGGAAAATG 1620
 CTGAGATTAA CAATATCATC AAGATTGTGG GTCTTCAGTA CAAGAAAAAC TATGAAGATG 1680
 AAGATTCATT GAAGACGCTT CGTTATGGGA AGATAATGAT TATGACAGAT CAGGACCAAG 1740
 ATGGTTCCCA CATCAAAGGC TTGCTGATTA ATTTTATCCA TCACAACCTG CCCTCTCTC 1800
 TGGCAGATCG TTTTCTGGAG GAATTTATCA CTCCCATTGT AAAGGTATCT AAAAACCAAG 1860
 AAGAAATGGC ATTTACAGC CTTCCTGAAT TTGAAGAGTG GAAGAGTTCT ACTCCAATC 1920
 ATAAAAAATG GAAAGTCAAA TATTACAAG GTTTGGGCAC CAGCACATCA AAGGAAGCTA 1980
 AAGAACTACT TGACAGATG AAAAGACATC GTATCCAGTT CAAATATTCT GGTCTGAGG 2040
 ATGATGCTGC TATCAGCCTG GCCTTTAGCA AAAAACAGAT AGATGATCGA AAGGAATGGT 2100
 TAACTAATTT CATGGAGGAT AGAAGACAAC GAAAGTTACT TGGGCTTCT GAGGATTA 2160
 TGTATGGACA AACTACCACA TATCTGACAT ATAATGACT CATCAACAAG GAACCTTATCT 2220
 TGTCTCAAA TTCTGATAAC GAGAGATCTA TCCCTTCTAT GGTGGATGGT TTGAAACCAG 2280
 GTCAGAGAAA GGTTTTGTGT ACTTGCTTCA AACGGAATGA CAAGCGAGAA GTAAAGGTTG 2340
 CCCAATTAGC TGGATCAGTG GCTGAAATGT CTCTTATCA TCATGGTGAG ATGTCACTAA 2400
 TGAATGACCAT TATCAATTTG GCTCAGAATT TTGTGGGTAG CAATAATCTA AACCTTTGG 2460
 AGCCCATTTG TCAATTTGGT ACCAGGCTAC ATGGTGGCAA GGATTCTGCT AGTCCAAGAT 2520
 ACATCTTTAC AATGCTCAGC TCTTTGGCTC GATTGTTAIT TCCACCAAAA GATGATCACA 2580
 CTTTGAAGTT TTTATATGAT GACAACCAGC GTGTGAGGCC TGAATGGTAC ATTCCTATTA 2640
 TTCCTATGGT GCTGATAAAT GGTGCTGAAG GAATCCGTAC TGGGTGGTCC TGCAAAATCC 2700
 CCAACTTTGA TGTGCGTGA AATTGTAATA ACATCAGGCG TTTGATGGAT GGAGAAGAAC 2760
 CTTTCCCAAT GCTTCCAAGT TACAAGAART TCAAGGTAC TATTGAAGAA CTGGCTCCAA 2820
 ATCAATATGT GATTAGTGGT GAAGTAGCTA TTCTTAATTC TACAACCTAT GAAATCTCAG 2880
 AGCTTCCCGT GAGAACATGG ACCCAGACAT ACRAAGAACA AGTTCTAGAA CCCATGTTGA 2940
 ATGGCACCAG GAAGACACCT CCTCTCATAA CAGACTATAG GGAATACCAT ACAGATACCA 3000
 CTGTGAAAT TGTGTGGAAG ATGACTGAAG AAAAAGTGGC AGAGGCAGAG AGAGTTGGAG 3060
 TACACAAAGT CTCAAACTC CAAACTAGTC TCACATGCAA CTCTATGGTG CTTTTTGACC 3120
 ACGTAGGCTG TTTAAAGAAA TATGACACGG TGTGGATAT TCTAAGAGAC TTTTGTGAAC 3180
 TCAGACTTAA ATATTATGGA TTAAGAAAAG AATGGCTCCT AGGAATGCTT GGTGCTGAAT 3240
 CTGCTAAACT GAATAATCAG GCTCGCTTTA TCTTAGAGAA AATAGATGGC AAAATAATCA 3300

5
10
15
20
25
30
35
40

```

TTGAAAATAA GCCTAAGAAA GAATTAATTA AAGTCTGAT TCAGAGGGGA TATGATTCGG 3360
ATCCTGTGAA GGCCTGGAAG GAAGCCCAGC AAAAGTTCC AGATGAAGAA GAAAATGAAG 3420
AGAGTGACAA CGAAAAGGAA CCTGAAAAGA GTGACTCCGT AACAGATTCT GGACCAACCT 3480
TCAACTATCT TCTTGATAG ACCCTTTGGT ATTTAACCAA GGAAAAGAAA GATGAACCTCT 3540
GCAGGCTAAG AAATGAAAAA GAACAAGAGC TGGACACATT AAAAAGAAAG AGTCCATCAG 3600
ATTTGTGGAA AGAAGACTTG GCTACATTTA TTGAAGAATT GGAGGCTGTT GAAGCCAAGG 3660
AAAAACAAGA TGAACAAGTC GGACTTCCCT GAAAAGGGGG GAAGGCCAAG GGGAAAAAAA 3720
CACAAATGGC TGAAGTTTGT CCTTCTCCGC GTGGTCAAAG AGTCATTCCA CGAATAACCA 3780
TAGAAATGAA AGCAGAGGCA GAAAAGAAAA ATAAAAAGAA AATTAAGAAT GAAAATACTG 3840
AAGGAAGCCC TCAAGAAGAT GGTGTGGAAC TAGAAGGCCT AAAACAAGA TTAGAAAAAG 3900
AACAGAAAAG AGAACCAAGT ACAAGACAA AGAAACAAAC TACATTGGCA TTTAAGCCAA 3960
TCAAAAAGG AAAGAAGAGA AATCCCTGGC CTGATTGAGA ATCAGATAGG AGCAGTGACG 4020
AAAGTAATTT TGATGTCCTT CCACGAGAAA CAGAGCCAGC GAGAGCAGCA ACAAAAAACA 4080
AATTCACAAT GGATTTGGAT TCAGATGAAG ATTTCTCAGA TTTTGTATGAA AAAAAGTATG 4140
ATGAAGATTT TGTCCTATCA GATGCTAGTC CACCTAAGAC CAAAACCTCC CAAAACCTTA 4200
GTAACAAAGA ACTGAAACCA CAGAAAAGTG TCGTGTGAGA CCTTGAAGCT GATGATGTTA 4260
AGGGCAGTGT ACCACTGTCT TCAAGCCCTC CTGCTACACA TTTCCAGAT GAAACTGAAA 4320
TTACAAACCC AGTTCCTAAA AAGAATGTGA CAGTGAAGAA GACAGCAGCA AAAAGTCAGT 4380
CTTCCACCTC CACTACCGGT GCCAAAAAAA GGGCTGCCCC AAAAGGAACT AAAAGGGATC 4440
CAGCTTTGAA TCTGGTGTCT TCTCAAAGC CTGATCCTGC CAAAACCAAG AATCGCCGCA 4500
AAAGGAAGCC ATCCACTTCT GATGATTCTG ACTCTAATTT TGAGAAAATT GTTTCGAAAG 4560
CAGTCACAAG CAAGAAATCC AAGGGGGAGA GTGATGACTT CCATATGGAC TTTGACTCAG 4620
CTGTGGCTCC TCGGGCAAAA TCTGTACGGG CAAAGAAACC TATAAAGTAC CTGGAAGAGT 4680
CAGATGAAGA TGATCTGTTT TAAAATGTGA GCGGATTATT TTAAGTAATT ATCTTACCAA 4740
GCCCAAGACT GGTTTTAAAG TTACCTGAAG CTCTTAACIT CCTCCCCTCT GAATTTAGTT 4800
TGGGGAAGGT GTTTTGTAGT CAAGACATCA AAGTGAAGTA AAGCCCAAGT GTTCTTTAGC 4860
TTTTTATAAT ACTGCTCTAAA TAGTGACCAT CTCATGGGCA TTGTTTTCTT CTCTGCTTTG 4920
TCTGTGTTTT GAGTCTGCTT TCTTTTGTCT TAAAACCTG ATTTTAAAGT TCTTCTGAAC 4980
TGTAGAATA GCTATCTGAT CACTTCAGCG TAAAGCAGTG TGTATTATTA CCATCCACTA 5040
AGCTAAAACT AGATGCAAGT GATTTAAAAG TGCTACTCTT CCTCCCTTTC TACTTTCAGT 5100
AGATAAGAGA TAGAGCATAA TTATCTGTTT TATCTTAGTT TTATACATAA TTTACCATCA 5160
GATAGAACTT TATGGTTCTA GTACAGATAC TCTACTACAC TCAGCCTCTT ATGTGCCAAG 5220
TTTTTCTTTA AGCAATGAGA AATGTCTCAT GTTCTTCATC TTCTCAAATC ATCAGAGGCC 5280
AAGAAAAAAC ACTTTGGCTG TGTCTATAAC TTGACACAGT CAATAGAATG AAGAAAAATTA 5340
GAGTAGTTAT GTGATTATTT CAGCTCTTGA CCTGTCCCCT CTGGCTGCCT CTGAGTCTGA 5400
ATCTCCAAA GAGAGAAAAC AATTTCTAAG AGGACTGGAT TGCAGAAGAC TCGGGGACAA 5460
CATTGATCC AAGATCTTAA ATGTTATATT GATAACCATG CTCAGCAATG AGCTATTAGA 5520
TTCATTTGG GAAATCTCAA TAATTTCAAT TTGTAAACTT TGTTAAGACC TGCTACATT 5580
GTTATATGTG TGTGACTTGA GTAATGTTAT CAACGTTTTT GTAATATTT ACTATGTTTT 5640
TCTATTAGCT AAATTCACAC AATTTGTATC TTAATAAAA TGTTCTAAAC ATTCG
    
```

Seq ID NO: 178 Protein sequence:
Protein Accession #: NP_001058.1

45
50
55
60
65
70

```

1 11 21 31 41 51
| | | | |
MEVSPLOPVN ENMQVNKIKK NEDAKKRLSV ERIYQKKTQL EHILLRPDPT IGSVELVTQQ 60
MWVYDEEDVGI NYREVTVPFG LYKIFDEILV NAADNKQRDP KMSCIRVTID PENNLISIWN 120
NGKGIPVVEH KVEKMYVPAL IPGQLTSSN YDDEKKVTG GRNGYGAJLC NIFSTKFTVE 180
TASREYKMF KQTMWDMNMR AGEMELKPFN GEDYTCITFQ PDLSPKFMQS LDKDIVALMV 240
RRAYDIAGST KDVKVFLMNG KLPVKGRFSY VDMYLKDKLD ETGNSLKVH EQVNRHWEVC 300
LTMSEKGFQQ ISFVNSIATS KGRHVDYVA DQIVTKLVDV VKKKQKGGVA VKAHQVKNHM 360
WTFVNALIEN PTFDSQTKEN MTLQPKSFGS TCQLSEKFIK AAIGCGIVES ILNWKFKAQ 420
VQLNKKCSAV KHNRIKGI PK LDDANDAGGR NSTECTLILT EGDSAKTLAV SGLGVVGRDK 480
YGVFPLRGKI LNVREASHQK IMENAEINNI IKIVGLQYK NYEEDSLKT LRYGKIMIMT 540
DQDQDQSHIK GLLINFIHNN WPSLLRHRFL BEFITPIVKV SKNKQEMAFY SLPEFEWKS 600
STPNHKKWV KYKGLGTST SKEAKEYFAD MKRHRIQFKY SGPEDDAIS LAFSKQIDD 660
RKEWLTNFM EDRRQKLLGL PEOYLYGQTT TLYTYNDFIN KELILFNSND NERSIIPSMVD 720
GLKPGQRKVL FTFCKRNDKR EVKVAQLAGS VAEMSSYHHG EMSLMMTIIN LAQNFVGSNN 780
LNLLQPIGQF GTRLHGKQDS ASPRYIFTML SSLARLLFPP KDDHTLKFY DDNQVRPEPE 840
YPIIEMVLI NGABGIGTGW SCKIPNFVDR EIVNNIRRLM DGEPEPLMLP SYKNFKGTIE 900
ELAPNQYVIS GEVALNSTT IEISELPVRT WTQTYKEQVL EPMLNGTEKT PPLITDYREY 960
HTDITVKFV KMTBEKLAEA ERVGLHKVFK LQTSLTCSNM VLFDHVGLCK KYDVTVDILR 1020
DFPELRLKY GLRKEWLLGM LGAESAKLNN QARFILEKID GKIIENKPK KELIKVLIQR 1080
GYSDPVKAW KEAQKQVDE EENEESDNEK ETEKSDSVTD SGPTFNYLLD MPLWYLTKEK 1140
KDELCLRNE KEQELDTLKR KSPSDLWKEK LATFIELEA VEAKEKQDEQ VGLPGKGGKA 1200
KGKKTQMAEV LPSRGRQVI PRITIEKAE AEKKNKKIK NENTEGSPQE DGVELEGLKQ 1260
RLEKKQKREP GTKTKKQITL AFKPIKGGK RNPWPDESSED RSSDESDFV PPRETEPRRA 1320
ATKTKFTMDL DSEDFDFDF EKTDEDFVP SDASPPKTKT SPKLSNRELK PQKSVVSDLE 1380
ADDVKGSVPL SSSPPATHFP DETEITNPV KKNVTVKKTA AKSQSSTST AKSKRAAPKG 1440
TKRDPALNSG VSQKPDPAKT KNRRKRKPSST SDDSDSNFEK IVSKAVTSKK SKGESDDPHM 1500
DFDSAVAPRA KSVRAKKPIK YLESEDDDL P
    
```

Seq ID NO: 179 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 148-7095

80
85

```

1 11 21 31 41 51
| | | | |
CACACATAC CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA 60
CAAAAAAAC ATTTCTTCG CTCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA 120
CGCGAGGGG CCGCAGACCG TCTGAAAATG CGAATCCTAA AGCGTTTCTT CGCTTGCAAT 180
CAGCTCCTCT GTGTTTCCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA 240
CTTGTGAAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG 300
AAATATCCAA CATGTAATAG CCCAAAAACA TCTCCTATCA ATATTGATGA AGATCTTACA 360
CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCCAGGTT GGGATAAAA ATCATTGGAA 420
    
```


	AACACATTCA	TTCAATAACAC	TGGGAAAACA	GTGGAAATTA	ATCTCACTAA	TGACTACCGT	480
	GTCAGCGGAG	GAGTTTCAGA	AATGGTGT	AAAGCAAGCA	AGATAACTTT	TCACTGGGGA	540
	AAATGCAATA	TGTCATCTGA	TGGATCAGAG	CGATAGTTT	AAGGACAAAA	ATTTCCACTT	600
5	GAGATGCAAA	TCTACTGCTT	TGATGCGGAC	CGATTTTCAA	GTTTTGAGGA	AGCAGTCAAA	660
	GGAAAAGGGA	AGTTAAGAGC	TTTATCCATT	TTGTTTGAGG	TTGGGACAGA	AGAAAATTTG	720
	GATTTCAAAG	CGATTATTGA	TGGAGTCGAA	AGTGTTAGTC	GTTTTGGGAA	GCAGGCTGCT	780
	TTAGATCCAT	TCTACTGCTT	GAACCTTCTG	CCAAACTCAA	CTGACAAGTA	TTACATTTAC	840
	AATGGCTCAT	TGACATCTCC	TCCCTGCACA	GACACAGTTG	ACTGGATTGT	TTTTAAAGAT	900
10	ACAGTTAGCA	TCTCTGAAAG	CCAGTTGGCT	GTTTTTTGTG	AAGTCTTAC	AATGCAACAA	960
	TCTGGTTATG	TCTAGCTGAT	GGACTACTTA	CAAAAACAAT	TTCGAGAGCA	ACAGTACAAG	1020
	TTCTCTAGAC	AGGTGTTTTT	CTCATACACT	GGAAAAGGAA	AGATTTCATGA	AGCAGTTTGT	1080
	AGTTCCAGAAC	CAGAAAATGT	TCCAGGCTGAC	CCAGAGAATT	ATACCAGCCT	TCTTGTTACA	1140
	TGGAAAAGAC	TCTGAGTCTG	TTATGATACC	ATGATTGAGA	AGTTTGCAGT	TTTGTACCAG	1200
	CAGTTGGATG	GAGAGGACCA	AACTAAGCAT	GAATTTTGA	CAGATGGCTA	TCAAGACTTG	1260
15	GGTGCATATC	TCAATAAATT	GCTACCCCAAT	ATGAGTTAIG	TTCTTCAGAT	AGTAGCCATA	1320
	TGCACTAATG	GCTTATATGG	AAAATACAGC	GACCAACTGA	TTGTCCAGAT	GCCTACTGAT	1380
	AATCCTGAAC	TTGATCTTTT	CCCTGAATTA	ATTGGAACGT	AAGAAAATAAT	CAAGGAGGAG	1440
	GAAGAGGAAA	AAGACATTGA	AGAAGGCGCT	ATTGTGAATC	CTGGTAGAGA	CAGTGCTACA	1500
20	AAACAAATCA	GGAAAAAGGA	ACCCAGGATT	TCTACCACAA	CACACTACAA	TGCATAGGG	1560
	ACGAAATACA	ATGAAAGCAA	GACTAACCGA	TCCCCAACAA	GAGGAAGTGA	ATTTCTTGGA	1620
	AAGGGTATG	TTCCCAATAC	ATCTTTAAAT	TCCACTTCCC	AACCAGTCAC	TAAATTAGCC	1680
	ACAGAAAAAG	ATATTTCTCT	GACTTCTCAG	ACTGTGACTG	AACCTGCCACC	TCACACTGTG	1740
	GAAGGTACTT	CAGCCTCTTT	AAATGATGGC	TCTAAAACGT	TTCTTAGATC	TCCACATATG	1800
25	AACTTGTGCG	GGACTGCAGA	ATCCTTAAAT	ACAGTTTCTA	TAACAGAATA	TGAGGAGGAG	1860
	AGTTTATTGA	CCAGTTTCAA	GCTTGATACT	GGAGCTGAAG	ATTCTTCAGG	CTCCAGTCCC	1920
	GCAACTTCTG	CTATCCCAAT	CATCTCTGAG	AAATATATCC	AAGGGTATAT	ATTTTCTCTC	1980
	GA AAAACCCAG	AGACAATAAC	ATATGATGTC	CTTATACCAG	AATCTGCTAG	AAATGCTTCC	2040
	GAAGATTCAA	CTTCATCAGG	TTCAGAAGAA	TCACTAAAGG	ATCCTTCTAT	GGAGGGAAT	2100
30	GTGTGGTTTC	CTAGCTCTAC	AGACATAACA	GCACAGCCCG	ATGTTGGATC	AGGCAGAGAG	2160
	AGCTTTCTCC	AGACTAATTA	CACCTGAGATA	CGTGTGATG	AATCTGAGAA	GACAACCAAG	2220
	TCCTTTTCTG	CAGGCCCACT	GATGTCCAGG	GGTCCCTCAG	TTACAGATCT	GGAAATGCCA	2280
	CATTATTCTA	CCTTTGSCCTA	CTTCCCAACT	GAGGTAACAC	CTCATGCTTT	TACCCCATCC	2340
	TCCAGACAAC	AGGATTTGGT	TCCACGGTCT	AACCTGGTAT	ACTCGCAGAC	AACCCAAACG	2400
35	GTATACAATG	GTGAGACACT	TCTTCAACCT	TCCTACAGTA	GTGAAGTCTT	TCTCTAGTCC	2460
	ACCCCTTTGT	TGCTTGACAA	TCAGATCCTC	AACACTACCC	CTGCTGCTTC	AAGTAGTGAT	2520
	TCGGCCTTGC	ATGCTACGCC	TGTATTTCCC	AGTGTGAGTG	TGTCATTGTA	ATCCATCTCTG	2580
	TCTTCTATG	ATGGTGACCT	TTTGGCTTCCA	TTTTCTCTG	CTTCTTCAG	TAGTGAATTG	2640
40	TTTCGCCATC	TGCATACAGT	TTTCAANTC	CTTCCACAAG	TTACTTCAGC	TACCCAGAGT	2700
	GATAAGGTGC	CCTTGCATGC	TTCTCTGCCA	GTGGCTGGGG	GTGATTGCT	ATTAGAGCCC	2760
	AGCCTTGCTC	AGTATTCTGA	TGTGCTGTCC	ACTACTCATG	CTGCTTCAGA	GACGCTGGAA	2820
	TTTGGTAGTG	AATCTGTGTG	TCITTTATAA	ACGCTTATGT	TTTTCTCAAGT	TGAACCAACC	2880
	AGCAGTGATG	CCATGATGCA	TGCACGTTCT	TCAGGGCCTG	AACCTTCTTA	TGCCTTGTCT	2940
45	GATAATGAGG	GCTCCCAACA	CATCTTCACT	GTTTCTTACA	GTCTGCAAT	ACCTGTGCAT	3000
	GATTCGTGAG	GTGTAACCTA	TCAGGGTTCC	TTATTTAGCG	GCCCTAGCCA	TATACCAATA	3060
	CCTAAGTCTT	CGTTAATAAC	CCCAACTGCA	TCATTACTGC	AGCCTACTCA	TGCCCTCTCT	3120
	GGTGAATGGG	AATGGTCTGG	AGCCTCTTCT	GATAGTGAAT	TTCTTTTACC	TGACACAGAT	3180
	GGGCTGACAG	CCCTTAACAT	TTCTTCAACT	GTTTCTGTAG	CTGAATTTAC	ATATAACAAC	3240
50	TCGTGTTTG	GTGATGATAA	TAAGGGGCTT	TCTAAAAGTG	AAATAATATA	TGGAATGAG	3300
	ACTGAAGTGC	AAATTCCTTC	TTTCAATGAG	ATGGTTTACC	CTTCTGAAAG	CACAGTCAATG	3360
	CCCAACATGT	AAATAAGTTG	AATGCGTCTT	TACAAGAAAC	CTCTGTTTCC	CTCTGTTTCC	3420
	ATTTCTAGCA	CCAAGGGCAT	GTTTCCAGGG	TCCCTTGCTC	ATACCACCAC	TAAGTTTTTT	3480
	GATCATGAGA	TTAGTCAAGT	TCCAGAAAAT	AACCTTTCAG	TTCAACCTAC	ACATACTGTC	3540
55	TCTCAAGCAT	CTGGTGACAC	TTCCGTTAAA	CCTGTGCTTA	GTGCAAACTC	AGAGCCAGCA	3600
	TCCTCTGACC	CTGCTTCTAG	TGAAAATGTA	TCTCCTCAA	CTCAGCTCTT	ATTTTATGAG	3660
	ACCTCAGCTT	CTTTTAGTAC	TGAAGTATTG	CTACAACCTT	CCTTTCAGGG	TCTGTATGTT	3720
	GACACCTTGC	TTAAAACCTGT	TCTTCCAGCT	GTGCCCAGTG	ATCCAATATT	GGTTGAAAACC	3780
	CCCAAAAGTTG	ATAAAAATTAG	TTCTACAATG	TTGCATCTCA	TTGTATCAA	TTCTGCTTCA	3840
60	AGTGA AAAACA	TGCTGCACCT	TACATCTGTA	CCAGTTTTTG	ATGTTGTCGCC	TACTTCTCAT	3900
	ATGCACTCTG	CTTCACTTCA	AGGTTTGACC	ATTTCTATG	CAAGTGAGAA	ATATGAACCA	3960
	GTTTTGTTAA	AAAGTGAAGG	TTCCACCRA	GTGGTACCTT	CTTGTGACAG	TAATGATGAG	4020
	TTGTTCCAAA	CGGCCAATT	GGAGATTAAC	CAGGCCATC	CCCCAAAAGG	AAGGCATGTA	4080
	TTTGCTACAC	CTGTTTTATC	AATTGATGAA	CCATTAAATA	CACATAATAA	TAAGCTTATA	4140
	CATTTCCGATG	AAATTTTAAAC	CTCCACCRAA	AGTTCGTGTA	CTGGTAAGGT	ATTTGCTGGT	4200
65	ATTTCCACAG	TTGCTTCTGA	TACATTTGTA	TCTACTGATC	ATTCTGTTC	TATAGGAAAT	4260
	GGGCATGTTG	CCATTACAGC	TGTTTTCTCC	CACAGAGATG	GTTCTGTAAC	CTCAACAAAG	4320
	TTGCTGTTTC	CTTCTAAGGC	AACTTCTGAG	CTGAGTCATA	GTGCCAAATC	TGATGCCGGT	4380
	TTAGTGGGTG	GTGGTGAAGA	TGGTGACACT	GATGATGATG	GTGATGATGA	TGATGATGAC	4440
	AGAGGTAGTG	ATGGCTTATC	CATTATAAG	TGTATGTCAT	GCTCATCTTA	TAGAGAATCA	4500
70	CAGGAAAAGG	TAATGAATGA	TTCAGACACC	CACGAAAACA	GTCTTATGGA	TCAGAATAAT	4560
	CCAACTCAT	ACTCACTATC	TGAGAATTCT	GAAGAAGATA	ATAGAGTCAC	AAGTGTATCC	4620
	TCAGACAGTC	AACTTGTGAT	GGACAGAAGT	CCTGGTAAAT	CACCATCAGC	AAATGGGCTA	4680
	TCCCAAAAGC	CAATGATGAG	AAAAGAGGAA	AATGACATTC	AGACTGGTAG	TGCTCTGCTT	4740
	CCTCTCAGCC	CTGAATCTAA	AGCATGGGCA	GTCTGACAA	GTGATGAAGA	AAGTGGATCA	4800
75	GGGCAAGGTA	CCTCAGATAG	CCTTAATGAG	AATGAGACTT	CCACAGATT	CAGTTTGTCA	4860
	GACACTAATG	AAAAGATGTC	TGATGGGATC	CTGGCAGCAG	GTGACTCAGA	AATAACTCCT	4920
	GGATTCCAC	AGTCCCAAC	ATCATCTGTT	ACTAGCGAGA	ACTCAGAAGT	GTCCACGTT	4980
	TCAGAGGACG	AGGCCAGTAA	TAGTAGCCAT	GAGTCTCGTA	TTGGTCTAGC	TGAGGGGTTG	5040
	GAATCCGAGA	AGAAGGCGAT	TATACCCCTT	GTGATCGTGT	CAGCCCTGAC	TTTTATCTGT	5100
80	CTAGTGGTTC	TTGTTGGTAT	TCTCATCTAC	TGGAGGAAAT	GCTTCCAGAC	TGCACACTTT	5160
	TACTTAGAGG	ACAGTCAATC	CCCTAGAGTT	ATATCCACAC	CTCCAACACC	TATCTTTCCA	5220
	ATTTCAAGTG	ATGTCGGAGC	AAATCCAATA	AAGCACTTTC	CAAAGCATGT	TGCAGATTTA	5280
	CATGCAAGTA	GTGGGTTTAC	TGAAGAATTT	GAGACACTGA	AAGAGTTTAA	CCAGGAAGTG	5340
	CAGAGCTGTA	CTGTGACTAT	AGGTATTACA	GCAGACAGCT	CCAACCACCC	AGACAACAAG	5400
85	CACAAGAATC	GATACATAAA	TATCGTTGCC	TATGATCATA	GCAGGGTTAA	GCTAGCACAG	5460
	CTTGCTGAAA	AGGATGGCAA	ACTGACTGAT	TATATCAATG	CCAATTATGT	TGATGGCTAC	5520
	AACAGACCAA	AAGCTTATAT	TGCTGCCCAA	GGCCCACTGA	AATCCACAGC	TGAAGATTTT	5580
	TGGAGAATGA	TATGGGAACA	TAATGTGGAA	GTTATTGTCA	TGATAACAAA	CCTCGTGGAG	5640

	AAAGGAAGGA	AAAAATGTGA	TCAGTACTGG	CCTGCCGATG	GGAGTGAGGA	GTACGGGAAC	5700
	TTTCGGTCA	CTCAGAAGAG	TGTGCAAGTG	CTTGCCATT	ATACTGTGAG	GAATTTTACT	5760
	CTAAGAAACA	CAAAAATAAA	AAAGGGCTCC	CAGAAAGGAA	GACCCAGTGG	ACGTGTGGTC	5820
5	ACACAGTATC	ACTACACGCA	GTGGCCTGAC	ATGGGAGTAC	CAGAGTACTC	CCTGCCAGTG	5880
	CTGACCTTTG	TGAGAAAAGG	AGCCTATGCC	AAGCGCCATG	CAGTGGGGCC	TGTTGTCTGC	5940
	CACCTGCAGT	CTGAGATTGG	AAGAACAGGC	ACATATATTG	TGCTAGACAG	TATGTTGCAG	6000
	CAGATTCAAC	ACGAAGGAAC	TGTCAACATA	TTTGGCTTCT	TAAAACACAT	CCGTTCAACA	6060
	AGAAATTTAT	TGGTACAAC	TGAGGAGCAA	TATGTCTTCA	TTTATGATAC	ACTGGTTGAG	6120
10	GCCATACTTA	GTAAGAAGAA	TGAGGTGCTG	GACAGTCATA	TTTATGCCTA	TGTTAATGCA	6180
	CTCCTCATT	CTGACCAGC	AGGCAAAACA	AAGCTAGAGA	AACAATTCCA	GCTCCTGAGC	6240
	CAGTCAAATA	TACAGCAGAG	TGACTATTCT	GCAGCCCTAA	AGCAATGCAA	CAGGGAAAAG	6300
	AATCGAACTT	CTTCTATCAT	CCCTGTGGAA	AGATCAAGGG	TTGGCATTTC	ATCCCTGAGT	6360
	GGAGAAGGCA	CAGACTACAT	CAATGCCTCC	TATATCATGG	GCTATTACCA	GAGCAATGAA	6420
	TTATCATTTA	CCCAGCACCC	TCTCCTTCAT	ACCATCAAGG	ATTTCTGGAG	GATGATATGG	6480
15	GACCATAATG	CCCACCTGGT	GGTTATGATT	CCTGATGGCC	AAAAACATGC	AGAAGATGAA	6540
	TTTGTTTACT	GGCCAAATAA	AGATGAGCCT	ATAAATTGTG	AGAGCTTTAA	GGTCACTCTT	6600
	ATGGCTGAAG	AACACAAATG	TCTATCTAAT	GAGGAAAAAC	TTATAATTCA	GGACTTTATC	6660
	TTAGAAGCTA	CACAGGATGA	TTATGTACTT	GAAGTGAGGC	ACTTTCAGTG	TCCTAAATGG	6720
	CCAAATCCAG	ATAGCCCCAT	TAGTAAACT	TTTGAACCTA	TAAGTGTAT	AAAAGAAGAA	6780
20	GCTGCCAATA	GGGATGGGCC	TATGATTGTT	CATGATGAGC	ATGGAGGAGT	GACGGCAGGA	6840
	ACTTTCGTG	CTCTGACAA	CCTTATGCAC	CAACTAGAAA	AAGAAAATTC	CGTGGATGTT	6900
	TACCAGTATG	CCAAGATAGT	CAATCTGATG	AGGCCAGGAG	TCTTTGCTGA	CATTGAGCAG	6960
	TATCAGTTTC	TCTACAAGAT	GATCCTCAGC	CTTGTGAGCA	CAAGGCAGGA	AGAGAATCCA	7020
	TCCACCTCTC	TGGACAGTAA	TGGTGCAGCA	TTGCCCTGATG	GAAATATAGC	TGAGAGCTTA	7080
25	GAGTCTTTAG	TTTAAACAGG	AAAGGGGTGG	GGGGACTCAC	ATCTGAGCAT	TGTTTTCTCT	7140
	TTCTTAAAT	TAGCAGGAA	AATCAGTCTA	GTTCTGTTAT	CTGTGATT	CCCATCACCT	7200
	GACAGTAAT	TTTATGACAT	AGGATTCTGC	CGCCAAATTT	ATATCATTAA	CAATGTGTGC	7260
	CTTTTTGCAA	GACTTGTAA	TTACTTATTA	TGTTTGAAT	AAAATGATTG	AATTTTACAG	7320
	TATTTCTAAG	TAGTAAATG	TGCTATTTT	TTCTGTATTG	ATTTTAAACG	AAAATTTCAA	7380
30	TTTATAGAG	TTAGGAATTC	CAAACTACAG	AAAATGTTTG	TTTTTAGTGT	CAAAATTTTA	7440
	GCTGTATTG	TAGCAATTAT	CAGGTTTGCT	AGAAATATAA	CTTTTAATAC	AGTAGCCTGT	7500
	AAATAAAACA	CTCTTCCATA	TGATATTCAA	CATTTTACAA	CTGCAGTATT	CACCTAAAGT	7560
	AGAAATAATC	TGTTACTTAT	TGTAATACT	GCCCTAGTGT	CTCCATGGAC	CAAAATTTATA	7620
	TTTATAATTG	TAGATTTTTA	TATTTTACTA	CTGAGTCAAG	TTTTCTAGTT	CTGTGTAATT	7680
35	GTTTAGTTTA	ATGACGTTAGT	TCATTAGCTG	GTCTTACTCT	ACCAGTTTTC	TGACATTGTA	7740
	TTGTGTTACC	TAAGTCATTA	ACTTTGTTTC	AGCATGTAAT	TTTAACTTTT	GTGGAAAATA	7800
	GAAATACCTT	CATTTTGAAA	GAAGTTTTTA	TGAGAATAAC	ACCTTACCAA	ACATTTGTTCA	7860
	AATGGTTTTT	ATCCAAGGAA	TGCAAAAAT	AAATATAAAT	ATTGCCATTA	AAAAAAAATA	7920
40	AAAAAAAATA	AAAAAAAATA	AAAA				

Seq ID NO: 180 Protein sequence:
Protein Accession #: Eos sequence

45	1	11	21	31	41	51	
	MRILKRFLAC	IQLLCVCRLD	WANGYYRQOR	KLVEEIGWSY	TGALNQNKGW	KKYPTCNSPK	60
	QSPINIDEDL	TQVNVNKKL	KFQGWKTSL	ENTFIHVTGK	TVEINLTNDY	RVSGGVSEMV	120
	FKASKITFW	GKCNMSDGS	EHSLEQKFP	LEMQIYCFDA	DRFSSPEEAV	KGKGLRALS	180
	ILFEVGTEN	LDPKAIIDGV	ESVSRFGKQA	ALDPFILLNL	LPNSTDKYI	YNGSLTSPPC	240
50	TDVVDWVFK	DVTSISESQL	AVFCEVLTMQ	QSGYVMLMDY	LQNFREQQY	KFSRQVFSY	300
	TGKEEHEAV	CSSEPENVA	DPENYTSLLV	TWERPRVVDY	TMIEKFAVLY	QQLDGEDQK	360
	HEFLTDGYD	LGAILNLLP	NMSYVLQIVA	ICTNGLYKGY	SDQLIVDMPT	DNPELDLPE	420
	LIGTEEIKE	EEEGKDIIEG	AVNPNGRDSA	TNQRKKEPQ	ISTTTHYNRI	GTKYNEAKTN	480
	RSPTRGSEFS	GKGDPVNTSL	NSTSPVTKL	ATEKDISLTS	QTVTELPFHT	VEGTASLND	540
55	GSKTVLRSPH	NMLSGTAESL	NTVSI TEYEE	ESLLTSPKLD	TGAEDSSGSS	PATSAIPPIS	600
	ENISQGIYFS	SENPETIYD	VLIPESARNA	SEDSTSSGSE	ESLKDPSMEG	NWVFPSTDI	660
	TAQPDVGSGR	ESFLQNTYTE	IRVDESEKTT	KSFSAGPVMS	QGPSVTDLEM	PHYSTFAFFP	720
	TEVTPHAFTP	SSRQDLVST	VNVVYQTTQ	PVYNGETPLQ	PSYSSVEFPL	VTPLLLDNI	780
60	LNTPAASSS	DSALHATPVF	PSVDVSFESI	LSSVDGAPLL	PFFSASFSSS	LFRHLHTVSQ	840
	ILPQVTSAT	SDKVPLHASL	PVAGGDLLLE	PSLAQYSVPL	STTHAASETL	EPGSEGVLY	900
	KTLMFSQVEP	PSSDAMMHAR	SSGPEPSYAL	SDNEGSQHIF	TVSYSSAIPV	HDSVGVVYQG	960
	SLFSGPSHIP	IPKSSLIPT	ASLLQPTHAL	SGDGEWSGAS	SDSEFLLPDT	DGLTALNISS	1020
	PVSVAEFTYT	TSVFGDDNKA	LSKSEIYGN	ETELQIPSFN	EMVYPSESTV	MPNMYDNVNK	1080
65	LNASLQETSV	SISSTKGMFP	GSLAHTTKV	FDHEISQVPE	NNFSVQPTH	VSQASGDTSL	1140
	KPVLANSSEP	ASSDPASSE	LSPSTQLLFY	ETSASFSTEV	LLQPSFQASD	VDTLKTLVLP	1200
	AVPSDPLVE	TPKVDKISST	MLHLIVNSA	SSENLHSTS	VPVFDVSPTS	HMHSASLQGL	1260
	TISYASEKYE	PVLLKSESSH	QVVPVSLYND	ELFQTANLEI	NQAHPPKGRH	VFATPVLSID	1320
	EPLNLTINKL	IHSDEILTST	KSSVTGKVFA	GIPTVASDTP	VSTDHVSPIG	NGHVAITAVS	1380
	PHRDGVSST	KLLFPKATS	ELSHSAKSDA	GLVGGGEDGD	TDDGDGDDDD	DRGSDGLSIH	1440
70	KCMSCSSYRE	SQEKVMNDS	THENSLMDQN	NPISYSLSEN	SEEDNRVTSV	SSDSQSGMDR	1500
	SPGKSPSANG	LSQKHNKGKE	ENDIQTGSAL	LPLSPESKAW	AVLTSDEESG	SGQGTSDSLN	1560
	ENETSTDFSF	ADTNEKDADG	ILAAGDSEIT	PGFPQSPSTSS	VTSENSEVPH	VSEAEASNSS	1620
	HESRIGLABG	LESEKKAVIP	LVIIVSALTFI	CLVVLVGLLI	YWRKCFQTAH	FYLEDSTSPR	1680
	VISTPPTPIF	PISDDVGAIP	IKHFPKHVAD	LHASSGFTTE	FETLKEPYQE	VQCTVDLGI	1740
75	TADSSNHPDN	KHKRYINIV	AYDHSRVKLA	QLAEKDGKLT	DYINANYVDG	YNRPRAYTAA	1800
	QGPKLSTAE	PWRMIVHENV	EVIVMITNLV	EKGRKCDQY	WPADGSEYEG	NPLVTQKSVQ	1860
	VLAYTYTRNF	TLRNTKIKKG	SQKGRPSGRV	VTQYHYTQWP	DMGVPEYSLP	VLTFVRKAAY	1920
	AKRHAVGPV	VHCSAGVGR	GTQYIVLDSML	QQIQHEGTWN	IFGFLKHIRS	QRNYLVQTEE	1980
	QYVFIHDTLV	EAILSKETEV	LDSHIHAYVN	ALLIPGPAGK	TKLEKQPQLL	SQSNIIQSDY	2040
80	SAALKQCNRE	KNRTSSIIFF	ERSRVGISSL	SGEGTDYINA	SYIMGYQSN	EFIIITQHPLL	2100
	HTIKDFWRMI	WDHNAQLVVM	IPDQGNMAED	EFVYWPNKDE	PINCESPKVT	LMAECHKCLS	2160
	NEEKLIIQDF	ILEATQDDYV	LEVRHPQCPK	WPNPDPSPISK	TFELISVIKE	EAANRDGPMI	2220
	VHDEHGGVTA	GTFCALTTLM	HQLEKENSVD	VYQVAKMINL	MRPGVFADIE	QYQFLYKVL	2280
85	SLVSTRQEN	PSTSLDSNGA	ALPDGNIAES	LESVL			

Seq ID NO: 181 DNA sequence
Nucleic Acid Accession #: Eos sequence

	1	11	21	31	41	51	
5	CACACATACG	CACGCACGAT	CTCACTTCCA	TCTATACACT	GGAGGATTAA	AACAACAAAA	60
	CAAAAAAACC	ATTTCCTTCG	CTCCCCCTCC	CTCTCCACTC	TGAGAAGCAG	AGGAGCCGCA	120
	CGGCGAGGGG	CCGCAGACCC	TCTGGAAATG	CGAATCCTAA	AGCGTTTCCT	CGCTTGCAAT	180
	CAGCTCCTCT	GTGTTTGCCG	CCTGGATTTG	GCTAATGGAT	ACTACAGACA	ACAGAGAAAA	240
10	CTTGTGAAG	AGATTGGCTG	GTCCTATACA	GGAGCACTGA	ATCAAAAAAA	TTGGGGAAAA	300
	AAATATCCAA	CATGTAATAG	CCCAAAACAA	TCTCCTATCA	ATATTGATGA	AGATCTTACA	360
	CAAGTAAATG	TGAATCTTAA	GAAACTTAAA	TTTCAGGGTT	GGGATAAAAC	ATCATTGGAA	420
	AAACACATTA	TTCAATAACAC	TGGGAAAACA	GTGGAAATTA	ATCTCACTAA	TGACTACCGT	480
	GTCAGCGGAG	GAGTTTCAGA	AATGGTGTTC	AAAGCAAGCA	AGATAACTTT	TCACTGGGGA	540
15	AAATGCAATA	TGTCATCTGA	TGGATCAGAG	CATAGTTTAG	AAGGACAAAA	ATTTCCACTT	600
	GAGATGCAAA	TCTACTGCTT	TGATGCGGAC	CGATTTTCAA	GTTTTGAGGA	AGCAGTCAAA	660
	GGAAAAGGGA	AGTTAAGAGC	TTTATCCATT	TTGTTGAGG	TTGGGACAGA	AGAAAATTTG	720
	GATTTCAAAG	CGATTATTGA	TGGAGTCGAA	AGTGTTAGTC	GTTTTGGGAA	GCAGGCTGCT	780
	TTAGATCCAT	TCATCTTCCT	GAACCTTCTT	CCAACTCAA	CTGACAAGTA	TTACATTTAC	840
20	AATGGCTCAT	TGACATCTCC	TCCTGCACA	GACACAGTTG	ACTGGATTGT	TTTTAAAGAT	900
	ACAGTTAGCA	TCTCTGAAGG	CCAGTTGGCT	GTTTTTTGTG	AAGTCTTAC	AATGCAACAA	960
	TCTGGTTATG	TCATGCTGAT	GGACTACTTA	CAAAAACATT	TTCCGAGAGCA	ACAGTACAAG	1020
	TTCTCTAGAC	AGGTGTTTTC	CTCATACTCT	GGAAAAGGAG	AGATTCAATG	AGCAGTTTGT	1080
	AGTTCAGAAC	CAGAAAATGT	TCAGGCTGAC	CCAGAGAATT	ATACCAGCTT	TCTTGTTACA	1140
25	TGGAAAGAGC	CTCGAGTCGT	TTATGATACC	ATGATTGAGA	AGTTTGCACT	TTTGTACCAG	1200
	CAGTTGGATG	GAGAGGACCA	AAACCAAGCAT	GAAATTTTGA	CAGATGGCTA	TCAGACTTTG	1260
	GGTGCTATTCT	TCATAAATTT	GCTACCCAAT	ATGAGTTATG	TTCTTCAGAT	AGTAGCCATA	1320
	TGCACTAATG	GCTTATATGG	AAAATACAGC	GACCAACTGA	TTGTGACAT	GCCTACTGAT	1380
	AATCCTGAAAC	TTGATCTTTT	CCCTGAATTA	ATTGGAACTG	AAGAAATAAT	CAAGGAGGAG	1440
30	GAAGAGGGAA	AAGACATTTG	AGAAGGCGCT	ATTGTGAATC	CTGTTAGAGA	CAGTGTACA	1500
	AACCAATCA	GGAAAAAGGA	ACCCAGATT	TCTACCACAA	CACACTACAA	TGCCATAGGG	1560
	ACGAAATACA	ATGAAGCCAA	GACTAACCGA	TCCCCAACAA	GAGGAAGTGA	ATTCTCTGGA	1620
	AAGGGTGAATG	TTCCCAATG	ATCTTTAAAT	TCCACTTCCC	AACCAGTCA	TAAATTAGCC	1680
	ACAGAAAAAG	ATATTTCCTT	GACTTCTCAG	ACTGTGACTG	AATGCCACC	TCACACTGTG	1740
	GAAGGTACTT	CAGCCTCTTT	AAATGATGGC	TCTAAAACCTG	TTCTTAGATC	TCCCATATG	1800
35	AACTGTGCGG	GGACTGCGAG	ATCCTTAAAT	ACAGTTTCTA	TAACAGAAAT	TGAGGAGGAG	1860
	AGTTTATTGA	CCAGTTTCAA	GCTTGATACT	GGAGCTGAAG	ATTCTTCAGG	CTCCAGTCCC	1920
	GCAACTCTG	CTATCCCAT	CATCTCTGAG	AACATATCCC	AAGGTATAT	ATTTTCTCTC	1980
	GAACAACCCAG	AGACAATAAC	ATATGATGTC	CTTATACCAG	AACTCTGCTA	AAATGCTTCC	2040
40	GAAGATTCAA	CTTCATCAGG	TTCAGAAGAA	TCACTAAAGG	ATCCTTCTAT	GGAGGGAAAT	2100
	GTGTGGTTTC	CTAGCTCTAC	AGACATAACA	GCACAGCCCG	ATGTTGGATC	AGGCAGAGAG	2160
	AGCTTTCTCC	AGACTAATTA	CACCTGAGATA	CGTGTGATG	AACTGAGAA	GACAACCAAG	2220
	TCCTTTCTG	CAGGCCAGT	GATGTACAG	GGTCCCTCAG	TTACAGATCT	GGAAATGCCA	2280
	CATTATTCTA	CCTTGCCTA	CTTCCCACT	GAGGTAACAC	CTCATGCTTT	TACCCCATCC	2340
45	TCCAGACRAAC	AGGATTTGGT	CTCCACGGTC	AACGTGGTAT	ACTGCGAGAC	AACCCAACCG	2400
	GTATACAATG	CAGAGGCCAG	TAATAGTAGC	CATGAGTCTC	GTATTGGTCT	AGCTGAGGGG	2460
	TTGGAANTCG	AGAAGAAGCC	AGTTATACCC	CTTGTGATCG	TGTCAGCCCT	GACTTTTATC	2520
	TGCTAGTGG	TTCTTGTGGG	TATTCTCATC	TACTGGAGGA	AATGCTTCCA	GACTGCACAC	2580
	TTTTACTTAG	AGGACAGTAC	ATCCCTTAGA	GTTATATCCA	CACCTCCAAC	ACCTATCTTT	2640
50	CCAATTTAG	ATGATGTCG	AGCAATTTCA	ATAAAGCACT	TTCCAAGCA	TGTTGCAGAT	2700
	TTACATGCAA	GTAGTGGGTT	TACTGAAGAA	TTTGAGACAC	TGAAAGAGTT	TTACCAGGAA	2760
	GTGCAGAGCT	GTACTGTGTA	CTTAGGATTT	ACAGCAGACA	GCTCCAACCA	CCCAGACAAC	2820
	AAGCACAAGA	ATCGATACAT	AAATATCGTT	GCCATGATC	ATAGCAGGGT	TAAGCTAGCA	2880
	CAGCTTGCTG	AAAAGGATGG	CAAACCTGACT	GATTATATCA	ATGCCAATTA	TGTTGATGGC	2940
	TACAACAGAC	CAAAAGCTTA	TATTGTCTGC	CAAGGCCAC	TGAAATCCAC	AGCTGAAGAT	3000
55	TTCTGGAGAA	TGATATGGGA	ACATAATGTG	GAAGTTATG	TCATGATAAC	AAACCTCGTG	3060
	GAGAAAGGAA	GGAGAAAATG	TGATCAGTAC	TGGCCTGCGG	ATGGGAGTGA	GGAGTACGGG	3120
	AACTTTCTGG	TCACTCAGAA	GAGTGTGCAA	GTGCTTGCCCT	ATTATACTGT	GAGGAATTTT	3180
	ACTCTAAGAA	ACACAATAAT	TCCCAAGGGC	TCCCAAGAA	GAAAGCCAG	TGGACGTGTG	3240
	GTACACAGT	ATCACTACAC	GCACTGGCCCT	GACATGGGAG	TACCAGAGTA	CTCCCTGCCA	3300
60	GTGCTGACCT	TTGTGAGAAA	GGCAGCCTAT	GCCAAGCGCC	ATGCAGTGGG	GCCTGTTGTC	3360
	GTCCACTGCA	GTGCTGGAGT	TGGAAGAAC	GGCACATATA	TTGTGCTAGA	CAGTATGTTG	3420
	CAGCAGATTC	AACAGGAAG	AACCTGTCAAC	ATATTGGCT	TCTTAAAAA	CATCCGTTCA	3480
	CAAGAATAAT	ATTTGTATCA	AACCTGAGGAG	CAATATGCT	TCATTATGA	TACACTGGTT	3540
65	GAGGCCATAC	TTAGTAAAGA	AACTGAGGTG	CTGGACAGTC	ATATTCTATG	CTATGTTAAT	3600
	GCACTCCTCA	TTCTGGACC	AGCAGGCAAA	ACAAGCTAG	AGAAAATAAT	CCAGCTCCTG	3660
	AGCCAGTCAA	ATATACAGCA	GAGTGACTAT	TCTGCAGCCC	TAAAGCAATG	CAACAGGGAA	3720
	AAGAATCGAA	CTTCTCTAT	CATCCCTGTG	GAAAGATCAA	GGGTTGGCAT	TTTCTCCCTG	3780
	AGTGAGGAA	GCACAGACTA	CATCAATGCC	TCCTATATCA	TGGGCTATTA	CCAGAGCAAT	3840
70	GAATTCATCA	TTACCCAGCA	CCCTCTCCTT	CATACCATCA	AGGATTTCTG	GAGGATGATA	3900
	TGGGACCATA	ATGCCCAACT	GGTGGTTATG	ATTCCTGATG	GCCAAAACAT	GGCAGAAGAT	3960
	GAATTTGTTT	ACTGGCCAAA	TAAAGATGAG	CCTATAAATT	GTGAGAGCTT	TAAGGTCACT	4020
	CTTATGGCTG	AAGAACAACA	ATGTCTATCT	AATGAGGAAA	AACTTATAAT	TCAGGACTTT	4080
	ATCTTAGAAG	CTACACAGGA	TGATTATGTA	CTTGAAGTGA	GGCACTTCA	GTGTCTTAAA	4140
75	TGGCCAAATC	CAGATAGCCC	CATTAGTAAA	ACTTTTGAAC	TTATAAGTGT	TATAAAAGAA	4200
	GAAGCTGCCA	ATAGGGATGG	GCCTATGATT	GTTCAATGAT	AGCATGGAGG	AGTGACGGCA	4260
	GGAACTTTCT	GTGCTCTGAC	AACCTTATG	CACCAACTAG	AAAAAGAAA	TTCCGTTGGAT	4320
	GTTTACCAGG	TAGCCAAGAT	GATCAATCTG	ATGAGGCCAG	GAGTCTTTGC	TGACATTGAG	4380
	CAGTATCAAT	TTCTCTACAA	ATGTATCCTC	AGCCTTGTGA	GCACAAGGCA	GGAAGAGAA	4440
80	CCATCCACTC	CTCTGGACAG	TAATGGTGCA	GCAATGCTG	ATGGAATAT	AGCTGAGAGC	4500
	TTAGAGTCTT	TAGTTTAAAC	CAGAAAGGGG	TGGGGGACT	CACATCTGAG	CATTGTTTTC	4560
	CTCTTCTTAA	AATTAGGCAG	GAAAATCAGT	CTAGTTCTG	TATCTGTTGA	TTTCCCATCA	4620
	CTTGACAGTA	ACTTTTATG	CATGAGGATC	TGCCGCCAAA	TTTATATCAT	TAACAATGTG	4680
	TGCCTTTTTG	CAAGACTTGT	AAITTACTTA	TTATGTTTGA	ACTAAAATGA	TTGAATTTTA	4740
85	CAGTATTTCT	AAGAAATGGAA	TTGTGGTATT	TTTTTCTGTA	TTGATTTTAA	CAGAAAATTT	4800
	CAATTTATAG	AGTTAGGAA	TTCCAAACTA	CAGAAAATGT	TTGTTTTTAT	TGTCAAATTT	4860
	TTAGCTGTAT	TTGATGCAAT	TATCAGGTTT	GCTAGAAAAT	TAACTTTTAA	TACAGTAGCC	4920
	TGTAATAAAA	ACACTCTTCC	ATATGATATT	CAACATTTTA	CAACTGCACT	ATTCACCTAA	4980

```

AGTAGAAATA ATCTGTTACT TATGTGAAAT ACTGCOCCTAG TGTCTCCATG GACCAAAATT 5040
ATATTTATAA TTGTAGATTT TTATATTTTA CTA CTGAGTCT AAGTTTCTA GTCTGTGTGA 5100
ATTGTTTAGT TTAATGACGT AGTTCATTAG CTGGTCTTAC TCTACCAGTT TTCTGACATT 5160
GTATTGTGTT ACCTAAGTCA TTAACCTTGT TTCAGCATGT AATTTTAACT TTGTGGGAAA 5220
ATAGAAATAC CTTCATTTTG AAAGAAGTTT TTATGAGAA AACACCTTAC CAAACATTGT 5280
TCAAAATGGTT TTTATCCAA GAAATGCAAA AATAAATATA AATATTGCCA TTAACAAAAA 5340
AAAAAATAAA AAAAAATAAA AAAAAA

```

10 Seq ID NO: 182 Protein sequence:
Protein Accession #: Eos sequence

```

1      11      21      31      41      51
|      |      |      |      |      |
15 MRILKRFLAC IQLLCVCRID WANGYYRQOR KLVEEIGWSY TGALNOKNWG KKYPTCNSPK 60
   QSPINIDEDL TQVNVNKKL KFQGWDKTSL ENTFIHNTGK TVEINLTNDY RVSGGVSEMV 120
   FKASKITFWH GKCMNSDGS EHSLEGQKFP LEMQIYCFDA DRFSSFEAV KGKGLRLALS 180
   ILFEVGTEN LDPKAIIDGV ESVSRFGKQA ALDPFILLNL LPNSTDKYYI YNGSLTSPPC 240
20 TDTVDWIVFK DIVSISESQL AVFCEVLTMO QSGYVLMMDY LQNNFREQQY KFSRQVFSSY 300
   TGKEEHEAV CSSSEPNVQA DPENYTSLLV TWERPRVVD TMIEKFAVLY QQLDGEDQTK 360
   HEFLTDSYQD LGAILNLLP NMSYVLQIVA ICTNGLYGYK SDQLIVDMPT DNPDLDFPE 420
   LIGTEEIIKE EEBEKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYRI GTKYNEAKTN 480
   RSPTRGSEFS GKGDPVNTSL NSTSQPVTKL ATEKDISLTS QTVELPPHT VEGTSASLND 540
25 GSKTVLRSPH MNLGGTAESL NTVSITIEYEE ESSLTSFKLD TGAEDSSGSS PATSAIPFIS 600
   ENISQGYIFS SENPETIYD VLIPE SARNA SEDSTSSGSE ESLKDPSEMG NVWFPSSIDI 660
   TAQPDVGSGR ESFLQNTYTE IRVDESEKTT KSFSAGPVMS QGPSVIDLEM PHYSTFAYFP 720
   TEVTPHAPT SRRQDLVST VNVVYSQTTQ PVYNAEASNS SHESRIGLAE GLESEKKAVI 780
   PLVIVSALTF ICLVVLGIL IYWRKCFQTA HFYLEDSTSP RVISTPPTPI FPIISDDVGA 840
30 PIKHPFKHVA DLHASSGFTE EFETLKEFYQ EVQSCVLDL ITADSSNHPD NXHKWRYINI 900
   VAYDHSRVKL LQIQHEGTG NIFGFLKHIR SQRYNLVQTE EQYVPIHDTL VEAILSKETE 960
   VEVIVMITNL VEKGRKCDQ YWPADGSEEV GNFLVTQKSV QVLAYYTVRN FTLRNTKIKK 1020
   GSQKGRPSGR VVTQYHYTQW PDMGVPEYSL PVLTFVRKAA YAKRHAVGPV VVHCAGVGR 1080
   TGTIYVLDLM LQIQHEGTG NIFGFLKHIR SQRYNLVQTE EQYVPIHDTL VEAILSKETE 1140
   VLDSHIHAYV NALLIPGAPG KTFLEKQFQL LSQSNIQQSD YSAAKQCNR EKNRNTSSII 1200
35 VERSRVGISS LSGEGTYIN ASYIMGYQS NEFITQHPD LHTIKDFWRM IWDHNAQLVV 1260
   MIPDGNMAE DEFVWPNKD EPINCESFKV TLMAEHKCL SNEEKLIQD FILEATQDDY 1320
   VLEVRHFQCP KWPNDPSPIS KTFELISVIK EEAANRDGPM IVHDEHGGVT AGTFCALFTL 1380
   MHQLEKENSV DVYQVAKMIN LMRPGVFADI EQYQFLYKVI LSLVSTRQEE NPSTSLDSNG 1440
   AALPDGNIAE SLESVL

```

Seq ID NO: 183 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 148-4494

```

45 1      11      21      31      41      51
   |      |      |      |      |      |
   CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA 60
   CAAAAAAAC ATTTCCCTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA 120
   CGGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCTT CGCTGCATT 180
50 CAGCTCCTCT GTGTTTCCGC CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA 240
   CTGTGTGAAG AGATTGCGTG TCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG 300
   AAATATCCAA CATGTAATAG CCAAAACRA TCTCTATCA ATATTGATGA AGATCTTACA 360
   CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAC ATCATTGGAA 420
   AACACATGCA TTCATAACAC TGGGAAAACA GTGGAAATA ATCTCACTAA TGACTACCGT 480
55 GTCAGCGGAG GAGTAAAGAG AATGGTGT TAAAGCAAGC AGATAACTTT TCACTGGGGA 540
   AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAA ATTTCCACTT 600
   GAGATGCAAA TCTACTGCTT TGATGAGAC CGATTTCAA GTTTTGAGGA AGCAGTCAA 660
   GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTGAGG TTGGGACAGA AGAAAATTG 720
   GATTTCAAAG CGATTATTGA TGGAGTCGAA AGTGTAGTC GTTTTGGGAA GCAGGCTGCT 780
60 TTAGATCCAT TCATCTGCTT GAACCTTCTG CCAAACCTCA CTGACAAGTA TTACATTTAC 840
   AATGGCTCAT TGACATCTCC TCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGT 900
   ACAGTTAGCA TCTCTGAAG CCAAGTGGCT GTTTTTGTG AAGTCTTAC AATGCAACAA 960
   TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG 1020
   TTCTCTAGAC AGGTGTTTTC TCATACACT GGAAAGGAAG AGATTCTATG AGCAGTTTGT 1080
65 AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTACA 1140
   TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG 1200
   CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTGA CAGATGGCTA TCAAGACTTG 1260
   GGTGCTATTG TCAATAATTT GCTACCAAT ATGAGTTATG TTCTCAGAT AGTAGCCATA 1320
   TGCATAATG GCTTATATG AAAATACAG CACCAACTGA TTGTGCACAT GCCTACTGAT 1380
70 AATCCTGAAC TTGATCTTT CCCTGAATTA ATTGGAAC TGAGAAATAA CAAGGAGGAG 1440
   GAAGAGGGAA AAGACATGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGTACA 1500
   AACCAATCA GGAAGGGA ACCCCAGATT TCTACCACAA CACTACTCAA TCGCATAGG 1560
   ACGAAATACA ATGAAGCCAA GACTAACCBA TCCCAACAA GAGGAAGTGA ATTCTCTGGA 1620
   AAGGGTGATG TTCCCAATAC ATCTTAAAT TCCACTCCC AACCACTCAC TAAATTAGCC 1680
75 ACAGAAAAG ATATTCTCT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACTCTGTG 1740
   GAAGTACTT CAGCCTCTTT AAATGATGGC TCTAAAAC TGCTTAGATC TCCACATATG 1800
   AACTGTGCGG GGACTGCAGA ATCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG 1860
   AGTTTATGA CCAAGTTTCAA GCTTGACT GGAGCTGAG ATTCTCAGG CTCCAGTCCC 1920
80 GCAACTCTG CTATCCATT CATCTCTGAG AACATATCCC AAGGTATAT ATTTCTCTCC 1980
   GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC 2040
   GAAGATTCAA CTTATCAGG TTCAGAAGAA TCACTAAGG ATCCTCTAT GGAGGGAAT 2100
   GTGTGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGATC AGGCAGAGAG 2160
   AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTGATG AATCTGAGAA GACAACCAAG 2220
   TCCTTTCTG CAGCCCAAGT GATGTACAG GGTCCCTCAG TTACAGATCT GGAATGCCA 2280
85 CATTATTCTA CCTTGCCTA CTTCCCAACT GAGGTAACAC CTCATGCTT TACCCCATCC 2340
   TCCAGACAAC AGGATTTGGT CTCACGGTC AACGTGGTAT ACTGCAGAC AACCCAACC 2400
   GTATACAATG AGGCCAGTAA TAGTAGCCAT GAGTCTCGTA TTGCTTAGC TGAGGGGTTG 2460

```

5
10
15
20
25
30
35
40
45
50

```

GAATCCGAGA AGAAGGCAGT TATACCCCTT GTGATCGTGT CAGCCCTGAC TTTTATCTGT 2520
CTAGTGGTTC TTGTGGGTAT TCTCATCTAC TGGAGGAAAT GCTTCCAGAC TGCACACTTT 2580
TACTTAGAGG ACAGTACATC CCCTAGAGTT ATATCCACAC CTCCAACACC TATCTTTCCA 2640
ATTTCCAGATG ATGTCGGAGC AATTCCAATA AAGCACTTTC CAAAGCATGT TGCAGATTTA 2700
CATGCAAGTA GTGGTTTTAC TGAAGAATTT GAGGAAGTGC AGAGCTGTAC TGTTGACTTA 2760
GGTATTACAG CAGACAGCTC CAACCACCCA GACAACAAGC ACAAGAATCG ATACATAAAT 2820
ATCGTTGCCT ATGATCATAG CAGGGTTAAG CTAGCACAGC TTGCTGAAAA GGATGGCAAA 2880
CTGACTGATT ATATCAATGC CAATTAAGTT GATGCTACA ACAGACCAAA AGCTTATATT 2940
GCTGCCCAAG GCCCACTGAA ATCCACAGCT GAAGATTCTT GGAGAAATGAT ATGGGAACAT 3000
AATGTGGAAG TTATTGTCTAT GATAACAACC CTCGTGGAGA AAGGAAGGAG AAAATGTGAT 3060
CAGTACTGGC CTGCCGATGG GAGTGAGGAG TACGGGAACT TTCTGGTFCAC TCAGAAGAGT 3120
GTGCAAGTGC TTGCCTATTA TACTGTGAGG AATTTTACTC TAAGAAACAC AAAAATAAAA 3180
AAGGGCTCCC AGAAAGGAAG ACCCAGTGGC CGTGTGGTCA CACAGTATCA CTACACGCAG 3240
TGGCCTGACA TGGGAGTACC AGAGTACTCC CTGCCAGTGC TGACCTTTGT GAGAAAAGGCA 3300
GCCTATGCCA AGCCGCATGC AGTGGGGCCT GTTGTCTGTC ACTGCAGTGC TGGAGTTGGA 3360
AGAACAGGCA CATATATTGT GCTAGACAGT ATGTTGCAGC AGATTCAACA CGAAGGAACT 3420
GTCAACATAT TTGGCTTCTT AAAACACATC CGTTCACAAA GAAATTATTT GGTACAAAAT 3480
GAGGAGCAAT ATGCTTCTAT TCATGATACA CTGTTGAGG CCATACTTAG TAAAGAAAAT 3540
GAGGTGCTGG ACAGTCATAT TCATGCCTAT GTTAATGCAC TCCTCATTCC TGGACCAGCA 3600
GGCAAAACAA CAGTACAGAA ACAATTTCCAG CTCCTGAGCC AGTCAAATAT ACAGCAGAGT 3660
GACTATTCTG CAGCTGATAA GCAATGCAAC AGGGAAAAGA ATCGAACTTC TTCTATCATC 3720
CCTGTGAAA GATCAAGGGT TGGCATTTC A TCCCTGAGTG GAGAAGGCAC AGACTACATC 3780
AATGCCTCCT ATATCATGGG CTATTACCAG AGCAATGAAT TCATCATTAC CCAGCACCCCT 3840
CTCCTTCATA CCATCAAGGA TTTCTGGAGG ATGATATGGG ACCATAATGC CCAACTGTGTG 3900
GTTATGATT CTGATGGCCA AAACATGGCA GAAGATGAAT TTGTTACTG GCCAATAAAA 3960
GATGAGCCTA TAAATTGTGA GAGCTTTAAG GTCACCTTA TGGCTGAAGA ACACAAATGT 4020
CTATCTAATG AGGAAAACCT TATAATTCAG GACTTTATCT TAGAAGCTAC ACAGGATGAT 4080
TATGTACTTG AAGTGAGGCA CTTTCAAGT CCTAAATGGC CAAATCCAGA TAGCCCCATT 4140
AGTAAAACCT TTGAACTTAT AAGTGTTATA AAAGAAGAAG CTGCCAATAG GGATGGGCCT 4200
ATGATGTTC ATGATGAGCA TGGAGGAGTG ACGGCAGGAA CTTTCTGTGC TCTGACAAAC 4260
CTTATGCACC AACTAGAAAA AGAAAATTC GTGGATGTTT ACCAGGTAGC CAAGATGATC 4320
AATCTGATGA GGCCAGGAGT CTTTGTCTGAC ATTGAGCAGT ATCAGTTTCT CTACAAAGTG 4380
ATCCTCAGCC TTGTGAGCAC AAGGCAGGAA GAGAATCCAT CCACCTCTCT GGACAGTAAT 4440
GGTGCAGCAT TGCCGTAGTG AAATATAGCT GAGAGCTTAG AGTCTTATG TTAACACAGA 4500
AAGGGTGGG GGGACTCACA TCTGAGCATT GTTTCTCTCT TCCTAAAAT AGGCAGGAAA 4560
ATCAGTCTAG TTCTGTATC TGTGATTTC CCATCACCTG ACAGTAACTT TCATGACATA 4620
GGATTCTGCC GCCAAATTA TATCATTAA AATGTGTGCC TTTTTCGCAAG ACTTGAAT 4680
TACTTATTAT GTTTGAACATA AATGATTGA ATTTACAGT ATTTCTAAGA ATGGAATTGT 4740
GGTATTTTT TCTGTATTGA TTTTAAACAGA AAATTTCAAT TTATAGAGGT TAGGAATTCC 4800
AAACTACAGA AAATGTTTGT TTTTAGTGT AAATTTTAG CTGTATTGT AGCAATATC 4860
AGGTTTGCTA GAAATATAAC TTTAATACA GTAGCCTGTA AATAAAACAC TCTTCCATAT 4920
GATATTCAAC ATTTTACAAC TGCAGTATTC ACCTAAAGTA GAAATAATCT GTTACTTATT 4980
GTAAACTAGC CCCTAGTGT TCCATGGACC AAATTTATAT TTATAATTGT AGATTTTAT 5040
ATTTTACTAC TGAGTCAAGT TTTCTAGTTC TGTGTAATTG TTAGTTTAA TGACGTAGTT 5100
CATTAGCTGG TCTTACTCTA CCACTTTTCT GACATTGTAT TGTGTACCT AAGTCATTAA 5160
CTTTGTTTCA GCATGTAATT TTAACTTTTC TGGAAAAATAG AAATACCTTC ATTTTGAAG 5220
AAGTTTTTAT GAGAAATAACA CCTTACCAAA CATTGTTCAA ATGGTTTTTA TCCAAGGAAT 5280
TGCAAAAATA AATATAATA TTGCCATTAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA 5340
AAA
    
```

Seq ID NO: 184 Protein sequence:
Protein Accession #: EOS sequence

55
60
65
70
75
80

```

1      11      21      31      41      51
|      |      |      |      |      |
MRILKRFLAC IQLLVCVRLD WANGYYRQQR KLVVEIGWSY TGALNQKNWG KKYPTCNSPK 60
QSPINIDEDL TQVNVNKLKL KFGQWDKTSL ENTFIHNTGK TVEINLTNDY RVSGGVSEMV 120
FKASKITPFW GKCNMSDGS EHSLEGQKFP LEMQIYCFDA DRFSFEEAV KKGKLRALS 180
ILFEVGTEN LDFKAIIDGV ESVSRFGKQA ALDPPILLNL LPNSTDKYI YNGSLTSPPC 240
TDTVDWIVFK DTVSISESQL AVFCEVLTMQ QSGYVLMMDY LQNNFREQQY KFSRVVPSY 300
TGKEBIHEAV CSSSEPNVQA DPNENYTSLLV TWERPRVVD TMIEKFAVLY QQLDGEDQTK 360
HEPLTDGYQD LGAILNLLP NMSYVLQIVA ICTNGLYGYK SDQLIVDMPT DNPDLDFPE 420
LIGTEEIKE EEEGKDIIEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYRI GTKYNEAKTN 480
RSPTRGSEFS GKGDPVNTSL NSTSQPVTKL ATEKDLSLTS QTVTELEPHT VEGTSASLND 540
GSKTVLRSFH MNLSTAESL NTVSITEYEE ESSLTSFKLD TGAEDSSGSS PATSAIPFIS 600
ENISQGYIFS SENPETIYD VLIPESARNA SEDSTSSGSE ESKLDPMEG NVWPPSSTDI 660
TAQPDVGSGR ESFLQNTYTE IRVDESEKTT KFSFAGPVMS QGQSVTDLEM PHYSTFAYFP 720
TEVTPHAFTP SSRQDLVST VNVVYSQTTQ PVYNEASNS HESRIGLAE LESEKKAIVP 780
LVIVSALTFI CLVVLVGLI YWRKCFQTAH FYLEDSTSPR VISTPPTPIF PISDDVGAIP 840
IKHFPKHVAD LHASSGFTEE FEEVQSTVD LGITADSSNH PDKHKKNRYI NIVAYDHSRV 900
KLAQLAEKDG KLDYINANY VDGYNRPKAY IAAQGPLKST AEDFWRMIWE HNVEVIVMIT 960
NLVEKGRRC DQYWPADGSE EYGNPLVTQK SVQVLAYYTV RNFTLRNTKI KKGSKGRPS 1020
GRVVTQYHYT QWPDMGVPEY SLPVLTFRK AAYAKRHAVG PVVVHCSAGV GRTGYIIVLD 1080
SMLQQIQHEG TVNIFGFLKH IRSQRNYLVQ TEEQVVFVHD TLVEAILSKE TEVLDSHIHA 1140
YVNALLIPGP AGKTKLEKQF QLLSQSNIQQ SDYSALKQC NREKRNRTSI IPVERSRVGI 1200
SSLSGEGTDY INASYIMGY QSNFPIITQH PLLHTIKDFW RMIWDHNAQL VVMIPDQGNM 1260
AEDFVYWN KDEPNCESF KVTLMAEHK CLSNEEKLI QDPILEATQ DVVLEVRHFQ 1320
CPKPNPDSF ISKTFELISV KIEEAAANDG PMIVHDEHGG VTAGTFCALT TLMHOLEKEN 1380
SVDVYQVAKM INLMRPGVFA DIEQYQFLYK VILSLVSTRQ EENPSTSLDS NGAALPDGNI 1440
AESLESLV
    
```

Seq ID NO: 185 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 501-4514

85
1 11 21 31 41 51

	CACACATACG	CACGCACGAT	CTCACTTCGA	TCTATACACT	GGAGGATTAA	AACAAACAAA	60
	CAAAAAAAAAAC	ATTTCCCTCG	CTCCCCCTCC	CTCTCCACTC	TGAGAAGCAG	AGGAGCCGCA	120
	CGGGGAGGGG	CCGCAGACCG	TCTGGAAATG	CGAATCCTAA	AGCGTTTCTC	CGCTTGCAAT	180
5	CAGCTCCTCT	GTGTTGCGC	CCTGGATTGG	GCTAATGGAT	ACTACAGACA	ACAGAGAAAA	240
	CTTGTGAAG	AGATTGGCTG	GTCCTATACA	GGAGCACTGA	ATCAAAAAAT	TGGGGAAGA	300
	AATATCCAAC	ATGTAATAGC	CCAAAAACAAT	CTCCTATCAA	TATTGATGAA	GATCTTACAC	360
	AAGTAAATGT	GAATCTTAAG	AAACTTAAAT	TTCAAGGTTG	GGATAAAAACA	TCATTGGAAA	420
	ACACATTCAT	TCATAACACT	GGGAAAAACAG	TGGAAATTA	TCTCACTAAT	GACTACCGTG	480
10	TCAGCGGAGG	AGTTTCAGAA	ATGGTGTTTA	AAGCAAGCAA	GATAACTTTT	CACTGGGGAA	540
	AATGCAATAT	GTCACTCTGAT	GGATCAGAGC	ATAGTTTAGA	AGGACAAAAA	TTTCCACTTG	600
	AGATGCAAAAT	CTACTGCTTT	GATGCGGACC	GATTTTCAAG	TTTTGAGGAA	GCAGTCAAAG	660
	GAAAAGGGAA	GTTAAGAGCT	TTATCCATTT	TGTTTGAGGT	TGGACAGAAA	GAATTTTGG	720
	ATTTCAAAGC	GATTATTGAT	GGAGTCGAAA	GTGTTAGTCC	TTTTGGGAA	CAGGCTGCTT	780
15	TAGATCCATT	CATACCTGTTG	AACCTTCTGC	CAAACCTCAAC	TGACAAGTAT	TACATTTACA	840
	ATGGCTCATT	GACATCTCCT	CCCTGCACAG	ACACAGTTGA	CTGSAATGTT	TTTAAAGATA	900
	CAGTTAGCAT	CTCTGAAAGC	CAGTTGGCTG	TTTTTTGTGA	AGTTCTTACA	ATGCAACAAT	960
	CTGGTTATGT	CATGCTGATG	GACTACTTAC	AAAACAATTT	TCGAGAGCAA	CAGTACAAGT	1020
20	TCTCTAGACA	GGTGTTTTCC	TCATACACTG	AAAAGGAAGA	GATTCATGAA	GCAGTTTGTA	1080
	GTTCAGAAC	AGAAAATGTT	CAGGCTGACC	CAGAGAATTA	TACCAGCCTT	CTTGTTACAT	1140
	GGGAAGGACC	TCGAGTCTGT	TATGATACCA	TGATTGAGAA	GTTTGCAGTT	TTGTACCAGC	1200
	AGTTGGATGG	AGAGGACCAA	ACCAAGCATG	AATTTTTGAC	AGATGGCTAT	CAAGACTTGG	1260
	GTGCTATTCT	CAATAAATTTG	CTACCCAATA	TGAGTTATGT	TCTTCAGATA	GTAGCCATAT	1320
	GCACATAATGG	CTTAAATGGA	AAATACAGCG	ACCAACTGAT	TGTCGACATG	CCTACTGATA	1380
25	ATCTGAACT	TGATCTTTTC	CCTGAATTA	TTGGAATCGA	AGAAATAATC	AAGGAGGAGG	1440
	AAGAGGGAAA	AGACATTTGAA	GAAGGCGCTA	TTGGAATCC	TGGTAGAGAC	AGTGCTACAA	1500
	ACCAAATCAG	GAAGAAGGAA	CCCCAGATTT	CTACCAACAAC	ACACTACAAT	CGCATAGGGA	1560
	CGAAATACAA	TGAAGCCAA	ACTAACCGAT	CCCCAACAA	AGGAAGTGAA	TTCTCTGGAA	1620
	AGGGTGAATG	TCCCAATACA	TCCTTAAAT	CCACTTCCCA	ACCAGTCACT	AAATTAGCCA	1680
30	CAGAAAAAGA	TATTTCCCTG	ACTTCTCAGA	CTGTGACTGA	ACTGCCACCT	CACACTGTGG	1740
	AAGGTACTTC	AGCCTCTTTA	AATGATGGCT	CTAAAACCTG	TCTTAGATCT	CCACATATGA	1800
	ACTTGTCCGG	GACTGCGAGAA	TCCTTAAATA	CAGTTTCTAT	AACAGAATAT	GAGGAGGAGA	1860
	GTTTATTGAC	CAGTTTCAAG	CTTGATACTG	GAGCTGAAGA	TTCTTCAGGC	TCCAGTCCCG	1920
	CAACTTCTGC	TATCCCATTC	ATCTCTGAGA	ACATATCCCA	AGGGTATATA	TTTTCTCCCG	1980
35	AAAACCCAGA	GACAATAACA	TATGATGTCC	TTATACCAGA	ATCTGCTAGA	AATGCTTCCG	2040
	AAGATTCAAC	TTCAATCAGG	TCAGAAGAAT	CACTAAAGGA	TCCTTCTATG	GAGGGAAATG	2100
	TGTGGTTTCC	TAGCTCTACA	GACATAACAG	CACAGCCCGA	TGTTGGATCA	GGCAGAGAGA	2160
	GCTTTCTCCA	GACTAATTC	ACTGAGATAC	GTGTTGATGA	ATCTGAGAAG	ACAACCAAGT	2220
40	CCTTTTCTGC	AGGCCAGTG	ATGTCACAGG	GTCCCTCAGT	TACAGATCTG	GAATGCCAC	2280
	ATTATTCTAC	CTTTGCTCTC	TTCCCAACTG	AGGTAACACC	TCATGCTTTT	ACCCCATCTT	2340
	CCAGACAACA	GGATTTGGTC	TTCCACGGTCA	ACGTGGTATA	CTCGCAGACA	ACCCAACCGG	2400
	TATACAATGA	GGCCAGTAAT	AGTAGCCATG	AGTCTCGTAT	TGGTCTAGCT	GAGGGGTTGG	2460
	AATCCGAGAA	GAAGGCAGTT	ATACCCCTTG	TGATCGTGTC	AGCCCTGACT	TTTATCTGTC	2520
	TAGTGGTCT	TGTGGGTATT	CTCATCTACT	GGAGGAAATG	CTTCCAGACT	GCACACTTTT	2580
45	ACTTAGAGGA	CAGTACATCC	CCTAGAGTTA	TATCCACACC	TCCAACACCT	ATCTTTCCAA	2640
	TTTCAGATGA	TGTCGGAGCA	ATTCCAATAA	AGCACTTTCC	AAAGCATGTT	GCAGATTTAC	2700
	ATGCAAGTAG	TGGGTTTACT	GAAGAATTTG	AGACACTGAA	AGAGTTTAC	CAGGAAGTGC	2760
	AGAGCTGTAC	TGTTGACTTA	GGTATTACAG	CAGACAGCTC	CAACCAACCA	GACAACAAGC	2820
	ACAAGAATCG	ATACATAAAT	ATCGTTGCCT	ATGATCATAG	CAGGGTTAAG	CTAGCACAGC	2880
50	TTGCTGAAAA	GGATGGCAAA	CTGACTGATT	ATATCAATGC	CAATATGTT	GATGGCTACA	2940
	ACAGACAAA	AGCTTATATT	GCTGCCCAAG	GCCCACTGAA	ATCCACAGCT	GAAGATTTCT	3000
	GGAGAATGAT	ATGGGAACAT	AATGTGGAAG	TTATTGTGAT	GATAACAAC	CTCGTGGAGA	3060
	AAGGAAGGAG	AAAATGTGAT	CAGTACTGGC	CTGCCGATGG	GAGTGAGGAG	TACGGGAACT	3120
	TTCTGGTAC	TCAGAAGAGT	GTGCAAGTGC	TTGCCATTAT	TACTGTGAGG	AATTTTACTC	3180
55	TAAGAAACAC	AAAAATAAAA	AAGGGCTCCC	AGAAAGGAAG	ACCCAGTGGG	CGTGTGGTCA	3240
	CACAGTATCA	CTACACGCAG	TGGCCTGACA	TGGGAGTACC	AGAGTACTCC	CTGCCAGTGC	3300
	TGACCTTTGT	GAGAAGGCA	GCCTATGCCA	AGCGCCATGC	AGTGGGGCCT	GTGTTGCTCC	3360
	ACTGCACTGC	TGGAGTTGGA	AGAAACGGCA	CATATATTGT	GCTAGACAGT	ATGTTGCAGC	3420
	AGATTCAACA	CGAAGGAACT	GTCAACATAT	TTGGCTTCTT	AAAACATC	CGTTCACAAA	3480
60	GAAATTAAT	GGTACAACCT	GAGGAGCAAT	ATGCTTCTAT	TCATGATACA	CTGGTTGAGG	3540
	CCATACCTAG	TAAAGAACT	GAGGTGCTGG	ACAGTCATAT	TCATGCCATAT	GTTAATGCAC	3600
	TCCTCAATCC	TGGACCAGCA	GGCAAAACAA	AGCTAGAGAA	ACAATTCAG	CTCCTGAGCC	3660
	AGTCAAAAT	ACAGCAGAGT	GACTATTCTG	CAGCCCTAAA	GCAATGCAAC	AGGGAAGA	3720
	ATCGAACTTC	TTCTATCATC	CCTGTGGAAA	GATCAAGGGT	TGGCATTTC	TCCCTGAGTG	3780
65	GAGAAGGCAC	AGACTACATC	AATGCCTCCT	ATATCATGGG	CTATTACCAG	AGCAATGAAT	3840
	TCATCAATTAC	CCAGCACCTC	CTCCTTCATA	CCATCAAGGA	TTTCTGGAGG	ATGATATGGG	3900
	ACCATAATGC	CAAACCTGGTG	GTTATGATTC	CTGATGGCCA	AAACATGGCA	GAAGATGAAT	3960
	TTGTTTACTG	GCCAAATAAA	GATGAGCCTA	TAAATGTGGA	GAGCTTTAAG	GTCACTCTTA	4020
	TGGCTGAAGA	ACACAAATGT	CTATCTAATG	AGGAAAAACT	TATAATTCAG	GACTTTATCT	4080
70	TAGAAGCTAC	ACAGGATGAT	TATGTACTTG	AAGTGAGGCA	CTTTCAGTGT	CCTAAATGGC	4140
	CAAATCCAGA	TAGCCCATTT	AGTAAACTT	TTGAACCTAT	AAGTGTATA	AAAGAAGAAG	4200
	CTGCCAATAG	GGATGGGCTC	ATGATTTGTC	ATGATGAGCA	TGGAGGAGTG	ACGGCAGGAA	4260
	CTTCTGTGC	TCTGACAACC	CTTATGCACC	AACTAGAAAA	AGAAAATTC	GTGGATGTTT	4320
	ACCAGGTAGC	CAAGATGATC	AATCTGATGA	GGCCAGGAGT	CTTTGCTGAC	ATTGAGCAGT	4380
75	ATCAGTTTCT	CTACAAAGTG	ATCCTCAGCC	TTGTGAGCAC	AAGGCAGGAA	GAGAATCCAT	4440
	CCACCTCTCT	GGACAGTAAT	GGTGCAGCAT	TGCCCTGATG	AAATATAGCT	GAGAGCTTAG	4500
	AGTCTTTAGT	TAAACACAGA	AAGGGGTGGG	GGGACTCACA	TCTGAGCATT	GTTTCCCTCT	4560
	TCCTAAAAT	AGGCAGGAAA	ATCAGTCTAG	TTCTGTTATC	TGTTGATTC	CCATCACCTG	4620
	ACAGTAACTT	TCATGACATA	GGATTCTGCC	GCCAAATTTA	TATCATTAA	AATGTGTGCC	4680
80	TTTTTGCAAG	ACTGTAATTT	TACTTATTAT	GTTTGAACTA	AAATGATTGA	ATTTTACAGT	4740
	ATTTCTAAGA	ATGGAATTTG	GGTATTTTTT	TCTGATTGGA	TTTTAACAGA	AAATTTCAAT	4800
	TTATAGAGGT	TAGGAATTTCC	AAACTACAGA	AAATGTTTGT	TTTTAGTGTG	AAATTTTAG	4860
	CTGATTTTGT	AGCAATTTATC	AGGTTTGCTA	GAATATAAC	TTTTAATACA	GTAGCCTGTA	4920
	AATAAACAC	TCCTCCATAT	GATATTCAAC	ATTTTACAAC	TGCAGTATTC	ACCTAAAGTA	4980
85	GAAATAATCT	GTTACTTATT	GTAATACTG	CCCTAGTGTG	TCCATGGACC	AAATTTATAT	5040
	TTATAATTTG	AGATTTTAT	ATTTTACTAC	TGAGTCAAGT	TTTCTAGTTC	TGTGTAATG	5100
	TTTAGTTTAA	TGACGTAGTT	CATTAGCTGG	TCTTACTTA	CCAGTTTTCT	GACATTGTAT	5160

TGTGTTACCT AAGTCATTAA CTTTGTTTCA GCATGTAATT TTAACITTTG TGGAAAATAG 5220
 AAATACCTTC ATTTTGAAGG AAGTITTTAT GAGAATAACA CCTTACCAA CATTGTTCAA 5280
 ATGGTTTTTA TCCAAGGAAT TGCAAAAATA AATATAAATA TTGCCATTA AAAAAAATA 5340
 AAAAAAAAAA AAAAAAAAAA AAA

Seq ID NO: 186 Protein sequence:
 Protein Accession #: EOS sequence

1 11 21 31 41 51
 MVFKASRITF HWGKCNMSSD GSEHSLEGQK FPLEMQIYCP DADRPSSFEE AVKKGKGLRA 60
 LSILFEVGTB ENLDFKAIID GVBSVSRFGK QAALDPPFILL NLLPNSTDKY YIYNGSLTSP 120
 PCTDITVDNIV FKDTVSISES QLAVFCEVLT MQQSGYVMLM DYLNQNFREQ QYKFSRQVFS 180
 SYTGKEEIEH AVCSSEPENV QADPENYTSI LVTWERPRVV YDTMIEKFAV LYQQLDGEDQ 240
 TKHEFLTQGY QDLGAILNML LBNMSYVLQI VAICTNGLYG KYSDQLIVDM PTDNPELDF 300
 PELIGTEBII KEEBEGKDIE EGAIVNPGRD SATNQIRKKE POIISTTHYN RIGTKYNEAK 360
 TNRSPTRGSE FSGKGDVPNT SLNSTSQPVT KLATEKDISL TSQVTLELPP HTVEGTSASL 420
 NDGSKTVLRS PHMNLSSGTAE SLNTVSITEY EESLLTSFK LDTGAEDSSG SSPATSAIPP 480
 ISENIQGYI FSSENPETIT YDVLIPESAR NASEDSTSSG SEESLKDPSM EGNVWPPSST 540
 DITAQPDVGS GRESFLQTNV TEIRVDESEK TTKSFSAGPV MSQGPSVTDL EMPHYSTFAY 600
 FPTEVTPHAF TPSSRQQLV STVNVMVYSQT TQPVYNEASN SSHESRIGLA EGLESEKKAV 660
 IPLVIVSALT FICLVVLVGI LIYWRKCFQT AHFVLEDSTS PRVISTPPTP IPPIISDDVGA 720
 IPIKHFPKHV ADLHASSGFT EEFETLKEFY QEVQSCIVDL GITADSNHP DNKHKRNYIN 780
 IVAYDHSRVK LAQLAEKDGK LTDYINANYV DGYNRPKAYI AAQGPKLSTA EDFWRMIWEH 840
 NVEVIMITN LVEKGRKRCQ QXPWADGSEE YGNFLVTQKS VQVLAYYTVR NFTLRNTKIK 900
 KGSQKGRPSG RVVTQYHYTQ WEDMGVPEYS LPVLTFVRKA AYAKRHAVGP VVVHCSAGVG 960
 RTGYIYVLDL MLQIQHEGT VNIFGFLKHI RSQRNYLVQT EEQYVFIHDT LVEAILSKET 1020
 EVLDSHIIHAY VNALLIPGPA GHTKLEKQFQ LLSQSNITQS DYSAALKQCN REKNRTSSII 1080
 PVERSRVGIS SLGEGTDYI NASYIMGYQ SNEFIIQHP LLHETIKDFWR MIWDHNAQLV 1140
 VMIPDQONMA EDEFVYWPNK DEPINCESFK VTLMAEEHKC LSNEEKLIQ DFIEATQDD 1200
 YVLEVRHPQC PKWPNPDSPI SKTFELISVI KEEAANRDGP MIVHDEHGGV TAGTFCALTT 1260
 LMHQLEKENS VDVIYQVAKMI NLMRPGVFAD IEVQFLYKV ILSLVSTRQE ENPSTSLDSN 1320
 GAALPDGNIA ESLESLV

Seq ID NO: 187 DNA sequence
 Nucleic Acid Accession #: EOS sequence
 Coding sequence: 148-4632

1 11 21 31 41 51
 CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA 60
 CAAAAAAGC ATTTCCCTCG CTCGCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA 120
 CGCGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AACGTTTCCT CGCTTGCAAT 180
 CAGCTCCTCT GTGTTTGGCC CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA 240
 CTTGTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG 300
 AAATATCAA CATGTAATAG CCCAAAAA TCTCCTATCA ATATTGATGA AGATCTTACA 360
 CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGTTT GGGATAAAC ATCATTGGAA 420
 AACACATCA TTCATAACAC TGGGAAAAA GTGGAAATTA ATCTCACTAA TGACTACCGT 480
 GTCAGCGGAG GAGTTTCAGA AATGGTGT TTAAAGCAAGCA AGATAACTTT TCACTGGGGA 540
 AAATGCAATA TGTCATCTGA TGGATCAGAG CATAGTTTAG AAGGACAAA ATTTCCACTT 600
 GAGATGCAA TCTACTGCTT TGATCGCGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAA 660
 GGAAGAGGGG AGTTAAGAGC TTTATCCATT TTGTTGAGG TTGGGACAGA AGAAAAATTG 720
 GATTTCAAAG CGATTATGA TGGAGTCGAA AGTGTAGTC GTTTTGGGAA GCAGGCTGCT 780
 TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACCTCA CTGACAAGTA TTACATTTAC 840
 AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT 900
 ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTGTGTG AAGTCTTAC AATGCAACAA 960
 TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAG 1020
 TTCTCTAGAC AGGTGTTTTT CTCATACACT GGAAGGAAG AGATTCTAGA AGCAGTTTGT 1080
 AGTTTCAAGC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAAGCT TCTTGTTACA 1140
 TGGGAAAGC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG 1200
 CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTGA CAGATGGCTA TCAAGACTTG 1260
 GGTGCTATTC TCAATAATTG GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA 1320
 TGCCTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTGACAT GCCTACTGAT 1380
 AATCCTGAAC TTGATCTTTT CCCTGAATTA ATTGGAAC TG AAGAAATAAT CAAGGAGGAG 1440
 GAAGAGGGAA AAGACATTA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA 1500
 AACCAATCA GGAAGGAGG ACCCCAGATT TCTACCACA CACTACTCAA TCGCATAGGG 1560
 ACGAATACA ATGAAGCCAA GACTAACCGA TCCCAACAA GAGGAAGTGA ATCTCTGGA 1620
 AAGGATGAT TTCCCAATAC ATCTTAAAT TCCACTTCCC AACCAAGTAC TAAATTAGCC 1680
 ACAGAAAAAG ATATTTCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG 1740
 GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAAC TG TTCTTAGATC TCCACATATG 1800
 AACTTGTGCG GGAAGTCAAG ATCTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG 1860
 AGTTTATIGA CCAAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCC 1920
 GCAACTCTCG CTATCCCAAT CATCTCTGAG AACATATCCC AAGGATATAT ATTTTCTTCC 1980
 GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC 2040
 GAAGATCAA CTTCATCAGG TTCAGAAGAA TCACTAAAGG ATCTTCTAT GGAGGAAAT 2100
 GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG 2160
 AGCTTCTCC AGACTAATTA CACTGAGATA CGTGTGATG AATCTGAGAA GACAACCAAG 2220
 TCCTTTCTG CAGGCCAGT GATGTCACAG GGTCCCTCAG TTACAGATCT GGAATGCCA 2280
 CATTATCTA CTTTGCCTA CTTCCCACT GAGGTAACAC CTCATGCTTT TACCCATCC 2340
 TCCAGACAAC AGGATTTGGT CTCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG 2400
 GTATACAATG AGGCCAGTAA TAGTAGCCAT GAGTCTCGTA TTGGTCTAGC TGAGGGGTTG 2460
 GAATCCGAGA AGAAGGCACT TATACCCCTT GTGATCGTGT CAGCCCTGAC TTTTATCTGT 2520
 CTAGTGGTTC TTGTGGGTAT TCTCATCTAC TGGAGGAAAT GCTTCCAGAC TGCACACTTT 2580
 TACTTAGAGG ACAGTACATC CCCTAGAGTT ATATCCACAC CTCCAACACC TATCTTTCCA 2640
 ATTTCAGATG ATGTCCGAGC AATTCCAATA AAGCACTTC CAAAGCATGT TGCAGATTTA 2700
 CATGCAAGTA TGGGTATTAC TGAAGAAATT GAGACACTGA AAGAGTTTAA CCAGGAAGTG 2760
 CAGAGCTGTA CTGTTGACTT AGGTATTACA GCAGACAGCT CCAACCACCC AGACAACAAG 2820

5
10
15
20
25
30
35
40
45

CACAAGAATC GATACATAAA TATCGTTGCC TATGATCATA GCAGGGTTAA GCTAGCACAG 2880
 CTTGCTGAAA AGGATGGCAA ACTGACTGAT TATATCAATG CCAATTATGT TGATGGCTAC 2940
 AACAGACCAA AAGCTTATAT TGCTGCCCAA GGCCCACTGA AATCCACAGC TGAAGATTTC 3000
 TGGAGAATGA TATGGGAACA TAATGTGGAA GTTATTGTCA TGATAACAAA CCTCGTGGAG 3060
 AAAGGAAGGA GAAAATGTGA TCACTACTGG CCTGCCGATG GGAGTGAGGA GTACGGGAAC 3120
 TTCTCGTCA CTCAGAAAGG TGTGCAAGTG CTTGCCCTATT ATACTGTGAG GAATTTTACT 3180
 CTAAGAAACA CAAAAATAAA AAAGGGCTCC CAGAAAAGAA GACCCAGTGG ACCTGTGGTC 3240
 ACACAGTATC ACTACACGCA GTGGCCTGAC ATGGGAGTAC CAGAGTACTC CCTGCCAGTG 3300
 CTGACCTTTG TGAGAAAGGC AGCCCTATGCC AAGCGCCATG CAGTGGGGCC TGTGTCTGTC 3360
 CACTGCAAGT CTGGAGTTGG AAGAACAGGC ACATATATTG TGCTAGACAG TATGTTGCAG 3420
 CAGATTCAAC ACGAAGGAAC TGTCAACATA TTTGGCTTCT TAAACACAT CCGTTCACAA 3480
 AGAAATTAIT TGGTACAAC TGAGGAGCAA TATGCTTCA TTCATGATAC ACTGGTTFAG 3540
 GCCATACTTA GTAAAGAAAC TGAGGTGCTG GACAGTCATA TTCATGCCTA TGTAAATGCA 3600
 CTCCTCATTG CTGGACCAGC AGGCAAAACA AAGCTAGAGA AACCAATCCA GGGTCTCACT 3660
 CTGTACCCCA GGCTGGAGTG CAGAGGCACA ATCTCGGCTC ACTGCACCTC TCCTCTCCCT 3720
 GGCTTAACTG ATCCTCTTAC CTCAGCCTCC CGAGTGGCTG GGACTATACT CCTGAGCCAG 3780
 TCAAATATAC AGCAGAGTGA CTATTCTGCA GCCTAAAGC AATGCAACAG GAAAAAGAA 3840
 CGAACTTCTT CTATCATCCC TGTGAAAGA TCAAGGGTTG GCATTTTATC CCTGAGTGGG 3900
 GAAGGCACAG ACTACATCAA TGCCTCCTAT ATCATGGGCT ATTACCAGAG CAATGAATTC 3960
 ATCATTACCC AGCACCCTCT CCTTCATACC ATCAAGGATT TCTGGAGGAT GATATGGGAC 4020
 CATAATGCC AACTGGTGGT TATGATTCCT GATGGCCAAA ACATGGCAGA AGATGAATTT 4080
 GTTTACTGGC CAAATAAAGA TGAGCCTATA AATTGTGAGA GCTTTAAGGT CACTCTTATG 4140
 GCTGAAGAAG ACAATGTCT ATCTAATGAG GAAAACTTA TAATTCAGGA CTTTATCTTA 4200
 GAAGCTACAC AGGATGATTA TGTACTTGAA GTGAGGCAC TTCAGTGTCC TAAATGGCCA 4260
 AATCCAGATA GCCCCATTAG TAAAACCTTT GAACTTATAA GTGTTATAAA AGAAGAAGCT 4320
 GCCAATAGGG ATGGGCCTAT GATTGTTTAT GATGAGCATG GAGGAGTAC GGCAGGAAC 4380
 TTTCTGTCTC TGACAACCTT TATGCACCAA CTAGAAAAAG AAAATTCCTG GGATGTTTAC 4440
 CAGGTAGCCA AGATGATCAA TCTGATGAGG CCAGGAGTCT TTGCTGACAT TGAGCAGTAT 4500
 CAGTTTCTCT ACAAAGTGTG CCTCAGCCTT GTGGGCACAA GGCAGGAAGA GAATCCATCC 4560
 ACCCTCTGGG ACAGTAAATGG TGCAGCATTG CCTGATGGAA ATATAGCTGA GAGCTTAGAG 4620
 TCTTTAGTTT AACACAGAAA GGGGTGGGGG GACTCACATC TGAGCATTGT TTTCTCTTCT 4680
 CTAATAATTG GCAGGAAAAA CAGTCTAGTT CTGTTATCTG TTGATTTCCT ATCACCTGAC 4740
 AGTAACTTTC ATGACATAGG ATCTGCCC GCAAATTTATA TCATTAACAA TGTGTGCCCT 4800
 TTTGCAAGAC TTGTAATTTA CTTATTATGT TTGAACATAA ATGATTGAAT TTTACAGTAT 4860
 TTCTAAGAA GGAATGTGTG TATTTTTTTC TGTATTGATT TTAACAGAAA ATTTCAATTT 4920
 ATAGAGGTTA GGAATTCCAA ACTACAGAAA ATGTTTGT TTAGTGTCAA ATTTTTAGCT 4980
 GTATTGTAG CAATATCAG GTTGTGCTAGA AATATAACT TTAATACAGT AGCCTGTAAA 5040
 TAAACACTC TTCCATATGA TATCAACAT TTTACAACAT CAGTATTAC CTAAGTAGA 5100
 AATAATCTGT TACTTATTGT AAATACTGCC CTAGTGTCTC CATGGACCAA ATTTATATTT 5160
 ATAATTGTAG ATTTTATAT TTTACTACTG AGTCAAGTTT TCTAGTCTG TGTAAATGTT 5220
 TAGTTTAACT ACGTAGTTC TTAGCTGGTC TTACTCTACC AGTTTCTG CAATTGATTG 5280
 TGTACCTAA GTCATTAAT TTGTTTCAGC ATGTAATTTT AACTTTTGTG GAAAATAGAA 5340
 ATACCTTCAT TTTGAAAGAA GTTTTTATGA GAATAACACC TTACCAACA TTGTTCAAA 5400
 GGTTTTATC CAAGGAATG CAAAAATAA TATAAATAT GCCATTAATA AAAAAAAA 5460
 AAAAAAAAA AAAAAAAAA A

Seq ID NO: 188 Protein sequence:
 Protein Accession #: EOS sequence

50
55
60
65
70
75
80

1 11 21 31 41 51
 | | | | | |
 MRILKRFLAC IQLLCVCRID WANGYYRQR KLVEEIGWSY TGALNQNKNWG KKYPTCNSPK 60
 QSPINIDEDL TQVNVNLKKL KFGQWDKTSL ENTFIHNTGK TVEINLINDY RVSGGVSEMV 120
 FKASKITFWH GKCINSSDGS EHSLEGGKFP LEMQIYCFDA DRFSSFEEAV KKGKLRALS 180
 ILFEVGTEN LDFKAIIDGV ESVSRFGKQA ALDPPFILLNL LFNSTDKYII YNGSLTSPPC 240
 TDTVDWIVFK DTVSISESQ L AVFCEVLTMO QSGYVLMMDY LQNNFREQQY KFSRQVFSY 300
 TGKEEIHVAV CSSEPNVQA DPENYTSLLV TWERPRVVDY TMIEKFAVLY QQLDGEDQTK 360
 HEFLTQGYQD LGAILNLLP NMSVYLQIVA ICTNGLYGKY SDQLIVDMPT DNPDLDFPE 420
 LIGTEBIIKE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYMRI GTKYNEAKTN 480
 RSPTRGSEFS GKGVDVNTSL NSTSQPVTKL ATEKIDISLTS QVTLELPHT VEGTASLND 540
 GSKTVLRSPH MNLSTGAEAL NTVSITIEYEE ESSLTSFKLD TGAEDSSGSS PATSAIPFIS 600
 ENISQGYIFS SENPETIITYD VLIPESARNA SEDSTS GSGSE ESLKDPMEG NVWFPSSTDI 660
 TAQPDVGSGR ESFLQNTYTE IRVDESEKTT KSPSAGPVMS QGPSVTDLEM PHYSTFAYFP 720
 TEVTPHAFTP SSRQDLVST VNVVYSQTQ PVYNEASNS HESRIGLAEG LESEKKAVIP 780
 LVIVSALTFI CLNVVLGILI YWRKCFQTAH FYLEDSTSPR VISTPPTPIF PISDDVGAIP 840
 IKHFPKHVAD LHASSGFTEE FETLKEFYQE VQSCVDLGI TADSSNHPDN KHKRYINIV 900
 AYDHSRVKLA QLAEKDGKLT DYINANYVDG YNRPKAYIAA QGPLKSTAE DFWMIWEHNV 960
 EVI VMIITNLV EKRGRKCDQY WPADGSEBYG NFLVTQKSVQ VLAYYTVRNF TLRNTKIKKG 1020
 SQKGRPSGRV VTQYHYTQWP DMGVPEYSLP VLTFRKAAY AKRHAVGPV VHCAGVGRY 1080
 GTYIVLDSML QQIQHEGTVN IFGFLKHIRS QRNYLVQTEE QYVFIHDTLV EAILSKEDEV 1140
 LDSHIHAYVN ALLIPGPAGK TKLEKQFQGL TFSRLECRG TISAHCNLEP PGLTDPPTSA 1200
 SRVAGTILLS QSNIQSDYS AALKQCNREK NRTSSII FVE RSRVGISSLS GEGTDYINAS 1260
 YIMGYQSNF FIITQHPLHL TIKDFWRMIW DHNAQLVMI PDGQNMABDE FVYWPNKDEP 1320
 INCESPKVTL MAEELKCLSN EEKLIQDFI LEATQDDYVL EVRHFQCPKW PNPDSPI SKT 1380
 FELISVIEKE ANNRDGMIV DEHGGVTAG TFCALITLHM QLEKENSVDV YQVAKMINLM 1440
 RPGVFADIEQ YQFLYKVLIS LVGTRQENP STSLDSNGAA LPDGNIAESL ESLV

Seq ID NO: 189 DNA sequence
 Nucleic Acid Accession #: NM_002820
 Coding sequence: 304..831

85

1 11 21 31 41 51
 | | | | | |
 CCGGTTCCCA AAGAAGCTGA CTTCAGAGGG GGAACCTTTC TTCTTTTAGG AGGCGGTTAG 60
 CCCTGTTCCA CGAACCCAGG AGAAGCTGCTG GCCAGATTA TTAGACATTG CTATGGGAGA 120
 CGTGTAAACA CACTACTTAT CATTGATGCA TATATAAAC CATTTTATT TCGCTATTAT 180

TTCAGAGGAA GGCCTCTGA TTTGTTTCTT TTTCCCTTT TTGCTCTTC TGGCTGTGTG 240
 GTTTGGAGAA AGCACAGTTG GAGTAGCCGG TTGCTAAATA AGTCCCAGC GCGAGCGGAG 300
 ACCGATCGAG GAGACTGGT TCACAGTGG AGCGTCGCGG TGTTCCCTGCT GAGCTACGGG 360
 GTGCCCTCCT GCGGGCGCTC GGTGGAGGGT CTCAGCCGCC GCCTCAAAG AGCTGTGTCT 420
 5 GAACATCAGC TCCTCCATGA CAAGGGGAAG TCCATCCAAG ATTTACGGCG ACGATTCTTC 480
 CTTCAACCATC TGATCGCAGA AATCCACACA GCTGAAATCA GAGCTACCTC GGAGGTGTCC 540
 CCTAACTCCA AGCCCTCTCC CAACACAAAG AACCCACCCG TCCGATTGG GTCTGATGAT 600
 GAGGGCAGAT ACCTAACTCA GAAACTAAC AAGGTGGAGA CGTACAAAGA GCAGCCGCTC 660
 AAGACACCTG GGAAGAAAAA GAAAGGCAAG CCGGGAAAC GCAAGGAGCA GAAAAAGAA 720
 10 AAACGGCGAA CTGCTCTGCG CTGGTTAGAC TCTGGAGTGA CTGGGAGTGG GCTAGAAGGG 780
 GACCACCTGT CTGACACCTC CACAACCTCG CTGGAGCTCG ATTCACGGTA ACAGGCTTCT 840
 CTGGCCCGTA GCCTCAGCGG GGTGCTCTCA GCTGGGTTTT GGAGCCTCCC TTCTGCCTTG 900
 GCTTGGACAA ACCTAGAATT TTCTCCCTTT ATGATCTCT ATCGATTGTG TAGCAATTGA 960
 CAGAGAATAA CTCAGAATAT TGCTGCCTT AAAGCAGTAC CCCCTACCA CACACACCCC 1020
 15 TGTCCTCCAG CACCATAGAG AGGCGCTAGA GCCCATTCCT CTTTCTCCAC CGTACCCAA 1080
 CATCAATCCT TTACCACCTT TFCATATTCA AGCTTCAGAA GCTAGTGACC 1140
 ATCTTCATAA TTTGCTGGAG AAGTGTATT CTTCCTCTTA CTCTCACACC TGGGCAAACT 1200
 TTCTTCAGTG TTTTTCATT CTACGTTCT TTCACTTCAA GGGAGAATAT AGAAGCATT 1260
 20 GATATTATCT ACAAACACTG CAGAACAGCA TCATGTCATA AACGATTCTG AGCCATTAC 1320
 ACTTTTTATT TAAATAAATG TATTTAATTA AATCTCAAAT TTATTTAAT GTAAAGAACT 1380
 TAAATATGT TTTAACAACA TGCCTAAAT TTGTTAAT AAATTTAAT CTGGTTTCTA 1440
 CCAAGTCATA CAAAATAAAT GGTTCCTGAA AATGTTAAG TATTAACCTA CAAGGATATA 1500
 GGTTCCTCTC ATGATCTTT TTGTTCAATG GCAAGATGAA ATAATTTTC TAGGGTAATG 1560
 25 CCGTAGGAAA AATAAACTT CACATTTAAA AAAAA

Seq ID NO: 190 Protein sequence:
Protein Accession #: NP_002811

1 11 21 31 41 51
 | | | | | |
 MQRRLVQQWS VAVFLLSYAV PSCGRSVEGL SRRLKRAVSE HQLLHDKGKS IQDLRRRFFL 60
 35 HHLIAEIHITA EIRATSEVSP NSKPSPTNKN HPVRFSGSDE GRYLTOETNK VETYKEQPLK 120
 TPGKKKKGKPK GKRKEQEKKK RRTRSAWLDS GVTGSGLEGD HLSDTSTTSL ELDSR

Seq ID NO: 191 DNA sequence
Nucleic Acid Accession #: XM_059328
Coding sequence: 52..1023

1 11 21 31 41 51
 | | | | | |
 GGGCTGTCCG GCCCACTCCC CTGGGAGCGC GAGCGGTGGA CCCAGGCGGC CATGTCCC GC 60
 45 CCTCGCATGC GCCTGGTGGT CACCGCGGAC GACTTTGGTT ACTGCCCGCG ACGCGATGAG 120
 GGTATCGTGG AGGCCTTTCT GGCCGGGGCT GTGACCAGCG TGTCCTGCT GGTCAACGGT 180
 GCGGCCACGG AGAGCGCGGC GGAGCTGGCC CGCAGGCACA GCATCCCCAC GGGCCTCCAC 240
 GCCAACCTGT CCGAGGGCCG CCCCCTGGGT CCGGCCCGCC GTGGCGCCTC ATCGCTGCTC 300
 GGCCCCGAAG GCTTCTTCTT TGGCAAGATG GGATTCCGGG AGGCGGTGGC GGCCGGAGAC 360
 50 GTGGATTGTC CTCAGGTGCG GGAGGAGCTC GAGGCCAAC TAAGTGTCTT CCGGGAGCTG 420
 CTGGGGCAGG CCCCACGCA CGCGGACGGG CACCAGCACG TGCACGTGCT CCCAGCCGTG 480
 TGCCAGGTGT TCGCCGAGGC GCTGCAGGCC TATGGGTGTC GCTTACGCG ACTGCCGCTG 540
 GAGCGCGGTG TGGGTGGCTG CACTTGGCTG GAGGCCCCCG CGCGTGCCTT CGCTGCGCC 600
 GTGGAGCGCG ACGCCCGGGC CGCCGTGGGC CCCTTCTCCC GCCACGGCCT GCGGTGGACA 660
 GACGCCTTCG TGGCCTGAG CACTTGCGGC CGGCACATGT CCGCTCACCG CGTGTCCGGG 720
 55 GCCCTGGCCG GGTCTCTGGA AGGTACCCTA CGGGGCCACA CCCTGACAGC CGAGCTGATG 780
 GCGCACCCCG GCTACCAGAG TGTGCTCTCC ACCGGCGGCT GCGGTGAAGG CCCCAGCGCT 840
 TTCTCTTGCT CTTGGGAGCG GCTGCATGAG CTGCGGCTCC TCACCAGCGCC CACGCTGCGG 900
 GCCCAGCTTG CCCAGGATGG CGTGCAGCTT TGCCTCTCG ACGACTGGA CTCCAAGAGG 960
 60 CCAGGGGAGG AGGTCCCTCG TGAGCCCACT CTGGAACCTT TCCTGGAACC CTCCTACTC 1020
 TGACCCCTTA CAGACAACA AGCACTAATC CCCTTAGTAC CAAGAAAGGG GAGCCAGGAT 1080
 TTAGTCTGG CCCAGCCAG AGCTGGGACC TGGAGCACGA TCTGTTGACT TCCCTGGGTA 1140
 GGACACTGCC ACCTCTGGGC TCAGGTCTCT ATGCCTCAA ATGGCATCTA GAGTTTGAGC 1200
 AGCCTTCTTG GCTGCAGGCA GGCTAGCCT GTGGCAGCGG GCTAGGCGCC GCAGAGCATT 1260
 65 TGGTGCCCTC CCATGTTGCA ATGCAAAAC CTTCAACACT GGGGCAGTGG GGAGAGATGG 1320
 CTATATTAAT AAAATAACGT GTGCTTTTC

Seq ID NO: 192 Protein sequence:
Protein Accession #: XP_059328

1 11 21 31 41 51
 | | | | | |
 MSRPRMLV VADDFGYCPR RDEGIVEAPL AGAVTSVSL L VNGAATESAA ELARRHSIPT 60
 75 GLHANLSEGR PVGPARRGAS SLLGPEGFLL GKMGPREAVA AGVDLDPQVR EEELEQLSFC 120
 RELLRAPTH ADGHQHVHVL PGVCQVFAEA LQAYGVRPTR LPLERGVGGC TWLEAPARAF 180
 ACAVERDARA AVGPFSRHL RWTDAFVGLS TCGRHMSAHR VSGALARVLE GTLAGHTLTA 240
 ELMAHPGYFS VPPTGGCGEG PDAFSCSWER LHELRLVLTAP TLRQLAQDQ VQLCALDDLD 300
 SKRPGEEVPC EPTLEPFLEP SLL

Seq ID NO: 193 DNA sequence
Nucleic Acid Accession #: NM_005688.1
Coding sequence: 126..4439

1 11 21 31 41 51
 | | | | | |
 CCGGGCAGGT GGCTCATGCT CGGGAGCGTG GTTGAGCGGC TGGCGCGGTT GTCCTGGAGC 60
 85 AGGGGCGCAG GAATCTGAT GTGAAACTAA CAGTCTGTGA GCCCTGGAAC CTCGCTCAG 120

	AGAAGATGAA	GGATATGCAC	ATAGGAAAAG	AGTATATCAT	CCCCAGTCT	GGGTATAGAA	180
	GTGTGAGGGA	GAGAACCAGC	ACTTCTGGGA	CGCACAGAGA	CGGTGAAGAT	TCCAAGTTCA	240
	GGAGAAGCTCG	ACCGTTGGAA	TGCCAAGATG	CCTTGGAAAC	AGCAGCCCGA	GCCGAGGGCC	300
5	TCCTCTTGA	TGCTCTCAGT	CATTCTCAGC	TCAGAATCCT	GGATGAGGAG	CATCCCAAGG	360
	GAAAGTACCA	TCATGGCTTG	AGTGCTCTGA	AGCCCATCCG	GACTACTTCC	AAACACCAGC	420
	ACCCAGTGGG	CAATGCTGGG	CTTTTTCTCT	GTATGACTTT	TTCGTGGCTT	TCTTCTCTGT	480
	CCCGTGTGGC	CCACAAGAA	GGGAGCTCT	CAATGGAAAG	CGTGTGGTCT	CAATCAAGC	540
	ACGAGTCTTC	TGACGTGAAC	TGCAGAAGAC	TAGAGAGACT	GTGGCAAGAA	GAGCTGAAATG	600
10	AAGTTGGGCC	AGACGCTGCT	TCCCTGCGAA	GGTTGTGTG	GATCTTCTGC	CGCACCAGGC	660
	TCATCCTGTC	CATCGTGTGC	CTGATGATCA	CGCAGCTGGC	TGGCTTCAGT	GGACCAGCCT	720
	TCATGGTGAA	ACACCTCTTG	GAGTATACCC	AGGCAACAGA	GTCTAACCTG	CAGTACAGCT	780
	TGTTGTTAGT	GCTGGGCTCT	CTCCTGACCG	AAATCGTGG	GTCTTGGTGG	CTTGCACTGA	840
	CTTGGGCATT	GAATTACCGA	ACCGGTGTCC	GCTTGGGGGG	GGCCATCCTA	ACCATGGCAT	900
15	TTAAGAAGAT	CCTTAAGTTA	AAGAACATTA	AAGAGAAATC	CCTGGGTGAG	CTCATCAACA	960
	TTTGCTCAA	CGATGGGCAG	AGAATGPTTG	AGGCAGCAGC	CGTGGCAGC	CTGTGGCTG	1020
	GAGGACCCGT	TGTTGCCATC	TTAGGCATGA	TTTATAATGT	AATTATTCTG	GGACCAACAG	1080
	GCTTCTGCG	ATCAGCTGTT	TTTATCTCT	TTTACCACAG	AATGATGTTT	GCATCACGGC	1140
	TCACAGCATA	TTTCAGGAGA	AAATGCGTGG	CGGCCACGGA	TGAACGTGTC	CAGAAGATGA	1200
20	ATGAAGTTCT	TACTTACATT	AAATTTATCA	AAATGTATGC	CTGGGTCAA	GCATTTTCTC	1260
	AGAGTGTCCA	AAAAATCCGC	GAGGAGGAGC	GTCCGATATT	GGAAAAAGCC	GGGTACTTCC	1320
	AGGGTATCAC	TGTGGGTGTG	GCTCCCATTG	TGGTGGTGAT	TGCCAGCGTG	GTGACCTTCT	1380
	CTGTTTCATAT	GACCCCTGGC	TTCGATCTGA	CAGCAGCACA	GGCTTTCACA	GTGGTGACAG	1440
	TCTTCAATTC	CATGACTTTT	GCTTTGAAAG	TAACACCGTT	TTCAGTAAAG	TCCTCTCAG	1500
25	AAGCCTCAGT	GGCTGTTGAC	AGATTTAAGA	GTTTGTCTCT	AATGGAAGAG	GTTCACATGA	1560
	TAAAGAACAA	ACCAGCCAGT	CCTCACATCA	AGATAGAGAT	GAAAAATGCC	ACCTTGGCAT	1620
	GGGACTCCTC	CCACTCCAGT	ATCCAGAACT	CGCCCAAGCT	GACCCCAAAA	ATGAAAAAAG	1680
	ACAAGAGGGC	TTCCAGGGGC	AAGAAAGAGA	AGGTGAGGCA	GCTGCACGCG	ACTGAGCATC	1740
	AGCGGTGCT	GGCAGAGCAG	AAAGGCCACC	TCCTCCTGGA	CAGTGACGAG	CGGCCCAGTC	1800
30	CCGAAGAGGA	AGAAGGCAAG	CACATCCACC	TGGGCCACCT	CGCCTTACAG	AGGACACTGC	1860
	ACAGCATCGA	TCTGGAGATC	CAAGAGGGTA	AACTGGTTGG	AATCTCGCGC	AGTGTGGGAA	1920
	GTGAAAAAAC	CTCTCTCATT	TCAGCCATTT	TAGGCCAGAT	GACGCTTCTA	GAGGGCAGCA	1980
	TTGCAATCAG	TGGAACCTTC	GCTTATGTGG	CCCAGCAGGC	CTGGATCTTC	AATGCTACTC	2040
	TGAGAGACAA	CATCCTGTTT	GGGAAGGAAT	ATGATGAAGA	AAGATACAAC	TCTGTGCTGA	2100
	ACAGCTGCTG	CCTGAGGCTT	GACCTGGCCA	TTCTTCCCAG	CAGCGACTTG	ACGGAGATTG	2160
35	GAGAGCGAGG	AGCCAACCTG	AGCGGTGGGC	AGCGCCAGAG	GATCAGCCTT	GCCCGGGCCT	2220
	TGTATAGTGA	CAGGAGCATC	TACATCCTGG	ACGACCCCTT	CAGTGCCTTA	GATGCCCATG	2280
	TGGGAACCA	CATCTTCAAT	AGTGTATCC	GGAAACATCT	CAAGTCCAAG	ACAGTTCTGT	2340
	TTGTTACCCA	CCAGTTACAG	TACTTGGTTG	ACTGTGATGA	AGTATCTTCT	ATGAAAGAGG	2400
40	GCTGTATTAC	GGAAAGAGGC	ACCCATGAGG	AACTGATGAA	TTTAAATGGT	GACTATGCTA	2460
	CCATTTTTAA	TAACTCTTGG	CTGGGAGAGA	CACCCCAAGT	TGAGATCAAT	TCAAAAAAGG	2520
	AAACCAAGTG	TTACAGAAAG	AAGTCAACA	ACAAGGGTCC	TAAAAACAGG	TCAGTAAAGA	2580
	AGGAAAAAGC	AGTAAAGCCA	GAGGAAGGCC	AGCTTGTGCA	GCTGGAAGAG	AAAGGGCAGG	2640
	GTTCAAGTGC	CTGGTCAGTA	TATGGTGTCT	ACATCCAGGC	TGCTGGGGGC	CCCTTGGCAT	2700
45	TCCTGGTTAT	TATGGCCCTT	TTTATGCTGA	ATGTAGGCAG	CACCGCCTTC	AGCACCTGGT	2760
	GGTTGAGTTA	CTGGATCAAG	CAAGGAAGCG	GGAAACACC	TGTGACTCGA	GGGAACGAGA	2820
	CCTCGGTGAG	TGACAGCATG	AAGGACAATC	CTCATATGCA	GTACTATGCC	AGCATCTACG	2880
	CCCTCTCCAT	GGCAGTCACT	CTGATCCTGA	AAGCCATTCC	AGGAGTTGTC	TTTGTCAAGG	2940
	GCACGCTGCG	AGCTTCTCTC	CGGTGCTGAT	ACGAGCTTTT	CCGAAGGATC	CTTCCGAAGC	3000
50	CTATGAAGTT	TTTTGACAGC	ACCCCCACAG	GGAGGATICT	CAACAGGTTT	TCCAAAGACA	3060
	TGGATGAAGT	TGACGTGCGG	CTGCGTTC	AGGCCGAGAT	GTTCATCCAG	AACGTTATCC	3120
	TGGTGTCTTT	CTGTGTGGGA	ATGATCGCAG	GAGTCTTCCC	GTGGTTCCTT	GTGGCAGTGG	3180
	GGCCCTTGT	CATCCTCTTT	TACGTCCTGC	ACATTTGCTC	CAGGGTCTGT	ATTCGGGAGC	3240
	TGAAGCGTCT	GGACAATATC	ACGCAGTCAC	CTTCTCTCTC	CCACATCACG	TCCAGCATAC	3300
55	AGGGCCCTTC	CACCATCCAC	GCCTACAATA	AAGGGCAGGA	GTTTCTGCAC	AGATACCAGG	3360
	AGCTGTGGA	TGACAAACCA	GCTCCTTTT	TTTTGTTTAC	GTGTGCGATG	CGGTGGCTGG	3420
	CTGTGCGGCT	GGACCTCATC	AGCATCGCCC	TCATCACCAC	CACGGGGCTG	ATGATCGTTC	3480
	TTATGCACGG	GCAGATTC	CCAGCCTATG	CGGGTCTCGC	CATCTCTTAT	GCTGTCCAGT	3540
60	TAAAGGGGCT	GTTCCAGTTT	ACGGTCAGAC	TGGCATCTGA	GACAGAAGCT	CGATTCAACT	3600
	CGGTGGAGAG	GATCAATCAC	TACATTAAGA	CTCTGTCTTT	GGAAGCACCT	GCCAGAATTA	3660
	AGAACAAGGC	TCCCTCCCTC	GACTGGCCCC	AGGAGGGAGA	GGTACCTTTT	GAGAACCGCAG	3720
	AGATGAGGTA	CCGAGAAAAC	CTCCCTCTTG	TCTTAAAGAA	AGTATCCTTC	ACGATCAAA	3780
	CTAAAGAGAA	GATTGGCATT	GTGGGGCGGA	CAGGATCAGG	GAAGTCTCTG	CTGGGGATGG	3840
	CCCTCTTCCG	TCTGTGGAG	TTATCTGGAG	GCTGCATCAA	GATTGATGGA	GTGAGAATCA	3900
65	GTGATATTGG	CTCTGCGCAG	ACTCCTCTAT	CATTCCTCAA	GAGCCGGTGC	GAGCCGGTGC	3960
	TGTTCAAGTG	CAGTGTGAGA	TCAAATTTGG	ACCCCTTCAA	CCAGTACACT	GAAGACCAGA	4020
	TTTGGGATGC	CCTGGAGAGG	ACACACATGA	AAGAATGTAT	TGCTCAGCTA	CCTCTGAAAC	4080
	TTGAATCTGA	AGTGATGGAG	AATGGGGATA	ACTTCTCAGT	GGGGGAACGG	CAGCTCTTGT	4140
	GCATAGCTAG	AGCCCTGTCT	CGCCACTGTA	AGATTCTGAT	TTTAGATGAA	GCCACAGCTG	4200
70	CCATGGACAC	AGAGACAGAC	TTATTGATTC	AAGAGACCAT	CCGAGAAGCA	TTTGCAGACT	4260
	GTACCATGCT	GACCATTGCC	CATCGCCTGC	ACACGGTCT	AGGCTCCGAT	AGGATTATGG	4320
	TGCTGGCCCA	GGGACAGGTG	GTGGAGTTTG	ACACCCCATC	GGTCTTCTG	TCCAACGACA	4380
	GTTCGCCAAT	CTATGCCATG	TTTGTGCTG	CAGAGAACAA	GGTCTGCTG	AAGGGCTGAC	4440
	TCCTCCCTGT	TGACGAAGTC	TCITTTCTTT	AGAGCATTGC	CATTCCTGTC	CTGGGGCGGG	4500
75	CCCTCATCG	GGTCTCTCTA	CCGAAAACCTT	GCCTTCTCTG	ATTTTATCTT	TCCGACAGCA	4560
	GTTCGGGATT	CGCTTGTGTG	TTTCACTTTT	AGGGAGAGTC	ATATTTTATG	TATTGTATTT	4620
	ATTCCATATT	CATGTAAACA	AAATTTAGTT	TTTGTTCCTA	ATTGCACTCT	AAAAGTTTCA	4680
	GGGAACCGTT	ATTATAATTG	TATCAGAGGC	CTATAATGAA	GCTTTATACG	TGTAGCTATA	4740
	TCTATATATA	ATTCTGTACA	TAGCCTATAT	TTACAGTGAA	AATGTAAGCT	GTTTATTTTA	4800
80	TATTAATAATA	AGCACTGTGC	TAATAACAGT	GCATATTCCT	TTCTATCATT	TTTGTACAGT	4860
	TTGCTGTACT	AGAGATCTGG	TTTTGCTATT	AGACTGTAGG	AAGAGTAGCA	TTTCATTCTT	4920
	CTCTAGCTGG	TGGTTTCCAG	GTGCCAGGTT	TCTGGGGTGT	CCAAAGGAAG	ACGTGTGGCA	4980
	ATAGTGGGCC	CTCCGACAGC	CCCTCTGCCC	GCCTCCCCAC	AGCCGCTCCA	GGGGTGGCTG	5040
	GAGACGGGTC	GGCCGGTGGG	GACCATGCAG	AGCGCCGTGA	GTTCTCAGGG	CTCCTGCCTT	5100
85	CTGTCTGTGT	GTCACCTTACT	GTTTCTGTCA	GGAGAGCAGC	GGGGCGAAGC	CCAGGCCCTT	5160
	TTTCACTCCC	TCCATCAAGA	ATGGGGATCA	CAGAGACATT	CCTCCGAGCC	GGGGAGTTTC	5220
	TTTCTGCTCT	TCTTCTTTTT	GCTGTGTTTT	CTAAACAAGA	ATCAGTCTAT	CCACAGAGAG	5280
	TCCCCTGCTC	TCAGTTTCTT	ATGGCTGGCC	ACTGCACAGA	GCTCTCCAGT	TCCAAGACCT	5340

GTTGGTTCCA AGCCCTGGAG CCAACTGCTG CTTTTTGAGG TGGCACTTTT TCATTTGCCT 5400
 ATTOCCACAC CTCACAGTT CAGTGGCAGG GCTCAGGATT TCGTGGGCTT GTTTTCCTTT 5460
 CTCACCCGAG TCGTCCGACA GTCTCTCTCT CTCTCTCCCC TCAAAGTCTG CAACTTTAAG 5520
 CAGTCTTTGC TAATCAGTGT CTCACACTGG CGTAGAAGTT TTTGTACTGT AAAGAGACCT 5580
 ACCTCAGGTT GCTGGTTGCT GTGTGGTTCC GCAAACCCCC TTTGTGCTGT 5640
 GGGCTCGGTA GCTCAGGTGG GCGTGGTCCAC TGCTGTATC AGTTGAATGG TCAGCGTTGC 5700
 ATGTCGTGAC CAACTAGACA TTCTGTGCGC TTAGCATGTT TGCTGAACAC CTTGTGGAAG 5760
 CAAAAATCTG AAAATGTGAA TAAAATTATT TTGGATTTTG TAAAAAATAA AAAAAAATAA 5820
 AAAAAAATAA AAAAAAATAA

Seq ID NO: 194 Protein sequence:
 Protein Accession #: NP_005679.1

15 1 11 21 31 41 51
 MKDIDIGKEY IIPSPGYRSV RERTSTSGTH RDREDSKFRF TRPLECQDAL ETAARAEGLS 60
 LDASMHQQLR ILDEEHPKKG VHHGLSALKP IRTTSKHQHP VDNAGLFSCM TFSWLSLAR 120
 VAHKKGELSM EDVWVSLSKHE SSDVNCRRLE RLWQEELNEV GPDAASLRV VWIFCRTRLI 180
 20 LSIIVCLMITQ LAGFSGPAPM VKHLLLEYTQA TESNLQVSL LVLGLLLEI VRSWSLALTW 240
 ALNYRTGVRL RGAILTMAFK KILKLNKIKE KSLGELINIC SNDGQRMFEA AAVGSLLAGG 300
 FVVAILGMIY NVIILGPTGF LGSVAVFIFY PAMMFASRLT AYFRRCVAA TDERVQKME 360
 VLTYIKFIKM YAVWKAQSQS VQKIREEERR ILEKAGYFOG ITVGVAPIVV VIASVVTFSV 420
 HMTLGFDLTA AQAFVTVTVF NSMTFALKVT PFSVKLSSEA SVAVDRFKSL PLMBEVHMIK 480
 25 NKPASPHIKI EMKNAFLAWD SSHSSIQNSP KLTPKMKDK RASRGKKEKV RQLQRTHEQA 540
 VLAEQKHLL LDSDERPSPE EEEGKHILG HLRQLRTHS IDLEIQEGL VGICGSGVSG 600
 KTLISLAIIG QMTLLEGSIA ISGTFAYVAQ QAWILNATLR DNILFGKEYD EERYNSVLNS 660
 CCLRDLAIL PSSDLTEIGE RANLSSGQR QRISLARALY SDRSIYILD PLSALDAHVG 720
 NHIFNSAIRK HLKSKTVLWF THQLQYLVD DEVIFMKEGC ITERGTHEEL MNLNGDYATI 780
 30 FNNLLGETP PVEINSKKT SSGSKSQDK GPKTGSVKKE KAVKPEGQL VQLEEKGGQS 840
 VPSVYGVYI QAAGPLAFL VIMALFMLNV GSTAFSTWWL SYWIKQSGN TTVTRGNETS 900
 VSDSMKDNPH MQYYASTIAL SMAVLLILKA IRGVVFKGT LRASSRLHDE LFRIRLSPM 960
 KFPDTPPTGR ILNRFSKDM EVDVRLPFQA EMFIQNVLLV FFCVGMIAGV PFVPLVAVGP 1020
 LVILFVLIHI VSRVLIRELK RLDNITQSPF LSHITSSIQG LATIHAYNKG QEFLHRYQEL 1080
 35 LDDNQAPFFL FTCAMRWLAV RLDLISIALI TTTGLMIVLM HGQIPPAYAG LAISYAVQLT 1140
 GLFQFTVRLA SETEARFTSV ERINHVIKTL SLEAPARIKN KAPSPDWQPE GEVTFENAEM 1200
 RYRENLPVLV KKVSTIKPK EKIGIVGRTE SGKSLGMAL FRLVELSGGC IKIDGVRISD 1260
 IGLADLRSLK SIIPQEPVLF SGTVRSNLDP FNQYTEDQIW DALERTHMKE CIAQLPLKLE 1320
 40 SEVMENGDNF SVGERQLLCI ARALLRHCKI LILDEATAAM DTETDLLIQE TIREAFADCT 1380
 MLTIAHRLHT VLGSDRIMVL AQGOVVEFDT PSVLLSNDSS RFYAMFAAAE NKVAVKVG

Seq ID NO: 195 DNA sequence
 Nucleic Acid Accession #: NM_006470
 Coding sequence: 228..1922

45 1 11 21 31 41 51
 GCTGTCTGA GCCTGAGTAC TCTAGCTGCC TTGTCGCCAT CGCATCTGGC TGCCATCCAG 60
 CGCCAGCACA CAGTAATGAG TGGCCGAGCT TCCTCTGGGA GGGAGGAAAC AGTAAAAATC 120
 TTGCAGCAGC TGCAATCATC TAGGCGTGGT TCTCTGTCT GACTTGGGCT GCACAGATCC 180
 TGGGCCAAGG GACAGAAGAA AGACAGCCTA GGAGCAGAGC CTCCCAGATG GCTGAGTTGG 240
 ATCTAATGGC TCCAGGGCCA CTGCCAGGG CCACTGCTCA GCCCCAGCC CCTCTCAGCC 300
 CAGACTCTGG GTCACCCAGC CCAGATTCTG GGTACGCCAG CCCAGTGGAA GAAGAGGAGC 360
 55 TGGGCTCCTC GGAGAAGCTT GGCAGGGAGA CGGAGGAACA GGACAGCGAC TCTGCAGAGC 420
 AGGGGGATCC TGCTGGTGAG GGGAAAGAGG TCCTGTGGA CTTCTGCCTT GATGACACCA 480
 GAAGAGTGAA GGCAGTGAAG TCCTGTCTAA CCTGCATGTT GAATTACTGT GAAGAGCACT 540
 TGCAGCCGCA TCAGGTGAAC ATCAAATGTC AAAGCCACT GCTGACCGAG CCACTGAAAG 600
 ACCACAACCTG CGGATACTGC CCTGCCACC ACAGCCACT GTCTGCTTTC TGCTGCCCTG 660
 60 ATCAGCAGTG CATCTGCCAG GACTGTGACC AGGAGCACAG TGGCCACACC ATAGTCTCCC 720
 TGGATCGAC CGCAGGGAC AAGGAGGCTG AACTCCAGTG CACCCAGTTA GACTTGGAGC 780
 GGAAACTCAA TTGAATGAA AATGCCATCT CCAAGCTCCA GGCTAACCAA AAGTCTGTTC 840
 TGGTGTGCGT GTCAGAGTGC AAAGCGTGG CTGAAATGCA GTTTGGGGAA CTCTTGTCTG 900
 CTGTGAGGAA GGCCAGGCC AATGTGATGC TCTTCTAGA GGAGAAGGAG CAAGCTGCGC 960
 65 TGAGCCAGGC CAACGGTATC AAGGCCACC TGGAGTACAG GAGTCCCGAG ATGGAAGA 1020
 GCAAGCAGGA GCTGGAGAGG ATGGCGGCA TCAGCAACAC TGTCCAGTTC TTGAGGAGT 1080
 ACTGCAAGTT TAAGAACACT GAGGACATCA CCTCCCTAG TGTTACGTA GGGCTGAAG 1140
 ATAAACTCTC GGGCATCCGC AAAGTTATCA CGGAATCCAC TGTACACTTA ATCCAGTTGC 1200
 TGGAGAACTA TAAGAAAAG CTCCAGGAGT TTTCCAAGGA AGAGGAGTAT GACATCAGAA 1260
 70 CTCAGTGTCT TGCGTGTGTT CAGCGCAAAT ATTGGACTTC CAAACTGAG CCCAGCACCA 1320
 GGGAAACAGT CCTCCAATAT CGGTATGACA TCACGTTGA CCCGACACA GCACACAAGT 1380
 ATCTCCGGCT GCAGGAGGAG AACCGCAAGG TCACCAACAC CACGCCCTGG GAGCATCCCT 1440
 ACCCGACCT CCCAGCAGG TTCCTGCACT GCGCGCAGGT GCTGTCCAG CAGAGTCTGT 1500
 75 ACCTGCACAG GTACTATTTT GAGGTGGAGA TCTTGGGGC AGGCACCTAT GTTGGCCTGA 1560
 CCTGCAAAAG CATCGACCGG AAAGGGGAGG AGCGCAACAG TTGCATTTC GGAACAACT 1620
 TCTCTGGAG CTTCAATGG AACGGAAAG AGTTCACGGC CTGGTACAGT GACATGGAGA 1680
 CCCCACTCAA AGCTGGCCCT TTCGGGAGGC TCGGGTCTA TATCGACTTC CCGGGAGGGA 1740
 TCCTTCTCTT CTATGGCGTA GAGTATGATA CCATGACTCT GGTTCACAAG TTTGCTGCA 1800
 80 AATTTTCTCA ACCAGTCTAT GCTGCCTTCT GGCTTTCCAA GAAGGAAAAC GCCATCCGGA 1860
 TTGTAGATCT GGGAGAGGAA CCCGAGAAGC CAGCACCGTC CTGGGGGTG ACTGCTCCCT 1920
 AGACTCCAGG AGCCATATCC CAGACCTTTG CCAAGTACAG TGATGGGATT TGCATTTTAG 1980
 GGTGATTTGT GGGCAGAAAT AACTGCTGAT GGTAGCTGGC TTTTGAATC CTATGGGGTC 2040
 TCTGAATGAA AACATCTCC AGCTGCTCTC TTTTGTCTCA TATGGTCTG TTCTCTATGT 2100
 85 GTTTGCAGTA ATTCTTTTTT TTTTFTTGA GACGGAGTCT CGCACTGTTG CCCAGGCTGG 2160
 AGAGCAGTGG CGGATCTTG GCTCACTGCA AGCTCCGCT CCCAGTTC AAGCAATCTC 2220
 CTGCCTCAGC CTCGGAGTA GCTGGGATTA CAGTGCCTG CCACCACACC CAGCTAATGT 2280
 TTTGTATTTT TAGTAGAGAT GGGGTTTCC CATGTTGGCC AGGCAGATCT CAACTCCTG 2340

ACCTGTGAT GCACCCACCT CGGCTCCCA AAGTGCTGGG ATTACATGCG TGAGCCACTG 2400
CGCCCTGCCT GTTTGTAGTA ATTTTATAGC ACCAAATCTC CCTCATCTTC TAGTGCCATT 2460
CTCCTCTCTG TTCAGGTAATA TGTACACTG TGCCAGAAAT GGATGACCAG GAACCTTAAA 2520
GAGTGGCTGA AAGATTGCA GAGTTATCAT AATAAATTGC TAACTTGCCT

5

Seq ID NO: 196 Protein sequence:
Protein Accession #: NP_006461

10 1 11 21 31 41 51
MAELDLMAPG PLPRATAQPP APLSPDSGSP SPDSGSASPV EEDVGSSEK LGRETEEQDS 60
DSAEQGDPAE EGKEVLCDFC LDDTRRVKAV KSCLTCMVNY CEEHLQPHQV NIKLQSHLLT 120
EPVKDHNWRY CPAHHSPLSA FCCPDQQCIC QDCCQEHSQH TIVSLDAARR DKEAELQCTQ 180
15 LDLERLKLKN ENAISRLQAN QKSVLVSVSE VKAVAEMQFG ELLAAVRKAQ ANVMLFLEER 240
EQAALSQAAG IKAHLEYRSA EMEKSKQELE RMAAISNTVQ FLEEYCKFKN TEDITFPFVY 300
VGLKDKLSGI RKVITESTVH LIQLLENYKK KLQEFSEKBE YDIRTQVSAV VQRKYWTSKP 360
EPSTREQFLQ YAYDITFDPD TAHKYLRLQE ENRKVINTTP WEHPYDPLPS RFLHWRQVLS 420
20 QQSLYLHRYV FEVEIFGAGT YVGLTCKGID RKGEERNSCI SGNPNSWSLQ WNGKEFTAWY 480
SDMETPLKAG PFRRLGVYID FPGGILSFYG VEYDITMLVH KFAKPFSEPV YAAFWLSKKE 540
NAIRIVDLGE EPEKPAPSLG VTAP

Seq ID NO: 197 DNA sequence
Nucleic Acid Accession #: NM_004316
Coding sequence: 433-1149

25 1 11 21 31 41 51
CCCGAGACCC GCGCGAAGAG AGCGCAGCCT TAGTAGGAGA GGAACGCGAG ACGCGGCAGA 60
GCGCGTTTCA CACTGACTTT TGCTGCTGCT TCTGCTTTTT TTTTCTTAG AAACAAGAAG 120
GCGCCAGCGG CAGCCTCACA CGCGAGCGCC ACGCGAGGCT CCGGAAGCCA ACCCGGAAG 180
GGAGGAGGGG AGGGAGGAGG AGGCGGCGTG CAGGGAGGAG AAAAAGCATT TTCACCTTTT 240
TTGCTCCAC TCTAAGAAGT CTCGCGGGA TTTTGTATAT ATTTTTTAA TCCGTCAGG 300
GCTCCCGCTT CATAITTTCT TTTCTTTCCC TCTCTGTCC TGCACCAAG TTCTCTCTGT 360
35 GTCCCCCTCG CGGGCCCCGC ACCTCGCGTC CCGGATCGCT CTGATTCCGC GACTCCTTGG 420
CCGCGCTCG CCGTGGAAAG CTCTGCCAAG ATGGAGAGCG GCGCGCGCGG CCAGCAGCCC 480
CAGCCGCGC CCGCAGCAGC CTTCTCTCGG CCGCAGCCT GTTCTTTG CAGCGCCGCA 540
GCGCGCGCGG CCGCAGCGCG CGCAGCGGCA GCGCAGAGCG CGCAGCAGCA GCAGCAGCAG 600
CAGCAGCAGC AGCAGCAGCA GCAGCGCGCG CAGCTGAGAC CGGCGGCCGA CGGCCAGCCC 660
40 TCAGGGGGGG GTCAAGATC AGGCCCAAG CAAGTCAAG GACAGCGCTC GTCTTCGCC 720
GAACGTATGC GCTGCAAAAG CCGGCTCAAC TTCAGCGGCT TTGGTACAG CCGCGCGCAG 780
CAGCAGCCGG CCGCGTGGC GCGCGCAAC GAGCGCGAGC GCAACCGCGT CAAGTTGGTC 840
AACTGGGCT TTGCCACCT TCGGGAGCAC GTCCCAACG GCGCGGCCAA CAAGAAGATG 900
AGTAAGTGG AGCACTGCG CTCGGCGGTC GAGTACATCC GCGCGCTGCA GCAGCTGCTG 960
45 GACGAGCATG ACGCGGTGAG CGCCGCCTTC CAGGCAGCGG TCTGTGCGC CACCATCTCC 1020
CCCAACTACT CCAACGACTT GAATCCATG GCGGCTCGC CGGTCTCATC TCACTCGTCTG 1080
GACGAGGGCT CTTACGACCC GCTCAGCCCC GAGSAGCAGG AGCTTCTCGA CTCACCAAC 1140
TGTTCTGAG GGGCTCGGCC TGGTCAGGCC CTGGTGCAG TGGACTTGG AAGCAGGGTG 1200
50 ATGCACAAC CTGCATCTTT AGTGCTTTCT TGTCAGTGGC GTTGGGAGG GGAGAAAAGG 1260
AAAAAAGAAA AAAAGAAAAG GAAGAAGAAA AGAGAAGAAG AAAAAAACA AAACAGTCAA 1320
CCAACCCAT CGCCAACTAA GCGAGGCATG CCGGAGAGAC ATGGCTTCA GAAAACGGGA 1380
AGCGCTCAGA ACAGTATCTT TGCACTCAA TCATTACCG AGATATGAAG AGCAACTGGG 1440
ACCTGAGTCA ATGGCAAAA GTGCAAAAAG AGTGGGCTCC TGGCAGAAAG 1500
GAGCAGCACA CGCGTTATAG TAACCTCCAT CACCTCTAAC ACGCACAGCT GAAAGTTCTT 1560
55 GCTCGGGTCC CTTCCACTCC CCGCCCTTTC TTAGAGTGCA GTTCTTAGCC CTCTAGAAAC 1620
GAGTTGGTGT CTTTC

Seq ID NO: 198 Protein sequence:
Protein Accession #: NP_004307

60 1 11 21 31 41 51
MESSAKMESG GAGQQPQPQP QQFPLPFAAC FFATAAAAAA AAAAAAQA QQQQQQQQQ 60
QQQQAPQLRP AADGQPSGGG HKSAPKQVQR QRSSPELMR CKRRLNFSGF GYSLPQQQPA 120
AVARRNERER NRVKLVNLF ATLREHVPNG AANKMMSKVE TLRSAVEYIR ALQQLLDEHD 180
AVSAAFQAGV LSPTTSPNYS NDLNSMAGSP VSSYSSDEGS YDPLSPPEQE LLDFTNWF

Seq ID NO: 199 DNA sequence
Nucleic Acid Accession #: NM_007015
Coding sequence: 1-1005

75 1 11 21 31 41 51
ATGACAGAGA ACTCCGACAA AGTTCCTTCC GCGCTGGTGG GACCTGATGA CGTGAATTC 60
TGACGCCCC CGCGTACGC TACGCTGACG GTGAAGCCCT CCAGCCCCG CCGGCTGCTC 120
AAGGTGGGAG CCGTGGTCTT CATTTCCGGA GCTGTGCTGC TGCTCTTGG GGCATCGGG 180
GCCTTCTACT TCTGGAAGGG GAGCGACAGT CACATTTACA ATGTCCATTA CACCATGAGT 240
80 ATCAATGGGA AACTACAAGA TGGGTCAATG GAAATAGACG CTGGGAACAA CTGGAGACC 300
TTTAAATGG GAAGTGGAGC TGAAGAAGCA ATTGCAGTTA ATGATTTCCA GAATGGCATC 360
ACAGGAATTC GTTTGCTGG AGGAGAGAAG TGCTACATTA AAGCGCAAGT GAAGGCTCGT 420
ATTCTGAGG TGGCGCCGT GACCAAACAG AGCATCTCCT CCAAAGTGA AGGCAAGATC 480
ATGCCAGTCA AATATGAAGA AAATTTCTTT ATCTGGGTGG CTGTAGATCA GCCTGTGAAG 540
GACACAGCT TCTTGAGTTC TAAGGTGTTA GAACTCTGCG GTGACCTTCT TATTTCTGG 600
85 CTAAACCAA CCTATCCAAA AGAATCCAG AGGGAAGAAA GAGAAGTGGT AAGAAAAT 660
GTTCCAACTA CCACAAAAG ACCACACAGT GGACCACGGA GCAACCCAGG CGCTGGAAGA 720
CTGAATAATG AAACCAAGCC CAGTGTCAA GAGGACTCAC AAGCCTTCAA TCCTGATAAT 780

CCTTATCATC AGCAGGAAGG GGAAGCATG ACATTOGACC CTAGACTGGA TCACGAAGGA 840
 ATCTGTTGTA TAGAATGTAG GGGGAGCTAC ACCCACTGCC AGAAGATCTG TGAACCCCTG 900
 GGGGGCTATT ACCCATGGCC TTATAATTAT CAAGGCTGCC GTTCGGCCTG CAGAGTCATC 960
 5 ATGCCATGTA GCTGGTGGGT GGCCCGTATC TTGGGCATGG TGTGAAATCA CTTCATATAT 1020
 CACGTGCTGT AAAATAAGAA CTAGCTGAAG AGACAACCAA AGAAGCATTA AGGCAGGTTG 1080
 ATGCTGATGG GACCATAAAA TATTTTACA CGCAGCCTGA GCGGTTATTC TTGACACTCT 1140
 TAACAGAATT TTTTAAATCG TTTTCCAGAA CTTTAGTATA TGCAATGCA CTGAAAGGGT 1200
 AGTTCAAGTC TAAAATGCCA TAACCCCGTT ATTTGTTATT TTTTATTGTC ATTGATTTGC 1260
 10 CATAAGTCTT CCCTTGCTTG CATCTCCAA AGCTATTTG AAATAAACAC GAAAATTTAC 1320
 AGTTTGCC

Seq ID NO: 200 Protein sequence:
 Protein Accession #: NP_008946

1 11 21 31 41 51
 MTENSDKVI ALVGPDDVEF CSPPAYATLT VKPSSPARLL KVGAVVLISS AVLLLFGAIG 60
 AFYFWKGS DS HIYNVHYTMS INGKLQDGS EIDAGNNLET FKMGS GAE EA IAVNDFQNGI 120
 20 TGIRFAGGEK CYIKAQVKAR IPEVGA VTKQ S ISSKLEBKI MPVKYEENSL IWVAVDQPVK 180
 DNSFLSSKVL ELCGDLPIFW LKPTYPKBIQ RERREVRKI VPITTKRPHS GERSNP GAGR 240
 LNNETRPVQ EDSQAFNPDN PYHQEGESM TFDPRLDHEG ICCIECRRSY THCQKICEPL 300
 GGYYPWPYNY QGCRSACRVI MPCSWVARI LGMV

Seq ID NO: 201 DNA sequence
 Nucleic Acid Accession #: NM_000728.2
 Coding sequence: 112..495

1 11 21 31 41 51
 GTAATAAGAG CGGGGTCTCC GCGGGGAAGG CGCCACAGC AGGTGTGGTG TTCATCCCGG 60
 GTCGACCCGG CGCTCGCGCT GCCTGAAAC TCTAGTCGCC AGAGAGGCGG CATGGGTTTC 120
 CGGAAGTTCT CCCCTTCTT GGCTCTCAGT ATCTTGGTCC TGTACCAGGC GGGCAGCCTC 180
 35 CAGCGCGCGC CATT CAGGTC TGCCTGGAG AGCAGCCAG ACCCGCCAC ACTCAGTAAA 240
 GAGGACGCGC GCCTCCTGCT GGCTGCAGT GTGCAGGACT ATGTGCAGAT GAAGGCCAGT 300
 GAGCTGAAGC AGGAGCAGGA GACACAGGC TCCAGCTCCG CTGCCAGAA GAGAGCCTGC 360
 AACACTGCCA CCTGTGTGAC TCATCGGCTG GCAGGCTTGC TGAGCAGATC AGGGGGCATG 420
 GTGAAGAGCA ACTTCGTGCC CACCAATGTG GGTCCAAAG CCTTGGCAG GCGCCG CAGG 480
 GACCTTCAAG CCTGAGCAGA TGAATGACT CAGGAAGAAG GTGTGCTCTA AATCCAATGA 540
 40 CATATCCTTA TAAGAGATTC ACTCAGAAGA CACATGTGGA GAAGGTGACA TGACAGAGGC 600
 AAGGAGGCAC AAGCCAAGGA AGTCTGTGTC TACCAGAAGC CAGAATCACA GAACAGTCTC 660
 TGAAGAAGA GCAGCCCTGC TGACACCTAG AGTTTGGACT TCCAGCTTCC AGAAGTGTGA 720
 GAGAATAATT TCTGTGTTT TAAGCCACRA AGTTTGTGGT AATTGTGTTAT GACAGCCCTA 780
 45 GGAACATAA ACAATACATT TTCATTTATT TTGGTAAAT GCCTTGGAGT GGGATTGCTG 840
 GGTATTATTG AAGTGTGTA TTTAACTCTG TAAGAACTG CCAACTATT TTCTGAAGTG 900
 ACTGTACCAC TTCGCCCTCT TGCCAGCCAC ATATGAGAGC TCTAGTATT CCACAAATAG 960
 GTATGTAGCA GTATCTCATT GCTGTTTAA TTTGTATTTC CCCAATGACT AATGACGTTG 1020
 AGCATCTATT TTACCATATG TTTATCACCT TTATTGAAGG GTCGTGTTAA ATCTCTGCT 1080
 50 AAATTTTGT TGGCTTGCT GCTTTATTAG TGTGAGTTT TTAGAGCTCT TTATATGTTG 1140
 TGGATGCAAG ATGTGTTTCA GATATAGT TTGAAACTT CCTTCCCCTG AATCTGCGGA 1200
 TTGCTTTTC ATTTTCTTAG CAGTGTCTCT CACAGAGAAA AAGTTGTAAT TTGAATAAGA 1260
 TCCAATTCAT CTTTTTTTTT CTTTTATGTA TTGTGCTTTT AGTTCAATGC TAAGAACTCT 1320
 TTGCTTAACT AAGTCCCAA GGTACAATA ACCTTATTCT ATACTTTCTT GTAAAAGTTT 1380
 55 TATAGTTTA TATTTATAT GTAGATTAGT GATCTATTT GAGTTAATTT TTGATAAAG 1440
 TGAGAGGTT AGGTTGAAAT TCATACCTGT GAATATAGAT ACCCAATGT TTCAAGTCCA 1500
 TTTGTTAAA AGACTGTTAT TTCACCATTT AATTGCCCTT GCACCTTGT CAAAAGCAA 1560
 CTGATCATAT TTGTGTGGT ATATTCTG GTTCTCAAT CTGTCTCATT GATTGATTG 1620
 60 ACCATTCTT TGCCAAATGC ATACTGCCTT GATTAGTGA GTGTAAAGT GAATCTCAA 1680
 ACCAGATAAT GTGGCTTAC CAACATTGTT CATTCTGTT CAAAAGATT TTAGCTACAT 1740
 CTAATAATATT TTCTACATCT TTTATACATT TTAGAATCAG TGTGTTACTA TCTACAAAAT 1800
 TTCGATGAG ATTTTAAATG GGATGTGTT AAATCAGTGG GTTAATTTG GGAGAATTAG 1860
 CATATTAATA ATATTAAGTC GTTCAATTCA TGAACACAAT ACATGTTTTC ACTTATTAG 1920
 65 GTTTCTCTG TTTTTTTTT TTTAACAGTG TTCTCAGTT TCAACAGAAA TATTCTACAC 1980
 ATATCTGTT AGATTTTAA CTAATTTATT TTTTGGTGT AATGTAATG GTACTTAAAC 2040
 ATTTTGTGTT TTAATGTTT ATTGCTAGTA GATAGAAATA CAATATTTAA AATATTAGGA 2100
 AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA

Seq ID NO: 202 Protein sequence:
 Protein Accession #: NP_000719.1

1 11 21 31 41 51
 MGFRKFSFPL ALSILVLYQA GSLQAAPFRS ALESSPDPAT LSKEDARLLL AALVQDYVQM 60
 75 KASELKQEQE TQSSSAAQK RACNTATCVT HRLAGLLSRS GGMVKS NFVP TNVGSKAFGR 120
 RRRDLQA

Seq ID NO: 203 DNA sequence
 Nucleic Acid Accession #: NM_001741
 Coding sequence: 71..496

1 11 21 31 41 51
 CTCTGGCTGG ACGCCGCGCG CGCCGCTGCC ACCGCCTCTG ATCCAAGCCA CCTCCCGCCA 60
 GAGAGGTGTC ATGGGCTTCC AAAAGTCTC CCCCTCCTG GCTCTCAGCA TCTTGGTCTC 120
 85 GTTG CAGGCA GGCAGCCTCC ATGCAGCACC ATTCAGTCT GCCTGGAGA GCAGCCAGC 180
 AGACCCGCCC ACCTCAGTG AGGACGAAG CCGCTCCTG CTGGCTGCAC TGGTGCAGGA 240
 CTATGTGCAG ATGAAGGCCA GTGAGCTGGA GCAGGAGCAA GAGAGAGAGG GCTCCAGCCT 300

GGACAGCCCC AGACTAAGC GGTGCGGTAA TCTGAGTACT TGCATGCTGG GCACATACAC 360
 GCAGGACTTC AACAAAGTTT ACACGTTCCC CCAAAGTCCA ATTGGGGTTG GAGCAGCTGG 420
 AAAGAAAAGG GATATGTCCA GCGACTTGGG GAGAGACCAT CGCCCTCATG TTAGCATGCC 480
 CCAGAAATGCC AACTAAACTC CTCCTTTCC TTCTTAATTT CCCTTCTTGG ATCCTTCCTA 540
 TAACTTGATG CATGTGGTTT GGTTCCTCTC TGGTGGCTCT TTGGGCTGGT ATTGGTGGCT 600
 TTCTTGTGGG CAGAGGATGT CTCAAACTTC AGATGGGAGG AAAGAGAGCA GGACTCACAG 660
 GTTGAAGAGG AATCACCTGG GAAAAATACCA GAAAAATGAGG GCGCTTTGA GTCCCCCAGA 720
 GATGTCATCA GAGCTCTCTC GTCTGCTTC TGAATGTGCT GATCATTGA GGAATAAAAT 780
 TATTTTTCCC C

Seq ID NO: 204 Protein sequence:
 Protein Accession #: NP_001732

1 11 21 31 41 51
 | | | | |
 MGFKQKSPFL ALSILVLLQA RSLHAAPFRS ALESSPADPA TLSEDEARLL LAALVQDYVQ 60
 MKASELEQEQ EREGSSLDSP RSKRCGNLST CMLGTYTQDF NKFHTPPQTA IGVGAPGKKR 120
 DMSSDLERDH RPHVSM PQNA N

Seq ID NO: 205 DNA sequence
 Nucleic Acid Accession #: NM_005361
 Coding sequence: 1-945

1 11 21 31 41 51
 | | | | |
 ATGCCCTCTG AGCAGAGGAG TCAGCACTGC AAGCCTGAAG AAGGCCTTGA GGCCCGAGGA 60
 GAGGCCCTGG GCCTGGTGGG TGCGCAGGCT CCTGCTACTG AGGAGCAGCA GACCGCTTCT 120
 TCCTCTTCTA CTCTAGTGGG AGTTACCCTG GGGGAGGTGC CTGCTGCCGA CTCACCGAGT 180
 CCTCCCCACA GTCCTCAGGG AGCCTCCAGC TTCTCGACTA CCATCAACTA CACTCTTTGG 240
 AGACAATCCG ATGAGGGCTC CAGCAACCAA GAAGAGGAGG GGCCAAGAAT GTTCCCAGAC 300
 CTGGAGTCCG AGTTCCAAGC AGCAATCAGT AGGAAGATGG TTGAGTGGT TCATTTTCTG 360
 CTCCTCAAGT ATCGAGCCAG GGAGCCGGTC ACAAAGGCAG AAATGCTGGA GAGTGTCCCTC 420
 AGAAATGTCG AGGACTTCTT TCCCGTGATC TTCAGCAAAG CCTCCGAGTA CTGTCAGCTG 480
 GTCTTTGGCA TCGAGGTGGT GGAAGTGGTC CCCATCAGCC ACTTGACATC CCTTGTCCAC 540
 TGCTTGGGCC TCTCTACGA TGGCTGCTG GCGGACAATC AGGTGATGCC CAAGACAGGC 600
 CTCTGTATAA TCGTCTGGC CATAATCGCA ATAGAGGGCG ACTGTGCCCC TGAGGAGAAA 660
 ATCTGGGAGG AGCTGATGAT GTTGGAGGTG TTTGAGGGGA GGGAGGACAG TGTCTTCGCA 720
 CATCCAGGAG AGCTGCTCAT GCAAGATCTG GTGCAGGAAA ACTACCTGGA GTACCGGCAG 780
 GTGCCCGGCA GTGATCTCTG ATGCTACGAG TTCCTGTGGG GTCCAAGGGC CCTCATTGAA 840
 ACCAGCTATG TGAAGTCTCT GCACCATACA CTAAGATCG GTGGAGAACC TCACATTTCC 900
 TACCCACCCC TGCATGAACG GGCTTTGAGA GAGGGAGAAG AGTGA

Seq ID NO: 206 Protein sequence:
 Protein Accession #: NP_005352

1 11 21 31 41 51
 | | | | |
 MPLEQRSQHC KPEEGLEARG EALGLVGAQA PATEEQQTAS SSSTLVEVTL GEVPAADSPS 60
 PPHSPQGASS PSTTINYTLW RQSDGSSNQ EEEGPRMFPD LESEFQAAIS RKMVELVHFL 120
 LKRYRAREFV TKAEMLESVL RNCQDFPVI FSKASEYLQL VFGLEVVEVV PISHLYILVT 180
 CLGLSYDGLL GDNQVMPKGT LLIIVLAIIA IEGDCAPEEK IWBEELSMLEV FEGRSDSVFA 240
 HPRKLLMQDL VQENYLEYRQ VPGSDPACYE FLWGPRLALIE TSYVKVLHHT LKIGGEPHIS 300
 YPFLHERALR EGEE

Seq ID NO: 207 DNA sequence
 Nucleic Acid Accession #: NM_021115
 Coding sequence: 743-2893

1 11 21 31 41 51
 | | | | |
 AAAGGAAGGG AGGGAGGGAG AAAGGAGAAG TTGGTTTAGA GGCCAGCCGG ACAGCTTTG 60
 GGCACCGCCC TTAGGAGGGC CACCCTCAGA GTCTGACAGC AGGTGAAGGT CCTAAATCTC 120
 CCCAAACTAA CTGGTGTCTT TTCTCTCTTT CCAAGATGCT CTTCCTCGAG GAGATGCTAG 180
 CCCTTTGGGT CCTTACCTCC TGCCCTCAGG AGCCCGGAG AGAGGCAGTC CTGGCAAAGA 240
 GCACCCGTAA GAGAGAGTGG TAACAGCGCC CCCAGTTCC TCACAGTCGG CGGAAGTGCT 300
 GGGCGAGCTG GTGCTGGATG GGACCGCACC CTCTGCACAT CACGACATCC CAGCCCTGTC 360
 ACCGCTGCTT CCAGAGGAGG CCGGCCCAA GCACGCCTTG CCCCCAAGA AGAAACTGCC 420
 TTGCTCAAG CAGGTGAACT CTGCCAGGAA GCAGCTGAGG CCCAAGGCCA CCTCCGCGAGC 480
 CACTGTCCAA AGGGCAGGGT CCCAGCCAGC GTCCCAGGGC CTAGATCTCC TCTCCTCCTC 540
 CACGGAGAAG CCTGGCCACC CGGGGGACCC GGACCCATC GTGGCCTCCG AGGAGGCATC 600
 AGAAGTGCCC CTTTGGCTGG ACCGAAAGGA GAGTGCCTGC CCTACAACAC CCGCACCCCT 660
 GCAAAATCTCC CCCTTCACTT GCGAGCCCTA TGTGGCCAC ACACCTCCCC AGAGGCCAGA 720
 ACCCGGGGAG CCTGGGCTGT ACATGGCCCA GGAGGCCCCC CAGGAGGACA CCAGCCCAT 780
 GGCCCTGATG GACAAAGGTA AGAATGAGCT GACTGGTCA GCCTCAGAGG AGAGCCAGGA 840
 GACCACTACC TCCACCATTA TCACCACCAC GGTGATCACC ACCGAGCAGG CACCAGCTCT 900
 GTGAGTGTG AGCTTCTCCA ATCTGAGGG GTACATTGAC TCCAGCGACT ACCCACTGCT 960
 GCCCTCAAC ACCTTCTGG AGTGCACATA CAACGTGACA GTCTACTGCT GCTATGGGGT 1020
 GGAGCTCCAG GTGAAGAGTG TGAACCTGTC CGATGGGGAA CTGCTCTCCA TCCGCGGGGT 1080
 GGACGCGCCT ACCCTGACCG TCTTGCCCAA CCAGACATCT CTGGTGGAGG GGCAGGTAAT 1140
 CGGAAGCCCC ACCAACAACA TCTCCGCTTA CTTCGGACC TTCCAGGACC ACGGCTTTGG 1200
 GACCTTCCAG CTCTACTACC AGGCCTTCAT GCTGAGCTGC AACTTTCCCC GCGGCTTGA 1260
 CTCTGGGGAT GTCACGGTGA TGGACCTGCA CTCAGGTGGG GTGGCCCAT TTCACTGCCA 1320
 CCTGGGCTAT GAGCTCCAGG GCGCTAAGAT GCTGACATGC ATCAATGCCT CCAAGCCGCA 1380
 CTGGAGCAGC CAGGAGCCCA TCTGCTCAGC TCCTTGTGGA GGGGAGTGC ACAATGCCAC 1440
 CATCGGCGC GTCTCTCCC CAAGTTACCC TGAANAACCA AATGGGAGCC AATTCTGCAT 1500
 CTGGACGATT GAAGCTCCAG AGGGCCAGAA GCTGCACCTG CACTTTGAGA GGCTGTGCT 1560

GCATGACAAG GACAGGATGA CGGTTCCACAG CGGGCAGACC AACCAAGTCAG CTCTTCTCTA 1620
 CGACTCCCTT CAAACCGAGA GTGTCCCTTT TGAGGGCCTG CTGAGCGAAG GCAACACCAT 1680
 CCGCATCGAG TTCACGTCGG ACCAGGCCCG GCGGGCCTCC ACCTTCAACA TCCGATTGA 1740
 AGCGTTTGG AAAGGCCACT GCTATGAGCC CTACATCCAG AATGGGAAT TCACTACATC 1800
 CGACCCGACC TATAACATTG GGAATATAGT GGAGTTCACC TGCAGCCCG GCCACTCCCT 1860
 GGAGCAGGGC CCGGCCATCA TCGAATGCAT CAATGTGGGG GACCCTACT GGAATGACAC 1920
 AGAGCCCTG TGCAGAGCCA TGTGTGGTGG GGAGCTCTCT GCTGTGGCTG GGTGTGTAAT 1980
 GTCCCAAAAC TGGCCCGAGC CCTACCTGGA AGGTGAAGAT TGTATCTGGA AGATCCACGT 2040
 GGGAGAAGAG AACCGGATCT TCTTAGATAT CCACTTCCCTG AATCTGAGCA ACAGTGACAT 2100
 CTTGACCATC TACGATGGCG ACGAGGTCAT GCCCCACATC TTGGGGCAGT ACCTTGGGAA 2160
 CAGTGGCCCC CAGAAACTGT ACTCCTCCAC GCCAGACTTA ACCATCCAGT TCCATTCCGA 2220
 CCCTGTCTGGC CTCATCTTTG GAAAGGGCCA GGGATTATC ATGAACTACA TAGAGGTATC 2280
 AAGGAATGAC TCCTGCTCGG ATTTACCCGA GATCCAGAAT GGCTGGAAA CCACTTCTCA 2340
 CAGGAGTTG GTGCGGGGAG CCAGAATCAC CTACCACTGT GACCCCGGCT ATGACATCGT 2400
 GGGGAGTGAC ACCCTCACCT GCCAGTGGGA CCTCAGCTGG AGCAGCGCAC CCCCATTTCG 2460
 TGAGAAAATT ATGTAAGTCA CCGACCCCGG AGAGGTGGAT CACTCGACCC GCTTAATTTT 2520
 GGATCCTGTG CTGCTGGTGG GGACCACCAT CCAATACACC TGCAACCCCG GTTTTGTGCT 2580
 TGAAGGAGT TCTCTTCTGA CCTGCTACAG CCGTGAACA GGGACTCCCA TCTGGACGTC 2640
 TCGCTGCC CACTGCGTTC CAGAAGCGGC AGCAGAGACG TCGTGGGAG GGGGGAACAT 2700
 GGCCTGGCT ATCTTACATC CGGTCTCAT CATCTCTTA CTGCTGGAG GAGCCTACAT 2760
 TTACATACA AGATTCGCT ACTATTCCAA CCTCGCCTG CCTCTGATGT ACTCCACCC 2820
 CTACAGCCAG ATCACCGTGG AAACCGAGTT TGACAACCC ATTTACGAGA CAGGGGGAAC 2880
 CCAAAAGGTT TAGGGTTTCA TTTAAAAGA GGTACCCTTT AAAAAGGGG TTGTGAATC 2940
 AACCCCAATT TCCCGAGAC ATTTATCCAA AGGCCCTGGG GGCCTTGATT TAAACCCCA 3000
 AAAGCGGCT GTTTTTTGGT TAAACTTTT AACAAAGGT TACGGTTTT TTCCCGGAT 3060
 TTTATAAAT TAAAAGTG

Seq ID NO: 208 Protein sequence:
 Protein Accession #: NP_066938

1 11 21 31 41 51
 MAQEAPQEDT SPMALMDKGE NELTGSASEE SQETTTSTII TTTVITTEQA PALCSVSFSN 60
 PEGYIDSSDY PLLPLNLFLE CTYNVTVYTG YGVELQVKS V NLSDGELLSI RGVDPGLTV 120
 LANQTLLEVG QVIRSPNTI SVYFRTFQDD GLGTQLHYQ AFMLSCNFPR RPDSDVTVM 180
 DLHSGGVAHF HCHLGYELQG AKMLTCINAS KPHWSSQEP I CSAPCGGAVH NATIGRVLSP 240
 SYPENTNGSQ FCIWTIEAPE GQKLHLHFER LLLHDKDRMT VHSQTNKSA LLYDSLQTES 300
 VPPEGLLSBG NTRIEFTSD QARAASTFNI RFEAFKGGHC YEPYIQNGNF TTSDPYINIG 360
 TIVEFTCDPG HSLEQGPAIL ECINVRDPYV NDTEPLCRAM CGGELSAVAG VVLSPNWPEP 420
 YVEGEDCINK IHVGEKRF LDIQFLNLSN SDILTIYDGD EVMPHILGQY LGNSGPQKLY 480
 SSTPDLTIQF HSDPAGLIFG KQGQFIMNYI EVSRNDSCSD LPEIQNGWKT TSHTELVRGA 540
 RITYQCDPGY DIVGSDTLTC QWDLWSDDP PFCEKIMYCT DPGEVDHSTR LISDPVLLVG 600
 TTIQYTCNPG FVLEGGSSLLT CYSRETGTPI WTSRLPHCVS EAAAETSLEG GNMALAIPIP 660
 VLIISLLEGG AYIYITRCRY YSNLRLPLMY SHPYSQITVE TEFDNPIYET GGTQKV

Seq ID NO: 209 DNA sequence
 Nucleic Acid Accession #: NM_001327.1
 Coding sequence: 89-631

1 11 21 31 41 51
 AGCAGGGGGC GCTGTGTGTA CCGAGAATAC GAGAATACCT CGTGGGCCCT GACCTTCTCT 60
 CTGAGAGCCG GGCAGAGGCT CCGGAGCCAT GCAGGCCGAA GGCCGGGGCA CAGGGGGTTC 120
 GACGGGCGAT GCTGATGGCC CAGGAGGCC TGGCATTCTT GATGGCCAG GGGCAATGC 180
 TGGCGGCCA GGAGAGGCGG GTGCCACGGG CGGAGAGGT CCCCGGGCG CAGGGGCAGC 240
 AAGGGCCTCG GGGCCGGGAG GAGGCGCCCC GCGGGTCCG CATGGCGGCG CGGCTCAGS 300
 GCTGAATGGA TGCTGCAGAT GCGGGCCAG GGGCCGGAG AGCCGCTGC TTGAGTTCTA 360
 CCTCGCCATG CCTTTCGCGA CACCCATGGA AGCAGAGCTG GCCCGCAGGA GCCTGGCCCA 420
 GGATGCCCCA CCGCTTCCCG TGCCAGGGGT GCTTCTGAAG GAGTTCAGT TGTCGGCCAA 480
 CATACTGACT ATCCGACTGA CTGCTGCAGA CCACCGCCAA CTGCAGCTCT CCATCAGCTC 540
 CTGCTCCAG CAGCTTCCCG TGTTGATGTG GATCACGCGAG TGCTTCTGCG CCGTGTTTT 600
 GGCTCAGCCT CCTCAGGGC AGAGGCGCTA AGCCAGCCT GGCGCCCTT CCTAGTTCAT 660
 GCCTCCTCCC CTAGGGAATG GTCCAGCAC GAGTGGCCAG TTCATTGTGG GGCCTGATT 720
 GTTGTGCGCT GGAGAGGAGC GGCTTACATG TTGTTTCTG TAGAAAATAA AACTGAGCTA

Seq ID NO: 210 Protein sequence:
 Protein Accession #: NP_001318.1

1 11 21 31 41 51
 MQAEGRGTTG STGDADGPGG PGIPDGPGGN AGGPGEAGAT GGRGPRGAGA ARASGPGGGA 60
 PRGFHGGAAS GLNGCCRCGA RGPESRLLFP YLAMPFATPM EAELARRSLA QDAPPLVPVG 120
 VLLKEFTVSG NILTIRLTA A DHRQLQLSIS SCLQQLSLLM WITQCFLPVF LAQPPSQRR

Seq ID NO: 211 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 52-459

1 11 21 31 41 51
 CCTCGTGGGC CTGACCTTC TCTCTGAGAG CCGGGCAGAG GCTCCGGAGC CATGCAGGCC 60
 GAAGGCCAGG GCACAGGGGG TTCGACGGGC GATGCTGATG GCCCAGGAGG CCCTGGCATT 120
 CCTGATGGCC CAGGGGGCAA TGCTGGCGGC CCAGGAGAGG CGGGTGCCAC GGGCGGAGA 180
 GGTCCCGGG GCGCAGGGGC AGCAAGGGCC TCGGGGCCGA GAGGAGGCGC CCGCGGGGT 240
 CCGCATGGCG GTGCCGCTTC TGCGCAGGAT GGAAGGTGCC CCTGCGGGGC CAGGAGGCC 300

GACAGCGGCC	TGCTTCAGTT	CGACTGACT	GCTGCAGACC	ACCGCCAAC	GCAGCTCTCC	360
ATCAGCTCCT	GTCTCCAGCA	GCTTCCCTG	TTGATGTGA	TCACGCAGTG	CTTCTGCCC	420
GTGTTTTTGG	CTCAGGCTCC	CTCAGGGCAG	AGGCCTAAG	CCCAGCCTGG	CGCCCCCTCC	480
TAGGTATGTC	CTCCTCCCTC	AGGGAATGGT	CCCAGCACGA	GTGGCCAGTT	CATTGTGGGG	540
GCCTGATTGT	TTGTCGCTGG	AGGAGGACGG	CTTACATGTT	TGTTTCTGTA	GAAATAAAG	600
CTGAGCTA						

Seq ID NO: 212 Protein sequence:
 Protein Accession #: Eos sequence

1	11	21	31	41	51	
MQAEGQGTGG	STGDADGPPG	PGIPDGPGEN	AGGPGEAGAT	GGRGPRGAGA	ARASGPRGGA	60
PRGPHGGAAS	AQDGRCPCEA	RRPDSRLLOF	RLTAADHRQL	QLSISLCLQQ	LSLLMWITQC	120
FLPVFLAQAP	SQQR					

Seq ID NO: 213 DNA sequence
 Nucleic Acid Accession #: NM_000555
 Coding sequence: 416..1498

1	11	21	31	41	51	
CTTATTTTTT	ATGAATGTCG	GATAGCTGCA	CCAGCTTGGT	GGGGAAAGGG	TTTGATGAAT	60
AGCACAAAGA	CACCTGGCTGT	TCCCTGGAGG	CTGTCCCTTT	AAAGGAGAAT	CTTAGTTTAT	120
TCTGGGGGGA	GGGGATGCAC	ACATTAGAGT	AGGAAAGAGG	GCTTGAATA	AAATGAAAAC	180
ACTCCCCCTT	CATAGTCATT	GTACTGAAAT	GCAAAGACTG	CTTCTAAGC	TGGAGATGCT	240
AACTTGGGT	AGCTCCTTCT	GTTCTCTCA	AGGGGAATTT	TGTCAGGCTA	TGGATTCATT	300
TACAACGTGT	AGTCATGTGG	GCATGTGTGA	GGAAAAGAT	GCCAGTTTAA	ATGATTTTAG	360
CCCGAAGTTC	CAATTTGATA	GGAGCCACTG	TCAGTCTCTG	AGGTTCCACC	AAAATATGGA	420
ACTTGATTTT	GGACACTTTG	ACGAAAAGAGA	TAAGACATCC	AGGAACATGC	GAGGCTCCCG	480
GATGAATGGG	TTGCCTAGCC	CCACTCACAG	CGCCCACTGT	AGCTTCTACC	GAACCCAGAAC	540
CTTGCAGGCA	CTGAGTAATG	AGAAGAAAGC	CAAGAAGSTA	CGTTTCTACC	GCAATGGGGA	600
CCGCTACTTC	AAGGGGATTG	TGTACGCTGT	GTCTCTGAC	CGTTTTCGCA	GCTTTGACGC	660
CTTGCTGGCT	AGCCTGACGC	GATCTCTGTC	TGACAACATC	AACCTGCCTC	AGGAGTGGG	720
TTACATTTAC	ACCATTGATG	GATCCAGGAA	GATCCGGAAGC	ATGGATGAAC	TGGAGGAAGG	780
GGAAAGCTAT	GTCTGTTTCT	CAGACAACCT	CTTTAAAAAG	GTGGAGTACA	CCAAGAATGT	840
CAATCCCAAC	TGGTCTGTCA	ACGTAATAAC	ATCTGCCAAT	ATGAAAGCCC	CCCAGTCTCT	900
GGCTAGGCA	AACAGTGCAC	AGGCCAGGGA	GAACAAGGAC	TTTGTGCGCC	CCAGCTGGT	960
TACCATCATC	CGCAGTGGGG	TGAAGCCTCG	GAAGGCTGTG	CGTGTGCTTC	TGAACAAGAA	1020
GACAGCCAC	TCTTTTGAGC	AAGTCTCTAC	TGATATCACA	GAAGCCATCA	AACTGGAGAC	1080
CGGGTTGTG	AAAAAATCT	ACACTCTGGA	TGAAAAACAG	GTAACCTGTC	TCCATGATT	1140
CTTTGGTGAT	GATGATGTGT	TTATTGCCTG	TGGTCTGAA	AAATTCGCT	ATGCTCAGGA	1200
TGATTTTCT	CTGGATGAAA	ATGAATGCCG	AGTCAATGAA	GGAAACCCAT	CAGCCACAGC	1260
TGGCCCAAAG	GACATCCCAA	CACCTCAGAA	GACTTCAGCC	AAGAGCCCTG	GTCTATGCG	1320
CCGAAGCAAG	TCTCCAGCTG	ACTCAGCAA	CGGAACCTCC	AGCAGCCAGC	TCTCTACCCC	1380
CAAGTCTAAG	CAGTCTCCCA	TCTCTACGCC	CACCAGTCTC	GGCAGCCTCC	GGAAAGCACA	1440
GGACCTGTAC	CTGCTCTGTG	CCTTGGATGA	CTCGGACTCG	CTTGGTGATT	CCATGTAAAG	1500
GAGGGGAGAG	TGCTCAGAGT	CCAGAGTACA	AAATCCAGCC	TATCATTGTA	GTAGGGTACT	1560
TCTGCTCAAG	TGTCCAACAG	GGCTATTGGT	GCTTCAAGT	TTTTATTTTG	TTGTTGTTGT	1620
TATTTTGAAA	AACACATGTT	AATATGTTGG	GTTTATTTTC	CTGTGATTTC	TCCTCTGGGC	1680
CACGTATCCA	CAGTTACCAA	TTATGAGAGA	TAGATTGATA	ACCATCCTTT	GGGGCAGCAT	1740
TCCAGGGATG	CAAAAATGTC	TAGTCCATGA	CCTTCAATG	GAAAGCTTAG	GGGCTGGGG	1800
TAAATTTGCC	CCGTTTAAAT	TTGCCCAAAC	AGTTTTCTCT	TTGTAGAGGG	GTGTTTAAAT	1860
ATACAGCAAT	TAAAAGTTT	GTGTGGGGAA	AAAAAAACT	CATTGGCAGA	TCCAAGAAATG	1920
ACAAACACAA	GTGCCCTTTT	TCTCTGGATC	TCAAGAATGG	TGGAGGACCC	TGGAAGGACA	1980
GCAAGGCAGC	TCCCCAGCCT	CACCTCTCAC	TCTGTATTGA	GGCCCGGTTT	TGTTGTCCAG	2040
CACCAATTCT	GGCTGTCAAT	GGGGAGAAAT	AAACCAACAA	CTTATAATTG	TGACACCAGA	2100
TGCTTAGGAT	CCTGTGCTGT	GGTTAGCTAA	GAGAAATAGAC	AGAATTTGAA	AAATCTGCAG	2160
ACATTTCCGA	AGAGTTTATA	AAGCACAGTG	AATTCCTGGT	CAATCTCTCC	ACTGAGGCAA	2220
TTTGAATCA	ATAAGCAATT	GATAATAGTT	TGGAGTAAGG	GACTTCATAT	ACCTGATTCC	2280
TCTAGAAGCG	GTCTAAACAT	ACCACATGAT	TACATGAACT	GTATGGTATC	CATCTATCTC	2340
TGTTCTATTG	AATGCCTTGT	TAACAGCCAA	CACGTAAAAC	ACTGTGAGAA	TTTGTTTTCA	2400
GGTCTGACAC	CTTTCAGTCT	CTTTTATAG	CAAGAAATCA	ATATCCTTTT	TATAAAAATT	2460
CATGTCTGTA	TTTCAGGAGC	AAACTCTTCA	GGCTCCTTTT	TTATAAAGTG	GTGATTTTTC	2520
TTTTGTCTAA	AAAAACATG	AAGAAAATTT	ACCAGAAAAA	AAAAAAAAG	CCGAAGAAAT	2580
ATGTTATTTA	GAAATTATGC	TGTCACCTGC	AAACAGTAAC	CTCCAGGAGA	AAACAAGATG	2640
AATAGCAGAG	GCCAATTCAA	TAGAATCAGT	TTTTTGATAG	CTTTTAAACA	GTTATGCTTG	2700
CATTAATAAT	TTCAATGTGG	ACCAGACATT	CTAATTATAT	TTTAAATGAA	ATGTTACAGC	2760
ATATTTTAAG	CAACTCTTTT	TATCTATAAT	CCTAATATTT	CATACTGAAG	ACACAGAAAT	2820
CTTTCACTTG	TCTTTAACAT	TAGAAAAGGAT	TTCTCTTTAC	TAAGGACTGA	TCATTTGAAA	2880
TAGTTTTCAG	TCTTTTGAGA	TACAGGTTTA	TAACACTGCT	TTTTTTTTC	TGTAACATA	2940
GCCATAAATG	GCAAAAACAA	CTAATTTTAA	TTGAAGGTCT	TGCTTGCCAN	TCCTGTGTTG	3000
GCTTTNACCA	AATATAAAAA	TTCCCTTATT	CCTTGGTAAT	GGTGCAATN	TTTGGAAAAG	3060
CACAGCATCC	AAACCAAGCT	GCTGTTTGGC	TACTGAATGG	CTTGCAAGTT	TTCTCCACT	3120
CTAAAATGAA	TGAGCTGCT	GTGTGTGTGT	GTGGTGGTGG	TGGGAGGGGG	TGGTGCATGT	3180
GTGTGTGTGT	GTGTGCATCT	GCAGCTGCTT	CAAAATTAAG	AAATACTACA	AGACACCCCT	3240
GTAATGGATT	GGTGCAACT	GGGTGGCACT	GCTGATGTGC	ACTGTGTAGG	GGGAAACCCA	3300
GTGGTGGTGG	GGTATCTCAA	ATGCCCTTAG	ACAAGCTTCA	GATGTCTGTA	GCTACCAAAA	3360
ACATTTTCGG	TTCAAGAAA	GTGAGATGAT	GGTAGTACTG	GTTTCTGTGT	AAATTTGAAA	3420
ACCCCAAATG	ATGAGGATCT	CTTTTGGCCC	CCTCTCCTTT	TTTTGTAAAC	CCATTCAAAA	3480
CCATTAATAA	GCCAAATTTA	CTAANCCCTT	ATTTCTTTCT	AGAAGCTCAG	GGTTTNCCTA	3540
GTGCCTCCCA	NAACATTTTG	TAGTTAATTG	GGAAAAGTGT	ATACTTGGAT	TAGGGGGTGT	3600
GGGCATAAAG	AATGGTGGGA	GGCCTGATTT	TAAAATTCAG	GCCAGAACC	CCAATGACTC	3660
CACCCATAGT	NTCATTTAG	GTCTCATTTA	GTCCATCAC	TTTATTTTAA	GTTGAGGAAG	3720
TGGAGGCTGG	TAAAGAGCAG	GACCAGAGGA	AGAATCCAGA	TTCTCTATG	CTTGGGCTCT	3780
ACACTAGCTC	TNTGAGTATT	TCCTTGATTG	CGGTATATGT	ACTACTAGAA	AATACCAAT	3840
GGATATATTT	TCTTTAGGAT	AACCTTTGAA	CCAACAATNT	TCAATAACAA	TAGTACATCT	3900

	TCCATCTTAC	TTTTAATCGA	GTATAAGGAA	ATGTTTCTTT	ATGGCCATT	TGGAGGGAGC	3960
	AGGGGATGAG	GCTTGGCATA	GTCCAAAATT	TAAGNCTCCA	ATAATTAATT	GCATTTTAAA	4020
	TTGTTTTAAA	TTGGCCACT	TTCAAGGCAA	TTTTTTTTGT	GTGCTGTAA	CTGAGCTCCT	4080
5	CCACCCCTGT	CATTCACFT	CAATTTTACC	CAATCCAATT	TTAGCACTCA	AGTTCATTG	4140
	TGTTAATTTT	TGCACGGTCT	ACACACATCA	AGTCAGCAAG	CATTTGCCAC	CACTCCCTAT	4200
	ACTFTCTCCT	CTTTTTTACA	CACACACACA	CACACACACA	CACAAATCCAT	CTCTTGCTTG	4260
	TTCTTACCTC	CCTGATTTTT	CTTCCCTACA	GAATATAGAAA	TAGGGACAAA	GAAGGGGAAA	4320
	ATGTATATAT	TGGGCTGGG	CTGAACAAC	AACTTCATA	GTAGTATTAA	CTAGGGGTAA	4380
	ATTGAGAGAA	AAGCTCCTTT	TCTCTTCACT	GTTTTGGAAA	GGATAGCCAT	TAGCATGACT	4440
10	GCTTTGTGTG	CTTATGGACT	TTAGTATTAG	CCTAGATTGA	ATTATAGCGT	TTTTCTAGCT	4500
	GAAGGAACT	TAAGATCA	TCATCTACTC	CTCTACTCCA	AATTTCTCAT	CTTTCAGGCC	4560
	AGGAAACCGA	GACACAGAGG	TAAAGTAATT	TCCCAAGGT	CACACAGCTG	GCTGGGGCAG	4620
	GATTGGGTTT	ACAACCCACA	TCTCCTGGCT	CTTATCCAG	GGCCTTTTCC	CACTAAGTAG	4680
	TATTGCCTTC	CATTAGGCTC	CTGAGAGTTA	TTTCTCAGGG	TCATGTGCA	TCTTGGAGCC	4740
15	ACATGTGCT	GCCCTGATCT	CAGTGGGAAA	TNCACCCAGC	AACCTAATAC	AGCCCCTTT	4800
	CCCTGCATTC	ACTCGGTTCC	CATCCACATG	GGTTGCAGAT	GTCCCTGAAG	AGAGTGAGGC	4860
	ATTGAGGGCC	AATAGGAGCA	ATGGGGTCCC	TGGCCTTGT	CATCTGATTC	AGGAGATCAC	4920
	TGCTCCATCG	TGAGGAGCCC	TCTGAATAGC	CCCCCACTGA	ATGCTTGCCT	TGCCCAAATG	4980
	GAATGGAGGA	AGATTGATTT	TCTCCATCAG	TTCCACCTGT	GTCATCTCAT	AATGGTTGGT	5040
20	CTTTCAGG	TGAGGAAAT	GTTCCTGT	TCCANAGTAN	AAAAAAGAAA	GAGTGGAAACA	5100
	ATANCITTTG	TCTACTAAT	TTCTGAGAT	GGCTTTTCAA	CATTTAAAAA	AAACTAGTGT	5160
	GGTACCATT	ACTGGCANGA	TTTNTTTTAG	AATATGGGAG	TAAGATGAGG	TAGAGAAAAT	5220
	AACTGGTCT	CACGTGTGTT	GGCCTCATCC	ACAATGTCCC	CAAAGCCATC	CTGCTNTGAT	5280
	GAGGACAATT	TCCAGGTATA	AGCAAGGGCC	TTTGTGACAA	AAATGTACCC	TGGCTGATGT	5340
25	TAAACATTGG	CTCCTGTGTT	TGCACCAAAA	TAGCAAGCTG	TGTGCTCTAT	ACACTCTTCC	5400
	CATCGTCTG	TGTACACTGC	TCCTGTGGCC	TTCCACAGCA	GAAACCAGGG	CAAAGGGTCC	5460
	CAACACATG	TTTTCTCTG	CTGCAAGGCT	NTTCTGGGA	ACTAAGGGGG	TATTTATTAG	5520
	TTCAGTNTA	AGAGACCTCC	TTCTGGGCTT	ACCCCACTCC	TCAGGTACTT	CTCTCTCCTT	5580
	CCTCCTTCTC	TCCACAGCT	ACAAGTAACC	AAGGAACCTG	AAAGTGGAGT	TGTAGCTATT	5640
30	TGAAGAAGGC	AAGGAACTCT	GAGATTCTTC	TTTGAATCCT	TTAGTCCAAG	TCTTAGACCA	5700
	GTGATTGGTG	CTTACTTTGA	ACAAAATTTT	GTCTGTGTT	CTAATCCCTT	CAATACTNTG	5760
	GGTACAATGC	TCCCAATCAC	CTTGCACATT	TGATTCTAAA	TGGCTTTTAT	TTTTTAAAAA	5820
	TCCATATCCC	TAGACAAGA	NAACAGGATG	CCTATATCCC	CAAAATGAGC	TCCAGGACAC	5880
	TGATGGGAAT	GATCCCAANG	ATCACCCAC	CTCAGAAAAC	GTCTGTGCCA	ANAGACTTCC	5940
35	CCAGATAGAA	NCACCTGGGAC	AGTGGTTTGA	ACGACTTCTT	TTATGGTTGT	CCAGTTTGT	6000
	ATGAAATAA	AAGGCACTGA	TTTTTAAAAA	AAGATGATTG	GAACCTGTCT	TTGGCCACAT	6060
	AGGGCCACTT	GGATCCATTT	CCAGGCCCTA	CTCATATATT	GCCTTCACTG	AAGGGCTTTG	6120
	GCTTTAAGTC	CCAGACTGGT	CTCCCAAGTG	AACCATAAGT	GTTTGGGAGC	TCATCTGGGG	6180
	TGAGGCATGA	GAATGTGCCC	CCATCTATCC	CTTCAGGAAA	AGGTGCCCTC	CTCCTCTTTC	6240
40	TCCTAAAGCC	TGGTCCCAA	AAATGTTTTT	TGCTCCAAA	AGTCTAGTAT	GGCTTTTATA	6300
	CACCCANACT	CTTAGTGTG	CGTCTGCCT	TGTTCTCTG	TAAAGGATCT	ATGCANACCT	6360
	CCCGCTTGG	CTTAGTGTG	GTGACATTGG	CTATCATTG	ACAAGACTAA	CTTTTTTTTT	6420
	TTTTTTTTTT	ACTGAGTCTC	CCTCTGTCC	CTAGGCTGGA	GTGCAAGTGC	ACAATCTTGG	6480
	CTCGCTGCAA	CCTTCAACCT	TCACTCCCA	GGTGAAGGG	ATTCTCCTG	CTCAGTCTCC	6540
45	CGAGTAGCTG	GGATTACAGG	CGTGCGCCAC	CAAATCTGGC	TATTTTTTTA	TTATTATTAT	6600
	TTTTAGTAGA	GATGGGGTTT	CACCATGTTG	GCCAGACTGG	TCTTGAAGCT	TTGGCCTCAA	6660
	ATTATCTGCC	CACCTCGGCC	TCCCAAAGTG	CTGGGATTAC	AGGCATGAGC	ACCATGCCCA	6720
	GCTGACAAGA	CTAATTTTTT	ATCCCTTGGT	TTATTGGCTT	CAACATCTTC	TGGAATCAGA	6780
	GGTGATTTTT	TCTTACCTTG	GATGCCCTGAG	ACTAGGGGAG	TATAGAATTC	CAATTTGGTA	6840
50	TTAAGGCATC	TTCTGTCTCC	TGATCAGAA	GGCAGGTTAG	TTGGGAGAGG	TCAGATGGCA	6900
	CAACAGAAGT	CACCTTGTAA	GTAAGGCAAA	GACTTTGAA	GCATTAGCGT	TCTCATTTAC	6960
	TTAGGTCAAT	AACCTTGGAG	GAATCAATGG	CTTTTTTGGC	GCTCTACCTC	TTTGTGTATC	7020
	CTTTTGACTT	TTCTTCTCT	CTCTAGTTTC	CTCTGTTCTC	AGTTTATATT	CTATGTTATC	7080
	AGTCTCTCTT	TCCACAGTAC	AAACATCCAT	CCTTCTCCT	GTGCAATTCT	GTCTCTCCCT	7140
55	CTTATTATCT	TTAATTTGAC	TTTTTCCCTC	CTCCCTGTCT	AGGCATTGGG	CATGTGCCCTC	7200
	TTCTTAGCCT	GTGATTTTTG	CTTGGGACTG	ATGATAAATT	ATTTCAGAT	TCAAATCAGCC	7260
	CTGGTCTTAC	CCAGTCCAAA	TGCAAGATAT	GTGGTGGGG	AATCAACCTG	ATCCTGGCCC	7320
	TTTCTTCTC	TCCATTTTCA	TTCTGAATCC	CCCTCAGCAG	ATCTTTACAA	CGACTTTCCT	7380
	TATAGCTCAT	GTATCTTAG	GTCTTTGCC	TCCAAGCACT	GTACAGAATA	CTTTGGGTT	7440
60	CCTTTTTAGT	CTGACATTTT	GTGGAGCAGT	GAAGCGTGT	CAGAGACATA	ATCAGCTGAA	7500
	GAGAAAAAAT	CCACCCATGG	ATTTATATCA	GCTAAATACT	AATAATTGAT	TTTGTGTTAG	7560
	GTGCCCATAA	TTTTTAAAGC	TGCAATATAA	TATAATGAGG	GACCACAGGT	AATTTCTCCT	7620
	GTCAATTTGT	TGCTGTGAT	GGGGGTGGG	GAGTAATGTC	TTAAAGTTT	ACCATTACAC	7680
	ATTAACCTCT	CTTATAAAT	CTTGTTTGGG	GCTTGCTAAC	TGTTGAGCTG	TTTTAACTAA	7740
65	ACTGGTAGGC	AATCGGAGTT	GATTTAAATG	AAAAGATAAT	TTAACAAATC	TATACTATAA	7800
	AAAGAGACAT	TGCTTAAAT	GACATGTATT	TTTTCTTCT	GAGTCACTTA	AACATTTACT	7860
	CTTGACACCA	ACTGTTTCTG	ATACTGAATA	GACAGTCCAT	ATAAGAGAAA	TTAGTGGACC	7920
	TAAAGAAGCC	AGATTGTAGG	TGTTAATTTA	TAAACAGAAA	TGCAAGGCC	CTTGGAAATG	7980
	TCAGTCTTG	GCAATACCAT	ATGGCATGCC	AAAATTTACA	ATGACTTTTC	TTTATAAGTT	8040
70	ATCCAAAAGG	GATTTGAACA	AGTAAGAGGT	TATGCCAAA	TGCTCCAAT	GTATGGTCTC	8100
	GTAAATATAT	GCAGCTGAAA	GCCAATGATC	CCTTATGACT	TGTATACAAC	TAATGCTGAT	8160
	TTTATTGAAT	TTTGCATTT	CCACGTGTGG	TAAGTCTTTA	AAATGTTTTT	GATCACCTTT	8220
	NTGTGCCATT	AACTTGTAC	AGAAAAATGTT	TTTATGGCCA	TTTTCAAAGG	GAGAAAAGTT	8280
	AAAATGGAAA	CAGCCACCC	TTTCTGCCCT	ATAGCTGTAG	TTAGAATTTA	GTACCTGTAG	8340
75	CAAAACAGCT	GTAATTTGGT	GTTGTAGTGT	TAGAGTGT	AGCTTGTCTAG	TGACTAGCTT	8400
	TGGAGAGTAA	ATGATGTGTA	TTGTACATCA	CATTTCTTAA	CTCGTTTTAA	CCTCTGAAAA	8460
	GAATATATT	TTCTTTGAG	TCCTTCTTCC	CACCCCTTGG	CCCTCTCCCT	CTCCCTGTCT	8520
	CCAGTTGTCT	TACAGTTGTA	AATATCTGAT	TTGAGGCCCA	ATAACTCTG	CCAAGTAAAG	8580
	TCAGCAAAAC	ACAACAACAC	CAAAATGTTG	GGAAAAGGCA	TTTCTCAACC	ATCTCTCAGC	8640
80	AGTATTGAT	CATTTCTTAA	GGAAACAGCAT	TGTATCAAAA	GACTCAACTT	TACGTAATAA	8700
	TCAGTGGTAA	ATTGGGGTTG	TATTGGCCAT	TGATTACAIT	CAGGATTGAA	TAGTTTTTCA	8760
	AATCACATGT	AATCCAAGA	CAGTAGGTAG	TGATGTCCCT	TATCCCTGCA	GCTGTTTTAA	8820
	GATAGAGACC	TCAAGAGACT	CTGCTTGACC	GATGACCAAT	AATATTGTA	AAAAAAGA	8880
	AAAAATGAGA	GAAATAAAC	AGATATTATA	GAACCTTAGC	CACCTATTTA	GAATAGTTAT	8940
85	AGCCAGAAAA	AAAAACAAGG	GCATGAGTTC	AAATGCATTA	CTATCAGTGT	CCTAGGCAAT	9000
	ACCTAACCTA	CTCTGAAATT	GTGATTCAAA	AGCAGTATT	CAAGAGGCAT	TCTCTTTTT	9060
	TGTTTGTCTG	ACCCCACTTG	GACTGGTAGG	TTTGGTGAGG	CCCCATAAA	CCAGCTGGAG	9120

CAGACCCCTT TCATCTCTG TGCCTGTAAC ACCCCTCTTC CCCCACCCCC TCCGCAATTG 9180
 AATGAGGGCT TCTTGGGTC AGAGGACTTC AAGGTTGTCT AGAGAAGTTT GCCATGTGTG 9240
 TAAGGTGCTG TGAACCTGTA GTGCTGAAGA TTCCAGCAT TCAATACCAG GCAGCCAAAG 9300
 AGCTGCTCTT GCAATTAATT TGGCTCTCAA GCTCTGTTCT TCATCGCATT CTCAATTCTG 9360
 TGTACATTTG CAAGATGTGT GTAATGTCAT TTCCAAAAA TAAAATTGA TTCAAT

Seq ID NO: 214 Protein sequence:
 Protein Accession #: NP_000546

1 11 21 31 41 51
 MELDFGHFDE RDKTSRNMRRG SRMNGLPSP T HSAHCSFYRT RTLQALSNEK KAKKVRFYRN 60
 GDRYFKGIYV AVSSDRFRSF DALLADLTRS LSDNINLPQG VRYIYTI DGS RKIGSMDELE 120
 EGESYVCS SD NFFKKVEYTK NVNPNWSVNV KTSANMKAQ SLASSNSAQA RENKDFVRPK 180
 LVTIIRSGVK PRKAVRVLN KKTASHFEQV LTDITEAIKL ETGVVKKLYT LDGKQVTC LH 240
 DFFGDDVFI ACPGPKFRYA QDDFSLDENE CRVMKGNPSA TAGPKASPTP QRTSAKSPGP 300
 MRRSKSPADS ANGTSSS QLS TPKSKQSPIS TPTSPGSLRK HKDLYLPLSL DSDSLGDSM

Seq ID NO: 215 DNA sequence
 Nucleic Acid Accession #: NM_130467
 Coding sequence: 312..644

1 11 21 31 41 51
 GGCACGAGGC AGAGCTCTGC AAGGAGAGGT TGTGTCTTCG TCTTTCCGC CATCTTCGTT 60
 CTTTCCAACA TCTTCGPTCT TTCTCACTGA CCGAGACTCA GCCGGTAGGT CTGCAGAGTG 120
 GTCTTCTCTG TAATTTAGTT GTGAGTGAAT GTGTGGAGGA GCCAGCGGGC TTAGGACAGG 180
 TCCTGTGGCA CAGTCCCTGG CTTTGAGGGA AAAGGGCCCTC GCGGTGGTCC TCCGCCTTCC 240
 CCAGGTGCTG GATGCAGGCG CCAATGGCCG GTAATCGTGG CTGGGCTGGA ACGAGGGAGG 300
 AAGTGAGAGA TATGAGTGA GATGTAACAA GATCCCAATC CTCAGAAAGA GAAATGACC 360
 AAGAGTCTTC CCAGCCAGTT GGCCTGTGTA TTGTCCAGCA GCCCACTGAG GAAAAACGTC 420
 AAGAAGAGGA ACCACCAACT GATAATCAGG GTATTGCACC TAGTGGGGAG ATCAAAAATG 480
 AAGGAGCACC TGCTGTTC AA GGGACTGATG TGAAGCTTT TCAACAGGAA CTGGCTCTGC 540
 TTAAGATAGA GGATGCACCT GGAGATGCTC CTGATGTGAG GGAGGGGACT CTGCCCACTT 600
 TTGATCCCA C TAAAGTCTG GAAGCAGGTG AAGGGCAACT ATAGGTTTAA ACCAAGACAA 660
 ATGAGACTG AAACCAAGAA TATTGTCTT ATGCTGGAAA TTTGACTGCT AACATTCTCT 720
 TAATAAAGTT TTACAGTTTT CTGCAAAAAA AAAAAAAAAA AAA

Seq ID NO: 216 Protein sequence:
 Protein Accession #: NP_569734

1 11 21 31 41 51
 MSEHVTRSQS SERGNDQESS QPVPVIVQQ PTEEKQEEE PPTDNQGIAP SGEIKNEGAP 60
 AVQGTDV EAF QQELALLKIE DAPGDGPDVR EGTLPFTDPT KVLEAGEGQL

Seq ID NO: 217 DNA sequence
 Nucleic Acid Accession #: NM_001476.1
 Coding sequence: 82..435

1 11 21 31 41 51
 GCCAGGGAGC TGTGAGGCG TGCTGTGTGG TTCCTGCCGT CCGGACTCTT TTCTCTCTAC 60
 TGAGATTCAT CTGTGTGAAA TATGAGTTGG CGAGGAAGAT CGACCTATTA TTGGCTTAGA 120
 CCAAGGCCTC ATGTACAGCC TCCTGAAGTG ATTGGCCCTA TGCGGCCCGA GCAGTTCAGT 180
 GATGAAGTGG AACCCAGCAAC ACCTGAAGAA GGGGAACCCG CAACTCAACG TCAGGATCCT 240
 GCAGCTGCTC AGGAGGGAGA GGAATGAGGA GCATCTGAGG GTCAGGGGCC GAAGCCTGAA 300
 GCTGATAGCC AGGAAGTGGG TCACCCACAG ACTGGGTGTG AGTGTGAAGA TGGTCTGAT 360
 GGGCAGGAGG TGGACCCGCC AAATCCAGAG GAGGTGAAAA GCCTGAAGA AGGTGAAAAG 420
 CAATCACAGT GTTAAAAGAA GACACGTTGA AATGATGAGG GCTGCTCCTA TGTGGAAAT 480
 TTGTTCAATTA AAATCTCTCC AATAAAGCTT TACAGCCTTC TGCAAAA

Seq ID NO: 218 Protein sequence:
 Protein Accession #: NP_001467.1

1 11 21 31 41 51
 MSWRGRSTYY WPRPRRYVQP PEVIGPMRPE QFSDEVEPAT PEEGEPATQR QDPAAAQEGE 60
 DEGASAGQEP KPEADSEQG HPQTGCECED GPDGQEVDFP NPEVKTPPE GEKQSQ

Seq ID NO: 219 DNA sequence
 Nucleic Acid Accession #: NM_001476
 Coding sequence: 90-3671

1 11 21 31 41 51
 ACAGCGGAGC GCAGAGTGAG AACCACCAAC CGAGGCGCCG GGCAGCGACC CCTGCAGCGG 60
 AGACAGAGAC TGAGCGGCCG GGCACCGCCA TGCTGCGCT CTGGCTGGG CTGCTGCCTCT 120
 GCTTCTCGCT CCTCTGCCG GCAGCCCGGG CCACCTCCAG GAGGGAAGTC TGTGATTGCA 180
 ATGGGAAGTC CAGGCAGTGT ATCTTTGATC GGGAACTTCA CAGACAAACT GGTAATGGAT 240
 TCGCTGCCT CACTGCAAT GACAACTG ATGGCATTCA CTGCGAGAAG TGCAAGAATG 300
 GCTTTTACCG GCACAGAGAA AGGGACCCTG GTTTCCTCTG CAATTGTAAC TCCAAAGGTT 360

5
 10
 15
 20
 25
 30
 35
 40
 45
 50
 55
 60
 65
 70
 75
 80
 85

```

CTCTTAGTGC TCGATGTGAC AACTCTGGAC GGTGCAGCTG TAAACCAGGT GTGACAGGAG 420
CCAGATGGGA CCGATGTCTG CCAGGCTTCC ACATGCTCAC GGATGCGGGG TGCACCCCAAG 480
ACCAGAGACT GCTAGACTCC AAGTGTGACT GTGACCCAGC TGGCATCGCA GGGCCCTGTG 540
ACGCGGGCCG CTGTGTCTGC AAGCCAGCTG TTA CTGGAGA ACGCTGTGAT AGGTGTGCGAT 600
CAGGTTACTA TAATCTGGAT GGGGGGAACC CTGAGGGCTG TACCCAGTGT TTCTGCTATG 660
GGCATTCAAG CAGCTCCCGC AGCTCTGCAG AATACAGTGT CCATTAAGATC ACCTCTACCT 720
TTCATCAAGA TGTGTGATGG TGGAAAGGCTG TCCAACGAAA TGGSTCTCCT GCAAAGCTCC 780
AATGGTCACA GCGCCATCAA GATGTGTTTA GCTCAGCCCA ACGACTAGAC CCTGTCTATT 840
TTGTGGCTCC TGCCAAATTT CTGTTGGGAAAC AACAGGTGAG CTATGGGCAA AGCCCTGTCT 900
TTGACTACCG TGTGGACAGA GGAGGCAGAC ACCCATCTGC CCATGATGTG ATTCTGGGAA 960
GTGCTGGTCT ACGGATCACA GCTCCCTTGA TGCCACTTGG CAAGACACTG CCTGTGGGGC 1020
TCACCAAGAC TTACACATT AGGTTAAATG AGCATCCAAG CAATAATTGG AGCCCCCAGC 1080
TGAGTTACTT TGAGTATCGA AGGTTACTGC GGAATCTCAC AGCCCTCGC ATCCGAGCTA 1140
CATATGGAGA ATACAGTACT GGGTACATTG ACAATGTGAC CCTGATTCA GCCCGCCCTG 1200
TCTCTGGAGC CCCAGCAGCC TGGGTTGAAC AGTGTATATG TCCTGTTGGG TACAAGGGGC 1260
AATTCTGGCA GGATTTGTCT CTGGCTACA AGAGAGATTG AGCGAGACTG GGGCCCTTTG 1320
GCACCTGTAT TCCTGTAAAC TGTCAAGGGG GAGGGGCTG TGATCCAGAC ACAGAGAGATT 1380
GTTATTCAAG GGATGAGAA CTGACATTG AGTGTGCTGA CTGCCCAATT GGTTCCTACA 1440
ACGATCCGCA CGACCCCGC AGCTGCAAGC CATGTCCCTG TCATAACGGG TTCAGTGTCT 1500
CAGTGATGCC GGAGACGGAG GAGGTGGTGT GCAATAACTG CCCTCCCGGG GTCACCGGTG 1560
CCCCGTGTA GCTCTGTGCT GATGGCTACT TTGGGGACCC CTTTGGTGA CATGGCCAG 1620
TGAGCCCTTG TCAGCCCTG CAATGCAACA ACAATGTGGA CCCAGTGGC TCTGGGAATT 1680
GTGACCGGCT GACAGCCAGG TGTTTGAAGT GTAATCCAAA CACAGCCGG ATCTACTGCG 1740
ACCAGTGCAA AGCAGGCTAC TTCCGGGACC CATTGGCTCC CAACCCAGCA GACAAGTGT 1800
GAGCTTGCAA CTGTAACCCC ATGGGCTCAG AGCCTGTAGG ATGTCGAAGT GATGGCACCT 1860
GTGTTTGCAA GCCAGGATTT GGTGGCCCA ACTGTGAGCA TGGAGCATTG AGCTGTCCAG 1920
CTTGCTATAA TCAAGTGAAG ATTCAGATGG ATCAGTTTAT GCAGCAGCTT CAGAGAATGG 1980
AGGCCCTGAT TTCAAAGGCT CAGGGTGGTG ATGGAGTAGT ACCTGATACA GAGCTGGAAG 2040
GCAGGATGCA GCAGGCTGAG CAGGCCCTTC AGGACATCTT GAGAGATGCC CAGATTTGAG 2100
AAGGTGCTAG CAGATCCCTT GGTCTCCAGT TGGCCAAGGT GAGGAGCCAA GAGAACAGCT 2160
ACCAGAGCCG CCTGGATGAC CTCAAGATGA CTGTGGAAAG AGTTCGGGCT CTGGGAAGTC 2220
AGTACCAGAA CCGAGTTCGG GATACTCACA GGCTCATCAC TCAGATGCAG CTGAGCCTGG 2280
CAGAAAGTGA AGCTTCCTTG GGAAACACTA ACATTCCTGC CTCAGACCAC TACGTGGGGC 2340
CAAATGGCTT TAAAGTCTG GCTCAGGAGG CCAACAAGATT AGCAGAAAAG CACGTTGAGT 2400
CAGCCAGTAA CATGGAGCAA CTGACAAGGG AAACCTGAGG CTATTCCAAA CAAGCCCTCT 2460
CACTGGTGG CAAGCCCTG CATGAAGGAG TCGGAAGCGG AAGCGGTAGC CCGGACGGTG 2520
CTGTGGTGA AGGGCTGTG GAAAATGAG AGAAAACCAA GTCCTGGCC CAGCAGTTGA 2580
CAAGGGAGGC CACTCAAGCC GAAATGGAAG CAGATAGGTC TTATCAGCAC AGTCTCGCC 2640
TCCTGGATT AGTGTCTCGG CTTTCAAGGG TCAAGTATCA GTCCTTTGAG GTGGAAGAAG 2700
CAAAGAGGAT CAACAAAAA GCGGATTCAC TCTCAAGCT GGTAAACCAG CATATGGATG 2760
AGTTCAGCC TACACAAAAA AATCTGGGAA ACTGGAAGA AGAAGCACAG CAGCTCTTAC 2820
AGAATGGAAA AAGTGGGAGA GAGAAATCAG ATCAGCTGCT TTCCCGTGCC AATCTTGCTA 2880
AAAGCAGAGC ACAAGAGACA CTGAGTATGG GCAATGCCAC TTTTATGAA GTTGAGAGCA 2940
TCCTTAAAAA CCTCAGAGC TTGACCTGAC AGGTGGACAA CAGAAAAGCA GAAGCTGAAG 3000
AAGCCATGAA GAGACTCTCC TACATCAGCC AGAAGGTTTC AGATGCCAGT GACAAGACCC 3060
AGCAAGCAGA AAGAGCCCTG GGGAGCGCTG CTGCTGATGC ACAGAGGGCA AAGAATGGGG 3120
CCGGGGAGGC CCTGGAATC TCCAGTGAAG TTGAACAGGA GATTGGGAGT CTGAATTTGG 3180
AAGCCAATGT GACAGCAGAT GGAGCCTTGG CCATGAAAAA GGGACTGGCC TCTCTGAAGA 3240
GTGAGATGAG GGAAGTGGAA GGAGAGCTGG AAAGGAAGGA GCTGGAGTTT GACACGAATA 3300
TGGATGCAAGT ACAGATGGTG ATTACAGAAG CCCAGAAGGT TGATACCAGA GCCAAGAACG 3360
CTGGGGTTAC AATCAAGAC AACTCAACA CATTAGACGG CCTCCTGCAT CTGATGGACC 3420
AGCCTCTCAG TGTAGATGAA GAGGGGCTGG TCTTACTGGA GCAGAAGCTT TCCCAGGCCA 3480
AGACCCAGAT CAACAGCCAA TTGCGGCCCA TGATGTGAGA GCTGGAAAG AGGGCACGTC 3540
AGCAGAGGGG CCACCTCCAT TTGCTGGAGA CAAGCATAGA TGGGATTTCT GCTGATGTGA 3600
AGAACTTGGG GAACATTAGG GACAACCTGC CCCCAGGCTG CTACAATACC CAGGCTCTTG 3660
AGCAACAGTG AAGCTGCCAT AAATATTCTT CAACCTGAGT TCTTGGGATA CAGATCTCAG 3720
GGCTCGGGAG CCATGTCTATG TGAGTGGGTG GGATGGGAC ATTTGAACAT GTTTAATGGG 3780
TATGCTCAGG TCAACTGACC TGACCCCAT CCTGATCCCA TGGCCAGGTG GTTGTCTTAT 3840
TGACCCATAC TCCTTGCTTC CTGATGCTGG GCAATGAGGC AGATAGCACT GGGTGTGAGA 3900
ATGATCAAGG ATCTGGACCC CAAAGAATAG ACTGGATGGA AAGACAAACT GCACAGGCAG 3960
ATGTTTGCTT CATAATAGTC GTAAGTGGAG TCCTGGAATT TGGACAAGTG CTGTTGGGAT 4020
ATAGTCAACT TATTCTTTGA GTAATGTGAC TAAAGGAAAA AACTTTGACT TTGCCCAGGC 4080
ATGAAATCTT TCCTAATGTC AGAACAGAGT GCAACCCAGT CACTGTGG CCAGTAAAT 4140
ACTATTGCTT CATATTGTCT CTGCAAGCT TCTGTCTGAT CAGAGTTCCT CCTACTTACA 4200
ACCCAGGGTG TGAACATGTT CTCCATTTTC AAGCTGGAAG AAGTGAGCAG TGTGGAGTG 4260
AGGACCTGTA AGGCAGGCC ATTCAGAGCT ATGGTGTCTG CTGGTGCTG CCACCTTCAA 4320
GTCTGGACC TGGCATGAC ATCCTTTCTT TTAATGATGC CATGGCAACT TAGAGATTGC 4380
ATTTTTATTA AAGCATTTCC TACCAGCAA GCAATGTTG GGAAGTATT TACTTTTTCG 4440
GTTTCAAAGT GATAGAAAAG TGTGGCTTGG GCATTGAAAG AGGTAAAAT CTCTAGATT 4500
ATTAGCCCTA ATCAATCCT ACTTTTCGAA CACCAAAAT GATGCGCAT AATGTATTT 4560
ATCTTATTT CTCAATCTCC TCTCTCTTC CTCCACCAT AATAAGAGAA TGTTCCTACT 4620
CACACTCAG CTGGGTGACA TCCATCCCTC CATTATCCT TCCATCCATC TTTCATCCA 4680
TTACCTCCAT CCATCCTTCC AACATATATT TATTGAGTAC CTACTGTGTG CCAGGGGCTG 4740
GTGGACAGT GGTGACATAG TCTCTGCCCT CATAGAGTTG ATGTCTAGT GAGGAAGACA 4800
AGCATTTTTA AAAAATAAAT TTAACCTTAC AAACCTTGT TGTCAAGT GGTGTTTATT 4860
GCAATAACCG CTGTTTGGC AACCTTTTG CTCAACAGAA CATATGTTG AAGACCCTCC 4920
CATGGGGGCA CTGAGTTTT GGCAGGCTG ACAGAGCTCT GGGTTGTGCA CATTCTTTG 4980
CATTCAGCT GTCACTCTGT GCCTTTCTAC AACTGATTGC AACAGACTGT TGAGTTATGA 5040
TAACACCAGT GGAATTTGCT GAGGAACCA GAGGCACTTC CACTTGGCT GGAAGACTA 5100
TGGTGTGCC TTGCTCTGT ATTTCCCTGG ATTTCCCTGA AAGTGTTTT AAATAAGAA 5160
CAATTGTTAG ATGCC
  
```

Seq ID NO: 220 Protein sequence:
 Protein Accession #: NP_005553

1 11 21 31 41 51
 | | | | | |

	MPALWLGCCCL	CPSLLLPAAR	ATSRREVCDC	NGKSRQCFD	RELHRQTGNG	FRCLNCNDNT	60
	DGHEHCKCKN	GFYRHRERDR	CLPCNCSKNG	SLSARCDNSG	RCSCRPVGTG	ARCDRCCLPGF	120
	HMLTDAGCTQ	DQRLLDSDKD	CDPAGIAGPC	DAGRVCCKPA	VTGERCDRCR	SGYYNLDGGN	180
5	PEGCTQCFCY	GHSASCRSSA	EYSVHKITST	FHQDVDGWKA	VQRNGSPAKL	QWQRHQDVF	240
	SSAQRLLDPVY	FVAPAKPLGN	QQVSYGQSL	FDYRDRGGR	HPSAHDVILE	GAGLRITAPL	300
	MPLGKTLPCG	LTKTYTFRLN	EHPNNSWSPQ	LSYFYEYRLL	RNLTAIRIRA	TYGEYSTGYI	360
	DNVTLISARP	VSGAPAPWVE	QICFPVGYKG	QFCQDCASGY	KRDSARLGP	GTCIPCNCGG	420
	GGACDPDTGD	CYSGDENPDI	ECADCP1GFY	NDPHDPRSCK	PCPCHNGFSC	SVMPETEEVV	480
10	CNCPFGVGTG	ARCELCADGY	FGDPFGEHGP	VRPCQPCQCN	NNVDFPSAGN	CDRLTGRCLK	540
	CIHNTAGIYC	DQCKAGYFGD	PLAFNPADKC	RACNCPMGIS	EPVGCSDGT	CVCKPFGGGP	600
	NCEHGAFSCP	ACYNQVKIQM	DQFMQQLQRM	EALISKAQGG	DGVVPDTELE	GRMQQAEQAL	660
	QDILRDAQIS	EGASRSLGLQ	LAKVRSQENS	YQSRLLDLKM	TVERVRALGS	QYQNRVRDTH	720
	RLITQMQLSL	AESEASLGNT	NIPASDHYVG	PNGFRSLAQE	ATRLAESHVE	SASNMEQLTR	780
15	ETEDYSKQAL	SLVRKALHEG	VGSGSGSPDG	AVVQGLVEKL	EKTKSLAQQL	TREATQAEIE	840
	ADRSYQHSRL	LDSVSR1QGG	VSDQSPQVEE	AKRIKQKADS	LSTLVTRHMD	EFKRTQKNLG	900
	NWKEEAQQLL	QNGKSGRKS	DQLLSRANLA	KSRAQEALSM	GNATFYEVES	ILKNLREFDL	960
	QVDNRKAEAE	EAMKRLSYIS	QKVSASDKT	QQAERALGSA	AADAQRAKNG	AGEALEISSE	1020
	IEQEIGSLNL	BANVTADGAL	AMEKGLASLK	SEMREVEGEL	ERKELEFDTN	MDAVQMVITE	1080
20	AQKVDTRAKN	AGVT1QDITLN	TLDGLLHLM	QPLSVDEBGL	VLLBQKLSRA	KTQINSQLRP	1140
	MSELEBERAR	QQRGHLHLE	TSIDGILADV	KNLENIRDNL	PPGCYNTQAL	EQQ	

Seq ID NO: 221 DNA sequence
 Nucleic Acid Accession #: NM_016529
 Coding sequence: 13-1854

	1	11	21	31	41	51	
	GTCAGAAAA	GAATGTCTGT	AATTGTTCTGA	ACTCCTTCAG	GACGACTTCG	GCTTTACTGT	60
	AAAGGGGCTG	ATAATGTGAT	TTTTGAGAGA	CTTCAAAG	ACTCAAATA	TATGGAGGAA	120
30	ACATTATGCC	ATCTGGAATA	CTTTGCCACG	GAAGGCTTGC	GGACTCTCTG	TGTGGCTTAT	180
	GCTGATCTCT	CTGAGAATGA	GTATGAGGAG	TGGCTGAAAG	TCTATCAGGA	AGCCAGCACC	240
	ATATTGAAGG	ACAGAGCTCA	ACGGTTGGAA	GAGTGTACG	AGATCATTGA	GAAGAATTTG	300
	CTGCTACTTG	GAGCCACAGC	CATAGAAGAT	CGCCTCAAG	CAGGAGTTC	AGAAAACCATC	360
	GCAACACTGT	TGAAGGCAGA	AATTAATAA	TGGGTGTGA	CAGGAGACAA	ACAAGAACT	420
35	GCGATTAATA	TAGGTAATTC	CTGCCGATTG	GTATCGCAGA	ATATGGCCCT	TATCCTATTG	480
	AAGGAGGACT	CTTTGGATGC	CACAAGGCCA	GCCATTACT	AGCACTGCAC	TGACCTTGGG	540
	AATTTGCTGG	GCAAGGAAAA	TGACGTGGCC	CTCATCATCG	ATGGCCACAC	CCTGAAGTAC	600
	GCGCTCTCCT	TGAAAGTCCG	GAGGAGTTTC	CTGGATTTGG	CACTCTCGTG	CAAAGCGGTC	660
40	ATATGCTGCA	GAGTCTTCC	TCTCGAGAAG	TCTGAGATAG	TGGATGTGGT	GAAGAAGCGG	720
	GTGAAGGCCA	TACCCTCGC	CATCGGAGAC	GGCGCCAACG	ATGTCGGGAT	GATCCAGACA	780
	GCCCCAGTGG	GTGTGGGAAT	CAGTGGGAAT	GAAGGCATGC	AGGCCACCAA	CAACTCGGAT	840
	TAGCCCATCG	CACAGTTTTC	CTACTTAGAG	AAGCTTCTGT	TGGTTCATGG	AGCCTGGAGC	900
	TACAACCGGG	TGACCAAGTG	CATCTGTGAC	TGCTTCTATA	AGAACGTGGT	CCTGTATATT	960
45	ATTGAGCTTT	GGTTCGCCTT	TGTTAATGGA	TTTTCTGGGC	AGATTTTATT	TGAACGTTGG	1020
	TGCATCGGCG	TGTACAATGT	GATTTTCACC	GCTTTGCCGC	CCTTCACTCT	GGGAATCTTT	1080
	GAGAGGTCTT	GCACCTCAGGA	GAGCATGCTC	AGGTTTCCCC	AGCTCTACAA	AATCACCCAG	1140
	AATGCGAAG	GCTTCAACAC	AAAGGTTTTC	TGGGGTCACT	GCATCAACGC	CTTGGTCCAC	1200
	TCCTCATCC	TCTTCTGGTT	TCCCATGAAA	GCTCTGGAGC	ATGATACTGT	GTTTGACAGT	1260
50	GGTCATGCTA	CCGACTAATT	ATTTGTGGA	AATATTGTT	ACACATATGT	TGTTGTTACT	1320
	GTTTGTCTGA	AAGCTGGTTT	GGAGACCACA	GCTTGGACTA	AATTCAGTCA	TCITGGCTGT	1380
	TGGGGAAGCA	TGCTGACCTG	GCTGGTGT	TTTGGCATCT	ACTCGACCAT	CTGGCCACC	1440
	ATPCCCATTG	CTCCAGATAT	GAGAGGACAG	GCAACTATGG	TCCTGAGCTC	CGCACACTTC	1500
	TGGTTGGGAT	TATTCTCGGT	TCCTACTGCC	TGTTGTATTG	AAGATGTGGC	ATGGAGAGCA	1560
55	GCCAAGCACA	CCTGCAAAAA	GACATTGCTG	GAGGAGGTGC	AGGAGCTGGA	AACCAAGTCT	1620
	CGAGTCCCTG	GAAAAGCGGT	GCTGCGGGAT	AGCAATGGAA	AGAGGCTGAA	CGAGCGCGAC	1680
	CGCCTGATCA	AGAGGCTGGG	CCGGAAGAOC	CCCCCGACGC	TGTTCCGGGG	CAGCTCCCTG	1740
	CAGCAGGGCG	TCCCGCATGG	GTATGCTTTT	TCTCAAGAAG	AACACGGAGC	TGTTAGTCAG	1800
	GAAGAAGTCA	TCCGTGCTTA	TGACACCACC	AAAAAGAAAT	CCAGGAAGAA	ATAAGACATG	1860
60	AATTTTCTTG	ACTGATCTTA	GGAAGAGAT	TCAGTTTGT	GCACCCAGTG	TTAACACATC	1920
	TTTGTACAG	AAGACTGGCG	TCCAAGGCCA	AAACACCAGG	AAACACATTT	CTGTGGCCTT	1980
	AGTTAAGCAG	TTTGTAGTT	ACATATTCCC	TCGAAACCT	GGAGTGCAGA	CCACAGGGGA	2040
	AGCTATCTTT	GCCCTCCCAA	CTCGTCTGCA	GTGCTTAGCC	TAACTTTTGT	TTATGTCTGT	2100
	ATGAAGCATT	CAACTGTGCT	CTGTGAGGTC	TCAAATTAATA	AACATTATGT	TTACCAATA	2160
65	AGAAAAAAA	AAAAAAA					

Seq ID NO: 222 Protein sequence:
 Protein Accession #: NP_057613

	1	11	21	31	41	51	
	MSVIVRTPSG	RLRLYCKGAD	NVIFERLSKD	SKYMEETLCH	LEYFATEGLR	TLCVAYADLS	60
	ENYEYEWLKV	QVEASTILKD	RAQRLEECYE	IIEKNLLLLG	ATAIEDRLQA	GVPETIATLL	120
	KAEIKIWLVT	GDKQETAINI	GYSCLVSNQ	MALILLKEDS	LDATRAAITQ	HCTDLGNLLG	180
75	KENDVALIID	GHTLKYALSF	EVRRSFLDLA	LSCKAVICCR	VSPLOKSEIV	DVVKKRVKAI	240
	TLAIGDGAND	VGM1QTAHVQ	VGISGNEGMQ	ATNNSDYAIA	QFSYLEKLLL	VHGAWSYNRV	300
	TKCILYCFYK	NVVL1YIELW	FAPVNGFSQG	ILFERWCIGL	YNVIFTALPP	FTLGFIPERSC	360
	TQESMLRFPQ	LYKITQNGEG	FNTKVFNGHC	INALVHSLIL	FNPFMKALEH	DTVFDSGHAT	420
	DYLFVGNIVY	TYVVTVCLK	AGLETTAWTK	FSHLAVWGS	LTWLVPFGIY	STIWPTIPIA	480
80	PDMRQATMV	LSSAHFWLGL	FLVPTACLIE	DVAWRAAKHT	CKKTLLEEVQ	ELETKSRVLG	540
	KAVLRDSNGK	RLNERDRLIK	RLGRKTPPTL	FRGSSLQQGV	PHGYAFSQEE	HGAVSQEEVI	600
	RAYDTTKKKS	RKK					

Seq ID NO: 223 DNA sequence
 Nucleic Acid Accession #: BC017001
 Coding sequence: 1-394

	1	11	21	31	41	51
--	---	----	----	----	----	----

5 AACGCTGGGC AGGGCCGGCG CGGGTCCGGG GCGCGCCGAG GGGCCCCGGC CGAGCGGCGG 60
 CGCGCAGGGC GGCAGCATCC ACTCGGGCCG CATCGCCGCG GTGCACAAAG TGCCGCTGAG 120
 CGTGTCTCAT CGGCGCGTGC CGTCCGTGTT GGACCCCGCC AAGGTGCAGA GCCTCGTGA 180
 CACGATCCGG GAGGACCCAG ACAGCGTGCC CCCCATCGAT GTCCTCTGGA TCAAAGGGGC 240
 CCAGGGAGGT GACTACTTCT ACTCCCTTGG GGGCTGCCAC CGCTAGCGCG CCTACCAGCA 300
 ACTGCAGGGA GAGACCATCC CGGCCAAGCT TGTCCAGTCC ACTCTCTCAG ACCTAAGGGT 360
 GTACCTGGGA GCATCCACAC CAGACTTGCA GTAGCAGCCT CCTTGGCACC TGCTGCCACC 420
 TTCAAGAGCC CAGAAGACAC ACCTGGCCTC CAGCAGGCTG GGCATGACAG AAGGGATAGC 480
 10 AGGGGTGCAT TCTCTTTGCA CCTGGCGAGA GGGTCTGACT CTGGGCACCC CTCTCACCGG 540
 CTACAAGGCC TTGGACTCAC TGTACAGTGT GGGAGCCCCA GTTCCACCT CTGTGACAAT 600
 AGGATCATGG CCTTACCCCT GAAGCATTAC CGAGAAGGAG AACAGAGATG GGCTTGAAGA 660
 GCCACGTGCT GCCGGCTCCA AATCCCAAG GACAAGGATC CCTCTGCATT TTTGTCTATG 720
 TAACCTCTTA TATGGACTAC ATTACAGTGC AAGGAAAGGA AAACCTTGAT TGCAGTGGTT 780
 15 TAAACAAACA GAAGATTGTT TTTCCACATA GCATGGATTG TGGAGATGGG TGGCTAATGG 840
 TATTGGTTCA ACAACTCCAC GGAGGTAGGG GTCACGCTTT GGATCCCTTT GCCTTAATCT 900
 CAGTGTCTGT TACTTCTATG TCCCAAGATG GCTGCTGTAT CCCCAGAAT CATGTCTCGG 960
 TTCAAGGAAG GAGGGGTGGA GGAAGAGGAA GGGCCAACT AGCTGGACCC GTCACCTTCT 1020
 ATCAGAAAGT AAAACCTCGT CAGAAGTCTG TTTCTGTCTC TCTCCCTCTG CATATCTTCA 1080
 20 CTTAGATGCC CTTGGCCCGA GCCAGCTACC ATTGCACCTC TAGCTGAAA CAAAGCTAAG 1140
 ACAGCAGGGA ACAGAAATGT CATGGCTGAA TAGACCAATC GTGTTCCATC TACTGAGACT 1200
 GGCACACTGC CTCCTGCAAT AAAACTGGGA TCCCATTACC AAGAGAGAAA TGCAGAAATG 1260
 TGTACCAGTT AGCTTTTGCT GTGTAACAAA CCATCCCAA ACTTGGCAGC TAGAAACAAA 1320
 CCCTGTATTT TCCCACAATC CFTATGGGTTG GCAATTTGGG CTGGGCTCAA CAGGGCAGTT 1380
 25 CTGCTGTCTA CACCTGGGAT CCCTCATGGA GCTAAGGTCA GCTGTTACCT CAGCTGGGCC 1440
 TGGATGGTCT AGGATACGCT TACTCACTTG CCTGGCAGGT GACAGGCTGT TGGCTGGAAT 1500
 TGCTTGGTTC TCCTCCATGT GGCCCTCCA GCAGGCTAGC TCAGGCTTAT TCACATGATG 1560
 GCTTCAGGAT TCCAAAGAGA GTGAGAGTAG AAGCTGAAAG ACTTCTTGAG TTTCTGGCCT 1620
 GGAACTGGGA CTAGGACAGT GTCACCTCTG CTAAGTCTT TGGTTCAGAG CAAATCACAA 1680
 30 GGCTTTACCC AGATTCAAGG GATGAGAAA ACAGCTACATG TCTTGATGAG GGGAAACCACA 1740
 AAGAGCTTGT GGCCATTTT CACCTATCAC AAATAATTT GGATGGGTAT TTATTGGAT 1800
 AAAGGTATTT CCCTCTTCCC CTTTCTCTC TGTCTCATGG GGCCTCACTC TGCCAAAGTTG 1860
 GAAGGCACCTA AGACATTGTC CTGGCCCTCA GGGCTAGGG GAAGAGGTGT TGGGGCAGGA 1920
 AGTGAAGTCTC TCCATGGGCT GGACCCACTG TAGTAGGAGT GCCTCCTTGT CTGCACTGCT 1980
 35 GGTATGGGTT TAGGCCAGGT AGGACATTCC AGAGGGGCTT CTGAAAACCA AGAGTCCCTG 2040
 GGGAAAGGGA ACAGAGTAAG CAGGGCCTTG TTCTCACTGC CCTCTAAGGG AACTTGGTCA 2100
 CTCGGCACTT TTAAGCTCA GTTTCTCCAG TTCAATAATA AGGACAGAG CTTTCCCAT 2160
 GCATTTCTTT TCCCAGGAA AGTTGACTGA GGTGACCATG AATAGAATTG AAAAGGGAGA 2220
 40 GTGCTTCCAG TGCAATTGG CACTCTGGAT TGGGTCTGG AACAAAAACA GGACATTAGT 2280
 GGGAAATTTG GAAATCTGAA AAAAGTCTGA ATTTTAGTTA ATATACCAAT TTCAGTCTCT 2340
 TGGTTTTGAC AGATGTACCA TGGTGTGTA AGATGTTGAC CTTGGGTTAG GCTGGGTGAA 2400
 GGGTATACAG GAACCTTTG TACTATCTCT GCAACTTCTC TGTAATCTA GTATCATTCC 2460
 AAAATAAAG TTTATTTAAT TTAATAAAAA AAAAAAAAAA AA

Seq ID NO: 224 Protein sequence:
 Protein Accession #: AAH17001.1

50 1 11 21 31 41 51
 TLGRAGAGRG APEGPGPSSG AQGGSIHSGR IAAVHNVPLS VLIRPLPSVL DPAKVQSLVD 60
 TIREDDPSVP PIDVLWIKGA QGGDYFYSFG GCHRYAAYQQ LQRETIPAKL VQSTLSDLRV 120
 YLGASTPDLQ

Seq ID NO: 225 DNA sequence
 Nucleic Acid Accession #: NM_021048
 Coding sequence: 1..1110

60 1 11 21 31 41 51
 ATGCCTCGAG CTCCAAAGCG TCAGCGCTGC ATGCCTGAAG AAGATCTTCA ATCCCAAAGT 60
 GAGACACAGG GCCTCGAGGG TGACAGGGCT CCCCTGGCTG TGGAGGAGGA TGCTTCATCA 120
 65 TCACACTCCA CCAGCTCCTC TTTTCCATCC TCTTTCCCT CCTCCTCCTC TTCTCCTCC 180
 TCCTCTGCT ATCCTCTAAT ACCAAGCACC CCAGAGGAGG TTTCTGCTGA TGATGAGACA 240
 CCAAATCCTC CCCAGAGTGC TCAGATAGCC TGCTCCTCCC CCTCGTCTGT TGCTTCCCTT 300
 CCATTAGATC AATCTGATGA GGGCTCCAGC AGCCAAAAGG AGGAGAGTCC AAGCACCCCTA 360
 CAGGTCTGTC CAGACAGTGA GTCTTTACCC AGAAGTGAGA TAGATGAAAA GGTGACTGAT 420
 70 TGGTGCAGT TTCTGCTCTT CAAGTATCAA ATGAAGGAGC CGATCACAAA GGCAGAAATA 480
 CTGGAGAGTG TCATAAAAAA TTATGAAGAC CACTTCCCTT TGTGTTTAG TGAAGCTCC 540
 GAGTGCATGC TGCTGGTCTT TGGCATTGAT GTAAAGGAAG TGGATCCAC TGGCCACTCC 600
 TTTGCTCTG TCACCTCCCT GGGCCTCACC TATGATGGGA TGCTGAGTGA TGTCCAGAGC 660
 ATGCCAAGA CTGGCATTCT CATACTTATC CTAAGCATAA TCTTCATAGA GGGCTACTGC 720
 75 ACCCTGAGG AGGTCTCTG GGAAGCACTG AATATGATGG GGCTGTATGA TGGGATGGAG 780
 CACCTCATTT ATGGGGAGCC CAGGAAGCTG CTCACCCAAG ATTGGGTGCA GGAATACTAC 840
 CTGGAGTACC GGCAGGTGCC TGGCAGTGT CCTGACCGGT ATGAGTTTCT GTGGGTCCA 900
 AGGCTCATG CTGAAATAG GAAGATGAGT CTCTGAAAT TTTGGCCAA GGTAAATGGG 960
 AGTGATCCAA GATCCTTCCC ACTGTGGTAT GAGGAGGCTT TGAAGATGA GGAAGAGAGA 1020
 80 GCCCAGGACA GAATTGCCAC CACAGATGAT ACTACTGCCA TGGCCAGTGC AAGTCTAGC 1080
 GCTACAGGTA GCTTCTCTA CCCTGAATAA

Seq ID NO: 226 Protein sequence:
 Protein Accession #: NP_066386

85 1 11 21 31 41 51
 MPRAPKRQRC MPEEDLQSQS ETQGLEGAQA PLAVEEDASS STSTSSSFPS SFPSSSSSSS 60

SSCYPLIPST PEEVSADET PNPQSAQIA CSSPSVVASL PLDQSDGSS SQKEESPSTL 120
 QVLPDSESLP RSEIDEKVD LVQFLLPKYQ MKEPITKARI LESVIKRYED HPFLLPSEAS 180
 ECLMLVFGID VKEVDPTGHS FVLVTSLGLT YDGMLSDVQS MPKTGILILI LSIIFIEGYC 240
 TPBEVIWEAL NMMGLYDGM EHLIYGEPRKL LQDWVQENY LEYRQVPGSD PARYEFLWGP 300
 RAHAERKMS LKFLAKVNG SDPRSFLWY EEALKDEBER AQDRIATDD TTAMASASS 360
 ATGSFSYPE

Seq ID NO: 227 DNA sequence
 Nucleic Acid Accession #: NM_005025.1
 Coding sequence: 82-1314

1 11 21 31 41 51
 | | | | | |
 GCGGAGACA GTCGCCGAG CACAAGCTCC AGCATCCCGT CAGGGGTGTC AGTGTGTGG 60
 GAGCCTTGAA ACTGTACAA TATGGCTTTC CTTGGACTCT TCTCTTGTCT GGTTCTGCAA 120
 AGTATGGCTA CAGGGGCCAC TTCCCTGAG GAAGCCATG CTGACTTGTG AGTGAATATG 180
 TATAATCGTC TTAGAGCCAC TGGTGAAGAT GAAAATATTC TCTTCTCTCC ATTGAGTATT 240
 GCTCTTGCAA TGGGAATGAT GGAACCTGGG GCCCAAGGAT CTACCCAGAA AGAAATCCCG 300
 CACTCAATGG GATATGACAG CCTAAAAAAT GGTGAAGAAT TTTCTTCTT GAAGGAGTTT 360
 TCAAAACATGG TAACTGTCAA AGAGAGCCAA TATGTGATGA AAATTGCCAA TTCTTGTGTT 420
 GTGCAAAATG GATTTTATGT CAATGAGGAG TTTTGTGAAA TGATGAAAAA ATATTTTAAT 480
 GCAGCAGTAA ATCATGTGGA CTTCACTCAA AATGTAGCCG TGGCCAATA CATCAATAAG 540
 TGGGTGGAGA ATACACAAA CAATCTGGTG AAAGATTGAG TATCCCAAG GGATTTTGTG 600
 GCTGCCACTT ATCTGGCCCTT CATTAAATGCT GTCTATTTC AAGGGAAGT GAAGTCGCAG 660
 TTTAGCCCTG AAAATACTAG AACCTTTTCT TTCACFAAG ATGATGAAAG TGAAGTCCAA 720
 ATTCCAATGA TGTATCAGCA AGGAGAATTT TATTATGGGG AATTTAGTGA TGGCTCCAAT 780
 GAAGCTGGTG GTATCTACCA AGTCCTAGAA ATACCATATG AAGGAGATGA AATAAGCATG 840
 ATGCTGGTGC TGTCCAGACA GGAAGTTCCT CTGTACTCT TGGAGCCATT AGTCAAAGCA 900
 CAGCTGGTGC AAGAATGGCC AAACCTGTGC AAGAAGCAA AAGTAGAAGT ATACCTGCC 960
 AGGTTACAG TGAACAGGA AATGTGTTA AAAGATGTTT TGAAGGCTCT TGAATAACT 1020
 GAAATTTTCA TCAAGATGC AAATTTGACA GGCCTCTCTG ATAATAAGGA GATTTTCTT 1080
 TCCAAAGCAA TTCACAAGTC CTTCTAGAG GTTAATGAAG AAGGCTCAGA AGCTGCTGCT 1140
 GTCTCAGGAA TGATGCAAT TAGTAGGATG GCTGTGCTGT ATCCTCAAGT TATTGTCGAC 1200
 CATCCATTTT TCTTCTTAT CAGAAACAGG AGAAGTGGTA CAATCTTATT CATGGGACGA 1260
 GTCATGCATC CTGAACAAT GAACAAGT GGACATGATT TCGAAGAACT TTAAGTTACT 1320
 TTATTTGAAT AACAAGGAAA ACAGTAACTA AGCACATTAT GTTTGCAACT GGTATATATT 1380
 TAGGATTTGT GTTTTACAGT ATATCTTAAG ATAATATTTA AAATAGTTC AGATAAAAAAC 1440
 AATATATGTA AATATAGT AACTTGTCAA GGAATGTTAT CAGTATTAAG CTAATGGTCC 1500
 TGTATGTC A TGTGTTTGT GTGCTGTTGT TTAATAATAA AGTACCTATT GAACATGTG

Seq ID NO: 228 Protein sequence:
 Protein Accession #: NP_005016.1

1 11 21 31 41 51
 | | | | | |
 MAFLGLFSLV VLQSMATGAT FPBEAIADLS VNMVNRRLRAT GEDENILFSP LSIALAMGMM 60
 ELGAQGSTQK EIRHSMGYDS LKNGEEFSP KEFSNMVTAK ESQYVMKIAN SLFVQNGFHV 120
 NEEFLQMKK YFNAAVNHVD FSNVAVANY INKVVENNTN NLVKDLVSPR DFDAATYLAL 180
 INAVYFKGNW KQSPRPENTR TFSFTKDDDES EVQIPMMYQQ GEPFYGEFSD GSNEAGGIYQ 240
 VLEIPYEGDE ISMMLVLSRQ EVPLATLEPL VKAQLVEEWA NSVKKQKVEV YLPRFTVEQE 300
 IDLKDVLKAL GITEIFIKDA NLTGLSDNKE IFLSKAIHKS FLEVNEEGSE AAAVSGMIAI 360
 SRMAVLYPQV IVDHPPFFLI RNRRTGTILF MGRVMHPETM NTSGHDFEEL

Seq ID NO: 229 DNA sequence
 Nucleic Acid Accession #: NM_003695
 Coding sequence: 12-398

1 11 21 31 41 51
 | | | | | |
 CGACATCAGA GATGAGGACA GCATTGCTGC TCCTTGCAGC CCTGGCTGTG GCTACAGGGC 60
 CAGCCCTTAC CCTGGCTGC CAGGTGTGCA CCAGCTCCAG CAACTGCAAG CATTCTGTGG 120
 TCTGCCCGGC CAGCTCTGCG TTCTGCAAGA CCACGAACAC AGTGGAGCCT CTGAGGGGGA 180
 ATCTGGTGAA GAAGGACTGT GCGGAGTCGT GCACACCCAG CTACACCCTG CAAGGCCAGG 240
 TCAGCAGCGG CACCAGCTCC ACCCAGTGTCT GCCAGGAGGA CCTGTGCAAT GAGAAGCTGC 300
 ACAACGCTGC ACCCACCAGC ACCGCCCTCG CCCACAGTGC CCTCAGCCTG GGGCTGGCCC 360
 TGAGCCCTCT GCGCGTCATC TTAGCCCCCA GCCTGTGACC TTCCCCCAG GGAAGGCCCC 420
 TCATGCCCTT CCTTCCCTTT CTTGGGGAT TCCACACCTC TCTTCCCCAG CCGGCAACGG 480
 GGGTGCCAGG AGCCCCAGGC TGAGGGCTTC CCCGAAAGTC TGGGACCAGG TCCAGGTGGG 540
 CATGGAATGC TGATGACTTG GAGCAGGCC CACAGACCCC ACAGAGGATG AAGCCACCCC 600
 ACAGAGGATG CAGCCCCAGC CTGCATGGAA GGTGGAGGAC AGAAGCCCTG TGGATCCCCG 660
 GATTTACAC TCTTCTGTG TTGTTGCCGT TTATTTTGTG CTCAAATCTC TACATGGAGA 720
 TAAATGATTT AAAC

Seq ID NO: 230 Protein sequence:
 Protein Accession #: NP_003686

1 11 21 31 41 51
 | | | | | |
 MRTALLLLAA LAVATGPALT LRCHVCTSSS NCKHSVVCFA SSRFCKTINT VEPLRGNLVK 60
 KDCAESCTPS YTLQGVVSSG TSSTQCQPED LCNEKLHNA PRTALAHSA LSLGLALSLL 120
 AVILAPSL

Seq ID NO: 231 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 126-752

	1	11	21	31	41	51	
	CCGGGCAGGT	GGCTCATGCT	CGGGAGCGTG	GTTGAGCGGC	TGGCGCGGTT	GTCCTGGAGC	60
5	AGGGGCGCAG	GAATTCTGAT	GTGAAACTAA	CAGTCTGTGA	GCCCTGGAAC	CTCCACTCAG	120
	AGAAGATGAA	GGATATCGAC	ATAGGAAAAG	AGTATATCAT	CCCCAGTCC	GGGTATAGAA	180
	GTGTGAGGGA	GAGAACCAGC	ACTTCTGGGA	CGCACAGAGA	CGGTGAAGAT	TCCAAGTCA	240
	GGAGAACTCG	ACCGTTGGAA	TGCCAAGATG	CCTTGGAAAC	AGCAGCCCGA	GCCGAGGGCC	300
	TCTCTCTTGA	TGCCTCCATG	CATTCTCAGC	TCAGAATCCT	GGATGAGGAG	CATCCCAAGG	360
10	GAAGTACCA	TCATGGCTTG	AGTGCTCTGA	AGCCCATCCG	GACTACTTCC	AAACACCAGC	420
	ACCCAGTGA	CAATGCTGGG	CTTTTTCTCT	GTATGACTTT	TTGCTGGCTT	TCTTCTCTGG	480
	CCCGTGTGGC	CCACAAGAAG	GGGGAGCTCT	CAATGGAAGA	CGTGTGGTCT	CTGTCCAAGC	540
	ACGAGTCTTC	TGACGTGAAC	TGCAGAAGAC	TAGAGAGACT	GTGGCAAGAA	GAGCTGAATG	600
	AAGTTGGGCC	AGACCGTCTG	TCCCTGCGAA	GGGTTGTGTG	GATCTTCTGC	CGCACCAGGC	660
15	TCATCCTGTG	CATCGTGTGC	CTGATGATCA	CGCAGCTGGC	TGGCTTCAGT	GGACCAAAAT	720
	TTCAGGATGG	CTGTATTCTG	CGGTGAGAAT	GAGAGAGTCA	AGCTGGGCAG	AACTCTCGC	780
	CAAGAGTTCA	GCCTTCTTTT	GGAGACTGCT	CCATCAGTGC	CGAGGTGTGT	GGGAACAGGC	840
	TTCACTGCAC	CGCCATCTTA	CTGAGTTGCT	TCACGTGAGG	AAAAGGGGGC	TTTGGCCCTG	900
	TGACTCAGTT	CCACATTTTG	GATTGCATAC	TGGAAGAAGAA	GCCAACTCTC	TTGCTAGTAA	960
20	ACCAGCAACC	CGGCTGTATA	CAGTGGTGAC	CCAAGCAATG	GATATAAAC	TAAAAATCTG	1020
	AGGGAGGGGA	GAGGTGGAAT	ACAGTAGTTC	TTGGAATCTG	AAGTCTCCTA	TTTGATCAGG	1080
	TTATTTCTCG	GACTTTGGCA	AAAATCTGAT	TGTTGGGGAT	CTCCTAGGAC	CTAGTGGACA	1140
	TCTGGTATTA	ATTTAATCTC	AGGAAAAACA	AGAAATTAAC	CCAGAGAGAG	TCTGGGTTTT	1200
	GGAAATTCAG	GTAGCTACCT	CCAGACCGTG	GTGCTGGGCC	TCCATTTTGT	TCTGTCAATC	1260
25	AGCTCTGACT	TACAGTGCA	GTCACTTTG	CTATAAGGCA	CCTGGGTAGA	AGGGTGGATG	1320
	GGCTTCACAT	CAATTTTTTT	CTTCTTTTAG	GGTGGGGGAT	TGGTTTGGCT	TTCTTTTGT	1380
	GTGGTTTTTT	GTTTTATTTT	TGTCAAGATT	GATTTTTAGA	TGCAAGGACT	TGAAAAGACC	1440
	CAGAAGGATG	CCACCAGTTT	TTCCCTGAGG	CCTAGGATTT	TTTATTCTGT	CCCCAGCAGA	1500
	GGTAATTCCT	CACAACCTAG	TGCACCAGTA	GCACCAGCCA	TTTTGAGCAG	AGTACCTCTT	1560
30	TGGGGAGCTT	TGCTGTTTGT	TTTGTTTTTA	ATTCTCTTTC	CTTAGCAGCA	AGGTCTTTTT	1620
	TCCTAGAGAA	TCTACTCCGT	TGCAGAATCA	TTGCAACCTC	AGGAGCCCTC	ACTGATTGAG	1680
	TGCTGTGAGC	CTGATATACT	ACTTTGGACT	CTGGAAAACAG	ATATGGGTTT	TATTCTCTAT	1740
	TTCTACTGTG	TGCTGTTAAA	CAACCGTCGG	AGACCAGATG	ACCTGTTAGA	TGGCTAGTCC	1800
	TGTATAAATC	GACTCTGTAT	GTTTCAATGT	ATGTTACTGC	AATGCTTAC	CTGCTGTACA	1860
35	GTGTTTGTGA	GATGCTCTTT	GAAGATGGTA	CTTTTATATT	T		

Seq ID NO: 232 Protein sequence:
Protein Accession #: Eos sequence

	1	11	21	31	41	51	
40	MKDIDIGKEY	IIPSPGYRSV	RERTSTSGTH	RDREDSKFR	TRPLECQDAL	ETAARAEGLS	60
	LDASMSQLR	ILDEHPKPK	YHEGLSALKP	IRTTSKHQHP	VDNAGLPSCM	TFSWLSLAR	120
	VAHKKGELSM	EDVWSLSKHE	SSDVNCRRL	RLWQEELENEV	GPDAASLRV	WVIFCRTRLI	180
45	LSIVCLMITQ	LAGFSGPNFQ	DGCILRSE				

Seq ID NO: 233 DNA sequence
Nucleic Acid Accession #: CAT cluster

	1	11	21	31	41	51	
50	TTTTAATGGT	GCTCATATAT	ACTGTATTTT	TTGTTGTTTA	GTTTTACTTA	TTGAGAGTGT	60
	CACAACATGA	ATCACATAAT	CAGGATTTTT	TTTTTTTACT	TTTACTCCCC	AAATATTCA	120
	TGTTTCTTAG	ATCGTAGTCA	TTGAGAAGTC	CCAATAACTC	TAACTTTTGT	AGTTATAAGG	180
	TAGTAAACTT	CTCTTTCATC	TTTGTGTTAG	CTCTGTAGTC	TAACTTGGGA	TTTTAATTTT	240
55	TTTGTTTCCA	AAGTCACAA	TGAATTATTC	TTAGATAACT	TAAAGCCACTG	AATTCAGTTC	300
	TGTTTGTACTG	AAAGCAAAC	AACGTGACAG	TTTATTTTCA	AACACTAAT	TCTTGATATT	360
	TTGTTATGGT	ATATCTTTTT	ATTAATATTT	TATTTTGGCT	AAGCTTTTCA	AAAATATTTG	420
	AAAGCTATTT	AATCATCAAG	TATGGAAAAC	AAATTAATAT	TGCAATTTTC	TATATATGCA	480
60	TATATATGAG	ATTAACAGCA	ATTGTATCAT	TTTTGGCCTA	ATGCTCGGAT	ATAAAAGATA	540
	ATTAGCCTAC	TATAGTATTA	ATAAATTTTT	CAGTTGGTTT	GGGCAAATTT	AAACCTGAAA	600
	AAATAGGTTAA	AAAGTAGTTA	CAAATTAAC	TTACTAATTT	ATACCTGATT	TTTTTTCTTG	660
	AAATAAAGTA	CATTTTAAAT	GAGCTTTATA	ATACCTTAAA	AAGTTGGTTC	TAATTTAAAA	720
	TATGAAAGCT	CTGGCTATCA	TCCCTGGGATA	GTAATTTCTA	ATTATATAGT	ATTTCAAAC	780
65	TATATATTTT	TTAGTTCCTT	TGAGATAACT	AATTTCTAAT	TATATATGTT	TCAAAAACCA	840
	TATCCTGTAT	TTTTTTTAAAG	AAATGTTTTA	TAAATAGTTC	ATAAGATACA	AGGCTGTGCAT	900
	TAGAAGACCC	ACTCTTACTA	GAGTCCCTAA	GGATCTGCCA	TAGATTTTTT	TTTTTTTTTT	960
	TTTTTTTTTAG	TGAGTTTAAA	GCAAGCACTG	ATACCAGTGG	GAGTTGGTCT	TGATCTAGGA	1020
	GATTCTGTGA	AGCATCCAAA	AACAATGCCT	AATTTCAAGT	CTTAGGTTAT	GGCTTGTGAC	1080
70	TCCAGATAAA	AGATGGAGAA	TACCTCATGT	ACTGTGACIT	GAAAATGAAT	TCTTAAAATT	1140
	CTTAGGCTCT	CTCCATGTAT	CTTCTTAAAG	GAAAAGTTTC	TGAGTGTGAT	CTCTCTTTTG	1200
	CCATAGTATC	AAGTGGAGGG	TAGTTTCAGAA	AAGTTAATAG	GAAATCTTTT	GTGACAGCAG	1260
	ACTATAATAG	AAGTTTGTAGT	AATATTTTAA	TAAATTTATA	TAATTCAAAT	GATAAAAATG	1320
	TATCAATGTT	ATCCATGAT	TTTTATTAAA	AAATTACCTT	ATTATTAGAA	CTGTGCCTAT	1380
	TACATAAAAA	GTGCTCATGT	ATTTGAATTT	TAAATAATTT	ATTTAAATCA	AGACCACCAT	1440
75	AAGTCATTAA	TAATTTAATA	ATGTTTTTAA	ATCAGTGGTT	TCAACCCCTC	ACTTCTAATT	1500
	AGAATCATCT	GAGGACTTTT	AATATGGAAT	CCACCTCATA	ACAATTAAGT	CTAAATTTCT	1560
	GGAAAGATGGA	GCCATGCTTG	TTTTTCCAAA	AGCTCTTTGA	GTGATTTCAA	TTTGTAGTCA	1620
	GAGTTGAAGA	CCACTGCTCT	AAATTAGTGC	AGGAAAATGC	TTTTATTTCT	CCCATGTTAA	1680
	CTTTTAAAC	TAGTAAATGTA	CCCAGTTAAG	TTTTGATGGT	TTAAATTTCA	CTAAAGAACCA	1740
80	TATTCTTCTA	ATAACTAGCA	TTTATTACAT	GAATTTAAG	AGTTTAAGTT	CCATCRAACT	1800
	AGCCCTTGTG	TAAGATTATT	ATTTCTTCTC	TATAAATTTA	AAATAGATAT	TTCAATCAA	1860
	CTGTTCAGGT	GAGAAAACAT	AATGGATTTT	TTTTTTTTTC	CTCTGGAGCT	GCCTGTTTCA	1920
	TGAGATGGAG	GAGGTGGGCA	CATTTAAGGT	CAGTTCACCTA	ACCTATGGTT	CAGAGTCTCTG	1980
	ATCATATGGA	AGTTTGGAAA	AGAGAGCTTA	TCACAGGTTT	GTATGCTGGT	GAATGGATAG	2040
85	TTTAAATTTCT	CACTGTCTCA	AAAGAGAATC	AGCTCTCCAG	CAGTCTTACA	AAAGCTTTGA	2100
	CAATCCCAA	GGGGCAGTGT	TACCTTACTC	CTTCACTGCT	TCTTAGAAGG	TAGAATTAAG	2160
	TTTCTGGAA	TGCACCTACA	TGTTTTCTTA	TTAACATTCA	GAATTTGGAA	TATTAATTTT	2220

TCCAGTGAGT AGTTTTCTGA AATTGGTAAC TTGGAGAGTA AAATAACGTA TTTTGCTTTT 2280
 CAATTTGTG TTTGTTTACT TTTATGTAAA AATTTGATAT GTGAATTACA CAGTCTAAT 2340
 AAAACCTCAT GCCTTTTCAT TACATCTAAT TTGAACCTCTC AACTTCAGTG CCAGAAAGTGC 2400
 TTTAAAGATG CTTTAATGAA AAGTATTAAG AAAATATATA GATTTGTATG TCAGTTTATA 2460
 5 CTTCAGAAAT CCATATATTT GTCATATTTA TTTTTTTAGA AACCTCCTAA TTGGATAACT 2520
 AGATGGTATT TAAAATGAAT GCCCAAAAAT ATCTTGTAACC TTTGTCCAAA AGTTTATCTG 2580
 TTGGAAGCCG CCAGCCATT C ATGTAGAGAG TTTATAAGAA AATAATTTAA AATTGTATGC 2640
 ATTTTATATT ACTATGGTAT CTGTGTACCA TATTTCTAAG TATTCATTAT TAAATTGGTA 2700
 CTTCTTAAAA CCATAACCTG GCTGCGCTTT TAGTGTAAA CACAAAATCC AACATTGTAT 2760
 10 ATAGAGATT C TCTTTTATG AAGAAGAGCT GACGTAATTT ATTACCAGTG CATCTGCACA 2820
 AAGACATTAA CATAAGTCTC TGAGCAGTGA TACATTTTCA AACATGAAGA GTGACACCA 2880
 CCACATTAAA CAACCCAGGC AACACTCAGA CTTGGCACTT TCCTACGAAT CCATCCTATA 2940
 TGTGCTGGT ATCGCCTCTG GCATAACTTA CACGAATCGT CCTCCCTACT TGTCTACGCT 3000
 15 CCTTCATCAA GCACTTGCCA ACACATTCAC CTCTAACTTG TACAACCTTA CCAACTCACC 3060
 ACAACATCTG CAACTCTACC CTATCAACTG CCAACCTAAA GACCCCAAC ACAACACAC 3120
 CCCCAAACAC AAAACCACTA AATCATAACC ACCACACACG CCACACACCA CACACCCACC 3180
 CACACACCA ACACACCAG ACCAAACACC CCACCACAAA CAAGCTAACA ACCACAAACA 3240
 GACAACACAT CACATACACT CACTACCCCC CCATACTCCC ACCACCA

Seq ID NO: 234 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 27-281

1 11 21 31 41 51
 | | | | | |
 25 AGCAGGAGGA GAGCTGGCGG GAAGACATGC ACCCCTTGAA GACCCAGAGA GAGGCCGCTCT 60
 GTCFACCGGG TAGCAGTTAC ATCAGACTGA GACTCTCCT GTTTACAGGA GACTATAAAA 120
 TTCTGCCCC GTGCTCATTT GGGGCTGACG CCATTTTAGG CCTCAGCCCA TCTGCACCCA 180
 GGCCTCACT GAAACAGTGT GTTGTCCAC ACCGCTTGT TTTGCTTGT GCGCGCTCT 240
 30 CAGGTTCCG ACCAATCCAA GAGCCTTGCA GAAAGCATT ACGTGTCTT CTCTTTGGCA 300
 GAGTTTTTCT TTGCTCTGAT CTTGGAGACA TCCCTCTGCC TAGTGGAAAC ATAAGGAATA 360
 CAGAAAGAA GCAAGGAGAT AGACCAACGT GAGATTCTCC TTCATGCAT CAAGAGAAAG 420
 ATGTTGCAGG AAGAGCTAGT CTTTCAAGCT GGGCTGGTGA CCTGAGAAAG AATGTCCAGC 480
 TTTTCTTCT CACTTGGCAT ATCAAGAGCC AGGCGTGGAA GACTAAAACA GAAATGTTT 540
 35 ATAAAACTG TTCAGCGGTT CGCCAACAAG AAGTGGTAAA GTAGCAAAA TGGGGATGGA 600
 GATGCCAGGA GGAAGATATG CAGGGGTAAA GTGGGAAAAT GGGAACTGA AGCCAGGAGG 660
 TCAGCCCAAG CCAACAGGTG TCTGTFTTT CATCACAGAA CTAATAAGTG GTGCTGAGGA 720
 CTCAAACCCG GGAAGCCCA CTCTAGAACC CATGCTGGTC ATCCATATCC CCAAGGCCCT 780
 40 GGTCAAAACA CAGCTAAGCA GATGGCTTGG GTCATCAGGA CGTCCATTAC ATCCAAAGGA 840
 AGACAGCCTG TGACGTTTCA AAAGCAAAG TCCCTACCA GCCAGTGAAG CTACTGATT 900
 TCTCAGTATC TTACGCCAG TGACACGATC TACCCTCAA ACTTAAAAA AAAAGGGAAA 960
 CATAAACACA TAACAGCAGC AGCAATAAT AAAGATGAGA TGAGAACAAT TAAGAAAAA 1020
 GGAAAGGTCT CCTGTGACTG TTTTATTTT AGGGAAACAG AGAGGAAGAA GAATGATTTT 1080
 45 TCTTTTATG ACTCTATATC CAACTCTGAG GTTTGATTA AGAAATGACC TTGAACCACA 1140
 GCAAAGAAAA ATAAAGACA ATTTCCAGTA AGTATGCCAG TTCGAATTA TGATTTACTT 1200
 TTTATTTTA AACTGAATTC AGCAGAGATT TACATGCATT ACGATGATTA ACATCTGAAA 1260
 TTTGACCTTG AATAATCTT TACATGTAA ATTCTTATG ATCAAAACAA GGTCTCAGT 1320
 GATTAAAAA TATTAGTAAT TAATTATTA AGSAGATAA TTGCAATAC AACATTCCTA 1380
 50 AAATCTCAAG GCTTTTAAAG CATTGTGACA AATGACTGGA CTTTTTTAA ATTTGAAAA 1440
 AAAAAAAGC CCTCCTCTG ATTCTCATTT TCATTGTGAG TGCAACAACA AAAAAGGTAT 1500
 GCACCTCTCT TCTCATTTTC CACTGTCTCG CAAGCTAGAA ATTCTCACGA CFACCTTGA 1560
 TCCCATCAA GCCAAAGAAA GAAAAGAAA TTGTTCTGTA CAGATATATG ACATTA AAAA 1620
 ATAATCCC

Seq ID NO: 235 Protein sequence:
 Protein Accession #: Eos sequence

1 11 21 31 41 51
 | | | | | |
 60 MHPLKTRQA VCLFRSSYIR LRHFLFTGDY KIPAPCSFGA DAILGLSPSA PRRSLKQCV 60
 PRLVLLVGA LSGFRPIQEP CRKH

Seq ID NO: 236 DNA sequence
 Nucleic Acid Accession #: NM_002075
 Coding sequence: 406..1428

1 11 21 31 41 51
 | | | | | |
 70 CCACAATAGG GGCAGACCTG TCCATCCTTC TCTGTGGGTC CCCTGTACCT TTCTCCCCCA 60
 ACAGGATCAG ACCCAGAGGC AGCTGGTTGG GGTGTGTCGA GAAGAAGGAT TATCCAGATC 120
 AGTCTTTCT AATCTCAGCT CTGCGCTGTA CCTCCCATA CTCACCAAC CCTCTTCCCC 180
 ACCACCCTGA GCTGAGGAGC ACAGTTTGG GCCCCCCTAA CCCCCCGCG GTCCGGGGCA 240
 75 GGCCAGGCCA GGCCAGTCTC TCTGGCAGCA GAGCCTGGGC AGGTGACGGG CGGGCGCGGG 300
 CGTCGCAGCT GAGGGAGTAA GGAGGCTCCC AGGAACCGGA GCTGGAACC CGGCCGAGGT 360
 CCAGCCAGAG CCCAAGAGCC AGAGTGACCC CTCGACCTGT CAGCCATGGG GGAGATGGAG 420
 CAACTGCGTC AGGAAGCGGA GCAGTCAAG AAGCAGATG CAGATGCCAG GAAAGCCTGT 480
 GCTGACGTTA CTCTGGCAGA GCTGGTGTCT GGCCTAGAGG TGGTGGGACG AGTCCAGATG 540
 80 CGGACGCGGC GGAGCTTAA GGGACACCTG GCCAAGATT ACGCCATGCA CTGGGCCACT 600
 GATTCTAAGC TGCTGGTAA GTCCTCGCAA GATGGGAAGC TGATCGTGTG GGACAGCTAC 660
 ACCACCAACA AGGTGCACGC CATCCACTG CGCTCCTCCT GGGTCATGAC CTGTGCCTAT 720
 GCCCCATCAG GGAATTTGT GGCATGTGG GGGCTGGACA ACATGTGTT CATCTACAC 780
 CTCAAATCCC GTGAGGGCAA TGTCAAGGTC AGCCGGGAGC TTTCTGCTCA CACAGTTAT 840
 CTCTCCTGCT GCCCTCCTT GGATGACAAC AATATGTGTA CCAGCTCGGG GGACACCAG 900
 85 TGTGCTTGT GGGACATTGA GACTGGGCG CAGAAGACTG TATTTGTGGG ACACACGGGT 960
 GACTGCATGA GCCTGGCTGT GTCTCCTGAC TTCAATCTCT TCATTTCGGG GCCTGTGAT 1020
 GCCAGTGCCA AGCTCTGGGA TGTGCGAGAG GGGACCTGCC GTCAGACTTT CACTGGCCAC 1080

GAGTGGACA TCAACGCCAT CTGTTTCTTC CCCAATGGAG AGGCCATCTG CACGGGCTCG 1140
 GATGACGCTT CCTGCCGCTT GTTTGACCTG CGGGCAGACC AGGAGCTGAT CTGCTTCTCC 1200
 CACGAGAGCA TCATCTGGCG CATCACGCTC GTGGCCTTCT CCCTCAGTGG CCGCTACTA 1260
 5 TTCCGTGGCT ACGACGACTT CAACTGCAAT GTCTGGGACT CCATGAAGTC TGAGCGTGTG 1320
 GGCATCCTCT CTGCCCCA TAACAGGGTG AGCTGCCCTG GAGTCACAGC TGACGGGATG 1380
 GCTGTGGCCA CAGGTTCCTG GGACAGCTTC CTCAAAATCT GGAACCTGAGG AGGCTGGAGA 1440
 AAGGGAAGTG GAAGGCAGTG AACACACTCA GCAGCCCCCT GCCCGACCCC ATCTCATTCA 1500
 GGTGTTCTCT TCTATATTCC GGGTGCCATT CCCACTAAGC TTTCTCCTTT GAGGGCAGTG 1560
 GGGAGCATGG GACTGTGCC TTTGGGAGGCA GCATCAGGGA CACAGGGGCA AAGAAGTGCC 1620
 10 CCATCTCCTC CCAATGGCCT CCCTCCCCAC AGTCCTCACA GCCTCTCCCT TAATGAGCAA 1680
 GGACAACTCG CCCTCCCCA GCCCTTTGCA GGCCAGCAG ACTTGAGTCT GAGGCCCCAG 1740
 GCCTAGGAT TCCTCCCCA GAGCCACTAC CTTTGTCCAG GCCTGGGTGG TATAGGGCGT 1800
 TTGGCCCTGT GACTATGGCT CTGGCACCA TAGGGTCCTG GCCCTCTTCT TATTCTGCT 1860
 15 TTCTCTTTT TCTACCTTTT TTTCTCTCCT AAGACACCTG CAATAAAGTG TAGCACCTGT 1920
 GT

Seq ID NO: 237 Protein sequence:
 Protein Accession #: NP_002066

20 1 11 21 31 41 51
 | | | | | |
 MGEMEQLRQE AEQLKKQIAD ARKACADVTL AELVSGLEVV GRVQMRTRRT LRGHLAKIYA 60
 MHWATDSKLL VSAQDQKLI VWDSTYTNKV HAIPLRSSWV MTCAYAPSGN FVACCGLDNM 120
 25 CSIYNLKSRE GNVKVSRELS AHTGYLSCCR FLDDNNIVTS SGDITCALWD IETGQKQTVF 180
 VGHTGDCMSL AVSPDFNLFI SGACDASAKL WDVREGTCRQ TFTGHESDIN AICFPFNGEA 240
 ICTGSDDASC RLFPLDRADQE LICFSHESII CGITSVAPSL SGRLLFAGVD DFNQCNVWDSM 300
 KSERVGIILSG HDNRVSLGV TADGMAVATG SWDSFLKFWN

Seq ID NO: 238 DNA sequence
 Nucleic Acid Accession #: CAT cluster

30 1 11 21 31 41 51
 | | | | | |
 TCCCAATGTG TNGAACCTAC CATAAATCTT TTTCTTACNG GACAATCTTA TNCTAANCAA 60
 TACCATTTCG TTTTAAGGCA GATAATCCTC CAAGTTTCTT AATGATATCT GAAACTATTA 120
 35 ACTGATTCTG TGAATTATGA AATCTGAAAA GGAATTGGAA GTTGCTAAAA ATCTATCATT 180
 TGCATTGACC AGTGTGAAGC ACAGTGGAA T GAGAATGCGT GCCCTGACAC CAAAGAAAAA 240
 TAAGTGACTG GAAAGCTGAA GAATCACCAG CTTCAGTGAC ATGGAACCCA GTGATTGAT 300
 40 TTTTGACGAG TATCGGGTGA CTTTGAGGTG GTCAAGAAAC CACACTTAA GAACAATGTC 360
 CAAAAAGGGG AAAAAAAGA GCAACCAAAG AAAAAAATC CATAAAATG CACAGAAGAA 420
 AAGAAAGAAA AATAAAATAC ACAATATGGA CGATGGAGAA AACAGTTAC ATTTCTTTAT 480
 GGATCAAGAA GTTTGTGTAC ACATAATCTC ATTTGAGAT ATATAACTAT TTTTGTCTTT 540
 CAGAAAGTAA TCAAAATATT TCAAAATGCT GTCTTATGAA ACTACAATAT TCTCAGAT 600
 45 TAGAAAAGTT TTTCTGTAAA AGTCAGATAG TAAATATTTT AGGTTTGTCA GTGTCTTTG 660
 CAACTACTCA ACTTTCCTAC TGTAGCACAA GAGTAGCTGT GGTACTGTGC AAATAAATTG 720
 CTTGTGTTCC AATAAAGCTT CATTACAAA AACATGCCAT GGGCCATATT TGGCCTGTAC 780
 ACTGTTGTTT GCCAAGTCTT AATATAGTTG CTTAGCAAGT ATTGTGAGCT ATTTGAGGAA 840
 GACATGAAAG TTCATTGGGT TGCTAAAAAG TATGTAGAAA TTCAAAGGAA AATTAAATT 900
 50 TAGGCTAAGT TATAATACAC TGTTTAAACA ATTGTAAAAA GTAAGAGAAA TTTACAATA 960
 AAATCCCAA AAAAAA

Seq ID NO: 239 DNA sequence
 Nucleic Acid Accession #: NM_001786.1
 Coding sequence: 130-1023

55 1 11 21 31 41 51
 | | | | | |
 GGGGGGGGGG GGCACCTTGGC TTCAAAGCTG GCTCTTGGAA ATTGAGCGGA GAGCGACGG 60
 GTTGTGTAG CTGCCGCTGC GGCCGCGCGG GAATAATAAG CCGGATCTA CCATACCCAT 120
 60 TGACTAACTA TGGAAAGATTA TACCAAAATA GAGAAAATTG GAGAAAGTAC CTATGGAGTT 180
 GTGTATAAGG GTAGACACAA AACTACAGGT CAAGTGGTAG CCATGAAAAA AATCAGACTA 240
 GAAAGTGAAG AGGAAGGGGT TCCTAGTACT GCAATTCGGG AAAATTTCTCT ATTTAAAGGAA 300
 CTTGTCATC CAAATATAGT CAGTCTTCA GATGTGCTTA TGCAGGATTC CAGGTTATAT 360
 65 CTCATCTTIG AGTTTCTTTC CATGGATCTG AAGAAATACT TGGATTCTAT CCCTCCTGGT 420
 CAGTACATGG ATTCTTCACT TGTTAAGAGT TATTTATAAC AAATCCTACA GGGGATTTG 480
 TTTTGTCACT CTAGAAGAGT TCCTCACA GACTTAAAAC CTCAAAATCT CTTGATTGAT 540
 GACAAAGGAA CAATTAACCT GGCTGATTTT GGCTTGGCA GAGCTTTTGG AATACCTATC 600
 AGAGTATATA CACATGAGGT AGTAACACTC TGGTACAGAT CTCCAGAAGT ATTGCTGGGG 660
 70 TCAGCTCGTT ACTCAACTCC AGTTGACATT TGGAGTATAG GCACCATATT TGCTGAACTA 720
 GCAACTAAGA AACCACTTTT CCATGGGGAT TCAGAAATTG ATCAACTCTT CAGGATTTTC 780
 AGAGCTTTGG GCACTCCCAA TAATGAAGTG TGGCCAGAAG TGGAACTTTT ACAGGACTAT 840
 AAGAATACAT TTCCCAAATG GAAACCAGGA AGCCTAGCAT CCCATGTCAA AAAGTTGGAT 900
 GAAAATGGCT TGGATTGTCT CTCGAAAATG TTAATCTATG ATCCAGCCAA ACGAATTTCT 960
 75 GGCAAAATGG CACTGAATCA TCCATATTTT AATGATTGG ACAATCAGAT TAAGAAGATG 1020
 TAGCTTTCTG ACAAAGATG TCCATATGTT ATGTCAACAG ATAGTTGIGT TTTTATTGTT 1080
 AACTCTTGT TATTTTGTG TATATATAT TCTTTGTTA TCAAACTCA GCTGTACTTC 1140
 80 GTCCTTCTAAT TTCAAATAA TAACCTAAA ATGTAATAT TCTATATGAA TTTAAATATA 1200
 ATTCTGTAAA TGTGAAAAA AAAAAA

Seq ID NO: 240 Protein sequence:
 Protein Accession #: NP_001777.1

85 1 11 21 31 41 51
 | | | | | |
 MEDYTKIEKI GEGTYGVVYK GRHKTTGQVV AMKKIRLESE EEGVPSTAIR EISLLKELRH 60
 PNIIVLQDVL MQDSRLYLIF EPLSMDLKKY LDSIPPGQYM DSSLVKSILY QILQGVFVCH 120

SRRLHRDLK PQNLLIDDKG TIKLADFGLA RAFGIPIRVY THEVVTLWYR SPEVLLGSAR 180
 YSTPVDWISI GTIFAELATK KPLPHGDSEI DQLFRIFRAL GTPNNEVWPE VESLQDYKNT 240
 PPKWKPGSLA SHVKNLDENG LDLLSKMLIY DPAKRISGKM ALNHPYFNLD DNQIKKM

5

Seq ID NO: 241 DNA sequence
 Nucleic Acid Accession #: NM_033379.1
 Coding sequence: 132-854

10

	1	11	21	31	41	51	
	CGCCCGCGCG	CGGGCTCAAC	TTTGTAGAGC	GAGGGGCCAA	CTTGGCAGAG	CGCGCGGCCA	60
	GCTTTGCAGA	GAGGCCCCTC	CAGGGACTAT	GCGTGCGGGG	ACACGGGATC	TACCCATACC	120
15	ATTGACTAAC	TATGGAAGAT	TATACCAAAA	TAGAGAAAAT	TGGAGAAGGT	ACCTATGGAG	180
	TTGTGTATAA	GGGTAGACAC	AAAACACACG	GTCAAGTGGT	AGCCATGAAA	AAAAACAGAC	240
	TAGAAAGTGA	AGAGGAAGGG	GTTCTCTAGTA	CTGCAATTTC	GGAAATTTCT	CTATTAAGAG	300
	AACCTTCGTC	TCCAAATATA	GTCAGTCTTC	AGGATGTGCT	TATGCAGGAT	TCCAGGTTAT	360
	ATCTCATCTT	TGAGTTTCTT	TCCATGGATC	TGAAGAAATA	CTTGATTTCT	ATCCCTCCTG	420
	GTCAGTACAT	GGATTTCTCA	CTTGTAAAGG	TAGTAACACT	CTGGTACAGA	TCTCCAGAAG	480
20	TATTGCTGGG	GTCAGCTCGT	TACTCAACTC	CAGTTGACAT	TTGGAGTATA	GGCACCATAT	540
	TTGCTGAACT	AGCAACTAAG	AAACCACCTT	TCCATGGGGA	TTGAGAAATT	GATCAACTCT	600
	TCAGGATTTT	CAGACTTTTG	GGCACTCCCA	ATAATGAAAT	GTGGCCAGAA	GTGGAATCTT	660
	TACAGGACTA	TAAGAATACA	TTTCCCRAAT	GGAAACCAGG	AAGCCTAGCA	TCCCATGTCA	720
	AAAACCTTGA	TGAAAATGGC	TTGGATTTGC	TCTCGAAAAT	GTTAATCTAT	GATCCAGCCA	780
25	AACGAAATTC	TGGCAAAATG	GCACTGAATC	ATCCATATTT	TAATGATTTG	GACAATCAGA	840
	TTAAGAAGAT	GTAGCTTTCT	GACAAAAAGT	TTCCATATGT	TATGTCAACA	GATAGTTGTG	900
	TTTTTATTGT	TAACCTCTGT	CTATTTTGT	CTTATATATA	TTCTTTGTT	ATCAAACCTC	960
	AGCTGTACTT	CGTCTTCTAA	TTTCAAAAAT	ATAACTTAAA	AATGTAATAA	TTCTATATGA	1020
	ATTTAAATAT	AATTCTGTAA	ATGTGAAAAA	AAAAAAAAAA	AAAAAA		

30

Seq ID NO: 242 Protein sequence:
 Protein Accession #: NP_203698.1

35

	1	11	21	31	41	51	
	MEDYTKIEKI	GEGTYGVVYK	GRHKTGQVQ	AMKKIRLESE	EEGVPSTAIR	EISLLKELRH	60
	PNIVSLQDVL	MQDSRLYLIF	EFLSMDLKKY	LDSIPPGQYM	DSLSLVKVVTL	WYRSPEVLLS	120
	SARYSTPVDI	WSIGTIFAEL	ATKPLPHGSD	SEIDQLFRIF	RALGTPNNEV	WPEVESLQDY	180
	KNTFPKWKPG	SLASHVKNLD	ENGLDLSKML	LIYDPAKRIS	GKMLNHPYFP	NLDLNQIKKM	

40

Seq ID NO: 243 DNA sequence
 Nucleic Acid Accession #: AF101051.1
 Coding sequence: 221-856

45

	1	11	21	31	41	51	
	GAGCAACCTC	AGCTTCTAGT	ATCCAGACTC	CAGCGCCGCC	CGGGCGCGGG	ACCCCAACCC	60
	CGACCCAGAG	CTTCTCCAGC	GGCGGCGCAG	CGAGCAGGGC	TCCCCGCCTT	AACTTCTCTC	120
50	CGCGGGCCCA	GGCACCTTCG	GGAGTCCGGG	TTGCCACACT	GCAAACTCTC	CGCCTTCTGC	180
	ACCTGCCACC	CTGTAGCCAG	CGCGGGCGCC	CGAGCGAGTC	ATGGCCAACG	CGGGGCTGCA	240
	GCTGTTGGGC	TTCAATCTCG	CCTTCTGGGG	ATGGATCGGC	GCCATCGTCA	GCACTGCCCT	300
	CGCCCACTGG	AGGATTTACT	CCTATGCCGG	CGACAACATC	GTGACCGCCC	AGGCCATGTA	360
	CGAGGGGCTG	TGGATGTCTC	GCGTGTGCGA	GAGCACCCGG	CAGATCCAGT	GCAAACTCTT	420
55	TGACTCCTTG	CTGAATCTGA	GCAGCACATT	GCAAGCAACC	CGTGCTTGA	TGGTGGTTGG	480
	CATCCTCCTG	GGAGTGATAG	CAATCTTTGT	GGCCACCCTT	GGCATGAAGT	GTATGAAGTG	540
	CTTGGAAAGC	GATGAGGTGC	AGAAGATGAG	GATGGCTGTC	ATTGGGGGTG	CGATATTTCT	600
	TCTTGCAGGT	CTGGCTATTT	TAGTTGCCAC	AGCATGGTAT	GGCAATAGAA	TCGTTCAAGA	660
	ATTCTATGAC	CCTATGACCC	CAGTCAATGC	CAGGTACGAA	TTTGGTCAGG	CTCTCTTAC	720
60	TGGCTGGGCT	GCTGCTTCTC	TCTGCCCTCT	GGGAGGTGCC	CTACTTTGCT	GTCTCTGTCC	780
	CCGAAAAACA	ACCTCTTACC	CAACACCAAG	GCCTATCCA	AAACCTGACC	CTTCCAGCGG	840
	GAAAGACTAC	GTGTGACACA	GAGGCAAAAG	GAGAAAATCA	TGTTGAAACA	AACCGAAAAT	900
	GGACATTGAG	ATACTATCAT	TAACATTAGG	ACCTTAGAAT	TTTGGGTATT	GTAATCTGAA	960
	GTATGGTATT	ACAAAACAAA	CAAAACAAA	AAAAACCCAT	GTGTAAAAAT	ACTCAGTGCT	1020
65	AAACATGGCT	TAATCTTATT	TTATCTTCTT	TCCTCAATAT	AGGAGGGAAG	ATTTTACCAT	1080
	TTGTATTACT	GCTTCCCATT	GAGTAATCAT	ACTCAAATGG	GGGAAGGGGT	GCTCCTTAAA	1140
	TATATATAGA	TATGATATATA	TACATGTTTT	TCTATTAATA	ATAGACAGTA	AAATACTATT	1200
	CTCATTATGT	TGATACTAGC	ATACTTAAAA	TATCTTAAAA	ATAGGTAAT	GTATTTAATT	1260
	CCATATTGAT	GAAGATGTTT	ATTGGTATAT	TTTCTTTTTC	GTCCTTATAT	ACATATGTAA	1320
	CAGTCAAATA	TCATTACTTC	TTCTTCATTA	GCTTTGGGTG	CCTTTGCCAC	AAGACCTAGC	1380
70	CTAATTTACC	AAGGATGAAT	TCTTTCAAAT	CTTCATCGGT	GCCCTTTTCA	TATACTTATT	1440
	TTATTTTTTA	CCATAATCTT	ATAGCACTTG	CATCGPTATT	AAGCCCTTAT	TTGTTTTGTG	1500
	TTTCATTTGT	CTCATCTCC	TGAATCTAAC	ACATTTTATA	GCCTACATTT	TAGTTTCTAA	1560
	AGCCAAGAAG	AATTTATTAC	AAATCAGAAC	TTTGGAGGCA	AATCTTTCTG	CATGACCAAAA	1620
75	GTGATAAATT	CCTGTTGACC	TTCCACACACA	ATCCCTGTAC	TCTGACCCAT	AGCACTCTTG	1680
	TTTGCTTTGA	AAATATTTGT	CCAATTTGAGT	AGCTGCATGC	TGTTCCCCCA	GGTGTGTGAA	1740
	CACAACTTAA	TGATTTGAAAT	TTTTAAGCTA	CTTATTCATA	GTTTATATC	CCCCTAAACT	1800
	ACCTTTTGTG	TCCCATTTCC	TTAATTTGAT	TGTTTTCCCA	AGTGTAAATTA	TCATGCGTTT	1860
	TATATCTTCC	TAATAAGGTG	TGGTCTGTTT	GTCTGAACAA	AGTGCTAGAC	TTTCTGGAGT	1920
80	GATAATCTGG	TGACAAATAT	TCTTCTGTA	GCTGTAAGCA	AGTCACTTAA	TCTTTCTACC	1980
	TCTTTTTTCT	ATCTGCCAAA	TTGAGATAAT	GATACTTAAC	CAGTTAGAAG	AGGTAGTGTG	2040
	AATATTAATT	AGTTTATATT	ACTCTCAATC	TTTGAACATG	AACTATGCCT	ATGTAGTGTG	2100
	TTTATTTGCT	CAGCTGGCTG	AGCACTGAA	GAAGTCACTG	AACAAAACCT	ACACACGTAC	2160
	CTTCATGTGA	TTCACTGCCT	TCCCTCTCTC	ACCACTCTAT	TTCCACTGAA	CAAAAACCTAC	2220
	ACACATACCT	TCATGTGGTT	CAGTGCCTTC	CTCTCTCTAC	CAGTCTATTT	CCACTGAACA	2280
85	AAACCTACGC	ACATACTTTC	ATGTGGCTCA	GTGCCTTCTC	CTCTCTACCA	GTCTATTTCC	2340
	ATTCCTTCAG	CTGTGCTGTA	CATGTTTGTG	CTCTGTTCCA	TTTTAACAAAC	TGCTCTTACT	2400
	TTTCCAGTCT	GTACAGAATG	CTATTTCACT	TGAGCAAGAT	GATGTATGGA	AAGGGTGTG	2460

GCACCTGGTGT CTGGAGACCT GGATTTGAGT CTTGGTGCTA TCAATCACCG TCTGTGTTTG 2520
 AGCAAGGCAT TTGGCTGCTG TAAGCTTATT GCTTCATCTG TAAGCGGTGG TTTGTAATTC 2580
 CTGATCTTCC CACCTCACAG TGATGTTGTG GGGATCCAGT GAGATAGAAT ACATGTAAGT 2640
 GTGGTTTTGT AATTTGAAAA GGGCTATACT AAGGGAAAGA ATTGAGGAAT TAACTGCATA 2700
 5 CGTTTTGGTG TTGCTTTTCA AATGTTTGAA AATAAAAAAA TGTTAAGAAA TGGGTTTCTT 2760
 GCCTTAAACA GTCTCTCAAG TGATGAGACA GTGAAGTAAA ATTGAGTGCA CTA AACGAAT 2820
 AAGATTCTGA GGAAGTCTTA TCTCTGCGAG TGAGTATGGC CCAATGCTTT CTGTGGCTAA 2880
 ACAGATGTAA TGGGAAGAAA TAAAAGCCTA CGTGTGGTA AATCCAACAG CAAGGGAGAT 2940
 TTTTGAATCA TAATAACTCA TAAGGTGCTA TCTGTTGAGT GATGCCCTCA GAGCTCTTGC 3000
 10 TGTTAGCTGG CAGCTGACGC TGCTAGGATA GTTAGTTTGG AAATGGTACT TCATAAATAA 3060
 CTACACAAGG AAGTCAAGCC ACCGTGCTTT ATGAGGAATT GGACCTAATA AATTTTAGTG 3120
 TGCCTTCCAA ACCTGAGAAT ATATGCTTTT GGAAGTAAA ATTTAAATGG CTTTGGCCAC 3180
 ATACATAGAT CTTCATGATG TGTGAGTGTG ATTCCATGTG GATATCAGTT ACCAAACATT 3240
 ACAAAAAAT TTTATGGCCC AAAATGACCA ACGAAATGT TACAATAGAA TTTATCCAAAT 3300
 15 TTTGATCTTT TTATATTCTT CTACCACACC TGSAAACAGA CCAATAGACA TTTTGGGGTT 3360
 TTATAATGGG AATTTCTATA AAGCATTACT CTTTTCATAT AAATTGTTTT TTAATTTAAA 3420
 AAAAGGAAAA AAAAAAATAA AAA

Seq ID NO: 244 Protein sequence:
 Protein Accession #: AAD16433.1

1 11 21 31 41 51
 | | | | | |
 25 MANAGLQLLG FILAFLGWIG AIVSTALPQW RIYSYAGDNI VTAQAMYEGL WMSCVVSQSTG 60
 QIQCKVFDLS LNLSSLTQAT RALMVGVILL GVIAIFVATV GMKCMKCLEL DEVQKMRMAV 120
 IGGAIPLLAG LAILVATAWY GNRIVQEFYD FMTFVNARYE FGQALPTGWA AASLCLLGGAA 180
 LLCCSCPRTK TSYTPRPYPV KPAPSSGKDY V

Seq ID NO: 245 DNA sequence
 Nucleic Acid Accession #: CAT cluster

1 11 21 31 41 51
 | | | | | |
 35 TTTTTTTTTT TTTTTTTTTT TTTTCAAGG AGAGCACAAG GAACCTTATT AATGACTTTC 60
 TTAATGGTTA AATGCTGTTT ACCCAAGTGAC CCAGAGGCAG CGTGGTTTAG TGGTTTCAAC 120
 AGCATGGTCC CGAGAGTCTG ACAAACCTCA GTTCAAATCC TTCTTTTGTG TCACTTAGT 180
 TTTTCTTCTT GAGATTTAGT TTTCTCATCG TTAACAATGA GGATATTAAT ATGTTTCA 240
 40 CAGTTGTTAT GAAGAATGCA TATATTAGAA TGCCTGTAGT CTCAGCTACT CAGGAGGCTA 300
 AGGTGGGGAG GTGCTCAAG CCCAGGAATT CAAAGCTGCA ATGCATTATG ATTACAGCTG 360
 TTAATAGCCA CCGCACTTCA GCCTGGGCAA TGTAGTAA GAATCTCTCT GGCTCGGAGG 420
 GTCCTACGCC CACGGAGTCT CGCTGATTGC TAGCACAGCA GTCTGAGATC AAACCTGCA

Seq ID NO: 246 DNA sequence
 Nucleic Acid Accession #: XM_058553.2
 Coding sequence: 897-1400

1 11 21 31 41 51
 | | | | | |
 50 AATTTTCAGA AGTTTCGTAT GGGGATGGTT TTATATAAAT TCAGGTTTTT CCCACAATAA 60
 TAAATGTATT TAGTCTCAGT GCTCAATAGA AGAGATTCTT AATAGAAAAG GATTCAAAC 120
 GTGAAACCAT TTCTCTTTTA ATGTTTCA 180
 CTGTTATCCA TAATATGGAC AGTTCTTGAG TCCTAACATT GAGAGGTTTT CCCTTAGTGC 240
 ATAGAGGGAA TGAGTATTA TGGGAGAAGC TTAAGTATT GCCACTTAG CACTGAAGAT 300
 55 TGGGATGAGA GGAGGTGAAA CCTCACTAGA AAAAGGGACA ATGTTAGTGT GGCCCTTCT 360
 GATCATGTTT AAGAAAAGT ATGAAAATGG TGAAGTAGTG TTTCCAAGCA TATTGGAAGG 420
 GTTGAGTATA TACTGTCTGT CAAAGACTTC CAGCATTTC AGTCCCTAGA GAGGAACAAG 480
 ACTGGTAACC TGCTTACTG TATTTTAAAG AACCCAGGAG GAAAGCTTTA TAATAGAACA 540
 60 TTATTTCTGT GTTTATGTAT AAGGGGTTTT TTGTTTTTTT AAAGACAGGA TCTCACTCCA 600
 TTGTCAGGCG CAAGTGAAT GGCACGAACC TCATAGCTCC TGGACTTAAAG TGATCTGCCT 660
 GCCTTTGCTC CTTGAGTAG TGGGACTACA GGCATGAGCC CCGATGCCCTG GCTAAGTTTG 720
 TTTTGTGTTG TGTTGTTTG TTTGTTTTTG GGGGGGGTTG TTTTGTTTT TGTAGAGAG 780
 TAGTCTTCTT TTGTGTCAG GCTAGTCTCA AACTCCTGGC TTCAAGTGAT CCTCCTGCCT 840
 CAGCCTCCCA GAGTGTCTAG ATTACAGCAC TTGGATTGAG CTTCTTCATT TCCAACATGG 900
 65 AAGAACTTA CACCGACTCC CTGGACCCTG AGAAGCTATT GCAATGCCCC TATGACAAAA 960
 ACCATCAAAAT CAGGCGCTGC AGGTTTCCTT ATCATCTTAT CAAGTGCGA AAGAATCATC 1020
 CTGATGTTGC AAGCAAATG GCTACTTGTG CCTTCAATGC TCGCCACCAG GTTCCTCGAG 1080
 CTGAAATTAG TCATCATATC TCAAGCTGTG ATGACAGAAG TTGTATTGAG CAAGATGTTG 1140
 TCAACCAAAAC CAGGAGCCTT AGACAAGAGA CTCTGGCTGA GAGCACTTGG CAGTGCCTC 1200
 70 CTTGCGATGA AGACTGGGAT AAAGATTTGT GGGAGCAGAC CAGCACCCCA TTTGTCTGGG 1260
 GCACAACCTCA TACTCTGAC AACACAGCC CTGCGAGCAA CATAGTTACA GAACATAAGA 1320
 ATAACCTGGC TTCAGGCATG CGAGTTCCCA AATCTCTGCC GTATGTTCTG CCATGAAAA 1380
 ACAAATGAAA TGACAGATA CTGAATACCT ATCTCATCAA ATGCCAGACC CTAGAAGACT 1440
 75 GTTGCTTCTT CTTCTACCAG TGGGTTCTCA TTTCTCTCT AATCTAATTA TAGAATGGTA 1500
 AACTCCCTGT GACTTTCCAA ACTGACAAGC ACACCTTTTT CCTCCCCCT TGAATCTCA 1560
 TTTAATGCAA GAACCTTCAT ACTCAGAAGC TTCCAATAA ACCTTTGATA CAGATTG

Seq ID NO: 247 Protein sequence:
 Protein Accession #: XP_058553.1

1 11 21 31 41 51
 | | | | | |
 85 MEETYDSDL PEKLLQCPYD KNHQIRACRF FYHLIKCRKN HPDVASKLAT CFPNARHQVP 60
 RAEISHISS CDRRSCIEQD VVNQTRSLRQ ETLAESTWQC PPCDEDWDKD LWEQSTPFV 120
 WGTTHYSDDN SPASNIVTEH KNNLASGMRV PKSLPYVLPW KNNGNAQ

Seq ID NO: 248 DNA sequence
Nucleic Acid Accession #: NM_003392
Coding sequence: 758..1855

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85

1	11	21	31	41	51		
TTAAGGAAAT	COGGGCTGCT	CTTCCCATC	TGGAAGTGGC	TTTCCCACA	TGGGCTCGTA	60	
AACTGATTAT	GAACATACG	ATGTTAATTC	GGAGCTGCAT	TTCCCAGCTG	GGCACTCTCG	120	
CGCGCTGGTC	CCCGGGGCT	CGCCCCCAC	CCCTGCCCT	TCCCTCCCG	GTCCGCCCC	180	
CATCCTCCAC	CCCCGCGCT	GGCCACCOCG	CCTCCTTGGC	AGCCTCTGGC	GGCAGCGCGC	240	
TCCACTCGCC	TCCCGTGCTC	CTCTCGCCCA	TGGAATTAAT	TCTGGCTCCA	CTTGTGCTC	300	
GGCCAGGTT	GGGAGAGGA	CGGAGGTTG	CCGCAGCGG	TTCTTGTG	AATTACCCAG	360	
GAGGGACTGA	GCACAGCACC	AAC TAGAGAG	GGTTCAGGGG	GTGCGGACT	CGAGCGAGCA	420	
GGAAAGGAGC	AGCGCCTGGC	ACCAGGGCTT	TGACTCAACA	GAATTGAGAC	ACGTTTGTAA	480	
TCGCTGGCGT	GCCCCGCGCA	CAGGATCCCA	CGGAAAATCA	GATTTCTCTG	TGAGGTTCGG	540	
TGGGTGGATT	AATTTGGAAA	AGAAAAC TGC	CTATATCTTG	CCATCAAAA	ACTCAGGGAG	600	
GAGAAGCGCA	GTCAATCAAC	AGTAAACTTA	AGAGACCCCC	GATGCTCCCC	TGTTTAACT	660	
TGATATGCTTG	AAAATTATCT	GAGAGGGAAT	AAACATCTTT	TCCTTCTTCC	CTCTCCAGAA	720	
GTCCATTGGA	ATATTAAGCC	CAGGAGTTGC	TTTGGGATG	GCTGGAAGTG	CAATGTCTTC	780	
CAAGTCTTC	CTAGTGGCTT	TGGCCATATT	TTTCTCTTC	GCCCAGGTTG	TAATTGAAGC	840	
CAATTCTTGG	TGGTCTGTAG	GTATGAATAA	CCCTGTTCAG	ATGTCAGAAG	TATATATTAT	900	
AGGAGCACAG	CCTCTCTGCA	GCCAACTGGC	AGGACTTTCT	CAAGGACAGA	AGAAACTGTG	960	
CCACTTGTAT	CAGGACCACA	TCCAGTACAT	CGGAGAAGGC	GCGAAGACAG	GCATCAAAA	1020	
ATGCCAGTAT	CAATTCCGAC	ATCGACGGTG	GAAC TGCAGC	ACTGTGGATA	ACACCTCTGT	1080	
TTTTGGCAGG	GTGATGCGCA	TAGGCAGCCG	CGAGACGGCC	TTCCATACG	CCGTGAGCGC	1140	
AGCAGGGGTG	GTGAACGCCA	TGAGCCGGGC	GTGCCGCGAG	GGCGAGCTGT	CCACCTGCGG	1200	
CTGCAGCCGC	GCCGCGGCC	CCAAGSACCT	GCCGCGGGAC	TGGCTCTGGG	GCGGCTGCGG	1260	
CGACAACATC	GACTATGGCT	ACCCTTTG	CAAGGAGTTC	GTGGACGCC	GCGAGCGGGA	1320	
GCGCATCCAC	GCCCAAGGCT	CCTACGAGAG	TGCTCGCATC	CTCATGAACC	TGCACAACAA	1380	
CGAGCCCGGC	CGCAGGACGG	TGTACAACCT	GGCTGATGTG	GCCTGCAAGT	GCCATGGGGT	1440	
GTCCGGCTCA	TGTAGCCTGA	AGACATGCTG	GCTGCAGCTG	GCAGACTTCC	GCAAGTGGG	1500	
TGATGCCCTG	AAGGAGAAGT	ACGACAGCGC	GGCGGCCATG	CGGCTCAACA	GCCGGGGCAA	1560	
GTTGGTACAG	GTCAACAGCC	GCTTCAACTC	GCCCACCACA	CAAGACCTGG	TCTACATCGA	1620	
CCCCAGCCCT	GACTACTGCG	TGCCCAATGA	GAGCACCCGC	TGCTGGGCA	CSCAGGGCCG	1680	
CCTGTGCAAC	AAGACGTCCG	AGGCATGGA	TGGCTGCGAG	CTCATGTGCT	GCGGCCGTGG	1740	
GTACGACCAG	TTCAAGACCG	TGCAGACGGA	GCGCTGCCAC	TGCAAGTTC	ACTGGTGTCTG	1800	
CTACGTCAAG	TGCAAGAAGT	GCACGGAGAT	CGTGGACCAG	TTTGTGTGCA	AGTAGTGGGT	1860	
GCCACCCAGC	ACTCAGCCCC	GCTCCAGGA	CCCCTTATT	TATAGAAAGT	ACAGTGATTC	1920	
TGGTTTTTGG	TTTTTAGAAA	TATTTTTTAT	TTTTCCCCAA	GAATTGCAAC	CGGAACCAAT	1980	
TTTTTCTCTG	TTACCATCTA	AGAACTCTGT	GGTTTATTAT	TAATATTATA	ATTATTATTT	2040	
GGCAATAATE	GGGGTGGGAA	CCACGAAAAA	TATTTATTTT	GTGGATCTTT	GAAAAGGTAA	2100	
TACAAGACTC	CTTTTGGATA	GTATAGAATG	AAGGGGAAAA	TAACACATAC	CCTAAGTTAG	2160	
CTGTGTGGGA	CATGGTACAC	ATCCAGAAGG	TAAAGAAATA	CATTTTCTTT	TTCTCAAATA	2220	
TGCCATCATA	TGGGATGGGT	AGGTTCCAGT	TGAAAGAGGG	TGGTAGAAT	CTATTACAAA	2280	
TTACGCTTCT	ATGACCAAAA	TGAGTTGTAA	ATTCTCTGGT	GCAAGATAAA	AGGTCCTGGG	2340	
AAAAACAAAC	AAAAACAAAC	AAACCTCCCT	TCCCCAGCAG	GGCTGCTAGC	TTGCTTTCTG	2400	
CATTTTCAAA	ATGATAATTT	ACAA TGGAAG	GACAAGAATG	TCATATTCTC	AAGGAAAAAA	2460	
GGTATATCAC	ATGTCTCATT	CTCCTCAAAT	ATTCCATTTG	CAGACAGACC	GTCATATTCT	2520	
AATAGCTCAT	GAAAATTTGG	CAGCAGGGAG	GAAGTCCCC	AGAAATTAAG	AAATTTAAAA	2580	
CTCTTATGTC	AAGATGTGTA	TTTGAAGCTG	TTATAAGAAAT	TGGGATTTCA	GATTTGTAAA	2640	
AAGACCCCCA	ATGATTTCTG	ACACTAGATT	TTTTGTTTGG	GGAGGTTGGC	TTGAACATAA	2700	
ATGAAATATC	CTGTATTTTC	TTAGGGATAC	TTGGTTAGTA	AATTATAATA	GTAGAAATAA	2760	
TACATGAATC	CCATTACACAG	GTTTCTCAGC	CCAAGCAACA	AGGTAATTGC	GTGCCATTCA	2820	
55	GCAC TGCACC	AGAGCAGACA	ACCTATTGGA	GGRAAAACAG	TGAAATCCAC	CTTCTCTTCC	2880
ACACTGAGCC	CTCTCTGATT	CCTCCGTGTT	GTGATGTGAT	GCTGGCCACG	TTTCCAAACG	2940	
GCAGCTCCAC	TGGGTCCCTC	TGGTGTGAG	GACAGGAAAT	GAACATTAG	GAGCTCTGCT	3000	
TGGAARACAG	TTCACTACTT	AGGGATTTT	GTTTCTTAAA	ACTTTTATTT	TGAGGAGCAG	3060	
TAGTTTTCTA	TGTTTTAATG	ACAGAACTTG	GCTAATGGAA	TTCCACAGAG	TGTTGCAGCG	3120	
TATCACTGTT	ATGATCCTGT	GTTTAGATTA	TCCACTCATG	CTTCTCCTAT	TGTACTGCAG	3180	
GTGTACCTTA	AAACTGTCC	CAGTGTACTT	GAACAGTTGC	ATTATAAGG	GGGAAATGT	3240	
GGTTAATAGG	TGCCTGATAT	CTCAAAGTCT	TTGTACATA	ACATATATAT	ATATATACAT	3300	
ATATATAAAT	ATAAATATAA	ATATATCTCA	TTGCAGCCAG	TGATTTAGAT	TTACAGCTTA	3360	
CTCTGGGGTT	ATCTCTCTGT	CTAGAGCATT	GTTGTCTTTC	ACTGCAGTCC	AGTTGGGATT	3420	
65	ATTCAAAAG	TTTTTTGAGT	CTTGAGCTTG	GGCTGTGGCC	CCGCTGTGAT	CATACCCTGA	3480
GCACGACGAA	GCAACCTCGT	TTCTGAGGAA	GAAGCTTGAG	TTCTGACTCA	CTGAAATGCG	3540	
TGTTGGGGTT	AAGATATCTT	TTTTTCTTTT	CTGCCTCACC	CCTTTGTCTC	CAACCTCCAT	3600	
TTCTGTTTAC	TTTGTGGAGA	GGGCATTACT	TGTTGCTTAT	AGACATGGAC	GTTAAGAGAT	3660	
ATTCAAAAC	CAGAAGCATC	AGCAATGTTT	CTCTTTTCTT	AGTTCATTCT	GCAGAATGGA	3720	
AACCCATGCC	TATTAGAAAT	GACAGTACTT	ATTAATTGAG	TCCTTAAGGA	ATATTACAGCC	3780	
CACTACATAG	ATAGCTTTTT	TTTTTTTTTT	TTTTTTTTTAA	TAAGGACACC	TCTTTCCAAA	3840	
CAGGCCATCA	AATATGTTCT	TATCTCAGAC	TTACGTTGTT	TAAAAGTTT	GGAAAGATAC	3900	
ACATCTTTTC	ATACCCCCCC	TTAGGAGGTT	GGGCTTTTCA	ATCACCTCAG	CCAACCTGTG	3960	
CTCTTAATTT	ATTGCATAAT	GATATCCACA	TCAGCCAAC	GTGGCTCTTT	AATTTATTGC	4020	
75	ATAATGATAT	TCACATCCCC	TCAGTTGCAG	TGAAITGTGA	GCAAAAGATC	TTGAAAGCAA	4080
AAAGCACTAA	TTAGTTTAAA	ATGTCACCTT	TTTGGTTTTT	ATTATACAAA	AACCATGAAG	4140	
TACTTTTTTT	ATTTGCTAAA	TCAGATTGTT	CCTTTTTTAGT	GACTCATGTT	TATGAAGAGA	4200	
GTTGAGTTTA	ACAATCCTAG	CTTTTAAAAG	AAACTATTTA	ATGTAAAATA	TTCTACATGT	4260	
CATTACGATA	TTATGTATAT	CTTCTAGCCT	TTATCTGTGA	CTTTAATGT	ACATATTTCT	4320	
80	GTCTGCGGTG	ATTTGTATAT	TTCACTGGTT	TAAAAACAA	ACATCGAAAG	GCTTATTCCA	4380
AATGGAAGAT	AGAATATAAA	ATAAAACGTT	ACTTGTAAAA	AAAAAAA			

Seq ID NO: 249 Protein sequence:
Protein Accession #: NP_003383

85

1	11	21	31	41	51

MAGSAMSSKF FLVALAIFFS FAQVVIEANS WWSLGMNPFV QMSEVYIIGA QPLCSQLAGL 60
 SQGQKQLCHL YQDEMOMYIGE GAKTGIKECQ YQFRHRRWNC STVDNYSVFG RVMQIGSRET 120
 APTYAVSAAG VVNAMSRACR EGELSTOCGS RAARPFDLPR DNLWGGCGDN IDYGYRFAKE 180
 FVDARERERI HAKGSYESAR ILMLEHNNEA GRRTVYNLAD VACKCHGVSG SCSLKTCWLQ 240
 LADFRKVGDA LKEKYDSAAA MRLNSRGLV QVNSRFPNSPT TDQLVYIDPS EDCVVRNEST 300
 GSLGTQGRLC NKTSEGMDCG ELMCCGRGYD QFKTVQTERC HCKFWHCYV KCKKCTEIVD 360
 QFVCK

Seq ID NO: 250 DNA sequence
 Nucleic Acid Accession #: NM_014058
 Coding sequence: 56..1324

1 11 21 31 41 51
 15 TGACTTGGAT GTAGACCTCG ACCTTCACAG GACTCTTCAT TGCTGGTTGG CAATGATGTA 60
 TCGGCCAGAT GTGGTGAGGG CTAGGAAAAG AGTTTGTGTG GAACCCCTGGG TTATCGGCCT 120
 CGTCATCTTC ATATCCCTGA TTGTCCTGGC AGTGTGCATT GGACTCACTG TTCATTATGT 180
 GAGATATAAT CAAAAGAAGA CCTACAATTA CTATAGCACA TTGTCAATTA CAACTGACAA 240
 20 ACTATATGCT GAGTTTGCCA GAGAGGCTTC TAACAATTTT ACAGAAATGA GCCAGAGACT 300
 TGAATCAATG GTGAAAAATG CATTTTATAA ATCTCCATTA AGGGAAGAAT TTGTCAAGTC 360
 TCAGGTTATC AAGTTCAGTC AACAGAAGCA TGGAGTGTG GCTCATATGC TGTGATTTG 420
 TAGATTTTAC TCTACTGAGG ATCCTGAAAC TGTAGATAAA ATTGTTCAAC TTGTTTTACA 480
 TGAAGAAGCTG CAAGATGCTG TAGGACCCCC TAAAGTAGAT CCTCACTCAG TTAATAATTA 540
 AAAAATCAAC AAGACAGAAA CAGACAGCTA TCTAAACCAT TGCTCGCGAA CACGAAGAAG 600
 25 TAAACTCTA GGTCAAGATC TCAGGATCGT TGGTGGGACA GAAGTAGAAG AGGGTGAATG 660
 GCCCTGGCAG GCTAGCCTGC AGTGGGATGG GAGTCACTGC TGTGGAGCAA CCTTAATTTAA 720
 TGCCACATGG CTTGTGAGTG CTGCTCACTG TTTTACAACA TATAAGAACC CTGCCAGATG 780
 GACTGCTTCC TTTGGAGTAA CAATAAAACC TTCGAAAATG AAAOCCGGGTC TCCGGAGAAT 840
 AATTGTCCAT GAAAAATACA AACACCCATC ACATGACTAT GATATTTCTC TTGCAGAGCT 900
 30 TTCTAGCCCT GTTCCCTACA CAAATGCAGT ACATAGAGTT TGCTCCCCCTG ATGCATCCTA 960
 TGAGTTTCAA CCAGGTGATG TGAATTTTGT GACAGGATTT GGAGCACTGA AAAATGATGG 1020
 TTACAGTCAA AATCATCTTC GACAAGCACA GGTGACTCTC ATAGACGCTA CAACTTGCAA 1080
 TGAACCTCAA GCTTACAATG ACGCCATAAC TCCTAGAATG TTATGTGCTG GCTCCTTAGA 1140
 AGGAAAAACA GATGCATGCC AGGGTGACTC TGGAGGACCA CTGGTTAGTT CAGATGCTAG 1200
 35 AGATATCTGG TACCTTGCTG GAATAGTGTG CTGGGGAGAT GAATGTGCGA AACCCAACAA 1260
 GCCTGGTGTG TATACTAGAG TTACGCCCTT GCGGGACTGG ATTACTTCAA AAACCTGGTAT 1320
 CTAAGAGAGA AAAGCCTCAT GGAACAGATA ACATTTTTTT TTGTTTTTTG GGTGTGGAGG 1380
 CCATTTTTAG AGATACAGAA TTGAGAAGA CTTGCAAAAC AGCTAGATTT GACTGATCTC 1440
 40 AATAAACTGT TTGCTTGATG CAAAAAATAA A

Seq ID NO: 251 Protein sequence:
 Protein Accession #: NP_054777

1 11 21 31 41 51
 45 MYRPDVRAR KRVCWEPWVI GLVIFISLIV LAVCIGLTVH YVRYNQKRTY NYYSTLSFTT 60
 DKLYABFGRE ASNFMTEMSQ RLESMVKNFA YKSPLEEFV KQVIFKFSQ KHGVLAMLL 120
 50 ICRPHSTEDP ETVDKIVQLV LHEKLDQAVG PPKVDPHSVK IKKINKTETD SYLNHCCGTR 180
 RSKTLGQSLR IVGGTEVEBG EWPWQASLQW DGSHRCGATL INATNLVSAH HCFPTYKNPA 240
 RWTASFVVTI KPSKMKRGLR RIIVHEKYKH PSHDYDISLA ELSSPVPTYN AVHRVCLPDA 300
 SYEFPQGDVM FVTGFGALKN DGYSQNHRLQ AQVTLIDAT CNEPQAYNDA ITPRMLCAGS 360
 LEGKTDACQG DSGGPLVSSD ARDIWYLAGI VSWGDECAKP NRPGVYTRVT ALRDWITSKT 420
 GI

Seq ID NO: 252 DNA sequence
 Nucleic Acid Accession #: NM_003504.2
 Coding sequence: 71-1771

1 11 21 31 41 51
 60 GGCACGAGGC CTCGTGCCGC CGGGCTCTTG GTACCTCAGC GCGAGCGCCA GCGTCCGGC 60
 CGCCGTGGCT ATGTTCTGTG CCGATTTCCG CAAAGAGTTC TACGAGGTGG TCCAGAGCCA 120
 65 GAGGGTCTCT CTCTCTGTGG CCTCGGACGT GSGATGCTCTG TGTGCGTGCA AGATCCTTCA 180
 GGCCTTGTTT CAGTGTGACC ACGTGCAATA TACGCTGGTT CCAATTTCTG GGTGGCAAGA 240
 ACTTGAAACT GCATTTCTTG AGCATAAAGA ACAGTTTCAT TATTTTATTC TCATAAACTG 300
 TGGAGCTAAT GTAGACCTAT TGGATATTCT TCAACCTGAT GAAGACACTA TATCTTTTGT 360
 GTGTGACACC CATAGGCCAG TCAATGTCTG CAATGTATAC AACGATACCC AGATCAAATT 420
 ACTCATTAAA CAAGATGATG ACCTTGAAGT TCCCGCCTAT GAAGACATCT TCAGGGATGA 480
 70 AGAGGAGGAT GAAGAGCATT CAGGAAATGA CAGTGTATGG TCAGAGCCTT CTGAGAAGCG 540
 CACACGGTTA GAAGAGGAGA TAGTGGAGCA AACCATGCGG AGGAGGCAGC GGCAGAGAGT 600
 GGAGGCCCGG AGAAGAGACA TCCTCTTTGA CTACGAGCAG TATGAATATC ATGGGACATC 660
 GTCAGCCATG GTGATGTTTG AGCTGGCTTG GATGCTGTCC AAGGACCTGA ATGACATGCT 720
 75 GTGGTGGGCC ATCGTTGGAC TAACAGACCA GTGGGTGCAA GACAAGATCA CTCAAAATGAA 780
 ATACGTGACT GATGTTGGTG TCCTGCAGCG CCACGTTTCC CGCCACAACC ACCGGAACGA 840
 GGATGAGGAG AACACACTCT CCGTGGACTG CACACGGATC TCCTTTGAGT ATGACCTCCG 900
 CCTGGTCTCT TACCAGCACT GGTCCCTCCA TGACAGCCTG TGCAACACCA GCTATACCGC 960
 AGCCAGGTTT AAGCTGTGTT CTGTGCATGG ACAGAAGCGG CTCCAGGAGT TCCTTGACGA 1020
 CATGGGTCTT CCCCTGAAGC AGGTGAAGCA GAAGTTCCAG GCCATGGACA TCTCCTTGAA 1080
 80 GGAGAAATTT CGGGAATGA TTGAAGATC TGCAAAATAA TTTGGGATGA AGGACATGCG 1140
 CGTGCAGACT TTCAGACTT ATTTGGGTT CAAGCACAAG TTTCTGGCCA GCGACGTGGT 1200
 CTTTGCCACC ATGCTTTTGA TGGAGAGCCC CGAGAAGGAT GGCTCAGGGA CAGATCACTT 1260
 CATCCAGCTC CTGGACAGCC TCTCCAGGAG TAACCTGGAC AAGCTGTACC ATGGCCTGGA 1320
 ACTCGCCAAG AAGCAGCTGC GAGCCACCCA GCAGACCAAT GCCAGCTGCC TTTGCACCAA 1380
 85 CCTCGTCTTC TCCAGGGGGC CTTTCTGTGA CTGCTCTCTC ATGGAGGGCA CTCCAGATGT 1440
 CATGCTGTTC TCTAGGCCCG CATCCCTAAG CCTGCTCAGC AAACACCTGC TCAAGTCCCT 1500
 TGTGTGTTGC ACAAGAAGCC GCGCGTGCAA ACTGCTGCC CTGGTATGAG CTGCCCCCT 1560

GAGCATGGAG CATGCCACG TGACCGTGGT GGGCATCCCC CCAGAGACCG ACAGCTCGGA 1620
 CAGGAAGAAC TTTTITGGGA GGGCGTTTGA GAAAGCAGCG GAAAGCACCA GCTCCCGGAT 1680
 GCTGCACAAC CATTITGACC TCTCAGTAAT TGAGCTGAAA GCTGAGGATC GGAGCAAATT 1740
 TCTGGACGCA CTATTITCCC TCCTGTCCTA GGAATTTGAT TCTTCCAGAA TGACCTTCTT 1800
 ATTTATGTAA CTGGCTTTC A TTAGATTGT AAGTTATGGA CATGATTTGA GATGTAGAAG 1860
 CCAATTTTTA TTAATAAAA TGCTTATTTT AGGCTCCGTC CCCAAAAAAA AAAAAAAA 1920
 AAAAAAAAAA AA

Seq ID NO: 253 Protein sequence:
 Protein Accession #: NP_003495.1

1 11 21 31 41 51
 | | | | | |
 MFVSDFRKEF YEVVQSQRVL LFPVSDVDAL CACKILQALF QCDHVQYTLV PVSQWQLEET 60
 AFLEHKEQFH YFILINCGAN VDLLDILQPD EDTIFFVCDT HRPVNVVNVY NDTQIKLLIK 120
 QDDLEVPAY EDIFRDEEED EEHSGNDSGD SEPSEKRTRL EEEIVEQTMR RRQRREWEAR 180
 RRDILFDVEQ YEYHGTSSAM VMFELAWMLS KDLNMLWVA IVGLTDQWVQ DKITQMKVVT 240
 DVGVLQRHVS RHNHRNEDEE NTLSDVCTRI SFEYDLRLVL YQHWSLHDSL CNTSYTAARF 300
 KLWSVHGQKR LQEFADMGFL PLKQVKQKFO AMDISLKENL REMIEESANK FGMKDMRVQT 360
 FSIHFGPKHK FLASDVVVFAT MSLMESPEKD GSGTDHFQIA LDSLSRSNLD KLYHGLELAK 420
 KQLRATQQTI ASCLCTNLVI SQPFLYCSL MEGTFDVMFL SRPASLSLSS KHLKLSFVCS 480
 TNRRCKLLP LVMAAPLSME HGTVTVVGIP PETDSSDRKN FFGRAFEKAA ESTSSRMLHN 540
 HFDLSVIELK AEDRSKFLDA LISLLS

Seq ID NO: 254 DNA sequence
 Nucleic Acid Accession #: NM_022337
 Coding sequence: 48..683

1 11 21 31 41 51
 | | | | | |
 GGCTGCGCTT CCCTGGTCAG GCACGGCAGC TCTGGCCGGC CGCCAGGATG CAGGCCCGGC 60
 ACAAGGAGCA CCTGTACAAG TTGCTGGTGA TTGGCGACCT GGGCGTGGGG AAGACCAGTA 120
 TCATCAAGCG CTACGTGCAC CAGAACTTCT CCTCGCACTA CCGGGCCACA ATCGGCGTGG 180
 ACTTCGCGCT CAAGGTGCTC CACTGGGACC CGGAGACTGT GGTGCGCCTG CAGCTCTGGG 240
 ATATCGCAGG TCAAGAAAAGA TTTGGAAAACA TGACGAGGGT CTATTACCGA GAAGCTATGG 300
 GTGCATTTAT TGTCTTCGAT GTCACCAGGC CAGCCACATT TGAAGCAGTG GCAAAGTGGG 360
 AAAATGATTT GGACTCCAAG TTAAGTCTCC CTAATGGCAA ACCGGTTTCA GTGGTTTTGT 420
 TGGCCAACAA ATGTGACGAG GGAAGGGATG TGCTCATGAA CAATGGCCTC AAGATGGACC 480
 AGTTCTGCAA GAGGACCGGT TTCGTAGGAT GGTTTGAAAC ATCAGCAAAG GAAAATATAA 540
 ACATTGATGA AGCCTCCAGA TGCCCTGGTGA AACACATACT TGCAATGAG TGTGACCTAA 600
 TGGAGTCTAT TGAGCCGGAG GTCGTGAAGC CCCATCTCAC ATCAACCAAG GTTGCCAGCT 660
 GCTCTGGCTG TGCCAAATCC TAGTAGGCAC CTTTGCTGGT GTCTGTGAGG AATGACCTCA 720
 TTGTTCCACA AATGTGCCT CTATTTTAC CATTTTGGGT AAACGTCAGG ATAGATATAC 780
 CACATGTGGC AAGCCAAAAGA TCTATGCCTC TGTTTTTTCA ATGAGAGAGA AATAGCAAAT 840
 GTTCTTTCTA TGCTTTCCTC ACCATCATCA CAGTGTTTAC AAACCTTTGA AAATATTTAG 900
 TCTGTTACAA ACTTCTGTCA TGTAGCTGAC CAAAATCCTG CAGGGCCACA GTCCGCACTG 960
 TTATTTGCTT CTTTAAATCA GCAAAGGCCCT CAAGTCTTAA AATAAAAGGG GAGAAGAACA 1020
 AACTAGCTGT CAAGTCAAGG ACTGGCTTTC ACCTTGCCCT GGTGCTTTTT TCCAGATTTT 1080
 AATATATTCT CTGATGSCCT GACAGGCCCTA TTAAGTAGAT GTGATATTTT CTTCCAAGAT 1140
 GACCTCCATT CTCGGCAGAC CTAAGAGTTG CCTCTGAGTT AGCTCTTTGG AATCGTGAAC 1200
 ACAGGTGTGC TATATTGTCC TTGTCCTAAC TGTCACCTGC CATGGCCTGA ATGTGGCCTT 1260
 AACTGAATAT TGATAGAAA GACATGCCTC CATATGTGCC TTTCTGTTAG CTCTCTTTGA 1320
 CTCAGCTGT GGGCTCCTC TATACATGCT ATACATGTAA TATATATTAT ATATATTTT 1380
 GCAAGTGAAC AATAAAACAT TAAAAGATAA AA

Seq ID NO: 255 Protein sequence:
 Protein Accession #: NP_071732

1 11 21 31 41 51
 | | | | | |
 MQAPHKEHLY KLLVIGDLGV GKTSIIKRYV HQNFSSHYRA TIGVDFALKV LHWDPETVVR 60
 LQLWDIAGQE RFGNMTRVYY REAMGAFIVF DVTRPATPEA VAKWKNLDS KLSLPLNGKPV 120
 SVVLLANKCD QGKDVLMNMG LKMDQPCKEH GFVGFWETS A KENINIDEAS RCLVKHILAN 180
 ECDLMESIEP DVVKPHLTST KVASCSSGCAK S

Seq ID NO: 256 DNA sequence
 Nucleic Acid Accession #: NM_016321
 Coding sequence: 25..1464

1 11 21 31 41 51
 | | | | | |
 GGAACCGCCC GCTGCCAGCC CGGCCAGGCA CCCCTGCAGC ATGGCCTGGA ACACCAACCT 60
 CGCTGGCCGG CTGCCCTGCT CCTGCAGTGG ATTATGGTGA TTCTCTTCGG 120
 GGTGTTCTGT CGCTACGACT TCGAGGCCGA CGCCCACTGG TGGTCAGAGA GGACGCACAA 180
 GAACTGTAGC GACATGGAGA ACGAATTTCTA CTATCGCTAC CCAAGCTTCC AGGACGTGCA 240
 CTGATGGTTC TTGCTGGGCT TCGGCTTCCT CATGACTTTC CTGCAGCGCT ACGGCTTCAG 300
 CGCCGTGGGC TTCAACTTCC TGTGTGCAGC CTTCCGCATC CAGTGGGCGC TGCTCATGCA 360
 GGGCTGGTTC CACTTCTTAC AAGACCGCTA CATCGTCTGG GGCCTGGAGA ACCTCATCAA 420
 CGCTGACTTC TGCGTGGGCT CTGTCTGCGT GGCCTTTGGG GCAGTCTCTG GTAAAGTCAG 480
 CCCCATTCAG CTGCTCATCA TGACTTTCTT CCAAGTGACC CTCTCTGCTG TGAATGAGTT 540
 CATTTCTCCT AACCTGCTAA AGGTGAAGGA TGCAGGAGGC TCCATGACCA TCCACACATT 600
 TGGCGCTAC TTTGGGCTCA CAGTGACCCG GATCCTCTAC CGACGCAACC TAGAGCAGAG 660
 CAAGGAGAGA CAGAATTTCTG TGTACCAGTC GGACCTCTTT GCCATGATTG GCACCCCTCT 720
 CCTGTGGATG TACTGGCCCA GCTTCAACTC AGCCATATCC TACCATGGGG ACAGCCAGCA 780
 CCGAGCCGCC ATCAACACCT ACTGCTCCTT GGCAGCCTGC GTGCTTACCT CCGTGGCAAT 840

ATCCAGTGCC CTGCACAAGA AGGGCAAGCT GGACATGGTG CACATCCAGA ATGCCACGCT 900
 CGCAGGAGGG GTGGCCGTGG GTACCGCTGC TGAGATGATG CTCATGCCTT ACGGTGCCCT 960
 CATCATCGGC TTTGCTCTGG GCATCATCTC CACCTTGGGT TTTGTATACC TGACCCCATT 1020
 CCTGGAGTCC CGGCTGCACA TCCAGGACAC ATGTGGCATT AACAATCTGC ATGGCATTCC 1080
 5 TGGCATCATA GCGCGCATCG TGGGTGCTGT GACAGCGGCC TCCGCCAGCC TTGAAGTCTA 1140
 TGGAAAAGAA GGGCTTGTCC ATTCCTTTGA CTTTCAAGGT TTCAACGGGG ACTGGACCGC 1200
 AAGAACACAG GGAAGTTC AGATTATGG TCTCTTGGTG ACCCTGGCCA TGGCCCTGAT 1260
 GGGTGGCATC ATTGTGGGGC TCATTTTGAG ATTACCATTG TGGGGACAAC CTTCAGATGA 1320
 GAACTGCTTT GAGGATGCGG TCTACTGGGA GATGCCTGAA GGGAACAGCA CTGTCTACAT 1380
 10 CCGTAGGAC CCGACCTCA AGCCCTCAGG ACCCTCAGTA CCCTCAGTAC CCATGGTGTG 1440
 CCCACTACCC ATGGCTTCTT CCGTACCCTT GGTACCCTAG GCTCCCAGGG CAGGTGAGGA 1500
 GCAGGCTCCA CAGACTSTCC TGGGGCCCG AGGAGCTGGT GCTGACCTAG CTAGGGATGC 1560
 AAGAGTGAGC AAGCAGCACC CCCACTGCT GGCTTGGCCT CAAGGTGCCT CCACCCCTGC 1620
 CCTCCCTTC ATCCAGGGG GTCTGMCTGA GAAATGGAGAA GGAGAAGCTA CAAAGTGGGG 1680
 15 ATCCAAGCCG GGTCTGGCT GCAGAAGTTC TGCCCTGACC TGGGGTCTTG GCCACATTGG 1740
 AGAAAAACAG GCTCAAAGTG GGGCTGGGAC CTGGTGGGTG AACCTGAGCT CTCCCAGGAG 1800
 ACAACTTAGC TGCCAGTAC CACCTATGAG GCTCTTCTAC CCGTGCCTG CACCTCGGCC 1860
 AGCATCTCCT ATGCTCCCTG GGTCCCCAG ACCTCTCTGT GTTGTGTGCG TGGCAGCCTC 1920
 CAGGAATAAA CATTCTTGTG TCCCTTTGTA AAAAAAAAAA AAAAAAAA

Seq ID NO: 257 Protein sequence:
 Protein Accession #: NP_057405

1 11 21 31 41 51
 | | | | | |
 MAWNTNLRWR LPLTCLLLQV IMVILFGV FV RYDFEADAHW WSERTHKNLS DMENEFYRY 60
 PSFQDVHVMV FVGFGLMTF LQRYGFSAVG FNFLLAAPGI QWALLMQGW FHLQDRYIVV 120
 GVENLINADF CVA SVCVAFG AVLGVSP IQ LLIMTF FQV T LFAVNEFILL NLLKVKDAGG 180
 30 SMTIHTFGAY FGLTVTRILY RRNLBQSKER QNSVYQSDLF AMIGTLFLWM YWPSFNSAIS 240
 YHGSQHRRAA INTYCSLAAC VLTSSVAISSA LHKKGKLD MV HIQ NATLAGG VAVGTAAEMM 300
 LMPYGALIIG FVCGIISTLG FVYLTFFLES RLHIQDTCGI NNLHGIPGI GGIVGAVTAA 360
 SASLEVYKGE GLVHSFDFQG FNGDWTARTQ GKFPQIYGLLV TLAMALMGGI IVGLILRLPF 420
 WQPSDENCF EDAVYWEMPE GNSTVYIPED PTFKPSGSPV PSVPMVSPLP MASSVPLVP

Seq ID NO: 258 DNA sequence
 Nucleic Acid Accession #: NM_002358.2
 Coding sequence: 75..692

1 11 21 31 41 51
 | | | | | |
 GGGAAAGTGT GTTGGAGCCG CTGTGGTTGC TGTCCGCGGA GTGGAAGCGC GTGCTTTTGT 60
 TTGTGCTCCT GGCATGGCGG CTGCAGCTCT CCCGGGAGCA GGGAAATCACC CTGCGCGGGA 120
 GCGCCGAAAT CGTGGCCGAG TTCTTCTCAT TCGGCATCAA CAGCATTTTA TATCAGCGTG 180
 45 GCATATATCC ATCTGAAACC TTTACTCGAG TGCAGAAATA CGGACTCACC TTGCTTGTA 240
 CTACTGATCT TGAGCTCATA AAATACCTAA ATAATGTGGT GGAACAACTG AAAGATTGGT 300
 TATACAAGTG TTCAGTTCAG AAACCTGGTTG TAGTTATCTC AAATATTGAA AGTGGTGAGG 360
 TCCTGGAAAG ATGGCAGTTT GATATTGAGT GTGACAAGAC TGCAAAGAT GACAGTGAC 420
 CCAGAGAAAA GTCTCAGAAA GCTATCCAGG ATGAAATCCG TTCAGTGATC AGACAGATCA 480
 50 CAGCTACCGT GACATTTCTG CCACTGTTGG AAGTTTCTTG TTCATTGAT CTGCTGATTT 540
 ATACAGACAA AGATTTGGTT GTACCTGAAA AATGGGAAGA GTCCGGACCA CAGTTTATA 600
 CCAATTCGA GGAAGTCCCG CTTCGTTTCT TACTACTAC AATCCACAAA GTAAATAGCA 660
 TGGTGGCCTA CAAAATTCCT GTCAATGACT GAGGATGACA TGAGGAAAAT AATGTAATTG 720
 TAAATTTGAA ATGTGGTTTT CCTGAAATCA GGTCACTAT AGTTGATATG TTTTATTCA 780
 55 TTGGTTAATT TTTACATGGA GAAAACCAA ATGATACTTA CTGAACGTG TGTAATTGTT 840
 CCTTTATTTT TTTGGTACCT ATTTGACTTA CCATGGAGTT AACATCATGA ATTTATTGCA 900
 CATTGTTCAA AAGGAACCGG GAGGTTTTTT TGTCAACATT GTGATGTATA TTCCTTTGAA 960
 GATAGTAAC GTAGATGGA AAACTGTGC TATAAAGCTA GATGCTTCC TAAATCAGAT 1020
 60 GTTTTGGTCA AGTAGTTTGA CTCAGTATAG GTAGGGAGAT ATTTAAGTAT AAAATACAAC 1080
 AAAGGAAGTC TAAATATTC A GAATCTTTGT TAAGTCTCTG AAAGTAACTC ATAATCTATA 1140
 AACAAATGAA TATTGCTGTA TAGCTCCTTT TGACCTTCA T TCCATGTATA GTTTCCCTA 1200
 TTGAATCAGT TTCCAATTAT TTGACTTTAA TTTATGTAAC TTGAACCTAT GAAGCAATGG 1260
 ATATTTGTAC TGTTTAATGT TCTGTGATAC AGAACTCTTA AAAATGTTTT TTCATGTGTT 1320
 65 TTATAAATC AAGTTTTAAG TGAAAGTGAG GAAATAAAGT TAAGTTTGT TTAATAAATA 1380
 AAAAAAAAAA

Seq ID NO: 259 Protein sequence:
 Protein Accession #: NP_002349.1

1 11 21 31 41 51
 | | | | | |
 MALQLSREQ ITLRGSAEIV AEFSSFGINS ILYQRGIYPS ETPTRVQKYG LTLVTTDLE 60
 75 LIKYLNVVVE QLKDWLYKCS VQKLVVVISN IESGEVLERW QFDIECDKTA KDDSAPREKS 120
 QKAIQDEIRS VIRQITAVT FLPLLEVSCS FDLLIYTDKD LVVPEKWEBS GPQFIINSEE 180
 VRLRSFTTTI HKVNSMVAYK IPVND

Seq ID NO: 260 DNA sequence
 Nucleic Acid Accession #: NM_001211
 Coding sequence: 43..3195

1 11 21 31 41 51
 | | | | | |
 AAAGGCCTGC AGCAGGACGA GGACCTGAGC CAGGAATGCA GGATGGCGGC GGTGAAGAAG 60
 85 GAAGGGGGTG CTCTGAGTGA AGCCATGTCC CTGGAGGGAG ATGAATGGGA ACTGAGTAAA 120
 GAAAATGTAC AACCTTTAAG GCAAGGGCGG ATCATGTCCA CGCTTCAGGG AGCACTGGCA 180
 CAAGAACTCG CCTGTAACAA TACTCTCAG CAGCAGAAAC GGGCATTGTA ATATGAAAT 240

CGATTTTACA CTGGAATGA CCCTCTGGAT GTTTGGGATA GGTATATCAG CTGGACAGAG 300
 CAGAACTATC CTCGAAGTGG GAAAGAGAGT AATATGTCAA CGTTATTAGA AAGAGCTGTA 360
 GAAGCACTAC AAGGAGAAAA ACGATATTAT AGTGATCCTC GATTTCTCAA TCTCTGGCTT 420
 5 AAATTAGGGC GTTTATGCAA TGAGCCTTTG GATATGTACA GTTACTTGCA CAACCAAGGG 480
 ATTGGTGTTT CACTTGCTCA GTTCTATATC TCAATGGCAG AAGAATATGA AGCTAGAGAA 540
 AACTTTAGGA AAGCAGATGC GATATTTTCTG GAAAGGATTC AACAGAAGGC TGAACCACTA 600
 GAAAGACTAC AGTCCAGCA CCGACAATTC CAAGCTCGAG TGTCTCGGCA AACTCTGTTG 660
 GCACTTGAGA AAGAAGAAGA GGAGGAAATT TTTGAGTCTT CTGTACCACA ACGAAGCACA 720
 10 CTAGCTGAAC TAAAGAGCAA AGGGAAAAAG ACAGCAAGAG CTCCAATCAT CCGTGTAGGA 780
 GGTGCTCTCA AGGCTCCAAG CCAGAACAGA GGACTCCAAA ATCCATTTCC TCAACAGATG 840
 CAAAATAATA GTAGAATTAC TGTTTTGTAT GAAAATGCTG ATGAGGCTTC TACAGCAGAG 900
 TGTCTAAGC CTACAGTCCA GCCATGGATA GCACCCCCCA TGCCAGGGC CAAAGAGAAT 960
 GAGCTGCAAC GAGGCGCTTG GAACACAGGC AGGTCTCTGG AACACAGGCC TCGTGGCAAT 1020
 ACAGCTTCAC TGATAGCTGT ACCCGCTGTG CTTCCAGATT TCACTCCATA TGTGGAAGAG 1080
 15 ACTGCACAAC AGCCAGTATG GACACCATGT AAAATTGAAC CTAGTATAAA CCACATCCTA 1140
 AGCACCCAGAA AGCTCGGAAA GGAAGAAGGA GATCCTCTAC AAAGGGTTCA GAGCCATCAG 1200
 CAAGCGTCTG AGGAGAAGAA AGAGAAGATG ATGTATTGTA AGGAGAAGAT TTATGCAGGA 1260
 GTAGGGGAAT TCTCCTTTGA GAAAATTGGG GCTGAAGTTT TCCGGAAGAA ATTAAGAAGAG 1320
 CAAAGGGAAG CCGAGCTATT GACCAGTGA GAGAAGAGAG CAGAAATGCA GAAACAGATT 1380
 20 GAAGAGATGG AGAAGAAGCT AAAAGAAATC CAAACTACTC AGCAAGAAAAG AACAGGTGAT 1440
 CAGCAAGAAG AGACAGTGC TACAAAGGAG ACAACTAAAC TGCAAAATGC TTCGAGTCT 1500
 CAGAAAATAC CAGGAATGAC TCTATCCAGT TCTGTTTGTG AAGTAAACTG TGTGCCAGA 1560
 GAAACTTCA CTGCGGAGAA CATTGCGCAG GAACAACCTC ATTTCAAAGG TCCAGTGTGA 1620
 CTTTCTTCCA TTTTGTATGA GTTCTCTTCT TCCAGAAAAGA AGAATAAAGG TCCTCCTGTA 1680
 25 GATCCCCCAC GAGTTTTAGC TCAACGAAGA CCCCTTGCG TTTCTAAAAC CTCAGAAAGC 1740
 ATCACCTCAA ATGAAGATGT GTCTCCAGAT GTTTGTGATG AATTTACAGG AATTGAACCC 1800
 TTGAGCGAGG ATGCCATTAT CACAGGCTTC AGAAATGTAA CAATTTGTCC TAACCCAGAA 1860
 GACACTTGTG ACTTTGCCAG AGCAGCTCGT TTTGTATCCA CTCTTTTCA TGAGATAATG 1920
 TCCTTGAAG ATCTCCCTTC TGATCCTGAG AGACTGTTAC CGGAAGAAGA TCTAGATGTA 1980
 30 AAGACCTCTG AGGACACGCA GACAGCTTGT GGCACATCTC ACAGTCAGAC TCTCAGCATC 2040
 AAGAAGCTGA GCCCAATTAT TGAAGACAGT CGTGAAGCCA CACACTCTCT TGGCTTCTCT 2100
 GGTTCCTCTG CCTCGGTTGC AAGCACCTCC TCCATCAAAT GTCTCAAAT TCCTGAGAAA 2160
 CTAGAACTTA CTAATGAGAC TTCAGAAAAC CCTACTCAGT CACCATGGTG TTCACAGTAT 2220
 CGCAGACAGC TACTGAAGTC CCTACCAGAG TTAAGTGCCCT CTGCAGAGTT GTGTATAGAA 2280
 35 GACAGACCAA TGCCTAAGTT GGAATTGAG AAGGAAATTG AATTAGGTAA TGAGGATTAC 2340
 TGCATTAAC GAGAATACTT AATATGTGAA GATTACAAGT TATTCTGGGT GGCGCCAAGA 2400
 AACTCTGCAG AATTAACAGT AATAAAGGTA TCTTCTCAAC CTGTCCCATG GGACTTTTAT 2460
 ATCAACCTCA AGTTAAAGGA ACGTTTAAAT GAAGATTTTG ATCATTTTIG CAGCTGTTAT 2520
 CAAATCAAG ATGGCTGTAT TGTTTGGCAC CAATATATAA ACTGCTTAC CCTTCAGGAT 2580
 40 CTTCTCCAAC ACAGTGAATC TATTACCCTA GAAATAACAG TGTGATTAT TTATAACCTT 2640
 TTGACAATAG TGGAGATGCT ACACAAAGCA GAAATAGTCC ATGGTGACTT GAGTCCAAGG 2700
 TGTCTGATTC TCAGAACAG AATCCACGAT CCCTATGATT GTAACAAGAA CAATCAAGCT 2760
 TTGAAGATAG TGGACTTTTC CTACAGTGT GACCTTAGGG TGCAGCTGGA TGTTTTTACC 2820
 CTCAGCGGCT TTGGACTGT ACAGATCCTG GAAGGACAAA AGATCCTGGC TAACGTGTTCT 2880
 45 TCTCCCTACC AGGTAGACCT GTTTGGTATA GCAGATTTAG CACATTTACT ATTTGTTCAAG 2940
 GAAACACCTAC AGGTCTTCTG GGATGGGTC TCTCGGAAAC TTAGCCAAA TATTTCTGAG 3000
 CTAAAAGATG GTGAATTGTG GAATAAATTC TTTGTGCGGA TTTGAAATGC CAATGATGAG 3060
 GCCACAGTGT CTGTTCTTGG GGAGCTTGA GCAGAAATGA ATGGGGTTT TGACACTACA 3120
 TTCCAAAGTC ACCTGAACAA AGCCTTATGG AAGGTAGGGA AGTTAACTAG TCCCTGGGCT 3180
 50 TTGCTCTTTC AFTGAGCTAG CCAATCAAGT CTCACAGATT GCTGCCTCAG AGCAATGGTT 3240
 GTATTGTGGA AACTGAAAC TGTATGTGCT GTAATTTAAT TTAGACACA TTTAGATGCA 3300
 CTACCATTCG TGTCTACTT TTTGGTACAG GTATATTTTG ACGTCACTGA TATTTTAT 3360
 ACAGTGATAT ACTTACTCAT GGCCTTGTCT AACTTTGTG AAGAACTATT TTATTCTAAA 3420
 CAGACTCATT ACAAATGGTT ACCCTGTTAT TTAACCCATT TGTCTTACT TTTCCCTGTA 3480
 55 CTTTTCCCAT TTGTAATTTG TAAAATGTT TCTTATGATC ACCATGTATT TTGTAATAA 3540
 TAAAATAGTA TCTGTTAAAA AAAAAAATAA AAAAAAATAA AAA

Seq ID NO: 261 Protein sequence:
 Protein Accession #: NP_001202

60 1 11 21 31 41 51
 | | | | | |
 MAAVKKEGGA LSEAMSLGEG EWELSKENVQ PLRQGRIMST LQGALAQESA CNNTLQQQKR 60
 AFEYEIRFYT GNDPLDVWDR YISWTEQNYF QGGKESNMST LLERAVEALQ GEKRYYSDDPR 120
 65 FLNLWLKLRG LCNPEPLDMS YLHNQIGIVS LAQFYISWAB EYEARENFRK ADAIFQEGIQ 180
 QKAEPLERLQ SQHRPQPARV SRQTLLEALEK EEEEEVFESS VPQRSTLAEK KSKGKKTARA 240
 PIIRVGGALK APSQNRGLQN PFPQMQMNS RITVFDENAD EASTAELSKP TVQPWIAPP 300
 PRAKENELQA GPWNTGRSLE HRPRGNTASL IAVPAVLPSP TPVVEETAQQ PVMTFCKIEP 360
 70 SINHLSTRK PGKEEGDPLQ RVQSHQQA SE EKKEKMMYCK EKIYAGVGEF SFEEIRAIEVF 420
 RKKLKEQREA ELLTSAEKRA EMQKIEEME KKLKEIQTTQ QERTGDQEE TMTKETTTL 480
 QIASESQKIP GMLTSSVQC VNCCARETSL AENIWQEQPH SKGPSVFFSI FDEPLLSEKK 540
 NKSPADPPR VLAQRPLAV LKTSESITSN EDVSPDVCDE FTGIEPLSED AIITGFRNVT 600
 ICPNPEDTCD FARAARFVST PFHEIMSLKD LPSDPERLLP EEDLDVKTSE DQQTACGTTI 660
 75 SQTLSIKKLS PIIEDSREAT HSSGFSGSSA SVASTSSIKC LQIPEKLELT NETSENPTQS 720
 PWCSQYRRL LKSLPELSAS AELCIEDRPM PKLEIEKEIE LGNEDYCIKR EYLICEDYKL 780
 FWVAPRNSAE LTVIKVSSQP VPWDFYINLK LKERLNEFD HFCSCYQYQD GCIVVHXYIN 840
 CFTLQDLQHQ SEYITHEITV LIINYLLTIV EMLHKAIEIVH GDLSRCLIL RNRIRHPYDC 900
 NKNQALKIV DFSYVDLRV QLDVFTLSGF RTVQILEGQK ILANCSPPYQ VDLFGIADLA 960
 80 HLLLKFEHLQ VFWDGSFWLK SQNISLKDQ ELWNKFFVRI LNANDEATVS VLGELAAEMN 1020
 GVFDTTFQSH LNKALWVKVG LTSPGALLFO

Seq ID NO: 262 DNA sequence
 Nucleic Acid Accession #: NM_003784
 Coding sequence: 365..1507

85 1 11 21 31 41 51

	GTCTACTTAT	CAATAAGCAG	CTGCCCTGTGC	AGAGTGCAGG	CTGCACCTTT	GGACAGCCTT	60
	TAAAACGTAA	TTCTCAGAAT	TTTAGAACAA	ATTTTGTCT	AGAAAATGCTG	ACTTTGGTTC	120
5	ATTAGGTAGT	GGTAAAACAG	GCTCCCTTCG	AAGCTCTCCT	TCATCACCTT	CCTAAGTGCA	180
	TGTACAGGGA	AGCTCTCCTT	CATCACCTTC	CTAAGTGCAT	GGGGGAAAAT	ACCTAGGGCT	240
	CAACAGTCTT	GAGAAGTGTG	GAACATTTT	CTTTGTGAGT	GAGAACAGAT	CACCTAGAGA	300
	AAGGAAACCA	GATTCOCATC	ACTGCTTCTG	GGTATCAGAT	GCTAGCGCTG	CACTCCATT	360
	TGCAATGGCC	TCCCTTGCTG	CAGCAAATGC	AGAGTTTTGC	TTCAACCTGT	TCAGAGAGAT	420
	GGATGACAA	CAAGGAAATG	GAATGTGTT	CTTTTCTCT	CTGAGCCTCT	TCGCTGCCT	480
10	GGCCCTGGTC	GGCTTGGGCG	CTCAAGATGA	CTCCCTCTCT	CAGATTGATA	AGTTGCTTCA	540
	TGTTAACACT	GCCTCAGGAT	ATGGAAACTC	TTCTAATAGT	CAGTCAGGGC	TCCAGTCTCA	600
	ACTGAAAAGA	GTTTTTCTG	ATATAAATGC	ATCCCACAAG	GATTATGATC	TCAGCATTGT	660
	GAATGGGCTT	TTTGCTGAAA	AAAGTGTATGG	CTTTCATAAG	GACTACATTG	AGTGTGCOGA	720
15	AAAATTATAC	GATGCCAAAG	TGGAGCGAGT	TGACTTTACG	AATCATTTAG	AAGACACTAG	780
	ACGTAATATT	AATAAGTGGG	TTGAAAATGA	AACACATGGC	AAAATCAAGA	ACGTGATTGG	840
	TGAAGTGGC	TCAAAGCTCAT	CTGCTGTAAT	GGTCTGGTG	AATGCTGTGT	ACTTCAAAGG	900
	CAAGTGGCAA	TCAGCCTTCA	CCAAGAGCGA	AACCATAAAT	TGCCATTTCA	AATCTCCCAA	960
	GTGCTCTGGG	AAGGCAGTCC	CCATGATGCA	TCAGGAACCG	AAGTTCAATT	TGCTGTATT	1020
20	TGAGGACCCA	TCAAATGAAGA	TTCCTGAGCT	CAGATACAAT	GGTGGCATAA	ACATGTACGT	1080
	TCGTCTGCCT	GAGAATGACC	TCTCTGAAT	TGAAAACAAA	CTGACCTTTC	AGAATCTAAT	1140
	GGAAATGGACC	AATCCAAGGC	GAATGACCTC	TAAGTATGTT	GAGGTATTTT	TTCCTCAGTT	1200
	CAAGATAGAG	AAGAATTATG	AAATGAAACA	ATATTTGAGA	GCCCTAGGGC	TGAAAGATAT	1260
	CTTTGATGAA	TCCAAGCAG	ATCTCTCTGG	GATTGCTTCG	GGGGGTCTG	TGATATATC	1320
	AAGGATGATG	CACAATCTT	ACATAGAGGT	CACGTAGAGG	GGCACCGAGG	CTACTGCTGC	1380
25	CACAGGAAGT	AATATTGTAG	AAAAGCAACT	CCCTCAGTCC	ACGCTGTTTA	GAGCTGACCA	1440
	CCCATTCTTA	TTTTTTATCA	GGAAAGGATG	CATCATCTTA	TTCAGTGGCA	AAGTTTCTTG	1500
	CCCTTGAAA	TCCAATTGGT	TTCTGTATA	GCAGTCCCA	CAACATCAA	GRACCACCAC	1560
	AAGTCAATAG	ATYTGRTT	AATTGGAAA	ATGTGGTGT	TCCTTTGAGT	TTATTTCTTC	1620
	CTAACATTGG	TCAGCAGAT	ACACTGGTGA	CTTGACCCTT	CCTAGACACC	TGGTTGATTG	1680
30	TCCTGATCCC	TGCTCTTAGC	ATTCTACCAC	CATGTGTCTC	ACCCATTCT	AATTTCAATG	1740
	TCTTTCTTCC	CAGCTCATT	TCTATCATT	TCCCCATGA	CCGCTCTGGA	AATTATGGAG	1800
	RGTGCTCAAC	TGGTAAGGAG	AACGTAGAAG	TAGCCCTAGG	GATCCTTTTT	GAAACTCTAC	1860
	AGTTATCGCA	GATATTCTAG	CTTCATTGTA	AGCAATCTAG	GAAATAAGCC	CTGCTGCTTT	1920
	CTAGAAATAA	GTGTGAAGGA	TAAATTTCT	TGTTGACCT	ATGAAGATT	TAGAGTTAC	1980
35	CTTCATATGT	TTGATTTTAA	ATCAGTGTAT	AATCTAGATG	GTAATAAATG	TGAAATTTGG	2040
	ATTAGGAC	TACCAAAATA	TTTCATTAAT	GCTTCAATT	GACAAATTTT	GGCCTTTCTT	2100
	TGATAAGACA	ATATGTACAT	GTTTTTCAA	ATATTAAGA	TCTTTAACT	GTTGGCAGTT	2160
	GTTATCTACA	GAATCATATT	TCATATGCTG	TGTAGTTTAT	AAGTTTTTCC	TCTATTTATC	2220
40	AGAATAAAGA	AATCAACAT	ACCTGTAAA				

Seq ID NO: 263 Protein sequence:
Protein Accession #: NP_003775

45	1	11	21	31	41	51	
	MASLAAANAE	FCPNLFREMD	DNQGNVNVFF	SSLSLFAALA	LVRLGAQDDDS	LSQIDKLLHV	60
	NTASGYGNSS	NSQSGLQSQL	KRVFSDINAS	HKDYDLSIVN	GLFAEKVYGF	HKDYIECAEK	120
50	LVDKVERVD	FTNHLEDRR	NINKWVENET	HGKIKNVIGE	GGISSAVMV	LVNAVYFKGK	180
	WQSAPTKSET	INCHFSPKC	SGKAVAMHQ	ERKFNLVIE	DPSMKLELR	YNGGINMYVL	240
	LPENDLSBIE	NKLTQNLME	WTNPRRMTSK	YVEVFFPQFK	IEKNYEMKQY	LRALGLKDF	300
	DESKADLSGI	ASGGRLYISR	MMHKSIVIEV	EEGTEATAAT	GSNIVEKQLP	QSTLFRADHP	360
	FLFVIRKDDI	ILFSGKVSCE					

Seq ID NO: 264 DNA sequence
Nucleic Acid Accession #: AB052906
Coding sequence: 74-814

60	1	11	21	31	41	51	
	AAAACCTTGA	GGTGATTCAT	CTTCCAGGCT	CTCCTCCAT	CAAGTCTCTC	CTCCCTAGCG	60
	CTCTGGGTCC	TTAATGGCAG	CAGCCGCCGC	TACCAAGATC	CTTCTGTGCC	TCCCGCTTCT	120
	GCTCCTGCTG	TCCGGCTGGT	CCCGGGCTGG	GCGAGCCGAC	CCTCACTCTC	TTTGCTATGA	180
	CATCACCGTC	ATCCCTAAGT	TCAGACCTGG	ACCACGGTGG	TGTGCGGTTT	AAGGCCAGGT	240
65	GGATGAAAAG	ACTTTTCTTC	ACTATGACTG	TGGCAACAAG	ACAGTCACAC	CTGTCACTCC	300
	CCTGGGGAAG	AAACTAAATG	TCACRAOCCG	CTGGAAAGCA	CAGAACCCAG	TACTGAGAGA	360
	GGTGGTGGAC	ATACTTACAG	AGCAACTGCG	TGACATTGAG	CTGGAGAATT	ACACACCCAA	420
	GGAAACCCCTC	ACCTTCGAGG	CCAGGATGTC	TTGTGAGCAG	AAAGCTGAAG	GACACAGCAG	480
	TGGATCTTGG	CAGTTTCAGT	TCGATGGGCA	GATCTTCTC	CTCTTTGACT	CAGAGAAGAG	540
70	AATGTGGACA	ACGGTTCATC	CTGGAGCCAG	AAAGATGAAA	GAAAAGTGGG	AGAATGACAA	600
	GGTGTGGGCC	ATGTCCTTCC	ATTACTTCTC	AATGGGAGAC	TGTATAGGAT	GGCTGAGGA	660
	CTTCTTGATG	GGCATGGACA	GCACCCTGGA	GCCAAGTGCA	GGAGCACCAC	TCGCCATGTC	720
	CTCAGGCACA	ACCCAACCTCA	GGGCCACAGC	CACCACCCTC	ATCCTTTGCT	GCCTCCTCAT	780
	CATCCTCCCC	TGCTTATCC	TCCTTGGCAT	CTGAGGAGAG	TCCCTTAGAG	TGACAGGTTA	840
75	AAGCTGATAC	CAAAAGGCTC	CTGTGAGCAC	GGTCTTGATC	AAACTCGCCC	TTCTGTCTGG	900
	CCAGCTGCC	ACGACCTACG	GTGTATGTCC	AGTGGCCTCC	AGCAGATCAT	GATGACATCA	960
	TGGACCCAA	AGCTCATTCA	CTGCCCTTGT	TCCTTTTGCC	AACAATTTTA	CCAGCAGTTA	1020
	TACCTAACAT	ATTATGCAAT	TTTCTCTTGG	TGCTACCTGA	TGGAATTCCT	GCACTTAAAG	1080
80	TTCTGGCTGA	CTAAACAAGA	TATATCATT	TCTTCTTCT	CTTTTTGTTT	GGAAAATCAA	1140
	GTACTTCTT	GAATGATGAT	CTCTTCTTGG	CAAAATGATAT	TGTCAGTAAA	ATAATCACGT	1200
	TGACTTCTAG	ACCTCTGGGG	ATTCTTCCG	TGTCCTGAAA	GAGAATTTT	AAATTATTTA	1260
	ATAAGAAAA	ATTTATATTA	ATGATTGTTT	CCTTTAGTAA	TTTATTGTTT	TGTACTGATA	1320
85	TTTAAATAAA	GAGTCTTATT	TCCCAAAAA	AAAAAATAAA	A		

Seq ID NO: 265 Protein sequence:
Protein Accession #: BAB61048.1

1 11 21 31 41 51
 | | | | | |
 MAAAAATKIL LCLPLLLLLS GWSRAGRADP HSLCYDITVI PKFRPGPRNC AVQQQVDEKT 60
 FLHYDCGNKT VTFVSPILGKK LNVTTAWKAQ NPVLREVVDI LTEQLRDIQL ENYTFKEPLT 120
 LQARMSCBQK AEGHSSGSWQ FSPDQGIPLL FDSEKRMWTT VHPGARKMKE KWENDKVAM 180
 SFHYFSMGDC IGWLEDFLMG MDSTLEPSAG APLAMSSGTT QLRATATTLI LCCLLIILPC 240
 FILPGI

10 Seq ID NO: 266 DNA sequence
 Nucleic Acid Accession #: XM_084853.1
 Coding sequence: 127-444

15 1 11 21 31 41 51
 | | | | | |
 ATTGATGATA TATTTAACGA AATCAAATTT GGTGAATATG TGGACACTGG AAAGCTAATC 60
 GACAAGATCA ACTTACCAGA TTTCCTAAAA GTGTACCTTA ACCACAAGCC ACCTTTTGGT 120
 AACACCATGA GTGGCATCCA CAAGAGCTTT GAGGTGCTCG GTTATACCAA CTCCAAAGGG 180
 AAAAAGGCCA TTCGAAGAGA GGACTTCCTG AGACTGCTCG TTAATAAAGG TGAGCATATG 240
 ACGGAGGAGG AGATGTTGGA TTGCTTTGCT TCACTGTTTG GCCTGAATCC CGAGGGATGG 300
 20 AAATCCGAGC CTGCAACCTG CTCCGTCAAA GGTTCAGAAA TTGTCCTTGA AGAAGAACTT 360
 CCAGACGAAA TCACTGCAGA AATATTCGCG ACTGAAATTC TTGGCTTAAC CATTTCAGAA 420
 GATTCCGGCC AGGATGGTCA GTGAAGTTAC CAGGAATGTT TAAAGCACAA AGGACTTTGG 480
 GTGTGTGTGC ATGCACATGT GTGTGTTTC CATGAGGCAC TGCTTTTAT GCATTTCCCT 540
 CCCCCTCTC ATCTTAGAA CATTTAGACA TTAAGCAAG TTTCTGGTA GCAATG

Seq ID NO: 267 Protein sequence:
 Protein Accession #: XP_084853.1

30 1 11 21 31 41 51
 | | | | | |
 MSGIHKSEFV LGYTNKSGKK AIRREDFLRL LVTKGEHMT EEMLDPCFASL PGLNPEGWKS 60
 EPATCSVKGS EICLEELPD EITAEIFATE ILGLTISEDS GQDQG

35 Seq ID NO: 268 DNA sequence
 Nucleic Acid Accession #: NM_001898
 Coding sequence: 57-482

40 1 11 21 31 41 51
 | | | | | |
 GGCTCTCACC CTCCTCTCCT GCAGCTCCAG CTTTGTGCTC TGCCTCTGAG GAGACCATGG 60
 CCCAGTATCT GAGTACCCTG CTGCTCCTGC TGGCCACCCT AGCTGTGGCC CTGGCCTGGA 120
 GCCCAAGGA GGAGGATAGG ATAATCCCGG GTGGCATCTA TAACGCAGAC CTCAATGATG 180
 45 AGTGGGTACA GCGTGCCTT CACTTCGCCA TCAGCGAGTA TAACAAGGCC ACCAAAGATG 240
 ACTACTACAG ACGTCCGCTG CGGGTACTAA GAGCCAGGCA ACAGACCGTT GGGGGGGTGA 300
 ATTACTTCTT CGACGTAGAG GTGGGCCGCA CCATATGTAC CAAGTCCCAG CCCAACTTGG 360
 ACACCTGTGC CTTCCATGAA CAGCCAGAAC TGCAGAAGAA ACAGTTGTGC TCTTTCGAGA 420
 TCTACGAAGT TCCTGGGAG AACAGAAGGT CCCTGGTGAA ATCCAGGTGT CAAGAACTCT 480
 50 AGGGATCTGT GCCAGGCCAT TCGCACCAGC CACCACCAC TCCACCCCC TGTAGTGTCT 540
 CCACCCCTGG ACTGGTGGCC CCCACCCTGC GGGAGGCCTC CCCATGTGCC TCCGCCAAGA 600
 GACAGACAGA GAAGCTGCA GGAGTCCTTT GTTGTCTCAG AGGGCGCTCT GCCCTCCCTC 660
 CTTCTCTTCT GTCTTAATA GCCCTGGTAC ATGGTACACA CCCCCCACC TCCTGCAATT 720
 AAACAGTAGC ATCGCC

55 Seq ID NO: 269 Protein sequence:
 Protein Accession #: NP_001889.1

60 1 11 21 31 41 51
 | | | | | |
 MAQYLSTLLL LLATLAVALA WSPKEEDRII PGGIYNADLN DEWVQRALHF AISEYNKATK 60
 DDYYRRPLRV LRARQTVGG VNYFFDVEVG RTICTKSQPN LDTCAFHEQP ELQKKQLCSF 120
 EYIEVPWENR RSLVKSRQCE S

65 Seq ID NO: 270 DNA sequence
 Nucleic Acid Accession #: XM_093210
 Coding sequence: 13-1854

70 1 11 21 31 41 51
 | | | | | |
 ATGGCAAGCG CCGGAATCTC CTCAGCTGCC GTTTCACAAA AGAGGTACCA GGTCCGCACC 60
 AAACGAGCA ACAAGCAGCA CCAGGAGCTG CAGAAGAAGG AGGCGGCAGC GATGGACCAG 120
 GGCAGAGGA ATGGGGAGGG GGCATCTTAC CCCATATCTG AGGTGCGACT GCGGGACGTA 180
 GAGCGGACTG GGCCTTTCCC GTTGGCGCGT GGCCTCAATC AGGACTTCTT GCCCACGTGC 240
 75 GCCTTCAAAA CGGTAAAGAGC TGCAACTGAA CGTGTGAGAC ATGGTGCAGA TAGGCTGAGA 300
 GGCGGGCGGA GAGATGCCCA TGAACTCAAG TACCCGGACA CGCCCTCCAC TTCTACCACC 360
 ACGAGTAACA CCGCCCCAC GGGACCGCTC TCGAGGTCCC CCAAGCCAAG GACGCAAGGA 420
 GGAACGCCCC GGCAGCGCGC CAGCAGCGGC GGGCACCAGC CCAATGGCCA CGGAACCTCAG 480
 CACTGGCAGT CGGCCCTCTT CACACCAGC GCGTGCAGTG TGGCCGACGG AGCCTCCCGG 540
 80 GCCGAGGACC CAGCTAGGCC GTCACCCCGG TTGCTCCAC GGGAGGGGG ACCAGGCAAA 600
 CTGCCCAAGG CCCCAGGCC AGGCTCCCTG GCGGAGGCT CCGCTGTGTC CGCCAGATC 660
 ATGGCCGCCA CCAGGCTCCC GAGCCATGGC TTCCTGTCCG GGAACGGCCC GCGCTCCTGG 720
 CTGTCCAGCT AG

85 Seq ID NO: 271 Protein sequence:
 Protein Accession #: XP_093210

1 11 21 31 41 51

MLRHGEQKRK RARKKWFDP TCAFKTVRAA TERVRHGADR LRGGRDAHE LKYPDTPSTS 60
 TTSNTAPTG PLSRSPKPRP QGGTPRRRPA AAGTRANGHG TQHWQSALLT PQACSVADGA 120
 5 SRAEDPARPS PRLLPREGAP GKLPKAPSPG SLAEASAGLL AHVRLQNADA QRVLSIQALP 180
 PNSSVGRKEE RPGAQQRRR PAFMATELST GSRPSSHRRR AVWPTEPPGP RTQLEPSPRL 240
 LPREGAPGKL PKAPSPGSLA EASAGPAQIM AATRLPSRGP LSGNGPASWL SS

Seq ID NO: 272 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 1..732

1 11 21 31 41 51
 GGATACTGTG TCACTCAAAG TAATGGGAGG GAGAGAGAAC AGGGAGGGTA GGGATGCTTT 60
 15 TGAAAAAGCT TTTTTCCTCA CTTTAACTT GCTTTAGCGT TAAGAGTACT TACCAGCTAA 120
 TAATGTGGAG GAAATTATTC TTCTCATTG GAGATTACAG AATATATCTA TTCATCTTGA 180
 ATACCCACTT GAGGCTCTG TAGAAATGTC TCGTCTCCG GTTGATTATTC TAAAACCTAC 240
 ATGATTTTGT CTGTCTCTG CAGTGAGAAA TTACATCCAT AGCAAAGACA AAAGTCTTTT 300
 20 TAAATTATTT TTATTTATCT TTCATATAGT TCTTACAATT TCTAAAAAAT TAACACTCAT 360
 TTAGTATCAC AATTATATGG AGAGGGTTTT TTGTATTTT AAGCATATGT GGCTTATATA 420
 AAAATTGCAG AAGTCATAGG ACTGTCATGT ATTGCAGCTC TGAGAACCAA TGCTGAAAC 480
 TTAAGCC

Seq ID NO: 273 Protein sequence:
 Protein Accession #: Eos sequence

1 11 21 31 41 51
 MGGRENREGR DAFEKAFPPF FNLL

Seq ID NO: 274 DNA sequence
 Nucleic Acid Accession #: NM_003976.2
 Coding sequence: 299-961

1 11 21 31 41 51
 CTCTGAGCTT CTCTGAGCCT TGTTTGTCTA TCTGGAAAAA GGGGATTAAT CCATTACCT 60
 40 CATGGAGTTG TGAAGAATA GCTGCAAGC ACCTAACACA TAGTAAGGT CCCAGTGCA 120
 CTACTTCTGC TGGGTGAGT CTAGCTGTGT AGGCCCTCTG TTCTCACCT GGAGAACTG 180
 GGGTGGCAGG CCGGTCCCTG ACAAAAGATA ACTCATCTCT TAATTTGCAA GCTGCCTCAA 240
 CAGGAGGGTG GGGGAACAGC TCAACAATGG CTGATGGGCG CTCCTGGTGT TGATAGAGAT 300
 GGAACTTGGG CTGAGAGGCC TCTCCACGCT GTCCCACTGC CCCTGGCCTA GGCGGCAGCC 360
 45 TGCCCTGTGG CCGACTCTGG CCGCTCTGGC TCTGCTGAGC AGCGTCGCG AGGCCTCCCT 420
 GGGCTCCCG CCGCGCAGCC CTGCCCCCG CGAAGGCCCC CCGCTGTCC TGGCGTCCCC 480
 CGCCGGCCAC CTGCCCCGGG GACGCACGGC CCGCTGGTGC AGTGGAAGAG CCCGGCGGCC 540
 GCGCGCCGAG CCTTCTCGGC CCGCGCCCC GCGCCTGCA CCCCATCTG CTCTTCCCG 600
 CGGGGGCCG GCGCGCGGG CTGGGGGCC GGGCAGCCG GCTCGGGCAG CGGGGGCGCG 660
 GGGCTGCCCG CTGCGCTCG AGCTGGTGGC GGTGCGCGCG CTCGGCCTGG GCCACCGCTC 720
 50 CGACGAGCTG GTGCGTTCG GCTTCTGCA GCGCTCCTGC CGCCGCGCG GCTCTCCACA 780
 CGACTCAGC CTGGCCAGCC TACTGGGCG CCGGCCCTG CGACCGCCCC CGGGTCCCG 840
 GCCCGTCA GCCTCTGCT GCCGACCCAC GCGCTACGAA GCGGTCTCCT TCATGGAGCT 900
 CAACAGCAC TGGAGAACCG TGGACCGCCT CTCGCGCCAC GCCTGGGGCT GCCTGGGCTG 960
 AGGGCTCGCT CCAGGCTTT GCAGACTGGA CCCTACCGG TGGCTCTTCC TGCTGGGAC 1020
 55 CCTCCCGCAG AGTCCCACTA CCGAGCGGCC TCAGCCAGGG ACGAAGGCT CAAAGCTGAG 1080
 AGGCCCTTAC CGGTGGGTGA TGGATATCAT CCCCAGACAG GTGAAGGGAC AACTGACTAG 1140
 CAGCCCCAGA GCCTCACCC TCGGATCCC AGCCTAAAAG ACACCAGAGA CCTCAGCTAT 1200
 GGAGCCCTTC GGACCCACTT CTCACAGACT CTGGCACTGG CCAGGCTCG AACCTGGGAC 1260
 60 CCTCCTCTG ATGAACACTA CAGTGGCTGA GGCATCAGCC CCGGCCAGG CCCTGTAGGG 1320
 ACAGCATTG AAGGACACAT ATTGCAGTTG CTTGGTTGAA AGTGCCTGTG CTGGAACCTG 1380
 CCTGTACTCA CTATGGGAG CTGGCCCC

Seq ID NO: 275 Protein sequence:
 Protein Accession #: NP_003967.1

1 11 21 31 41 51
 MELGLGLST LSHCPWRRQ PALWPTLAL ALLSSVAEAS LGSAPRSPAP REGPPPVLAS 60
 70 PAGHLPGGRT ARWCGRARR PPPQSRPAP PPPAPPSALP RGGRAARAGG PGSRARAAGA 120
 RGCRLRSQLV PVRALGLGHR SDELVRFRC SGSCRARSP HDLSLASLLG AGALRPPPGS 180
 REVSPQCRP TRYEAVSFMD VNSTWRTVDR LSATACGLG

Seq ID NO: 276 DNA sequence
 Nucleic Acid Accession #: NM_057091.1
 Coding sequence: 783-1445

1 11 21 31 41 51
 ACTGGCCGCT GAGAGAAGAA TCGGGTGGAG CAGAGAGCAG CTGCTGCAGG GCAGACAGCC 60
 80 GGACCCCAA ATCTGCACGT ACCAGCAGTC AGCCGCCCA CCGAGGGACC GGCTTACCCC 120
 TCGTCCCGG CCTCACTCA CTTTCTCCCG CCCTCGGCC GGCCTCCAG CTCTCTACTT 180
 CGGTGTCTA CAAACTCAAC TCCCGGTTTC CGTGCTCTC CACCGCTCGA GTTCTCTACT 240
 CTCCATATCC GAGGGGCCCC TCCAGCATC TACCCCTCT CCAACCTCGG GGGACCTAGC 300
 85 CAAGCTAGGG GGGACTGGAT CCGACGGGTG GAGCAGCCAG GTGAGCCCG AAAGTGGGG 360
 CGGGCAGGG GCGCTCCAG CCCCACCCG GGATCTGGTG ACCTGGGGC TGGAAATTGA 420
 CACCGGACGG CTGCGGGCGG GGGCAGGAG CTGCTGAGGG ATGGAGTTGG GCCCGGCCCC 480
 CAGACAAGGC CCGGGGGCTC CGCCAGCAGC AGTCCCTCG GGCCCAAGCC CTCGCTGCCA 540

CCCGGGCCTG GAGCCCAACA CCGAGGGTG CAGACTGGCT GCCAAGGCCA CACTTTTGGC 600
 TAAAAGAGGC ACTGCCAGGT GTACAGTCTT GGCATGCGC TGTTTGAGCT TCGGGGGAGA 660
 GCCCAGCACT GGTCCCCGGA AAGGTGCCTA GAAGAACAAG GTGCAGGACC CCGTGTGCC 720
 TCAACAGGAG GGTGGGGGAA CAGCTCAACA ATGGCTGATG GCGGCTCCTG GTGTTGATAG 780
 5 AGATGGAAC TGGACTTGA GGCCTCTCCA CGCTGTCCA CTGCCCTGG CCTAGGCGGC 840
 AGCTTGCCTT GTGGCCACC CTGGCCGCTC TGGCTTGTCT GAGCAGCGTC GCAGAGGSCCT 900
 CCCTGGGCTC CGCGCCCGC AGCCCTGCCC CCGCGAAGG CCCCCCGCT GTCTTGGCGT 960
 CCCCAGCCGG CCACCTGCGG GGGGAAGCA CGGCCGCTG GTGCAGTGA AGAGCCCGGC 1020
 GGCCGCGCCG GCAGCCTTCT CGGCCCGCGC CCCCAGCCGC TGCACCCCA TCTGTCTTTC 1080
 10 CCGCGGGGGG CCGCGCGCG CGGGCTGGGG GCCCGGGCAG CCGGCTCGG GCAGCGGGGG 1140
 CGCGGGGCTG CCGCTCTGCG TGCAGCTGG TCGCGGTGCG CGGCTCGGC CTGGGCCACC 1200
 GCTCCGACGA GCTGGTGGT TTCCGCTTCT GCAGCGGCTC CTGCGCGCG GCGGCTCTC 1260
 CACACGACCT CAGCCTGGCC AGCCTACTGG GCGCGGGGC CCTGCGACC GCGCCGGGCT 1320
 CCGCGCCGCT CAGCCAGCCC TGCTGCGAC CCACGCGCTA CGAAGCGGTC TCCTTCATGG 1380
 15 ACGTCAACG CACCTGGAGA ACCGTGGACC GCCTCTCGC CACCGCCTGC GGCTGCCTGG 1440
 GCTGAGGGCT CGTCCAGGG CTTTGCAGAC TGGACCCCTA CCGGTGGCTC TTCCTGCCTG 1500
 GGACCTCCCC GCAGAGTCCC ACTAGCCAGC GGCCTCAGCC AGGGACGAAG GCCTCAARGC 1560
 TGAGAGGCCC CTACCGTGG GTGATGGATA TCATCCCGA ACAGGTGAAG GGACAACCTGA 1620
 CTAGCAGCCC CAGAGCCCTG ACCCTGCGGA TCCCAGCCTA AAAGACACCA GAGACCTCAG 1680
 20 CTATGGAGCC CTTGCGAAC ACTTCTCACA GACTCTGCA CTGGCCAGGC CTCGAACCTG 1740
 GGACCCCTCC TCTGATGAAC ACTACAGTGG CTGAGGCATC AGCCCCCGCC CAGGCCCTGT 1800
 AGGGACAGCA TTTGAAGGAC ACATATTGCA GTTGCTTGGT TGAAGTGCC TGTGTGGAA 1860
 CTGGCCTGTA CTCACTCATG GGAGTGGCC C

Seq ID NO: 277 Protein sequence:
 Protein Accession #: NP_003967.1

1 11 21 31 41 51
 | | | | | |
 MELGLGGLST LSHCPWPRRQ PALWPTLAAL ALLSSVAEAS LGSAPRSPAP REGPPVVLAS 60
 30 PAGHLPGGRT ARWCSSRRAR PFPQPSRPAP PPPAPPSALP RGGRARARAGG PGRSARAAGA 120
 RGCLRSLQLV PVRALGLGHR SDELVRFRC SGSCRARRSP HDLSLASLLG AGALRPPPGS 180
 RPSVQPCCRP TRYEAVSFMD VNSTWRTVDR LSATACGCLG

Seq ID NO: 278 DNA sequence
 Nucleic Acid Accession #: NM_057160.1
 Coding sequence: 1-714

1 11 21 31 41 51
 | | | | | |
 40 ATGCCCGGCC TGATCTCAGC CCGAGGACAG CCCCTCCTTG AGGTCCCTCC TCCCAAGCC 60
 CACTTGGGTG CCCTCTTFTT CCTGAGGCT CCACTTGGTC TCTCCGCGCA GCCTGCCCTG 120
 TGGCCACCCC TGGCCGCTCT GGCTCTGCTG AGCAGCGTCG CAGAGGCTC CTGGGCTCC 180
 GCGCCCGCA GCCCTGCCCC CCGCGAAGGC CCCCAGCCTG TCCTGGCGTC CCCCAGCCGG 240
 45 CACTGCGCGG GGGGACGAC GGCCTGCTGG TGCAGTGGAA GAGCCGCGG GCGCCGCGCG 300
 CAGCCTTCTC GGGCCGCGCC CCGCGCGCT GCACCCCAT CTGCTCTCC CCGGGGGGGC 360
 CGCGCGCGCC GGGCTGGGG CCGGGCAGC CGCGCTCGGG CAGCGGGGC GCGGGGCTGC 420
 CGCTTGGCTC CGCAGCTGGT GCGGTGCGC GCGCTCGGCC TGGCCACCG CTCGACGAG 480
 CTGGTGGCTT TCCGCTTCTG CAGCGCTCC TCGCGCGCG CCGCTCTCC ACACGACCTC 540
 50 AGCCTGGCCA GCCTACTGGG CCGCGGGGCC CTGCGACCG CCCCAGGCTC CCGCCCGTC 600
 AGCCAGCCCT GCTGCCGACC CAGCGCTAC GAAGCGGTCT CCTTCATGGA CGTCAACAGC 660
 ACCTGGAGAA CCGTGGACCG CCTCTCGCC ACCGCTCGG GCTGCCTGG CTGAGGGCTC 720
 GCTCCAGGGC TTTGCAGACT GGACCCTTAC CCGTGGCTCT TCCTGCCTGG GACCCTCCG 780
 CAGAGTCCA CTAGCCAGCG GCCTCAGCCA GGGACGAAG CCTCAAAGCT GAGAGGCCCC 840
 55 TACCGTGGG TGATGGATAT CATCCCCGAA CAGGTGAAG GACAACCTGAC TAGCAGCCCC 900
 AGAGCCCTCA CCCTGCGGAT CCCAGCCTAA AAGACACAG AGACCTCAG TATGAGGCC 960
 TTCGGACCCA CTTCTCACAG ACTCTGGCAC TGGCCAGGCC TCGAACCTGG GACCCTCCT 1020
 CTGATGAACA CTACAGTGGC TGAGGCATCA GCCCCCGCC AGGCCCTGTA GGGACAGCAT 1080
 TTGAAGGACA CATATTGCAG TTGCTTGGTT GAAAGTGCC GTGCTGGAAC TGGCCTGTAC 1140
 TCACTCATGG GAGCTGGCCC C

Seq ID NO: 279 Protein sequence:
 Protein Accession #: NP_476501.1

1 11 21 31 41 51
 | | | | | |
 65 MPGLISARGQ PLEVLPPQA HLGALFLPEA PIGLSAQPAL WPTLAALALL SVAEASLGS 60
 APRSPAPREG PPFVSLASVAG HLPGGRTARW CSGRARRPPP QPSRPAPPPP APPSALPRGG 120
 RAARAGGPGS RARAAGARG RLRSQLVPVR ALGLGHRSE LVRFRFCGSGS CRRARSPHDL 180
 70 SLASLLGAGA LRPPGSRPV SQPCCRPTRY EAVSFMDVNS TWRTVDRLSA TACGCLG

Seq ID NO: 280 DNA sequence
 Nucleic Acid Accession #: NM_057090.1
 Coding sequence: 29-715

1 11 21 31 41 51
 | | | | | |
 75 CTGATGGGCG CTCCTGGTGT TGATAGAGAT GGAAGTGA CTGGAGGCC TCTCCAGCT 60
 GTCCCACTGC CCCTGGCCTA GCGGCAGGC TCCACTTGGT CTCTCCGCGC AGCCTGCCCT 120
 80 GTGGCCACC CTGGCCGCTC TGGCTCTGCT GAGCAGCGTC GCAGAGGCTC CCCTGGGCTC 180
 CGCGCCCGC AGCCCTGCC CCGCGAAGG CCCCCGCTC GTCTTGGCGT CCCCAGCCGG 240
 CCACCTGCGG GGGGAAGCA CCGCCGCTG GTGCAGTGA AGAGCCCGGC GCGCCGCGCG 300
 GCAGCCTTCT CCGCCCGCGC CCCCAGCCGC TGACCCCA TCTGTCTTC CCGCGGGGG 360
 CCGCGCGCGC CCGGCTGGGG GCGCGGCAG CCGCGCTCGG GCAGCGGGG CCGGGGCTG 420
 85 CCGCTTGGC TCGCAGCTGG TCGCGTGGC CGGCTCGGC CTGGGCCACC GCTCCGACGA 480
 GCTGGTGGT TTCCGCTTCT GCAGCGGCTC CTGCGCGCG GCGGCTCTC CACAAGACCT 540
 CAGCCTGGCC AGCCTACTGG GCGCCGGGC CCTGCGACCG CCCCAGGCT CCGGCGCGT 600
 CAGCCAGCCC TGCTGCGAC CCACGCGCTA CGAAGCGGTC TCCTTCATGG ACGTCAACAG 660

CACCTGGAGA ACCGTGGAAC GCCTCTCCGC CACCGCCTGC GGCTGCCTGG GCTGAGGGCT 720
CGCTCCAGGG CTTTGCAGAC TGGACCOCTTA CCGGTGGCTC TTCTGCCTG GGACCOCTCC 780
GCAGAGTCCC ACTAGCCAGC GGCTCAGCC AGGGACGAAG GCCTCAAAGC TGAGAGGCC 840
CTACCGGTGG GTGATGGATA TCATCCCCGA ACAGTGAAAG GGACAACCTGA CTAGCAGCCC 900
CAGAGCCCTC ACCCTGGCGA TCCCAGCCTA AAAGACACCA GAGACCTCAG CTATGGAGCC 960
CTTCGGACCC ACTTCTACA GACTCTGSCA CTGGCCAGGC CTCGAACCTG GGACCCCTCC 1020
TCTGATGAAC ACTACAGTGG CTGAGGCATC AGCCCCCGCC CAGGCCCTGT AGGGACAGCA 1080
TTTGAAGGAC ACATATTGCA GTTGCTTGGT TGAAGTGCC TGTGCTGGAA CTGGCTGTA 1140
CTCACTCATG GGAGCTGGCC CC

Seq ID NO: 281 Protein sequence:
Protein Accession #: NP_476431.1

1 11 21 31 41 51
MELGLGLST LSHCFWPRRQ APLGLSAQPA LNPFLAALAL LSSVAEASLG SAPRSPAPRE 60
GPPPVLASPA GHLPGGRTRAR WCSGRARRPP PQPSRPAPPP PAPPSPALPRG GRAARAGGPG 120
SRARAAGARG CRLRSQLVFV RALGLGHRSD ELVRFRCSSG SCRARRSPHD LSLASLLGAG 180
ALRPPPGSRP VSQPCCRPTR YEAVSFMDVN STWRTVDRLS ATACGCLG

Seq ID NO: 282 DNA sequence
Nucleic Acid Accession #: Eos sequence

1 11 21 31 41 51
CTACTGCACC TGCCCTCTGT TTCCTTGGGA AATCTCTTAC CTTTCATTAG GGTTCCTTTC 60
ATAGCAATTT CCTTTGGTTT TTAAGACTTC TACATTGCTT TTTCTTTTAT TATCTGTGCT 120
CCGTGAACCT TATGAATGCT GCTTAAAAAT AATGTCAAAA TATGTTTTAG CTGCCTACTC 180
AGGTAACGTT TTCTTTTGGT TCATCTTGG TTTCCATATA CTATTTTGG TTTTGTGTA 240
GATCTAATCA ATGATCTAGT CAGAAGCTAC TTCACTGGCT AACAGTGATC ATGTTTCATGT 300
GCTAAAAATG AACTTGA AACGGAAGTAG TGGTTGGTCC AGTTTGAAAG CTCTTATTAG 360
TATTCTCAT CCTGGCTGTA ATAATAGCCA TTATTTGTTA TGCCCTTGT ATGTAGCAGA 420
CACTCTAAG GATTTTATGT GTATTATTCA AATGCTATT ACTGTTCTTT TTATAGTTGA 480
GAATCTCAGG ATACCTACAT TTATCACTTT TTCATATAT ATGTATTTCCT TATT

Seq ID NO: 283 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 564-1481

1 11 21 31 41 51
GAGACITTTA ATCATCTATC CCTTGTGCTT TACGCAGACC CTACAATACA CTAGAGGCTT 60
CAAAGAGGTC AAAAATTCAC ATGTGTAGAC AAATTAGGTC CCTTAAGATG CCAGGCAAAAC 120
GAAGTGCTAC CAAAACACGC AATGACTGTC CTAAGAGTGC GTTCTGGGAT ACACCTGTAA 180
ACTTGGATCA AGTTCCTCTC CCTCTCCTCA AAATATATCG ACTTGTGCTG AAAGAAAATCA 240
GCAGCCGATGC TCACAATFTCT GACCTCGTAA TTATATAGGG GGTGGTTTTG GTTCTGCGT 300
CTTCCCTGA TTCAGTGGCA GGTAACATAT TTCATGTACA AAATGAACTG CAACACCACG 360
GCAAAACAAGG GACAGGCCCT CAAAGTTGTC GGTAGGGAGC CAGGACCCCG CCAGTGGCGT 420
GGGAGACAC CGTACTAAAC AAGCTTGCAA ACAGCAGGCA CCTTCCTGCC ACTGAGGAGG 480
AAGGGCTGGC TAAGGGAGGC CGGGGCGSAG GAAGCCAAGC TCTGCAGGCC CTGACAAAAT 540
CCTCCCGGCC TCCACGCGTC GCCATGGCAA CGCGGGTCT GTGCTGGCCG GGATTTGGCCG 600
GCCTGGCGCG CGCAGGGCCC GCTGGGAAAG CGCGTCCCOC CGCGCGCTCC GCCAGTTTGA 660
ACTTGGCGGG CCAGATGTGG GCGGCGGGC GCTGGGGGCC TACTTTTCCC TCTTCTACG 720
COGTTTCTC TGCTGACTGC AGACCCAGGT CTCGGCCCTC CTGGACTCC TGCTCAGTCC 780
CTATGACGGG CGCACGTGGG CAGGGGCTGG AGGTGGTGGC CTCGCCGTCG CCGCCGCTGC 840
CGCTGAGCTG CAGCAATFCC ACCAGGTGCG TGTGTCTCC CCTTGGCCAC CAGAGCTTCC 900
AGTTTGACGA GGACGACGGT GACGGGGAGG ATGAGGAAGA CGTGGATGAT GAGGAAGACG 960
TGGATGAAGA TGCCCATGAT TCAGAGGCCA AAGTGGCGAG CCTGAGAGGA ATGGAGTTAC 1020
AGGGGTGCGC CAGCACTCAG GTTGAATCAG AAAATAACCA AGAAGAACAG AAACAGGTGC 1080
GCTTACCAGA AAGCCGCTG ACACCATGGG AGGTGTGTT TATGGCAA GAAAAAGAA 1140
AACGTGACCG GCTGCAACTG AAAGCTCTAG AGGAATTTAA TCAACAATA GAAAAAGAA 1200
AAGAAATGGA AGAAGCTGAA AAAAGAAAAG TAATGTGTA AGAAAAGCAC AAGGAATGG 1260
TTCAGAAAAA GAATGAGCAA AAAAGAAAAG AAAGAGAAAC AAAAATTAAT AAAGAAATGG 1320
AGGAAAAAGC AGCAAAAGAA CTGGAGAAAAG AATACTTGCA AGAAAAAGCA AAAGAAAAAT 1380
ATCAAGAATG GTTAAAGAAA AAAAATGCTG AAGAAATGTA GAGGAAGAAG AAAGAAAAGA 1440
AAAAACAACG CAAGCTGAAA TACAGGAGAA AAAGGAAATA GCAGAAAAAA AGTTTCAAGA 1500
ATGTTTGGAA AATGCGAAAC ATAAACCTCG TCCAGCTGCA AAGAGCTATG GTTATGCCAA 1560
TGGAAAACCT ACAGGTTTTT ACAGTGGAAA TTCCTATCCA GAACCGCCT TTTATAATCC 1620
AATTCGTGGG AAACCAATTC ATATGCCACC TCCCAAAGAA GCTAAGGATC TATCAGGAAG 1680
GAAGAGTAAA AGACCTGTGA TAAGTCAGCC ACACAAGTCA TCATCTCTGG TAATTCATAA 1740
AGCCAGGAGC AATCTTTGCC TTGGAACCTC GTGCAGAATA CAAAGATAGC GTATGTGGAA 1800
AATAACATGC TTTTATCTGG AGCTATTTAA TTTAAAAATC AGAAATGTT TTTTACTGCT 1860
CAGTCAATAA CTCACACTT AATGTGATTA TTGACAAATA GCAATTTTG CATTGTGATA 1920
TGGAGTCTCT AGAGTTGAGG AAGATATTTT CTGGATTTTG GTTTTTATAA ACTTTTAAAG 1980
GTTGATCTTG GCATGTTGTT TTGCAGAAAT AGTGGCTGAA TATGTAAGAA TTGTTTGT 2040
ATTTAGCTTG TATTAAGT ACACTGTAAT ACCAATAAAA CTACAAATTT TTCTTG

Seq ID NO: 284 Protein sequence:
Protein Accession #: Eos sequence

1 11 21 31 41 51
MATRGLCWPG LAGLARAGPA GKARPRRGS A SLNLAGQWNA AGRWGPFPSP SYAGFSADCR 60
PRSRPSSDSC SVPMTGARGO GLEVVRSPSP PLPLSCSNST RSLLSPLGHQ SFQFDEDDGD 120
GEDEEDVDDE EDVDEDAHDS EAKVASLRGM ELQGCSTQV ESENNQEEQK QVRLPESRLT 180
PWEVWFQKKE KEERDRLQLK ALEELNQLE KRKEMEEREK RKI IAEEKHK EHVQKIQNEQK 240
RKEREQKINK EMEEKAAKEL EKEYLQEKAK BKYQEWLKKK NABECERKKK EKQNSKLY 300

RRRRK

Seq ID NO: 285 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1-1746

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85

1	11	21	31	41	51		
ATGCCACTGA	AGCATTATCT	CCTTTTGCTG	GTGGGCTGCC	AAGCCTGGGG	TGCAGGGTTG	60	
GCCTACCATG	GCTGCCCTAG	CGAGTGTACC	TGCTCCAGGG	CCTCCAGGT	GGAGTGCACC	120	
GGGGCACGCA	TTTGGGGGT	GCCCACCCCT	CTGCCCTGGA	ACGCCATGAG	CCTGCAGATC	180	
CTCAACACGC	ACATCACTGA	ACTCAATGAG	TCCCCGTTCC	TCAATATCTC	AGCCCTCATC	240	
GCCTCGAGGA	TTGAGAAGAA	TGAGCTGTGC	CGCATCACGC	CTGGGGCCTT	CGGAAACCTG	300	
GGCTCGCTGC	GCTATCTCAG	CCTCGCCAAC	AACAGCTGC	AGGTTCTGCC	CATCGGCCCTC	360	
15	TTCCAGGGCC	TGGACAGCTC	TGAGTCTCTC	CTTCTGTCCA	GTAACCAAGT	420	
CAGCCGGGCC	ACTTCTCCCA	GTGCAGCAAC	CTCAAGGAGC	TGCAGTTGCA	CGGCAACCAC	480	
CTGGAATACA	TCCCTGACGG	AGCCTTCGAC	CACCTGGTAG	GACTCACGAA	GCTCAATCTG	540	
GGCAAGAATA	GCCTCACCCA	CATCTCACCC	AGGGTCTTCC	AGCACTGGG	CAATCTCCAG	600	
GTCTCCGGGC	TGATAGAGAA	CAGGGCTCAG	GATATCCCCA	TGGGCACCTT	TGATGGGCTT	660	
20	GTTAACCTCG	AGGAACTGGC	TCACAGCAG	AACCAGATTG	GACTGCTCTC	CCCTGGTCTC	720
TTCCACAACA	ACCACAACCT	CCAGAGACTC	TACCTGTCCA	ACAACCCACAT	CTCCAGCTG	780	
CCACCCAGCA	TCTTCATGCA	GCTGCCCCAG	CTCAACCGTC	TTACTCTCTT	TGGGAATTCC	840	
CTGAAGGAGC	TCTCTCTGGG	GATCTTCGGG	CCCATGCCCA	ACCTGGCGGA	GCTTTGGCTC	900	
TATGACAACC	ACATCTCTTC	TCTACCCGAC	AATGTCTTCA	GCAACCTCCG	CCAGTTGCAG	960	
25	GTCTGTATTC	TTAGCCGCAA	TCAGATCAGC	TTCATCTCCC	CGGGTGCCTT	CAACGGGCTA	1020
ACGGAGCTTC	GGGAGCTGTC	CCTCCACACC	AACGCCTGTC	AGGACCTGGA	CGGGAATGTC	1080	
TTCCGCAATG	TGGCCAACTT	CGAGAACATC	TCCCTGCAGA	ACAATCGCCT	CAGACAGCTC	1140	
CCAGGGAATA	TCTTCGCCAA	CGTCAATGGC	CTCATGGCCA	TCCAGCTGCA	GAACAACCCAG	1200	
CTGGGAAACT	TGCCCTTCGG	CATCTTCGAT	CACCTGGGGA	AACTGTGTGA	GCTGCGGCTG	1260	
TATGACAATC	CCTGGAGGTG	GACTCAGAC	ATCCTTCGCG	TCCGCAACTG	GCTCCTGCTC	1320	
AACCAGCCTA	GGTTAGGGAC	GGACACTGTA	CCTGTGTGTT	TCAGCCAGC	CAATGTCCGA	1380	
GGCCAGTCCC	TCAATTATCAT	CAATGTCAAC	GTTGCTGTTT	CAAGCGTCCA	TGTCCTGAG	1440	
GTGCTAGTAT	ATCCAGAAAT	ACCATGGTAC	CCAGACACAC	CCAGTTACCC	TGACACCACA	1500	
TCCGTCTCTT	CTACCACTGA	GCTAACCCAGC	CCTGTGGAAG	ACTACACTGA	TCTGACTACC	1560	
35	ATTCAGGTCA	CTGATGACCC	CAGCGTTTGG	GGCATGACCC	AGGCCCCAGG	CGGGCTGGCC	1620
ATTGCCGCCA	TTGTAATTGG	CATTGTGCGC	CTGGCCTGCT	CCCTGGCTGC	CTGGTCCGGC	1680	
TGTTGCTGCT	GCAAGAAAG	GAGCCAAGCT	GTCCTGATGC	AGATGAAGGC	ACCCAATGAG	1740	
TGTTAAAGAG	GCAGGCTGGA	GCAGGGCTGG	GGAAATGATGG	GACTGGAGGA	CCTGGGAATT	1800	
TCATCTTTCT	GCCTCCACCC	TGGGTCCAT	GGAGCTTTCC	CGTGATTGCT	CTTCTGGCC	1860	
40	CTAGATAAAG	GTGTGCTCAC	CTTCTCCTGA	CTTGCCGTGAT	TCTCCCGTAG	AGAAGCAGGT	1920
CGTGCCGAGC	CTTCTCAACA	TCAGGAAGAT	AGATCCAAC	GGCCATGGCA	AAAGCCCTGG	1980	
GGATTTCCGA	TTCATACCCC	TGGGCTTCCT	TCGAGAGGGC	TCTTCTCCA	AATCCTCCCC	2040	
ACCTGTCTCT	CABAGAAGCC	CTTCCCTGCG	CCCAGGCCCC	CTCCGGCCCT	CTGTAGACTC	2100	
AGTTAGTCCA	CAGCCTGACT	ACTTCGTGGG	AATAGTTTCT	CGCTGAGATA	GCCCCTCTCG	2160	
45	CCTAAGTATT	ATGTAAGTTG	ATTTCCCTTC	TTTTGTTTCT	CTTGTTTGTG	CTATGGCTTG	2220
ATCCAGCATG	TCCCTCAA	TGAAAGTTCT	CCCCTTGATT	TCTGTCTCCT	GAAGGCAGGG	2280	
TGAGTTCTCT	CCTCAAAGAA	GACTTCAAAC	CATTAACTG	GTTCCTTAAG	AGCCCTCAAT	2340	
CAGCCTGGTT	TTGGGGATGC	TATGAAAGAG	AGAAGGAAAA	TCATGCCGCT	CAGTTCCTGG	2400	
AGACAGAAGA	GCCGTCATCA	GTGTCTCACT	TGTGATTTTT	ATCTGGAAAA	GGAAAGAAACA	2460	
50	CCCCAGCACA	GCAAGCTCAG	CCTTTTAGAG	AAGGATATTT	CCAACTGCA	AACCTTGCTT	2520
TGAAAAGTTT	AGCCCTTAA	GGAAAGAAAT	CATGTAGAAT	TTTGGACTTC	TAAAACATT	2580	
AAAAATCAGT	TATTAATACG	GGATAGAGAA	AGAAATCTGG	TGCCTGGGGG	TCCCTGTGTT	2640	
CACCCCTAGA	GTTTGTTTTA	AAATTTTTAA	TGAAGCATG	TGAAGTGTAC	STGCAGAAAA	2700	
GTGGGAACAT	GATAGTGTAT	GGCTTGGTGG	ATTTTCACAA	ACTGAACATA	CCTGTGTAAT	2760	
55	CAGCATCTAG	ATCCAGACCC	AGAGCATCAC	AAATATCCCC	CATCCTGGGC	TTTTCCAGA	2820
GGAGATGGGG	GCCTCTGAAG	ATGGACTTAC	CTGGGACCTG	CCCCCATGA	GCCAGGACGG	2880	
TCCCCCCACA	GTCAGCCTGT	GCAAGGCCCC	CGTGGCCAGG	GGTGGAGGAG	AATATGTGGG	2940	
TGTGGACAGG	ATGGGAGACT	GTGGCCTGAA	CAGGAGATTT	TATTATATCT	GGAGACCCCTG	3000	
60	AGAGACCCCTG	AGACCTGGGG	CACCATGGCT	GGCCAGGTCA	GAAGCATCCT	GACTGCAGAG	3060
GTCCGTGACG	CCACACCCCTC	TTCCTGSCCA	GCAAGTTGTC	TGGGGCTCAT	CGGAGGCCCC	3120	
TCCGCTCGGA	GCCTTCTATG	GAGTGATAT	GCCTGTATCT	GTTTTAAAT	TTCACTTCTC	3180	
ACTTAGGGGA	AGTGAATCG	CTCAGAGATG	AGATCCTTTA	ATTGAAACG	AAGTGTAAAG	3240	
GAATCTAGTG	TCTTTCTAAT	TGGTAAAAT	TCTCCATCAA	CATCACAGTC	AGCTGGCAGC	3300	
TGAACCTCAG	AATCTCACT	ACAGCAGGCG	ACACGGGGGT	ACACCGATGG	GTCACTACTG	3360	
65	GTCTGGGGGC	TCCCTGGAGC	TCTCCTGCG	TGTGGTCTGG	TTAGGAGTTG	AGTTGTTTGC	3420
TCCAGGGTTA	TTCTCCTCCT	CGAGTCAAG	TCACAGCAAT	ACCTGCCTTC	TCTGGCTTTC	3480	
CTGCTATACA	CATATTCAACA	TGGCGCTCAA	GAAATTAGGC	TCATGGCAAC	GTGTCTCTTT	3540	
CTCTGGACAA	CTGGCCCACT	TTACAGTGAA	ATGGAGAATT	TCAGGTCTCC	ACGTCTGCCC	3600	
AGGAAGAAGC	TTCAAGTGC	TCCACGGGGA	TCTGGAAATC	CACGACCAAT	CCCGATCGGC	3660	
70	TCTTATTAGC	TCCCCGCTCC	ACAAGACACC	TGTGCTTTGG	AAATCCACCA	CCAATCCCGA	3720
TCCGCTCTTA	TTAGCTCCCC	GCTCCACAAG	ACACCTGTGA	TCTGGAAATC	TACCACCAAT	3780	
CCCGATCCGG	TCTTATTAGC	TCCCCGCTCC	ACAAGACACC	TGTGACATCC	TCCAGGSCCA	3840	
CAGGAGCACG	TGCTGACCAG	TTTTCCCTTC	CAGTTCCTGC	ACAAAAAGTG	TCCAGAGGGC	3900	
TGTTTGCAAA	CAGTGTGCA	CTTTGTAGCT	TTTCAACCCTC	TGTCCCAGGG	AATCTAGGAG	3960	
75	AGATGAGGCC	CGTCAGAGTC	AAGAGATGTC	ATCCCCCAG	GGTCTCCAAG	GCATTTCCAC	4020
ACTATTGGTG	GCACCTGGAG	GACATGCACC	AAGGCTTGCC	AGAGCCAAACA	GGAAAGTGAGC	4080	
CCAGAGCATG	GCAATGAGC	ATCACCCGCT	GATGGTGGCC	TGCTGTGCTC	GGTGCCAAACA	4140	
GGGGCATCCC	GGCCCGTACC	CCTCCAGACA	GGAAAGCATGG	GTTTGGCCAC	AGACCTGTGC	4200	
80	GGTGTCTCTG	TGAGTGGCCT	CCAGATGCT	TTGTGCATAG	GCACAAGTGG	GCCAGGGCTG	4260
GAGGGAGGTG	GGAAACCTCA	TCATCCGGTG	GGCCCTGCCA	ATCTTAAACC	AGAAACCTTA	4320	
GGTATTCCTG	GCAGTAGCCA	TGACATGGGA	GCACCTTCTC	CTCCAGCCAG	AGGCTGACCT	4380	
GAGGGCCACT	GTCTCAGAT	GACACCACCC	AGGAGCACCC	TAGGTGAGGG	GTGAGGGCCC	4440	
CCTTATGTGA	ACTTCTTGCC	TCTTCTTTC	TCCCATCAGA	GTGGTGGAT	GGAGCCATTG	4500	
85	GCCTCCTTTT	CTCAGCGGG	CCCTTCAACC	TCTCTGCACC	ATGTTGTCTG	GCTGAGGAGC	4560
TACTAGAAAA	GCTGAGTGGG	GTCTCCTTTC	CAACAGGATG	ATGCATTTGC	TCAATTTCTCA	4620	
GGGCTGGAAT	GAGCCGGCTG	GTCCCCACGA	ARGCTGGAGT	GGGGTACAGA	GTTTCACTTTT	4680	
CCTCTCTGTT	TACAGCTCCT	TGACAGTCCC	ACGCCCATCT	GGAGTGGGAG	CTGGGAGTTA	4740	

GTGTTGGAGA AGAAACAACA AAAGCCAATT AGAACCACTA TTTTAAAAA GTGCTTACTG 4800
 TGCACAGATA CTCTTCAAGC ACTGGACGTG GATTCTCTCT CTAGCCCTCA GCACCCCTGC 4860
 GGTAGGAGTG CCGCCTCTAC CCACTTGTGA TGGGTACAG AGGCACTTGC TCTTCTGCAT 4920
 5 GGTGTTCAAT AGGCTGGGAG TTTTATTAT CTCTCAAAC TTTGTACAAG AGCTCATGGC 4980
 TTGTCTGGG CTTTCTGTCAT TAAACCAAAG GAAATGGAAG CCATTCCOCT GTTGTCTCTCC 5040
 TTAGTCTTGG TCATCAGAAC CTCACTTGGT ACCATATAGA TCAAAAGCTT TGTAAACCACA 5100
 GGAAAAATA AACTCTTCCA TCCTTAAAG AATAGAATAG TTTGTCCCTC TCATGGGAAT 5160
 TGGGCTGTAT GATATTTGTT CTTCCTCCTT AGAATTTAGA GATACAAGAG TTCTACTTAG 5220
 AACTTTTCAAT GGACACAATT TCACAACCTT TTCAGATGCT GATGTAGAGC TATTGGGAAA 5280
 10 GAACITPCAA ACTCAGGAAG TTTGCAGAGA GCAGACAGCT AGAGATAACT CGGGACCCAG 5340
 AGTTGGTCGA CAGATGTTAG ATGTATCCTA GCTTTTAGCC ATAAACCACT CAAAGATTCA 5400
 GCCCCAGAT CCCACAGTCA GAACTGAATC TGCCTTGTG GGAAGCCAGC AGTGGCCTTG 5460
 GGAAGGAAGC ATGGCTGAG GTTCAGAGAG GGTGGGCTGG CAAGCCACTT CCGGGGAAA 5520
 CTCTTCCGC CCCAGGTTTC TTCTTCTCTT AAGGAGAGAT TGTCTCACC AACCCGCTGC 5580
 15 CTTTATGCTG CTTTCAAAGC TAGATCATGT TTGCCCTGCT TAGAGAATTA CTGCAAATCA 5640
 GCCCCAGTGC TTGGCGATGC ATTTACAGAT TTCTAGGCC TCAGGGTTTT GTAGAGTGTG 5700
 AGCCCTGGTG GGCAGGGTGT GGGGGTCTGT CTTCTGCTGG ATGCTGCTTG TAATCCATT 5760
 GGTGTACAGA ATCAACAATA AATAATATAC ATGTAT

Seq ID NO: 286 Protein sequence:
 Protein Accession #: NP_570843.1

1 11 21 31 41 51
 25 MPLKHYLLLL VGCQAWGAGL AYHGCPSECT CSRASQVECT GARIVAVPTP LPWNAMSLQI 60
 LNTHITELNE SPFLNISALI ALRIEKNELS RITPGAFRNL GSLRPLSLAN NKLQVLPGL 120
 FGGLDSLESL LLSSNQLLQI QPAHFSQCSN LKELQLHGNH LEYIPDGAFD HVLVGLTKLNL 180
 GKNSLTHISP RVFQHLGNLQ VLRLYENRLT DIPMGTDFGL VNLQELALQQ NQIGLLSPGL 240
 FHNNENLQRL YLSNNHISQL PPSIFMQLPQ LNRLTLFGNS LKELSLGIFG PMPNLRLEWL 300
 30 YDNHISSELD NVFSLNRQLQ VLILSRNQIS FISPAGFNL TELRELSLHT NALQDLDDGNV 360
 FRMLANLQNI SLQNNRRLQL PGNIFANVNG LMAIQLNQNL LENLPLGIFD HLGKLCLELRL 420
 YDNPWRCDSI ILPLRNWLLL NQPRLTGTDV PVCFSANVR GQSLIINVN VAVPSVHVPE 480
 VPSYPETPWY EDTPSYDPTT SVSSTTELT S PVEDYDILT IQVTDERSVW GMTQAQSGLA 540
 35 IAAIVIGIVA LACSLAACVG CCCCKRSQA VLMQMKAPNE C

Seq ID NO: 287 DNA sequence
 Nucleic Acid Accession #: NM_002362
 Coding sequence: 1..954

1 11 21 31 41 51
 40 ATGTCTTCTG AGCAGAAGAG TCAGCACTGC AAGCCTGAGG AAGGCGTTGA GGCCAAGAA 60
 GAGGCCCTGG GCCTGGTGGG TGACACAGGCT CTTACTACTG AGGAGCAGGA GGCTGCTGTC 120
 TCCTCCTCCT CTCCTCTGGT CCTTGGCACC CTGGAGGAAG TGCTGCTGCTC TGAGTCAGCA 180
 45 GGTCTCTCCC AGAGTCTCTCA GGGAGCCTCT GCCTTACCCA CTACCATCAG CTTCACTTGC 240
 TGGAGGCAAC CCAATGAGGG TTCCAGCAGC CAAGAAGAGG AGGGGCCAAG CACCTCGCCT 300
 GACGCAGAGT CCTTGTTCGG AGAAGCACTC AGTAACAAGG TGGATGAGTT GGCTCATTTT 360
 CTGCTCCGCA AGTATCGAGC CAAGGAGCTG GTCACAAAGG CAGAAATGCT GGAGAGAGTC 420
 ATCAAAAATT ACAAGCGCTG CTTTCTCTGT ATCTTCGGCA AAGCCTCCGA GTCCCTGAAG 480
 50 ATGATCTTTG GCATTTGACGT GAAGGAAGTG GACCCCGCCA GCAACACCTA CACCTTGTCT 540
 ACCTGCCTGG GCCTTTCTTA TGATGGCCTG CTGGGTAATA ATCAGATCTT TCCCAAGACA 600
 GGCCTTCTGA TAATCGTCTT GGGCACAATT GCAATGGAGG GCGACAGCGC CTCTGAGGAG 660
 GAAATCTGGG AGGAGCTGGG TGTGATGGGG GTGTATGATG GGAGGGAGCA CACTGTCTAT 720
 GGGGAGCCCA GGAACCTGCT CACCCAAAGT TGGGTGCAGG AAAACTACCT GGAGTACCGG 780
 55 CAGGTACCCG GCAGTAATCC TGCGCGCTAT GAGTTCCTGT GGGGTCCAAG GGCTCTGGCT 840
 GAAACCAAGT ATGTGAAAGT CCTGGAGCAT GTGGTCAGGG TCAATGCAAG AGTTGCGATT 900
 GCTTACCCAT CCCTGCGTGA AGCAGCTTTG TTAGAGGAGG AAGAGGGAGT CTGA

Seq ID NO: 288 Protein sequence:
 Protein Accession #: NP_002353.1

1 11 21 31 41 51
 65 MSSEQKSQHC KPEGVEAQE EALGLVGAQA PTEBEQEAIV SSSSPLVFGT LEEVPAESA 60
 GPPQSPQAS ALPTTISFTC WRQPNEGSSS QEEEGPSTSP DAESLPREAL SNKVDELAFH 120
 LLRKYRAKEL VTKAEMLERV IKNYKRCFPV IFGKASESLK MIFGIDVKEV DPASNTYTLV 180
 TCLGLSYDGL LGNNQIFPKT GLLIIVLGTI AMEGDSASEE EIWEELGVMG VVDGREHTVY 240
 70 GEPRKLLTQD WVQENYLEYR QVPGSNPARY EFLWGPRALA ETSYVKVLER VVRVNAVRI 300
 AYPRLREAAAL LEEEEGV

Seq ID NO: 289 DNA sequence
 Nucleic Acid Accession #: NM_002362
 Coding sequence: 46..1344

1 11 21 31 41 51
 80 CGGCGGCCCG GCCCTGGTTG GGTCCCCACT GCTCTCGGGG GCGCCATGGA CGAGGCCGTG 60
 GGCGACCTGA AGCAGGGCGCT TCCTCTGTGT GCCGAGTCGC CAACGGTCCA CGTGGAGGTG 120
 CATCAGCGCG GCAGCAGCAC TGCAAAAGAA GAAGACATAA ACCTGAGTGT TAGAAGGCTA 180
 CTCAACAGAC ATAATATTGT GTTTGGTGAT TACACATGGA CTGAGTTTGA TGAACCTTTT 240
 TTGACCAGAA ATGTGCGAGT TGTGTCTAT ATTGACACAG AATTAAGGT TAAAGACTCA 300
 CAGCCCATCG ATTTGAGTGC ATGCACGTGT GCACCTTACA TTTTCCAGCT GAATGAAGAT 360
 85 GGCCCCAGCA GTGAAAATCT GGAGGAAGAG ACAGAAAACA TAATGTCAGC AAATCACTGG 420
 GTTCTACCTG CAGCTGAATT CCATGGGCTT TGGGACAGCT TGGTATACGA TGTGGAAGTC 480
 AAATCCCATC TCCTCGATTA TGTGATGACA ACTTTACTGT TTTAGACAA GAACGTCAAC 540

```

AGCAACCTCA TCACCTGGAA CCGGGTGGTG CTGCTCCAGG GTCCTCCTGG CACTGGAAAA 600
ACATCCCTGT GTAAGCGTGT AGCCAGAAA TTGACAATTA GACTTTC AAG CAGSTACCGA 660
TATGGCCAAAT TAATTGAAAT AAACAGCCAC AGCCTCTTTT CTAAGTGGTT TTCGGAAAGT 720
GGCAAGCTGG TAACCAAGAT GTTTCAGAAG ATTCAGGATT TGATTGATGA TAAAGACGCC 780
5 CTGGTGTTCG TGCTGATGTA TGAGGTGGAG AGTCTCACAG CCGCCCGAAA TGCTCGCAGG 840
GGGGGACCGG AGCCATCAGA TGCCATCCGC GTGGTCAATG CTGTCTTGAC CCAAATTGAT 900
CAGATTAAAA GGCATTCCAA TGTGTGATT CTGACCACTT CTAACATCAC CGAGAAGATC 960
GACGTGGCCT TCGTGGACAG GGCTGACATC AAGCAGTACA TTGGGCCACC CTCTGCAGCA 1020
GCCATCTTCA AAATCTACCT CTCTTGTTTG GAAGAAGTGA TGAAGTGTCA GATCATATAC 1080
10 CCTCGCCAGC AGCTGTGACG CCTCCGAGAG CTAGAGATGA TTGGCTTCAT TGAAAAACAAC 1140
GTGTCAAAAT TGAGCCTTCT TTTGAATGAC ATTTCAAGGA AGAGCGAGGG CCTCAGCCGGC 1200
CGGGTCTCTA GAAAACCTCC CTTTCTGGCT CATGCGCTGT ATGTCCAGGC CCCCACCGTC 1260
ACCATAGAGG GGTTCCTCCA GGCCCTGTCT CTGGCAGTGG ACAAGCAGTT TGAAGAGAGA 1320
AAGAAGCTTG CAGCTTACAT CTGATCCTGG GCTTCCCAT CTGGTGTCTT TCCCATGGAG 1380
15 AACACACAAC CAGTAAGTGA GTTTCGCCCA CACAGCCGT TCCAGGGAA TCCCTTCTGC 1440
AAACCAAACG TTACTTAGAC TGCAAGCTAG AAAGCCACCA AGGCCAGGCT TTGTAAAAAG 1500
AAGTGTATTG TATTTATGTT GTTTAAAAAT GCATACTGAG AGACAAACAT CTGTGCATTT 1560
TCAGTGTTTG TAAAAGATAA TTCAGATTGT TTGTCTCCTT GTGAAGAACC ATCGAAAACCT 1620
20 GTTTGTTCCT AGCCACCCCT CAGTGGATGG GATGCATAAT GCCAGCAAGT TTTGTTTAAAC 1680
AGCAAAAAAG GAAGATTATG GCAGGTGTTA TAGAAGCCAG AAGAGAAACT GTGTCAACCT 1740
AAAGAAGCAT ATATCATAG CATTAATAAT GCACACATTA CTCCAGGTGG AAGGTGGCAA 1800
TTGCTTTCTG ATATCAGCTC GTTTGATTTA GTGCAAAAAT GTTTTCAAGA CTATTTAATG 1860
GATGTAATAA AGCCTATTTC TACATATATC CAACTGAGAA AAAAAATGGT GGTAAAGTGT 1920
25 TCTTTCATAA TAAATAATCA AGACATGGTC CCATTTGCGA GAAAAAGTGA GACTCTGAGT 1980
GTTCCAGGGA AACACATGCT GGACATCCCT TGTAAACCCG TATGGGCGCC CCTGCATTCG 2040
TGGGATGTTT CTGCCACCGG TTTTGTTTGT GCAATAACGT TATCACATTT CTAATGAGGA 2100
TTCACATTA TATAATATAA AATAAATAGG TCAGTTACTG GTCTCTTCTC GCCGAATGTT 2160
ATGTTTTGCT TTTATCTCAC AGTAAAATAA ATATAATTAA AAA

```

Seq ID NO: 290 Protein sequence:
Protein Accession #: NP_004228

```

1 11 21 31 41 51
35 MDEAVGLKQ ALPCVAESPT VHVEVHQRGS STAKKEDINL SVRKLNRHN IVFGDYTWTE 60
FDEPFLTRNV QSVSIIDTEL KVQDSQPIDL SACTVALHIF QLNEDGPSSE NLEEBTENII 120
AANHWWLPAA EFHGLWDSL VYDEVKSHLL DYVMTLLFS DKNVNSNLIT WNRVLLHGP 180
PGTGTSLCK ALAQKLTIRL SRYRYRQQLI EINSLSLFSK WFSESGKLV KMFQIQDLI 240
40 DDKDALVFL IDEVESLTA RNACRAGTEP SDAIRVVNAV LTQIDQIKRH SNVILTTSN 300
ITEKIDVAFV DRADIKQYIG PPSAAAIKFI YLSCLLELMK CQIYPRQQL LTLRELEMIG 360
FIENNVSKLS LLLNDISRKS EGLSGRVLRK LPFLAHALYV QAPTVTIEGF LQALSRLAVDK 420
QPERKKLAA YI

```

Seq ID NO: 291 DNA sequence
Nucleic Acid Accession #: NM_002658.1
Coding sequence: 77-1372

```

1 11 21 31 41 51
50 GTCCCCGAG CGCCGTGCGG CCTCCTGACC GCAGGCCACC GAGGCCGCG CCGTCTAGCG 60
CCCCGACCTC GCCACCATGA GAGCCCTGCT GGCGCGCCTG CTCTCTGCG TCCCTGGTCGT 120
GAGCGACTCC AAAGGCAGCA ATGAAGTCCA TCAAGTTCCA TCGAAGTGTG ACTGTCTAAA 180
TGGAGGAACA TGTGTGTCCA ACAAGTACTT CTCCAACATT CACTGGTGCA ACTGCCAAA 240
GAAATTCGGA GGGCAGCACT GTGAAATAGA TAAGTCAAAA ACCTGCTATG AGGGAAATGG 300
55 TCACCTTTAC CGAGGAAAGG CCAGCACTGA CACCATGGGC CGGCCCTGCC TGCCCTGGAA 360
CTCTGCCACT GTCCTCAGC AARCGTACCA TGCCACAGA TCTGATGCTC TTCAGCTGGG 420
CCTGGGGAAA CATATAACT GCAGGAACCC AGACAACCGG AGGCGACCTT GGTGCTATGT 480
GCAGGTGGGC CTAAGCCGCG TTGTCCAAGA GTGCATGGTG CATGACTGCG CAGATGGAAA 540
AAAGCCCTCC TCTCCTCAG AAGAATTAAT ATTTCAAGT GTGCCAAAAG CTCTGAGGCC 600
60 CCGCTTAAAG ATTATTGGGG GAGAATTCAC CACCATCGAG AACAGCCCTT GGTTTGCGGC 660
CATCTACAGG AGGCACCGGG GGGCTCTGT CACCTACGTG TGTGGAGGCA GCCTCATCAG 720
CCCTTGCTGG GTGATCAGG CCACACACTG CTTTATTGAT TACCCTAAGA AGGAGGACTA 780
CATCGTCTAC CTGGTCTGCT CAAGGCTTAA CTCCAACAG CAAGGGGAGA TGAAGTTTGA 840
GGTGAAAAC CTCATCCTAC ACAGGACTA CAGCGCTGAC ACGCTTGCT ACCACAACGA 900
65 CATTCCTTG CTGAAGATCC GTTCCAAGGA GGCAGGTGT GCGCAGCCAT CCGGACTAT 960
ACAGACCATC TGCCCTGCCG CGATGTATAA CGATCCCGAG TTTGGCACA GCTGTGAGAT 1020
CACTGGCTTT GAAAAAGAGA ATTCTACCGA CTATCTCTAT CCGGAGCAGC TGAAAATGAC 1080
TGTGTGAAG CTGATTTCCC ACCGGGAGTG TCAGCAGCCC CACTACTACG GCTCTGAAGT 1140
CACCACAAA ATGCTATGTG CTGTGACCC CCAATGAAA ACAGATTCTT GCCAGGAGA 1200
70 CTCAGGGGA CCCCTCGTCT GTTCCCTCCA AGCCCGCATG ACTTTGACTG GAATTGTGAG 1260
CTGGGGCCGT GGATGTGCC TGAAGGACAA GCCAGGCTC TACACGAGAG TCTCACACTT 1320
CTTACCCTGG ATCCGAGTC ACACCAAGGA AGAGAATGGC CTGGCCCTCT GAGGGTCCCT 1380
AGGGAGGAAA CCGGACCCAC CCGCTTTCTT GCTGGTTGTC ATTTTTCAG TAGAGTCATC 1440
75 TCCATCAGCT GTAAGAAGAG ACTGGGAAGA TAGGCTCTGC ACAGATGGAT TTGCTGTGG 1500
CACCACCAGG GTGAACGACA ATAGCTTTAC CCTCAGGAT AGGCCTGGGT GCTGGCTGCC 1560
CAGACCCTCT GGCCAGGATG GAGGGGTGGT CCTGACTCAA CATGTTACTG ACCAGCAACT 1620
TGCTTTTTC TGGACTGAAG CCTGCAGGAG TTA AAAAGG CAGGGCATCT CCTGTGCATG 1680
GGCTCGAAGG GAGAGCCAGC TCCCCGACC GGTGGGCATT TGTGAGGCC ATGGTTGAGA 1740
80 AATGAATAAT TTCCAATTA GGAAGTGTAA GCAGCTGAG TCTCTGAGG GAGCTTAGCC 1800
AATGTGGGAG CAGCGGTTG GAGAGCAGAG AACTAACGA CTTCAGGGCA GGGCTCTGAT 1860
ATTCATGAA TGTATCAGGA AATATATATG TGTGTGATG TTTGCACAT TGTGTGTTG 1920
GCTGTGAGTG TAAGTGTGAG TAAGAGCTGG TGTCTGATG TTAAGTCTAA ATATTTCTT 1980
AAACTGTGTG GACTGTGATG CCACACAGAG TGGTCTTTCT GGAGAGGTTA TAGGCTACTC 2040
CTGGGGCTC TTGGTCCCTC CACGTGACAG TGCCCTGGAA TGTACTTATT CTGCAGCATG 2100
85 ACCTGTGACC AGCACTGTCT CAGTTTCACT TTCACATAGA TGTCCCTTTC TTGGCCAGTT 2160
ATCCCTTCT TTTAGCCTAG TTTATTTTA TTTATTTTT TGAATTTTA AATAAAGTG 2280
ACACTGAATA TTTATTTTC ACTATTTTA TTTATTTTT TGAATTTTA AATAAAGTG 2280

```


ATCAATAAAA TGTGATTTTT CTGA

Seq ID NO: 292 Protein sequence:
Protein Accession #:NP_002649.1

5
10
15

1 11 21 31 41 51
MRALLARLLL CVLVVSDSKG SNELHQVPSN CDCLNGGTCV SNKYFSNIHW CNCPKKFGGQ 60
HCEIDKSKTC YEGNGHFYRG KASTDTMGRP CLPWN SATVL QQTYHARRSD ALQLGLGKHN 120
YCRNPNDRRR PWCVVQVGLK PLVQECMVHD CADGK KPSPP PEELKFCGQ KTLRPRFKII 180
GGFTT IENQ PWFAAIYRRH RGGSVTVVCG GSLISPCWVI SATHCFIDYP KKEDYIVVLG 240
RSRLNSNTQG EMKFEVENLI LHKDYSADTL AHNNDIALLK IRSKEGRCAQ PSRTIQTICL 300
PSMYNDPQFG TSCBITGFGK ENSTDYLYPE QLKMTVVVKLI SHRECOQPHY YGSEVTTKML 360
CAADPQWKTD SCQGDSDGGL VCSLQGRMTL TGI VSWGRGC ALKDKPGVYT RVSHFLPWIR 420
SHTKBEENGLA L

Seq ID NO: 293 DNA sequence
Nucleic Acid Accession #: NM_001498
Coding sequence: 93..2006

20

1 11 21 31 41 51
GGCACGAGGC TGAGTGTCCG TCTCGGCGCC GGAAGCGGGC GACCGCCGTC AGCCCGGAGG 60
AGGAGGAGGA GGAGGAGGAG GAGGGGGCGG CCATGGGGCT GCTGTCCCAG GGCTCGCCGC 120
TGAGCTGGGA GGAAACCAAG CGCCATGCGC ACCACGTGCG GCGGCACGGG ATCCTCCAGT 180
TCCCTGCACAT CTACCACGCC GTCAAAGGACC GGCACAAGGA CGTTCCTCAAG TGGGGCGATG 240
AGGTGGAATA CATGTTGGTA TCTTTTGATC ATGAAAATAA AAAAGTCCGG TTGGTCTGTG 300
CTGGGGAGAA AGTTCCTGAA ACTCTGCAAG AGAAGGGGGA AAGGACAAAC CCAAACCATC 360
CTACCCCTTG GAGACCAGAG TATGGGAGTT ACATGATTGA AGGGACACCA GGACAGCCCT 420
ACGGAGGAAC AATGTCGAG TCAATACAG TTGAGGCCAA CATGCGAAAA CGCCGGAAGG 480
AGGCTACTTC TATATTAGAA GAAAATCAGG CTCTTTGCAC AATAACTTCA TTCCCGCAT 540
TAGGCTGTCC TGGGTTTACA CTGCCCGAGG TCAAACCCAA CCCAGTGGAA GGAGGAGCTT 600
CCAAGTCCCT CTTCTTCCA GATGAAGCAA TAAACAAGCA CCCTCGCTTC AGTACCTTAA 660
CAAGAAATAT CCGACATAGG AGAGGAGAAA AGGTTGTGAT CAATGTACCA ATATTTAAGG 720
ACAAGAATAC ACCATCTCCA TTTATAGAAA CATTTACTGA GGATGATGAA GCTTCAAGGG 780
CTTCTAAGCC GGATCATATT TACATGGATG CCATGGGATT TGGAAATGGGC AATTGCTGTC 840
TCCAGGTGAC ATTCCAAGTT TGCAATATAT CTGAGGCCAG ATACCTTTAT GATCAGTTGG 900
CTACTATCTG TCCAATTGTT ATGGCTTTGA GTGCTGCATC TCCCTTTTAC CGAGGCTATG 960
TGTGAGACAT TGATTGTCCG TGGGGAGTGA TTTCTGCATC TGTAGATGAT AGAACTCGGG 1020
AGGAGCGAGG ACTGGAGCCA TTGAAGAACA ATAACATATAG GATCAGTAAA TCCCGATATG 1080
ACTCAATAGA CAGCTATTTA TCTAAGTGTG GTGAGAAATA TAATGACATC GACTTGACGA 1140
TAGATAAAGA GATCTACGAA CAGCTGTGTC AGGAAGGCAT TGATCATCTC CTGGCCCAGC 1200
ATGTTGCTCA TCTCTTTATT AGAGACCCAC TGACACTGTT TGAAGAGAAA ATACACCTGG 1260
ATGATGCTAA TGAGTCTGAC CATTTTGAGA ATATTCAGTC CACAAATTGG CAGACAATGA 1320
GATTTAAGCC CCCTCCTCCA AACTCAGACA TTGGATGGAG AGTAGAATTT CGACCCATGG 1380
AGGTGCAATT AACAGACTTT GAGAACTCTG CCTATGTGGT GTTTGTGGTA CTGTCACCA 1440
GAGTGTCTCT TTCTTACAAA TTGGATTTTC TCATTCCACT GTCAAAGGTT GATGAGAACA 1500
TGAAGTATG ACAGAAAAGA GATGCTGTCT TGCAGGGAAT GTTTTATTTT AGGAAAGATA 1560
TTTGCAAAGG TGGCAATGCA GTGGTGGATG GTTGTGGCAA GGCCCGAAGC AGCAGGGAGC 1620
TCGCTGCAGA GAGGATACACC CTGATGAGCA TAGACACCAT CATCAATGGG AAGGAAGGTG 1680
TGTTTCTCTG ACTGATCCCA ATTCTGAACT CTTACCTTGA AAACATGGAA GTGGATGTGG 1740
ACACCAGATG TAGTATTCTG AACTACCTAA AGCTAATTAA GAAGAGAGCA TCTGGAGAAC 1800
TAATGACAGT TGCCAGATGG ATGAGGGAGT TTATCGCAAA CCATCCTGAC TACAAGCAAG 1860
ACAGTGTGAT AACTGATGAA ATGAATTATA GCCTTATTTT GAAGTGTAA CAAATTGCAA 1920
ATGAATTATG TGAATGCCCA GAGTTACTTG GATCAGCATT TAGGAAAGTA AAATATAGTG 1980
GAAGTAAAAA TGACTCATCC AACTAGACAT TCTACAGAAA GAAAAATGCA TTATTGACGA 2040
ACTGGCTACA GTACCATGCC TCTCAGCCCG TGTGTATAAT ATGAAGACCA AATGATAGAA 2100
CTGTACTGTT TTCTGGGCCA GTGAGCCAGA AATTGATTAA GGCCTTCTTT GGTAGTAAA 2160
TCTAGAGTTT ATACAGTATA CATGTACATA GTAAAGTATT TTTGATTAAC AATGTATTTT 2220
AATAACATAT CTAACAGTAT CATGAACCTG CTTGTACATT TTTAAATCTT TACTCGGAG 2280
CAACCTACTG TCTAAGCAGT TTTGTAATG TACTGGTAA TGTACAATAC TTGCATTCCA 2340
GAGTTAAAAA GTTTACTGTA AATTTTGTGT CTTTAAAGA CTACCTGGGA CCTGATTTAT 2400
TGAAATTTTT CTCITTAATA ACATTTTCTC TCGTTAATTT TCCTTTGTCA TTTCCTTTGT 2460
TGTCTACATT AAATCACTTG AATCCATTGA AAGTGCTTCA AGGGAATCT TGGGTTTCTA 2520
GCACCTTATC TATGATGTTT CTTTGTCAAT TGGAAATAAT ACTTGGTCAC CTTGCCCCAA 2580
GCITTTCCCT CTGAATAAAT ACCCATGAA CTCTGAAAAA AAAAAAAAAA AAAA

70

Seq ID NO: 294 Protein sequence:
Protein Accession #: NP_001489

75
80
85

1 11 21 31 41 51
MGLLSQGSPL SWEETKRHAD HVRRHGILQF LHIYHAVKDR HKDVLKNGDE VEYMLVSPDH 60
ENKKVRLVLS GEKULETLQE KGERTNPNHP TLWRPEYGSY MIEGTPGQPY GGTMSFNTV 120
EANMRKRREK ATSILEENQA LCTITSFPRL GCPGFTLPEV KPNPVEGGAS KSLFPFDEAI 180
NKHPRFSTLT RNIRHRRGEK VVINVPFKD KNTSPFFIET FTEDEASRA SKPDHIYMDA 240
MGFGMGNCC LQVTPQACIS EARYLYDQLA TICPIVMALS AASPFYRGYV SDIDCRWGI 300
SASVDDRTRE ERGLEPLNKN NYRISKSRYP SIDSYLSKCG EKYNIDLTI DKEIYEQLLQ 360
EGIDHLLAQH VAHLFIRDPL TLFEKIHLD DANESDHPEF IQSTNWQTMR FKPPFPNSDI 420
GWRVFRPME VQLTDFENSA YVVFVLLTR VILSYKLDPL IPLSKVDENM KVAQKRDAVL 480
QGMFYFRKDI CKGGNAVVDG CGKAQNSTEL ABEETLMSI DTIINGKEGV FPGLIPIILNS 540
YLENMEVDVD TRCSILNYLK LIKKRASGEL MTVARWMREF IANHPDYKQD SVITDEMNYN 600
LILKCNQIAN ELCECPPELLG SAFRKVKYSG SKTSSN

Seq ID NO: 295 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 247-816

```

5      1      11      21      31      41      51
      |      |      |      |      |      |
      AGTGTTCGGC TGGGGCAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTCCC ATCCCCCTTG 60
      GGCCAAACGG GATCGGTGCT TCTGGTGAGA CGCCTCCCCA TGCACATCAC TCCCAGGTGC 120
      CCTAGGGGGC ACATTTCCCA CAACTCCCAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG 180
10     GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCCG CCGTCTCTCC TCCAGCAAGG 240
      GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT 300
      CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGCAAGG 360
      AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAAGA AAAGAAGCTT 420
      ATGACAGGAC ATGCTATTCC ACCAGCCCAA TTGGATTCTC AGATTGATGA CTCACTGGT 480
15     TTCAGCAAAG ATAGGATGAT GCAGAAACCT GGTAGCAATG CACCTGTGGG AGGAAACGTT 540
      ACCAGCAGTT TCTCTGGAGA TGACCTAGAA TGCAGAGAAA CAGCCTCCTC TCCCAAAAGC 600
      CAACGAGAAA TTAATGCTGA TATAAAACGT AAATTAGTGA AGGAACTCCG ATGCGTTGGA 660
      CAAAATATG AAAAAATCTT CGAAATGCTT GAAGGAGTGC AAGGACCTAC TGCAGTCAGG 720
      AAGCGATTTT TTGAATCCAT CATCAAGGAA GCAGCAAGAT GTATGAGACG AGACTTTGTT 780
20     AAGCACCTTA AGAAGAAACT GAAACGTATG ATTTGAGAAT ACTTGTCCCT GGAGGATTAT 840
      CACACCCCAA ATGCATAATC TCATTAATGA TTGAGGAGAG AAAAGGATCA GATTGCTGTT 900
      TTCTACAATG GAGCAGGATA TTGCTGAAGT CTCCTGGCAT ATGTTACCGA ATCAATATGC 960
      CTTCAGAGG CTAAGAAATT TCTGTTAGTA AAAGATGTTT TTTTCCCAA AGCATTTTAT 1020
      TTGAAAGGAT AACTTGTGTT TTGGTTATT TGTATTCCCA CCTGTGCTGG TAGATATTAT 1080
25     TAACCCATTA GGTAATACT ATTACAGTCG TGGTTTCTGC A
    
```

Seq ID NO: 296 Protein sequence:
 Protein Accession #: Eos sequence

```

30     1      11      21      31      41      51
      |      |      |      |      |      |
      MTDKTEKVAV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIIAGS AMSKEKKLMT 60
      GHAIPPSQLD SQIDDFTFGS KDRMMQKPGS NAPVGGNVTS SPSGDDLECR ETASSPKSQR 120
      EINADIKRKL VKELRCVQVK YEKIFEMLEG VQGPTAVRKR FFESIIKEAA RCMRRDFVKH 180
35     LKKKLRMI
    
```

Seq ID NO: 297 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 247-815

```

40     1      11      21      31      41      51
      |      |      |      |      |      |
      AGTGTTCGGC TGGGGCAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTCCC ATCCCCCTTG 60
      GGCCAAACGG GATCGGTGCT TCTGGTGAGA CGCCTCCCCA TGCACATCAC TCCCAGGTGC 120
      CCTAGGGGGC ACATTTCCCA CAACTCCCAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG 180
45     GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCCG CCGTCTCTCC TCCAGCAAGG 240
      GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT 300
      CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGCAAGG 360
      AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAAGA AAAGAAGCTT 420
      ATGACAGGAC ATGCTATTCC ACCAGCCCAA TTGGATTCTC AGATTGATGA CTCACTGGT 480
      TTCAGCAAAG ATAGGATGAT GCAGAAACCT GGTAGCAATG CACCTGTGGG AGGAAACGTT 540
      ACCAGCAGTT TCTCTGGAGA TGACCTAGAA TGCAGAGAAA CAGCCTCCTC TCCCAAAAGC 600
      CAACAAGAAA TTAATGCTGA TATAAAACGT AAATTAGTGA AGGAACTCCG ATGCGTTGGA 660
      CAAAATATG AAAAAATCTT CGAAATGCTT GAAGGAGTGC AAGGACCTAC TGCAGTCAGG 720
      AAGCGATTTT TTGAATCCAT CATCAAGGAA GCAGCAAGAT GTATGAGACG AGACTTTGTT 780
50     AAGCACCTTA AGAAGAAACT GAAACGTATG ATTTGAGAAT ACTTGTCCCT GGAGGATTAT 840
      CACACCCCAA ATGCATAATC TCATTAATGA TTGAGGAGAG AAAAGGATCA GATTGCTGTT 900
      TTCTACAATG GAGCAGGATA TTGCTGAAGT CTCCTGGCAT ATGTTACCGA ATCAACTGGC 960
      CTTCAGAGG CTAAGAAATT TCTGTTAGTA AAAGATGTTT TTTTCCCAA AGCGTTTAT 1020
      TTGAAAGGAT AACTTGTGTT TTGGTTATT TGTATTCCCA CCTGTGCTGG TAGATATTAT 1080
60     TAACCCATTA GGTAATACT ATTACAGTCG TGGTTTCTGC A
    
```

Seq ID NO: 298 Protein sequence:
 Protein Accession #: Eos sequence

```

65     1      11      21      31      41      51
      |      |      |      |      |      |
      MTDKTEKVAV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIIAGS AMSKEKKLMT 60
      GHAIPPSQLD SQIDDFTFGS KDRMMQKPGS NAPVGGNVTS SPSGDDLECR ETASSPKSQQ 120
      EINADIKRKL VKELRCVQVK YEKIFEMLEG VQGPTAVRKR FFESIIKEAA RCMRRDFVKH 180
70     LKKKLRMI
    
```

Seq ID NO: 299 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 247-815

```

75     1      11      21      31      41      51
      |      |      |      |      |      |
      AGTGTTCGGC TGGGGCAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTCCC ATCCCCCTTG 60
      GGCCAAACGG GATCGGTGCT TCTGGTGAGA CGCCTCCCCA TGCACATCAC TCCCAGGTGC 120
      CCTAGGGGGC ACATTTCCCA CAACTCCCAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG 180
80     GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCCG CCGTCTCTCC TCCAGCAAGG 240
      GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT 300
      CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGCAAGG 360
      AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAAGC AAAGAGCTTA 420
      TGACAGGACA TGCTATTCCA CCGACCAAT TGGATTCTCA GATTGATGAC TTCCTGGTT 480
85
    
```

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85

```

TCAGCAAAGA TAGGATGATG CAGAAACCTG GTAGCAATGC ACCTGTGGGA GGAAACGTTA 540
CCAGCAGTTT CTCTGGAGAT GACCTAGAAT GCAGAGAAAC AGCCTCCTCT CCCAAAAGCC 600
AACAGAAAT TAATGCTGAT ATAAAAACGTA AATTAGTGAA GGAACCTCGA TCGGTTGGAC 660
AAAAATATGA AAAAATCTTC GAAATGCTTG AAGGAGTGCA AGGACCTACT GCAGTCAGGA 720
AAGCATTGTT TGAATCCATC ATCAAGGAAG CAGCAAGATG TATGAGACGA GACTTTGTTA 780
AGCACCTTAA GAAGAAACTG AAACGTATGA TTTGAGAATA CTTGTCCCTG GAGGATTATC 840
ACACCCCAA TGCATAATCT CATTAAATGAT TGAGGAGAGA AAAGGATCAG ATTGCTGTTT 900
TCTACAATGG AGCAGGATAT TGCTGAAGTC TCCTGGCATA TGTTACCGAA TCAACTGGCC 960
TTCCAGAGGC TAAGAAATTT CTGTTAGTAA AAGATGTTCT TTTTCCCAA GCGTTTTATT 1020
TGAAAGGATA ACTTGTGTTT TGGTTATTTT GTATTCCAC CTGTGCTGGT AGATATTATT 1080
AACCCATTAG GTAATACTA TTACAGTCGT GGTTCCTGCA
    
```

Seq ID NO: 300 Protein sequence:
Protein Accession #: Eos sequence

```

1      11      21      31      41      51
|      |      |      |      |      |
MTDKTEKVV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIAGS AMSKAKKLMT 60
GHAIPPSQLD SQIDDFTFGS KDRMMQKPGS NAPVGGNVTS SFGDDLECR ETASSPKSQ 120
EINADIKRKL VKELRCVQKG YEKIFEMLEG VQGPTAVRKR FFSIIKEAA RCMRRDFVKH 180
LKKLKRMI
    
```

Seq ID NO: 301 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 247-812

```

1      11      21      31      41      51
|      |      |      |      |      |
AGTGTTCGGC TGGGGCAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTCCC ATCCCCCTTG 60
GGCCAAACGG GATCGGTGCT TCTGGTGAGA CGCTCCTCCA TGCACATCAC TCCAGGTGC 120
CCTAGGGGGC ACATTTCCCA CACTCCCGAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG 180
GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCGG CCGTCTCTCC TCCAGCAAGG 240
GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT 300
CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGGCAAGG 360
AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAGA AAAGAGCTTA 420
TGACAGGACA TGCTATTCCA CCCAGCCAAT TGGATTCTCA GATTGATGAC TTCCTGGTT 480
TCAGCAAAGA TGGGATGATG CAGAAACCTG GTAGCAATGC ACCTGTGGGA GGAAATGTTA 540
CCAGCAATTT CTCTGGAGAT GACCTAGAAT GCAGAGGAAT AGCCTCCTCT CCCAAAAGCC 600
AACAGAAAT TAATGCTGAT ATAAAATGTC AAGTAGTGAA GGAATCCGA TGCCTTGGAC 660
AATATGAAA AATCTTCCAA ATGCTTGAAG GAGTGCAAGG ACCTACTGCA GTCAGGAAAC 720
GATTTTTTGA ATCCATCATC AAGGAAGCAG CAAGATGTAT GAGACGAGAC TTTGTTAAGC 780
ACCTTAAGAA GAAACTGAAA CGTATGATTT GAGAATACTT GTCCTTGGAG GATTATCACA 840
CCCCAATGC ATAACTCATC TAATGATTGA GGAGAGAAAA GGATCAGATT GCTGTTTTCT 900
ACAAATGGAG AGGATATTGC TGAAGTCTCC TGGCATATGT TACCGAATCA ACTGGCCTTC 960
CAGAGGCTAA GAAATTTCTG TTAGTAAAAG ATGTTCTTTT TCCCAAAGCG TTTTATTGTA 1020
AAGGATAACT TGTGTTTTGG TTATTTTGTA TTCCCACCTG TGCTGGTAGA TATTATTAAC 1080
CCATTAGGTA AATACTATTA CAGTCGTGGT TTCTGCA
    
```

Seq ID NO: 302 Protein sequence:
Protein Accession #: Eos sequence

```

1      11      21      31      41      51
|      |      |      |      |      |
MTDKTEKVV DPETVFKRPR ECDSPSYQKR QRMALLARKQ GAGDSLIAGS AMSKEKLMT 60
GHAIPPSQLD SQIDDFTFGS KDRMMQKPGS NAPVGGNVTS NFGDDLECR GIASSPKSQ 120
EINADIKCQV VKEIRCLGQY EKIFEMLEGV QGPTAVRKR FFSIIKEAAR CMRRDFVKHL 180
KLLKRMI
    
```

Seq ID NO: 303 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 247-815

```

1      11      21      31      41      51
|      |      |      |      |      |
AGTGTTCGGC TGGGACAGGC ACGCTGTGGC TGGCTACTTC CCTTCCTTCC ATCCCCCTTG 60
GGCCAAACAG GATCGGTGCT TCTGGTGAGA CGTCTCCTCA TGCACATCAC TCCAGATGC 120
CCTAGGGGGC ACATTTCCCA CACTCCCGAG AGGGCAGGTT TCTAGAAAGT GCCACCAGTG 180
GGGAGGCGCC ACAACTTCAC TGCCATTTTG TGAGGTGCGG CCGTCTCTCC TCCAGCAAGG 240
GAAACAATGA CCGATAAAAC AGAGAAGGTG GCTGTAGATC CTGAAACTGT GTTTAAACGT 300
CCCAGGGAAT GTGACAGTCC TTCGTATCAG AAAAGGCAGA GGATGGCCCT GTTGGCAAGG 360
AAACAAGGAG CAGGAGACAG CCTTATTGCA GGCTCTGCCA TGTCCAAGC AAAGAGCTTA 420
TGACAGGACA TGCTATTCCA CCCAGCCAAT TGGATTCTCA GATTGATGAC TTCCTGGTT 480
TCAGCAAAGA TAGGATGATG CAGAAACCTG GTAGCAATGC ACCTGTGGGA GGAAACGTTA 540
CCAGCAGTTT CTCTGGAGAT GACCTAGAAT GCAGAGAAAC AGCCTCCTCT CCCAAAAGCC 600
AACAGAAAT TAATGCTGAT ATAAAACGTA AATTAGTGAA GGAACCTCGA TCGGTTGGAC 660
AAAAATATGA AAAAATCTTC GAAATGCTTG AAGGAGTGCA AGGACCTACT GCAGTCAGGA 720
AAGCATTGTT TGAATCCATC ATCAAGGAAG CAGCAAGATG TATGAGACGA GACTTTGTTA 780
AGCACCTTAA GAAGAAACTG AAACGTATGA TTTGAGAATA CTTGTCCCTG GAGGATTATC 840
ACACCCCAA TGCATAATCT CGTTAATGAT TGAGGAGAGA AAAGGATCAG ATTGCTGTTT 900
TCTACAATGG AGCAGGATAT TGCTGAAGTC TCCTGGCATA TGTTACCGAA TCAACTGGCC 960
TTCCAGAGGC TAAGAAATTT CTGTTAGTAA AAGATGTTCT TTTTCCCAA GCGTTTTATT 1020
TGAAAGGATA ACTTGTGTTT TGGTTATTTT GTATTCCAC CTGTGCTGGT AGATATTATT 1080
AACCCATTAG GTAATACTA TTACAGTCGT GGTTCCTGCA
    
```

Seq ID NO: 304 Protein sequence:
Protein Accession #: Eos sequence

	1	11	21	31	41	51	
	MTDKTEKVAV	DPETVFKRPR	ECDSPSYQKR	QRMALLARKQ	GAGDSL IAGS	AMSKAKKLMT	60
5	GHAIPPSQLD	SQIDDFTFGS	KDRMMQKPGS	NAPVGGNVTS	SFSGDDLECR	ETASSPKSQQ	120
	ENADIKRRL	VKELRRCVGQK	YEKIFEMLEG	VQGP TAVRKR	FFESIIKEAA	RCMRRDFVKH	180
	LKKKLRMI						

Seq ID NO: 305 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 87-689

	1	11	21	31	41	51	
15	CGTGGAGGCA	GCTAGCCGCA	GGCTGGGGAG	CGCTGAGCCG	CGCGTGTGTC	CCTGCGCTGC	60
	CCAGACTAGC	GAACAATACA	GTCAGGATGG	CTAAAGGTGA	CCCCAAGAAA	CCAAAGGGCA	120
	AGATGTCGCG	TTATGCCTTC	TTTGTGCAGA	CATGCAGAGA	AGAACATAAG	AAGAAAAACC	180
	CAGAGGTCCC	TGTCAAATTT	GCGGAATTTT	CCAAGAAGTG	CTCTGAGAGG	TGGAAGACGA	240
	TGTCGCGGAA	AGAGAAATCT	AAATTTGATG	AAATGGCAAA	GGCAGATAAA	GTGCGCTATG	300
20	ATCGGGAAAT	GAAGGATTAT	GGACCAGCTA	AGGGAGGCAA	GAAGAAGAAG	GATCCTAATG	360
	CTCCCAAAG	GCCACCGTCT	GGATTCTTCC	TGTTCTGTTC	AGAATTCGCG	CCCAAGATCA	420
	AATCCACAAA	CCCCGCGATC	TCTATTGGAG	ACGTGGCAAA	AAAGCTGGGT	GAGATGTGGA	480
	ATAAATTTAA	TGACAGTGAA	AAGCAGCCTT	ACATCACTAA	GGCGGC AAAG	CTGAAGGAGA	540
	AGTATGAGAA	GGATGTTGCT	GACTATAAAT	CGAAAGGAAA	GTTTGTATGGT	GCAAAGGGTC	600
25	CTGCTAAAGT	TGCCCGGAAA	AAGGTGGAAG	AGGAAGATGA	AGAAGAGGAG	GAGGAAGAAG	660
	AGGAGGAGGA	GGAGGAGGAG	GATGAATAAA	GAAACTGTTT	ATCTGTCTCC	TTGTGAATAC	720
	TTAGAGTAGG	GGAGCGCCGT	AATTGACACA	TCTCTTATTT	GAGAAGTGTC	TGTTGCCCTC	780
	ATTAGGTTTA	ATTACAAAAT	TTGATCACGA	TCATATTGTA	GTCTCTCAAA	GTGCTCTAGA	840
	AATGTGCAAT	GGTTTACATG	AAGTGGCCAT	GGGTGTCTGG	AGCACCTTGA	AACTGTATCA	900
30	AAGTTGTACA	TATTTCCAAA	CATTTTTTAA	ATGAAAAGGC	ACTCTCGTGT	TCTCCTCACT	960
	CTGTGCACAT	TGCTGTTGGT	GTGACAAGGC	ATTTAAAGAT	GTCTCTGGCA	TTTTCTTTTT	1020
	ATTTGTAAGG	TGGTGGTAAC	TATGGTTATT	GGCTAGAAAT	CCTGAGTTTT	CAACTGTATA	1080
	TATCTATAGT	TTGTAAAAGG	AACAAAACAA	CGAGACAAA	CCCTTGATGC	TCCTTGCTCG	1140
	GGTTTGAGGC	TGTGGGGAAG	ATGCCCTTTG	GGAGAGGCTG	TAGCTCAGGG	CGTGCACTGT	1200
35	GAGGCTGGAC	CTGTGACTC	TGCAGGGGGC	ATCCATTTAG	CTTCAGGTTG	TCTTGTCTCT	1260
	GTATATAGTG	ACATAGCATT	CTGCTGCCAT	CTTAGCTGTG	GACAAAGGGG	GCTCAGCTGG	1320
	CATGAGAATA	TTTTTTTTTT	TAAGTGCCGT	AGTTTTTAAA	CTGTTTGTGT	TTAAACAAC	1380
	TATAGAACTC	TTCATTGTCA	GCAAAGCAAA	GAGTCACTGC	ATCAATGAAA	GTTCAGAAGC	1440
40	CTCCTGTACT	TAAACACGAT	TGCACAACGT	CTGTTATTTT	TTTTGTATGT	TTAGAATGCT	1500
	GAAATGTTTT	TGAAGTTAAA	TAAACAGTAT	TACATTTTTA	AAACTCTTCT	CTAATTATAAC	1560
	AGTCAATTTT	TGACTCACAG	CAGTGAACAA	ACCCCACTC	CATTGTATTT	GGAGACTGGC	1620
	CTCCCIATAA	ATGTGGTAGC	TTCTTTTATT	ACTCAGTGGC	CAGCTCACTT	AGGGCTGAGA	1680
	TGAAGGAGAG	GGCTACTTGA	AGCTACTGTG	TGATTTTGTG	TGTGCTGAG	TGGCATTCCAG	1740
	ATGAAGTCTG	GAGGAGTTAG	GAGCAAGGCA	TAGGCAAGGT	TCAGCAGCCT	TCCAAGGTAT	1800
45	AGGAAGTGGG	GTGATTTAGG	CTGAGGCTAT	CTAGGTTTAA	CTTTTGTCCC	ACCTCCACCC	1860
	CCTATTTTGT	GGGGCCAAAT	GCATTGCTAA	ACAGCAATTT	CAGAGTGTAT	GGTGTGTCAA	1920
	AAATTAAGGC	CTTATTTTGT	TTCTCTTTCA	CCCTACCCC	CCGTGCTCCT	GGCAGATATC	1980
	ACATATTTTG	TGGTGGCCAA	CATTTGGGGT	CTTGAGCCTG	CTGCTGGTCT	CCTGGATGCC	2040
	AGTGAGGGTA	TGTGGGATGC	GGTGGTGGGG	TAGGGGACGG	TATCCTTTTT	TTGCTCCTAC	2100
50	TTGGAAACAC	CAAAACCCCC	AAAGGAAGATG	ATAGGCTCCA	TCTTGGGCCA	CCTGAGCTAT	2160
	AGGGCAGGCT	AATGGAATCA	ACCATTCTCG	AGCACTAAAT	GTATCATGAA	AAGTTGAATG	2220
	GCCTGCTCAT	AAGTTTAGCT	CATTCACCTG	AAATGTAGAT	TGATGTTCAA	TGTTAAACTG	2280
	GAAGGAGCTT	GGTTTGTGTG	TCAGTGGTGA	TATTAGTGGG	TAGTGTAAAC	TTTTATCCAG	2340
	GTGTTGGGTG	GGGAGATGG	CCACAGTAGC	AAGTGGTGAC	ACTAAATACC	ATTTTGAAGG	2400
55	CTGATGTGTA	TATACATCAT	TACTGTCCGT	AGCAATGAAG	GATACAGTAC	TGTGTGTGGG	2460
	GTGAGTGTGT	CTATTGCCCA	GCATTAAATAT	TGGGTGTGTG	ATGTTTGAGG	CTATGAAACA	2520
	CGCAGGAGTG	TTTTTGTGCT	ATTAATTTTA	AGAGAAAAGCA	GCTTTTTTCT	AAAAATCACT	2580
	GTGAGAAAC	TTGCATGTCT	GGAGGCGGTG	TCCTCTCCGC	CCGTGCGGGT	CCTGGATGAG	2640
	TACGAGTTAT	GGTCACGGTC	ACAGCCTGAT	CTCTTATGTG	TTCATAGCCA	TTGCTCTCC	2700
60	CATCAGAACT	GTTTGTCTCG	AATGTGTTC	TCTAGTTCTA	GAAAATGACC	ACTAATTTAA	2760
	AAAACTCGGT	TGTGAGTTT	GCCCAGAGGC	ACTTGTTC	GAATTTCCCC	TCCTGCTTCA	2820
	GCCATGTCTT	TGTCACCTGG	CATTCTAAGC	TAAAGCTTTA	GCTTCCCAAT	TCGTGATGTG	2880
	CTAGGCCAAG	ATTCGGGAGC	TGTTGCCAGC	CTCGTCAAA	ATGGAAGAGA	AACAACCTGC	2940
	GGTCAAAAGG	GAGTGATTTG	TTAAGTGGTG	CGCGTCTATC	TCATAACTAG	ATGTACCAAC	3000
65	CAGGGAAGGG	CCAAGATGG	AAAGGGGTAA	CTTTTGTGCT	TCCAAAGTAG	CTAAGCAGAA	3060
	GTGGGGGAGC	AGTTTAGCCA	GATGATCTTT	GATTAGGCAA	ACATTGAGTT	TAAAGAGGC	3120
	TGTCAAAGTTG	AGGCCACTTG	GTCCATTAGC	TGGGGCAGCA	AGATCACTAC	TCAACGTTTT	3180
	CACACTGTGG	CAAGATTGCT	CTTCTAGTGG	AATAATGCC	TAGTTTCTCT	GAGATGATGT	3240
	AAGTGGCATG	ATGTTACTTA	AGGCTTAGGC	TTAGCTTGAT	TTCTGGGCC	ACTGTCTGTG	3300
70	TTCTTAAGAT	GCCAACCTGT	TGCTTTTTTT	TTTTTTTTCC	CCCATTTAAA	AGGATAGTAC	3360
	CTACTCCCTC	TAAACCACTC	ACCCCAATCT	TGAATGACAT	TTTATCCTCT	GGAAAAGACA	3420
	AGGCTGTGAT	GTAGTGACTA	TTGTCTGTGT	CTCCTGTGTG	TGTCTGTCTT	TGTCACAAAT	3480
	GTATTTGGGG	ACGTTGGATG	CATTCAATTT	CTGTAATAAA	G		

Seq ID NO: 306 Protein sequence:
 Protein Accession #: NP_005333.1

	1	11	21	31	41	51	
80	MARGDPKPKK	GKMSAYAFFV	QTCREHHKKK	NPEVVPNFAE	FSKRCSEKRW	TMSGKEKSKP	60
	DEMAKADKVR	YDREMKDYGP	AKGGKKKKDP	NAPKRPPSGF	FLPCSEFRPK	IKSTNPGISY	120
	GDVAKKLGEM	WNLNLDSEKQ	PYITKAAKLR	EKYEKDVADY	KSKGKFDGAK	GPAKVARKKV	180
	EEEEEEEEEE	EEEEEEEEEE					

Seq ID NO: 307 DNA sequence
 Nucleic Acid Accession #: NM_022342
 Coding sequence: 1..2178

```

1      |      |      |      |      |      |
5      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
10     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
15     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
20     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
25     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
30     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
35     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
40     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |

```

Seq ID NO: 308 Protein sequence:
 Protein Accession #: NP_071737

```

45     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
50     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
55     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
60     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |

```

Seq ID NO: 309 DNA sequence
 Nucleic Acid Accession #: CAT cluster

```

65     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
70     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
75     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |

```

Seq ID NO: 310 DNA sequence
 Nucleic Acid Accession #: NM_018622.2
 Coding sequence: 1-1140

```

80     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
85     |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |
      |      |      |      |      |      |

```

	TATGAATCAC	TGAAATCCAG	GGTCCAGAGT	TATTTTGTATG	GTATAAAAGC	TGATTGGTTG	420
	GATAGCATAA	GACCACAAA	AGAAGGAGAC	TTCAGAAAAG	AGATTAAACA	GTGGTGAAT	480
	AACCTAAGTG	ATGGCCAGCG	GACTGTGACA	GGTATTATAG	CTGCAAATGT	CCTTGTATT	540
5	TGTTTATGGA	GAGTACCTTC	TCTGCAGCG	ACAATGATCA	GATATTTTAC	ATCGAATCCA	600
	GCCTCAAAGG	TCCTTTGTTC	TCCAATGTTG	CTGTCAACAT	TCAGTCACTT	CTCCTTATTT	660
	CACATGGCAG	CAAAATATGA	TGTTTGTGG	AGCTTCTCTT	CCAGCATAGT	GAACATTCTG	720
	GGTCAAGAGC	AGTTCATGGC	AGTGTACCTA	TCTGCAGGTG	TTATTTCCAA	TTTTGTCAGT	780
	TACCTGGGTA	AAGTTGCCAC	AGGAAGATAT	GGACCATCAC	TTGGTGCATC	TGGTGCCATC	840
	ATGACAGTCC	TCGCAGCTGT	CTGCACATAA	ATCCCAGAAG	GGAGGCTTGC	CATTATTTTC	900
10	CTTCCGATGT	TACGTTTCCAC	AGCAGGGAAT	GCCCTGAAAG	CCATTATCGC	CATGGATACA	960
	GCAGGAATGA	TCCTGGGATG	GAATTTTTT	GATCATGCGG	CACATCTTGG	GGGAGCTCTT	1020
	TTTGGAAATAT	GGTATGTTAC	TTACGGTCAT	GAACTGATTT	GGAAGAACAG	GGAGCCGCTA	1080
	GTGAAAATCT	GGCATGAAAT	AAGGACTAAT	GGCCCCAAA	AAGGAGGTGG	CTCTAAGTAA	

Seq ID NO: 311 Protein sequence:
Protein Accession #: NP_061092.2

20	1	11	21	31	41	51	
	MAWRGWAQRG	WGCGQAWGAS	VGGRSCEELT	AVLTTPPQLLG	RRFNFFIQK	CGFRKAPRKY	60
	EPRRSDPGTS	GEAYKRSALI	PPVETVFPY	SPYPIRSLIK	PLFFTGVFTG	CAFGSAAIWQ	120
	YESLKRVRQV	YFDGIKADWL	DSIRPQKEGD	FRKEINKWNW	NLSDGQRTVT	GI IANVLFV	180
	CLWRVPSLQR	TMIRYFTSLR	ASIKVLCSPML	LSTFHSFLHF	HMAANMYVLW	SFSSSIVNLI	240
25	GQEQFMAVYL	SAGVISNFVS	YLGKVVATGRY	GPSLGAAGAI	MTVLAAVCTK	IPEGRLAIF	300
	LPMPTFTAGN	ALKAIIAMDT	AGMILGWKFF	DHAAHLGGAL	FGIYVVTYGH	ELIWNREPL	360
	VKIWHIIRTN	GPKKGGGSK					

Seq ID NO: 312 DNA sequence
Nucleic Acid Accession #: NM_000625
Coding sequence: 195..3656

35	1	11	21	31	41	51	
	CTCTCGGCCA	CCTTTGATGA	GGGGACTGGG	CAGTTCTAGA	CAGTCCCGAA	GTTCTCAAGG	60
	CACAGGTCTC	TTCTGTGTTT	GACTGTCTCT	ACCCCGGGGA	GGCAGTGCAG	CCAGCTGCAA	120
	GCCCCACAGT	GAAGAACATC	TGAGCTCAA	TCCAGATAAG	TGACATAAGT	GACCTGCTTT	180
40	GTAAGCCCAT	AGAGATGGCC	TGTCTTGGG	AATTTCTGTT	CAAGACCAA	TTCCACCAGT	240
	ATGCAATGAA	TGGGAAAAA	GGCATCAACA	ACAATGTGGA	GAAAGCCCC	TGTGCCACCT	300
	CCAGTCCAGT	GACACAGGAT	GACCTTCAGT	ATCACAACTC	CAGCAAGCAG	CAGAATGAGT	360
	CCCCGCAGCC	CCTCGTGGAG	ACGGGAAAGA	AGTCTCCAGA	ATCTCTGGTC	AAGCTGGATG	420
	CAACCCCATT	GTCTCCCCCA	CGGCATGTGA	GGATCAAAAA	CTGGGGCAGC	GGGATGACTT	480
	TCCAAGACAC	ACTTCACCAT	AAGGCCAAAG	GGATTTTAAC	TTGCAGGTCC	AAATCTTGCC	540
45	TGGGGTCCAT	TATGACTCCC	AAAAGTTTGA	CCAGAGGACC	CAGGGACAAG	CCTACCCCTC	600
	CAGATGAGCT	TCTACCTCAA	GCATTCGAAT	TTGTCAACCA	ATATTACGGC	TCCCTCAAAG	660
	AGGCAAAAAT	AGAGGAACAT	CTGGCCAGGG	TGGAAGCGGT	AACAAAGGAG	ATAGAAAACA	720
	CAGTAACCTA	CCAAGTACGC	GGAGATGAGC	TCATCTTCGC	CACCAAGCAG	GCCTGGCGCA	780
50	ATGCCCCCAG	CTGACTTTGG	AGGATCCAGT	GGTCCAACTC	GCAGGTCTTC	GATGCCCGCA	840
	GCTGTTCCAC	TGCCCGGGAA	ATGTTTGAAC	ACATCTGCAG	ACACGTGCGT	TACTCCACCA	900
	ACAATGGCAA	CATCAGGTGC	GCATCACCG	TGTTCCCCCA	GCGGAGTGAT	GGCAAGCAG	960
	ACTTCCGGGT	GTGGAAATGCT	CAGCTCATCC	GCTATGTCTG	CTACCAGATG	CCAGATGGCA	1020
	GCATCAGAGG	GGACCCCTGC	AACGTGGAAT	TCACTCAGCT	GTGCATCGAC	CTGGGCTGGA	1080
	AGCCCAAGTA	CGGCCGCTTC	GATGTGGTCC	CCCTGGTCTC	GCAGGCCAAT	GGCCGTGACC	1140
55	CTGAGCTCTT	CGAAATCCCA	CCTGACCTTG	TGCTTGAGGT	GGCCATGGAA	CATCCCAAAT	1200
	ACGAGTGGTT	TGGGAACTG	GAGCTAAAAT	GGTACGCCCT	GCCTGCAGTG	GCCAACATGC	1260
	TGCTTGAGGT	GGGCGGCTG	GAGTTCCCAG	GGTGGCCCTT	CAATGGCTGG	TACATGGGCA	1320
	CAGAGATCGG	AGTCCGGGAC	TTCTGTGATG	TCCAGCGCTA	CAACATCTGT	GAGGAAGTGG	1380
60	GCAGGAGAAAT	GGGCTTGGAA	ACGCACAAGC	TGGCTCTGCT	CTGGAAAGAC	CAGGCTGTGC	1440
	TTGAGATCAA	CATTGTCTGT	CTCCATAGTT	TCCAGAAGCA	GAATGTGACC	ATCATGGACC	1500
	ACCACCTCGC	TGCAGAAATC	TTCATGAAAT	ACATGCAGAA	TGAATACCGG	TCCCGTGGGG	1560
	GCTGCCCGGC	AGACTGGATT	TGGCTGGTCC	CTCCCATGTC	TGGGAGCATC	ACCCCCGTGT	1620
	TTCAACAGGA	GATGCTGAAC	TACGTCTCTG	CCCCTTTCTA	CTACTATCAG	GTAGAGGCCT	1680
	GGAAAACCAA	TGTCTGGCAG	GACGAGAAGC	GGAGACCCAA	GAGAAGAGAG	ATTCCATTGA	1740
65	AAGTCTTGGT	CAAAGCTGTG	CTCTTTGCC	GTATGCTGAT	GCGCAAGACA	ATGGCGTCCC	1800
	GAGTCAGAGT	CACCATCCTC	TTTGGCAGAC	AGACAGGAAA	ATCAGAGGCG	CTGGCCTGGG	1860
	ACCTGGGGGC	CTTATTTCAG	TGTGCCTTCA	ACCCCAAGGT	TGTCTGCATG	GATAAGTACA	1920
	GGCTGAGCTG	CCTGGAGGAG	GAACGGCTGC	TGTTGGTGGT	GACCAGTACG	TTTGGCAATG	1980
	GAGACTGCC	TGGCAATGGA	GAGAACTGA	AGAARTCGCT	CTTCATGCTG	AAAGAGCTCA	2040
70	ACAACAATTT	CAGTACGCT	GTGTTTGGCC	TGGCTCCAG	CATGTACCTC	CGGTTCTGCG	2100
	CCTTTGCTCA	TGACATTTGAT	CAGAAGCTGT	CCCACCTGGG	GGCCTCTCAG	CTCACCCCGA	2160
	TGGGAGAAGG	GGATGAGCTC	AGTGGGCAGG	AGGACGCCTT	CCGCAGCTGG	GCCGTGCAAA	2220
	CCTTCAAGGC	AGCCTGTGAG	ACGTTTGTATG	TCCGAGGCAA	ACAGCACATT	CAGATCCCCA	2280
	AGCTCTACAC	CTCCAATGTG	ACCTGGGACC	CGCACCACTA	CAGGCTCGTG	CAGGACTCAC	2340
75	AGCCTTTGGA	CCTCAGCAA	GCCCTCAGCA	GCATGCATGC	CAAGAACGTT	TTCAACATGA	2400
	GGCTCAAATC	TGGCAGAAAT	CTACAAAGTC	CGACATCCAG	CCGTGCCACC	ATCCTGGTGG	2460
	AACTCTCCTG	TGAGATTTGGC	CAAGGCCTGA	ACTACCTGCC	GGGGGAGCAC	CTTGGGGTTT	2520
	GCCCAAGCAA	CCAGCCGCGC	CTGGTCCAAG	GCATCCTGGA	GCGAGTGGTG	GATGGCCCCA	2580
80	CACCCACCA	GGCAGTGGCC	CTGGAGGCC	TGGATGAGAG	TGGCAGCTAC	TGGGTCACTG	2640
	ACAAGAGGCT	GCCCCCTGCT	TCACTCAGCC	AGGCCCTCAC	CTACTTCTCT	GACATCACCA	2700
	CACCCCAAC	CCACCTGCTG	CTCCAAAAGC	TGGCCCAAGT	GGCCACAGAA	GAGCCTGAGA	2760
	GACAGAGGCT	GGAGGCCCTG	TGCCAGCCCT	CAGAGTACAG	CAAGTGGAA	TTCAACCA	2820
	GCCCCACAT	CCTGGAGGTTG	CTAGAGGAGT	TCCCGTCCCT	GCGGGTGTCT	GCTGGCTTCC	2880
	TGCTTTCCCA	GCTCCCAAT	CTGAAGCCCA	GTTTCTACTC	CATCAGCTCC	CCCCGGGATC	2940
85	ACACGCCCC	GGAGATCCAC	CTGACTGTGG	CCGTGGTCA	CTACCACACC	CGAGATGGCC	3000
	AGGGTCCCCT	GCACCAAGGC	GTCTGCAGCA	CATGGCTCAA	CAGCCTGAAG	CCCCAAGACC	3060
	CAGTGCCCTG	CTTTGTGCGG	AATGCCAGCG	GCTTCCACCT	CCCCGAGGAT	CCCTCCATC	3120

	CTTGCATCCT	CATCGGGCCT	GGCAGAGCCA	TGCGGCCCTT	CGCAGTTTC	TGGCAGCAAC	3180
	GGCTCCATGA	CTCCAGAC	AAGGAGTGC	GGGGAGGCG	CATGACCTTG	GTGTTTGGGT	3240
	GCCGCGGCC	AGATGAGGAC	CACATCTACC	AGGAGGAGAT	GCTGGAGATG	GCCAGAAAGG	3300
5	GGGTGCTGCA	TGCGGTGCAC	ACAGCCTATT	COCGCTGCC	TGGCAAGCCC	AAGGTCTATG	3360
	TTCAGGACAT	CCTGCGGCAG	CAGCTGGCCA	GCGAGGTGCT	CCGTGTGCTC	CACAAGGAGC	3420
	CAGGCCACCT	CTATGTTTGC	GGGATGTGTC	GCATGGCCCG	GGACGTGGCC	CACACCCTGA	3480
	AGCAGCTGTT	GGCTGCCAAG	CTGAAATTGA	ATGAGGAGCA	GGTCGAGGAC	TATTTCTTTC	3540
	AGCTCAAGAG	CCAGAAGGCG	TATCACGAAG	ATATCTTTGG	TGCTGTATTT	CCTTACGAGG	3600
	CGAAGAAGGA	CAGGGTGGCG	GTGCAGCCCA	GCAGCCTGGA	GATGTGACGG	CTCTGAGGGC	3660
10	CTACAGGAGG	GGTTAAAGCT	GCCGGCACAG	AACTTAAGGA	TGGAGCCAGC	TCTGCATTAT	3720
	CTGAGGTAC	AGGGCCTGGG	GAGATGGAGG	AAAGTGATAT	CCCCAGCCT	CAAGTCTTAT	3780
	TTCTCAACG	TTGCTCCCCA	TCAAGCCCTT	TACTTGACCT	CCTAACCAAGT	AGCACCCCTGG	3840
	ATTGATCGGA	GCCTC					

Seq ID NO: 313 Protein sequence:
 Protein Accession #: NP_000616

20	1	11	21	31	41	51	
	MACPWKFLPK	TKFHQYAMNG	EKGINNVEK	APCATSSPVT	QDDLQYHNLS	KQONESPQPL	60
	VETGKKSPE	LVKLDATPLS	SPRHVRKNW	GSGMTFQDTL	HHKAKGILTC	RSKSCLSGIM	120
	TPKSLTRGR	DKPTPPDELL	PQAEFVNQY	YGLSKEAKIE	EHLARVEAVT	KEIETTVTYQ	180
	LTGDELIFAT	KQAWRNAFRC	IGRIQWSNLQ	VFDARSCSTA	REMPHEICRH	VRYSNNNGNI	240
25	RSAITVFPQR	SDGKHDPRVW	NAQLIRYAGY	QMPDGSIRGD	PANVEFTQLC	IDLGWPKPKYG	300
	RFDVVLVLVQ	ANGRDPELFE	IPDDLVEVA	MEHPKYENFR	ELELKWYALP	AVANMLLEVIG	360
	GLEFPGCPFN	GWYMGTEIGV	RDFCDVQRVN	ILEEVGRRMG	LETHKLASLW	KDQAVVEINI	420
	AVLHSPQKQN	VTIMDHSA	ESPMKYMONE	YRSRGGCPAD	WIWLVPPMSG	SITPVFHQEM	480
	LVNVLSPFFY	YQVEAWKTHV	WQDEKRRPKR	REIPLKVLVK	AVLFAFMLMR	KTMASRVVPT	540
30	ILFATETGKS	EALAWDLGAL	FSCAFNPKVV	CMKYRLSCL	EEERLLLVVT	STFGNGDCPG	600
	NGEKLLKSLP	MLKELNNKFR	YAVFGLGSSM	YPRFCAFAHD	IDQKLSHLGA	SQLTMPGEGD	660
	ELSGQEDAFR	SWAVQTFKAA	CETFDVGRKQ	HIQIPKLYTS	NVTWDPHHYR	LVQDSQPLDL	720
	SKALSSMHAK	NVFTMLKSR	QNLQSPTSSR	ATILVELSCE	DGQGLNYLPG	EHLGVCPCGNQ	780
	PALVQGILER	VVDGTPHQQA	VRLEALDESG	SYWVSDKRLP	PCSLSQALTY	FLDITTPPTQ	840
35	LLQKLAQVA	TEEPERQRL	ALCQPSEYSK	WKFTNSPTFL	EVLEEFPSLR	VSAGPILLSQL	900
	PILKPRFYSI	SSPRDHTPTE	IHLTVAVVTY	HTRDQGGPLH	HVCSTWLNLS	LKPQDPVPCF	960
	VRNAGSFHLP	EDPSHPCILI	GPGTGIAPFR	SFWQQLRHS	QHKVGRGGRM	TLVFGCRRPD	1020
	EDHIYQEEML	EMAQKGLVHA	VHTAYSRLPG	KPKVYVQDIL	RQQLASEVLR	VLHKEPFGHLY	1080
40	VCGDVRMARD	VAHTLKQLVA	AKLKLNEEQV	EDYFPQLKSQ	KRYHEDIFGA	VFPYEAKKDR	1140
	VAVQPSSELM	SAL					

Seq ID NO: 314 DNA sequence
 Nucleic Acid Accession #: XM_087254
 Coding sequence: 47..2332

45	1	11	21	31	41	51	
	AGAGTACGTT	TTTACAGATA	AAACTGGTAC	ACTGACAGAA	AATGAGATGC	AGTTTCGGGA	60
	ATGTTCAAIT	AATGGCATGA	AATACCAAGA	AATTAATGGT	AGACTGTGAC	CCGAAGGACC	120
	AACACCAGAC	TCTTCAGAG	GAAACTTATC	TTATCTTAGT	AGTTTATCCC	ATCTTAAACA	180
	CTTATCCCAT	CTTACAACCA	GTTCCCTTTT	CAGAACCAGT	CCTGAAAATG	AAACTGAACT	240
	AATTAAGAA	CATGATCTCT	TCTTTAAAGC	AGTCAGTCTC	TGTCACACTG	TACAGATTAG	300
	CAATGTTCAA	ACTGACTGCA	CTGGTGATGG	TCCCTGGCAA	TCCAACCTGG	CACCATCGCA	360
55	GTGGAGTAC	TATGCATCTT	CACCAGATGA	AAAGGCTCTA	GTAGAAGCTG	CTGCAAGGAT	420
	TGATATTGTG	TTTATTGGCA	ATTCTGAAGA	AACTATGGAG	GTTAAAACCT	TTGAAAACCT	480
	GGAACGGTAC	AAACTGTCTC	ATATTCTGGA	ATTGTATTCA	GATCGTAGGA	GAATGAGTGT	540
	AATTTCTCAG	GCACCTTTCAG	GTGAGAAAGT	ATTATTGCTT	AAAGGAGCTG	AGTCATCAAT	600
	TCTCCCTAAA	TGATATAGGTG	GAGAAATAGA	AAAAACCAGA	ATTCATGTAG	ATGAATTTGC	660
60	TTTGAAGGCG	CTAAGACTC	TGTGTATAGC	ATATAGAAAA	TTTACATCAA	AAGAGTATGA	720
	GGAAATAGAT	AAACGCATAT	TTGAAGCCAG	GACTGCCCTG	CAGCAGCGGG	AAGAGAAATT	780
	GGCAGCTGTT	TTCCAGTTCA	TAGAGAAAGA	CCTGATATTA	CTTGGAGCCA	CAGCAGTAGA	840
	AGACAGACTA	CAAGATAAAG	TTCCGAGAAAC	TATTGAAACA	TTGAGAATGG	CTGGTATCAA	900
	AGTATGGGTA	CTTACTGGGG	ATAAACATGA	AACAGCTGTT	AGTGTGAGTT	TATCATGTGG	960
65	CCATTTTCAT	AGAACCATGA	ACATCCTTGA	ACTTATAAAC	CAGAAATCAG	ACAGCGAGTG	1020
	TGCTGAACAA	TTGAGGCGAG	TTGCCAGAAG	AATTACAGAG	GATCATGTGA	TTCAGCATGG	1080
	GCTGGTAGTG	GATGGGACCA	QCCTATCTCT	TGCACTCAGG	GAGCATGAAA	AACTATTTAT	1140
	GGAAGTTTGC	AGAAATGTGT	CAGCTGTATT	ATGCTGTCTG	ATGGCTCCAC	TGCAGAAAGC	1200
	AAAAGTAATA	AGACTAATAA	AAATATCACC	TGAGAAACCT	ATAACATTGG	CTGTTGGTGA	1260
70	TGTTGCTAAT	GACGTAAGCA	TGATACAAGA	AGCCCATGTT	GGCATAGGAA	TCATGGGTAA	1320
	AGAAGGAAGA	CAGGCTGCAA	GAAACAGTGA	CTATGCAATA	GCCAGATTTA	AGTTCTCTC	1380
	CAAATGCTTT	TTTGTTCATG	GTCATTTTTA	TTATATTAGA	ATAGCTACCC	TTGTACAGTA	1440
	TTTTTTTTAT	AAGAATGTGT	GCTTTATCAC	ACCCAGTITT	TTATATCAGT	TCTACTGTTT	1500
	GTTTTCTCAG	CAACATATGT	ATGACAGCGT	GTACCTGACT	TTATACAATA	TTGTTTTCAC	1560
75	TTCCCTACCT	ATTCGTATAT	ATAGTCTTTT	GGAACAGCAT	GTAGACCCCT	ATGTTGTACA	1620
	AAATAAGCCC	ACCCCTTATC	GAGACATTAG	TAAAAACCGC	CTCTTAAGTA	TAAAAACATT	1680
	TCTTTATGG	ACCAATCTGG	GCTTCAGTCA	TGCCCTTATT	TTCTTTTTTG	GATCCTTATT	1740
	ACTAATAGGG	AAAGATACAT	CTCTGCTTGG	AAATGGCCAG	ATGTTTGAAA	ACTGGACATT	1800
80	TGGCACTTTG	GTCTTACAG	TCATGGTTAT	TACAGTCACA	GTAAGATGG	CTCTGGAAC	1860
	TCATTTTGG	ACTTGGATCA	ACCATCTCGT	TACCTGGGGA	TCTATTATAT	TTTATTTTGT	1920
	ATTTCTCTG	TTTTATGGAG	GGATTCTCTG	GCCATTTTGG	GGCTCCCGAG	ATATGTATTT	1980
	TGTTGTTTAT	CAGCTCTCTG	CAAGTGGTTC	TGCTTGGTTT	GCCATAATCC	TCATGTTTGT	2040
	TACATGTCTA	TTTCTTGATA	TCATAAAGAA	GGTCTTTGAC	CGACACCTCC	ACCCTACAAG	2100
	TACTGAAAAG	GCACAGCTTA	CTGAAAACAAA	TGCAGGTATC	AAGTCTTTGG	ACTCCATGTG	2160
85	CTGTTTCCCG	GAAAGGAGAAG	CAGCGTGTGC	ATCTGTTGGA	AGAATGCTGG	AACGAGTTAT	2220
	AGGAAGATGT	AGTCCAACCC	ACATCAGCAG	ATCATGGAGT	GCATCGGATC	CTTTCTATAC	2280
	CAACGACAGG	AGCATCTTGA	CTCTCTCCAC	AATGGACTCA	TCTACTTGT	AAAGGGGCGAG	2340

5
10
15
20
25
30
35
40
45
50
55
60

```

TAGTACTTTG TGGGAGCCAG TTCACCTCCT TTCCTAAAAT TCAGTGTGAT CACCCCTGTTA 2400
ATGGCCACAC TAGCTCTGAA ATTAATTTCC AAAATCTTTG TAGTAGTTCA TACCCACTCA 2460
GAGTTATAAT GGCAAAACAA CAGAAAGCAT TAGTACAAGC CCCTCCCAAC ACCCTTAATT 2520
TGAATCTGAA CATGTTAAAA TTTGAGAAATA AAGAGACATT TTTTCATCTCT TGTCTGGTT 2580
TGFCCTGTGT GCTTATGGGA CTCTAATGG CATTTCAGTC TGTGTCTGAG GCCATTATAT 2640
TTTAATATAA ATGTAGAAAA AAGAGAGAAA TCTTAGTAAA GAGTATTTTT TAGTATTAGC 2700
TTGATTATTG ACTCTTCTAT TTAATACTGC TTCTGTAAT TAGCTGAAA GTTTGCCTTG 2760
AGAACTCTAT TTTTATATA GAGTATAT TAAAGCTTTT CATGGGAAAA GTTAATGTGA 2820
ATACTGAGGA ATTTTGGTCC CTCAGTGACC TGTGTTGTTA ATTCATTAAT GCATTCTGAG 2880
TTCACAGAGC AAATFAGGAG AATCATTTC AACCAATTATT TACTGCAGTA TGGGGAGTAA 2940
ATTTATACCA ATTCCTCTAA CTGTACTGTA ACACAGCCTG TAAAGTTAGC CATATAAATG 3000
CAAGGGTATA TCATATAATC AAATCAGGAA TCAGGTCOGT TCACCGAACT TCAAATTGAT 3060
GTTTACTAAT ATTTTGTGA CAGAGTATAA AGACCCTATA GTGGGTAAT TAGATACTAT 3120
TAGCATATTA TTAATTTAAT GTCTTTATCA TTGGATCTTT TGCATGCTTT AATCTGGTTA 3180
ACATATTTAA ATTTGCTTTT TTTCTCTTTA CCTGAAGGCT CTGTGTATAG TATTTTCATGA 3240
CATCGTTGTA CAGTTAACT ATATCAATAA AAAGTTTGGG CAGTATTTAA ATATTGCAAA 3300
TATGTTTAAAT TATACAATC AGAATAGTAT GGGTAATTA ATGAATACAA AAAGAAGAGC 3360
CTCTTCTGCG AGCCGACTTA GACATGCTCT TCCCTTTCTA TAAGCTAGAT TTAGAATAA 3420
AGGGTTTCAG TTAATAATCT TATTTTCAGG TTATGTCACT TAACCTATAG CAAACTACCA 3480
CAATACAGTG AGTTCCTGCCA GTGTCCCACT ACAAGGCATA TTTCCAGGTG GGCTGTGGAA 3540
TGTAAAAATG CTCCAACTGT ATCAGGTAAT GTTAGCAATA AATTAATATG TAAGAATGAT 3600
TAATCGGGTA CATGTTACTG TAATTAATCT ATTGCACTTC AAAACCTAAC TTCCATCCTG 3660
AATTTATCAA GTAGTTCAGT ATTTGTCATT GTTTTTGTTT TAITGAAAAG TAATGTTGTC 3720
TTAAGATTTA GAAGTGATTA TTAGCTTGAG AACTATTACC CAGCTCTAAG CAAAATATGA 3780
TTGTATACAT ATTAAGATAA TGGTAAATG CGGTTTACC AAGTTTCCC TGTAAAAATG 3840
AATTCCTTTA TGGAGATTA TTGTGCAGCC CTAAGCTTCC TTCCCATTTT ATGAATATAA 3900
GGCTTCTAGA ATTGGACTGG CAGGGGAAAG AATGGTAGAG ACAGAAATTA AGACTTTATC 3960
CTTGTTTGCT TGTAAACTAT TATTTTCTTG CTAATGTAAC ATTTGTCTGT TCCAGTGATG 4020
TAAGGATATT AAGTTATTA GCTAAATATT AATTTTCAA AATAGTCTCT CTTAACTTA 4080
GATATTTTCAAT AGCTGGATTT AGGAAGATCT GTTATTCTGG AAGTACTAAA AAGAATAATA 4140
CAACGTACAA TGTCTGCATT CACTAATCA TGTCCAGAA GAGGAATAA TGAAGATATA 4200
CTCAGTAGAG TACTAGGTGG GAGGATATGG AAATTTGCTC ATAAATCTC TTATAAAACG 4260
TGCAATAAAC AAAATGACAC CCAGTAGGCC TGCATTACAT TTACATGACC GTGTTTATTT 4320
GCCATCAAT AAACTGAGTA CTGACACCAG ACAAGACTC CAAAGTATA AAATAGCCTA 4380
TGACCAACTG CAGCAAGACA GGAGGTCAGC TCGCCTATAA TGGTGCTTAA AGTGTGATTG 4440
ATGTAATTTT CTGTACTCAC CATTGAAGT TAGTTAAGGA GAACCTTATT TTTTAAAAA 4500
AAGTAAATGG CAACCACTAG TGTGCTCATC CTGAAGTGT ACTCCAAATC CACTCCGTTT 4560
TTAAAGCAA AATTATCTGT GATTTTAAGA AAAGATTTT CTATTTATT AAGAAAGTAA 4620
CAATGCAGTC TGCAAGCTTT CAGTAGTTT CTAGTGTCT ATTCATCCTG TAAACTCTT 4680
ACTAGTAAC CAGTAATCAC AAGGAAAGTG TCCCTTTGC ATATTTCTTT AAAATCTTT 4740
CTTTGGAAAG TATGATGTTG ATAATTAAT TACCCTTATC TGCCAAAAC AGAGCAAAAT 4800
GCTAAATACG TATTTGCTAA TCAGTGGTCT CAAATCGATT TGCCTCCCTT TGCCCTCGCT 4860
GAGGGCTGTA AGCCTGAAGA TAGTGGCAAG CACCAAGTCA GTTTCCAAA TTGCCCTCA 4920
GCTGCTTTAA GTGACTCAGC ACCCTGCCTC AGCTTCAGCA GCGGTAGGCT CACCCCTGGC 4980
GGAGCAAAGT ATGGCCAGG GAGAACTACA GCTACGAAGA CCTGCTGTCG AGTTGAGAAA 5040
AGGGGAGAAT TTATGGTCTG AATTTTCTAA CTGTCTCTTT TCTTGGGTCT AAAGCTCATA 5100
ATACACAAAG GCTTCCAGAC CTGAGCCACA CCCAGGCCCT ATCCTGAACA GGAGACTAAA 5160
CAGAGGCAA TCAACCCTAG GAAACTCTG CATTCGCCC TACGGTTAGT ACCAGGACTG 5220
AGGTCATTTT TACTGGAATA GATTGTGAGA TGAACCTAT CTGATCGCTT GAGACTCCTA 5280
ATAGGCAGGA GTCAAGGCCA CTAGAAAATT GACAGTTAAG AGCCAAAAGT TTTTAAAAA 5340
TGCTACTCTG AAAAATCTCG TGAAGGCTGT AGGAAAAGGG AGAATCTTCC ATGTTGGTGT 5400
TTTTCTGTA AAGATCAGTA TGGGGTATGA TATAAGCAGG TATTAATAAA AATAACACAC 5460
CAAAGATTA CGTAAAACAT GTTTTATTA TTTTGGTCCC CACGTACAGA CATTTTATTT 5520
CTATTTTAAA ATGAGTTATC TATTTTCATA AAAGTAAAC ACTATTAAAG TGCTGTTTTA 5580
TGTAATAATA CTCTGAATTT GTTCTATAA AAAATAGATC ATAACTCATG ATATGTTTGT 5640
AATCATGTA ATTTAGATTT TTATGAGGAA TGAGTATCTG GAAATATTGT AGCAATACTT 5700
GGTTAAAAAT TTTGGACCTG AGACACTGTG GCTGTCTAAT GTAATCCTTT AAAAATCTC 5760
TGCAATTGTA GTAATGTAG TATATTATTG TACAGCTACT CATAATTTT TAAAGTTTAT 5820
GAAGTTATAT TTATCAAATA AAAACTTTCC TATAT

```

Seq ID NO: 315 Protein sequence:
Protein Accession #: XP_087254

65
70
75
80

```

1 11 21 31 41 51
| | | | |
MQFRECSING MKYQEINGRL VPEGPTPDSS EGNLSYLSSL SHLNLNLSHLT TSSSFRTSPE 60
NETELIKEHD LFFKAVSLCH TVQISNVQTD CTGDGPWQSN LAPSQLEYA SSPDEKALVE 120
AAARIGIVPI GNSEETMEVK TLGKLERYKL LHILEFSDSR RRMSVIVQAP SGKLLFAKG 180
AESSILPKCI GGBIEKTRIH VDEFALKGLR TLCIAYRKFT SKEYEEDIKR IPEARTALQQ 240
REEKLAAVFQ FIEKDLILLG ATAVEDRLQD KVRETI EALR MAGIKVWVLT GDKHETAVSV 300
SLSCGHFHRM MNILELINQK SDSECAEQLR QLARRIT EDH VIQHGLVVDG TSLSLALREH 360
EKLFMEVCRN CSAVLCRRMA PLQKAKVIRL IKISPEKPIT LAVGDGANDV SMIQEAHVGI 420
GIMGKEGRQA ARNSDYA IAR FKFLSKLLPV HGHFYIRIA TLVQYFFYKN VCFITPQFLY 480
QFYCLFSQQT LYDSVYLTLY NICFTSLPIL IYSLLEQHVD PHVLQNKPTL YRDISKNRLL 540
SIRTFLYWTI LGFSHAFIF FGSYLLIGKD TSLGNGQMF GNWTFGLVLF TVMVITVTVK 600
MALETHFWTW INHLVWTGSI IFYFVPSLFY GGILWPFLGS QNMYFVFIQL LSSGSANPAI 660
ILMVTCLFL DI IKKVPDRH LHPSTTEKAQ LETSNAGIKC LDSMCCPPEG EAACASVGRM 720
LERVIGRCSP THISRSWSAS DPFYTDRSI LTLSTMSST C

```

Seq ID NO: 316 DNA sequence
Nucleic Acid Accession #: NM_004473
Coding sequence: 661..1791

85

```

1 11 21 31 41 51
| | | | |
CTGCCAGCG GTCCGCGGGG CTGGAGACCC ACGCCGTGGA GAGGACCAGC CTCAGTCCG 60

```


5
10
15
20
25
30
35
40
45
50
55
60

```

CCGCGCTGGG CCGCGGCCCC GACCTCGCTG CCCCCGCTC GCCTCTGTGC CCGTGGCGCT 120
TACCGCCACC TTGGCCTCGG GGCAGGGGCA TGGGCGGCC CCGCCAGATC GCCCAGCGCC 180
AGTACTAACT GCCCTCGCTC TGGCCTTCGA GCCCGAAGCC TCTTCTGCGC GCACAACCTA 240
GGCAGTAATC CTAAACTAGC GGCACCAACA GACCAGCTGC AGCCACCCCA ACCCAGGGAT 300
CACTTCCGGA CCCCTCGACC GCCCGGCACC AGCGCGCAAG GGACCCCTCA GCCCGAGACC 360
AGAGTCCAGT CCGGTCGCGG AGGCCACCGC CGTGTCCCGC CTCGAGAAGC ACAAACGGGG 420
CTGAGCCGTC GGCTAGCGGG TCACTCCCGA GCCTCTGTCT GCACCGCGCC AGCCCCAGAC 480
CAGGGACGCT GAGCCTCCAG CGCGCGCCAG CCTGGGCCGC TGGGCTCTCC GGGCCAGCCC 540
GGCAGCATCC CCTGAGCTCT CCGCAGAAGG GCCGAGCGTC CGTFTCCGGGG ACGCCAGGCC 600
CGCCCCCGCC CCCCAGCAGC CGCGGGGATC CAGAGCCCGG GGGTGCGGGA CGCCCCCGCC 660
ATGACTGCCG AGAGCGGGCC GCCGCGCGCC CAGCCGAGGG TGTGGCTAC CGTGAAGGAA 720
GAGCGCGGCG AGACGGCAGC AGGGGCGGGG GTCCCAGGGG AGGCCACGGG CCGCGGGGCG 780
GGCGGGCGCG GCCGCAAGCG CCCCTGCGAG CGCGGGAAGC GCCCCTACAG CTACATCGCG 840
CTCATCGCCA TGGCCATCGC GCACGCGCCC GAGCGCGGCC TCACGCTGGG CGGCATCTAC 900
AAGTTCATCA CCGAGCGCTT CCCCTTCTAC CGCGACAACC CCAAAAAGTG GCAGAACAGC 960
ATCCGCCACA ACCTCAACT CAACGACTGC TTCCTCAAGA TCCCGCGGA GGC CGGCCCGC 1020
CGGGTAAGG GCAACTACTG GCGCTCGAC CCAAACGCGG AGGACATGTT CGAGAGCGGC 1080
AGCTTCTGTC GCCCGCCCAA GCGCTTCAAG CGCTCGGACC TCTCCACCTA CCGGCTTAC 1140
ATGCAAGAGC CGGGCGCTGC CGCAGCCGCC GCTGCGCGAG CCGCGCGCGC CGCCGCGGCC 1200
GGCCCATCT TCCAGGCGCG GTGGCCCGCC GCGCGCCCCC CCTACCCGGG CGCCGCTTAT 1260
GCAGGCTAGC CGCCGCGCTC GCTGGCCGCG CGCCTCCAG TCTACTACC CGCGCGCTCG 1320
CCCGGCCCTT GCCCGCTTTT GCGCCTGGTT CCTGAGCGGC CGCTCAGCCC AGAGCTGGGG 1380
CCCGCACCGT CGGGCCCGGG CGGCTCTTGC GCCTTTGCTT CCGCCGGCGC CCCCCTACC 1440
ACCAACGGCT ACCAGCCCG AGGCTGCACC GGGGCCCGGC CGGCCAACCC CTCTGCCTAT 1500
GCGGCTGCCT ACGCGGGCCC CGACGGCGCG TACCCGCGAG GCGCGGCGAG TGCATCTTT 1560
GCGCGTGTG GCCCGCTGGC GGGACCCGCT TCGCCCCCAG CCGGCGGCGAG CAGTGGCGGC 1620
GTGGAGACCA CGGTGACTT CTAAGGGCGC ACGTGCGCC GCCAGTTCGG AGCCGTGGGA 1680
GCCTGTACA ACCCTGGCGG CAGCTCGGA GGGGCCAGTG CAGGCGCTA CCATGCTCGC 1740
CATGTGCGC CTTATCCCG TGGGATAGAT CGGTTCTGT CCGCCATGTG AGCCAGCGTA 1800
GGGAGGAAAA CTCATAGACA CATCGGCTT TCACACGTT CCGCGAACCT GAGAACGAA 1860
AGGAATGGAG AGAGGACTCA ACTGGGACCC ACGTGGAAA GACCGAGCAG GCCACAGAGG 1920
CTCGGTCTCC CCGCGCACAG CGTAGGCACC CTGTGACTC TGTAAACGGG AGGAGGTGGG 1980
GGGAGGCGCG CAGAGCCCTT GGACTGGCAC AGGGACCCCT GATGGAGCGA AGCCCTCAA 2040
CGGGATGCTT TCTGGCATC TATCGGGGAG GGTCTTGGC GGTAAACAGA GGGCAGCGTA 2100
GTGTCAACAC CAGAGACCAG GATCCAAATT GTGGGAATC AGTTTCAGCC TTCCATGTGC 2160
TGCCGGAACT CGGCCCTTTT TACGCGTTT GTCCTTAGT GCCTTTAACT GCGTACTAC 2220
AATAAAGGC TGGCGCAGCG CCTTCTTCT TAAAGTGAGG AGGACAAAT TGCAAAAGAA 2280
ATAGGCTTTT CTTCTTTTT AAATTGGAGA AATCTCTGCT CTGGTGACC TGGGCTGGTT 2340
TTCCCTGTCT CTGAGAACT GAGACCTAGC TCCGAGTTGA ACTGTGCGTC AGCACTCCAG 2400
TCCCATCACC TGAACCTTCA GTCTCCCCA TCTGTTACAC TAGAGGCGTG CAGGACTCTA 2460
TCCACCGCCC CCGGTTATC ATTCAGGGCC CCATCATCTT GGAATGCTGCC CTGCGTATT 2520
GGCAGCAATG GTGGGCCACC CAGGGCCTCT GAGTAGCCAC CCAAAGCCTA GCCCGTGTTC 2580
TAGGGAACGG AAAAGAGTTC ATGGCCAAGC GTCTAACCTA AAGTCCAGG ATTGGCTCCA 2640
GGCAGCAATT ATATCATAAC TTATTGAACT TTTGAGCAGG ACGTGTGGT AATTTATGG 2700
CTGTTACTGC CCAATCATAA ATCTGCTTTT CCATTATAAG GCAGAGAGAA GTACATTCTG 2760
TCATTTGTC ACTTTTCTT GTCATCACGC AGCCCTGGAC CCAAAGGGTG AACTAAAGTT 2820
TAAGGAGATG AGAGGATCA AGGAGCCCGT TGGTGACGCC TTTCACTAGC TGGGGAGGGC 2880
TCTTCCATCC CCAGCACCCC CTGTACACC TCAGCAGCCT CCCCATGCA AAAAGGAAAG 2940
AGAAAAATTA AGTTAGGCA GTGAGTAAAG TGAGCTTAG AAAGAACTG GAATTTAAC 3000
TTCAATTTGT ACTTGTCTA AGTAGCAGGC TCACTAAAT TAGAGAAAGT CCAATAACTC 3060
TCCCCCTTTC CCTTGAAGAA TCTTTAAGTT TCGATCTGG AGCAAAACT TTCAGCATTA 3120
AATATTTAG AGGCTCCATT CACAGCTTTC AGATAAACTG GAGTGTTCAG ATGGACTGTT 3180
TTAATAAAAA TCTTTGAGCA AGTGAGTTAT GGCAAGAGAA ACTCAGCCTC TTTCTGTATA 3240
AECTAACAG GGAAGGGCTG GGGTGTGAAA AAGAAGATG TATGAAAACC ATTGGTAATT 3300
TTTATTTTTT ATTTTGGGA CTGCACTATC CTGTTACGA AGACATGTA ACTTGGTTCA 3360
GTCCAAATGG GGATTTGAT AAACCAATGC TCTCCATTAG AAATATGGTG CAAGCCACAT 3420
ATGTAATTTT AAATATTCTA GTAGCCACAT TAATAAAGTN AAAAGAAACA AAAAAAATAA 3480
AA

```

Seq ID NO: 317 Protein sequence:
Protein Accession #: NP_00464

65
70

```

1 11 21 31 41 51
| | | | |
FKHLTHYROI DTRANSCRIP TIONFACTOR TTFMTAESGP PPPQPEVLAT VKEERGETAA 60
GAGVPGEATG RGAGRRRKR PLQRGKPPYS YIALIAMAIA HAPERRLTLG GIYKFITERF 120
PFYRDNPKKW QNSIRHNLTL NDCFLKIPRE AGRPGKGNWY ALDPNAEDMF ESGSPLRRRK 180
RFKRSDLSTY PAYMHDAAAA AAAAAAATAA AAAAAIFPGA VPAARPPYPG AVYAGYAPP 240
LAAPPVYYP AASPGPCRVF GLVPERPLSP ELGPAPSGPG GSCAFASAGA PATTTGYQPA 300
GCTGARFANP SAYAAAYAGP DGAYPQGAGS AIFAAAGRLA GPASPPAGGS SGGVETTVD 360
YGRTPSQPFG ALGACYNPFG QLGGASAGAY HARHAAAYPG GIDRFVSAM

```

Seq ID NO: 318 DNA sequence
Nucleic Acid Accession #: NM_005688
Coding sequence: 126..4439

75
80
85

```

1 11 21 31 41 51
| | | | |
CCGGGCGAGT GGCTCATGCT CGGGAGCGTG GTTGAAGCGG TGGCGCGGTT GTCCCTGGAGC 60
AGGGGCGCAG GAATTCTGAT GTGAAACTAA CAGTCTGTGA GCCCTGGAAC CTCCTGCTCAG 120
AGAAGATGAA GGATATCGAC ATAGGAAAAG AGTATATCAT CCCCAGTCTT GGGTATAGAA 180
GTGTGAGGGA CAGAACCCAG ACTTCTGGGA CGCACAGAGA CCGTGAAGAT TCCAAGTTCA 240
GGAGAAGCTG ACCGTTGGAA TGCCAAGATG CCTTGGAAAC AGCAGCCCGA GCCGAGGGCC 300
TCTCTCTTGA TGCCCTCATG CATTCTCAGC TCAGAATCTT GGATGAGGAG CATCCCAAGG 360
GAAAGTACCA TCATGGCTTG AGTGCTCTGA AGCCCATCCG GACTACTTCC AAACACCAGC 420
ACCCAGTGGG CAATGCTGGG CTTTTTCTCT GTATGACTTT TTCGTGGCTT TCTTCTCTGG 480

```


ATGTCGTGAC CAACTAGACA TTCTGTCCGC TTAGCATGTT TGCTGAACAC CTTGTGGAAG 5760
 CAAAAATCTG AAAATGTGAA TAAAATTATT TTGGATTTTG TAAAAAATAA AAAAAAATAA 5820
 AAAAAAATAA AAAAAAATAA

5

Seq ID NO: 319 Protein sequence:
 Protein Accession #: NP_005679

10 1 11 21 31 41 51
 MKDIDIGKEY IIPSPGYRSV RERTSTSGTH RDREDSKFRP TRPLECQDAL ETAARAEGLS 60
 LDASMSHQLR ILDEEHKPKG YHHGLSALKP IRTTSKHQHP VDNAGLPFCN TFSWLSSLAR 120
 VAHKRGLSM EDVWSLSKHE SSDVNCRRLE RLWQEBELNEV GPDAASLRV VWIFCRTRLI 180
 15 LSIVCLMITQ LAGFSGPAPM VKHLLLEYTQA TRSNLQYSL LVLGLLLEI VRSWSLALTW 240
 ALNYRTGVRL RGAILTHAFK KILKLNKIKE KSLGELINIC SNDGQRMFEA AAVGSLLAGG 300
 FVVAILGMIV NVIILGPTGF LGSVAVFILFY PAMMFASRLT AYFRRCVAA TDERVQKMNE 360
 VLTYYKFKIM YAWVKAPSQS VQKIREEERR ILEKAGYFQG ITVGVAPIVV VIASVVTFPV 420
 HMTLGFDLTA AQAPTVVTVF NSMTFALKVT PFSVKLSSEA SVAVDRFKSL FLMEVHMIK 480
 NKPASPHIKI EMKNATLAWD SSHSSIQNSP KLTPKMKDK RASRGKKEKV RQLQRTEHQA 540
 20 VLAEQKGLHL LDSDERPSPE EEBGKHIHLG HLRQLRTLHS IDLEIQEGKL VGICGSGVSG 600
 KTLISAILG QMTLLEGSTA ISGTFAYVAQ QAWILNATLR DNILFGKEYD EERYNSVLNS 660
 CCLRPDLAII PSSDLTIGE RGNLSSGGQR QRISLARALY SDRSIYILD PLSALDAHVG 720
 NHIFNSAIRK HLKSKTFLVF TQQLQYLVDQ DEVI FMKEGC ITERGTHEEL MNLNGDYATI 780
 FNNLLGEBT PVEINSKKET SGSQKKSQDK GPKTGSVKKE KAVKPEGQL VQLEKGGQGS 840
 25 VPVSYGVYI QAAGGPLAPL VIMALFMLNV GSTAPSTWWL SYWIKQSGSN TTVTRGNETS 900
 VSDSMKDNPH MQYASIALY SMAVMLILKA IRGVVFKVGT LRASSRLHDE LFRILRSFPM 960
 KFFDTPFTGR ILNRFSDMD EVDVRLPFQA EMFIQNVILV FPCVGMIAV FWFVLVAVGP 1020
 LVILFVSLHI VSRVLIRELK RLDNITQSPF LSHITSSIQG LATIHAYNKG QEFLHRYQEL 1080
 LDDNQAPFFL FTCAMRHLAV RLDLISIALI TTTGLMIVLM HGGIPPAYAG LAISYAVQLT 1140
 30 GLFQPTVRLA SETEARPTSV ERINHVIKTL SLEAPARIKN KAPSPDWQPE GEVTFENAEM 1200
 RYRENLPVLV KKVSPFIKPK EKIGIVGRTG SKGSSLGMAL FRLVELSGGC IKIDGVRISD 1260
 IGLADLRSKL SIIPQEPVLF SGTVRSNLDP FNQYTEDQIW DALERTHMKE CIAQLPLKLE 1320
 SEVMENGDNF SVGERQLLICI ARALLRHCKI LILDEATAAM DTETDLLIQE TIREAFADCT 1380
 MLTIAHRLHT VLGSDRIMVL AQGQVVEFDT PSVLLSNDSS RPYAMFAAAE NKVAVKVG

Seq ID NO: 320 DNA sequence
 Nucleic Acid Accession #: AK022089.1
 Coding sequence: 181-1488

40 1 11 21 31 41 51
 AGCAGTTGCA CAACTTCCAG CAACTTTCTC AGCCGGCTAC TAATGAGCTG AAAGCCAGGA 60
 ACATCCGAGG AGAAGAGAAA GCTTCCAGCC CTCTCCCTT CACCCTGGAA ATCCAGACAC 120
 45 CCCCACCCCC ACCCTCAGAT CACTTAAAGA TAATTTCTTT ATTCGTTTGC CCGACAGACC 180
 ATGGTCCCTT TTGGAAGAAA CTGTCTAAAG ACTCGGCATA AAAACAGATC TCCAACTAAA 240
 GACATGGATT CAGAAGAGAA GGAATTTGTG GTTTGGGTTT GCCAAGAAGA GAAGCTTGTG 300
 TGTGGGCTGA CTA AACGCAC CACCTCTGCT GATGTCATCC AGGCTTTGCT TGAGGAACAT 360
 GAGGCTACGT TTGGAGAGAA ACGATTTCTT CTGGGGAAGC CCAGTGATTA CTGCATCATA 420
 50 GAGAAGTGGG GAGGCTCCGA AAGGGTCTT CCTCCACTAA CTAGAATCCT GAAGCTTTGG 480
 AAAGCGTGGG GAGATGAGCA GCCCAATATG CAATTTGTTT TGGTTAAAGC AGATGCTTTT 540
 CTTCCAGTTC CTTTGTGGCG GACAGCTGAA GCCAAATTAG TGCAAAAACAC AGAAAAATTG 600
 TGGGAGCTCA GCCCAGCAAA CTACATGAAG ACTTTACCAC CAGATAAACA AAAAAGAATA 660
 55 GTCAGGAAAA CTTTCCGGAA ACTGGCTAAA ATTAAGCAGG ACACAGTTTC TCATGATCGA 720
 GATAATATGG AGACATTAGT TCATCTGATC ATTTCCAGG ACCATACTAT TCATCAGCAA 780
 GTCAGAGAAA TGAAGAGACT GGATCTGGAA ATTGAAAAGT GTGAAGCTAA GTTCCATCTT 840
 GATCGAGTAG AAAATGATGG AGAAAATAT GTTCAGGATG CATATTTAAT GCCCAGTTTC 900
 AGTGAAGTTG AGCAAAATCT AGACTTGCAG TATGAGGAAA ACCAGACTCT GGAGGACCTG 960
 60 AGCCAAAAGT ATGGAATTGA ACAGCTGGAA GAACGACTGA AATATTACCG AATACTCATT 1020
 GATAAGCTCT CTGCTGAAAT AGAAAAGAG GTAAAAGATG TTTGCATTGA TATAAATGAA 1080
 GATGCGGAAG GGGAAAGTGC AAGTGAAGT GAAAGCTCTA ATTTAGAGAG TGTAAAGTGT 1140
 GATTTGGAGA AAAAGCATGAA AGCTGGTTTG AAAATCTACT CTCATTTGAG TGGCATCCAG 1200
 AAAGAGATTA AATACAGTGA CTCATTGCTT CAGATGAAAG CAAAAGAATA TGAATCTCTG 1260
 65 GCCAAGGAAT TCAATTCAT TCACATTAGC AACAAAGATG GGTGCCAGTT AAAGGAAAAAC 1320
 AGAGCGAAGG AATCTGAGGT TCCCAGTAGC AATGGGGAGA TTCTCCCTT TACTCAAAGA 1380
 GTATTTAGCA ATTACACAAA TGACACAGAC TCGGACACTG GTATCAGTTC TAACCACAGT 1440
 CAGGACTCCG AAACAACAGT AGGAGATGTG GTGCTGTTGT CAACATAGTT CCAATGGCTC 1500
 CTTTCTGACC TGCTTTCATG TTTTAATGTT TGTTTAATTT AATAGGAAAC CTCATTTTAA 1560
 70 ATATAACACT CAAAAAATG TAAATCATAT TGTAGTATTC AATAGTTAAT AAAAATCTCGA 1620
 GAAATGTGTT GTTTCTG

Seq ID NO: 321 Protein sequence:
 Protein Accession #: NP_005438.1

75 1 11 21 31 41 51
 MAPFGRNLLK TRHKNSRPTK DMDSEEBKIV VWVCQEEKLV CGLTKRTTSA DVIQALLEEH 60
 EATFGEKRF L GKPSDYCII EKWRGSEVL PPLTRILKLW KAWGDEQPNM QFVLVKADAF 120
 80 LPVPLWRTAE AKLVQNTKEL WELSPANMYK TLPDPKQKRI VRKTFRKLAK IKQDVTSHDR 180
 DNMETLVHLI ISQDHTIHQQ VKRMKELDLE IEKCEAKPHL DRVENDGENY VQDAYLMPSP 240
 SEVEQNLDLQ YBENQTLDEL SESDGIQLE ERLKYRILI DKLSAEIERKE VKSVCIDINE 300
 DAEGEAAASEL ESSNLESVKC DLEKSMKAGL KIHSHLSGIQ KEIKYSDSL LQMKRAKEYELL 360
 AKEFNLSLHS NKGQCQLREN RAKESEVPSS NGEIPPTQR VFSNYTNDTD SDTGISSNHS 420
 85 QDSETVGDV VLLST

Seq ID NO: 322 DNA sequence
 Nucleic Acid Accession #: NM_030920.1

Coding sequence: 317-1123

	1	11	21	31	41	51	
5	AGCATTGAAG	GGGAAGGAAC	TGCGGGTGTG	GTGTGTGTAT	GTGTGTGTGT	ATGTGTGTGC	60
	GGCGCGTGG	TGCGTGTGTG	TGCGCGCGCT	AGTGTGTGGA	CAAGGAGGTG	GGGGCAGCTG	120
	AGTTAGAGTC	CCAACCTCTG	GACTCCATTT	GCTATTCTCT	TCTTTCTCCC	CCACACCTAT	180
	CTGGTGGTGG	TAGTGGCGGT	TTATATTGTC	GTTCCTTTTC	ATTCATTCTT	AAATCTCTTA	240
10	AAAATTTTGG	GTTGGGGGTA	TTGGGGAAGG	CAGGAAAGGG	AAAAGGAGAG	TAGTAGCTGA	300
	AGAGCAAGAG	GAGGACATGG	AGATGAAGAA	GAAGATTAAC	CTGGAGTTAA	GGAACAGATC	360
	CCCGAGGAG	GTGACAGAGT	TAGTCCTTGA	TAATTGCCTG	TGTGTCAATG	GGGAAATTGA	420
	AGGCCTGAAT	GATACTTTCA	AAGAACTAGA	ATTTCTGAGT	ATGGCTAATG	TGGAACCTAG	480
	TTGCGTGGCC	CGGCTTCCCA	GCTTAAATAA	ACTTCGAAAA	TTGGAGCTTA	GTGATAAAT	540
15	AATTTCTGGA	GGCTTGAAG	TCCTGGCAGA	GAATGTCCA	AATCTTACCT	ACCTCAATCT	600
	GAGTGGAAAC	AAAATAAAG	ATCTCAGTAC	AGTAGAAGCT	CTGCAAAATC	TTAAAAATTT	660
	GAAAAGTCTT	GACCTGTTTA	ACTGTGAGAT	CACAAACCTG	GAAGATTATA	GAGAAAGTAT	720
	TTTTGAACTA	CTGCAGCAAA	TCACATACTT	AGATGGATTT	GATCAGGAGG	ATAATGAAGC	780
	GCCGACTCT	GAAGAGGAGG	ATGATGAGGA	TGGAGATGAA	GATGATGAAG	AGGAAGAGGA	840
20	AAATGAAGCT	GGTCCACCGG	AAGGATATGA	GGAAGAGGAG	GAGGAAGAGG	AAGAGGAGGA	900
	TGAGGATGAG	GATGAAGATG	AAGATGAAGC	AGGTTGAGAG	TTGGGAGAGG	GAGAAGAGGA	960
	AGTGGGCGCT	TCATACTTAA	TGAAAGAAGA	AATTGAGGAT	GAAGAAGATG	ATGATGACTA	1020
	TGTTGAAGAA	GGGGAAGAAG	AGGAAGAAGA	GGAAGAAGA	GGTCTTCGAG	GGGAGAAGAG	1080
	GAAACGAGAT	GCTGAAGACC	ATGGAGAGGA	AGAAGATGAC	TAGATCATT	TAAGACCAGA	1140
	TTCTCTAATG	TTTCTGGGTG	TGCAATAGAG	TGATCACATC	TTTGTTCCTT	CATGTACGAT	1200
25	AGCTATCCCT	ACAGAAGATA	ATGTGTAAC	TTTTATAGGA	AAAGTGTGGT	TTTACTATT	1260
	TTGCCCTTATC	ATTCCAAATA	AGAACTAGTC	TGTTAATGAT	CATATTGTAT	GTAGAGAAAA	1320
	ATTTTCATTG	ACTCCCATTG	TGGAATTCCT	TAGCAATTTA	TTTAGACTTA	ATTTTTTAAA	1380
	TTCAAGCTTA	CTGTATTAGT	CATTTTAGC	CCATAATTAA	AACATGATCA	CTTTTAAACA	1440
	GGTGTAGTAT	GGTGCATTT	ATTCCTTATT	TATAGATTA	CTGAAATTAC	AGTTTGCTAT	1500
30	AATATAAAAT	GACAATAGTC	TCTTGAGTGG	TAAGTTGGTT	ATTTTTTGTG	AGGTGATCCA	1560
	GGAACTTTTA	GTTTGAAGGC	AGTTACCTTT	TTTTTTTTTT	TTTTTTTTTT	ACTAAGAGTG	1620
	TTTGGTTGCT	TTTTTGTGAC	AAGTAACTTG	GAATAAGAA	GCAGAAATAG	AAAGGTTCTA	1680
	TTCAGCAACA	TAGTTTATCG	ATTTTGTGGA	GGTCTATTTC	AGTAATATGG	TTTACTGGAT	1740
	TAGTGGTGAC	TGATAAGATT	TTATTTTGA	AGGAAAAATT	GCTTATACTA	AGTCCAGAGA	1800
35	CATGCAAGTG	AGCCCTTTTG	TCAGGCTGCA	AATCATGACA	TGCCGATGGT	TGTTTATTTT	1860
	GTTTTTAGT	GTGACTTCTT	TTTCTTCTTA	GCAATTCCTT	TATGATCAC	TTCCCTTCTT	1920
	GTTTCACTCC	CTCCCGCTCT	CTCAAAGGA	ACTTGGGAAA	CTTGTGAAC	CCAGGAAAC	1980
	CTTTAGTCTT	ATACCTCAAC	TACGTTTCAG	TCCGTCTGCG	GTTTTTAAATA	AGTGAAGTAG	2040
	AAGAAATGA	GTATTTCTG	ACATAAGAAT	ATATTATCAA	TACAGTTTAA	TGCAGTAAGC	2100
40	TCTCCTTACC	ATAAATGTTT	CTTGGTTGAC	AACATCTAAG	ACAATATTAG	TGGGATGAAG	2160
	AAAGAAAAGC	AGGGGTGCTT	TTGGAAGCAG	TGTTAGTGT	CCTCAAAGT	CGGAACAATT	2220
	GCCTGTTGAT	ATATTATATA	GACATTAAAG	TCAAATTTTA	ATGTTGGCCT	CTCAAATGAT	2280
	TTGGATACCA	CTCTGCAAG	TATTTCTAAC	CTTTAATTC	CAGTTTAAA	ACAGATATAA	2340
	TAATAGCATT	TAATTTGAAAT	ATACTAGGCA	GCTGGAAAAG	TATTTGAAAC	TAAATTGACA	2400
45	TTAAAATTA	GATTTGTTT	CAAGTGGATG	TCCATTAATA	GTAGAAAAAT	ATTTGGGATA	2460
	AGTGAGTGG	TGTTTCCCTA	CATGGCTACT	AAATAAATA	TAATGAGTAT	ACAAGTATAT	2520
	CTCCTCTTT	GCTATGGAGG	CTCCATGTT	AAGGCAATGG	CTTTTTAAAT	CTTGGCTATC	2580
	TAAAATTTT	TCCCTTTGTT	TTGAAATATT	GTAAGTTTTT	AAGAAGTTAG	TGTGAGCAAA	2640
	TTAATTGAAG	TTATGCTTCT	ATACTGGGAC	ATATTTAAAT	ACTGAGTATA	GTACTGCTGC	2700
50	TACTGCTTCT	ACAATGTAAA	ATGTATGACT	TGGTGTTTTA	AAGTAAAAAT	TATGATGTTA	2760
	CTTGTGGAGA	AACTAAAAAT	GTTGTACAAC	TGACCGAAG	AAAACCCCTG	GGGATAAGTT	2820
	TAGTGAGGGG	ATTGGAATCC	CCAAAAGAT	AACATTTTTC	TTCTGCTTTT	AAAAACTGAA	2880
	ATCCCTGTT	CTAGTTCCTA	ACAATTTCTA	TTACATACTA	TGCCAGATTA	CAAATACTT	2940
	ATTTTTAAAA	TGAAATCTAT	ATATTGACTT	TCTTATCAAT	CATCTTACTG	TGCAATCAAA	3000
55	ATTAGAGTAC	TTTGGTTTGA	AAACAACACT	TAGAGCCTCC	AGATAACTTT	TAAGACTTAT	3060
	TTAGCTTTGT	GGTGGTATT	TTCATGCAAA	TAAGTAAGGG	TGGGTTTTAT	ATTTGTGATA	3120
	AGTTTTCGGT	CCTATTTTAA	TGCTCTTTGT	ATGGCAGTAT	GTATATATTG	TGTTAAGTTC	3180
	CTCAAGAATC	TCCTTAAAAA	CTTTGAAGTT	AATACTTTTG	TGCAACTGTG	TTTTGAATAA	3240
60	AGCCATGACA	GTGTTAAAAA	CAAAC				

Seq ID NO: 323 Protein sequence:
Protein Accession #: NP_112182.1

	1	11	21	31	41	51	
65	MEMKKKINLE	LRNRSPEEVT	ELVLDNCLCV	NGEIEGLNDT	FKELEFLSMA	NVELSSLARL	60
	PSLNKLRKLE	LSDNIISGGL	EVLAEKCPNL	TYLNLGSKI	KDLSTVEALQ	NLKNKLSLDL	120
	FNCEITNLED	YRESIFELLO	QITYLDGFDQ	EDNEAPDSEE	EDDEDGDEDD	EEEEENEAGP	180
70	PEGYEEEEEE	EEDEDEDEDE	DEDEAGSELG	EGEEEVGLSY	LMKEEIQDEE	DDDDVVEEGE	240
	EEEEEBEGGL	RGEKRRKRAE	DDGEEEDD				

Seq ID NO: 324 DNA sequence
Nucleic Acid Accession #: NM_003812
Coding sequence: 224..2722

	1	11	21	31	41	51	
75	TCCTCTGCGT	CCCGCCCGGG	GAGTGGCTGC	GAGGCTAGGC	GAGCCGGGAA	AGGGGGCGCC	60
	GCCCAGCCCC	GAGCCCGCGG	CCCCGTGCCT	CGAGCCCGGA	GCCCCCTGCC	CGGGGGCGCA	120
80	CCATGCGCGC	CGAGCCGGCG	TGACCGGCTC	CGCCCGCGGC	CGCCCGCGAG	CTAGCCCGGC	180
	GCTCTCGCGG	GCCACACGGA	GCGCGCGCGG	GGAGCTATGA	GCCATGAAGC	CGCCCGGCAG	240
	CAGCTCGCGG	CAGCCGCCCC	TGGCGGGCTG	CAGCCTTGCC	GCGCTTCTCT	GCGGCCCCCA	300
	ACGCGGCCCC	GCCGGCTCGG	TGCCTGCGAG	CGCCCGGCCC	CGCAGCGCGC	CCTGCCGCTT	360
	GCTTCTCGTC	CTTCTCTCTG	TGCCTCGGCT	CGCCCGCTCG	TCCCGGCCCC	GCGCTTGGGG	420
85	GGCTGCTGCG	CCACGCGCTC	CGCATTGGAA	TGAAACTGCA	GAAAAAATTT	TGGGAGTCTT	480
	GGCAGATGAA	GACAATACAT	TGCAACAGAA	TAGCAGCAGT	AATATCAGTT	ACAGCAATGC	540
	AATGCAGAAA	GAAATCACAC	TGCCTTCAAG	ACTCATATAT	TACATCAACC	AAGACTCGGA	600

5
10
15
20
25
30
35
40

```

AAGCCCTTAT CACGTTCTTG ACACAAAGGC AAGACACCAG CAAAAACATA ATAAGGCTGT 660
CCATCTGGCC CAGGCAAGCT TCCAGATTGA AGCCTTCGGC TCCAAAATCA TTCTTGACCT 720
CATACTGAAC AATGGT1TGT TGTCTTCTGA TTATGTGGAG ATTCAC2TACG AAAATGGGAA 780
ACACACAGTAC TCTAAGGGTGT GAGAGCACTG TTACTACCAT GGAAGCATCA GAGGCGTCAA 840
AGACTCCAAG GTGGCTCTGT CAACCTGCAA TGGACTTCAT GGCATGTTG AAGATGATAC 900
CTTCGTGTAT ATGATAGAGC CACTAGAGCT GGTTCATGAT GAGAAAAGCA CAGGTCGACC 960
ACATATAATC CAGAAAACCT TGCAGGACA GTATTCTAAG CAAATGAAGA ATCTCACTAT 1020
GGAAAGAGGT GACCAGTGGC CCTTTCCTCT TGAATTACAG TGGTTGAAAA GAAGGAAGAG 1080
AGCAGTGAAT CCATCAGGTG GTATATTGA AGAAATGAAA TATTGGAACT TTATGATTGT 1140
TAATGATCAC AAAACGTATA AGAAGCATCG CTCTTCTCAT GCACATACCA ACAACTTTGC 1200
AAAAGTCCGTG GTCACACTGT TGGATTCTAT TTACAAGGAG CAGCTCAACA CCAGGGTGTG 1260
CCTGTGGCT GTAGAGACT GGACTGAGAA GGATCAGATT GACATACCA CCAACCTGTG 1320
GCAGATGCTC CATGAGTCTT CAAAATACCG GCAGCGCATT AAGCAGCATG CTGATGCTGT 1380
GCACCTCATC TCGCGGGTGA CATTTCACTA TAAGAGAAGC AGTCTGAGTT ACTTTGGAGG 1440
TGTCTGTTCT CGCACAGAG GAGTTGGTGT GAATGAGTAT GGTCTTCCAA TGGCAGTGGC 1500
ACAAGTATTA TCGCAGAGCC TGGCTCAAAA CCTTGGAACT CAATGGGAAC CTCTAGCAG 1560
AAAGCCAAAA TGTGACTGCA CAGAATCCTG GGGTGGCTGC ATCATGGAGG AAACAGGGGT 1620
GTCCCATTTCT CGAAAAATTTT CAAAGTGCAG CATT1TGGAG TATAGAGACT TTTTACAGAG 1680
AGGAGGTGGA GCCTGCCTTT TCAACAGGCC AACAAAGCTA TTTGAGCCCA CGGAATGTGG 1740
AAATGGATAC GTGGAAGCTG GGGAGGAGTG TGATTGTGGT TTTTATGTTG AATGCTATGG 1800
ATTATGCTGT AAGAAAATGTT CCCTTCCAA CGGGCTCAC TGCAGCGAAG GCGCCCTGCTG 1860
TAACAATACC TCATGTCTTT TTCAAGCCAG AGGGTATGAA TGC0GGGATG CTGTGAA0CGA 1920
GTGTGATATT ACTGAATATT G2ACTGGAGA CTCTGGTCAG TGCCACCAA ATCTTCATAA 1980
GCAAGACCGA TATGCAATGCA ATCAAATCA GGGCGCTGC TACAATGGCG AGTGAAGAC 2040
CAGAGACAAAC CAGTGTAGT ACATCTGGGG AACAAAGGCT GCAGGGTCTG ACAAGTCTG 2100
CTATGAAAAA CTGAATACAG AAGGCACTGA GAAGGGAAC TGC3GGGAAAG ATGGAGACCG 2160
GTGGATT2CAG TGCAGCAAAC ATGATGTGTT CTGTGGATTC TTACTCTGTA CCAATCTTAC 2220
TCGAGTCCA CGTATTGGTC AACTTCAGGG TGAGATCATT CCAACTTCTT TCTACCATCA 2280
AGGCGGGTGT ATTGACTGCT GTGGTGCCCA TGTAGTTTGA GATGATGATA CGGATGTGGG 2340
CTATGTAGAA GATGGAACGC CATGTGGCCC GTCTATGATG TGT1TAGATC GGAAGTGCCT 2400
ACAAAATCAA GCCCTAAATA TGAGCAGCTG TCCACTCGAT TCCAAGGGTA AAGTCTGTTT 2460
GGCCATGGG GTGTGTAGTA ATGAAGCCAC CTGCATTTGT GATTTACCT GGGCAGGGAC 2520
AGATTGCAGT ATCCGGGATC CAGTTAGGAA CCTTCACCCC CCCAAGGATG AAGACCCAA 2580
GGTCTCAGT GCCACCAATC TCATAATAGG CTCCATCGCT GGTGCCATCC TGGTAGCAGC 2640
TATTGTCTTT GGGGGCACAG C2TGGGGATT TAAAAATGTC AAGAAGAGAA GGTTCGATCC 2700
TACTCAGCAA G3CCCATCTT GAATCAGCTG CGCTGGATGG ACACCGCCTT GCAC1TGTGG 2760
ATTCTGGGTA TGACATACTC GCAGCAGTGT TACTGGAACT ATTAAGTTTG TAAACAAAAC 2820
CTTTGGGTGG TAATGACTAC GGAGCTAAAG TTGGGGTGAC AAGGATGGGG TAAAAGAAAA 2880
CTGTCTCTTT TGGAAATAT GTCAAAGAAC ACCTTCCACC ACCTGTCAGT AAACGGGGGA 2940
GGGGGCAAAA GACCATGCTA TAAAAAGAAC TGTTCAGAA TCTTTTTTTT TCCCTAATGG 3000
ACGAAGGAAC AACACACACA CAAAAATTA ATGCAATAAA GGAATCATA AAAA

```

Seq ID NO: 325 Protein sequence:
Protein Accession #: NP_003803

45
50
55
60

```

1 11 21 31 41 51
| | | | |
MKPPGSSSRQ PPLAGCSLGA AS0GPQRGPA GSVPASAPAR TPPCRLLLV LLLPPLAASS 60
RPRAWGAAAP SAPHWNBTAE KNLGLVADED NTLQONSSSN ISYSNAMQKE I1LPSRLIYY 120
INQDSESPYH VLDTKARRHQ KHNKAVHLAQ ASFQIEAFGS KFILD1L1LN GLLSSDYVEI 180
HYENGRKQYS XGGSHCYHYG SIRGVKDSKV ALSTCNGLHG MFEDDTFVYM IEPLELVHDE 240
KSTGRPHIQ KTLAGQYSKQ MNK1LTMERGD QWFLSELQW LKRRKRAVNP SRG1FEEMKY 300
LELMIVNDHK TYK1KRRSSHA HTN1NFAKSVV NLVDSIYKEQ LNRVVLVAV ETWTEKDQID 360
IT1N1PQMLH EFSKYRQRIK QHADAVHLIS RVT1PHYKRSS LSYFGGCSR TRGVGVNEYG 420
LPMVAQVLS QSLAQN1GIQ WEPSSR1PKPC DCTESWGGCI MEETGVSHSR KFSKCS1LEY 480
RDFLQRGGGA CLFNRP1KLF EPTECGNGVY EAGEECDGPF HVECYGLCCK KCSLSNGAHC 540
SDGPCCNNTS CLFQPRGYEC RDAVNECDIT EYCTGDSGQC PPNLHKQDGY ACNQNQGRCY 600
NGECKTRDNQ CQY1WG1KAA GSDKPCYEKL NTEGTEKGN C KGDGDRW1QC SKHDFVCGFL 660
LCTN1L1R1RPR I1QLQGE1IP TSPYHQGRV1 DCSGAHV1LD DDTDVGYVED GTPCGFSM1MC 720
LDRKCLQ1QA LNMSSCP1LDS KGKVC5GHGV CSNEAT1CID FTWAGTDCS1 RDPVRNLH1PP 780
KDEGPKGPSA TNL1IGSIAG A1LVAA1VLG GTWGFKNVK KRREDPTQQG PI

```

Seq ID NO: 326 DNA sequence
Nucleic Acid Accession #: AK074418.1
Coding sequence: 244-1515

65
70
75
80
85

```

1 11 21 31 41 51
| | | | |
CTTTCTCCAA GACGGCCGGC CATGCTCTCC TCCTCTGCCA GTCTCTCCA CCACTCTCTA 60
ACCTGAGAGC CTGTGGAACC TGCCCGTCTC CCCTCCTCCA TCAGACACAC CTGCC2TAGGA 120
AACAGATGGA AAAAGTGGAG GACCCGTGAG TGACTTGC2T CTAAGATTTA TACCAGATGC 180
AAATGACAGA GCTGGAGTTC TGCTGTGCCT GGAAAGGACC TCGGAAGTCT TCTAAGGAGA 240
GTCATGGCGT ATTACCAGGA GCCTTCAGTG GAGACCTCCA TCATCAAGTT CAAAGACCAG 300
GACTTTACCA CCTTGC0GGGA TCACTGCCTG AGCATGGGCC GGACGTTTAA GGATGAGACA 360
TTCCCGCAG CAGATTTCTC CATAGGCCAG AAGCTGCTCC AGGAAAAACG CCTCTCCAAT 420
GTGATATGGA AGCGCCACA GGATCTACCA GGGGGTCTCT CCACTTCAT CTGTGATGAT 480
ATAAGCAGAT TTGACATCCA ACAAGGAGGC GCAGCTGACT GCTGGTCTCT GGCAGCACTG 540
GGATCCTTGA CTCAGAACCC ACAGTACAGG CAGAAGATCC TGATGGTCCA AAGCTTTTCA 600
CACCAGTATG CTGGCATT1T CCGTTTCCGG TTCTGGCAAT GTGGCCAGTG GGTGGAAGTG 660
GTGATTGATG ACCGCCTACC TGTCCAGGGA GATAAATGCC TCTTTGTGGC TCTCTGCCAC 720
CAAAA0CAAAG AGTTCTGGCC CTGCCTGCTG GAGAAGGCCT ATGCCAAGCT GCTCGGATCC 780
TATTCCGATC TGCAC1ATGG CTTCCTCGAG GATGCCTCGG TGGACCTCAC AGGAGGCGTG 840
ATCACCAACA TCCATCTGCA CTCTTCCCCT GTGGACCTGG TGAAGGCAGT GAAGACAGCG 900
ACCAAGGCAG TCTCCCTGAT AACCTGTGCC ACTCCAAGTG GGCCAACAGA TACAGCACAG 960
CGGATGGAGA ATGGGCTGGT GAGTCTCCAT GCCTACACTG TGACTGGGGC TGAGCAGATT 1020
CAATACC0AA GGGGCTGGGA AGAAATTATC TCCTGTGGGA ACCCCTGGGG CTGGGGCGAG 1080
ACCGAATGGA GAGGGCGCTG GAGTGTATGG TCTCAGGAGT GGGAGGAAC CTGTGATCCG 1140

```

	CGGAAAAGCC	AGCTACATAA	GAACCGGGAA	GATGGCGAGT	TTTGGATGTC	GTGTCAAGAT	1200
	TTCCAACAGA	AATTCATCGC	CATGTTTATA	TGTAGCGAAA	TTCCAATTAC	CCTGGACCAT	1250
	GGAAAACACA	TCCACGAAGG	ATGTCGCCAA	ATAATGTTTA	GGAAAGCAAGT	GATTCTAGGA	1320
5	AACTCTGCAG	GAGGACCTCG	GAATGATGCT	CAATTCAACT	TCTCTGTGCA	AGAGCCAATG	1380
	GAAGGCACCA	ATGTTGTGCT	GTGCGTCACA	GTGCTGTGCA	CACCATCAA	TTTGRAAGCA	1440
	GAAGATGCAA	AATTTCCACT	CGATTTCCAA	GTGATTTCTGG	CTGGCTCACA	GAACACTGT	1500
	CCAAAGCTCA	AATAATAAAT	TCCGCGCAA	CTTACCATG	ACTTACCATC	TGAGCCCTGG	1560
	GAACTATGTT	GTGGTTGCAC	AGACACGGAG	AAAATCAGCG	GAGTTCCTGC	TCCGATCTT	1620
	CCTGAAAATG	CCAGACAGTG	ACAGGCCACT	GAGCAGCCAT	TTCAACCTCA	GAATGAAGG	1680
10	AAGCCCTTCA	GAACATGGCT	CCCAAACAAAG	CATTTTCAAC	AGATATGCTC	AGCAGGTATG	1740
	GTACCTAGCA	CCCAGGGGCC	TTACGTGGGA	TTGGAGAAG	GGGACCTGAG	GGAGGGACAG	1800
	CCCTCACAGG	CCCTTACTGG	GATGCAGAGA	GGAGAAGTGA	CTTGTATGGAC	TATTTTACT	1860
	GCCTCTCTTC	CTGGATCGTC	TCCAGAACTG	CTGTGGCTGC	CAAGCTCGGT	AGAGACGTGG	1920
	CGCCCCACCC	AGTCTCATCC	GGGGACTTTC	AAGCTGGAAT	GCAGAGCTTA	GAAGGGGAGG	1980
15	GGATAATTAT	GGGGTGTGAG	GTGCATTGCC	CTCTAAATCT	TTAAACAAGC	AATTGGCAGT	2040
	ACCCCGTGAA	ACCTTTCCTT	CTCCTACTCG	GCCACCTCCC	ACCAACCTGG	CATCGTTCCT	2100
	CCCGGGAGCT	AGCCAGCTTC	AGAAAGCACA	TACAGCATCC	TTGCTGCCAA	ACCACCTATG	2160
	TGCACACAGG	ATTTCTCTAA	TGGCTTAATA	AACTGTTATA	AAGAACTCCT	TGACTGTGCA	2220
20	GAATAAAATA	GCTGCCAGGG	GCTCTGCACA	ATGAGCCTCT	TACCGTTAAA	AAAAAAAAAA	2280
	AAAAAAAAAA	AAAAAAAAAA	AAAAAAAAAA				

Seq ID NO: 327 Protein sequence:
 Protein Accession #: BAB85075.1

25	1	11	21	31	41	51	
	MAYYQEPSVE	TSIIKPKDQD	FTTLRDHCLS	MGRTFKDETF	PAADSSIGQK	LLQEKRLSNV	60
	IWKRPQDLPG	GPPHFILDDI	SRFDIQQGA	ADCWFLAALG	SLTQNPQYRQ	KILMVSQFSH	120
	QYAGIFRFRF	WQCQWQEVV	IDDRLPVQGD	KCLFVRPRHQ	NQEFWPCLE	KAYAKLLGSY	180
30	SDLHYGFLED	ALVDLTGGVI	TNHLHSSPV	DLVKAVKTAT	KAGSLITCAT	PSGPTDTAQA	240
	MENGLVSLHA	YTVVGAEQIQ	YRGRWEEIIS	LWNPWGWGET	EWGRWSDGS	QWEEETCDPR	300
	KSQHLHKRED	GEFWMSCQDF	QQKFIAMFIC	SEIPITLDHG	NTLHEGWSQI	MFRKQVILGN	360
	TAGGPRNDAQ	FNFSVQEPME	GTNVVVCVTV	AVTPSNLKA	DAKFPLDFQV	ILAGSQKHCP	420
	KLK						

Seq ID NO: 328 DNA sequence
 Nucleic Acid Accession #: BC017490.1
 Coding sequence: 74-2788

40	1	11	21	31	41	51	
	GTGGGTACAG	TGAACCACTT	TTCCGCGGAA	ACCTGGTTGT	TGCTGTAGTG	GCGGAGAGGA	60
	TGTTGGTACT	GCTATGGCGG	AATCATCGGA	ATCCTTCACC	ATGGCATCCA	GCCCGGCCCA	120
45	CGCTCGGCGA	GGCAATGATC	CTCTCACCTC	CAGCCCTGGC	CGAAGCTCCC	GGCGTACTGA	180
	TGCCCTCAC	TCCAGCCCTG	GCCGTGACCT	TCCACCATT	GAGGATGAGT	CCGAGGGGCT	240
	CCTAGGCACA	GAGGGGCCCC	TGGAGGAAGA	AGAGGATGGA	GAGGAGCTCA	TTGGAGATGG	300
	CATGGAAGG	GACTACCGCG	CCATCCAGAG	GCTGACGCC	TATGAGCCG	AGGGACTGGC	360
	TCTGGATGAT	GAGGACGTAG	AGGAGCTGAC	GGCCAGTCAG	AGGGAGGCAG	CAGAGCGGGC	420
50	CATGCGGCAG	CGTAGCCGGG	AGGCTGGCCG	GGGCGTGGCG	CGCATGCGCC	GTGGGCTCCT	480
	GTATGACAGC	GATGAGGAGG	ACGAGGAGCG	CCCTGCCCGC	AAGCGCCGCC	AGGTGGAGCG	540
	GGCCACGGAG	GACGGCGGAG	AGGACGAGGA	GATGATCGAG	AGCATCGAGA	ACCTGGAGGA	600
	TCTCAAAGGC	CACCTCTGTG	GCCAGTGGGT	GAGCATGGCG	GGCCCCGGCG	TGGAGATCCA	660
	CCACCGCTTC	AAGAACTTCC	TGCGCACTCA	CGTCGACAGC	CACGGCCACA	ACGTCTTCAA	720
55	GGAGCGCATC	AGCGACATGT	GCAAGAGAGA	CCGTGAGAGC	CTGGTGGTGA	ACTATGAGGA	780
	CTTGGCAGCC	AGGGAGCACG	TGCTGGCCTA	CTTCTGCCT	GAGGCACCGG	CGGAGCTGCT	840
	GCAGATCTTT	GATGAGGCTG	CCCTGGAGGT	GGTACTGGCC	ATGTACCCCA	AGTACGACCG	900
	CATCACCAAC	CACATCCATG	TCCGCATCTC	CCACTGCCT	CTGGTGGAGG	AGCTGCGCTC	960
	GCTGAGGCAG	CTGCATCTGA	ACCAGCTGAT	CCGCACCAGT	GGGGTGGTGA	CCAGCTGCAC	1020
60	TGGCGTCTTG	CCCCAGCTCA	GCATGGTCAA	GTACAATGCG	AACAAGTGCA	ATTTCTGCTC	1080
	GGGTCTCTTC	TGCCAGTCCC	AGAACCAAGG	GGTGAACCA	GGCTCCTGTC	CTGAGTGCCA	1140
	GTCCGCGGCG	CCCTTTGAGG	TCAACATGGA	GGAGACCATC	TATCAGAACT	ACCAGCGTAT	1200
	CCGAATCCAG	GAGAGTCCAG	GCAAAAGTGG	GGCTGGCCCG	CTGCCCGCT	CCAAGGACGC	1260
	CATTCTCTTC	CGAGATCTGG	TGGACAGCTG	CAAGCCAGGA	GACGAGATAG	AGCTGACTGG	1320
65	CATCTATCAC	AACAATATG	ATGGCTCCCT	CAACTCTGCC	AATGGCTTCC	CTGTCTTTCG	1380
	CACCTGTATC	CTAGCCCAAC	ACGTGGCCAA	GAAGGACAAC	AAGGTTGCTG	TAGGGGAACT	1440
	GACCGATGAA	GATGTGAAGA	TGATCACTAG	CCTCTCCAAG	GATCAGCAGA	TCCGAGAGAA	1500
	GATCTTTGCC	AGCATTGTCT	CTTCCATCTA	TGGTCATGAA	GACATCAAGA	GAGGCCCTGG	1560
	TCTGGCCCTG	TTCCGAGGGG	AGCCCAAAAA	CCCAGGTGGC	AAGCACAAGG	TACGTGGTGA	1620
70	TATCAACGTG	CTCTTGTGCG	GAGACCCCTG	CACAGCGAAG	TCCGAGTTTC	TCAAGTATAT	1680
	TGAGAAAGTG	TCCAGCCGAG	CCATCTTCAC	CACCTGGCCG	GGGGCGTCGG	CTGTGGGCTC	1740
	CACGGCGTAT	GTCCAGCGCG	ACCTCTGCAG	CAGGGAGTGG	ACCTTGGAGG	CTGGGGCCCT	1800
	GGTTCTGGCT	GACCGAGGAG	TGTGTCTCAT	TGATGAATTT	GACAAGATGA	ATGACCAGGA	1860
	CAGAACCAGC	ATCCATGAGG	CCATGGAGCA	ACAGAGCATC	TCCATCTCGA	AGGCTGGCAT	1920
75	CGTCACCTCC	CTGCAGGCTC	GCTGCAGGTT	CATTGTCTGC	GCCCAACCCA	TAGGAGGGCG	1980
	CTACGACCCC	TGCTGACTTT	TCTCTGAGAA	CGTGGACCTC	ACAGAGCCCA	TCATCTCAAG	2040
	CTTTGACATC	CTGTGTGTGG	TGAGGGACAC	CGTGGACCCA	GTCCAGGACG	AGATGCTGGC	2100
	CGCTTCGTG	TGGGCAGGCC	AGTCAGACCA	CCACCCAGC	AACAAGGAGG	AGGAGGGGCG	2160
	GGCCAATGGC	AGCGCTGTGT	AGCCCGCCAT	GCCCAACAGC	TATGGCGTGG	AGCCCTGTCC	2220
80	CCAGGAGGTC	CTGAAGAAGT	ACATCATCTA	CGCCAAGGAG	AGGGTCCACC	CGAAGCTCAA	2280
	CCAGATGGAC	CAGGACAAGG	TGGCCAAGAT	GTACAGTGAC	CTGAGGAAAG	AATCTATGGC	2340
	GACAGGCAGC	ATCCCCATTA	CGGTGCGGCA	CATCGAGTCC	ATGATCCGCA	TGGCGGAGGC	2400
	CCACGCGCGC	ATCCATCTCG	GGGACTATGT	GATCGAAGAC	GACGTCAACA	TGGCCATCCG	2460
	CGTAGTCTG	GAGAGCTTCA	TAGACACACA	GAAGTTCAGC	GTCAATGCGCA	GCATGGCGAA	2520
85	GACTTTTGCC	CGTACCTTTT	CATTCGGGCG	TGACAACAAT	GAGCTGTGTC	TCTTCTACT	2580
	GAAGCAGTTA	GTGGCAGAGC	AGGTGACATA	TCAGCGCAAC	CGCTTTGGGG	CCCAGCAGGA	2640
	CACATATGAG	GTCCCTGAGA	AGGACTTGGT	GGATAAGGCT	CGTCAGATCA	ACATCCACAA	2700

	CCTCTCTGCA	TTTTATGACA	GTGAGCTCTT	CAGGATGAAC	AAGTTCAGCC	ACGACCTGAA	2760
	AAGGAAAATG	ATCCTCGCAGC	AGTTCTGAGG	CCCTATGCCA	TCCATAAGGA	TTCTTGGGA	2820
	TTCTGGTTTG	GGGTGGTTCAG	TGCCCTCTGT	GCTTTATGGA	CACAAAACCA	GAGCACTTGA	2880
5	TGAACTCGGG	GTACTAGGGT	CAGGGCTTAT	AGCAGGATGT	CTGGCTGCAC	CTGGCATGAC	2940
	TGTTTGTTC	TCCAAGCCTG	CTTTGTGCTT	CTCACCTTTG	GGTGGGATGC	CTTGCCAGTG	3000
	TGCTTACTT	GGTGTCTGAA	CATCTTGCCA	CCTCCGAGTG	CTTTGTCTCC	ACTCAGTACC	3060
	TTGGATCAGA	GCTGCTGAGT	TCAGGATGCC	TGCSTGTGTT	TTAGGTGTTA	GCCTTCTTAC	3120
	ATGGATGTC	GGAGAGCTGC	TGCCCTCTTG	GCSTGAGTTG	CGTATTCAGG	CTGCTTTTGC	3180
10	TGCCTTTGGC	CAGAGAGCTG	GTTGAAAGATG	TTTGTAAATCG	TTTTCAGTCT	CCTGCAGGTT	3240
	TCTGTGCCCC	TGTGTGGAA	GAGGGCACGA	CAGTGCCAGC	GCAGCGTCTT	GGGCTCCTCA	3300
	GTGCGAGGGG	TGGGATGTGA	GTCATGCGGA	TTATCCACTC	GCCACAGTTA	TCAGCTGCCA	3360
	TTGCTCCCTG	TCTGTTTCCC	CACTCTCTTA	TTTGTGCATT	CGGTTTGGTT	TCTGTAGTTT	3420
	TAATTTTAA	TAAAGTTGAA	TAAATATAA	AAAAAAAAA	AAAAAA		

Seq ID NO: 329 Protein sequence:
 Protein Accession #: AAH17490.1

	1	11	21	31	41	51	
20	MAESSESFTM	ASSPAQRRR	NDPLTSSPGR	SSRRDALT	SFGRDLPPFE	DSEGLLGTE	60
	GPLEEEDG	ELIGDMERD	YRAIPELDA	EAEGALDDE	DVEELTASQR	EAAERAMRQR	120
	DREAGRGLR	MRRGLLYSD	EEDERPARK	RRQVERATED	GEEDEEMIES	IENLEDLKGH	180
	SVREWVSMAG	PRLEIHHRFK	NFLRTHVDSH	GHNVFKERIS	DMCKENRESL	VVNYEDLAAR	240
25	EHVLAYFLPE	APAELLQIFD	EAALEVVLAM	YPKYDRITNH	IHVRIHSLPL	VEELRSLRQL	300
	HLNQLIRTS	VVTSCTGVL	QLSMVKYCN	KCNFVLGPF	QSQNQEVKPG	SCPEQCSAGP	360
	FEVNMERTY	QNYQRIRIQE	SPGKVAAGRL	PRSKDAILLA	DLVDSCFKPG	EIELTGIYHN	420
	NYDGLNTAN	GFPVPATVIL	ANHVAKKDNK	VAVGELTDED	VKMTISLSKD	QQIGEKIFAS	480
	IAPSIYGHED	IKRGLALALF	GGEPKNPGGK	HKVRGDINVL	LCGDPGTAKS	QPLKYIEKVS	540
	SRAIFTTGGQ	ASAVGLTAYV	QRHPVSREW	LEAGALVLAD	RGVCLIDEFD	KMNDQRTSI	600
30	HEAMEQQSIS	ISKAGIVTSL	QARCTVIAAA	NPIGGRYDPS	LTFSENVDLT	EPIISRFDIL	660
	CVVRDTPV	QDEMLARFV	GSHVRHHPNS	KEEGLANGS	AAEPAMPNTY	GVEPLPQEV	720
	KKYIIYAKER	HPKLNQMDQ	DKVAKMYSDL	RKESMATGSI	PITVRHIESM	IRMAEAHARI	780
	HLRDYVIEDD	VNMAIRVMLE	SFIDTQKFSV	MRSMRKTFAR	YLSFRDNE	LLFLILKQLV	840
35	AEQVTVQRNR	FGAQDITTEV	PEKDLVDKAR	QINIHNLSAF	YDSELFMRNK	FSHDLRKKMI	900
	LQVF						

Seq ID NO: 330 DNA sequence
 Nucleic Acid Accession #: M17254
 Coding sequence: 257-1645

	1	11	21	31	41	51	
45	GTCGCGCGT	GTCCGCGCC	GCGTGTGCCA	GCGCGGTGC	CTTGGCGGTG	CGCGCGAGC	60
	CGGGTCGCAC	TAACTCCCTC	GGCGCCGAGC	GCGGCGCTAA	CCTCTCGGTT	ATTCCAGGAT	120
	CTTTGGAGAC	CCGAGGAAAG	CCGTGTGTGC	CAAAAGCAG	ACAATGACT	CACAGAGAAA	180
	AAAGATGGCA	GAACCAAGGG	CAACTAAAGC	CGTCAGGTT	TGAACAGCTG	GTAGATGGCG	240
	TGGCTTACTG	AAGGACATGA	TTCAGACTGT	CCCGGACCCA	GCAGCTCATA	TCAAGGAAGC	300
	CTTATCAGTT	GTGAGTGAAG	ACCAGTCTGT	GTTTGTGAGT	GCCTACGGAA	CGCCACACCT	360
50	GGCTAAGACA	GAGATGACCG	CGTCTCTC	CAGCGACTAT	GGACAGACT	CCAAGATGAG	420
	CCCACGCGTC	CCTCAGCAGG	ATTGGCTGTC	TCAACCCCA	GCCAGGTC	CCATCAAAAT	480
	GGAAATGTA	CCTAGCCAGG	TGAATGGCTC	AAGGAACTCT	CCTGATGAAT	GCAGTGTGGC	540
	CAAAGCGCGG	AAGATGGTGG	GCAAGCCAGA	CACCGTGGG	ATGAACTACG	GCAGCTACAT	600
	GGAGGAGAAG	CACATGCCAC	CCCCAAACAT	GACCAAGAAC	GAGCGCAGAG	TTATCGTGCC	660
55	AGCAGATCCT	ACGCTATGGA	GTACAGACCA	TGTGCGGCAG	TGGCTGGAGT	GGGCGGTGAA	720
	AGAATATGGC	CTTCCAGACG	TCAACATCTT	GTTATTTCCAG	AACATCGATG	GGAAAGAACT	780
	GTGCAAGATG	ACCAAGGACG	ACTTCCAGAG	GCTCACCCCC	AGTACAAACG	CCGACATCTT	840
	TCTCTCACAT	CTCCACTACC	TCAGAGAGAC	TCCTCTTCCA	CATTGACTT	CAGATGATGT	900
	TGATAAAGCC	TTACAAAAT	CTCCACGGTT	AATGCATGCT	AGAAACACAG	ATTTACCATA	960
60	TGAGCCCCC	AGGAGATCAG	CCTGGACCGG	TCAAGGCCAC	CCCACGCCCC	AGTCGAAAGC	1020
	TGCTCAACCA	TCTCCTTCCA	CAGTGCACCA	AACTGAAGAC	CAGCGTCTC	AGTTAGATCC	1080
	TTATCAGATT	CTTGGACCAA	CAAGTAGCCG	CCTTGCAAT	CCAGGCAGTG	GCCAGATCCA	1140
	GCTTTGGCAG	TTCTCTCTGG	AGCTCCTGTC	GGACAGCTCC	AACTCCAGCT	GCATCACCTG	1200
	GGAAAGCACC	AACGGGAGT	TCAAGATGAC	GGATCCCGAC	GAGGTGGCCG	GGCGTGGGG	1260
65	AGAGCGGAAG	AGCAAACCCA	ACATGAACCA	CGATAAGCTC	AGCCGCGCCC	TCCGTTACTA	1320
	CTATGACAAG	AACATCATGA	CCAAGGTCCA	TGGGAAGCGC	TACGCTTACA	AGTTGCACTT	1380
	CCACGGGATC	GCCCAGGCC	TCCAGCCCCA	CCCCCGGAG	TCATCTCTGT	ACAAGTACCC	1440
	CTCAGACCTC	CCGTACATGG	GCTCCTATCA	CGCCACCCA	CAGAAGATGA	ACTTTGTGGC	1500
	GCCCACCCCT	CCAGCCCTCC	CCGTGACATC	TTCCAGTTTT	TTTGTGCCCC	CAAACCCATA	1560
70	CTGGAATTCA	CCAACCTGGG	GTATATACCC	CAACACTAGG	CTCCCCACCA	GCCATATGCC	1620
	TTCTCATCTG	GGCACTTACT	ACTAAAGACC	TGGCGGAGGC	TTTTCCCATC	AGCGTGCATT	1680
	CACCAGCCCA	TGCGCAGAAA	CTCTATCGGA	GAACATGAAT	CAAAAGTGCC	TCAAGAGGAA	1740
	TGAAAAAAGC	TTTACTGGGG	CTGGGGAAGG	AAGCCGGGGA	AGAGATCCAA	AGACTCTTGG	1800
	GAGGAGTTA	CTGAAGTCTT	ACTACAGAAA	TGAGGAGGAT	GCTAAAATG	TACGAATAT	1860
75	GGACATATCA	TCTGTGGACT	GACCTTGTA	AAGACAGTGT	ATGTAGAAGC	ATGAAGTCTT	1920
	AAGGACAAAG	TGCCAAAAG	AGTGGTCTTA	AGAAATGTAT	AAACTTTAGA	GTAGAGTTTG	1980
	AATCCCACTA	ATGCAAACTG	GGATGAAACT	AAAGCAATAG	AAACAAACACA	GTTTGTGACCT	2040
	AACATACCGT	TTATAATGCC	ATTTAAGGA	AAACTACCTG	TATTTAAAA	TAGTTTACATA	2100
	TCAAAAACAA	GAGAAAAGAC	ACGAGAGAGA	CTGTGGCCCA	TCAACAGACG	TTGATATGCA	2160
80	ACTGCATGGC	ATGTGCTGTT	TTGGTTGAAA	TCAAATACAT	TCCGTTTGAT	GGACAGCTGT	2220
	CAGCTTTTCT	AAACTGTGAA	GATGACCCAA	AGTTTCCAAC	TCCTTTACAG	TAITACCGGG	2280
	ACTATGAACT	AAAAGGTGGG	ACTGAGGATG	TGTATAGAGT	GAGCGTGTGA	TTGTAGACAG	2340
	AGGGTGAAG	AAGGAGGAGG	AAGAGGCAGA	GAAGGAGGAG	ACCAGGCTGG	GAAAGAAACT	2400
	TCTCAAGCAA	TGAAGACTGG	ACTCAGGACA	TTTGGGGACT	GTGTACATGT	AGTTATGGAG	2460
85	ACTCGAGGGT	TCATGCAGTC	AGTGTATATC	CAAACCCAGT	GTTAGGAGAA	AGGACACAGC	2520
	GTAATGGAGA	AAGGGAAGTA	GTAGAAATCA	GAAACAAAA	TGCGCATCTC	TTTCTTTGTT	2580
	TGTCAAATGA	AAATTTTAA	TGGAATGTG	TGATATTTAA	GAGAAACATT	CAGGACCTCA	2640
	TCATTATGTG	GGGCTTTGTT	TCTCCACAGG	GTCAGGTAAG	AGATGGCCTT	CTTGGCTGCC	2700

ACAATCAGAA	ATCAOCGAGG	CATTTGGGT	AGGCGGCCTC	CAGTTTCCT	TTGAGTCGG	2760
AACGCTGTGC	GTTTGTGAGA	ATGAAGTATA	CAAGTCAATG	TTTTTCCCC	TTTTTATATA	2820
ATAATTATAT	AACTTATGCA	TTTATACACT	ACGAGTTGAT	CTCGGCCAGC	CAAAGACACA	2880
CGACAAAAGA	GACAAATCGAT	ATAATGTGGC	CTTGAATTTT	AACTCTGTAT	GCTTAATGTT	2940
TACAAATGTA	AGTTATTAGT	TCTTAGAATG	CAGAATGTAT	GTAAATAAAT	AAGCTTGGCC	3000
TAGCATGGCA	AATCAGATTT	ATACAGGAGT	CTGCATTTGC	ACTTTTTTTA	GTGACTAAAG	3060
TTGCTTAAATG	AAAACATGTG	CTGAATGTTG	TGGATTTTGT	GTATAAATTT	ACTTTGTCCA	3120
GGAACTTGTG	CAAGGGAGAG	CCAAGGAAAT	AGGATGTTTG	GCACCC		

5

10

Seq ID NO: 331 Protein sequence
 Protein Accession #: AAA52398

1	11	21	31	41	51	
MIQTVDPDPA	HIKEALSVVS	EDQSLFECAY	GTPHLAKTEM	TASSSSDYQG	TSKMSPRVPO	60
QDWLSQPPAR	VTIKMCNPS	QVNGSRNSPD	ECSVAKGGKM	VGSPDVTVMN	YGSYMEKHM	120
PPPNMTTNER	RVIVPADPLT	WSDHVRQWL	EWAVKEYGLP	DVNILLFQNI	DGKELCKMTK	180
DDFQRLTFSY	NADILLSHLH	YLRETPPLPH	TSDDVDKALQ	NSPRLMHARN	TDLPYEPFRR	240
SAWTGHGHPT	PQSKAAQPSF	STVPKTEDQR	PQLDPYQILG	PTSSRLANPG	SGQIQLWQFL	300
LELLSDSSNS	SCITWBGTTG	EFKMTDPDEV	ARRWGERKSK	PNMNYDKLSR	ALRYYYDKNI	360
MTKVHGKRYA	YKDFPHGIAQ	ALQHPPESS	LYKYPDLPHY	MGSYHAHPQK	MNFVAPHPPA	420
LPVTSSSFFA	APNPYMSPT	GGIYPNTRLP	TSHMPSHLGT	YY		462

15

20

25

Seq ID NO: 332 DNA sequence
 Nucleic Acid Accession #: NM_000020
 Coding sequence: 283-1794

1	11	21	31	41	51	
AGGAAACCGT	TTATTAGGAG	GGAGTGGTGG	AGCTGGGCCA	GGCAGGAAGA	CGCTGGAATA	60
AGAAACATTT	TTGCTCCAGC	CCCATATCCA	GTCCCGGGAG	GCTGCCCGGC	CAGCTGGGCC	120
GAGCGAGCCC	CTCCCCGGCT	CCAGCCCCTG	CCGGGGCCGC	GCCGGACCCC	AGCCCGCCGT	180
CCAGCGCTGG	CGGTGCAACT	GCGGCCCGCG	GGTGGAGGGG	AGGTGGCCCC	GGTCCGCCGA	240
AGGCTAGCGC	CCCGCACCCT	GCCAGAGCGG	CCCAGAGGGA	CCATGACCTT	GGCTCCCCC	300
AGGAAAGGCC	TTCTGATGCT	CTGATGGCC	TTGGTGACCC	AGGAGAGACC	TGTGAAGCCG	360
TCTCGGGGCC	CGCTGTGTGAC	CTGCACGTGT	GAGAGCCAC	ATTGCAAGGG	GCCTACCTGC	420
CGGGGGGGCT	GGTGACAGT	AGTGTGGTG	CGGGAGGAGG	GGAGGCACCC	CCAGGAACAT	480
CGGGGCTGGC	GGAACTTGCA	CAGGGAGCTC	TGCAGGGGGC	GCACCACCGA	GTTCTGCAAC	540
CACTACTGCT	GCGACAGCCA	CCTCTGCAAC	CACAACTGT	CCCTGGTGCT	GGAGGCCACC	600
CAACCTCCTT	CGGAGCAGCC	GGAAACAGAT	GGCCAGCTGG	CCCTGATCCT	GGGCCCCGTG	660
CTGGCCCTTG	TGGCCCTGGT	GGCCCTGGGT	GTCCTGGGCC	TGTGGCATGT	CCGACGGAGG	720
CAGGAGAAGC	AGCGTGGCCT	GCACAGCGAG	CTGGGAGAGT	CCAGTCTCAT	CCTGAAAGCA	780
TCTGAGCAGG	GCGACAGCAT	GTTGGGGGAC	CTCCTGGACA	GTGACTGCAC	CACAGGGAGT	840
GGCTCAGGGC	TCCCCTTCCT	GGTGCAGAGG	ACAGTGGCAC	GGCAGGTGTC	CTTGGTGGAG	900
TGTGTGGGAA	AAGCGCCCTA	TGGCGAAGTG	TGGCGGGGCT	TGTGGCACGG	TGAGAGTGTG	960
GCCGTCAAGA	TCTTCTCCTC	GAGGGATGAA	CAGTCTGGT	TCCGGGAGAC	TGAGATCTAT	1020
AACACAGAT	TGCTCAGACA	GACAAACATC	CTAGGCTTCA	TGCCTCAGA	CATGACCTCC	1080
CGAACTCGA	GCAAGCAGCT	GTGGTCTATC	ACGCACTACC	ACGAGCACGG	CTCCCTCTAC	1140
GACTTTCTGC	AGAGACAGAC	GCTGGAGCCC	CATCTGGCTC	TGAGGCTAGC	TGTGTCCCGG	1200
GCATGGGGCC	TGGCCGCACT	GCAAGTGGAG	ATCTTCGGTA	CACAGGGCAA	ACCAGCCATT	1260
GCCACCCGGC	ACTTCAAGAG	CGCAATGTG	CTGGTCAAGA	GCAACCTGCA	GTGTTGCATC	1320
GCCGACCTGG	GCCTGGCTGT	GATGCACTCA	CAGGGCAGCG	ATTACTTGGA	CATCGGCAAC	1380
AACCCGAGAG	TGGGCACCAA	GCGGTACATG	GCACCCGAGG	TGCTGGACGA	GCAGATCCGC	1440
ACGGACTGCT	TTGAGTCTTA	CAAGTGGACT	GACATCTGGG	CCTTTGGCCT	GGTGTGTGG	1500
GAGATTGCC	GCCGACCATT	CGTGAATGGC	ATCGTGGAGG	ACTATAGACC	ACCCTTCTAT	1560
GATGTGGTGC	CCAATGACCC	CAGCTTTGAG	GACATGAAGA	AGGTGGTGTG	TGTGGATCAG	1620
CAGACCCCCA	CCATCCCTAA	CCGGTGGCT	GCAGACCCGG	TCCTCTCAGG	CCTAGCTCAG	1680
ATGATGCGGG	AGTGTGGTA	CCAAAACCC	TCTGCCCGAC	TACCOCGCT	GCGGATCAAG	1740
AAGACACTAC	AAAAAATTAG	CAACAGTCCA	GAGAAGCCTA	AAGTGATTCA	ATAGCCCAGG	1800
AGCACCTGAT	TCTTTCTGTC	CTGCAGGGGG	CTGGGGGGGT	GGGGGGCAGT	GGATGGTGGC	1860
CTATCTGGGT	AGAGTGTGTG	TGAGTGTGGT	GTGTGCTGGG	GATGGGCAGC	TGCGCCTGCC	1920
TGCTCGGCC	CCAGCCACC	CAGCCAAAA	TACAGCTGGG	CTGAAACCTG	ATCCCCTGCT	1980
GTCTGGCCTG	CTCAAAGCGG	CAGGCTCCCT	GACGCCTGGC	TCTCTCCCCA	CCCCATGGC	2040
CAGCATGGTG	CAGCCCTATC	CACTCCCGGG	ACAGGATGCA	AAAGAGGCTC	CAGAGTCAGA	2100
GTGCCAAGCC	AGGGAATCCC	AGTCCAGAC	TCAGAGCCCG	GGCCTGCAT	TTGCCCCCTG	2160
CCCTTGATCA	ACCCACTGC	CCCACCAGAG	CTGCCAGGGT	GGCACAGGGC	CCTGTCCAGC	2220
CCCTGGCACA	CACTTCCCTG	CCAGGCCCTCA	GCCTTAGCA	TAAGCTCCAG	AGAGCCAGGG	2280
CCCATCAGTT	TCTCTGTGTG	GATTTGTATC	TCAGCTCCAT	GATGCCTTGG	GCTTCTGTGC	2340
TCTCAACAA	GAGTGCAGCT	TGCTGAATGT	CAGCTGCCTG	AGAGAGCTGG	GGCCTGACTT	2400
ACTAGGGCAT	TAAATCCTAA	GAGTCCCTAC	TGAGGTGTGG	CAGGATCACA	GGCCAGTGA	2460
AAAAGGGCAG	GTCAGATGGG	CAAGGCCAG	GACTTTCAGA	TTAACTGAGA	GGATATCGAG	2520
GCCAAGCATG	GCAGGGGAA	GGTCAAGTGG	TGTCAGAGA	CCAGGTCTG	ACCCCGATG	2580
TTTGCTCCAT	GTGACAAAAG	CAGGCCTGTC	TCAGGACCTT	TTCTTTTCTT	TTTTCTTCT	2640
TTTTTTTTTT	GACACGGACT	TTCCCTCTTG	TTGTCCAGGC	TAGAGTCAA	TGGCATGATC	2700
CCAGCTCACC	GCAACGTCTA	CTCCCCAGGT	TCAATCATT	CTCTGCCTC	AGACTCCCGA	2760
GTAGCTGGGA	TTACAGGCAC	ATGCCACCAT	GCCTGGCTAA	TTTTGTATAT	TTAGTAGAAA	2820
CAGGGTTTCA	CCATGCTGGC	CATGCTGGTT	CTCGAACTCC	TGACCTCAGG	TGTTCCACCT	2880
ACCTCAGCTC	CCCAAAGTGC	TGGGGTTACA	GGTGTGAGCC	ATCGCGCCTG	GCCAGGACCT	2940
TTGTTTCTTA	TCTACATATT	GGAAGATTG	GTCCTGATGT	CCTTTGAGGC	TTCTTTAGCT	3000
CTAGTTCTCT	GACACTTCAG	CCTATATCAC	AGTAACTTC	YTCAGTCTCA	TCTATTCTCT	3060
ATGCTCCAGC	CCCTGGCAAT	TTGCCCTAAG	ATGGGGGTTT	GAAAATAACT	TTACCTGACT	3120
CAAGGAGTGT	CTGGAGCACC	TCCTAGTCTA	AGTCTGCAAG	CTCCAGTTCT	TGCCATAAAC	3180
CATGCCAGTG	GCCACCCCTG	GGCTCAGACA	GCTCTGGGCC	TTTTGACCAC	AAGCCAGCCC	3240
CTGCGCCTCT	CTGCGCATA	GTCTTCTCTG	CCCCAGGACT	GCAGGGCGGC	TTCTTCCAAG	3300
GCTTCCAAGG	CTCAAAAGAA	ATTTGGCTCC	ATCCAAGAAG	GCTCCAGCTC	CCCTACTGGC	3360
CCCTGGCTTC	AGGCCACAC	CCCTGGGCCA	GGSCCAGAGA	GTGTGTCTCA	GGAGAAATCA	3420
ATGGGCTCTA	GAGAGACACA	CAGAAAGTTT	GGGCATTTGG	GAAATTTTCA	AGGRGTATG	3480

85

TATGGYTAC GTATGGWGC GGTGTGCTGT GTCCYKGGGT GCAGGGAAGT GGGCTGCAGG 3540
 GAAATGGATT GGAGGGGAGC TTGAGGAATA TAAGGAGCGG GGGTGGAGAC TCAGGCTATG 3600
 GACAAGGACA GCCCCAAGGT TGGGAAGACC TGGCCTTAGT CGTCTCAGC CTAGGGCAGG 3660
 5 CGACTGAAGA AAGCTCTCCC CGTCTCTGCT GTAATGACCC AGAGTAGCCT CCCCAGGCCG 3720
 GCATCTTATG TGTGTCTTCC ACCATCTCTCA TGGTGGCACT TTTCTAGGCC TGTCTCCCAG 3780
 CATTGTGCAA GGCTCGGAAG AGAACCCAGGA AGTGAACCTG GGTGAAAAACA GAAAGCTCAA 3840
 TGGATGGGCT AGGTTCGCCAG ATCATTAGGG CAGAGTTTGC ACGTCTCTG GTTCACTGGG 3900
 AATCCACCCA GCCCACGAAT CATCTCCCTC TTTGAAGGAT TTTWATTTCT ACTGGGTTTT 3960
 10 GGAAACAACT CCTGCTGAGA CCCCACAGCC AGAAACTGAA AGCAGCAGCT CCCCAAAGCC 4020
 TGGAAAATCC CTAAGAGAAG GCCTGGGGGA MAGGAAKTGG AGTGACAGGG GACAGGTAGA 4080
 GAGAAGGGGG CCCAATGGCC AGGGAGTGAA GGAGGTGGCG TTGCTGAGAG CAGTCTGCAC 4140
 ATGCTTCTGT CTGAGTGCAG GAAGGTGTTC CAGGGTCGAA ATTACACTTC TCGTACCTGG 4200
 AGACCGTGTG TGTGGGAGCA CTGGGCTCAT GCCTGGCACA CAATAGGTCT GCAATAAAC 4260
 15 ATGGTTAAAT CCTGAAAAA AAAAAAAA

Seq ID NO: 333 Protein sequence
 Protein Accession #: NP_000011

20 1 11 21 31 41 51
 | | | | | |
 MTLGSPRKL LMLLMLVLTQ GDPVKPSRGP LVTCTCESPH CKGPTCRGAW CTVVLVREEG 60
 RHPQEHRCGG NLHRELRCRGR PTEFVNHYCC DSHLCNHNVS LVLEATQPPS EQPGTDGQLA 120
 25 LILGPLLALL ALVALGLVGL WHVRRRQEKQ RGLHSELGES SLILKASEQG DTMLGDLLDS 180
 DCTTGGSSGL PFLVQRIVAR QVALVECVKQ GRYGSEVWRGL WHGESVAVKI FSSRDEQSWF 240
 RETEYNTVL LRHNDILGFI ASDMTSRNSS TQLWLITHYH EHGSLYDFLQ RQTLPHLAL 300
 RLAVSAACGL AHLHVEIFGT QGKPAIAHRD FKSRLNVLVKS NLQCCIIDLG LAVMHSQGS 360
 YLDIGNNPRV GTKRYMAPEV LDEQIRTDCE BSYKWTDIWA FGLVLWEIAR RTIVNGIVED 420
 30 YRPPYDVVP NDPSPFEMKK VVCVDQQTPT IPNRLAADPV LSLAQMRE CWYPNPSARL 480
 TALRIKTLQ KISMSPKPK VIQ

Seq ID NO: 334 DNA sequence
 Nucleic Acid Accession #: NM_004126.1
 Coding sequence: 108-329

35 1 11 21 31 41 51
 | | | | | |
 GGCACGAGCT CGTGCCGGCC TTCAGTTGTT TCGGGACCGC CCGAGCTTCG CCGCTCTTCC 60
 AGCGGCTCCG CTGCCAGAGC TAGCCCGAGC CCGGTTCTGG GCGGAAAATG CCTGCCTTTC 120
 40 ACATCGAAGA TTTGCCAGAG AAGGAAAAC TGAAAATGGA AGTTGAGCAG CTTCGCAAAG 180
 AAGTGAAGTT GCAGAGACAA CAAGTGTCTA AATGTTCTGA AGAATAAAG AACTATATG 240
 AAGAACGTTT TGGAGAGGAT CCTCTAGTAA AGGGAATTCC AGAAGACAAG AACCCCTTTA 300
 AAGAAAAGG CAGCTGTGTT ATTTCAATAA TAACTGGGA GAAACTGCAT CCTAAGTGG 360
 45 AGAAGTATT TGTTTTGTGTT TCCAGATA AAACCAACAT GCTTTTAAAG GAAGGAAGAA 420
 TGAAATAAA AGGAGACTTT CTTAAGCACC ATATAGATAG GGTATGTAT AAAAGCATAT 480
 GTGCTACTCA TCTTTGCTCA CTATGCAGTC TTTTAAAGA GAGCAGAGAG TATCAGATG 540
 ACAATTATGG AATAAAGAAC ATTACTTGAG CATGACACTT CTTTCAGTAT ATTGCTTGAT 600
 GCTTCAAATA AAGTTTGTGCT TT

Seq ID NO: 335 Protein sequence
 Protein Accession #: NP_004117.1

50 1 11 21 31 41 51
 | | | | | |
 55 MPALHIEDLP EKEKLMKMEVE QLRKEVKLQR QQVSKCSEEI KNYIEERSGE DPLVKGIPED 60
 KNPFKEKGC VIS

Seq ID NO: 336 DNA sequence
 Nucleic Acid Accession #: NM_005795
 Coding sequence: 555-1940

60 1 11 21 31 41 51
 | | | | | |
 65 GCACGAGGGA ACAACCTCTC TCTCTSCAGC AGAGAGTGTG ACCTCCTGCT TTAGGACCAT 60
 CAAGCTCTGC TAACTGAATC TCATCCTAAT TGCCAGGATCA CATTGCAAAG CTTTCACTCT 120
 TTCCACCTT GCTTGTGGGT AAATCTCTTC TGCAGGATCT CAGAAAAGTAA AGTTCCATCC 180
 70 TGAGAATATT TCACAAAGAA TTTCCCTAAG AGCTGGACTG GGTCTTGACC CCTGGAATTT 240
 AAGAAATCT TAAAGACAAT GTCAAAATATG ATCCAAGAGA AAATGTGATT TGAGTCTGGA 300
 GACAATTGTG CATATCGTCT AATAATAAAA ACCCATACTA GCCTATAGAA AACAAATATT 360
 GAATAATAAA AACCCATACT AGCCTATAGA AAACAATATT TGAAAGATTG CTACCACTAA 420
 AAAGAAAAC ACTACAACCT GACAAGACTG CTGCAAACTT CAATTGGTCA CCACAACCTG 480
 ACAAGGTGTC TATAAAACAA GATTGCTACA ACTTCTAGTT TATGTTATAC AGCATATTT 540
 75 ATTTGGGCTT AATGATGGAG AAAAAGTGTA CCCTGTATT TCTGGTCTC TTGCCTTTTT 600
 TTATGATTCT TGTTACAGCA GAATTAGAAG AGAGTCTGTA GGACTCAATT CAGTTGGGAG 660
 TTACTAGAAA TAAAATCATG ACAGCTCAAT ATGAATGTTA CCAAAGATT ATGCAAGACC 720
 CCATTCAACA AGCAGAAGGC GTTACTGCA ACAGAACCTG GGATGGATGG CTCTGCTGGA 780
 ACGATGTTG AGCAGGAAC TGAATCAATG AGCTCTGCC TGATTACTTT CAGGACTTTG 840
 80 ATCCATCAGA AAAAGTTACA AAGATCTGTG ACCAAGATGG AAACTGGTTT AGACATCCAG 900
 CAAGCAACAG AACATGGACA AATTATACCC AGTGTAAATG TAACACCCAC GAGAAAAGTGA 960
 AGACTGCAT AAATTTGTTT TACCTGACCA TAATTGGACA CGGATTGTCT ATTGCATCAC 1020
 TGCTTATCTC GCTTGGCATA TTCTTTTATT TCAAGAGCCT AAGTTGCCAA AGGATTACCT 1080
 TACACAAAA TCTGTTCTTC TCATTTGTTT GTAACCTGTG TGAACAATC ATTCACTCA 1140
 85 CTGCAGTGGC CAACAACCGC GCCTTAGTAG CCACAATCC TGTAGTTGCA AAAGTGTCCC 1200
 AGTTCATTCA TCTTTACTTG ATGGGCTGTA ATTACTTTTG GATGCTCTGT GAAGGCATTT 1260
 ACCTACACAC ACTCATTTGT GTGGCCGTGT TTGCAGAGAA GCAACATTTA ATGTGGTATT 1320
 ATTTCTTTGG CTGGGATTT CCACTGATTC CTGCTGTAT ACATGCCATT GCTAGAAGCT 1380

5
10
15
20
25
30

TATATTACAA TGACAATTGC TGGATCAGTT CTGATACCCA TCTCCTCTAC ATTATCCATG 1440
GCCCAATTTG TGCTGCTTTA CTGGTGAATC TTTTTTCTT GTTAAATATT GTACCGGTC 1500
TCATCACCAA GTTAAAAGTT ACACACCAAG CGGAATCCAA TCTGTACATG AAAGCTGTGA 1560
GAGTACTCTT TATCTTGTG CCAITGCTTG GCATTGAAT TGTGCTGATT CCATGGCGAC 1620
CTGAAGGAAA GATTGCAGAG GAGGTATATG ACTACATCAT GCACATCCTT ATGCACCTCC 1680
AGGGTCTTTT GGTCTCTACC ATTTTCTGCT TCTTTAATGG AGAGGTTCAA GCAATTCTGA 1740
GAAGAAACTG GAATCAATAC AAAATCCAAT TTGAAACAG CTTTTCCAAC TCAGAAGCTC 1800
TTCGTAGTGC GTCTTACACA GTGTCAACAA TCAGTGTAGG TCCAGGTTAT AGTCATGACT 1860
GTCTTAGTGA ACACTTAAAT GGAATAAGCA TCCATGATAT TGAATAATGT CTCTTAAAAC 1920
CAGAAAATTT ATATAATTGA AAATAGAAGG ATGGTTGTCT CACTGTTTGG TGCTTCTCCT 1980
AACTCAAGGA CTGGACCCA TGACTCTGTA GCCAGAAGAC TTCAATATTA AATGACTTTG 2040
GGGAATGTCA TAAAGAAGAG CCTTCACATG AAATTAGTAG TGTGTTGATA AGAGTGTAA 2100
ATCCAGCTCT ATGTGGGAAA AAAGAAATCC TGGTTGTAA TGTTTGTGAG TAAATACTCC 2160
CACTATGCCT GATGTGAGCG TACTAACCTG ACATCACCAA GTGTGGAATT GGAGAAAAGC 2220
ACAATCAACT TTTCTGAGCT GGTGTAAGCC AGTTCAGCA CACCATTGAT GAATCAAAC 2280
AAATGGCTGT AAAACTAAAC ATACATGTTG GGCATGATC TACCCTTATT CSCCCCAAGA 2340
GACCTAGCTA AGGTCTATAA ACATGAAGGG AAAATTAGCT TTTAGTTTAA AAACCTTTA 2400
TCCCATCTTG ATTGGGGCAG TTGACTTTTT TTTTTTCCA GAGTCCGTA GTCTTTTTG 2460
TAACTACCCT CTCAAATGGA CAATACCAGA AGTGAATTAT CCCTGCTGCG TTTCTTTTCT 2520
CTATGAAAAG CAACTGAGTA CAATTGTTAT GATCTACTCA TTTGCTGACA CATCAGTTAT 2580
ATCTTGTGGC ATATCCATTG TGGAACTGG ATGAACAGGA TGTATAATAT GCAATCTTAC 2640
TTCTATATCA TTAGGAAAAC ATCTTAGTTG ATGCTACAAA ACACCTTGTG AACCTCTTCC 2700
GTCTTACCA AACAGTGGGA GGAATTCCT AGCTGTAAT ATAAATTTG CCCTCCATT 2760
TCTACTGTAT AAACAAATTA GCAATCATT TATATAAGA AAATCAATGA AGGATTCTT 2820
ATTTTCTTGG AATTTGTAA AAAGAAATG TGAATAATGA GCTTGTAAAT ACTCCATTAT 2880
TTTATTTTAT AGTCTCAAT CAATACATA CAACCTATGT AATTTTAAA GCAAAATATA 2940
AATGCAACAA TGTGTGTATG TTAATATCTG ATACTGTATC TGGGCTGATT TTTAAATAA 3000
AATAGAGTCT GGAATGCT

Seq ID NO: 337 protein sequence
Protein Accession #: NP_005786.1

35
40

1 11 21 31 41 51
| | | | | |
MEKKCTLYFL VLLPFFMILV TAELESPED SIQLGVTRNK IMTAQYECYQ KIMQDPIQQA 60
EGVYCNRTWD GWLWVNDVAA GTESMQLCPD YFQDFDPSEK VTKICDQDGN WFRHPASNRT 120
WNYTQCNVN THEKVKTALN LFYLTIIIGH LSIASLLISL GIFFYFKSLS CQRITLHKNL 180
FFSFVCNSV V TIHLTAVAN NQALVATNPV SCKVSOFIHL YLMGCVNYFM LCEGIYVHTL 240
IVVAVPAEK HLMWYFFLGN GFPLIPACIH AIARSLYND NCWISSDTHL LYIIHGPICA 300
ALLVNLFFLL NIVRVLIIFL KVTHQAESNL YMKAVRATLI LVPLLGIEFV LIPWRPEGKI 360
ABEVYDIIMH ILMHFQGLLV STIFCFNGE VQAILRRNWN QYKIQFGNSF SNSEALRSAS 420
YTVSTISDGP GYSHDCPSEH LNGKSIHDIE NVLLKPENLY N

Seq ID NO: 338 DNA sequence
Nucleic Acid Accession #: NM_001795
Coding sequence: 25-2379

50
55
60
65
70
75
80
85

1 11 21 31 41 51
| | | | | |
GCACGATCTG TTCCTCTGG GAAGATGCAG AGGCTCATGA TGCTCCTCGC CACATCGGGC 60
GCCTGCCTGG GCCTGCTGGC AGTGGCAGCA GTGGCAGCAG CAGGTGCTAA CCCTGCCCAA 120
CGGGACACCC ACAGCCTGCT GCCCACCAC CCGCGCCAAA AGAGAGATTG GATTTGGAAC 180
CAGATGCACA TTGATGAAGA GAAAAACACC TCACTCCCC ATCATGTAGG CAAGATCAAG 240
TCAAGCGTGA GTCGCAAGAA TGCCAAGTAC CTGCTCAAAG GAGAAATATGT GGGCAAGGTC 300
TTCCGGGTG ATGCAGAGAC AGGAGACGTC TTCGCCATTG AGAGGCTGGA CCGGAGAAAT 360
ATCTCAGAGT ACCACCTCAC TGCTGTCAAT GTGGACAAGG ACACCTGGTGA AAACCTGGAG 420
ACTCCTTCCA GCTTACCATT CAAAGTTCAT GACGTGAAAG ACAACTGGCC TGTGTTCCAG 480
CATCGTGTGT TCAATGCCTC CGTGCCCTGAG TCGTCCGCTG TGGGGACCTC AGTCATCTCT 540
GTGACAGCAG TGGATGCAGA CGACCCCACT GTGGGAGACC ACGCCTCTGT CATGTACCAA 600
ATCCTGAAGG GAAAGAGATA TTTTGCCATC GATAATTCTG GACGTATTAT CACAATAAGC 660
AAAAGCTTGG ACCGAGAGAA GCAGGCCAGG TATGAGATCG TGGTGAAGC GCGAGATGCC 720
CAGGGCCTCC GGGGGGACTC GGGCACGGCC ACCGTGCTGG TCACTCTGCA AGACATCAAT 780
GACAACTTCC CCTTCTTACC CCAGACCAAG TACACATTTG TCGTGCCTGA AGACACCCGT 840
GTGGCACCT CTGTGGCTCT TCTGTTGTT GAGGACCCAG ATGAGCCCCA GAACCCGGATG 900
ACCAAGTACA GCATCTTGG GGGCGACTAC CAGGACGCTT TCACCATTGA GACAAACCCC 960
GCCCAACAAG AGGGCATCAT CAAGCCCATG AAGCCTCTGG ATTATGAATA CATCCAGCAA 1020
TACAGCTTCA TCGTCGAGGC CACAGACCCC ACCATCGACC TCCGATACAT GAGCCCTCCC 1080
GCGGAAACA GAGCCAGGT CATTATCAAC ATCACAGATG TGGACGAGCC CCCCATTTTC 1140
CAGCAGCCTT TCTACCATT CCAGCTGAAG GAAAACCAGA AGAAGCCTCT GATTGGCACA 1200
GTGCTGGCCA TGGACCTTGA TGGCGTAGG CATAGCATTG GATACTCCAT CCGCAGGACC 1260
AGTGACAAGG GCCAGTTCTT CCGAGTACA AAAAAGGGGG ACATTACAA TGAGAAAGAA 1320
CTGGACAGAG AAGTCTACCC CTGGTATAAC CTGACTGTGG AGGCCAAAGA ACTGGATTCC 1380
ACTGAAACCC CCACAGGAAA AGAATCCATT GTGCAAGTCC ACATTGAAGT TTTGGATGAG 1440
AATGACAATG CCCCGAGT TGGCAAGCCC TACCAGCCCA AAGTGTGTGA GAACGCTGTC 1500
CATGGCCAGC TGGTCTGCA GATCTCCGCA ATAGACAAG ACATAACACC ACGAAAAGTG 1560
AAGTTCAAAT TCACCTTGA TACTGAGAAC AACTTTACCC TCACGGATAA TCACGATAAC 1620
ACGGCCAAAC TCACAGTCAA GTATGGGCG TTTGACCGGG AGCATAACAA GGTCCACTTC 1680
CTACCCGTGG TCACTCAGA CAATGGGATG CCAAGTCGCA CCGGCACCCAG CACGCTGACC 1740
GTGGCCGTGT GCAAGTCAA CGAGCAGGGC GAGTTCACCT TCTGCGAGGA TATGGCCGCC 1800
CAGGTGGCGG TGAGCATCCA GGCAGTGGTA GCCACTTAC TCTGATCCT CACCATACA 1860
GTGATCACCC TGCTCATCTT CTTGCGGCGG CSCTCCGGA AGCAGGCCCG GCGCACCGC 1920
AAGAGCGTGC CGGAGATCCA CGAGCAGCTG GTCACCTACG ACGAGGAGGG CCGCGCGAG 1980
ATGACACCCA CCAGCTACGA TGTGTCGGTG CTCAACTCGG TCGCGCCGG CCGGGCCAA 2040
CCCCCGGGC CCGCGCTGGA CGCCCGGCT TCCCTCTATG CGCAGGTGCA GAAGCCACCG 2100
AGGCACCGCG CTGGGACACA CCGAGGGCCC GGGGAGATGG CAGCCATGAT CGAGGTGAG 2160
AAGGACGAGG CCGACACGA CCGCGACGGC CCCCCTACG ACACGCTGCA CATCTACGGC 2220
TACGAGGCT CCGAGTCCAT AGCCGAGTCC CTCAGTCCC TGGGCACCGA CTCATCCGAC 2280

5
10
15
20
25
30

```

TCGACGTGG ATTACGACTT CCTTAAACGAC TGGGGACCCA GGTTAAGAT GCTGGCTGAG 2340
CTGTACGGCT CGGACCCCGG GGAGGAGCTG CTGTATTAGG CCGGCGAGGT CACTCTGGGC 2400
CTGGGGACCC AAACCCCGCT CAGCCAGGCG CAGTCAGACT CAGGGCACCA CAGCCCTCAA 2460
AAATGGCAGT GACTTCCCAG CCAGCACACC CTCTCTCGTG GGTCCCAGAG ACCTCATCAG 2520
CCTTGGGATA GCAAACCTCA GGTTCCTGAA ATATCCAGGA ATATATGTCA GTGATGACTA 2580
TTCTCAAATG CTGGCAAATC CAGGCTGGTG TTCTGTCTGG GCTCAGACAT CCACATAACC 2640
CTGTACCCCA CAGACCGCCG TCTAACTCAA AGACTTCTCT TGGCTCCCCA AGGCTGCAAA 2700
GCAAAACAGA CTGTGTTTAA CTGCTGCAGG GTCTTTTCT AGGGTCCCTG AACGCCCTGG 2760
TAAGGCTGGT GAGGTCCTGG TGCCATCTG CCTGGAGGCA AAGGCCCTGA CAGCTTGACT 2820
TGTGGGGCAG GATTCTCTGC AGCCCATTC CAAGGGAGAC TGACCATCAT GCCCTCTCTC 2880
GGGAGCCCTA GCCCTGTCTC AACTCCATAC TCCACTCCAA GTGCCCCACC ACTCCCCAAC 2940
CCCTCTCCAG GCCTGTCAAG AGGGAGGAAG GGGCCCCATG GCAGCTCTCT ACCTTGGGTC 3000
CTGAAGTGAC CTCACTGGCC TGCCATGCCA GTAACCTGTG TGTACTGAGC ACTGAACCAC 3060
ATTGAGGGAA ATGCTTATTA AACCTTGAAG CAACTGTGAA TTCATTCTGG AGGGGCAGTG 3120
GAGATCAGGA GTGACAGATC ACAGGCTGAG GGCCACCTCC ACACCCACC CCTCTGGAGA 3180
AGGCCCTGAA GAGCTGAGAC CTTGCTTTGA GACTCCTCAG CACCCCTCCA GTTTTGCCTG 3240
AGAAGGGGCA GATGTTCCCG GAGATCAGAA GACGTCTCCC CTCTCTGCTC TCACTGTGTC 3300
GCCAATCCAT GCTCTCTTTC TTTTCTCTGT CTACTCCTTA TCCCTGGTGT TAGAGGAACC 3360
CAAGATGTGG CCTTTAGCAA AACTGACAAT GTCCAAACCC ACTCATGACT GCATGACGGA 3420
GCCGAGCATG TGTCTTATCA CTCTGCTGTT GTCCATCTC AGGGAACTGA CCCTCAGGCA 3480
CACCTTGCAG AGGAAGGCC CCTGCCCTGCC CAACCTCTGT GGTCAACCAT GCATCATTCC 3540
ACTGGAACGT TTCACTGCAA ACACACCTTG GAGAAGTGGC ATCAGTCAAC AGAGAGGGGC 3600
AGGGAAAGAG ACACCAAGCT CACCCCTCGT CATGGACCGA GGTTCACACT CTGGCAAAGC 3660
CCCTCACACT GCAAGGATT GTAGATAACA CTGACTTGTG TGTTTTAACT AATAACTAGC 3720
TTCTTATAAT GATTTTTTTA CTAATGATAC TTACAAGTTT CTAGCTCTCA CAGACATATA 3780
GAATAAGGTT TTTTGCATAA TAAGCAGGTT GTTATTTAGG TTAACAATAT TAATTCAGGT 3840
TTTTTAGTTG GAAAAACAAT TCCTGTAACC TCTATTTTTC TATAAATGTA GTAATGTCTC 3900
TACAGATAAT GTCTATATAT TGGCCAAACT GGTGCATGAC AAGTACTGTA TTTTTTTATA 3960
CCTAATAAAA GAAAAATCTT TAGCCTGGGC AACAAAAAAA
    
```

Seq ID NO: 339 Protein sequence
Protein Accession #: NP_001786

35
40
45
50

```

1      11      21      31      41      51
|      |      |      |      |      |
MQRLLMLLAT SGACLGLLAV AAVAAAGANP AQRDTHSLLP THRRQKRDWI WNQMHIIDEK 60
NTSLPHHVVK IKSSVSRKNA KYLLKGEYVG KVFRVDAETG DVFAIERLDR ENISEYHLTA 120
VIVDKDTGEN LETPSSFTIK VHDVNDNWPV FTHRLFNASV PESSAVGTSV ISVTAVDADD 180
PTVGDHASVM YQILKGRKEYF AIDNSGRIIT ITKSLDREKQ ARYEIVVEAR DAQGLRGDSG 240
TATVLVLTQD INDMFPFFQT KYTFVVPVED TRVGTSVGSL FVEDPDEPQN RMTKYSILRG 300
DYQDAFTIET NPAHNEGIIK PMKPLDYEYI QQYSFIVEAT DPTIDLRYMS PPAGNRAQVI 360
INITDVDEPP IFQPPFYHFQ LKENQKKPLI GTVLAMPDA ARHSIGYSIR RTSDRGQPPR 420
VTKKGDIIYNE KELDREYVYP YNLTVAEAKEL DSTGTPTGKE SIVQVHIEVL DENDNAPBFA 480
KPYQPKVCEN AVHQQLVLI SAIDKIDTPR NVKFKFTLNT ENNFTELDNH DNTANITVKY 540
GQFDREHTKV HFLPVVISDN GMPSTRGTST LTVAVCKCNE QGEFTFCEDM AAQVGVSIQA 600
VVAILLCLLT ITVTILLIFL RRRLRKQARA HGKSVPEIHE QLVTYDEEAG GEMDTTSYDV 660
SVLNSVRRGG AKTSPRALDA RPSLYAQVQK PRFHAPGAHG GPGEMAAMIE VKKDEADHDG 720
DGPYPDTLHI YGYBGSSEIA ESLSSLGTDG SDSVDVYDFL NDWGRPFKML AELVGSDDPE 780
ELLY
    
```

Seq ID NO: 340 DNA sequence
Nucleic Acid Accession #: NM_003088
Coding sequence: 112-1593

55
60
65
70
75
80
85

```

1      11      21      31      41      51
|      |      |      |      |      |
GCGGAGGGTG CGTGCGGGCC GCGGCAGCCG AACAAAGGAG CAGGGGCGCC GCCGCAGGGA 60
CCCGCCACCC ACCTCCCGGG GCGCGCAGC GGCTCTCGT CTACTGCCAC CATGACCGCC 120
AACGGCAGAG CCGAGGGCGT CAGATCCAG TTCGGCTCA TCAACTGCGG CAACAAGTAC 180
CTGACGGCCG AGGCGTTCGG GTTCAAGGTG AACCGTCCG CCAGCAGCCT GAAGAAGAAG 240
CAGATCTGGA CGCTGGAGCA GCCCCCTGAC GAGGCGGGCA GCGCGGCCGT GTGCCCTGCC 300
AGCCACTCTG GCGCTACTT GCGCGCGGAC AAGGACGGCA ACGTGACTTG CGAGGCGGAG 360
GTGCCCGGTC CCGACTGCCG TTTCTCATC GTGGCGCACG ACCAGCGTCG CTGGTCCGTC 420
CAGTCCGAGG CGCACCGGCG CTACTTCGGC GGCACCGAGG ACCGCCTGTC CTGCTTCGGC 480
CAGACGGTGT CCCCCTCGGA GAAGTGGAGC GTGCACATCG CCATGCACCC TCAGGTCAAC 540
ATCTACAGTG TCACCCTGTA GCGCTACGCG CACCTGAGCG CCGGGCCGGC CGACGAGATC 600
GCCGTGGACC GCGACGTGCC CTGGGGCGTC GACTCGTCA TCACCCTCGC CTCCAGGAC 660
CAGCGCTACA GCGTGCAGAC CGCCGACCAC CGCTTCTGTC GCCACGACGG GCGCCTGGTG 720
GCGCGCCCCG AGCCGGCCAC TGGCTACAGG CTGGAGTTC GCTCCGGCAA GGTGGCCTTC 780
CGGACTGCGG AGGGCCGTTA CCTGGCGCGG TCGGGGCCCA GCGGCAGCCT CAAGGCGGGC 840
AAGGCCACCA AGGTGGGCAA GGACGAGCTC TTTGCTCTGG AGCAGAGCTG CGCCAGGTC 900
GTGCTGCAGG CGGCCAACGA GAGGAACGTG TCCACGCGCC AGGGTATGGA CCTGTCTGCC 960
AATCAGGACG AGGAGACCGA CCAGGAGACC TTCCAGCTGG AGATCGACCG CGACACCAAA 1020
AAGTGTGCCT TCCGTACCCA CAGGGCAAG TACTGGACGC TGACGGCCAC CGGGGGCGTG 1080
CAGTCCACCG CCTCCAGCAA GAATGCCAGC TGCTACTTTG ACATCGAGTG GCGTGACCGG 1140
CGCATCACAC TGAGGGCGTC CAATGGCAAG TTTGTGACCT CCAAGAAGAA TGGCGAGCTG 1200
GCCGCTCGCG TGGAGACAGC AGGGGACTCA GAGCTCTTCC TCATGAAGCT CATCAACCGC 1260
CCCATCATCG TGTTCGCGGG GGAGCATGGC TTCATCGGCT GCCCAAGGT CACGGGCACC 1320
CTGGACGCCA ACCGCTCCAG CTATGACGTC TTCCAGCTGG AGTTCAACGA TGGCGCCTAC 1380
AACATCAAAG ACTCCACAGG CAATACTGG ACGGTGGGCA GTGACTCCGC GGTCAACCCG 1440
AGCGGGGACA CTCCTGTGGA CTTCTTCTTC GAGTTCCTGG ACTATAACAA GGTGGCCATC 1500
AAGGTGGGCG GGCGCTACTT GAAGGGCGAC CACGACGGCG TCCTGAAGGC CTGGCGGAA 1560
ACCGTGGACC CCGCTCGCT CTGGGAGTAC TAGGGCCCGC CCGTCTTCC CCGCCCTGCG 1620
CCACATGGCG GCTCCTGCCA ACCCTCCCTG CTAACCCCTT CTCGCGCAGG TGGGCTCCAG 1680
GGCGGGAGGC AAGCCCCCTT GCCTTCAA A CTGGAACCCG CAGAGAAAAC GGTGCCCCCA 1740
CCTGTGCGCC CTATGGACTC CCACTCTCC CCTCCGCGCG GGTTCCTTAC TCCCTCGGG 1800
    
```

TCAGCGGCTG CCGCTGGCC CTGGGAGGGA TTTCAGATGC CCCTGCCCTC TTGTCTGCCA 1860
 CGGGGCGAGT CTGGCACCTC TTCTTCTGA CCTCAGACGG CTCTGAGCCT TATTTCTCTG 1920
 GAAGCGGCTA AGGACCGGTT GGGGGCTGGG AGCCCTGGGC GTGTAGTGTG ACTGGAATCT 1980
 TTTCCTCTC ACAGCCACTT CCTCCAGACC CCCAGGAGA GCTGGGCACA TGTCCCAAGC 2040
 5 CTGTCACTGG CCCTCCCTGG TGCACGTGCC CGAAACCCC TGCTTGGGAA GGGAAAGCTGT 2100
 CGGGAGGGCT AGGACTGACC CTGTGGTGT TTTTTGGGT GGTGGCTGGA AACAGCCCT 2160
 CTCCACGTG GGAGAGGCTC AGCTGGCTC CCTCCCTGG AGCGGCAGGG CGTGACGGCC 2220
 ACAGGGTCTG CCCGCTGCAC GTTCTGCCAA GGTGTGTGT GCGGGCGGGT AGGGGTGTGG 2280
 GGGCGCTCTT CCTCTGTCT CTTCTCTTC ACCCTAGCCT GACTGGAAGC AGAAAATGAC 2340
 10 CAAATCAGTA TTTTTTTAA TGAATATTA TTGCTGGAG CGTCCAGGC AAGCCTGGCT 2400
 GTAGTAGCGA GTGATCTGGC GGGGGCGCTC TCAGCACCTT CCCAGGGGGT TGCACTCTAG 2460
 CCCCCTCTTT CCGTCTCTCC CGTCCAGCCC CAGCCCTGGG CCTGGGCTGC CGACACCTGG 2520
 GCCAGAGCCC CTGCTGTGAT TGGTCTCCC TGGGCTCCC GGGTGGATGA AGCCAGGCGT 2580
 CGCCCCCTCC GGGAGCCCTG GGGTGTGCG CCGGGGCCCC CCTGCTGCCA GCCTCCCCCG 2640
 15 TCCCAACAT GCATCTCACT CTGGGTCTT TGGTCTTTA TTTTTGTAA GTGTCAATTTG 2700
 TATAACTCTA AACGCCATG ATAGTAGCTT CAAACTGGAA ATAGCGAAAT AAAATAACTC 2760
 AGTCTGC

Seq ID NO: 341 Protein sequence
 Protein Accession #: NP_003079

1 11 21 31 41 51
 | | | | | |
 25 MTANGTAEAV IQIQGLINCG NKYLTAFAFG FKNVASASSL KKKQIWTLEQ PPDEAGSAAV 60
 CLRSHLGRYL AADKQGNVTC EREVPGPDCR FLIVAHDDGR WSLQSEAHRR YFGGTEDRLS 120
 CFAQTVPSPAE KWSVHIAMHP QVNIYSVTRK RYAHLSARPA DEIAVDRDVP WGVDSLITLA 180
 FQDQRYVQT ADHRFLRHGD RLVARPEPAT GYTLBFRSGK VAFRDCBGRY LAPSPGSGTL 240
 KAGKATKVGK DELFALEQSC AQVVLQAANE RNVSTRQGM DLSANQDEETD QTFQLEIDR 300
 30 DTKKCAFRTH TGKYWTLLAT GGVQSTASSK NASCYFDIEW RDRRITLRAS NGKPVTSKKN 360
 GQLAASVETA GDSLFLMKL INRPIIVFRG EHGFIGCRKV TGTLDANRSS YDVFQLEFND 420
 GAYNIKDSTG KYWTVGSDSA VTSSGDTFPVD PPFEPDYNK VAIKVGGRYL KGDHAGVLKA 480
 SAETVDPASL WEY

Seq ID NO: 342 DNA sequence
 Nucleic Acid Accession #: FGENESH predicted
 Coding sequence:660..1705

1 11 21 31 41 51
 | | | | | |
 40 CGCTCCGCAC ACATTTCTCTG TCGCGGCTA AGGGAACCTG TTGGCCGCTG GGCCCGCGGG 60
 GGGATTCTTG GCAGTTGGGG GGTCCGTCGG GAGCGAGGGC GGAGGGGAAG GGAGGGGAA 120
 CCGGGTTGGG GAAAGCCAGCT GTAGAGGGCG GTGACCCGCG TCCAGACACA GCTCTGCGTC 180
 45 CTCGAGCGGG ACAGATCCAA GTTGGGAGCA GCTCTGCGTG CCGGGCCCTCA GAGAATGAGG 240
 CCGCGGTTG CCCTGTGCTT CCTCTGGCAG GCGCTCTGGC CCGGGCCGGG CCGCGCGGAA 300
 CACCCCACTG CCGACCGTGC TGCTGTCTCG GCCTCGGGGG CCTGCTACAG CCTGCACCAC 360
 GCTACCATGA AGCGCGAGGC GGCCGAGGAG GCCTGCATCC TGCAGAGTGG GCGCTCAGC 420
 ACCGTGCGTG CCGGCGCCGA GCTGCGGCT GTGCTCGCGC TCCTGCGGGC AGGCCCAGGG 480
 50 CCGGAGGGG GCTCCAAGA CCTGCTGTTT TGGTTCGCAC TGGAGCGCAG CCGTCCAC 540
 TGCAACCTGG AGAAGCAGCC TTTGCGGGT TTCTCTGGC TGTCTCCGA CCGCGCGGT 600
 CTCGAAAGCG ACACGCTGCA GTGGGTGGAG GAGCCCCAAC GCTCCTGCAC CCGCGGGAGA 660
 TGGCGGTAT TCCAGGCCAC CGTGGGGTC GAGCCCCAG CTGGAAGGAG ATGCGATGCC 720
 ACCTGCGCGC CAACGGCTAC CTGTGCAAGT ACCAGTTTGA GGTCTTGTGT CCTGCGCCGC 780
 GCGCGGGGGC GCGCTCTAAC TTGAGCTATC GCGCGCCCTT CCAGCTGCAC AGCGCGCTC 840
 55 TGGACTTCA TCCACTTGG ACCGAGTGA GTGCGCTCTG CCGGGGACAG CTCCGATCT 900
 CAGTTACTTG CATCGCGGAC GAAATCGGGC CTCGCTGGGA CAAACTCTG GCGATGTGT 960
 TGTGTCCCTG CCGCGGAGG TACCTCCGTG CTGGCAAATG CGCAGAGCTC CCTAATCTGC 1020
 TAGACGACTT GGGAGGCTTT GCCTGCGAAT GTGCTACGGG CTTCGAGCTG GGGAGGAGC 1080
 GCGCTCTTG TGTGACCACT GGGGAAGGAC AGCCGACCCT TGGGGGGACC GGGGTGCCA 1140
 60 CCAGGCGCCC GCGGCGACT GCAACAGGCC CCGTCCCGCA GAGAACATGG CCAATCAGGG 1200
 TCGACGAGAA GCTGGGAGAG ACACCACTG TCCCTGAACA AGACAATCA GTAACATCTA 1260
 TTCTGAGAT TCCTCGATGG GGATCACAGA GCACGATGTC TACCCTTCAA ATGTCCCTC 1320
 AAGCCGATC AAAGGCCACT ATCACCCCAT CAGGGAGCGT GATTTCCAAG TTTAATTCTA 1380
 CGACTTCTCT TGCCACTCCT CAGGCTTTCG ACTCCTCCTC TGCGGTGGTC TTCATATTG 1440
 65 TGAGCACAGC AGTAGTAGTG TTGGTGATCT TGACCATGAC AGTACTGGGG CTGTCAAGC 1500
 TCTGCTTCA CGAAAGCCCC TCTTCCCAGC CAAGGAAGGA GTCTATGGGC CCGCCGGGCC 1560
 TGGAGAGTGA TCCTGAGCCC GCTGCTTGG GCTCCAGTTC TGCACATTC ACAAAACAATG 1620
 GGGTAAAGT CCGGACTGT GATCTGCGGG ACAGAGCAGA GGGTCCCTG CTGGCGGAGT 1680
 CCCCCTTGG CTCTAGTAT GCATAG

Seq ID NO: 343 Protein sequence
 Protein Accession #: FGENESH predicted

1 11 21 31 41 51
 | | | | | |
 75 MGKDFMTKTP KAFATKAKID KWDLIKLSKSP CTAKETIIRV NSQPTDWQKT FAIYPSDKGV 60
 IARIYKELEQ IYKIKKPKTK LRTHFLSRPK GNCWPLGPRG DSWQLGGPSG ARAEGKGGGT 120
 GLGKPAVEGG DRAPDTALRP RAGQIQVGS SAGGASENEA GVRPVPPLAG ALARAGRRRT 180
 80 PHCRPCWLLG LGLLQAPAPR YHEAAGGRGG LHPARWGAQH RACGRRAARC ARAPAGRERA 240
 RRGLQRPAVL GRTGQAQFPL HPGERAFAGF LLAVLRFRRS RKRHAAVGGG APTLLHRAEM 300
 RGTGPHRWGR ARSWEKMRCH LRANGYLCKY QFEVLCFAPR PGAASNLSYR APFQLHSAAL 360
 DFPSPGTEVS ALCRGQLPIS VTCIADEIGA RWDKLSGDVL CPCPGRYLRA GKCAELPNCL 420
 DDLGGFACEC ATGFELGKDG RSCVTSSEGG PTLGGTGVPT RRPPATATSP VPQRTWPIRV 480
 DEKLGTEPLV PEODNSVTSI PEIPRWGSQS TMSLQMSLQ AESKATITPS GSVISKFNST 540
 85 TSSATPQAFD SSSAVVFIHV STAVVVLVIL TMTVLGLVKL CFHESPSSQP RKESMGPPGL 600
 ESDPEPAALG SSSAHCNTNG VKVGDCLRD RAEGALLAES PLGSSDA

5
10
15
20
25
30
35

```

TCTCGCTAGA CACAGTGTTC CTGCCAGGT GACCTGTTC GACGAGAAC AAGCCAGGGC 4860
CATGGGGACG GGGGAAGTTT TCACTTGGAG ATGGACACCA AGACAATGAA GATTTGTGTG 4920
CCAAATAGGT CAATAATCTT GGGAGACTCT TGGAAAAAAC TGAATATATT CAGGACCAAC 4980
TCTCTCCCTC CCTCATCTCC ACATCTCAAA GCAGACAATG TAAAGAGAGA ACATCTCACA 5040
CAGGAGGCTC GCCATGCTTA CTCATTCCTG AATTTCAAGT GCCATCAGTG CTCTTTCTTT 5100
CTTCTTTGTC ATTTGAGAAA GGTATGCAGG GGACAATTC CACAGATAAT CTGAGGAATG 5160
CAGAAAAAAC AGGGCAGGAC AGTTATCGAC AATGCATTAG AACTTGGTGA GCATCCTCTG 5220
TAGAGGACT CCACCCCTGC TCAACAGCTT GGCTCCAGG CAAGACCAAC CACATCTGGT 5280
CTCTGCCTTC GGTGGCCAC ACACCTAAGC GTCATCGTCA TTGCCATAGC ATCATGATGC 5340
AACACATCTA CBTGTAGCAC TACGACGTTA TGTTGGGTA ATGTGGGGAT GAACTGCATG 5400
AGGCTCTGAT TAAGAGTGTG GGGAAAGTGG CTGCGGTCC TGTCCGCCTT GCAAGGCCAC 5460
CTGGAGGCTT GTCTGTTAGC CAGTGGTGGG GGAGCAAGGC TTCAGGAAGG GCCAGCCACA 5520
TGCCATCTTC CCTGCGATCA GGCAAAAAAG TGGAAATAAA AAGTCAAACC TTTATATGCA 5580
TGTGTTATGT CCATTTTGA CAGTGAACCT AGTTTAAAAG AATTTTTTTT TCTCTTCAAG 5640
TTGCTTTGTC TTTTCCATCC TCATCAACA CCCTTGTGTT AGTGTCTTAT CCTGAGCAA 5700
TCTTTCGATG GATGGAGATG ATCATTAGGT ACTTTTGTTC CAACCTTTAT TCCTGTAAT 5760
ATTTCTGTGA AAATAGGAG AACAGAGATG AGATTTGACA AAAAAAATTT GAATTAATAA 5820
TAACACAGTC TTTTAAACA TAACATAGGA AAGCCTTCC TATTATTCTT CTCTTAGCT 5880
TCTCCATTGT CTAATCAGG AAAACAGGAA AACACAGCTT TCTAGCAGCT GCAAAATGGT 5940
TTAATGCCCC CTACATATTT CCATCACCTT GAACAATAGC TTTAGCTTGG GAATCTGAGA 6000
TATGATCCCA GAATAACATCT GTCTCTACTT CGGCTGCAAA ACCCATGGTT TAAATCTATA 6060
TGGTTTGTGC ATTTTCTCAA CTAAAAAATG AGATGATAAT CCGAATCTC CATATATTC 6120
CTAATCAAAG ACATATATTT CACTACTAGT TCCTGAGACA AATACTCACT GAAGGGCTTG 6180
TTTAAAAATA AATTGTGTTT TGGTCTGTTT TTGTAGATAA TGCCCTTCTA TTTTAGGTAG 6240
AAGCTCTGGA ATCCCTTTAT TGTGCTGTTG CTCTTATCTG CAAGGTGGCA AGCAGTICTT 6300
TTCAGCAGAT TTTGCCACT ATTCTCTGA GCTGAAGTTC TTTGCATAGA TTTGGCTTAA 6360
GCTTGAATTA GATCCCTGCA AAGGCTTGCT CTGTGATGTC AGATGTAATT GTAAATGCA 6420
GTAATCACTT CATGAATGCT AATGAGAAT GTAAGTATTT TTAATGTGT GTATTTCAA 6480
TTTGTGTC TAATCTGGA ATTACAAGAT TTCTATGCAG GATTTACCTT CATCCTGTGC 6540
ATGTTTCCCA AACTGTGAGG AGGGAAGGCT CAGAGATCGA GCTTCTCCTC TGAGTTCTAA 6600
CAAATGGTG CTTTGGGGT CAGCCTTAG GAAGGTGCAG CTTTGTGTC CTTTGAGCTT 6660
TCTGTTATGT GCCTATCCTA ATAACTCTT AAACACATT
    
```

Seq ID NO: 345 Protein sequence
Protein Accession #: NP_036204

40
45
50

```

1 11 21 31 41 51
| | | | |
MATSMGLLLL LLLLLTPQGA GTGADTEAVV CVGTACYTAH SGKLSAAEAQ NHCNQNGGNL 60
ATVKSKEEAA HVQRVLAQLL RREAALTARM SKFWIGLQRE KGKCLDPSLP LKGFVSVVGG 120
EDTFYSNWHK ELRNSCISKR CVSLLDLSQ PLEPNRLPKW SEGPCGSPGS PGSNIEGFVC 180
KFSFKGMRP LALGGPGQVT YTFPFQTTSS SLEAVPPASA ANVACGEGDK DETQSHYFLC 240
KERAPDVFWD GSSGPLCVSP KYGCNFNNGG CHQDCFEEDG GSFLGCRFP FRLLDDLVTC 300
ASRNPCSSSP GRGGATCVLG PHGKNYTCRC PQYQLDSSQ LDCVDVDECC DSPCAQECVN 360
TPGGFRCECW VGYEPGPGGE GACQDVDECA LGRSPCAQGC TNTDGSFHC3 CEEGYVLAGE 420
DGTQCQDVDE CVGPGGPLCD SLCFNTQGSF HCGCLPGWVL APNGVSVCTMG FVSLGPPSPG 480
PDEEDKGEKE GSTVPRATA SPTRGPEGTP KATPTTSRPS LSSDAPITSA PLKMLAPSGS 540
SGVWREPSIH HATAASGQGE PAGGDSVAT QNNDGTDGQK LLLFYILGTV VAILLLLALA 600
LGLLVYRKRK AKREEKKEKK PQNAADSYSW VPERAESRAM ENQYSPTPGT DC
    
```

Seq ID NO: 346 DNA sequence
Nucleic Acid Accession #: Z31560
Coding sequence: <1-966

55
60
65
70
75

```

1 11 21 31 41 51
| | | | |
CACAGCGCCC GCATGTACAA CATGATGGAG ACGGAGCTGA AGCCGCCGGG CCCGCAGCAA 60
ACTTCGGGGG GCGGGCGGGG CAACTCCACC GCGGCGGCGG CCGGGGGCAA CCAGAAAAAC 120
AGCCCGGACC GCGTCAAGCG GCCCATGAAT GCCTTCATGG TGTGTCCCG CGGGCAGCGG 180
CGCAAGATGG CCCAGAGAAA CCCCAGATG CACAACCTCG AGATCAGCAA GCGCCTGGGG 240
GCCGAGTGGG AACTTTTGTG GGAGACGGAG AAGCGGCGGT TCATCGACGA GGCTAAGCGG 300
CTGCGAGCGC TGCACATGAA GGAGCACCCG GATTATAAAT ACCGGCCCCG GCGGAAAACC 360
AAGACGCTCA TGAAGAAGGA TAAGTACACG CTGCCCGGCG GGCTGCTGGC CCCCGGGCG 420
AATAGCATGG CGAGCGGGGT CCGGGTGGGC GCGGCGGCGT GCGGCGGCGT GAACCAAGCG 480
ATGGACAGTT ACGCGCACAT GAACGGCTGG AGCAACGGCA GCTACAGCAT GATGCAGGAC 540
CAGCTGGGCT ACCCGCAGCA CCCGGGCTCT AATGCGCAGC GCGCAGCGCA GATGCAGCCC 600
ATGCACCGCT ACGAGCTGAG CGCCCTGCAG TACAACCTCA TGACCAGCTC GCAGACCTAC 660
ATGAACGGCT CCGCCACCTA CAGCATGTCC TACTCGCAGC AGGGCACCCC TGGCATGGCT 720
CTTGGCTCCA TGGGTTCTGGT GGTCAAGTCC GAGGCCAGCT CCAGCCCCC TGTGTTACC 780
TCTTCTCTCC ACTCCAGGGC GCCCTGCCAG GCGGGGACC TCCGGGCAT GATCAGCATG 840
TATCTCCCGG GCGCGAGGT GCGGGAACCC GCGGCCCCCA GCAGACTTCA CATGTCCCAG 900
CACTACCAGA GCGGCCCGGT GCCCGGCACG GCCATTAACG GCACACTGCC CCTCTCAC 960
ATGTGAGGGC CGGACAGCGA ACTGGAGGGG GGAGAAATTT TCAAAGAAAA ACGAGGGAAA 1020
TGGGAGGGGT GCAAAGAGG AGAGTAAGAA ACAGCATGGA GAAAACCCGG TACGCTCAA 1080
AAAA
    
```

Seq ID NO: 347 Protein sequence
Protein Accession #: CAAB3435

80
85

```

1 11 21 31 41 51
| | | | |
HSARMYNMME TELKPPGPQQ TSGGGGNGST AAAAGGNQKN SPDRVKRPMN AFMVWSRGQR 60
RKMAQENPKM HNSEISKRLG AEWKLLSETE KRPFIDEAKR LRALHMKRHP DYKYRPRRQT 120
KTLMKDKXYT LPGSELLAPGG NSMASGVGVG AGLGAGVNQR MDSYAHMNGW SNGSYSMMQD 180
QLGYPOHPGL NAHGAAQMQP MHRVDVSLQ YNSMTSSQTY MNGSPYYSMS YSQQGTGMA 240
LGSMSVVKS EASSPFPVVT SSSHSRAPQC AGDLRDMISM YLPGAEPVPEP AAPSRLEMSQ 300
HYQSGPVPPT AINGTLPLSH M
    
```

Seq ID NO: 348 DNA sequence
Nucleotide Accession #: NM_002638
Coding sequence: 120-473

5
1 11 21 31 41 51
CAATACAGCT AAGGAATTAT CCCTTGTAAT TACCACAGAC CCGCCCTGGA GCCAGGCCAA 60
GCTGGACTGC ATAAAGATTG GTATGGCCTT AGCTCTTAGC CAAACACCTT CCTGACACCA 120
10 TGAGGGCCAG CAGCTTCTTG ATCGTGGTGG TGTTCCTCAT CGCTGGGACG CTGGTTCTAG 180
AGGCAGCTGT CACGGGAGTT CCTGTTAAAG GTCAAGACAC TGTCAAAGGC CGTGTTCAT 240
TCAAATGGACA AGATCCCGTT AAAGGACAAG TTTCAGTTAA AGGTCAAGAT AAAGTCAAAG 300
CGCAAGAGCC AGTCAAAGGT CCAGTCTCCA CTAAGCCTGG CTCCTGCCCC ATTATCTTGA 360
15 TCCGCTGGCG CATGTTGAAT CCCCTAACCC GCTGCTTAA AGATACTGAC TGCCACAGGAA 420
TCAAGAAGTG CTGTGAAGGC TCTTGCGGGA TGGCCTGTTT CGTTCCCCAG TGAAGGGAGC 480
CGGTCCCTGG TGCACCTGTG CCGTCCCCAG AGCTACAGGC CCCATCTGGT CCTAAGTCCC 540
TGCTGCCCTT CCCCTTCCCA CACTGTCCAT TCTTCTCCCC ATTCAAGATG CCCACGGCTG 600
GAGTGCCTC TCTCATCCAC TTTCCAATAA A

Seq ID NO: 349 Protein sequence:
Protein Accession #: NP_002629

25
1 11 21 31 41 51
MRASSFLIVV VFLIAGTLVL EAAVTGVPVK GQDVTVKRVP FNGQDPVKQ VSVKGQDKVK 60
AQEPVKGPVS TKPGSCPIIL IRCAMLNPPN RCLKDITDCPG IKKCEGSCG MACFVPO

Seq ID NO: 350 DNA sequence
Nucleic Acid Accession #: NM_007183
Coding sequence: 75-2468

35
1 11 21 31 41 51
GAATTCCGGA CAGGACGTGA AGATAGTTGG GTTTGGAGGC GGCCTGCCAG CCCAGGCCCG 60
GTGGACCTGC CGCCATGCAG GACGGTAACT TCTGCTGTTC GGCCTGCAG CCTGAGGCCG 120
GGTGTGTCTC CCTGGCGCTG CCCTCTGACC TGCAGCTGGA CCGCCGGGGC GCCAGGGGGC 180
CGGAGGCCGA GCGGCTGCGG GCAGCCCGCG TCCAGGAGCA GGTCCGCGCC GCCTCTTTCG 240
40 AGCTGGGACA GCAGCCCGCG CACAACGGGG CCGCTGAGCC CGAGCCTGAG GCCGAGACTG 300
CCAGAGGCAC ATCCAGGGGG CAGTACCACA CCCTGCAGGC TGGCTTCAGC TCTCGCTCTC 360
AGGSCCTGAG TGGGGAACA ACCTCGGGCT TCCGGCCCAT CGCAAGCCG GCCTACAGCC 420
CAGCCTCTCT GTCTCTCCGC TCCGCGTGG ATCTGAGCTG CAGTCGGAG CTGAGTTTCA 480
CCCAACAATG GGGCAGCGCC TTTGGGGCCG CTGGGTACGG GGTGTCCTAG CCCACCCCTC 540
CCATGCCACAG CAGGCCCGTG TCCTTCCATG AGCGCGTGG GGTGGGAGC CGGGCCGACT 600
45 ATGACACACT CTCCTGCGC TCGCTGCGGC TGGGGCCCG GGGCCTGGAC GACCGCTACA 660
GCCTGGTGTG TGAGCAGCTG GAGCCCGCG CCACCTCCAC CTACAGGGCC TTTGCGTACG 720
AGCGCCAGGC CAGCTCCAGC TCCAGCCGG CAGGGGGGCT GACTGGGCC GAGGCCACTG 780
AGGTTTCCCC GAGCCGACC ATCCGTGCC CTGCCGTGG GACCTGCAG CGATTCCAGA 840
GCAGCCACCG GAGCCCGGG GTAGGCGGG CAGTCCCGG GGCCTCCTG GAGCCAGTGG 900
50 CTCGAGCGCC ATCTGTGCGC AGCCTCAGC TCAGCCTGG TGACTCGGG CACTGCGCG 960
ACGTGCATGG GTTCAACAGC TAGCGTAGCC ACCGAACCTC GCAGAGACTC AGCAGCGGTT 1020
TTGATGACAT TGACCTGCC TCAGCAGTCA AGTACCTCAT GGCTTCAGC CCCAACCTGC 1080
AGGTGCTGGG AGCGGCTAC ATCCAGCACA AGTGCTACAG CGATGCAGC GCCAAGAAGC 1140
AGCCCGCAG CCTTCAGGCC GTGCCTAGG TGGTGAAGCT CTCAACCCAC GCCAACAGG 1200
55 AAGTGCAGC CCAATGCCACA GGTGCCATG GCAACCTCAT CTACGACAA GCTGACAACA 1260
AGCTGGCCCT GGTGGAGGAG AACGGGATCT TOGAGCTGT GCGGACACTG CGGGAGCAGG 1320
ATGATGAGCT TCGCAAAAT GTCAAGGGA TCCGTGGAA CCTTTCATCC AGCGACCAAC 1380
TGAAGCACG CCTGGCCAGA GACACGCTG AGCAGCTCAC GACCTGGGT TTGAGCCCCC 1440
60 TGTCCGGGGC TGGGGGTCCC CCCCTCATCC AGCAGAACGC CTCGGAGCG GAGATCTTCT 1500
ACAAGCCAC CGGCTTCTC AGGAACCTCA GCTCAGCCTC TCAGGCCACT CGCCAGAAGA 1560
TGCGGGAGTG CCAGCGCTG GTGGACGCC TGGTCACTC TATCAACCAC GCCCTGGACG 1620
CGGGCAATG CGAGGACAAG AGCGTGGAGA ACGCGGTGTG CGTCTGCGG AACCTGTCTC 1680
ACCCCTCTA CGAGGAGAT CCGCCGTCG CGCTGCAGC GCTGGAGGGT CGCGGCCGCA 1740
GGGACCTGGC GGGGGCGCG CCGGGAGAG TCGTGGGCTG CTTACGCGC CAGAGCCGCG 1800
65 GGCTGCGCGA GCTGCCCTC GCGCCGATG CGCTCACCTT CGCGGAGGTG TCCAAGGACC 1860
CCAAGGCCCT CGATGGCTG TGGAGCCCC AGATCGTGGG GCTGTACAAC CGGCTGCTGC 1920
AGCGCTGCGA GCTCAACCGG CACACGACG AGGCGGCGC CGGGCGCTG CAGAACATCA 1980
CGCAGGCCA CCGCAGTGG GCGGGGTGC TGAGCCGCT GGCCTGGAG CAGGAGCGTA 2040
TTCTGAACCC CCTGCTAGC CTGTGAGGA CCGCGACCA CCACCAGCTG CGCTCACTGA 2100
70 CTGGCCTCAT CCGAAACCTG TCTCGGAACG CTAGGAACAA GGACGAGATG TCCACGAAGG 2160
TGGTGAAGCA CCTGATCGAG AAGCTGCCAG GCAGCGTGGG TGAGAAGTCG CCCCCAGCCG 2220
AGGTGCTGGT CAACATCATA GCTGTGCTCA ACAACCTGGT GGTGGCCAGC CCCATCGCTG 2280
CCGAGACCT GCTGTATTT GACGGACTCC GAAAGCTCAT CTTTATCAAG AAGAAGCGGG 2340
ACAGCCCGGA CAGTGAAGG TCCTCCGGG CAGCATCCAG CCTCCTGGCC AACCTGTGGC 2400
75 AGTACAACAA GCTCCACGCT GACTTTCGGG CGAAGGCTA TCGGAAGGAG GACTTCTTGG 2460
GCCATAGGT GAAGCCTTCT GGAGGAGAAG GTGACGTGGC CCAAGCTCCA AGGGACAGAC 2520
TCAGTCCAG GCTGCTGGC AGCCAGCCT GGAGGAGAAG GCTAATGACG GAGGGGCCCC 2580
TCGCTGGGGC CCTGTGTGTC ATCTTTGAGG GTCTGGGCC ACCAGGAGGG GCAGGCTCTT 2640
80 ATAGCTGGGG ACTTGGCTTC CGCAGGGCAG GGGGTGGGGC AGGGCTCAAG GCTGCTCTGG 2700
TGTATGGGGT GGTGACCCAG TCACATTGSC AGAGTGGGG GTTGGCTGTG GCCTGGCAGT 2760
ATCTTGGGAT AGCCAGCACT GGAATAAAG ATGGCCATGA ACAGTCAACA AAAAAAAAAA 2820
AAAAGGAATT C

Seq ID NO: 351 Protein sequence
Protein Accession #: NP_009114.1

85
1 11 21 31 41 51

	MQDGNPLLSA	LQPEAGVCSL	ALPSDLQLDR	RGAEQPEAKR	LRAARVQEQV	RARLLQLGQQ	60
	FRHNGAAEPE	PEAETARGTS	RGQYHTLQAG	FSSRSQGLSG	DKTSGFRPIA	KPAYSPASWS	120
5	SRSADVLSCS	RRLSSAHNGG	SAPGAAGYGG	AQPTPPMPTR	FVSFHERGGV	GSRADYDTLS	180
	LRSRLRPGGG	LDDRYSLVSE	QLEPAATSTY	RAFAYERQAS	SSSSRAGGLD	WPATEVSPS	240
	RTIRAPAVRT	LQRFQSSHRS	RGVGGAVPGA	VLEPVARAPS	VRSLSLSLAD	SGHLDPVHGF	300
	NSYGSHTLQ	RLSSGFDDID	LPSAVKYLMA	SDPNLQVLGA	AYIQHKCYSD	AAAKKQARSL	360
	QAVPRLVKLF	NHANQEVQRH	ATGAMRNLIY	DNADNKLALV	EENGIPELLR	TLREQDDEL	420
	KNVTGILWNL	SSSDHLKDRL	ARDTLEQLTD	LVLSPLSGAG	GPPLIQNAS	EAEIFYNATG	480
10	FLRNLSSASQ	ATRQKMRCH	GLVDALVTSI	NHALDAGKCE	DKSVENAVCV	LRNLSYRLYD	540
	EMPPSALQRL	EGRGRRLLAG	APPGVEVGF	TPQSRRLREL	PLAADALTF	EVSKDPKGL	600
	WLWSPQIVGL	YNRLLQRCLE	NRHTTEAAG	ALQINITAGDR	RWAGVLSRLA	LEQERILNPL	660
	LDRVRTADHH	QLRSLTGLIR	NLSRNARNKD	EMSTKVVSHL	IEKLPGSVGE	KSPFAEVLVN	720
15	IIAVLNNLVV	ASPIAARDLL	YFDGLRKLIF	IKKKRDSPPS	EKSSRAASSL	LANLWQYNKL	780
	HRDFRAGYR	KEDFLGP					

Seq ID NO: 352 DNA sequence
 Nucleic Acid Accession #: M31469
 Coding sequence: 1-651

	1	11	21	31	41	51	
25	ATGGCTGCGC	AGGGAGAGCC	CCAGGTCCAG	TTCAAACCTG	TATTGGTTGG	TGATGGTGGT	60
	ACTGGA AAAA	CGACCTTCGT	GAAACGTCAT	TTGACTGGTG	AATTTGAGAA	GAAGTATGTA	120
	GCCACCTTGG	GTGTGTGAGGT	TCATCCCCCTA	GTGTTCCACA	CCAACAGAGG	ACCTATTAAG	180
	TTCAATGTAT	GGGACACAGC	CGGCCAGGAG	AAATTCGGTG	GACTGAGAGA	TGGCTATTAT	240
	ATCCAAGCCC	AGTGTGCCAT	CATAATGTTT	GATGTAACAT	CGAGAGTTAC	TTACAAGAAT	300
	GTGCCTAACT	GGCATAGAGA	TCTGGTACGA	GTGTGTGAAA	ACATCCCCAT	TGTGTGTGT	360
30	GGCAACAAAG	TGGATATTAA	GGACAGGAAA	GTGAAGCCGA	AATCCATTGT	CTTCCACCGA	420
	AAGAAGAATC	TTCACTACTA	CGACATTTCT	GCCAAAAGTA	ACTACAACCT	TGAAAAGCCC	480
	TTCCCTCTGG	TTGCTAGGAA	GCTCATTTGA	GACCCTAECT	TGGAATTGTG	TGCCATGCCT	540
	GCTCTCGCCC	CACCCAGAAGT	TGTCATGGAC	CCAGCTTTGG	CAGCACAGTA	TGAGCAGGAC	600
35	TTAGAGTTG	CTCAGACAAC	TGCTCTCCCG	GATGAGGATG	ATGACCTGTG	A	

Seq ID NO: 353 Protein sequence
 Protein Accession #: AAA36546

	1	11	21	31	41	51	
40	MAAQGEPOVQ	FKLVLVGDGG	TGKTFVVKRH	LTGFEFEKYY	ATLGVVEVHPL	VFHTNRGPIK	60
	FNWWDTAGQE	KFGGLRDGY	IQAQCAIMF	DVTSRVITYKN	VPNWHRDVLR	VCENIPIVLC	120
	GNKVDIKDRK	VKAKSIVFHR	KKNLQYYDIS	AKSNYNFEPK	PLWLARKLIG	DPNLEFVAMP	180
45	ALAPPEVVM	PALAAQYEH	LEVAQTALP	DEDDDL			

Seq ID NO: 354 DNA sequence
 Nucleic Acid Accession #: NM_002820
 Coding sequence: 304-831

	1	11	21	31	41	51	
55	CCGGTTCCGA	AAGAAGCTGA	CTTCAGAGGG	GGAAACTTTC	TTCTTTTAGG	AGGGCGTTAG	60
	CCCTGTTC	CGAACCCAGG	AGAAGCTGCTG	GCCAGATTAA	TTAGACATTG	CTATGGGAGA	120
	CGTGAAAACA	CACTACTTAT	CATTGATGCA	TATATAAAAC	CATTTTATT	TGGCTATTAT	180
	TTACAGAGGAA	GCGCCTCTGA	TTTGTCTTCT	TTTTCCCTTT	TTGCTCTTTC	TGGCTGTGTG	240
	GTTTGGAGAA	AGCACAGTTG	GAGTAGCCGG	TTGCTAAATA	AGTCCCGAGC	GCGAGCCGGG	300
	ACGATGCAGC	GGAGACTGGT	TCAGCAGTGG	AGCGTCGCGG	TGTTCTGCT	GAGCTACGGG	360
60	GTGCCCTCCT	GCGGGCGCTC	GGTGGAGGGT	CTCAGCCGCC	GCCTCAAAAG	AGCTGTGTCT	420
	GAACATCAGC	TCCTCCATGA	CAAGGGGAAG	TCCATCCAAG	ATTTACGGCG	ACGATTCCTC	480
	CTTCACCATC	TGATCGCAGA	AATCCACACA	GCTGAAATCA	GAGCTACCTC	GGAGGTGTCC	540
	CCTAACTCCA	AGCCCTCTCC	CAACACAAAG	AACCACCCCG	TCCGATTTGG	GTCTGATGAT	600
	GAGGGCAGAT	ACCTAACTCA	GGAACTAAAC	AAGGTGGAGA	CGTACAAAAG	GCAGCCGCTC	660
	AAGACACCTG	GGAAAGAAAA	GAAAGGCAAG	CCCGGAAAC	GCAAGGAGCA	GGAAAAGAAA	720
65	AAAGCGGAA	CTCGCTCTGC	CTGGTTAGAC	TCTGGAGTGA	CTGGGAGTGG	GCTAGAAGGG	780
	GACCACCTGT	CTGACACCTC	CACRAAGTGC	CTGGAGCTCG	ATTCACGGTA	ACAGGCTTCT	840
	CTGGCCCGTA	GCCTCAGCGG	GGTGCTCTCA	GCTGGGTTTT	GGAGCCTCCC	TTCTGCCTTG	900
	GCTTGGACAA	ACCTAGAATT	TTCTCCCTTT	ATGTATCTCT	ATCGATTGTG	TAGCAATTGA	960
	CAGAGAATAA	CTCAGAATAT	TGTCTGCCTT	AAAGCAGTAC	CCCCCTACCA	CACACACCCC	1020
70	TGTCCTCCAG	CACCATAGAG	AGGCGCTAGA	GCCCATTCCT	CTTTCTCCAC	CGTACCCCAA	1080
	CATCAATCCT	TTACCACTCT	ACCAAATAAT	TTCATATTCA	AGCTTCAGAA	GCTAGTGACC	1140
	ATCTTCATAA	TTTGTCTGGAG	AAGTGTATTT	CTTCCCCTTA	CTCTCACACC	TGGGCAAACT	1200
	TTCTTCAGTG	TTTTTCATTT	CTTACGTTCT	TTCACCTCAA	GGGAGAATAT	AGAAGCATT	1260
	GATATTATCT	ACAAACACTG	CAGAACAGCA	TCAATGTCATA	AACGATTCTG	AGCCATTAC	1320
75	ACTTTTTATT	TAATTAATG	TATTTAATTA	AATCTCAAAT	TTATTTTAA	GTAAGAAGACT	1380
	TAAATTAATG	TTTAAACACA	TGCCTTAAAT	TTGTTAAT	AAATTTAAT	CTGTTTTCTA	1440
	CCAGCTCATA	CAAAATAAAT	GGTTTCTGAA	AATGTTTAA	TATTAACCTA	CAAGGATATA	1500
	GGTTTTCTC	ATGTATCTTT	TGTTTCATG	GCAAGATGAA	ATAATTTTT	TAGGGTAATG	1560
80	CCGTAGGAAA	AATAAAACTT	CACATTTAAA	AAAAA			

Seq ID NO: 355 Protein sequence
 Protein Accession #: NM_002820

	1	11	21	31	41	51	
85	MQRRLVQQWS	VAVFLLSYAV	PSCGRSVEGL	SRRLKRAVSE	HQLLHDKGKS	IQDLRRRPFPL	60
	HHLIAEIHIA	EIRATSEVSP	NSKPSPNTKN	HPVRFSGSDE	GRYLTQETNK	VETVKEQPLK	120

TPGKKKGGKP GRRKEQEKKK RRTRSALWDS GVTGSGLEGD HLSDTSTTSL ELSDR

Seq ID NO: 356 DNA sequence
Nucleic Acid Accession #: NM_017522
Coding sequence: 1-2100

5

1 11 21 31 41 51
| | | | | |
ATGGGCCTCC CCGAGCCGGG CCTCTCOGG CTCTGCGCG TGCTGTGCTG GCTGCTGCTG 60
CTGCTGCTGC TCGCGCTCCA GCATCTTGGC GCGGCAGCGG CTGATCCGCT GCTCGGCGGC 120
CAAGGGCCGG CCAAGGAGTG CGAAAAGGAC CAATTCCAGT GCCGGAACGA GCGCTGCATC 180
CCCTCTGTGT GGAGATGCGA CGAGGACGAT GACTGCTTAG ACCACAGCGA CGAGGACGAC 240
TGCCCAAGA AGACCTGTGC AGACAGTGAC TTCACCTGTG ACAACGGCCA CTGCATCCAC 300
GAAACGGTGA AGTGTGACGG CGAGGAGGAG TGTCTGTATG GCTCCGATGA GTCCGAGGCC 360
15 ACTTGCACCA AGCAGGTGTG TCCTGCAGAG AAGCTGAGCT GTGGACCCAC CAGCCACAAG 420
TGTTGACTCT CCTCTGTGGC CTGCGACGGG GAGAAGGACT GCGAGGGTGG AGCGGATGAG 480
GCCGGCTGTG CTACCTCACT GGGCACTGCG CGTGGGGACG AGTTCACAGT TGGGGATGGG 540
ACATGTGTCC TTGCAATCAA GCACTGCAAC CAGGAGCAGG ACTGTCCAGA TGGGAGTGAT 600
GAAAGCTGGT GCCTACAGGG GCTGAACGAG TGCTGCACA ACAATGGCGG CTGCTCACAC 660
20 ATCTGCACAG ACCTCAAGAT TGGCTTTGAA TGACAGTGCC CAGCAGGCTT CCAGCTCCTG 720
GACCAGAAGA CTTGTGGCGA CATTGATGAG TGCAAGGACC CAGATGCCTG CAGCCAGATC 780
TGTTGCAATT ACAAGGGCTA TTTTAAGTGT GAGTGTCTACC CTGGCTGCGA GATGGACCTA 840
CTGACCAAGA ACTGCAAGCC TGCTGCTGGC AAGAGCCCAT CCCTAATCTT CACCAACCCG 900
ACGAGTGGCG AGGATGACCC TGTGAAGCGG AACTATTCAC GCCTCATCCC CATGCTCAAG 960
25 AATGTCGTGG CACTAGATGT GGAAGTTGCC ACCAATCGCA TCTACTGGTG TGACTCTCC 1020
TACCGTAAGA TCTATAGCCG CTACATGGAC AAGGCCAGTG ACCCGAAAAG GCGGGAGGTC 1080
CTCATTGACG AGCAGTTGCA CTCTCCAGAG GGCCTGGCAG TGGACTGGTT CCAACAAGCA 1140
ATCTACTGGA CTGACTCGGG CAATAAGACC ATCTCAGTGG CCACAGTTGA TGGTGGCCGC 1200
CGAGCCTACT TCTCTAGCCG TAACCTCAGT GAACCCCGGG CCATCGTGTG TGACCCCTGT 1260
30 CGAGGTTTCA TGTATTGGTC TGACTGGGGG GACCAGGCCA AGATTGAGAA ATCTGGGCTC 1320
AACGGTGTGG ACCGGCAAAC ACTGGTGTCA GACAATATTG AATGGCCCAA CGGAATCACC 1380
CTGGATCTGC TGAGCCAGCG CTGTACTTGG GTAGACTCCA AGCTACACCA ACTGTCCAGC 1440
ATTGACTTCA GTGAGGCGAA CAGAAAGACG CTGATCTCCT CCACTGACTT CCTGAGCCAC 1500
CCTTTTGGGA TAGCTGTGTT TGAGGACAAG GTGTTCTGGA CAGACCTGGA GAACGAGGCC 1560
35 ATTTTCAGTG CAAATCGGCT CAATGGCCTG GAAATCTCCA TCCTGGCTGA GAACCTCAAC 1620
AACCCACATG ACATTGTGCT CTCCATGAG CTGAAGCAGC CAAGAGCTCC AGATGCCTGT 1680
GAGCTGAGTG TCCAGCCTAA TGGAGGCTGT GAATACCTGT GCCTTCCTGC TCCTCAGATC 1740
TCCAGCCACT TCCTCAAGTA CACATGTGCG TGTCTGACA CAATGTGGCT GGGTCCAGAC 1800
ATGAAGAGGT GCTACCAGCA TGCAAATGAA GACAGTAAGA TGGGCTCAAC AGTCACTGCC 1860
40 GCTGTTATCG GGATCATCGT GCCCATAGTG GTGATAGCCC TCCTGTGCAT GAGTGGATAC 1920
CTGATCTGGA GAAACTTGGAA GCGGAAGAAC ACCAAAAGCA TGAATTTTGA CAACCCAGTC 1980
TACAGGAAAA CAACAGAAGA AGAAGATGAA GATGAGCTCC ATATAGGGAG AACTGCTCAG 2040
ATTGGCCATG TCTATCTCTC AGCAGTGGCA TTAAGCCTTG AAGATGATGG ACTACCCTGA 2100
GGATGGGATC ACCCCCTTGG GCCTCATGG AATTGAGTCC CATGCACACT ACTCCGGATG 2160
45 GTGTATGACT GGATGAATGG GTTCTATAT ATGGGTCTGT GTGAGTGTAT GTGTGTGTGT 2220
GATTTTTTTT TTTAAATTTA TGTGCGGAA AGGTAACCAC AAGTATATGA TGAAGTCAA 2280
ACATCCAAAG GATGTGAGAG TTTTCTATG TATAATGTTT TATACACTTT TTAAGTGGT 2340
GCACTACCCA TGAGGAATTC GTGGAATGGC TACTGCTGAC TAACATGATG CACATAACCA 2400
AATGGGGGCC AATGGCACAG TACCTTACTC ATCATTAAAA AACTATATTT ACAGAAGATG 2460
50 TTTGGTTGCT GGGGGCTTT TTAGGTTTT GGGCATTGTG TTTTGTGAAA TAAGATGATT 2520
ATGCTTTGTG GCTATCCATC AACATAAGT

Seq ID NO: 357 Protein sequence
Protein Accession #: NP_059992

55

1 11 21 31 41 51
| | | | | |
MGLPEPGLR LLALLLLLLL LLLLRQLHLA AAAADPLLGG QGPAKECEKD QFQCRNERCI 60
PSVWRCDDED DCLDHSDEDD CPKKTCAUSD FTCDNHGHCI ERWKCDGEE CPDGSDESEA 120
TCTKQVCPAE KLSGPTSHK CVPASWRCDG EKDCGEGADE AGCATSLGTC RGDEFQCGDG 180
TCVLAIRHCN QEQDCPDGSD EAGCLQGLNE CLHNNGGCSH ICTDLKIGFE CTCFAGFQLL 240
DQKTCGDIDE CKDPDACSQI CVNYKGYFKC ECYPGCEMDL LTKNCKAAAG KSPSLIFTR 300
TSAEDRPVPR NYSRLIPMLK NVVALDVEVA TNRIYWCDSL YRKIYSAYMD KASDPKEREV 360
LIDBQLHSPE GLAVDNVHKH IYWTDSGNKT ISVATVDGGR RRTLFPSRNL EPRAIADVPL 420
65 RGFMYWSDWG DQAKIEKSLG NGVDRQTLVS DNIEWPNGIT LDLLSRLYW VDSKLHQLSS 480
IDFSGGNRKT LISSTDFLSH PFGIAVFEDK VFWTDLNEA IFSANKLNL EISILAENLN 540
NPHDIVIFHE LKQPRAPDAC ELSVQPNGGC EYLCLPAPQI SSHSPKYTCA CPDTMWLGPD 600
MKRCYRDANE DSRMGSTVTA AVIGIIVPIV VIALLCMSGY LIWRNWKRRN TKSMNPNP 660
70 YRKTTEEDE DELHIGRTAQ IGHVYPARVA LSLEDDGLP

Seq ID NO: 358 DNA sequence
Nucleic Acid Accession #: M27826
Coding sequence: <1-503

75

1 11 21 31 41 51
| | | | | |
AGCCCAAGAA ACATCTCACC AATTCAAAAT CTGATCTATT CGGCTTAGCG ACTGAAGATT 60
GAGGCTGCCG GATCGCCTCG GAAGTCCCCT GGACCATCAC AGAAGCCGAG CTTCGGGTAA 120
CTCTCACAGT GGAGGTAAG TCCATCCCCT GTTTAATCGA TACGGGGGCT ACCCACTCCA 180
CGTGTCCCTC TTTTCAAGGG CCTGTTCCCT TTGCCCCCAT AACTGTTGTG GGTATTGACG 240
GCCAAGCTTC AAAACCCCTG AAAACCTCCC CACTCTGGTG CCAACTTGGA CAACACTCTT 300
TTATGCACTC TTTTGTAGTT ATCCCACCT GCCCACTTCC CTTATTAGGC CGAAATATTT 360
TAACCAAATT ATCTGCTTCC CTGACTATTC CTGGAGTACA GCTACATCTC ATTGCTGCC 420
75 TCTTCCCAA TCCAAGGCT CCTTTGTGTC CTCTAACATC CCCACAATAT CAGCCCTTAC 480
CACAAAGACCT CCCTTCAGCT TAATCTCTCC CACTCTAGGT TCCACGCGG CCCCTAATCC 540
CACTTGAAGC AGCCCTGAGA AACATGCGCC ATTCTCTCTC CATACCACCC CCAAAAATTT 600
TTCGCCGCTC CAACACTTCA ACACTATTTT GTTTTATTG TCTTATTAAT ATCAGAAGGC 660

AGGAATGTCA GGCCTCTGAG CCCAGGCCAG GCCATCGCAT CCCCTGTGAC TTGCACGTAT 720
 ACATCCAGAT GGCCTGAAGT AACTGAAGAT CCACAAAAGA AGTAAAAACA GCCTTAACCTG 780
 ATGACATCCC ACCATTGTGA TTTGTTCTCG CCCCACCCCTA ACTGATCAAT GTACTTTGTA 840
 ATCTCCCCCA CCCTTAAGAA GGTTCCTTGT AATTCTCCCC ACCCTTGAGA ATGTAATTTG 900
 TGAGATCCAC CCCTGCCCCAC CAGAGAACAA CCCCTTTGA TTGTAATTTT TTATTACCTT 960
 CCCCAAATCT ATAAAACAGC CCCACCCCTA TCTTCCTTCA CTGACTCTCT TTTCGGACTC 1020
 AGCCACCGGC ACCCAGGTGA AATAAACACG TTTATTGCTC AC

Seq ID NO: 359 Protein sequence
 Protein Accession #: AAA65999

1 11 21 31 41 51
 | | | | |
 PKKHLTNFKS DLFLGATEDW RCPPIASEVFW TITEAELRVT LTVEGKSIPC LIDTGATHST 60
 LPSFPQFPVSL APITVVIGID QASKPLKTPP LWCQLGQHSF MHSFLVIPTC PLPLLRNRL 120
 TKLSASLTIP GVQLHLIALA LPNPKPPLCP LTSPOYQPLP QDLPSA

Seq ID NO: 360 DNA sequence
 Nucleic Acid Accession #: NM_001854
 Coding sequence: 162-5582

1 11 21 31 41 51
 | | | | |
 AACCATCAA TTTAGAAGAA AAAGCCCTTT GACTTTTTCC CCCCTCCCT CCCCAATGGC 60
 TGTGTAGCAA ACATCCCTGG CGATACCTTG GAAAGGACGA AGTTGGTCTG CAGTCGCAAT 120
 TTCGTGGGTT GAGTTCACAG TTGTGAGTGC GGGGCTCGGA GATGGAGCCG TGGTCTCTTA 180
 GGCCTGAAAC GAAACGGTGG CTCTGGGATT TCACCGTAAC AACCTCGCA TTGACCTTCC 240
 TCTTCCAAGC TAGAGAGGTC AGAGGAGCTG CTCCAGTTGA TGACTAAAA GCAC TAGATT 300
 TTCACAATTC TCCAGAGGGA ATATCAAAAA CAACGGGATT TTGCACAAAC AGAAAGAATT 360
 CTAAGAGCTC AGATACTGCT TACAGAGTTT CAAAGCAAGC ACAACTCAGT GCCCAACAA 420
 AACAGTTATT TCCAGGTGGA ACTTCCCCAG AAGACTTTTC AATACTATTT ACAGTAAAAAC 480
 CAAAAAAGG AATTCACTCT TTCCTTTTAT CTATATATAA TGAGCATGGT ATTCAGCAA 540
 TTGGTGTGTA GGTGGGAGA TCACCTGTTT TTCTGTTTGA AGACCACACT GGAAAACTG 600
 CCCAGAGA CTATCCCTC TFCAGAACTG TTAACATCGC TGACGGGAAG TGGCATCGGG 660
 TAGCAATCAG CGTGAGAGG AAAACTGTGA CAATGATGTT TGATTGTAAG AAGAAAACCA 720
 CGAAACCCTC TGATAGAAGT GAGAGAGCAA TTGTTGATAC CAATGGAAATC ACGTTTTTGT 780
 GAACAAGGAT TTTGGATGAA GAAGTTTTTG AGGGGGACAT TCAGCAGTTT TTGATCACAG 840
 GTGATCCCAA GGCAGCATAT GACTACTGTG AGCATTATAG TCACAGACTGT GACTCTTCAG 900
 CACCCAAGGC TGCTCAAGCT CAGGAACCTC AGATAGATGA GTATGCACCA GAGGATATAA 960
 TCGAATATGA CTATGAGTAT GGGGAAGCAG AGTATAAAGA GGCTGAAAGT GTAACAGAGG 1020
 GACCCACTGT AACTGAGGAG ACAATAGCAC AGACGGAGGC AAACATCGTT GATGATTTTC 1080
 AAGAATACAA CTATGGAACA ATGGAAGTT ACCAGACAGA AGCTCCTAGG CATGTTTCTG 1140
 GGACAAATGA GCCAAATCCA GTTGAAGAAA TATTTACTGA AGAATATCTA ACGGGAGAGG 1200
 ATTATGATTC CCAGAGGAAA AATTCTGAGG ATACACTATA TGAAAACAAA GAAATAGACG 1260
 GCAGGGATTC TGATCTTCTG GTAGATGGAG ATTTAGGCGA ATATGATTTT TATGAATATA 1320
 AAGAATATGA AGATAAACCA ACAAGCCCCC CTAATGAAGA ATTTGGTCCA GGTGTACCAG 1380
 CAGAAACTGA TATTCAGAA ACAAGCATAA ATGGCCATGG TGCAATGGA GAGAAAAGGAC 1440
 AGAAAGGAGA ACCAGCAGTG GTTGAGCCTG GTATGCTTGT CGAAGGACCA CCAGGACCAG 1500
 CAGGACCTGC AGGTATTATG GGTCTCCAG GTCTACAAG CCCCACTGGA CCCCTGGTG 1560
 ACCCTGGCGA TAGGGGCCCC CCAGGACGTC CTGGCTTACC AGGGGCTGAT GGTCTACCTG 1620
 GTCCTCCTGG TACTATGTTG ATGTTACCCT TCCGTTATGG TGGTATGTT TCCAAGGAC 1680
 CAACCATCTC TGCTCAGGAA GCTCAGGCTC AAGCTATTCT TCAGCAGGCT CGGATTGCTC 1740
 TGAGAGGCCC ACCTGGCCCA ATGGGTCTAA CTGGAAGACC AGGTCTCTGT GGGGGGCTG 1800
 GTTCATCTGG GCCCAAAGGT GAGAGTGGTG ATCCAGGTCC TCAGGGCCCT CGAGGCGTCC 1860
 AGGGTCCCC TGCTCAACG GGAACACTG GAAAAAGGG TCGTCCAGT GCAGATGGAG 1920
 GAAGAGGAAT GCCCAGGAAA CCTGGGGCAA AGGGAGATCG AGGGTTGAT GGAATCCGG 1980
 GTCTGCCAGG TGACAAAGGT CACAGGGGTG AACAGGTCC TCAAGTCTCT CCAGGTCTCT 2040
 CTGGTATGTA TGGAAATGAG GAGAAAGATG GAGAAATGG ACCAAGAGGT TTTCCAGGTG 2100
 AAGCTGGCCC ACGAGGTTTG CTGGGTCCAA GGGAACTCC AGGAGCTCCA GGGCAGCCTG 2160
 GTATGGCAGG TGTAGATGGC CCCCAGGAC CAAAAGGAAA CATGGTCTCC CAAGGGGAGC 2220
 CTGGGCCTCC AGTCAACAA GGGAAATCCAG GACCTCAGGG TCTTCTCGGT CCAAGGTC 2280
 CAATGGTCC TCCTGGTGAA AAAGGACCAC AAGGAAAACC AGGACTTGCT GGAATCTCTG 2340
 GTGCTGATGG GCCTCTGCT CATCTGGGA AAGAAGGCCA GTCTGGAGAA AAGGGGGCTC 2400
 TGGTCCCCC TGGTCCACAA GGTCTATTG GATNNCCGG CCCCAGGGA GTAAGGGAG 2460
 CAGATGTTGT CAGAGGTCTC AAGGGATCTA AAGGTGAAA GGGTGAAGAT GGTTTTCCAG 2520
 GATTCAAAGG TGACATGGGT CTAAGAGGTG ACAGAGGAGA AGTTGGTCAA ATTGGCCCAA 2580
 GAGGNAAGA TGGCCCTGAA GGACCCAAAG GTCGAGCAGG CCCAATGGA GACCCAGGTC 2640
 CTTCAGGTCA AGCAGGAGAA AAGGGAAAC TTGGAGTTC AGGATTACCA GGATATCCAG 2700
 GAAGACAAGG TCCAAAGGGT TCCACTGGAT TCCCTGGGTT TCCAGGTGCC AATGGAGAGA 2760
 AAGGTGCACG GGGAGTAGCT GGCAAACCAG GCCCTCGGG TCAGCGTGGT CCAACGGGTC 2820
 CTCGAGGTT CAGAGGTGCA AGAGGTCCCA CTGGGAAACC TGGGCCAAG GGCACCTFCAG 2880
 GTGGCGATGG CCTCCTGGC CCTCCAGTG AAAGAGGTC TCAAGGACTC CAGGTCAG 2940
 TTGGATTCCT TGGACCAAAA GGCCCTCCTG GACCACCAG AAGGATGGGC TGCCAGGAC 3000
 ACCCTGGGCA ACGTGGGGAG ACTGGATTTC AAGGCAAGAC CGGCCCTCT GGGCCAGGG 3060
 GAGTGGTTGG ACCACAGGGA CCAACCGGTG AGACTGGTCC AATAGGGGAA CGTGGGTATC 3120
 CTGGTCTCTC TGGCCCTCTC GGTGAGCAAG GTCTTCTCTG TGCTGCAGGA AAAGAAGGTG 3180
 CAAAGGTTGA TCCAGTCTCT CAAGGTATCT CAGGAAAGA TGGACCACA GGATTACGTC 3240
 GTTTCACAGG GGAAGAGGT CTCTCTGGAG CTCAGGTGTC ACCTGGACTG AAAGGAGGGT 3300
 AAGGTCCCCA GGGCCACCA GGTCCAGTTG GCTCACCAG AGAACGTGGG TCAGCAGGTA 3360
 CAGCTGGCCC AATTGGTTTA CGAGGGGCC CCGGACCTCA GGTCTCTCT GGTCCAGCTG 3420
 GAGAGAAAGG TGCTCTCTGA GAAAAAGGTC CCAAGGGCC TGCAAGGAGA GATGGAGTTT 3480
 AAGGTCTCTG TGGTCTCCCA GGGCCAGCTG GTCCTGCCC CTCCCTGGG GAAGACGGAG 3540
 ACAAGGTGTA AATTGGTGG CCGGACAAA AAGGCAGCAA GGGTGGCAAG GGAGAAAATG 3600
 GCCCTCCCGG TCCCCAGGT CTTCAAGGAC CAGTTGGTGC CCTGGAATT GCTGGAGGTG 3660
 ATGTTGAACC AGGTCTTAGA GGACAGCAGG GATGTTTGG CAAAAAGGT GATGAGGGTG 3720
 CCAGAGGCTT CCTGAGACT CTTGGTCCAA TAGGTCCTCA GGGTCTGCA GGCCACCTG 3780
 GTGAAAAAGG TGAANAATGG GATGTTGGTC CATGGGGGCC ACCTGGTCTT CCAGGCCCAA 3840

5
10
15
20
25
30
35
40

GAGGCCCTCA AGGTCCCAAT GGAGCTGATG GACCCACAAG ACCCCAGGT TCTGTTGGTT 3900
CAGTTGGTGG TGTGGAGAA AAGGGTGAAC CTGGAGAAGC AGGAAACCCA GGGCCTCCTG 3960
GGGAAGCAGG TGTAGGCGGT CCCAAGGAG AAAGAGGAGA GAAAGGGGAA GCTGGTCCAC 4020
CTGGAGCTGC TGGACCTCCA GGTGCCAAGG GGCCGCCAAG TGATGATGGC CTAAGGGTA 4080
ACCCGGGTCC TGTGTTTCTT CTGGAGATC CTGGTCTCC TGGGAACTT GGCCCTGCAG 4140
GTCAAGATGG TGTGTTGTTT GACAAAGGTT AAGATGGAGA TCCTGGTCAA CCGGGTCCCTC 4200
CTGGCCCATC TGGTGAAGCT GGCCACCAG GTCCTCCTGG AAAACGAGGT CCTCCTGGAG 4260
CTGCAGGTGC AGAGGGAAGA CAAGGTGAAA AAGGTGCTAA GGGGAAGCA GGTGCAGAAG 4320
GTCCCTCCTGG AAAAACCGGC CCAGTCGGTC CTCAGGGACC TGCAGGAAAG CCTGGTCCAG 4380
AAGTCTTTCG GGGCATCCCT GGTCTGTGG GAGAACAAG TCTCCCTGGA GCTGCAGGCC 4440
AAGATGGACC ACCTGGTCTT ATGGGACCTC CTGGCTTACC TGGTCTCAA GGTGACCCTG 4500
GCTCCAAGGG TGAAGGGAAT CATCTGGTGT TAATTGGCCT GATTGGTCTT CCAGGAGAAC 4560
AAGGGGAAAA AGGTGACCGA GGGCTCCCTG GAACTCAAG ATCTCCAGGA GCAAAGGGG 4620
ATGGGGGAAAT TCCTGGTCTT GCTGGTCCCT TAGGTCCACC TGGTCTCCA GGCTTACCAG 4680
GTCCCTCAAG CCCAAAGGCT AACAAAGGCT CTACTGGACC CGCTGGCCAG AAAGGTGACA 4740
GTGGTCTTCC AGGGCTCCTT GGGCTCCAG GTCCACCTGG TGAAGTCATT CAGCCTTTAC 4800
CAATCTGTGC CTCGAAAAA AGAGAAAGAC ATACTGAAG CATGCAAGCA GATGCAGATG 4860
ATAATATTCT TGATTACTCG GATGGAATGG AAGAAATATT TGGTTCCTC AATTCCCTGA 4920
AACAAAGACAT CGAGCATATG AAATTTCCAA TGGGTACTCA GACCAATCCA GCCCGAAGCT 4980
GTAAAGACCT GCAACTCAGC CATCTGACT TCCCAGATGG TGAATATTGG ATTGATCCTA 5040
ACCAAGGTTG CTCAGGAGAT TCCTCAAAG TTTACTGTAA TTTACATCT GGTGGTGA 5100
CTTGCAATTA TCCAGACAAA AAATCTGAGG GAGTAAGAAT TTCATCATGG CCAAAGGAGA 5160
AACCAGGAAG TTGTTTATAG GAATTTAAGA GGGGAAAACT GCTTTCATAC TTAGATGTTG 5220
AAGGAAATTC CATCAATATG GTGCAAATGA CATTCTGAA ACTTCTGACT GCCTCTGCTC 5280
GGCAAAATTT CACCTACCAC TGTCATCAGT CAGCAGCCTG GTATGATGTG TCATCAGGAA 5340
GTTATGACAA AGCACTTCGC TTCTGGGAT CAAATGATGA GGAGATGTCC TATGACAATA 5400
ATCCTTTTAT CAAAACACTG TATGATGGTT GTACGTCAG AAAAGGCTAT GAAAAAACTG 5460
TCATTGAAAT CAATACACCA AAAATTGATC AAGTACCTAT TGTGATGTC ATGATCAGTG 5520
ACTTTGGTGA TCAGAACTAG AAGTTCGGAT TTGAAGTTGG TCCTGTTTGT TTTCTTGGCT 5580
AAGATTAAAG CAAAGAAAT ATCAAATCAA CAGAAAAATG ACCTTGGTGC CACCAACCCA 5640
TTTTGTGCCA CATCAAGTT TTGAAATAAG ATGATGAGAA AACAACGCTG CATATACAGG 5700
TACCATTAG GAAATACCGA TGCCTTTGTG GGGCAGAAAT CACAGACAAA AGCTTTGAAA 5760
ATCATAAAGA TATAAGTTGG TGTGGCTAAG ATGGAAACAG GGCTGATTCT TGATTCCCAA 5820
TTCTCACTC TCCTTTTCTT ATTTGAATTT CTTTGGTGT GTAGAAAAA AAAAAAGAAA 5880
AATATATATT CATAAAAAAT ATGGTGTCTA TTCTCATCCA TCCAGGATGT ACTAAACAG 5940
TGTGTTAAT AAATTTAAT TATTTTGTGT ACAGTTCTAT ACTGTTATCT GTGTCCATTT 6000
CCAAAACCTG CAGGTGCTCC TGAATCCCG TGACTCTAAT TTATGAGGAT GCCGAACTCT 6060
GATGGCAATA ATATATGTAT TATGAAAAAT AAGTTATGAT TTCCGATGAC CCTAAGTCCC 6120
TTCTTTTGGT TAATGATGAA ATTCCTTTGT GTGTGTTT

Seq ID NO: 361 Protein sequence
Protein Accession #: NP_001845

45
50
55
60
65
70
75

1 11 21 31 41 51
MEPWSRWKT KRWLWDFVT TLALTFLFQA REVRGAAPVD VLKALDFHNS PEGISKTTGF 60
CTNRKNSKGS DTAYRVSKQA QLSAPTKQLF PGGTFPEDFS ILFTVVKPKKG IQSPLLSIYN 120
EHGIQQIGVE VGRSPVFLFE DHTGKRPAPED YPLFRVTNIA DGKWHRVAIS VEKKTVTMIV 180
DCKKRTTKPL DRSERAVLDT NGITVFGTRI LDEEVFEGDI QQLFITGDPK AAYDYCEHYS 240
PDCSSAPKA AQAAGAGTDE YAPEDIIEVD YEYGEAEYKE AESVTEGPTV TEETIAQTEA 300
NIVDDFQEVN YGTMESYQTE APRHVSQTNE PNPVEEIFTE EYLTEGEDIYS QRKNSIEDTLY 360
ENKEIDGRDS DLLVDGDLGE YDFYKEYEY DKPTSPPNEE FPGVPAETD ITETSINGHG 420
AYGKQKQGE PAVVEPMLV EGPPGAPGA GIMGPPGLQG PTGPPGDPGD RGGPPRPGLP 480
GADGLPGPPG TMLMLPFYRG GDGSKGPTIS AQEAQAQAIL QQARIALRG PGPMLTGRP 540
GPGVGGPSSG AKGESDPPG QPFRGVQPPP GPTGKPKRG RFGADGGRGM PGEPGAKGDR 600
GPDGLPGLPG DKGHRGERGP QPPGPPGDD GMRGEDGEIG PRGLPGEAGP RGLLGRGTP 660
GAPGQPGMAG VDGPPGKGN MGPOGEPGP GQQGNFPPQG LPPGQGPFG PGEKGPQGP 720
GLAGLPGADG PPGHPKKEGQ SGEKALGPP GPQGPVIGKRG PRGKADGV RGLKGSKGEK 780
GEDGPPGPKG DMGLKGRGE VQIGPRGD GPEGPKRAG PTGDPGSPG AGEKGLGVP 840
GLPGYFGRQG PKGTFGPF PGANGKGRAR GVAGKPPRG QRGPTGPRGS RGARGPTGK 900
GPKGTSGGDG PPGPPGERGP QPQGPVGFPP GPKGPPGPPG RMGCFHFGQ RGETGFQGKT 960
GPPGPGVVV GPGTGTETG IGERGYPPG GPPGEGQLPG AAGKSGAKGD PGPQGISGD 1020
GPAGLRGFP ERGLPGAQA PGLKGGEGP GPPGVPVSPG ERGSAAGTAP IGLRGRPGPQ 1080
GPPGPAEGK APGEKGPQGP AGRDGVQGPV GLFPGAPAG SPGEDGDKGE IGEPPQKGSK 1140
GGKGENGPPG PPLGQPVGA PGIAGGDGEP GPRGQQMFG QKDEGARGF PGPFGPIGLQ 1200
GLPFPPEKGE ENGDVGPWGP PPGPPRGPQ GPNAGDPPQG PPGSVGVSVG VGEKGEPEGA 1260
GNPFPPEGAG VGGPKGERGE KGEAGPPGAA GPPGAKGPPG DDGPKGNPVP VGFPGDPGPP 1320
GELGPAQDQ VGGDKGEDG PQGPPGPPGS GEAGPPGPPG KRGPFGAAGA EGRQGEKGA 1380
GEAGAEPPG KTGVPVQPP AGKPPGPEGLR GIPGVPGEQG LPGAAGQDGP PGPMPGPPGLP 1440
GLKDPGSKG EKGHPGLIGL IGPPEQGEK GDRGLPPTQG SPGAKGDGGI PGPAGPLGPP 1500
GPPGLPGPQG PKGNKSTGP AGQKDSGLP GPPGPPGPPG EVIQPLPILS SKTKRRHTEG 1560
MQADADDNIL DYSDMEEIF GSNLSLKQDI EHMKPFMGTO TNPARTCKDL QLSHPDFPDG 1620
EYWIDPNQC SGDSFKVYCN FTSGGETCIY PDKKSEGVRI SSWPKKPKGS WFSFKRGLK 1680
LSYLDVEGNS INMQMTFLK LLTASARQNF TYHCHQSAAW YDVSSESYDK ALRFLGSNDE 1740
EMSYDMNPF KTYLDGCTSR KGYEKTVEI NTPKIDQVPI VDVMSDFGD QNPKFGEV 1800
PVCFLG

Seq ID NO: 362 DNA sequence
Nucleic Acid Accession #: NM_003107
Coding sequence: 351-1775

85

1 11 21 31 41 51
TTCCCCAGCA TTCGAGAAAC TCCTCTCTAC TTTAGCACGG TCTCCAGACT CAGCCGAGAG 60
ACAGCAAATC GCAGCGCGGT GAGAGAGCGA GAGAGAGGGA GAGAGAGACT CTCAGCCTG 120
GGAACTATAA CTCCTCTCGG AGAGGCGGAG AACTCCTTCC CCAATCTTT TGGGACTTT 180

TCTCTCTTTA CCCACCTCCG CCCCTGCGAG GAGTTGAGGG GCCAGTTCGG CCGCCGCGGG 240
 CGTCTTCCCG TTCGGGGTGT GCTTGGCCCG GGGAAACCGG AGGGCCCGGC GATCGCGCGG 300
 CGGCCGCGCG GAGGGTGTGA GCGCGCGTGG GCGCCCGCGG AGCCGAGGCC ATGGTGACAG 360
 AAACCAACAA TTCCCGAGAC ACGGAAGGCG TGCTGGCCGG CGAGAGCTCG GACTCGGGCG 420
 5 CCGGCCTCGA GCTGGGAATC GCCTCCTCCC CCACGCCCGG CTCACCCGCC TCCACGGGCG 480
 GCAAGGCCGA CGACCCGAGC TGGTGCAAGA CCCCGAGTGG GCACATCAAG CGACCCATGA 540
 ACGCCTTCAT GGTGTGGTGC CAGATCGAGC GCGCAAGAT CATGGAGCAG TCGCCCGACA 600
 TGCACAACGC CGAGATCTCC AAGCGGCTGG GCAAAACGCTG GAAGCTGCTC AAAGACAGCG 660
 ACAAGATCCC TTTCATTCGA GAGGCGGAGC GGTTCGCGCT CAAGCACATG GCTGACTACC 720
 10 CGACTACAA GTACCGGCC CCGGAAGAAG TGAAGTCCGG CAACGCCAAC GAGCTGCGCG TCCAAAGTGG 780
 CGGCCGCGCG CTCTCCAAAG CCGGGGAGAG AGGAGACAA GGTCTGGTGC AGTGGCGGGG 840
 GCGGCCATGG GGGCGCGCGG GCGCGCGGGA GCAGCAACGC GGGGGGAGGA GCGCGCGGTG 900
 CGAGTGGCGT GCGCGCCAA C TCCAAACCGG CGCAGAAAAA GAGCTGCGCG TCCAAAGTGG 960
 15 CCGCGCGCGC GGGCGGTGGG GTTAGCAAA CCGCACGCCA GCTCATCTCG GCAGCGCGCG 1020
 GCGCGCGCGG GAAAGCAGCG GCTGCCGCGG CCGCCTCCTT CGCCGCGGAA CAGGCGGGGG 1080
 CCGCCGCGCT GCTGCCCTCG GCGCGCGCGG CCGACCAACA CTCGCTGTAC AAGCGCGCGG 1140
 CTCGCCGCGC CTGCGCCTCC GCCTCCTCGG CAGCCTCGGC CTCGCGAGCG CTCGCGCGCC 1200
 CGGGCAAGCA CCTGGCGGAG AAGAAGGTGA AGCGCGTCTA CCTGTTCGGC GGCCTGGGCA 1260
 20 CGTCGTGCTC CCCCCTGGG GCGGTGGGCG CGGAGCCGA CCCCAGCGAC CCCCTGGGCC 1320
 TGTACGAGGA GGAGGCGCGG GGCTGCTCGC CCGACGCGCC CAGCCTGAGC GGCGCAGCA 1380
 GCGCGCGCTC GTCCCGCGC GCGCGCGCGT CGCCCGCGA CCACCGCGGC TACGCCAGCC 1440
 TCGCGCGCGC CTCGCCCGC CCGTCCAGCG CGCCCTCGCA CGCGTCTCC TCGGCTCTGT 1500
 CCCACTCCTC CTCTTCTCC TCCTCGGGCT CCTCGTCTC CGACGACGAG TCCGAAAGCG 1560
 25 ACCTGCTCGA CCTGAAACCC AGCTCAAAT TTGAGAGCAT TCCCTGGCG AGCTTCAGTT 1620
 CGTCGTGCGC GCTCGACCGG GACCTGGATT TTAACCTCGA GCCCGGCTCC GGCTCGCACT 1680
 TCGAGTTCCT GGACTACTGC ACGCCCGAGG TGAGCGAGAT GATCTCGGGA GACTGGCTCG 1740
 AGTCCAGCAT CTCCAACCTG GTTTCACCT ACTGAAGGGC GCGCAGGCGG GGAGAAGGGC 1800
 CCGGGGGGGT AGGAGAGGAG AAAAAAAG TGAAAAAAG AAACGAAAG GACAGACGAA 1860
 GAGTTTAAAG AGAAAAAGGA AAAAAAAG AAAAAAGTAA CAGGGCTCGT TCGCCCGCGT 1920
 30 TCTCGTCTCT GGATCAAGGA GCGCGCGCGC GTTTTGGACC CGCGCTCCCA TCCCCCACT 1980
 TCCCGGGCGG GGAACCCACT CTGCCAGCC GGAGGGACGC GGAGGAGGAA GAGGGTAGAC 2040
 AGGGCGGACC TGTGATTGTT GTTATTGATG TTGTTGTTGA TGGCAAAAA AAAAAGCGAC 2100
 TTCGAGTTTG CTCCCTTTG CTGAAGAGA CCCCCTCCCC CTTCCAACGA GCTTCCGGAC 2160
 TTGTCGTCAC CCCCAGCAAG AAGGCGAGTT AGTTTCTAG AGACTTGAAG GAGTCTCCCC 2220
 35 CTTCCTGCAT CACCACCTTG GTTTTGTFTT ATTTTGCTTC TTGTCAAAG AAGGAGGGGA 2280
 GAAACCCAGG CACCCCTCCC CCCCCTTTT TAAACGCGT ATGAAGACAG AAGGCTCCGG 2340
 GGTGACGAAT TTGGCCGATG GCAGATGTTT TGGGGGAAAG CCGGACTGA GAGACTCCAC 2400
 GCAGGCGAAT TCCCGTTTGG GGCCTTTTTC TCCTCCCTCT TTTCCCTTG CCCCCTCTGC 2460
 40 AGCCGAGGGA GGAGATGTTG AGGGGAGGAG GCCAGCCAGT GTGACCGGCG CTAGGAAATG 2520
 ACCCGAGAAC CCGTGTGAA GCGCAGCAGC GGGAGCTAGG GCGCGGGCGG GAGGAGGACA 2580
 CGAACTGGAA GGGGTTTCA GGTCAAACG AAATGGATTG GCACTGTGGG GAGCTGGCGG 2640
 CCGCGGCTGC TGGCCCTCCG CCTTCTTTTC TACGTGAAAT CAGTGGAGTG AGACTTCCCA 2700
 GACCCCGGAG GCGTGGAGGA GAGGAGACTG TTTGATGTTG TACAGGGGCA GTCAGTGGAG 2760
 45 GCGAGTGGT TTCGAAAAA AAAAAAGAA AAAAGGG

Seq ID NO: 363 Protein sequence
 Protein Accession #: NP_003098

50 1 11 21 31 41 51
 | | | | | |
 MVQQTNNAEN TEALLAGESS DSGAGLELGI ASSPTPGSTA STGKADDPFS WCKTFPSGHIK 60
 RPMNAFMVWS QIERRKIMEQ SPDMHNAEIS KRLGKRWKLL KDSDKIPFIR EAERLRLKHM 120
 ADYPDYKYRP RKIKVXSGNAN SSSSAAASSK PGEKGDKVVG SGGGGHGGGG GGGSSNAGGG 180
 GGGASGGGAN SKPAQKXKSG SKVAGGAGGG VSKPHAKLIL AGGGGGGKAA AAAAAAFAAE 240
 55 QAGAAALPL GAAADHHSLY KARTPSASAS ASSAASASAA LAAPGKHLAE KXVKRVVLPF 300
 GLGTSSTSPVG GVGAGADPSD PLGLYEEEGA GCSPPDAPSLG GRSSAASSPA AGRSPADHRG 360
 YASLRAASPA PSSAPSHASS SASHSSSSSS SSGSSSSDDE FEDDLLDLNP SSNFESMSLG 420
 SFSSSSALDR DLDFNFEPGS GSHFEPDYC TPEVSEMISG DWLESSISNL VFTY

Seq ID NO: 364 DNA sequence
 Nucleic Acid Accession #: U10860
 Coding sequence: 123-2204

65 1 11 21 31 41 51
 | | | | | |
 TGCCGGCTGC TCCTCGACCA GGCCTCCTTC TCAACCTCAG CCCGCGGCGC CGACCCCTCC 60
 GGCACCCCTCC CGCCCGCTCT CTAAGTGTGC CCGTCACCGC CGCGGCTCGG GCCCTGGCCC 120
 CGATGGCTCT GTGCAACGGA GACTCCAAGC TGGAGAATGC TGGAGGAGAC CTTAAGGATG 180
 70 GCCACCAACA CTATGAAGGA GCTGTGTGTA TTCTGGATGC TGGTGTCTCAG TACGGGAAAG 240
 TCATAGACCG AAGAGTGAGG GAACTGTTTCG TGCAGTCTGA AATTTTCCCC TTGGAACAC 300
 CAGCATTTCG TATAAAGGAA CAAGGATTCC GTGCTATTAT CATCTCTGGA GGACCTAATT 360
 CTGTGTATGC TGAAGATGCT CCGTGGTTTG ATCCAGCAAT ATTCACTATT GGCAAGCCTG 420
 TTCTTGGAAAT TTGCTATGGT ATGCAGATGA TGAATAAGGT ATTTGGAGGT ACTGTGCACA 480
 75 AAAAAAGTGT CAGAGAAGAT GGAGTTTCA ACATTAGTGT GGATAATACA TGTTCAATTAT 540
 TCAGGGGCTC TCAGAAGGAA GAAGTTGTTT TGTTACACA TGGAGATAGT GTAGACAAAG 600
 TAGCTGATGG ATTCAAGGTT GTGGCACGTT CTGGAACAT AGTAGCAGCG ATAGCAAATG 660
 AATCTAAAAA GTTATATGGA GCGCAGTTCC ACCCTGAAGT TGCCTTACA GAAATGGAA 720
 80 AAGTAATACT GAAGAATTTT CTTTATGATA TAGCTGGATG CAGTGGAAAC TTCACCGTGC 780
 AGAACAGAGA ACTTGAAGTT ATTTCAGAGA TCAAGAGAG AGTAGGCACG TCAAAAATTT 840
 TGGTTTACT CAGTGGTGGG GTAGACTCAA CAGTTTGTAC AGCTTTGCTA AATCGTGCTT 900
 TGAACCAAGA ACAAGTCATT GCTGTGCACA TTGATAATGG CTTTATGAGA AAACGAGAAA 960
 GCCAGTCTGT TGAAGAGGCC CTCAAAAAGC TTGGAATTCA GGTCAAAGTG ATAAATGCTG 1020
 85 CTCATTCTTT CTACAATGGA ACAACAACCC TACCAATATC AGATGAAGAT AGAACCCCA 1080
 GGAAAAGAA TAGCAAAACG TTAATATGTA CCACAAGTCC TGAAGAGAAA AGAAAATCA 1140
 TTGGGGATAC TTTTGTAAAG ATTGCCAATG AAGTAATTGG AGAAATGAAC TTGAAACCGA 1200
 AGGAGGTTTT CCTTGCCTCA GGTACTTAC GGCCTGATCT AATTGAAAGT GCATCCCTTG 1260

TTGCAAGTGG CAAAGCTGAA CTCATCAAAA CCCATCACA TGACACAGAG CTCATCAGAA 1320
 AGTTGAGAGA GGAGGGAAAA GTAATAGAAC CTCTGAAAGA TTTTCATAAA GATGAAGTGA 1380
 GAATTTTGGG CAGAGAAGCT GGACTTCCAG AAGAGTTAGT TTCCAGGCAT CCATTTCCAG 1440
 5 GTCCTGGGCT GGCATCAGA GTAATATGTG CTGAAGAACC TTATATTTGT AAGGACTTTC 1500
 CTGAAACCAA CAATATTTG AAAATAGTAG CTGATTTTTC TGCAAGTGT AAAAAGCCAC 1560
 ATACCCATT ACAGAGAGTC AAAGCCTGCA CAACAGAAGA GGATCAGGAG AAGCTGATGC 1620
 AAATACCAG CTCTGATTCA CTGAATGCCT TCTTGCTGCC AATTAATACT GTAGGTGTGC 1680
 AGGGTGACTG TCGTTCCTAC AGTTACGTTG GTGGAATCTC CAGTAAAGAT GAACCTGACT 1740
 10 GGAATCACT TATTTTCTG GCTAGGCTTA TACCTCGCAT GTGTCAACAC GTTAACAGAG 1800
 TTGTTTATAT ATTGCGCCCA CCAGTTAAAG AACCTCTAC AGATGTTACT CCCACTTCT 1860
 TGACAACAGG GGTGCTCAGT ACTTACGCC AAGCTGATTT TGAGGCCCAT AACATTCTCA 1920
 GGGAGTCTGG GTATGCTGGG AAAATCAGCC AGATGCCGGT GATTTTGACA CCATTACATT 1980
 TTGATCGGGA CCCACTTCAA AAGCAGCCTT CATGCCAGAG ATCTGTGGTT ATTCGAACT 2040
 15 TTATTACTAG TGACTTCATG ACTGGTATAC CTGCAACACC TGGCAATGAG ATCCCTGTAG 2100
 AGGTGGTATT AAAGATGGTC ACTGAGATTA AGAAGATCC TGGTATTTCT CGAATTATGT 2160
 ATGACTTAAC ATCAAAGCCC CCAGGAAC TAAGTGGGA GTAATAAAT TC

Seq ID NO: 365 Protein sequence
 Protein Accession #: AAA60331

20 1 11 21 31 41 51
 MALCNGDSKL ENAGGDLKDG HHHYEGAVVI LDAGAQYQKV IDRRVRELFV QSEIFPLETP 60
 AFAIKEQGRF AIIISGGPNS VYAEDAPWFD PAIFTIGKPV LGICYGMQMM NKFVGGTVHK 120
 25 KSVREDDVFN ISVDNCSLF RGLQKEEVLV LTHGDSVDKV ADGFKVVARS GNIVAGIANE 180
 SKKLYGAQFH PEVGLTENGL VILKNFLYDI AGCSGTPTVQ NRELECIRES KERVGTSKVL 240
 VLLSGVDST VCTALNRLAL NQEQVIAVHI DNGFMRKRES QSVEEALKKL GIQVKVINAA 300
 HSFYNGTTTL PISDEDRTPR KRISKTLNMT TSPEEKRII GDTFVKIANE VIGEMNLKPE 360
 30 EVFLAQGLTR PDLIESASLV ASGKAEIKT HINDTELRK LRBEQKVIIEP LKDFHKDEVR 420
 ILGRELGLPE ELVSRHPFPF PGLAIRVICA EEPYICKDFP ETMNLKIVA DFSASVKKPH 480
 TLLQRVKACT ELTQEKLMQ ITSLSLNAF LLPKTVGVQ GDRCRSYSYVC GISSKDEPDW 540
 ESLIFLARLI PRMCHNVNRV VYIFGPPVKE PPTDVTPTFL TTGVLSTLRQ ADPEAHNLLR 600
 ESGYAGKISQ MPVILPLHF DRDPLQKQPS QRSVVIRTF ITSDFMTGIP ATPGNEIPVE 660
 35 VVLKMTVEIK KIPGISRIMY DLTSKPPGTT EWE

Seq ID NO: 366 DNA sequence
 Nucleic Acid Accession #: NM_004219
 Coding sequence: 46-654

40 1 11 21 31 41 51
 GCGGCCCTCAG ATGAATCGCG CTGTTAAGAC CTGCAATAAT CCAGAATGGC TACTCTGATC 60
 TATGTTGATA AGGAAAATGG AGAACCCAGC ACCCGTGTGG TTGCTAAGGA TGGGCTGAAG 120
 45 CTGGGGTCTG GACCTTCAAT CAAAGCCTTA GATGGGAGAT CTCAAGTTTC AACACCCAGT 180
 TTTGGCAAAA CGTTCGATGC CCACCCAGCC TTACCTAAGC CACTAGAAA GGCTTTGGGA 240
 ACTGTCAACA GAGCTACAGA AAAGTCTGTA AAGACCAAGG GACCCCTCAA ACAAAAACAG 300
 CCAAGCTTTT CTGCCAAAAA GATGACTGAG AAGACTGTTA AAGCAAAAAG CTCTGTTCTC 360
 50 GCCTCAGATG ATGCTATCC AGAAATAGAA AAATCTTTC CCTTCAATCC TCTAGACTTT 420
 GAGAGTTTGG ACCTGCCTGA AGAGCACCAG ATTGGCCACC TCCCCTGAG TGGAGTGCTC 480
 CTCATGATCC TTGACGAGGA GAGAGAGCTT GAAAGCTGT TTCAAGCTGG CCCCCCTTCA 540
 CCTGTGAAGA TGCCCTTCC ACCATGGGAA TCCATCTGT TGCAAGTCC TTCAAGCATT 600
 CTGTGACCC TGGATGTGA ATTGCCACCT GTTGTCTGT ACATAGATAT TTAATTTCT 660
 55 TAGTGCTTCA GAGTTTGTGT GTATTTGTAT TAATAAAGCA TTCTTCAACA GAAAAAATAA 720
 AAAAAAAA

Seq ID NO: 367 Protein sequence
 Protein Accession #: NP_004210

60 1 11 21 31 41 51
 MATLIYVDKE NGEPEGTRVVA KDGLKLGSGP SIKALDGRSQ VSTPRFGKTF DAPPALPKAT 60
 RKALGTVNRA TEKSVKTKGP LKQKQPSFSA KIQTEKTVKA KSSVPSGDDA YPEIEKFPFF 120
 65 NPLDFESFDL PEEHQIAHLP LSGVPLMILD ERELEKLFQ LGPPSPVKMP SPPWESNLLQ 180
 SPSSILSTLD VELPPVCCDI DI

Seq ID NO: 368 DNA sequence
 Nucleic Acid Accession #: NM_000597
 Coding sequence: 118-1104

70 1 11 21 31 41 51
 ATTCGGGGCG AGGGAGGAGG AAGAAGCGGA GGAGGCGGCT CCCGCTCGCA GGGCCGTGCA 60
 CCTGCCCGCC CGCCCGCTCG CTGCGTCCGC CGCCCGCGCG CGTGCAGCAG CGCCAGCATG 120
 75 CTGCCGAGAG TGGCTGCGCC CGCGTGCAG CTGCCGCGCG CGCCGCTGCTG GCGCGTCTG 180
 CCGTCTGCTG TGCTGCTACT GGGCGCGAGT GCGCGCGCGG GCGGGGCGCG CGCGGAGGTG 240
 CTGTTCCGCT GCCCGCCCTG CACACCCGAG CGCCTGGCCG CCTGCGGGCC CCGCGCGGTT 300
 80 GGGCGCGCGG CGCGGCTGCG CGCAGTGGCC GGAGGCGCCC GCATGCCATG CGCGGAGCTC 360
 GTCCGGGAGC CGGGCTGCGG CTGCTGCTCG GTGTGCGCCC GGCTGGAGGG CGAGGCGTGC 420
 GGCGTCTACA CCCCCTGCTG CGGCCAGGGG CTGCGCTGCT ATCCCCACCC GGGCTCCGAG 480
 CTGCCCTGCG AGGGCTGCTG CATGGGCGAG GGCCTTGTG AGAAGCGCGG GGACCGCCAG 540
 TATGGCGCCA GCCCGGAGCA GGTTCAGAC AATGGCGATG ACCACTCAGA AGGAGGCGCTG 600
 85 GTGGAGAAC ACGTGGACAG CACCATGAAC ATGTTGGGCG GGGGAGGCG TGCTGGCCCG 660
 AAGCCCTCA AGTCCGGTAT GAAGGAGCTG GCCGTGTTCC GGGAGAAGGT CACTGAGCAG 720
 CACCGGCAGA TGGCAAGGG TGGCAAGCAT CACCTTGGCC TGGAGGAGCC CAAGAAGCTG 780
 CGACCACCCC CTGCCAGGAC TCCCTGCCAA CAGGAAGCTG ACCAGTCTCT GGAGCGGATC 840

5
10

```
TCCACCATGC GCCTCCGGA TGAGCGGGC CCTCTGGAGC ACCTCTACTC CCTGCACATC 900
CCCAACTGTG ACAAGCATGG CCTGTACAAC CTCAAACAGT GCAAGATGTC TCTGAACGGG 960
CAGCGTGGGG AGTGTGGTGG TGTGAACCCC AACACCGGGA AGCTGATCCA GGGAGCCCCC 1020
ACCATCCGGG GGGACCCCGA LVREPGCGCC SVCARLEGEA CGVYTPRCQG GLRCYPHFGS 1080
GTGCACACCC AGCGGATGCA GTAGACCGCA GCCAGCCGGT GCCTGGCGCC CCTGCCCCCC 1140
GCCCCCTCC AAACACCGGC AGAAAACGGA GAGTGTCTGG GTGGTGGGTG CTGGAGGATT 1200
TCCAGTTC GCACACGTA TTTATATTG GAAAGAGACC AGCACCGAGC TCGGCACCTC 1260
CCCCGCTCT CTCTCCAG CTGCAGATGC CACACCTGCT CCTCTTGTCT TTCGCCGGGG 1320
GAGGAAGGGG GTTGTGGTGC GGGAGCTGGG GTACAGTATT GGGGAGGGGG AAGAGAAATT 1380
TTTATTTTG AACCCCTGTG TCCCTTTTG ATAAGATTAA AGGAAGGAAA AGT
```

Seq ID NO: 369 Protein sequence
Protein Accession #: NP_000588

15
20

```
1 11 21 31 41 51
| | | | |
MLPRVGGPAL PLPPPPLLEL LPLLLLLLGA SGGGGGARAE VLFRCPPCTP ERLAACGPPP 60
VAPPAVAAVV AGGARMPCAE LVREPGCGCC SVCARLEGEA CGVYTPRCQG GLRCYPHFGS 120
ELPLQALVMG EGTCEKRRDA BYGASPEQVA DNGDDHSEGG LVENHVDSTM NMLGGGGSAG 180
RKPLKSGMKE LAVFREKVT E QHRQMGXGK HHLGLEBPKK LRPPPAPTCP QQELDQVLER 240
ISTMRLPDER GPLLEHLYSLH IPNCDKHLGLY NLKQCKMSLN GQRGBCWCVN FNTGKLIQGA 300
PTIRGDPECH LFYNEQEQEAC GVHTQRMQ
```

Seq ID NO: 370 DNA sequence
Nucleic Acid Accession #: NM_004264
Coding sequence: 6-440

25
30
35
40

```
1 11 21 31 41 51
| | | | |
GGAACATGGC GGATCGGCTC ACGCAGCTTC AGGACGCTGT GAATTGCTT GCAGATCAGT 60
TTTGTAAATGC CATTGGAGTA TTGCAGCAAT GTGGTCTCTC TGCCCTCTTC AATAATATTC 120
AGACAGCAAT TAACAAGAC CAGCCAGCTA ACCCTACAGA AGAGTATGCC CAGCTTTTTG 180
CAGCACTGAT TGCACGAACA GCAAAAGACA TTGATGTTTT GATAGATTCC TTACCCAGTG 240
AAGAATCTAC AGCTGCTTTA CAGGCTGCTA GCTTGATATA GCTAGAAGAA GAAAACCATG 300
AAGCTGCTAC ATGTGTGGAG GATGTTGTT ATCGAGGAGA CATGCTCTCG GAGAAGATAC 360
AAAGCGCACT TGCTGATATT GCACAGTCC AGCTGAAGAC AAGAAGTGGT ACCCATAGCC 420
AGTCTCTTCC AGACTCATAG CATCAGTGGG TACCATGTGG CTGAGAAAAG AACTGTTTGA 480
GTGCCATTAA GAATTCGTGA TCAGACTTAG ATACAAGCCT TACCAACAAT TACAGAAACA 540
TTAAACACTA TGACACATTA CCTTTTTAGC TATTTTTAAT AGTCTTCTAT TTTCACTCTT 600
GATAAGCTTA TAAATCATGA TTGAATCAGC TTTAAAGCAT CATACCATCA TTTTTTAACT 660
GAGTGAATTT ATTAAGGCAT GTAATACATT AATGAACATA ATATAAGGAA ACATATGTAA 720
AATCTGTGTA TGACATAATT TATGTCTCCA TTTTGTGTA TTGGCCAGTA CTTTTACAAT 780
C
```

Seq ID NO: 371 Protein sequence
Protein Accession #: NP_004255

45
50

```
1 11 21 31 41 51
| | | | |
MADRLTLQLD AVNSLADQFC NAIGVLOQCG PPASFNNIQT AINKDQPANP TEEYAQLFAA 60
LIARTAKDID VLIDSLPSEE STAALQAASL YKLEENHEA ATCEDVVVYR GDMLEKIQS 120
ALADIAQSQL KTRSGTHSQS LPDS
```

Seq ID NO: 372 DNA sequence
Nucleic Acid Accession #: AJ271091
Coding sequence: 1-1113

55
60
65
70
75

```
1 11 21 31 41 51
| | | | |
ATGGAGAATC AGGTGTTGAC GCCGCATGTC TACTGGGCTC AGCGACACCG CGAGCTATAT 60
CTGCGCGTGG AGCTGAGTGA CGTACAGAAC CCTGCCATCA GCATCACTGA AAACGTGCTG 120
CATTTCAAAG CTCAGGACA TGGTGCCAAA GGAGACAATG TCTATGAATT TCACCTGGAG 180
TTCTTAGACC TTGTGAACC AGAGCCTGTT TACAACTGA CCCAGAGGCA GGTAACATT 240
ACAGTACAGA AGAAAGTGA TCACTGGTGG GAGAGACTCA CAAAGCAGGA AAAGCGACCA 300
CTGTTTTTGG CTCTGACTT TGATCGTTGG CTGGATGAAT CTGATGCGGA AATGGAGCTC 360
AGAGCTAAGG AAGAAGAGCG CCTAAATAAA CTCGACTGG AAAGCGAAGG CTCTCCTGAA 420
ACTCTTACAA ACTTAAGGAA AGGATACCTG TTTATGTATA ATCTTGTGCA ATTCTTGGGA 480
TTCTCCTGGA TCTTGTCAA CCGACTGTG CGATTCTGTA TCTTGGGAAA AGAGTCTTT 540
TATGACACAT TCCATACTGT GGCTGACATG ATGTATTCT GCCAGATGCT GGCAGTTGTG 600
GAAACTATCA ATGCAGCAAT TGGAGTCACT ACGTCACCGG TGCTGCCTTC TCTGATCCAG 660
CTTCTTGAAA GAAATTTTAT TTTGTTTATC ATCTTTGGCA CCATGGAAGA AATGCAGAAC 720
AAAGCTGTGG TTTTCTTTGT GTTTTATTG TGGAGTGCAA TTGAAATTT CAGGTACTCT 780
TTCTACATGC TGACGTGCAT TGACATGGAT TGGAAAGTGC TCACATGGCT TCGTTACACT 840
CTGTGGATTC CCTATATCC ACTGGGATGT TTGGCGGAAG CTGTCTCAGT GATTCACTCC 900
ATTCCAATAT TCAATAGAGC CGGACGATTC AGTTTCACAT TGCCATATCC AGTGAATAATC 960
AAAGTTAGAT TTTCTTTTT TCTTCAGATT TATCTTATAA TGATATTTTT AGGTTTATAC 1020
ATAAATTTTC GTCACCTTTA TAAACAGCGC AGACTGAAAA TGAGGGCAGG CGCAGTGGCT 1080
CATGCCCTGG ATCCCAGCGC TTTGGGAGGC TGA
```

Seq ID NO: 373 Protein sequence
Protein Accession #: CAB69070

80
85

```
1 11 21 31 41 51
| | | | |
MENQVLTPHV YWAQRHRELY LRVELSDVQN PAISITENVL HFKAQGHGAK GDNVYEFHLE 60
FLDLVKPEPV YKLTQRQVNI TVQKVSQWV ERLTKQEKRP LFLAPDFDRW LDESDAEMEL 120
RAKEERLNK LRLESEGSPE TLTNLRKGYL FMYNLVQFLG FSWIFVNLTV RFCILGKESP 180
```

YDTFHTVADM MYFCQMLAVV ETINAAIGVT TSPVLP SLIQ LLGRNFILPI IFGTMEEMQN 240
 KAVVFFVYFL WSAIEIFRYS FYMLTCIDMD WKVLTWLRYS LWIPLYPLGC LAEAVSVIQS 300
 IPIFNETGRF SFTLPPYVKI KVRFSFPLQI YLIMIFLGLY INFRHLYKQR RLKMRAGAVA 360
 HACDPSALGG

5

Seq ID NO: 374 DNA sequence
 Nucleic Acid Accession #: NM_016395
 Coding sequence: 1-1113

10

1 11 21 31 41 51
 | | | | | |
 ATGGAGAATC AGGTGTTGAC GCCGCATGTC TACTGGGCTC AGCGACACCG CGAGCTATAT 60
 CTGCGCGTGG AGCTGAGTGA CGTACAGAAC CCTGCCATCA GCATCACTGA AAACGTGCTG 120
 15 CATTTCAAAG CTCAAGGACA TGGTGCCAAA GGAGACAATG TCTATGAATT TCACCTGGAG 180
 TTCTTAGACC TTGTGAACC AGAGCCTGTT TACAAACTGA CCCAGAGGCA GGTAACATT 240
 ACAGTACAGA AGAAAGTGAG TCAGTGGTGG GAGAGACTCA CAAAGCAGGA AAAGCGACCA 300
 CTGTTTTTGG CTCTGACTT TGATCGTTGG CTGGATGAAT CTGATGCGGA AATGGAGCTC 360
 AGAGCTAAGG AAGAAGAGCG CCTAATAAAA CTCGCACTGG AAAGCGAAGG CTCTCCTGAA 420
 20 ACTCTTACAA ACTTAAGGAA AGGATACCTG TTTATGTATA ATCTTGTCGA ATCTTGGGA 480
 TTCTCCTGGA TCTTTGTCAA CCTGACTGTG CGATTCTGTA TCTTGGGAAA AGAGTCCTTT 540
 TATGACACAT TCCATACTGT GGCTGACATG ATGTATTCTT GCCAGATGCT GGCAGTTGTG 600
 GAAACTATCA ATGCAGCAAT TGGAGTCACT ACGTCACCGG TGCTGCCTTC TCTGATCCAG 660
 CTTCTTGAAA GAAATTTTAT TTTGTTTATC ATCTTTGGCA CCATGGAAGA AATGCAGAAC 720
 25 AAAGCTGTGG TTTTCTTGTG GTTTTATTGG TGGAGTGCAA TTGAAATTTT CAGGTACTCT 780
 TTCTACATGC TGACGTGCAT TGACATGGAT TGGAAGGTGC TCACATGGCT TCGTTACACT 840
 CTGTGGATTC CCTTATATCC ACTGGGATGT TTGGCGGAAG CTGTCTCAGT GATTCAGTCC 900
 ATTCCAATAT TCAATGAGAC CGGACGATTC AGTTTCACAT TGCCATATCC AGTGAANAATC 960
 AAAGTTAGAT TTTCTTTTTC TCTTCAGATT TATCTTATAA TGATATTTT AGGTTTATAC 1020
 30 ATAAATTTTC GTCACCTTTA TAAACAGCGC AGACTGAAAA TGAGGGCAGG CGCAGTGGCT 1080
 CATGCCTGTG ATCCACGCGC TTTGGGAGGC TGA

35

Seq ID NO: 375 Protein sequence
 Protein Accession #: NP_057479

1 11 21 31 41 51
 | | | | | |
 MENQVLTPHV YWAQRHRELY LRVELSDVQN PAISITENVL HFKAQGHGAK GDNVYEFHLE 60
 40 FLDLVKPEPV YKLTQRQVNI TVQKKVSQWV ERLTKQEKRP LFLAPDFDRW LDESDAEMEL 120
 RAKEEERLNK LRLESEGSPE TLTNLRKGYL FMYNLVQFLG FSWIFVNLTV RFCILGKESF 180
 YDTFHTVADM MYFCQMLAVV ETINAAIGVT TSPVLP SLIQ LLGRNFILPI IFGTMEEMQN 240
 KAVVFFVYFL WSAIEIFRYS FYMLTCIDMD WKVLTWLRYS LWIPLYPLGC LVEAVSVIQS 300
 45 IPIFNETGRF SFTLPPYVKI KVRFSFPLQI YLIMIFLGLY INFRHLYKQR RRRYGKKRKR 360
 STKKRDLDFG LPV

50

Seq ID NO: 376 DNA sequence
 Nucleic Acid Accession #: NM_005987
 Coding sequence: 1-270

1 11 21 31 41 51
 | | | | | |
 ATGAATTCTC AGCAGCAGAA GCAGCCTTGC ACCCCACCCC CTCAGCCTCA GCAGCAGCAG 60
 55 GTGAAACAAC CTGTCCAGCC TCCACCCAGG GAACCATGCA TCCCAAAAC CAAGGAGCCC 120
 TGCCAACCCA AGTGCTCTGA GCCCTGCCAC CCCAAAGTGC CTGAGCCCTG CCAGCCCAAG 180
 ATTCCAGAGC CCTGCCAGCC CAAGGTGCCT GAGCCCTGCC CTCAACGGT CACTCCAGCA 240
 CCAGCCAGC AGAAGACCAA GCAGAAGTAA

60

Seq ID NO: 377 Protein sequence
 Protein Accession #: NP_005978

1 11 21 31 41 51
 | | | | | |
 MNSQQKQPC TPPPQPPQQK VRQPCPPPPQ EPCIPKTKEP CQPKVPEPCH PKVPEPCQPK 60
 65 IPEPCQPKVP EPCPSTVTPA PAQQKTKQK

70

Seq ID NO: 378 DNA sequence
 Nucleic Acid Accession #: NM_002105
 Coding sequence: 74-505

1 11 21 31 41 51
 | | | | | |
 ACAGCAGTTA CACTGCGGCG GGCGTCTGTT CTAGTGTTTG AGCCGTGCTG CTCACCGGT 60
 75 CTACCTCGCT AGCATGTCGG GCCGCGGCAA GACTGGCGGC AAGGCCCGCG CCAAGGCCAA 120
 GTCGGCTCTG TCGCGGCGCG GCCTCCAGTT CCCAGTGGGC CGTGTACACC GGCTGCTGCG 180
 GAAGGGCCAC TACGCCGAGC GCCTTGGGCG CGGCGGCCA GTGTACCTGG CGGCAGTGTCT 240
 GGAGTACCTC ACCGCTGAGA TCCTGGAGCT GGCGGGCAAT GCGGCCCGCG ACAACAAGAA 300
 80 GACCGGAATC ATCCCCGCGC ACCTGCAACT GGCCATCCGC AACGACGAGG AGCTCAACAA 360
 GCTGCTGGGC GGGGTGACGA TCGCCCAGGG AGGCGTCTCG CCCAACATCC AGGCCGTGCT 420
 GCTGCCAAG AAGACCAGCG CCACCGTGGG GCCGAAGGCG CCCTCGGGCG GCAAGAAGGC 480
 CACCCAGGCC TCCAGGAGT ACTAAGAGGG CCCGCGCGCG GCGCGGCGCG CCCAGCTCCC 540
 CATGCCACCA CAAAGGCCCT TTTAAGGGCC ACCACGCGCC TCATGGAAGG AGCTGAGCCG 600
 85 CTTCAGACTG CGGGCAAGC GGGCCGCGGC TCCCTTCCCC TCCCTCCCC TCGCCGCGCT 660
 TCGCGCGCGG GCTCTGAGTC CCGCGCGCGC CCGCTCCCG TCCCGCACCG CCTGCGCGCT 720
 CGGCTCGGG CCTGCGCTGT CCGCGCTCGC CCCTCCGGTA GGGTTCGGGC CTTCCGGATG 780
 CGGCTTGGGC GCTCTTCCGG GACCTCCGTG GCGCGGAAGA CCCGAGCCTG CCGGGGGAG 840

GCCGCGGGG CCGCACTGC CCGCTCGGC GTTCGTGACT CAGCCGCCCC ATCCCAGTGC 900
 GCTAAGGGGG TGGGGGAGG CCGCAGCAC TTCTGGAAGA CTGGCCCTTC CGCTCTGACG 960
 CAGGGCCGAG GTGGGCAGTC CAGGCCGAGA GCCCGCGGCC CTGAAGGTGA GTGAGGCCCT 1020
 CGGCAGCTGC AGCCGGGGTG TCTGGTACCC CCCCGCGGTG GTGCTTAGCC CAGGACTTTC 1080
 AGACGGCCGC TGGCCGGGAG GCTTTGGTGG GAGAGACGCG ATCGCCGATT TCGTCTGGC 1140
 GCCCCTTCTG CGGCCGGGAC CCAGGCCTTT CACATCAGCT CTCCCTCCAT CTTTATTTCAT 1200
 AGGTCTCGGC TGGGGCCGGG ACGAAGCACT TGGTAACAGG CACATCTTCC TCCCAGTGA 1260
 TGCCTCCTA GGAGGACATT TAGGGGAGGG CAGAGGCCTG CAGTTTGGCT TCACGGCTGG 1320
 CTATGTGGAC AGCAAGATGC GTTTTGCGGA ACGGACTGG CAGCCAGGCC TGTGGGGCCC 1380
 CCGACGCCG CCCATTTCCC TTCCAGCAA CTCACCTCG CAATCCAAGC ACCTAGATAC 1440
 CAGCACAAAT CGGTTAATCC CTGTCTGGAC TGAGCCCTCG TTGGCTTCTG AACTGGAATT 1500
 CTGCAGCTAA CCCTTCCAG ACTAGAACCT TAGGCATTGG GGAGTTTAG ATGGACTAAT 1560
 TTTATTAAG GATTGTTTT TTTT

Seq ID NO: 379 Protein sequence
 Protein Accession #: NP_002096

1 11 21 31 41 51
 | | | | | |
 MSGRGKTGGK ARAKAKSRSS RAGLQFPVGR VHRLLRKGHY AERVGAGAPV YLAAVLEYLT 60
 AEILELAGNA ARDNKTRII PRHLQLAIRN DEELNKLGG VTIAGGGVLP NIQAVLLPKK 120
 TSATVGPAPK SGGKATQAS QEY

Seq ID NO: 380 DNA sequence
 Nucleic Acid Accession #: AL136942
 Coding sequence: 184-864

1 11 21 31 41 51
 | | | | | |
 ACGGCTCCGG CAGAAGCTCG GAGCTCTCGG GGTATCGAGG AGGCAGGCC GCGGGCGCAC 60
 GGGCGAGCGG GCCGGGAGCC GGAGCGGCGG AGGAGCCCGC AGCAGCGCGG CGCGGGGCTC 120
 CAGGCGAGGC GGTGACGCT CCTGAAAAC TTCCGCGCGC CTGCGCCAC TGGCCCGGA 180
 GCGATGAAGA TGGTCGCGCC CTGGACGCGG TTCTACTCCA ACAGCTGCTG CTTGTGCTGC 240
 CATGTCGCGA CCGGCACCAT CCTGCTCGGC GTCTGGTATC TGATCATCAA TGCTGTGGTA 300
 CTGTTGATTT TATTGAGTGC CCTGGTGTAT CCGGATCAGT ATAACCTTTC AAGTCTGAA 360
 CTGGGAGGTG ACTTTGAGTT CATGGATGAT GCCAACATGT GCATTGCCAT TGGGATTTCT 420
 CTTCTCATGA TCCTGATATG TGCTATGGCT ACTTACGGAG CGTACAAGCA ACGCGCAGCC 480
 TGGATCATCC CATTCTTCTG TTACCAGATC TTTGACTTTG CCTGAACAT GTTGGTTGCA 540
 ATCACTGTGC TTATTTATCC AAACCTCCATT CAGGAATACA TACGGCACT GCCTCCTAAT 600
 TTCCCTACA GAGATGATGT CATGTCAGTG AATCCTACCT GTTTGGTCCCT TATTATTCTT 660
 CTGTTTATTA GCATTATCTT GACTTTAAG GGTACTTGA TTAGCTGTGT TTGGAAGTGC 720
 TACCGATACA TCAATGGTAG GAACTCCTCT GATGCTCTGG TTTATGTTAC CAGCAATGAC 780
 ACTACGGTGC TGTACCCCC GTATGATGAT GCCACTGTGA ATGGTGTCTG CAAGGAGCCA 840
 CCGCCACCTT ACGTGTCTGC CTAAGCCCTT AAGTGGGCGG AGCTGAGGGC AGCAGCTTGA 900
 CTTTGCAGAC ATCTGAGCAA TAGTCTGTT ATTTCACTTT TGCCATGAGC CTCTCTGAGC 960
 TTGTTTGGTG CTGAAATGCT ACTTTTAAA ATTTAGATGT TAGATTGAAA ACTGTAGTTT 1020
 TCAACATATG CTTTGTCTAG ACACGTGAT AGATTAAGT TAGAATCTT CCTGTAGGAT 1080
 TGGGATATA ACGGGCTTCA CTAACCTTCC CTAGGCATG AAACCTCCCC CAAATCTGAT 1140
 GGACCTAGAA GTCTGCTTTT GTACCTGCTG GCGCCCAAAG TTGGGCATT TTCTCTCTGT 1200
 TCCCTCTCTT TTGAAAATGT AAAATAAAAC CAAAAATAGA CAACTTTTTC TTCAGCCATT 1260
 CCAGCATAGA GAACAAAACC TTATGAAAC AGGAATGTCA ATGTGTGTAAT CATTGTCTTA 1320
 ATTAGGTAAA TAGAAGTCTT TATGTATGTG TTACAAGAAT TTCCCCACA ACATCCTTTA 1380
 TGACTGAAAGT TCAATGACAG TTTGTGTTG GTGGTAAAG ATTTTCTCCA TGGCCTGAAT 1440
 TAAGACCATT AGAAGCACC AGGCCGTTGG AGCAGTGACC ATCTACTGAC TGTCTTGTG 1500
 GATCTTGTGT CCAGGACAT GGGGTGACAT GCCTCGTATG TGTAGAGGG TGAATGGAT 1560
 GTGTTTGGCG CTGCATGGGA TCTGGTGCC CTCTTCTCCT GGATTCACAT CCCCACCAG 1620
 GGCCCGCTTT TACTAAGTGT TCTGCCCTAG ATTTGGTCAA GGAGGTCACT CAACTGACTT 1680
 TATCAAGTGG AATTGGGATA TTTTGATAT ACTTCTGCTT AACACATAGG AAAAGGGTTT 1740
 TCTTTTCCCT GCAAGCTACA TCCTACTGCT TTGAACTTCC AAGTATGTCT AGTCACCTTT 1800
 TAAAATGTA ACATTTTTCG AAAAATGAGG ATTGCCCTCC TTGATGCGC TTTTACCTT 1860
 GACTACCTGA ATTGCAAGG ATTTTATAT ATTCATATGT TACAAAGTCA GCAACTCTCC 1920
 TGTGTTGTTA TTATTGAATG TGCTGTAAT TAAGTCGTTT GCAATTAATA CAAGTTTGC 1980
 CCACATCCAA AAAAAAAAAA AAAAA

Seq ID NO: 381 Protein sequence
 Protein Accession #: CAB66876

1 11 21 31 41 51
 | | | | | |
 MKMVPWTRF YSNSCLCCH VRTGTILLGV WYLIINAVVL LILLSALADP DQYNFSSSEL 60
 GGDFFEMDDA NMCIAIAISL LMILICAMAT YGAYKQRAAW IIPFFCYQIF DFDALNMLVAI 120
 TVLIYPNSIQ EYIRQLPFNF PYRDDVMSVN PTCVLVLIILL FISILITFKG YLISCVWNCY 180
 RYINGRNSSD VLVVYTSNDT TVLLPPYDDA TVNGAAKEPP PPVYSA

Seq ID NO: 382 DNA sequence
 Nucleic Acid Accession #: NM_002510
 Coding sequence: 92-1774

1 11 21 31 41 51
 | | | | | |
 CAGATGCCAG AAGAACACTG TTGCTCTTGG TGGACGGGCC CAGAGGAATT CAGAGTTAAA 60
 CCTTGAGTGC CTGCGTCCGT GAGAAITCAG CATGGAATGT CTCTACTATT TCCCTGGGATT 120
 TCTGCTCCTG GCTGCAAGAT TGCCACTTGA TGCCGCCAAA CGATTTCTAT ATGTGCTGGG 180
 CAATGAAAGA CCTTCTGCTT ACATGAGGGA GCACAATCAA TTAATGGCT GGTCTTCTGA 240
 TGAAAATGAC TGGAAATGAA AACTCTACCC AGTGTGGAAG CGGGGAGACA TGAGGTGGAA 300
 AAACCTCTGG AAGGGAGGCC GTGTGCAGCC GGTCTGACC AGTGACTCAC CAGCCCTCGT 360

5
10
15
20
25
30
35
40

```

GGGCTCAAA ATAACATTG CGGTGAACCT GATATTCCT AGATGCCAA AGGAAGATGC 420
CAATGGCAAC ATAGTCTATG AGAAGAAGCTG CAGAAATGAG GCTGGTTTAT CTGCTGATCC 480
ATAGTGTTC AACTGGACAG CATGGTCAGA GGACAGTGAC GGGGAAAATG GCACCGGCCA 540
AAGCCATCAT AACGTCTTCC CTGATGGGAA ACCTTTTCT CACCACCCCG GATGGAGAAG 600
ATGGAATTTT ATCTACGCTT TCCACACACT TGGTCAGTAT TTCCAGAAAT TGGGACGATG 660
TTCAGTGAAG GTTTCTGTGA ACACAGCCAA TGTGACACTT GGGCCCTCAAC TCATGGAAAGT 720
GACTGTCTAC AGAAGACATG GACGGGCATA TGTTCCTATC GCACAAGTGA AAGATGTGTA 780
CGTGGTAACA GATCAGATTC CTGTGTTTGT GACTATGTTT CAGAAGAAGC ATCGAAATTC 840
ATCCGACGAA ACCCTTCTCA AAGATCTCCC CATTATGTTT GATGTCTCGA TTCATGATCC 900
TAGCCACTTC CTCGAATTAT CTACCATTA CTACAAGTGG AGCTTCGGGG ATAATACTGG 960
CCTGTTTGTG TCCACCAATC ATACTGTGAA TCACACGTAT GTGCTCAATG GAACCTTCAG 1020
CCTTAACCTC ACTGTGAAAG CTGCGACACC AGGACCTTGT COGCCACCGC CACCACCACC 1080
CAGACCTTCA AACAGCCACC TTCTTTTAGG ACCTGCTGGT GACAAACCCC TGGAGCTGAG 1140
TAGGATTCCT GATGAAAAG GCCAGATTA CAGATATGGC CACTTTCAAG CCACCATCAC 1200
AATTGTAGAG GGAATCTTAG AGGTTAACAT CATCCAGATG ACAGACGTCG TGATGCCGGT 1260
GCCATGGCCT AACCCATCCC TAATAGACTT TGTGCTGACC TGCCAAGGGA GCATTCCCAC 1320
GGAGGTCTGT ACCATCATTT CTGACCCACC CTGCGAGATC ACCCAGAACA CAGTCTGCGAG 1380
CCCTGTGGAT GTGGATGAGA TGTGTCTGCT GACTGTGAGA CGAACCTTCA ATGGGTCTGG 1440
GAGTACTCTG GTGAACCTCA CCCTGGGGGA TGACACAAGC CTGGCTCTCA CGAGCACCCT 1500
GATTTCTGTT CTGACAGAG ACCCAGCCTC GCCTTTAAGG ATGGCAAACA GTGCCCTGAT 1560
CTCGTTGTCG TGCTTGGCCA TATTTGTGTC TGTGATCTCC CTCITGGTGT ACAAAAAACA 1620
CAAGGAATAC AACCCAATAG AAAATAGTCC TGGGAATGTG GTCAGAAGCA AAGGCCTGAG 1680
TGTCTTCTC AACCGTGCAA AAGCCGTGTT CTTCGCGGGA AACCAAGGAA AGGATCCGCT 1740
ACTCAAAAC CAAGAATTTA AAGGAGTTTC TTAATTTCC ACCTTGTTC TGAAGCTCAC 1800
TTTTCACTGC CATTGATGTG AGATGTGCTG GAGTGGCTAT TAACCTTTTT TTCCTAAAGA 1860
TTATGTTAA ATAGATATTG TGGTTTGGGG AAGTTGAATT TTTTATAGTT TAAATGTCAT 1920
TTTAGAGATG GGGAGAGGGA TTATACTGCA GGCAGCTTCA GCCATGTTGT GAAACTGATA 1980
AAAGCAACTT AGCAAGCCTT CTTTTCATTA TTTTATGTT TFCACTTATA AAGTCTTAGG 2040
TAAGTATGAT GATAGAAACA CTGTGTCCCAG AGAGTAAGGA GAGAAGCTAC TATTGATTAG 2100
AGCTTAACCC AGGTTAACTG CAAGAAGAGG CCGGATACTG TCAGCTTCC ATGTAAGCTC 2160
ATGCATAAAG CCAATGTAGT CCAGTTTCTA AGATCATGTT CCAAGCTAAC TGAATCCCAC 2220
TTCAATACAC ACTCATGAAC TCCTGATGGA ACAATAACAG GCCCAAGCCT GTGGTATGAT 2280
GTGCACACTT GCTAGACTCA GAAAAAATAC TACTCTCATA AATGGGTGGG AGTATTTGG 2340
TGACAACCTA CTTTCTTGG CTGAGTGAAG GAATGATATT CATATATCA TTTATTCCAT 2400
GGACATTTAG TTAGTGCTTT TTATATACCA GGCATGATGC TGAGTGACAC TCTTGTGAT 2460
ATTTCAAAAT TTTTGTATAG TCGCTGCACA TATTTGAAAT CATATATTA GACTTTCCAA 2520
AGATGAGGTC CCTGTTTCTT CATGGCAACT TGATCAGTAA GGATTTACC TCTGTTGTA 2580
ACTAAAAACA TCTACTATAT GTTAGACATG ACATTCTTTT TCTCTCCTTC CTGAAAAATA 2640
AAGTGTGGGA AGAGACAAA AAAAAAAA
    
```

Seq ID NO: 383 Protein sequence
Protein Accession #: NP_002501

45
50
55

```

1 11 21 31 41 51
| | | | | |
MECLYYFLGF LLLAARLFLD AAKRFHDVLG NERPSAYMRE HNQLNGWSSD ENDWNEKLYP 60
VWRKGDMRWK NSWKGGRVQA VLTGSDSPALV GSNITFAVNL IFPRCQKEDA NGNIVYEKNC 120
RNEAGLSADP YVYNWTAWSE DSDGENTGQG SHENVFPDGG PFPHPGWRN WNFIVVFHTL 180
GQYFQKLRG SVRVSVNTAN VTLGSQLMEV TVYRRHGRAY VP I AQVKDQV VVTDQIPVTV 240
TMFQKNDRNS SDETFLKDLN IMFVLIHDP SHFLNYSTIN YKWSFGDNTG LKFVSTNHTVN 300
HTYVINGTFS LNLTKVAAAP GPCPPPPPPP RPSKPTPSLG PAGDNPLELS RIPDENQCIN 360
RYGHFQATIT IVEGILEVNI IQMTDVLMPV PWPESLIDF VVTCQGS IPT EVCTIISDPT 420
CEITQNTVCS PVDVDEMLL TVRRTFNGSG TYCVNLTLDG DTSALALSTL ISVPPDRDPAS 480
PLRMANSALI SVGCLAIPT VISLLVYKKH KEYNPIENSP GNVVRSKGLS VFLNRAKAVF 540
FPGNQEKDPL LKNQEPKGVG
    
```

Seq ID NO: 384 DNA sequence
Nucleic Acid Accession #: NM_001134
Coding sequence: 48-1877

60
65
70
75
80
85

```

1 11 21 31 41 51
| | | | | |
TCCATATTGT GCTTCCACCA CTGCCAATAA CAAAATAACT AGCAACCATG AAGTGGGTGG 60
AATCAATTTT TTTAATTTT CTACTAAAT TTTACTGAATC CAGAACACTG CATAGAAATG 120
AATATGGAAT AGCTTCCATA TTGGATTCTT ACCAATGTAC TGCAAGATA AGTTTAGCTG 180
ACCTGGCTAC CATATTTTTT GCCCAGTTTG TCAAGAAGC CACTTACAAG GAAGTAAGCA 240
AAATGGTGAA AGATGCATFG ACTGCAATG AGAAACCCAC TGGAGATGAA CAGTCTTCAG 300
GGTGTTTAGA AAACCAGCTA CCTGCCTTTC TGGAAGAACT TTGCCATGAG AAAGAAATTT 360
TGGAGAAGTA CGGACATTCA GACTGCTGCA GCCAAAGTGA AGAGGGAAGA CATAACTGTT 420
TTCTTGACCA CAAAAGGCC ACTCCAGCAT CGATCCCAC TTTCCAAGTT CCAGAACCCTG 480
TCACAAGCTG TGAAGCATAT GAAGAAGACA GGGAGACATT CATGAACAAA TTCAATTTATG 540
AGATAGCAAG AAGGCATCCC TTCTGTATG CACCTACAAT TCTTCTTTGG GCTGCTCGCT 600
ATGACAAAAT AATCCATCT TGCTGCAAAG CTGAAAATGC AGTTGAATGC TTCCAACAA 660
AGGCAGCAAC AGTTACAAA GAATTAAGAG AAAGCAGCTT GTTAAATCAA CATGCATGTG 720
CAGTAATGAA AAATTTGGG ACCCGAAGCT TCCAAGCCAT AACTGTTACT AAAGTGTGTC 780
AGAAGTTTAC CAAAGTTAAT TTTACTGAAA TCCAGAAACT AGTCCCTGGAT GTGGCCCATG 840
TACATGAGCA CRTGTGACGA GGAGATGTGC TGGATTGTCT GCAGGATGGG GAAAAATCA 900
TGTCTCATAT ATGTTCTCAA CAAGACACTC TGTCAAACAA AATAACAGAA TGCTGCAAC 960
TGACCAAGCT GGAACGTGGT CAATGTATAA TTCATGCAGA AAATGATGAA AAACCTGAG 1020
GTCTATCTCC AAATCTAAC AGGTTTCTAG GAGATAGAGA TTTTAAACCA TTTTCTTCAG 1080
GGGAAAAAAA TATCTTCTTG CGAAGTTTGT TTCATGAATA TCAAGAAGA CATCCTCAGC 1140
TTGCTGTCTC AGTAAATCTA AGAGTTGCTA AAGGATACCA GGAGTTATG GAGAAGTGT 1200
TCCAGACTGA AAACCTCTT GAATGCCAAG ATAAAGGAGA AGAAGAATTA CAGAAATACA 1260
TCCAGGAGAG CCAAGCATTG GCAAAGCGAA GCTGCGCCT CTCCAGAAA CTAGGAGAAT 1320
ATTACTTACA AAATGCGTTT CTCGTGCTT ACACAAGAA AGCCCCCAG CTGACCTCGT 1380
CGGAGCTGAT GGCATCACCC AGAAAAATGG CAGCCACAGC AGCCACTTGT TGCCAACCTCA 1440
GTGAGGACAA ACTATTGGCC TGTGGCGAGG GAGCGGCTGA CATTATTATC GGACACTTAT 1500
    
```

GTATCAGACA TGAATGACT CCAGTAAACC CTGGTGTGG CCAAGTCTGC ACTTCTTCAT 1560
 ATGCCAACAG GAGGCCATGC TTCAGCAGCT TGGTGGTGA TGAACATAT GTCCTCCTCG 1620
 CATTCTCTGA TGACAAGTTC ATTTCCATA AGGATCTGTG CCAAGCTCAG GGTGTAGCGC 1680
 TGCAAACGAT GAAGCAAGAG TTTCTCATTA ACCTTGTGAA GCAAAGCCA CAAATAACAG 1740
 AGGAACAAC TGAAGCTGTG ATTGCAGATT TCTCAGCCT GTTGGAGAAA TGCTGCCAAG 1800
 GCCAGGAACA GGAAGTCTGC TTTGCTGAAG AGGACAAAA ACTGATTTCA AAAACTCGTG 1860
 CTGCTTTGGG AGTTTAAAT ACTTCAGGGG AAGAGAAGAC AAAACGAGTC TTTCAATCGG 1920
 TGTGAACCTT TCTCTTAAAT TTTAACTGAT TTAACACTTT TTGTGAATTA ATGAAATGAT 1980
 AAAGACTTTT ATGTGAGATT TCCTTATCAC AGAATAAAAA TATCTCCAAA TG

Seq ID NO: 385 Protein sequence
 Protein Accession #: NP_001125

1 11 21 31 41 51
 MKWVESIFLI FLLNFTESRT LHRNEYGIAS ILDSYQCTAE ISLADLATIF FAQFVQEATY 60
 KEVSKVMKDA LTAIEKPTGD EQSSGCLENQ LPAPLEBELCH EKEILEKYGH SDCCSQSEEG 120
 RHNCFLAHHK PTPASIPLFQ VPEPVTSCBA YEEDRETFMN KFIYBIARRH PFLYAPTILL 180
 WAARYDKIIP SCCKAENAVE CFQTKAATVT KELRESSLLN QHACAVMKNF GTRTFQAITV 240
 TKLSQKFTKV NPTBIQKLVL DVAHVHEHCC RGDVLDCLQD GEKIMSYICS QODTLSNKIT 300
 ECCKLTTFLER GQCIHAEND EKPEGLSPNL NRFLGDRDFN QFSSGEKNIF LASFVHEYSR 360
 RHPQLAVSVI LRVAKGYQEL LEKCFQTENP LECQDKGEBE LQKYIQESQA LAKRSCGLFQ 420
 KLGEYLLQNA FLVAYTKKAP QLTSSSELMAI TRKMAATAAT CCQLEDKLL ACGEAADI I 480
 IGHLCIRHEM TFPVNGVGGQ CTSSVANRRP CFSSLVVDET YVPPAFSDDK FIFHKDLQQA 540
 QGVALQTMKQ EFLINLVKQK PQITEEQLEA VIADFSGLLE KCCQGEQEV CFAEEGQKLI 600
 SKTRAAALGV

Seq ID NO: 386 DNA sequence
 Nucleic Acid Accession #: NM_002205.1
 Coding sequence: 1..3149

1 11 21 31 41 51
 ATGGGGAGCC GGACGCCAGA GTCCTCTC CACGCCGTGC AGCTGCGCTG GGGCCCCCGG 60
 CGCCGACCCC CGTSSSTGCC GCTGCTGTTG CTGCTSSSTG CGCCGCCACC CAGGGTCGGG 120
 GGCTTCAACT TAGACGCCGA GGCCCCAGCA GTACTCTCGG GGCCCCCGGC CTCCTTCTTC 180
 GGATTCTCAG TGGAGTTTTC CCGGCCGGGA ACAGACGGGG TCAGTGTGCT GGTGGGAGCA 240
 CCCAAGGCTA ATACCAGCCA GCCAGGAGTG CTGCAGGGTG GTGCTGTCTA CCTCTGTCTC 300
 TGGGGTGCCA GCCCCACACA GTGCACCCCC ATTGAATTTG ACAGCAAAGG CTCTCGGCTC 360
 CTGAGTCTCT CACTGTCCAG CTCAGAGGGA GAGGAGCCTG TGGAGTACAA GTCTCTGCAG 420
 TGGTTCCGGG CCACTGTTGG AGCCCATGGC TCCTCCATCT TGGCATGCGC TCCACTGTAC 480
 AGCTGGCGCA CAGAGAAGGA GCCACTGAGC GACCCCGTGG GCACCTGCTA CCTCTCCACA 540
 GATAACTTCA CCCGAATTTCT GGAGTATGCA CCCTGCCGCT CAGATTTTCTG CTGGGCAGCA 600
 GGACAGGGTT ACTGCCAAGG AGGCTTTCAGT GCCGAGTTCA CCAAGACTGG CCGTGTGGTT 660
 TTAGGTGGAC CAGGAAGCTA TTTCTGGCAA GGCAGATCC TGTCTGCCAC TCAGGAGCAG 720
 ATTGCAGAA CTATTATACC CGAGTACCTG ATCAACCTGG TTCAGGGGCA GCTGCAGACT 780
 CGCCAGGGCA GTTCCATCTA TGATGACAGC TACCTAGGAT ACTCTGTGGC TGTTGGTGAA 840
 TTCAGTGGTG ATGACACAGA AGACTTTGTT GCTGGTGTGC CCAAGGGGAA CCTCACTTAC 900
 GGCTATGTCA CCATCCTTAA TGGCTCAGAC ATTCGATCCC TCTACAACTT CTCAGGGGAA 960
 CAGATGGCCT CTACTTTTGG CTATGCAGTG GCCGCCACAG ACGTCAATGG GGACGGGCTG 1020
 GATGACTTGC TGGTGGGGGC ACCCTGTCTC ATGGATCGGA CCCTGACGGG GCGGCCCTCAG 1080
 GAGGTGGGCA GGGTCTACGT CTACCTGCAG CACCCAGCCG GCATAGAGCC CACGCCACC 1140
 CTTACCCCTCA CTGGCCATGA TGAGTTTGGC CGATTTGGCA GCTCCTTGAC CCCCTGGGG 1200
 GACCTGGACC AGGATGGCTA CAATGATGTG GCCATCGGGG CTCCTTTGGT TGGGGAGACC 1260
 CAGCAGGGAG TAGTGTTTGT ATTTCTTGGG GSCCCAGGAG GGCTGGGCTC TAAGCCTTCC 1320
 CAGGTTCCTG AGCCCTGTG GGCAGCCAGC CACACCCAG ACTTCTTTGG CTCTGCCCTT 1380
 CGAGGAGGCC GAGACCTGGA TGGCAATGGA TATCCTGATC TGATTTGGGG GTCCTTTGGT 1440
 GTGGACAAGG CTGTGGTATA CAGGGGCCGC CCCATCGTGT CCGCTAGTGC CTCCTCACC 1500
 ATCTTCCCGG CCATGTTCAA CCCAGAGGAG CGGAGCTGCA GCTTAGAGGG GAACCTGTG 1560
 GCCTGCATCA ACCCTAGCTT CTGCCCTCAAT GCTTCTGGAA AACAAGTTGC TGACTCCATT 1620
 GGTTCACAG TGGAACTTCA GCTGGAAGTGG CAGAAGCAGA AGGGAGGGGT ACGGCCGGCA 1680
 CTGTTCTTGG CCTCCAGGCA GGCAACCCTG ACCCAGACCC TGCTCATCCA GAATGGGGCT 1740
 CGAGAGGATT GCAGAGAGAT GAAGATCTAC CTCAGGAACG AGTCAGAAAT TCGAGACAAA 1800
 CTCTGCGCGA TTACATCGC TCTCAACTTC TCCTTGGACC CCCAAGCCCC AGTGGACAGC 1860
 CACGGCCTCA GGCCAGCCCT ACATATCAG AGCAAGAGCC GGATAGAGGA CAAGGCTCAG 1920
 ATCTTGTCTG ACTGTGGAGA AGACAACATC TGTGTGCTGT ACCTGCAGCT GGAAGTGT 1980
 GGGGAGCAGA ACCATGTGTA CCTGGGTGAC AAGAATGCC TGAACCTCAC TTTCCATGCC 2040
 CAGAATGTGG GTGAGGGTGG CGCCTATGAG GCTGAGCTTC GGGTCACCGC CCCTCCAGAG 2100
 GCTGAGTACT CAGGACTCGT CAGACACCCA GGGAACTTCT CCAGCCTGAG CTGTGACTAC 2160
 TTTGCCGTGA ACCAGAGCCG CCGTCTGGTG TGTGACCTGG GCAACCCCAT GAAGGCAGGA 2220
 GCCAGTCTGT GGGTGGCCCT TGGTTTTACA GTCCTCATC TCCGGGACAC TAAGAAAACC 2280
 ATCCAGTTTG ACTTCCAGAT CCTCAGCAAG AATCTCAACA ACTCGCAAAG CGAGTGGTT 2340
 TCCTTTCCGG TCTCCGTGGA GGCTCAGGCC CAGGTCAACC TGAACGGTGT CTCCAAGCCT 2400
 GAGGCAGTGC TATTCCAGT AAGCGACTGG CATCCCAGG ACCAGCCTCA GAAGGAGGAG 2460
 GACCTGGGAC CTGCTGTCCA CCATGTCTAT GAGCTCATCA ACCAAGGCC CAGCTCCATT 2520
 AGCCAGGGTG TGTGGAAGT CAGCTGTCCC CAGGCTCTGG AAGGTGAGCA GCTCCTATAT 2580
 GTGACCCAGG TTACGGGACT CACTGTGACC ACCAATCACC CCATTAACCC AAAGGGCCTG 2640
 GAGTGTGATC CCGAGGGTTC CTCTGACCAC CAGCAAAAAC GGGAAAGTCC AAGCCGACAG 2700
 TCTGCTTCTT CGGGACCTCA GATCTGAAA TGCCCGGAGG CTGAGTGT 2760
 TGTGAGCTCG GGCCCTGCA CCAACAAGAG AGCCAAAGTC TGCAAGTTGCA TTTCCGAGTC 2820
 TGGGCCAAGA CTTTCTTGA GCGGGAGCAC CAGCCATTTA GCCTGCAAGT TGAGGCTGTG 2880
 TACAAGCCCT TGAAGATGCC CTACCGAATC CTGCCCTCGC AGCTGCCCCA AAAAGAGCGT 2940
 CAGGTGGCCA CAGCTGTGCA ATGGACCAAG GCAGAAGGCA GCTATGGCGT CCCACTGTGG 3000
 ATCATCATCC TAGCCATCCT GTTTGGCCTC CTGCTCTTAG GTCTACTCAT CTACATCCTC 3060
 TACAAGCTTG GATTCCTCAA ACGCTCCCTC CCATATGGCA CCGCCATGGA AAAAGCTCAG 3120
 CTCAGCCCTC CAGCCACCTC TGATGCTGTA

Seq ID NO: 387 Protein sequence
Protein Accession #: NP_002196.1

5 1 11 21 31 41 51
MGSRTPE SPL HAVOLRWGPR RRPPLLP LLL LLLPFPFRVG GFNLDAEAPA VLSGPPGSFF 60
GFSVEFYRPG TDGVSVLVGA PKANTSQPGV LQGGAVYLCP WGASPTQCTP IEFDSKGSRL 120
10 LESSLSSEGE EEPVEYKSLQ WFGATVRAHG SSILACAPLY SWRTEKEPLS DPVGTCTYLSL 180
DNFTRILEYA PCRSDFSWAA GGQYQGGFSA AEFTKTRRVV LGGPGSYFQW GQILSATQEQ 240
IAESYYPEYL INLVQQLQT RQASSIYDD S YLGVSVAVGE FSGDDTEDFV AGVPKGNLTY 300
GYVITLNGSD IRSLYNFSGE QMASYFGYAV AATDVNGDGL DDLVVGAPLL MDRTFPDGRPQ 360
EVGRVYVYLQ HPAGIEPTPT LTLTGHD EFG RFGSSLTPLG DLDDQDYNDV AIGAPFFGET 420
15 QQGVVVFVPG GPGGLGSKPS QVLQPLWAAS HTPDFFGSAL RGGRLDLDNG YPDLIVGSFG 480
VDKAWVYRGR PIVSASASLT IFFAMFNPEE RSCSLEGNPV ACINLSFCLN ASGRHVADSI 540
GFTVELQLDW QKQKGGVRRR LFLASRQATL TQTLIIQNGA REDCREMKIY LRNESEFRDK 600
LSPHIALNLF SLDPOAPVDS HGLR PALHYQ SKSRIEDKQ ILLDCGEDNI CVPDLQLEVF 660
GEQNHVLYGD KNALNLTFHA QNVGEGGAYE AELRVTAPPE AEVSGLVRHP GNFSLSLCDY 720
20 FAVNQRSLLV CDLGNPMKAG ASLWGGRLRFT VPHLRDTKKT IQPDFQILSK NLNNSQSDVV 780
SFRLSVEAQA QVTLNNGVSKP EAVLFFVSDW HPRDQPKQKE DLGPAVHHVY ELINQGPSSI 840
SQVLELSCP QALEGQCLLY VTRVTGLNCT TNHPINPKGL ELDPEGSLHH QQKREAPSR S 900
SASSGPIQIK CPEABECFRLR CELGPLHQQE SQSLQLHFRV WAKTFLOREH QPFSLQCEAV 960
YKALMPPYRI LPRQLPQKER QVATAVQWTK AEGSYGVPLW IILAIFLGL LLLGLLIYIL 1020
YKLGFFKRSL PYGTAMEKAQ LKPPATSDA

Seq ID NO: 388 DNA sequence
Nucleic Acid Accession #: NM_002425
Coding sequence: 26..1453

30 1 11 21 31 41 51
AAAGAAGSTA AGGGCAGTGA GAATGATGCA TCTTGCAATC CTTGTGCTGT TGTGTCTGCC 60
AGTCTGCTCT GCCTATCCTC TGAGTGGGGC AGCAAAAAGAG GAGGACTCCA ACAAGGATCT 120
35 TGCCAGCAAA TACTTAGAAA AGTACTACAA CCTCGAAAAG GATGTGAAAAC AGTTTAGAAG 180
AAAGGACAGT AATCTCATTG TAAAAAAAT CCAAGGAATG CAGAAGTCC TTGGTGGGAGT 240
GGTGACAGGG AAGCTAGACA CTGACACTCT GGAGGTGATG CGCAAGCCCA GGTGTGGAGT 300
TCCTGACGTT GGTCACTTCA GCTCCTTTCC TGGCATGCCG AAGTGGAGGA AAACCCACCT 360
40 TACATACAGG ATTTGTGAAT ATACACCAGA TTTGCCAAGA GATGCTGTTG ATTCTGCCAT 420
TGAGAAAGCT CTGAAAAGTCT GGGAAAGAGT GACTCCACTC ACATTTCCCA GGCTGTATGA 480
AGGAGAGGCT GATATAATGA TCTCTTCGCG AGTTAAAGAA CATGGAGACT TTTACTCTTT 540
TGATGGCCCA GGACACAGTT TGGCTCATGC CTACCCACTT GGACCTGGGC TTTATGGAGA 600
TATTCACITT GATGATGATG AAAAAATGGAC AGAAGATGCA TCAGGCACCA ATTTATTCCT 660
CGTGTCTGCT CATGAACTGT GCCACTCCCT GGGGCTCTTT CACTCAGCCA AACTGAAGC 720
45 TTTGATGAC CCACCTACA ACTCATTAC AGAGCTCGCC CAGTTCGCC TTTGCGAAGA 780
TGATGTGAAT GGCATTGAGT CTCTCTACGG ACCTCCCCTT GCCTCTACTG AGGAACCCCT 840
GGTGCCACCA AAATCTGTTT CTTCGGGATC TGAGATGCCA GCCAAGTGTG ATCTGCTTT 900
GTCCTTGAT GCCATCAGCA CTCTGAGGGG AGAATATCTG TTCTTAAAG ACAGATATT 960
50 TTGGCGAAGA TCCCCTGGA ACCCTGAACC TGAATTCAT TTGATTCTG CATTTTGGCC 1020
CTCTCTCCA TCATATTGG ATGCTGCATA TGAAGTTAAT AGCAGGGACA CCGTTTTTAT 1080
TTTTAAAGGA AATGAGTTCT GGGCCTCAG AGGAAATGAG GTACAAGCAG GTTATCCAAG 1140
AGGCATCCAT ACCTGGGTT TCCCTCCAAC CATAAGGAAA ATGATGAGAT CTGTTCTGTA 1200
CAAGGAAAG AAGAAAACAT ACTTCTTTGC AGCCGACAAA TACTGGAGAT TTGATGAAAA 1260
TAGCCAGTCC ATGGAGCAAG TCTCCCTAG ACTAATAGCT GATGACTTTC CAGGAGTTGA 1320
GCCTAAGGTT GATGCTGAT TACAGGCATT TGGATTTTTC TACTTCTTCA GTGGATCATC 1380
55 ACAGTATTGAT TTGACCCCA ATGCCAGGAT GGTGACACAC ATATTAAGA GTACAGCTG 1440
GTTACATTGC TAGGCAGAT AGGGGAAGA CAGATATGGG TGTTTTAAAT AAATCTAATA 1500
ATTATTATC TAATGTATTA TGAGCCAAA TGGTTAATTT TTCTGCAATG TTCTGTGACT 1560
GAAGAAGATG AGCCTTGAC ATATCTGCAT GTGTCAATGA GAATGTTTCT GGAATTTCTT 1620
60 AACTGTCTTT GAATTGCAT GAACAGAATT AAGAAATACT CATGTGCAAT AGGTGAGAGA 1680
ATGTATTTT ATAGATGTGT TATTACTTCC TCAATAAAAA GTTTTATTT GGGCTGTTCT 1740
CTT

Seq ID NO: 389 Protein sequence
Protein Accession #: NP_002416

65 1 11 21 31 41 51
MHLAFLVLLC LPVCSAYPLS GAAKEEDSNK DLAQQYLEKY YNLEKDVKQF RPKDSNLIVK 60
KIQQMQKFLG LEVTKLDDT TLEVMRKPRC GVPDVGFHSS FPGMPKWRKT HLTYRIVNYT 120
70 PDLPRDAVDS AIEKALKVWE EVTPLTFSRL YEGEADIMIS PAVKEHGDFY SFDGPGHSLA 180
HAYPPGPGLY GDHFFDDEK WTEDASGNTL FLVAACHELG SLGLFHSANT EALMYPYLYN 240
FTELAQFRLS QDDVNGIQSL YGPPPASTE E PLVPTKSVPS GSEMPAKCDF ALSFDAISTL 300
RGEYLFPKDR YFWRSSHWN EPEFLISAF WPSLPSVLD AYEVSNRDVT FIPKGNFWA 360
75 IRGNEVQAGY PRGHTLGFPP PTIRKIDAAV SDKEKKTYF FAADKYWRFD ENSQSMEQGF 420
PRLIADDPG VEPKVDVAVL AFGFFYFFSG SSQFEFDPNA RMVTHILKSN SWLHC

Seq ID NO: 390 DNA sequence
Nucleic Acid Accession #: NM_002421.2
Coding sequence: 1..1409

80 1 11 21 31 41 51
ATGCACAGCT TTCTCCACT GCTGCTGCTG CTGTTCTGGG GTGTGGTGTG ACACAGCTTC 60
CCAGGCAGCT TAGAAAAACA AGAGCAAGAT GTGGACTTAG TCCAGAAAA CTCTGAAAAA 120
85 TACTACAACC TGAAGAATGA TGGGAGGCAA GTTGAAGAGC GGAGAAATAG TGGCCAGATG 180
GTTGAAAAAT TGAAGCAAA GCAAGAAATC TTTGGGCTGA AAGTGACTGG GAAACCAGAT 240
GCTGAAACCC TGAAGGTGAT GAAGCAGCCC AGATGTGGAG TGCTGATGT GGCTCAGTTC 300

GTCCTCACTG AGGGGAACCC TCGCTGGGAG CAAACACATC TGACCTACAG GATTGAAAAA 360
 TACACGCCAG ATTTGCCAAG AGCAGATGTG GACCATGCCA TTGAGAAAAGC CTTCCAACCTC 420
 TGGAGTAATG TCACACCTCT GACATTACCC AAGGTCTCTG AGGGTCAAGC AGACATCATG 480
 ATATCTTTTG TCAGGGGAGA TCATCGGGAC AACTCTCCTT TTGATGGACC TGGAGGAAAT 540
 5 CTTGCTCATG CTTTTCACCC AGGCCCAGGT ATTGGAGGGG ATGCTCATTT TGATGAAGAT 600
 GAAAGGTGGA CCAACAATTT CAGAGAGTAC AACTTACATC GTTGTGCGGC TCATGAACTC 660
 GGCCATTCTC TTGGACTCTC CCATTCTACT GATATCGGGG CTTTGATGTA CCCTAGCTAC 720
 ACCTTCAGTG GTGATGTTCA GCTAGCTCAG GATGACATTG ATGGCATCCA AGCCATATAT 780
 GGAGCTTCCC AAAATCCTGT CCAGCCCATC GGCCCAAAA CCCCAAAAGC ATGTGACAGT 840
 10 AAGCTAACTT TTGATGCTAT AACTACGATT CCGGGAGAAG TGATGTTCTT TAAAGACAGA 900
 TTCTACATGC GCACAAATCC CTTCTACCCG GAAGTTGAGC TCAATTTTCA TTCTGTTTTT 960
 TGGCCACAAC TGCCAAATGG GCTTGAAGCT GCTTACGAAT TTGCCGACAG AGATGAAGTC 1020
 CGGTTTTTCA AAGGGAATAA GTACTGGGCT GTTCAGGGAC AGAATGTGCT ACACGGATAC 1080
 CCCAAGGACA TCTACAGCTC CTTTGGCTTC CCTAGAACTG TGAAGCATAT CGATGCTGCT 1140
 15 CTTTCTGAGG AAAACACTGG AAAAACCTAC TTCTTTGTTG CTAACAAATA CTGGAGGTAT 1200
 GATGAATATA AACGATCTAT GGATCCAGT TATCCCAAAA TGATAGCACA TGACTTTTCT 1260
 GGAATTGGCC ACAAAGTTGA TGCAGTTTTT ATGAAAGATG GATTTTTTCTA TTTCTTTCAT 1320
 GGAACAAGAC AATACAAATT TGATCCTAAA ACGAAGAGAA TTTTGACTCT CCAGAAAGCT 1380
 AATAGCTGGT TCAACTGCAG GAAAAATTAG

Seq ID NO: 391 Protein sequence
 Protein Accession #: NP_002412.1

1 11 21 31 41 51
 MHSPPPLLLL LFWGVVSHSF PATLETQEQD VDLVQKYLEK YYNLKNDGRQ VEKRRNSGPV 60
 VEKLRQMGEF FGLKVTGKPD AETLKVMKQP RCGVPDVAQF VLTEGNPRWE QTHLTYRIEN 120
 YTPDLPRADV DHAIEKAFQL WSNVTPLTFT KVSEGOADIM ISFVRGDHRD NSPFDGPGGN 180
 LAHAFQPGPG IGGDAHFDEED ERWNNNFREY NLRHVAHAEL GHSLGLSHST DIGALMYPYS 240
 30 TFSGDVQLAQ DDDIDGIAIY GRSQNPVQPI GPQTPKACDS KLTFFDAITTI RGEVMFFKDR 300
 FVMRTNPFYP EVELNIFISVF WPQLPNGLEA AYEAFADRDEV RFFKGNKYWA VQGNVNLHGY 360
 PKDIYSSPFG PRTVKHIDAA LSEENTGKTY FFWANKYWRY DEYKRSMDPG YPKMIAHDFP 420
 GIGHKVDAVF MKDGFYFFH GTRQYKFDPK TKRILTLQKA NSWFNCRKN

Seq ID NO: 392 DNA sequence
 Nucleic Acid Accession #: NM_002421.2
 Coding sequence: 1..1409

1 11 21 31 41 51
 ATGCACAGCT TTCTCCACT GCTGCTGCTG CTGTTCTGGG GTGTGGTGTC ACACAGCTTC 60
 CCAGCGACTC TAGAAACACA AGAGCAAGAT GTGGACTTAG TCCAGAAATA CCTGGAAAAA 120
 TACTACAACC TGAAGAAATGA TGGGAGGCAA GTTGAAAAGC GGAGAAATAG TGGCCCAGTG 180
 45 GTTGAANAAT TGAAGCAAAT GCAGGAATTC TTTGGGCTGA AAGTGACTGG GAAACCAGAT 240
 GCTGAAACCC TGAAGGTGAT GAAGCAGCCC AGATGTGGAG TGCCCTGATGT GCCTCAGTTT 300
 GTCCTCACTG AGGGGAACCC TCGCTGGGAG CAAACACATC TGACCTACAG GATTGAAAAA 360
 TACACGCCAG ATTTGCCAAG AGCAGATGTG GACCATGCCA TTGAGAAAAGC CTTCCAACCTC 420
 TGGAGTAATG TCACACCTCT GACATTACCC AAGGTCTCTG AGGGTCAAGC AGACATCATG 480
 ATATCTTTTG TCAGGGGAGA TCATCGGGAC AACTCTCCTT TTGATGGACC TGGAGGAAAT 540
 50 CTTGCTCATG CTTTTCACCC AGGCCCAGGT ATTGGAGGGG ATGCTCATTT TGATGAAGAT 600
 GAAAGGTGGA CCAACAATTT CAGAGAGTAC AACTTACATC GTTGTGCGGC TCATGCCCTC 660
 GGCCATTCTC TTGGACTCTC CCATTCTACT GATATCGGGG CTTTGATGTA CCCTAGCTAC 720
 ACCTTCAGTG GTGATGTTCA GCTAGCTCAG GATGACATTG ATGGCATCCA AGCCATATAT 780
 GGAGCTTCCC AAAATCCTGT CCAGCCCATC GGCCCAAAA CCCCAAAAGC ATGTGACAGT 840
 55 AAGCTAACTT TTGATGCTAT AACTACGATT CCGGGAGAAG TGATGTTCTT TAAAGACAGA 900
 TTCTACATGC GCACAAATCC CTTCTACCCG GAAGTTGAGC TCAATTTTCA TTCTGTTTTT 960
 TGGCCACAAC TGCCAAATGG GCTTGAAGCT GCTTACGAAT TTGCCGACAG AGATGAAGTC 1020
 CGGTTTTTCA AAGGGAATAA GTACTGGGCT GTTCAGGGAC AGAATGTGCT ACACGGATAC 1080
 CCCAAGGACA TCTACAGCTC CTTTGGCTTC CCTAGAACTG TGAAGCATAT CGATGCTGCT 1140
 60 CTTTCTGAGG AAAACACTGG AAAAACCTAC TTCTTTGTTG CTAACAAATA CTGGAGGTAT 1200
 GATGAATATA AACGATCTAT GGATCCAGT TATCCCAAAA TGATAGCACA TGACTTTTCT 1260
 GGAATTGGCC ACAAAGTTGA TGCAGTTTTT ATGAAAGATG GATTTTTTCTA TTTCTTTCAT 1320
 GGAACAAGAC AATACAAATT TGATCCTAAA ACGAAGAGAA TTTTGACTCT CCAGAAAGCT 1380
 AATAGCTGGT TCAACTGCAG GAAAAATTAG

Seq ID NO: 393 Protein sequence
 Protein Accession #: NP_002412.1

1 11 21 31 41 51
 MHSPPPLLLL LFWGVVSHSF PATLETQEQD VDLVQKYLEK YYNLKNDGRQ VEKRRNSGPV 60
 VEKLRQMGEF FGLKVTGKPD AETLKVMKQP RCGVPDVAQF VLTEGNPRWE QTHLTYRIEN 120
 YTPDLPRADV DHAIEKAFQL WSNVTPLTFT KVSEGOADIM ISFVRGDHRD NSPFDGPGGN 180
 75 LAHAFQPGPG IGGDAHFDEED ERWNNNFREY NLRHVAHAEL GHSLGLSHST DIGALMYPYS 240
 TFSGDVQLAQ DDDIDGIAIY GRSQNPVQPI GPQTPKACDS KLTFFDAITTI RGEVMFFKDR 300
 FVMRTNPFYP EVELNIFISVF WPQLPNGLEA AYEAFADRDEV RFFKGNKYWA VQGNVNLHGY 360
 PKDIYSSPFG PRTVKHIDAA LSEENTGKTY FFWANKYWRY DEYKRSMDPG YPKMIAHDFP 420
 GIGHKVDAVF MKDGFYFFH GTRQYKFDPK TKRILTLQKA NSWFNCRKN

Seq ID NO: 394 DNA sequence
 Nucleic Acid Accession #: NM_014331.2
 Coding sequence: 1..1506

1 11 21 31 41 51

AGGATTGCAA ACGTGCATGT GCAAAAGCTT TGAAAAAGAA AAAGAAGATG CCAAAGCTTC 720
 GCTTTGCCAG TAGAATCOGG AAAATTCGGA AGAAGCAATT TTAACCATTC TTAATATGTC 780
 ATCTTGTGTTG TCTTTATGGC TTATTTGCCCT TTATGGTTGT ATCTGAAGAA TAATATGACA 840
 GCATGAGGAA ACAAAATCATT GGTGATTTAT TCACCAGTTT TTATTAATAC AAGTCACTTT 900
 TTCAAATAAT TGGATTTTTT TATATATAAC TAGCTGCTAT TCAAATGTTA GTCTACCATT 960
 TTTAATTTAT GGTTCACACTG TTTGTGAGAC GAATTCCTGC AATGCATAAG ATATAAAAGC 1020
 AAATATGACT CACTCATTTC TTGGGGTCTG ATTCCTGATT TCAGAAGAGG ATCATAACTG 1080
 AAACAACATA AGACAAATATA ATCATGTGCT TTAAACATAT TTGAGAATAA AAAGGACTAG 1140
 CC

Seq ID NO: 397 Protein sequence
 Protein Accession #: NP_006519

1 11 21 31 41 51
 | | | | |
 MDPARPLGLS ILLFLTEAA LGDAAQEPTG NNAEICLLPL DYGPCRALLL RYYDRYTQS 60
 CRQFLYGGCE GNANFYTYWE ACDDACWRIE KVPKVCRLQV SVDDQCEGST EKYYFNLSSM 120
 TCEKFFPSGGC HRNRIENRFP DEATCMGFCA PKKIPSFYCS PKDEGLCSAN VTRYFYFNPRY 180
 RTCDAPFTYTG CGGNDNNFVFS REDCKKRACAK ALKKKKKMPK LRFASRIRKI RKKQF

Seq ID NO: 398 DNA sequence
 Nucleic Acid Accession #: NM_001508.1
 Coding sequence: 1..1361

1 11 21 31 41 51
 | | | | |
 ATGGCTTCAC CCAGCCTCCC GGGCAGTGAC TGCTCCCAA TCATTGATCA CAGTCATGTC 60
 CCCGAGTTTG AGGTGGCCAC CTGGATCAAA ATCACCCTTA TTCTGGTGTG CCTGATCATC 120
 TTCGTGATGG GCCTTCTGGG GAACAGCGTC ACCATTGGGG TCACCAGGTT GCTGCAGAAG 180
 AAAGGATACT TGCAGAAGGA GGTGACAGAC CACATGGTGA GTTTGGCTTG CTCGGACATC 240
 TTGGTGTTC TCACTCGGAT GCCCATGGAG TTCTACAGCA TCATCTGGAA TCCCTTGACC 300
 ACGTCCAGCT ACACCCTGTG CTGCAAGCTG CACACTTCC TCTTCGAGGC CTGCAGTAC 360
 GCTACGCTGC TGCACGTGCT GACGCTCAGC TTTGAGCGCT ACATCGCCAT CTGTACCCCC 420
 TTCAGGTACA AGGCTGTGTC GGGACCTTGC CAGGTGAAGC TGCTGATTGG CTTCTGTCTGG 480
 GTCACTCCCG CCCTGGTGGC ACTGCCCTTG CTGTTTGCCA TGGGTAAGTA GTACCCCTTG 540
 GTGAACGTGC CCAGCCACCG GGGTCTCACT TGCAACCGCT CCAGCACCCG CCACCACGAG 600
 CAGCCCGAGA CCTCCAATAT GTCCATCTGT ACCAACCTCT CCAGCCGCTG GACCGTGTTC 660
 CAGTCCAGCA TCTTCGGCGC CTTCTGGTGC TACCTCGTGG TCCTGCTCTC CGTAGCCTTC 720
 ATGTGCTGGA ACATGATGCA GGTGCTCATG AAAAGCCAGA AGGGCTCGCT GGCCGGGGGC 780
 ACGCGGCTC CGCAGCTGAG GAAGTCCGAG AGCGAAGAGA GCAGGACCCG CAGGAGGCAG 840
 ACCATCATCT TCTGAGGCTG GATGTTGTG ACATTGGCCG TATGCTGGAT GCCCAACCAG 900
 ATTCCGAGGA TCATGGCTGC GGCCAAACCC AAGCAGGACT GGACGAGGTC CTACTTCCGG 960
 GCGTACATGA TCCTCTCTCC CTCTCTCGAG ACGTTTTTCT ACCTCAGTCT GGTCAATCAAC 1020
 CCGCTCCTGT ACACGGTGTG CTGCGAGCAG TTTCCGGCGG TGTTCTGTGA GGTGCTGTGC 1080
 TGCCGCTGT CGCTGCAGCA CGCCAACCAC GAGAAGCGCC TGCCGCTACA TGCCCACTCC 1140
 ACCACCGACA GCGCCCGCTT TGTGCAGCGC CCGTTGTCTC TCGGTCGCCG GCGCCAGTCC 1200
 TCTGCAAGGA GAACTGAGAA GATTTTCTTA AGCACTTTTC AGAGCGAGGC CGAGCCCCAG 1260
 TCTAAGTCCC AGTCATTGAG TCTCGAGTCA CTAGAGCCCA ACTCAGGCGC GAAACCAGCC 1320
 AATTCTGCTG CAGAGAAATG TTTTCAGGAG CATGAAGTTT GA

Seq ID NO: 399 Protein sequence
 Protein Accession #: NP_001499.1

1 11 21 31 41 51
 | | | | |
 MASPSLPGSD CSQIIDHSHV PEFEVATWIK ITLILVYLII FVMGLLNSV TIRVTQVLQK 60
 KGYLQKEVTD HNVSLACSDI LVFLIGMPME FYSIIWNPLT TSSYTLSCKL HTFLPEACSY 120
 ATLLHLVLTLS FERYIAICHP FRYKAVSGPC QVKLLIGFVW VTSALVALPL LFMAGTEYPL 180
 VNVPSHRGLT CNRSSTRHHE QPETSNMISIC TNLSSRWTFV QSSIFGAFVV YLVVLLSVAF 240
 MCWNMMQVLM KSKQGLSLAG TRPPQLRKSE SEESRTARRQ TIIFLRLIVV TLAVCWMPNQ 300
 IRRIMAAAKP KHDWTRSYFR AYMILLPFSE TFFYLSVIN PLLYTVSSQG FRRVFPQVLC 360
 CRLSLQHANH EKRLRVHAHS TTD SARFVQR PLLFASRRQS SARRTEKIFL STFQSEAEQ 420
 SKSQSLSLES LEPNSGAKPA NSAAENGFOE HEV

Seq ID NO: 400 DNA sequence
 Nucleic Acid Accession #: NM_006475.1
 Coding sequence: 28..2538

1 11 21 31 41 51
 | | | | |
 AACAGAACTG CAACGGAGAG ACTCAAGATG ATTCCCTTTT TACCCATGTT TTCTCTACTA 60
 TTGCTGCTTA TTGTTAACCC TATAAACGCC AACAATCATT ATGACAAGAT CTTGGCTCAT 120
 AGTCGTATCA GGGGTCCGGA CCAAGGCCCA AATGTCGTGT CCCTTCAACA GATTTTGGGC 180
 ACCAAAAGA AATACTTCAG CACTTGTAAG AACTGTGATA AAAAGTCCAT CTGTGGACAG 240
 AAAACGACTG TTTTATATGA ATGTTGCCCT GGTATATGA GAATGGAAGG AATGAAGCG 300
 TGCCAGCAG TTTTGGCCAT TGACCATGTT TATGGCACTC TGGGCATCGT GGGAGCCACC 360
 ACAACGCAGC GCTATTCTGA CGCCTCAAAA CTGAGGGAGG AGATCGAGGG AAAGGGATCC 420
 TTCACTTACT TTGCACCGAG TAATGAGGCT TGGGCAACT TGGATTCTGA TATCCGTAGA 480
 GGTGTTGAGA GCAACGTGAA TGTGAAATTA CTGAATGCTT TACATAGTCA CATGATTAAT 540
 AAGAGAATGT TGACCAAGGA CTTAAAAAAT GGCATGATTA TTCCTTCAAT GTATAACAAT 600
 TTGGGGCTTT TCATTAACCA TTATCCTAAT GGGGTGTGCA CTGTTAATTTG TGTCGAATC 660
 ATCCATGGGA ACCAGATTGC AACAAATGGT GTTGTCCATG TCATTGACCG TGTGCTTACA 720
 CAAATTGGTA CCTCAATTCA AGACTTCATT GAAGCAGAAG ATGACCTTTC ATCTTTTAGA 780
 GCAGCTGCCA TCACATCGGA CATATTGGAG GCCCTTGGAA GAGACGGTCA CTTCACTC 840
 TTTGCTCCA CCAATGAGGC TTTTGAGAAA CTTCCACGAG GTGTCTTAGA AAGGTTTATG 900
 GGAGACAAAG TGGCTTCCGA AGCTCTTATG AAGTACCACA TCTTAAATAC TCTCCAGTGT 960
 TCTGAGTCTA TTATGGGAGG AGCAGTCTTT GAGACGCTGG AAGGAAATAC AATTGAGATA 1020

AGATTGTCAG CTCCTTGAGG GCAAGAGCCA CAGTATATTT CCCTGTTTCT TCCACAGTGC 1440
 CTAATAATAC TGTGGAACCTA GGTTTTAATA ATTTTTTAAT TGATGPTGTT ATGGGCAGGA 1500
 TGGCAACACG ACCATTGTCT CAGAGCAGGT GCTGGCTCTT TCCTGGCTAC TCCATGTTGG 1560
 CTAGCCTCTG GTAACCTCTT ACTTATTATC TTCAGGACAC TCACTACAGG GACCAGGGAT 1620
 GATGCAACAT CCTTGTCTTT TTATGACAGG ATGTTTGCTC AGCTTCTCCA ACAATAAGAA 1680
 GCACGTGGTA AAACACTTGC GGATATTCTG GACTGTTTTT AAAAAATATA CAGTTTACCG 1740
 AAAAAATATA AATCTTACAA TGAAAAGGAC TTTATAGATC AGCCAGTGAC CAACCTTTTC 1800
 CCAACCATAC AAAAATCTCT TTTCCGGAAG GAAAAGGGCT TTCTCAATAA GCCTCAGCTT 1860
 TCTAAGATCT AACAAAGTAG CCACCCGAGT CCTTATCGAA ACTCATTTTA GGCAAAATAG 1920
 AGTTTTTATG TCCGTTTACT TGTTTTAGAG TTTGTATTGT GATTATCAAT TACCACACCA 1980
 TCTCCCATGA AGAAAGGGAA CGGTGAAGTA CTAAGCGCTA GAGGAAGCAG CCAAGTCCGGT 2040
 TAGTGAAGC ATGATTGGTG CCCAGTTAGC CTCTGCAGGA TGTGGAAACC TCCTCCAGG 2100
 GGAGGTTTCAG TGAATTGTGT AGGAGAGGTT GTCTGTGGCC AGAATTTAAA CCTATACTCA 2160
 CTTTCCCAA TGAATCACT GCTCACACTG CTGATGATTT AGAGTGCTGT CCGGTGGAGA 2220
 TCCCACCGA ACGTCTTATC TAATCATGAA ACTCCCTAGT TCCTTCATGT AACTTCCCTG 2280
 AAAAAATCTAA GTGTTTCATA AATTTGAGAG TCTGTGACCC ACTTACCTTG CATCTCACAG 2340
 GTAGACAGTA TATAACTAAC AACCAAAGAC TACATATTGT CACTGACACA CACGTTATAA 2400
 TCATTTATCA TATATATACA TACATGCATA CACTCTCAA GCAAATAAT TTTCACTTCA 2460
 AAACAGTATT GACTTGTATA CCTTGTAATT TGAATATTT TCTTTGTAA AATAGAATGG 2520
 TATCAATAAA TAGACCATTA ATCAG

Seq ID NO: 403 Protein sequence
 Protein Accession #: NP_002407

1 11 21 31 41 51
 MKKSGVLFLL GIILLVLIGV QGTPVVRKGR CSCISTNQGT IHLQSLKDLK QFAPSPSCEK 60
 IEIATLKNQ VQTCNLPDSA DVKELIKKWE KQVSQKKKQK NGKKHQKKKV LKVRKSQRSR 120
 QKKT

Seq ID NO: 404 DNA sequence
 Nucleic Acid Accession #: NM_006670
 Coding sequence: 85..1347

1 11 21 31 41 51
 CCGGCTCGCG CCCTCCGGGC CCAGCCTCCC GAGCCTTCGG AGCGGGCGCC GTCCCAGCCC 60
 AGCTCCGGGG AAAGCGGAGC CGCGATGCCT GGGGGGTGCT CCGGGGGCCC CGCCGCGGGG 120
 GACGGGCGTC TCGCGCTGGC GCGACTAGCG CTGGTACTCC TGGGCTGGGT CTCCTCGTCT 180
 TCTCCCACTT CCTCGGCATC CTCCTTCTCC TCCTCGGCGC CGTTCCTGGC TTCCGCGGTG 240
 TCCGCCAGC CCGCGCTGCC GGACCAGTGC CCGCGCTGTG GCGAGTGCTC CGAGGCAGCG 300
 CGCACAGTCA AGTGCCTTAA CCGCAATCTG ACCGAGGTGC CCACGGACCT GCCCGCCTAC 360
 GTGCGCAACC TCTTCTTAC CGGCAACCAG CTGGCCGTGC TCCTTCCCGG CGCCTTCGCC 420
 CGCGCGCGCG CGCTGGCGGA GCTGGCCGCG CTCAACCTCA GCGGCAGCCG CCTGGACGAG 480
 GTGCGCGCGG GCGCCTTCGA GCATCTGCCC AGCCTGCGCC AGCTCGACCT CAGCCACAAC 540
 CCACTGGCCG ACCTCAGTCC CTTTCGTTTC TCGGGCAGCA ATGCCAGCGT CTCGGCCCCC 600
 AGTCCCTTGG TGAACCTGAT CCTGAACCAAC ATCGTGCCCC CTGAAGATGA GCGGCAGAAC 660
 CGGAGCTTGG AGGCAATGGT GGTGGCGGCC CTGCTGGCGG GCGGTGCACT GCAGGGGCTC 720
 CGCCGCTTGG AGCTGGCCAG CAACCACTTC CTTTACCTGC CGCGGATGT GCTGGCCCAA 780
 CTGCCACGCC TCAGGCACCT GGACTTAAGT AATAATTGCG TGGTGAGCCT GACTACGTG 840
 TCCTCCGCA ACCTGACACA TCTAGAAAGC CTCACCTTGG AGGACAATGC CCTCAAGTTC 900
 CTTCACAATG GCACCTTGGC TGAGTTGCAA GGTCTACCCC ACATTAGGGT TTTCTGGAC 960
 AACAAATCCT GGGTCTGCGA CTGCCACATG GCAGACATGG TGACCTGGCT CAAGGAAACA 1020
 GAGGTAGTGC AGGCAAAGA CCGGCTCACC TGTGCATATC CGGAAAAAAT GAGGAATCGG 1080
 GTCTCTTGG AACTCAACAG TCTGACCTG GACTGTGACC CGATTCTTCC CCAATCCCTG 1140
 CAAACTCTT ATGTCTTCTT GGGTATTGTT TTAGCCCTGA TAGGCGCTAT TTTCTCTCTG 1200
 GTTTTGATTT TGAACCGCAA GGGGATAAAA AAGTGGATGC ATAACATCAG AGATGCCTGC 1260
 AGGGATACA TGGAAGGGTA TCATTACAGA TATGAAATCA ATGCGGACCC CAGATTAACA 1320
 AACCTCAGTT CTAACCTCGA TGTCTGAGAA ATATTAGAGG ACAGACCAAG GACAACCTCTG 1380
 CATGAGATGT AGACTTAAAG TTTATCCCTA CTAGGCTTGC TCCACTTTCA TCCTCCACTA 1440
 TAGATACAAC GGACTTTGAC TAAAAGCAGT GAAAGGGGATT TGCTTCTCTG TTATGTAAG 1500
 TTTCTCGGTG TGTCTGTGTA ATGTAAGACG ATGAACAGTT GTGTATAGTG TTTTACCCTC 1560
 TTCTTTTCT TGGAACTCCT CAACACGTAT GGAGGGATT TTAGGTTTC AGCATGAACA 1620
 TGGCTTCTT GCTGTCTGTC TCTCTCTCAG TACAGTTCAA GGTGTAGCAA GTGTACCCAC 1680
 ACAGATAGCA TTCACAAAA GCTGCCTCAA CTTTTTGAG AAAAAACTT TATTATAAAA 1740
 TATCAGTTT ATTCTCATGT ACCTAAGTTG TGGAGAAAAA AATTGCATCC TATAAATGC 1800
 CTGCAGAGCT TAGCAGGCTC TTCAAATAAA CTCCATGGTG CACAGGAGCA CCTGCATCCA 1860
 AGAGCATGCT TACATTTTAC TGTCTGCAT ATTACAAAAA ATAACTTGA ACTTATAAAC 1920
 TTCTTTGACA AAGTAAATTA CTTTTTTGAT TGCAGTTTAT ATGAAAATGT ACTGATTTT 1980
 TTTTAATAAA CTGCATCGAG ATCCAACCGA CTGAATTGTT AAAAAAATAA AAAAATAAAG 2040
 ATTCTTAAAA GAA

Seq ID NO: 405 Protein sequence
 Protein Accession #: NP_006661

1 11 21 31 41 51
 MPGGCSRGA AGDGRLLRLAR LALVLLGWVS SSSPTSSASS FSSAPPLAS AVSAQPPLFD 60
 QCPALCECSE AARTVKCVNR NLTEVPTDLP AYVRNLFLTG NQLAVLPAGA FARRPPLAEL 120
 AALNLSGSR LDEVRAAGAFEH LPSLRQLDLS HNPLADLSPP AFSGSNASVS APSPLVELIL 180
 NHLVPEDE RQNRSEFGMVV AALLAGRALQ GLRRLLEASN HFLYLPDVL AQLPSLRHLD 240
 LSNNSLVSLT YVSPRNLT HL ESHLLEDNAL KVLHNGTLAE LQGLPHIRVP LDNNPWVDCD 300
 HMDMVTWLK ETEVVQKDR LTCAYPEKMR NRVLLELNSA DLDCDPI LPP SLQTSYVFLG 360
 IVLALIGAIF LLVLYLNRKG IKKWMHNIRD ACRDHMEGYH YRYEINADPR LTNLSNSNDV

Seq ID NO: 406 DNA sequence
 Nucleic Acid Accession #: Eos sequence

Coding sequence: 1..927

```

1      11      21      31      41      51
5 |   |   |   |   |   |
  ATGCGCTGGGG GGTGCTCCCG GGGCCCCGCC GCCGGGGACG GCGGTCTGCG GCTGGGCGGA 60
  CTAGCGCTGG TACTCTCTGG CTGGGTCTCC TCGTCTTCTC CCACCTCTCT GGCATCTCTC 120
  TCTCTCTCCT CGCGCGCGGT CCTGGCTTCC GCGGTGTCCG CCCAGCCCCC GCTGCCGGAC 180
  CAGTGCCCCG CGCTGTGCGA GTGCTCGAG GCAGCGGCA CAGTCAAGTG CGTTAACCGC 240
  AATCTGACCG AGGTGCCACC GGACCTGCC GCCTACGTGC GCAACCTCTT CCTTACCGGC 300
10 |   |   |   |   |   |
  AACCCAGTGG CACAGCAACA CTTCCTTTAC CTGCCCGGG ATGTGCTGCG CCAACTGCCC 360
  AGCCTCAGCG ACCTGGACIT AAGTAATAAT TCGTGTGTA GCCTGACCTA CGTGTCTCTT 420
  CGCAACCTGA CACATCTAGA AACCTCCAC CTGGAGGACA ATGCCCTCAA GGTCTCTCAC 480
  AATGGCACCC TGGCTGAGT GCAAGGTCTA CCCACATTA GGGTTTCTCT GGACAACAAT 540
  CCCTGGGTCT GCGACTGCCA CATGGCAGAC ATGGTGACCT GGCTCAAGGA AACAGAGGTA 600
15 |   |   |   |   |   |
  GTGCAGGGCA AAGACCGGCT CACCTGTGCA TATCCGAAA AAATGAGGAA TCGGTCTCTC 660
  TTGGAATCA CAAGTCTGA CTGGACTGT GACCCGATTC TTCCCCCTC CTGCAAAACC 720
  TCTTATGTCT TCCTGGGTAT TGTTTTAGCC CTGATAGGCG CTATTTTCTT CTGGTGTGTG 780
  TATTTGAACC GCAAGGGGAT AAAAAGTGG ATGCATAACA TCAGAGATGC CTGCAGGGAT 840
  CACATGGAAG GGTATCATTA CAGATATGAA ATCAATGCGG ACCCCAGATT AACAAACCTC 900
20 |   |   |   |   |   |
  AGTTCTAACT CGGATGTCCT CGAGTGA

```

Seq ID NO: 407 Protein sequence
Protein Accession #: Eos sequence

```

25 |   |   |   |   |   |
   MPGCGSRGPA AGDGRLLRLAR LALVLLGWVS SSSPTSSASS FSSSAPFLAS AVSAQPLLPD 60
   QCPALCECSE AARTVKCVNR NLTEVPTDLP AYVRNLFMTG NQLASNHFLY LPRDVLALQP 120
   SLRHLDLNSN SLVSLTYVSF RNLTHLESIH LEDNALKVLH NGTLAELQGL PHIRVFLDNN 180
30 |   |   |   |   |   |
   PWVCDHMAD MVTWLRKETEY VQGKDLRTCA YPERMNRVL LEIENSADLDC DPILEPPLQT 240
   SYVFLGIVLA LIGAIPLVLV YLNRKGIKMW MHNIRDACRD HMEGYHYRVE INADPRLTNL 300
   SSNSDVLE

```

Seq ID NO: 408 DNA sequence
Nucleic Acid Accession #: NM_000095.1
Coding sequence: 26..2299

```

40 |   |   |   |   |   |
   CAGCACCCAG CTCCCGGCCA CGCCATGGT CCCCGACACC GCCTGCGTTC TTCTGCTCAC 60
   CTTGGCTGCC TCGGGGCGCT CCGGACAGGG CCAGAGCCCG TTGGGTCTAG ACCTGGGCCCT 120
   GCAGATGCTT CGGGAAGTGC AGGAAACCAA CGCGCGCTGC CAGGACGTGC GGGACTGGCT 180
   GCGGCGAGCAG GTCAGGGAGA TCACGTTCTT GAAAAACACG GTGATGGAGT GTGACGCGTG 240
45 |   |   |   |   |   |
   CGGGATGCA CAGTCACTAC GCACCGGCCT ACCCAGCGTG CGGCCCTGC TCCACTGCGC 300
   GCGCGCTTC TGCTTCCCCT GCGTGGCCTG CATCCAGACG GAGAGCGCGC GCCGCTGGCG 360
   CCCCTGCCCT CGGGGCTTCA CGGGCAACGG CTGCGACTGC ACCGACGTC ACGAGTGCAA 420
   CGCCACACCC TGCTTCCCCT GAGTCCGCTG TATCAACACC AGCCCGGGGT TCCGCTGCGA 480
   GGCTTGCCCG CGGGGTACA GCGGCCCCAC CCACCAGGGC GTGGGCTGG CTTTGCCTAA 540
   GGCCAACAA GAGGTTTGA CGGACATCAA CGAGTGTGAG ACCGGGCAAC ATAAGTGGCT 600
50 |   |   |   |   |   |
   CCCCAACTCC GTGTGCATCA ACACCAGGGG CTCCTTCCAG TGCGGCCCCT GCCAGCCCCG 660
   CTTGCTGGGC GACCAAGCGT CCGGCTGCCA GCGCGGCGCA CAGCGTCTCT GCCCGACGG 720
   CTCGCCAGC GAGTGCCACG AGCATGCAGA CTGCGTCTTA GAGCGCGATG GCTCGCGGTC 780
   GTGCGTGTGT CCGGTGGCT CGGCGGCAA CCGGATCCTC TGTGGTCTAG AACTGACCT 840
   AGACGGCTTC CCGGAGGAGA AGCTGCGCTG CCCGGAGCCG CAGTGGCGTA AGGCAACTG 900
55 |   |   |   |   |   |
   CGTGACTGTG CCCAACTCAG GGCAGGAGGA TGTGGACGGC GATGGCATCG GAGACGCGTG 960
   CGATCCGGAT GCGGAGGGGG ACGGGTCCC CAATGAAAAG GACAACTGCC CGCTGGTGCG 1020
   GAACCCAGAC CAGCGCAACA CCGACGAGGA CAAGTGGGGC GATGCGTGGC ACAACTGCGG 1080
   GTCCAGAAAG AAGGAGGACC AAAAGGCAC AGACCAGGAC GGCAGGGGCG ATGCGTGCGA 1140
60 |   |   |   |   |   |
   CGACGACATC GACGGCGACC GGATCCGCAA CCAGGCCGAC AACTGCCCTA GGGTACCCAA 1200
   CTCAGACGAC AAGGACAGTG ATGGCGATGG TATAGGGGAT GCCTGTGACA ACTGTCCCCA 1260
   GAAGAGCAAC CCGGATCAGG CCGATGTGGA CCACGACTTT GTGGGAGATG CTTGTGACAG 1320
   CGATCAAGAC CAGGATGGAG ACGGACATCA GGACTCTCGG GACAACTGTC CCACGGTGCC 1380
   TAACAGTGCC CAGGAGGACT CAGACCACGA TGGCCAGGGT GATGCCTGGC ACGACGACGA 1440
   CGACAATGAC GGAGTCCCCT ACAGTCCGGA CAACTGCCSC CTGGTGCCTA ACCCGGGCCA 1500
65 |   |   |   |   |   |
   GGAGGACCGG GACAGGAGC GCGTGGCGGA CGTGTGCCAG GACGACTTTG ATGCAGACAA 1560
   GGTGTAGAC AAGATCGAGG TGTGTCCGGA GAACGCTGAA GTCACGCTCA CCGACTTCAG 1620
   GGCCTTCCAG ACAGTCTGTC TGGACCCGGA GGGTGACGCG CAGATTGACC CCAACTGGGT 1680
   GGTGTCAAC CAGGAAGGGG AGATCGTGCA GACAATGAAC AGCGACCCAG GCCTGGCTGT 1740
   GGGTTACTCT GCCTTCAATG GCGTGGACTT CGAGGGCAGC TTCATGTGA ACACGGTCC 1800
70 |   |   |   |   |   |
   GGATGACGAC TATGCCGGCT TCATCTTTGG CTACCAGGAC AGCTCCAGCT TCTACGTGGT 1860
   CATGTGGAAG CAGATGGAGC AAACGTATTG GCAGGCGAAC CCCTTCCGTG CTGTGGCGGA 1920
   GCCTGGCATC CAACTCAGG CTGTGAAATC TTCACAGGC CCGGGGAAC AGCTGCGGAA 1980
   CGCTCTGTGG CATAAGGAG ACACAGAGTC CCAGGTGCGG CTGCTGTGGA AGGACCCGCG 2040
   AAACGTGGGT TGAAGGACA AGAAGTCTTA TCGTTGGTTC CTGAGCACC GGCCCCAAGT 2100
75 |   |   |   |   |   |
   GGGCTACATC AGGGTGCAT TCTATGAGGG CCGTAGCTG GTGGCCGACA GCAACGTGGT 2160
   CTTGGACACA ACCATGCGGG GTGGCCGCTT GGGGTCTTC TGCTTCTCC AGGAGAACAT 2220
   CATCTGGGCC AACCTGCTG ACCGCTGCAA TGACACCATC CCAGAGGACT ATGAGACCCA 2280
   TCAGCTGGGG CAAGCTTAGG GACCAGGGTG AGGACCCGCG GGATGACAGC CACCCTACC 2340
80 |   |   |   |   |   |
   GCGGCTGGAT GGGGCTCTG CACCCAGCCC AAGGGGTGGC CGTCTGAGG GGAAGTGGAG 2400
   AAGGCTCAG AGAGGACAAA ATAAAGTGTG TGTGCAGG

```

Seq ID NO: 409 Protein sequence
Protein Accession #: NP_000086.1

```

85 |   |   |   |   |   |
   MVPDTCVLL LTLAALGASG QQSPLGSDL GPQMLRELQE TNAALQDVRD WLRQQVREIT 60

```

```

FLKNTVMECD ACGMQQSVRT GLPSVRLPLH CAPGFCFFGV ACIQTESGGR CGPCPAGFTG 120
NGSHCTDVNE CNAHPCFPRV RCINTSPGFR CEACPPGYSG PTHQGVGLAF AKANKQVCTD 180
INECETGQHN CVNSVCINT RGSFQCGPCQ PGFVGDQASG CQRGAQRFCP DGSPSECHEH 240
ADCVLERDGS RSCVCRVQWA GNGILCGRDT DLDGFPDEKL RCPEPQCRKD NCVTVPNSSGQ 300
EDVDRDGI GD ACDFDADGDG VPNEKDNCPV VRNPDQRNTD EDKWDGACDN CRSQKNDQDK 360
DTDQDGRGDA CDDDDIGDRI RNQADNCPV PMSDQKDSG DGIQDADCN POKSNPDQAD 420
VDHDFVGDAC DSDQDQDGDG HQDSRDNCPT VFNQAQEDSD HDGQGDACDD DDDNDGVFDS 480
RDNCRLVFNP GQEDADRDGV GQVQDQDFA DKVVDKIDVC PENAENVLTD FRAFQTVVLD 540
PEGDAQIDPN WVVLNQGREI VQTMNSDPGL AVGYTAFNG DFEQTFHVNT VTDYDAGFI 600
FGYQDSSSFY VVMWQMEQT YWQANFFRAV AEPGIQLKAV KSSTGPGPEQL RNALWHTGDT 660
ESQVRLWKD PRNVGWKDKK SYRWFLQHRP QVGYIRVRFY EGPELVADSN VVLDTTMRGG 720
RLGVPCFSQE NIWVANLRYR CNDTIPEDYE THQLRQA

```

Seq ID NO: 410 DNA sequence
Nucleic Acid Accession #: NM_001565.1
Coding sequence: 67..363

```

1      11      21      31      41      51
|      |      |      |      |      |
20    GAGACATTC TCAATTGCTT AGACATATTC TGAGCCTACA GCAGAGGAAC CTCCAGTCTC 60
AGCACCATGA ATCAAATGCG GATTCGTGATT TGCTGCCTTA TCTTTCTGAC TCTAAGTGGC 120
ATTCAGGAG TACCTCTCTC TAGAACCGTA CGCTGTACCT GCATCAGCAT TAGTAATCAA 180
CCTGTTAATC CAAGGTCTTT AGAAAAACTT GAAATTATTC CTGCAAGCCA ATTTTGTCCA 240
CGTGTGAGA TCATTGCTAC AATGAAAAAG AAGGGTGAGA AGAGATGTCT GAATCCAGAA 300
25    TCGAAGGCCA TCAAGAAATTT ACTGAAAGCA GTTAGCAAGG AAATGTCTAA AAGATCTCCT 360
TAAAACCAGA GGGGAGCAAA ATCGATGCAG TGCTTCCAAG GATGACCAC ACAGAGGCTG 420
CCTCTCCCAT CACTTCCCTA CATGGAGTAT ATGTCAAGCC ATAATTGTTC TTAGTTTGCA 480
GTTACACTAA AAGGTGACCA ATGATGGTCA CCAAAATCAGC TGCTACTACT CCTGTAGGAA 540
GGTTAATGTT CATCATCCTA AGCTATTGAG TAATAACTCT ACCCTGGCAC TATAATGTAA 600
30    GCTCTACTGA GGTGCTATGT TCTTAGTGGG TGTTCTGACC CTGCTTCAAA TATTTCCCTC 660
ACCTTTCCCA TCTTCCAAGG GACTAAGGA ATCTTTCTGC TTTGGGGTTT ATCAGAATTC 720
TCAGAATCTC AAATAACTAA AAGGTATGCA ATCAAATCTG CTTTTAAAG AATGCTCTTT 780
ACTTCATGGA CTTCACCTGC CATCCTCCCA AGGGGCCCAA ATTCTTTCAG TGGCTACCTA 840
CATACAATTC CAAACACATA CAGGAAGGTA GAAATATCTG AAAATGTATG TGTAAGTATT 900
35    CTTATTTAAT GAAAGACTGT ACAAAGTATA AGTCTTAGAT GTATATATTT CCTATATGTT 960
TTTCAGTGTA CATGGAATAA CATGTAATTA AGTACTATGT ATCAATGAGT AACAGGAAAA 1020
TTTTAAAAAT ACAGATAGAT ATATGCTCTG CATGTTACAT AAGATAAATG TGCTGAATGG 1080
TTTTCAAATA AAAATGAGGT ACTCTCCTGG AAATATTAAG

```

Seq ID NO: 411 Protein sequence
Protein Accession #: NP_001556.1

```

1      11      21      31      41      51
|      |      |      |      |      |
45    MNQTAILICC LIFLTLSGIQ GVPLSRTVRC TCISISNQPV NPRSLEKLEI IPASQFCPRV 60
EIIATMKKKK EKRLNPEK AIKLLKAVS KEMSKRSP

```

Seq ID NO: 412 DNA sequence
Nucleic Acid Accession #: XM_057014
Coding sequence: 143..874

```

1      11      21      31      41      51
|      |      |      |      |      |
55    GGGAGGGAGA GAGGCGCGCG GGTGAAAGGC GCATTGATGC AGCCTGCGGC GGCCTCGGAG 60
CGCGGCGGAG CCAGACGCTG ACCACGTTCC TCTCCTCGGT CTCCCTCCGC TCCAGCTCCG 120
CGCTGCCCGG CAGCCGGGAG CCATGCGACC CCAGGGCCCC GCGCCTCCCG CGCAGCGGCT 180
CGCGCGCCTC CTGCTGCTCC TGCTGCTGCA GCTGCCCCGG CCGTCGAGCG CCTCTGAGAT 240
CCCCAAGGGG AAGCAAAAGG CCGAGCTCCG GCAGAGGGAG GTGGTGGACC TGTATAATGG 300
AATGTGCTTA CAAGGGCCAG CAGGAGTGCC TGGTCGAGAC GGGAGCCCTG GGGCCAATGG 360
60    CATTCCGGGT ACACCTGGGA TCCCAGGTGC GGATGGATTC AAAGGAGAAA AGGGGGAATG 420
TCTGAGGGAA AGCTTTGAGG AGTCTGGAC ACCCAACTAC AAGCAGTGT CATGGAGTTC 480
ATTGAATTAAT GGCATAGATC TTGGGAAAAT TGCGGAGTGT ACATTTACAA AGATGCGTTC 540
AAATAGTGCT CTAAGAGTTT TGTTCAGTGG CTCACTTCGG CTAATAATGCA GAAATGCAATG 600
CTGTACGCGT TGGTATTTC AATTCAATGG AGCTGAATGT TCAGGACCTC TTCCCATGTA 660
65    AGCTATAATT TATTGGGACC AAGGAAGCCC TGAATGAAT TCAACAATTA ATATTCATCG 720
CACTTCTTCT GTGGAAGGAC TTTGTGAAG AATTGGTGTG GGATTAGTGG ATGTTGCTAT 780
CTGGGTGGC ACTTGTTCAG ATTACCCAAA AGGAGATGCT TCTACTGGAT GGAATTCAGT 840
TTCTCGCATC ATTATTGAAG AACTACCCAAA ATAAATGCTT TAATTTTCAT TTGCTACCTC 900
70    TTTTFTTATT ATGCCTTGGA ATGGTTCAC TAAATGACAT TTTAAATAAG TTTATGTATA 960
CATCTGAATG AAAAGCAAAG CTAATATATG TTACAGACCA AAGTGTGATT TCACACTGTT 1020
TTTAAATCTA GCATTATTCA TTTTGCTTCA ATCAAAGTG GTTTCAATAT TTTTFTTATT 1080
TGGTTAGAAAT ACTTCTTCA TAGTCACATT CTCTCAACCT ATAATTGGA ATATTGTTGT 1140
GGTCTTTTGT TTTTCTCTT AGTATAGCAT TTTTAAAAAA ATATAAAGC TACCAATCTT 1200
75    TGTACAATTT GTAATGTTA AGAATTTTTT TTATATCTGT TAAATAAAAA TTATTTCCAA 1260
CAACCTTAAA AAAAAAAAAA AAAA

```

Seq ID NO: 413 Protein sequence
Protein Accession #: XP_057014

```

1      11      21      31      41      51
|      |      |      |      |      |
80    MRPQGPAASP QRLRGLLLLL LLQLPAPSSA SEIPKQKQKA QLRQREVVDL YNGMCLQGPA 60
GVPRDGSPPG ANGIPTPGI PGRDGFKEK GECLRESFEE SWTPNYKQCS WSSLNVIIDL 120
GKIAECTFTK MRSNSALRVL FSGSLRLKCR NACCQRWYFT PNGAECGSPF PIEAIIYLDQ 180
85    GSPENNSTIN IHRSSVEGL CEGIGAGLVD VAIWVGTCS D YPKGDASTGW NSVSRIIIEE 240
LPK

```

Seq ID NO: 414 DNA sequence
Nucleic Acid Accession #: XM_084007
Coding sequence: 138..2405

Table with 6 columns representing nucleotide positions (1, 11, 21, 31, 41, 51) and a 6th column for sequence index (60-3420). Rows are grouped by line numbers 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65.

Seq ID NO: 415 Protein sequence
Protein Accession #: XP_084007

Table with 6 columns representing amino acid positions (1, 11, 21, 31, 41, 51) and a 6th column for sequence index (60-720). Rows are grouped by line numbers 70, 75, 80, 85.

Seq ID NO: 416 DNA sequence
Nucleic Acid Accession #: NM_015419.1
Coding sequence: 1..8487

5 5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80

CCCAGCATTC CTAGTAAAGTT TACTGACCGA AGAACTGACC AATTCATGG TTAGCTCCAAA 5100
GTGTTTGGAA ATAACAACAT CCCTGAGGCA AGAAACCCAG TTGGAAAGCC TCCAGTCCA 5160
AGAAATCCCTC ATATTCCCAG TGGAAGACTC CCTTCTTTA CCAACAAGAC TCTTTCTTTT 5220
5 CCACAGTTGG GAGTCACCCG GAGACCCAG ATACCACACTT CTCTGCCCC AGTAATGAGA 5280
GAGAGAAAAG TTATTCACAG TTCCTACAAC AGGATACATT CCCATAGCAC CTTCATCTG 5340
GACTTTGGCC CTCCGGCCACC TCCGTTGTTG CACTCTCCGC AGACCCAGG ATCACCCCTCA 5400
ACTAACTTAC AGAATATCCC TATGGTCTCT TCCACCCAGA GTTCTATCTC CTTTATAACA 5460
TCTTCTGTCC AGTCCCTCAG ARGCTTCCAC CAGAGCAGCT CAAAGTCTT TGCAGGAGGA 5520
CCTCCTGCAT CCAAATTCGT GTCTCTTGGG GAAAAGCCCC AAATCTCTAC CAAGTCCCCA 5580
10 CAGACTGTGT COGTCAACCG TGAGACAGAC ACTGTGTTCC CCTGTGAGGC AACAGGAAAA 5640
CCAAAGCCIT TCGTACTCTG GACAAAGGTT TCCACAGGAG CTCTTATGAC TCCGAATACC 5700
AGGATACAAC GGTTTGAGGT TCTCAAGAAC GGTAACCTTAG TGATACGGAA GGTTCAGTA 5760
CAAGATCGAG GCCAGTATAT GTGCACCCGC AGCAACCTGC ACGGCCTGGA CAGGATGGTG 5820
GTCTTGCTTT CGGTCAACCGT GCAGCAACCT CAAATCCTAG CCTCCCACTA CCAGGACGTC 5880
15 ACTGTCTACC TGGGAGACAC CATTGCAATG GAGTGTCTGG CCAAAGGGAC CCCAGCCCC 5940
CAAAATTCCT GGAATCTCCC TGACAGGAGG GTGTGGCAAA CTGTGTCCCC CGTGGAGAGC 6000
CGCATCACC TGACAGAAAA CCGGACCCCT TCCATCAAGG AGGCGTCTT CTCAGACAGA 6060
GGGCTCTATA AGTGCGTGGC CAGCAAATGCA GCGGGGGCGG ACAGCCTGGC CATCCGCTG 6120
CACGTGGCGG CACTGCCCCCC CGTTATCCAC CAGGAGAAGC TGGAGAACAT CTCGCTGCCC 6180
20 CCGGGGCTCA GCATTACAT TCACTGCAC GCCAGGCTG GCGCCCTGCC CAGCGTGCGC 6240
TGGGTGCTCG GGGACGGTAC CCAGATCCGC CCTTCGCAGT TCCTCAOAG GAACTGTFTT 6300
GTTTTCCCCA ACGGGACGCT CTACATCCGC AACCTCGCG CCAAGGACAG CCGGCGCTAT 6360
GAGTGCCTGG CCGCCAACCT GTAGGCTCC GCGCGCAGGA CCGTGCAGCT GAACTGTGAG 6420
CGTGACGAGC CCAACGCGCG CATCAACCGG ACCTCCCGC GGAGGACGGA CAGTCAAGTAC 6480
25 GGAGGAACCC TCAAGTGGTA CTGCAGCGCC TCGGGGACC CCTGGCCGCG CATCCTCTGG 6540
AGGCTGCCGT CCAAGAGGAT GATCGAGCG CTCTTCAGTT TTGATAGCAG AATCAAGGTG 6600
TTTGCCATG GGAACCTGGT GTGAAAATCA GTGACGGACA AAGATGCCGG AGATACCTG 6660
TGCGTAGCTC GAAATAAGTT TGGTATGATAC TACGTGGTGC TCAAAGTGA TGTGGTGTATG 6720
AAACCGGCA AGATTGAACA CAAGGAGGAG AACGACCACA AAGTCTTCTA CCGGGGTGAC 6780
30 CTGAAAGTGG ACTGTGTGGC CACCGGGCTT CCAATCCCC AGATCTCCTG AGCCTCCCA 6840
GACGGGATC TGGTGAACCT CTTCATGCAG TCGGATGACA GCGGTGGAGC CACCAAGCGC 6900
TATGTCTCT TCAACAATGG GACACTCTAC TTTAACGAAG TGGGGATGAG GGAGGAAGGA 6960
GACTACACCT GCTTTGCTGA AAATCAGGTC GGGAAGGACG AGATGAGAGT CAGAGTCAAG 7020
GTGTGACAG CGCCCGCCAC CATCCGGAAC AAGACTTACT TGGCGGTTCA GGTGCCCTAT 7080
35 GGAGACGTGG TCACTGTAGC CTGTGAGGCC AAAGGAGAAC CCAATGCCAA GGTGACTGG 7140
TTGTCCCAAA CCAACAAGGT GATCCCCACC TCCTCTGAGA AGTATCAGAT ATACCAAGAT 7200
GGCACTCTCC TTATTAGAAA AGCCCCAGGCT TCTGACAGCG GCAACTACAC CTGCCCTGGT 7260
AGGAACAGCG CGGGAGAGGA TAGGAAGACG GTGTGGATT ACGTCAACT CCAGCCACCC 7320
40 AAGATCAACG GAAACCCCAA CCCCATCACC ACCGTGCGGG AGATAGCAGC CCGGGGCAGT 7380
CGGAAAATGA TTGACTGCAA AGCTGAAGGC ATCCCACC CGAGGGTGT ATGGGCTTTT 7440
CCCGAGGGTG TGGTCTGACC AGCTCCATAC TATGGAAACC GGATCACTGT CCATGGCAAC 7500
GGTCCCTGG ACATCAGGAG TTTGAGGAA AGCGACTCCG TCCAGCTGGT ATGCATGGCA 7560
CGCAACGAGG GAGGGGAGGC GAGGTGATG GTGCAGCTCA CTGTCTGGA GCCCATGGAG 7620
45 AAACCCATCT TCCACAGCCC GATCAGCGAG AAGATCAOAG CCAATGCCGG CACACCCATC 7680
AGCCTCAACT GCTCTGCCCG GGGGACCOCG ACACCCAGCC TGGTGTGGGT CCTTCCCAAT 7740
GGCACCGATC TGCAGATGG ACAGCAGCTG CAGCGCTCTT ACCACAAGGC TGACGGCATG 7800
CTACACATTA GGGGCTCTTC CTGCGTGGAC GCTGGGGCCT ACCGCTGCTG GCCCCGCAAT 7860
GCCCCTGGCC ACACGGAGAG GCTGGTCTCC CTGAAGGTGG GACTGAAGCC AGAAGCAAA 7920
50 AAGCAGTATC ATAACCTGGT CAGCATCATC AATGTTGAGA CCTGAAGCT CCCCTGCACC 7980
CTGCCCGGG CTGGGACGGG ACGTTTCTCC TGGACGCTCC CCAATGGCAT GCATCTGGAG 8040
GGCCCCAAA CCGTGGGAGG CGTTTCTCT CTGGACAATG GCACCTCAC GGTTCGTGAG 8100
GCCTCGGTG TTGACAGGGG TACCTATGTA TGCAGGATGG AGACGGAGTA CGGCCCTTG 8160
GTCACCAGCA TCCCCTGAT TGTTGTCGCC TATCTCCCC GGATCACAG CAGACCCACC 8220
CGGTCATCT ACACCGGGC CCGGAACACC GTGAAACTGA ACTGCATGCC TATGGGGATT 8280
55 CCAAAGCTG ACATCAGCTG GGAGTTACCG GATAAGTGG ATCTGAAGG AGGGGTTGAG 8340
GCTCGTCTGT ATGGAAAACG ATTTCTTAC CCCCAGGGAT CACTGACCAT CCAGCATGCC 8400
ACACAGAGAG ATGCCCCTCT CTACAACTG ATGGCAAAAA ACATTTCTCG CAGTACTCC 8460
AAAACAACT ACATCCAGT TTCTGAAAT GTGGATTCCA GAATGATTGC TTAGGAACTG 8520
60 ACAACAAAG GGGGTTTGTG AGGGAAGCCA GGTGCGGGTA TAGGAGCTCT TAAATAATGT 8580
GTACAGTGC ATGTTGGCCT CTGGTGGGT TCAAGTTGAG GTTGATCTTG ATCTCAATT 8640
GTTGGGAAA GGAAGCAAGT CAGACAGAG AAGGAGGGCT CAGCTCTGCT GAGACACTTT 8700
CTTTTGTGTT TACATCATGC CAGGGGCTTC ATTGAGGGTG TCTGTGCTCT GACTGCAAT 8760
TTTCTTCTT TGCAAAATGCC ACTCGACTGC CTTTATAAGC GTCCATAGGA TATCTGAGGA 8820
65 ACATTCATCA AAAATAAGCC ATAGACATGA ACAACACCTC ACTACCCCAT TGAAGACGCA 8880
TCACCTAGTT AACCTGCTGC AGTTTTTACA TGATAGACTT TGTCCAGAT TGACAACTA 8940
TCTTTCAGTT ATTTCTCTG TCACTTCAA ACTCCAGCTT GCCCAATAAG GATTTAGAAC 9000
CAGAGTACT GATATATATA TATATATTT AATTAGAGT TACATACATA CAGTACCAT 9060
TTTATATGAA AAAAGAAAA CATTTCTCC TGGAACTCAC TTTTATATA ATGTTTATA 9120
70 TATATATTT TTCCTTCAA ATCAGACGAT GAGACTAGAA GGAGAATAC TTTCTGCTT 9180
ATTAATAAT ATAAATTAAT GGTCTTACA AGACTTGGAT ACATTACAGC AGACATGGAA 9240
ATATAATTT AAAAAATTC TCTCCAACCT CCTTCAAAT CAGTACACC TGTATATATA 9300
CCTTCTCCAG GAACCCTCCA GTGGGAAGG CTGCGATATT AGATTTCTT GTATGCAAAG 9360
TTTGTGTTGA AAGCTGTGCT CAGAGGAGGT GAGAGGAGAG GAAGGAGAAA ACTGCATCAT 9420
75 RACTTACAG AATTGAATCT AGAGTCTTCC CCGAAAAGCC CAGAACTTC TCTGCAGTAT 9480
CTGGCTGTCT CATCTGCTCT AAGTGGCTG CTCTTCCCC AGCCATGAGT CAGTTTGTGC 9540
CCATGAATAA TACAGACCT GTTATTCCCA TGACTGCTTT ACTGTATTTT TAAGTCAAT 9600
ATACTGTACA TTTGATAATA AAATAATATT CTCCCAAAA AAAAA

Seq ID NO: 417 Protein sequence
Protein Accession #: NP_056234.1

85
1 11 21 31 41 51
| | | | | |
MPKRAHWGAL SVVLLILLWGH PRVALACPHP CACYVPEVH CTFRSLASVP AGIARHVERI 60
NLGFNSIQAL SETSPAGLTK LELLMIHGNE IPSIPDGLAR DLSSLLQVFKF SYNKLRVITG 120
QTLQGLSNLM RLHIDHNKIE FIHPQAFNGL TSLRLLHLLEG NLLHLQHPST FSTPTFLDYF 180
RLSTIRHLVY AENWRTILPA SMLRNMPLE NLYLQGNPWT CDCEMRWFLE WDAKSRGILK 240

ARAKEAASL PKHQVESPT GAGAGGDHRS QRGHAASPAR PSRPPGPQSR ARVPSRAAPG 1020
 KSEPPSKRPL SSKSQSVSA EDEEEDAGF FKGKEDLLS SSVPKWPSST TPRGGKDADG 1080
 SLAKEERPA IALAPRGGSL APVKRPLPPP PGSSPRASHV PSRPPRSAA TVSPVAGTHP 1140
 WPRYTTRAPP GHSTTTPMLS LRQRMHARF RNPLSRQPAR PSYRQYNGR PNVEGKVLPG 1200
 5 SNGKPNQRI INGPQGTKWV VDLDRGLVLN AEGRYLQDSH GNPRLRIKLG DGRTIVDLEG 1260
 TPVVSFDGLP LFGGQRHGTP LANAQDKPIL SLGGKPLVGL EVIKKTHTPP TTTMQPTTTT 1320
 TPLPTTTTTR PTTATTMQPT TTTTLEPHTT PRPTTATTR TTRRPTTTV RTTTRTTTTT 1380
 TPKPTTPIPT CPPGTLEPHD DDGNLIMSSN GIPECYAED EFSGLETDTA VPTEBEAVIY 1440
 10 DEDYEFETS PPTTTEPSTT ATTPRVIPEE GAISFPPEEE FDLAGRKRFRV APYVTVLNKD 1500
 PSAPCSLIDA LDHFQVDSLDE EIIPNDLKKK DLPPQHAPRN ITVVAVEGCH SFVIVDWDKA 1560
 TPGDLVVTGYL VYSASYEDFI RNKPFSTQASS VTHLPIENLK PNTRYFYFKVQ AQNPHGYGPI 1620
 SPSVSFVTEB DNPLLVVRPP GGELSGSHSL SNMIPATRTA MDGNM

Seq ID NO: 420 DNA sequence
 Nucleic Acid Accession #: NM_022743
 Coding sequence: 128..1237

20 | 1 | 11 | 21 | 31 | 41 | 51 | |
 GTGGATTTTA GAGATACCCT CCTCCTCTCT GCTCAGCTGC CTTGCAGTAA TTAACCTCTT 60
 TCTCTGCTGC AACACCCTTA CTGTTCTCCG TGTATTGGCT TTTCTGGCA GCAGGAAGGA 120
 AAAGCTGATG CGATGCTCTC AGTGCCGCGT CGCCAAATAC TGTAGTGCTA AGTGTCAGAA 180
 AAAAGCTTGG CCGAGCCACA AGCGGGAATG CAAATGCCTT AAAAGCTGCA AACCCAGATA 240
 25 TCCTCCAGAC TCCGTTCCAG TTCTTGCCAG AGTTGTCTTC AAACCTATGG ATGGAGCACC 300
 TTCAGAATCA GAGAAGCTTT ACTCATTTTA TGATCTGGAG TCAAATATTA ACAAAGCTGAC 360
 TGAAGATAAG AAGAGGGGCC TCAGGCAACT CGTAATGACA TTCAACATT TCATGAGAGA 420
 AGAAATACAG GATGCTCTC AGCTGCCACC TGCCITTGAC CTTTITGAG CTTTITGCAA 480
 AGTGATCTGC AACCTTTTCA CCATCTGTAA TGCGGAGATG CAGGAAGTTG GTGTGGCCTT 540
 ATATCCAGT ATCTCTTTCG TCAATCACAG CTGTGACCCC AACTGTTGCA TTGTGTTCAA 600
 30 TGGGCCCCAC CTCTTACTGC GAGCAGTCCG AGACATCGAG GTGGGAGAGG AGCTCCCAT 660
 CTGCTACCTG GATATGCTGA TGACCACTGA GGAGCGCCG AAGCAGCTGA GGGACCAGTA 720
 CTGCTTTGAA TGTGACTGTT TCCGTTGCCA AACCCAGGAC AAGGATGCTG ATATGCTAAC 780
 TGGTGATGAG CAAGTATGGA AGGAAGTTCA AGAATCCCTG AAAAAAATTG AAGAACTGAA 840
 GGCACACTGG AAGTGGGAGC AGGTTCTGGC CATGTGCCAG GCGATCATA GCAGCAATTC 900
 35 TGAACGGCTT CCCGATATCA ACATCTACCA GCTGAAGGTG CTCGACTGCG CCATGGATGC 960
 CTGCATCAAC CTGCGCCTGT TGGAGGAAGC CTTGTTCTAT GGTACTCGGA CCATGGAGCC 1020
 ATACAGGATT TTTTCCCGAG GAAGCCATCC CGTACAGAGG GTTCAAGTGA TGAAGTTGG 1080
 CAAAAGTCAG CTACATCAAG GCATGTTTCC CCAAGCAATG AAGAATCTGA GACTGCTTT 1140
 TGATATTATG AGAGTGACAC ATGGCAGAGA ACACAGCCCTG ATTGAAGATT TGATTCTACT 1200
 40 TTTAGAAGAA TGGCAGCCCA ACATCAGAGC ATCCTAAGGG AACGCAGTCA GAGGGAAATA 1260
 CGGCGTGTGT CTTTGTGAA TGCCITATG AGGTACACA CTCTATGCTT TGTTAGCTGT 1320
 GTGAACCTCT CTTATTGGAA ATTCTGTTCC GTGTTTGTGT AGGTAATAAA AGGCAGACAT 1380
 GGTTTGCAAA CCACAAGAA CATTAGTTGT AGAGAAGCAC GATTATAATA AATTCAAAAC 1440
 ATTTGGTGA GGATGCCAAA AAAAAAAAAA AAAAAA

Seq ID NO: 421 Protein sequence
 Protein Accession #: NP_073580

50 | 1 | 11 | 21 | 31 | 41 | 51 | |
 MRCSQCRVAK YCSAKCKQKA WPDHKRECK LKSCCKPRYP DSVRLGRVV FKLMDGAPSE 60
 SEKLYSPYDL ESNINLKTED KKEGLRQLVM TFOHFMREEI QDASQLPPAF DLFEAFAKVI 120
 CNSFTICNAE MQEVGVLGYP SIFLLNHSCD PNCISIVFNGP HLLLRVRDI EGVGELTICY 180
 55 LDMLTSEER RKQLRDQYCF ECDCFRCQTQ DKDADMLTGD EQVWKEVQES LKKIIEELKAH 240
 WKWEQVLAMC QAISSNSER LPDINIYQLK VLDAMDACI NLGLLEALP YGTRTMEPYR 300
 IFPPGSHVPR GVQVMKVGLK QLHQGMFPQA MKNLRALFDI MRVTHGREHS LIEDLILLLE 360
 ECDANIRAS

Seq ID NO: 422 DNA sequence
 Nucleic Acid Accession #: NM_003014.2
 Coding sequence: 238..648

65 | 1 | 11 | 21 | 31 | 41 | 51 | |
 GGCGGTTTCG CGCCCCGAA GCTGAGAGCT GCGGCTGCTC GTGCCCTGTG TGCCAGACGG 60
 CGGAGCTCCG CGGCCCCGACC CCGCGGCCCC GCTTTGCTGC CGACTGGAGT TTGGGGGAAG 120
 AAACTCTCCT GCGCCCCAGA AGATTTCTTC CTCGGCGAAG GGACAGCGAA AGATGAGGGT 180
 GGCAGGAAGA GAAGCGCTT TCTGTCTGCC GGGGTCCGAG CGCGAGAGGG CAGTGCCATG 240
 70 TTCTCTCCA TCCTAGTGGC GCTGTGCCCTG TGGCTGCACC TGGGCTGGG CGTGCGCGG 300
 GCGCCCTGCG AGGCGGTGCG CATCCCTATG TGCCGGCACA TGCCCTGGAA CATCACGCGG 360
 ATGCCCAACC ACCTGCACCA CAGCACGCAG GAGAAGCCCA TCCTGGCCAT CGAGCAGTAC 420
 GAGGAGCTGG TGGAGCTGAA CTGCAGCGCC GTGCTGCCCT TCTTCTCTG TGCCATGTAC 480
 GCGCCCATTT GCACCCTGGA GTTCTGTGC GACCCATCA AGCCGTGCAA GTCGGTGTG 540
 CAACGCGCGC GCGAGACTG CGAGCCCTC ATGAAGATGT ACAACCACAG CTGGCCCGAA 600
 75 AGCCTGGCCT GCGAGAGCT GCTGTCTAT GACCGTGGCG TGTGCATTTC GCCTGAAGCC 660
 ATCGTCACGG ACCTCCCGGA GGATGTTAAG TGGATAGACA TCACACCAGA CATGATGGTA 720
 CAGGAAGGC CTCTTGTATG TACTGTAAA CGCCTAAGCC CCGATCGGTG CRAAGTAAA 780
 AAGGTGAAGC CAACTTTGCG AACGTATCTC AGCAAAAAC ACAGCTATGT TATTCATGCC 840
 AAAATAAAG CTGTGCAGAG GAGTGGCTGC AATGAGGTCA CAACGGTGGT GGATGTAAA 900
 80 GAGATCTTCA AGTCTCATC ACCATCCCT CGAACTCAAG TCCCCTCAT TACAAATTCT 960
 TCTTGCCAGT GTCCACACAT CCTGCCCCAT CAAGATGTTT TCATCATGTG TTACGAGTGG 1020
 CGTTCAGGA TGATGCTTCT TGAATAATG TTAGTTGAAA AATGGAGAGA TCAGCTTAGT 1080
 AAAAGATCCA TCAGTGGGA AGAGAGGCTG CAGGAACAGC GGAGAACAGT TCAGGACAAG 1140
 AAAAAACAG CCGGCGCAC CAGTCGTAGT AATCCCCCA AACCAAAGGG AAAGCTCTCT 1200
 85 GCTCCCAAC CAGCCAGTCC CAAGAAGAAC ATTAAAATA GGAGTGCCCA GAAGAGAACA 1260
 AACCCGAAAA GAGTGTGAGC TAACTAGTTT CCAAAGCGGA GACTTCCGAC TTCCTTACAG 1320
 GATGAGGCTG GGCATTGCCCT GGCAGCAGCT ATGTAAGGCC ATGTGCCCTT GGCCTAACA 1380

CCAGTAGGTT ATTTAGCTTG GAAAGGTTG TGTTCCTGTA AGAAACCTAC TGCCAGGCA 3900
CTGCAAAACCG CCACCTCCTT ATACTGCTTG GAGCTGAGCA AATCACCACA AACTGTAATA 3960
CAATGATCCT GTATTCAGAC AGATGAGGAC TTTCCATGG ACCACAATA TTTTCAGATG 4020
TGAACCAITA ACCAGATGAC GTCAATCAAG TCTGTTACT GCAAGGTCA ACTTATTAAC 4080
AATTAGGCAG ACTCTTTATG CTGCAAAAA CTACAACCA TGGAATGTGA TGTTTATGGG 4140
TATAGTTCAT GTGCTGCTATC ATTATTCGTA GATATTGGAC AAAGAACCCTT CTCTATGGGG 4200
CATCCTCTTT TTCCAACCTG GCTGCAGGAA TCTTTAAAA AGCTTTTAA CAGAGTCTGA 4260
ACCTATTTCT TAAACACTTG CAACCTACCT GTTGAAGATC ACAGAATGTG ATAAGGAAAT 4320
CAACTTGCTT ATCAACTTCC TAAAATATTAT GAGATGTGGC TTGGGCAGCA TCCCCCTGAA 4380
CTCTTCACCT TTCAAATGCC TGACTAGGGA GCCATGTTTC ACAAGGTCTT TAAAGTGACT 4440
AATGGCATGA GAAATACAAA AATACTCAGA TAAGGTAATA TGCCATGATG CCTCTGTCTT 4500
CTGGACTGGT TTTACATTA GAAGACAATT GACAACAGTT ACATAATTCA CTCTGAGTGT 4560
TTTATGAGAA AGCCTTCTTT TGGGTCAAC AGTTTTCTA TGCTTTGAAA CAGAAAATA 4620
TGTACCAAGA ATCTTGTTTT GCCTCCAGA AACAAAACCT GCATTTCACT TTCCTGGTGT 4680
TCCCACTGTT ATCTAGGCAA CATAGTATTC ATGACTATGG ATAACTAAA CACGTGACAC 4740
AAACACACAC AAAAGGGAAC CCAGCTCTAA TACATTCCAA CTGCTATAGC ATGCATCTGT 4800
TTATTCTATA GTTATTAAAT TCTTTAAAA GTTAAAGCCAT GCTGGAATAAT AATACTGCTG 4860
AGATACATAC AGAATTACTG TAACTGATTA CACTTGGTAA TTGTACTAAA GCCAAACATA 4920
TATATACTAT TAAAAAGGTT TACAGAATTT TATGGTGCAT TACGTTGGCA TTGTCTTTTT 4980
AGATGCCCAA ATCCTTAGAT CTGGCATGTT AGCCCTTCTT CCAATTATAA GAGGATATGA 5040
ACCAAAAAA AAAAAAAA AA

Seq ID NO: 427 Protein sequence
Protein Accession #: NP_003465

25 1 11 21 31 41 51
MAARPLPVSP ARALLLALAG ALLAPCEARG VSLWNEGRAD EVVSASVRSR DLWIPVKSFD 60
SKNHPEVLNI RLQRESKELI INLERNEGLI ASSFTETHYL QDGTDVSLAR NYTVILGHYC 120
YGHVRYGYSR SAVSLSTCSG LRGLVIFENE SYVLEPMKSA TNRYKLFPAK KLSVVRGSCG 180
SHHNTFNLAA KVVFPSPSQT WARRHKRETL KATKYVELVI VADNRFQRQ GKDLEKVKQR 240
LLEIANHVDK FYRPLNIRIV LVGVEVWNDD DRCSVSQDFP TSLHEFLDWR KMKLLPRKSH 300
DNAQLVSGVY FQGTIGMAP IMSMCTADQS GGIVMDHSDN PLGAAVTLAH ELGHNFGMNH 360
DTLDRGCSCQ MAVEKGGCIM NASTGYPPFM VFSSCSRKDL ETSLEKGMGV CLFNLEPVRE 420
SPFGQKQGNR FVEGBECDC GEPEECMNRK CNATTCTLKP DAVCAHGLCC EDCQLKPGAT 480
ACRDSNSND LPEFCTGASP HCPANVYLHD GHSQDQVDGY CYNIGCQTHE QQCCTLWPGP 540
AKPAPGICFE RVNSAGDPYV NCGKVSXSFF AKCEMRDAKC GKIQCGGAS RPVIGTNAVS 600
IBTNIPLOQG GRILCRGTHV YLGDDMPDPG LVLAGTKCAD GKICLNRRQQ NISVFGVHEC 660
AMQCHRGVVC NNRKNCHEA HWAPPFCDFE GFGSSTDSGP IRQADNQLLT IGLVTLILCL 720
LAAGFVYLYK RKTLIRLFT NKKTTIEKLR CVRPSRPPRG FQPCQAHGH LGKGLMRKPP 780
DSYPPKDNFR RLLQCNVDI SRPLNGLNVP PQQSTQRLVP PLHRAPRAPS VPARPLPAKP 840
ALRQAQGTCK PNPQKPLPA DPLARTRLT HALARTPGQW ETGLRLAPLR PAPQYPHQVP 900
RSTHTAYIK

Seq ID NO: 428 DNA sequence
Nucleic Acid Accession #: NM_003714
Coding sequence: 135..1043

50 1 11 21 31 41 51
GAGGAGGAGG GAAAAGGCGA CAAAAAGGGA AGAGTGGGAG GAGGAGGGGA AGCGGCGAAG 60
GAGGAAGAGG AGGAGGAGGA AGAGGGGAGC ACAAAGGATC CAGGTCTCCC GACGGGAGGT 120
TAATACCAAG AACCATGTGT GCGGAGCGGC TGGGCCAGTT CATGACCCTG GCTTTGGTGT 180
TGCCACCTTT TGACCOCGCG CGGGGACCAG CACCCACCAA CCCACCCGAG GGTCCCAAG 240
ACAGGAGCTC CCAGCAGAAA GGGCCGCTGT CCCTGCAGAA TACAGCGGAG ATCCAGCACT 300
GTTTGTCAA CGCTGGCGAT GTGGGTGTG GCCTGTTGA ATGTTTCGAG AACAACTCTT 360
GTGAGATTGG GGGCTTACAT GGATTGCA TGACTTTCT GCACAACGCT GGAATAATTG 420
ATGCCCAAGG CAAGTCATTC ATCAAAGACG CCTTGAATG TAAGGCCCACT GCCTCGCGC 480
ACAGGTTCCG CTGCATAAGC CGGAAGTGCC CGGCCATCAG GGAATGTTG TCCAGTTGC 540
AGCGGAATG CTACCTCAAG CAGACCTGT GCOCGGCTGC CCAGGAGAAC ACCCGGTTGA 600
TAGTGGAGAT GATCCATTC AAGGACTTGC TGCTGCACGA ACCCTACGTG GACCTGTGA 660
ACTTGTCTGT GACCTGTGG GAGGAGTGA AGGAGCCAT CACCCACAGC GTGCAGGTTC 720
AGTGTGAGCA GAAGTGGGGA AGCTGTGCT CCATCTGTAG CTCTGCACC TCGCCATCC 780
AGAAGCCTCC CACGGCGCCC CGCGAGCGCC AGCCCAAGG GGCAGAAACC AAGCTCTCCA 840
GGGCCACCA CGGGGAAGCA GGACATCACC TCCCAGAGCC CAGCAGTAGG GAGACTGGCC 900
GAGGTGCCAA GGGTGAGCGA GGATGCAAGA GCCACCCAAA CGCCATGCC CGAGGCGAGG 960
TCGGGGCCCT TGGGCTCAG GGACCTCCG GAAGCAGCGA GTGGGAAGAC GAACAGTCTG 1020
AGTATTTCTGA TATCCGGAGG TGAATGAAA GGCCTGGCCA CGAAATCTTT CCTCCAGGCC 1080
GTCCATTTTC TTATCTATGG ACATTCCAA ACATTTACCA TTAGAGAGGG GGGATGTCA 1140
ACGCAGGATT CTGTGGGAC TGTGGACTTC ATCGAGTGT GTGTTCCGCG AACGGACAGG 1200
TGAGATGGAG ACCCTGGGG CCGTGGGTC TCAGGGTGC CTGTTGAATT CTGCATCTAC 1260
ACGTACTCAA GGGAGCGCG CCGCGTTATC CTCGTACCTT TGTCTTCTT CCATCTGTTG 1320
AGTCAGTGGG TGTCCGCGC TCTGTTGTG GGGAGTGA CCAGGGAGG GCAGGGCAAG 1380
GCAGGGCCCC CAGAGCTGG CCACACAGTG GGTGCTGGG CTCGCCCAG AGCTTCTGTT 1440
GCAGCAGCCT CTGGTCTGT CTCGCGGAA GTCAGGGCG CTGATTCCA GACAGGAGT 1500
GAATGTAATA ATAAATATCG CTTAGAATGC AGGAGAAGG TGGAGAGGAG GCAGGGGCCG 1560
AGGGGTGCT TGGTCCAAA CTGAAATCA GTTTCTGTG TGGGGCCTG CGGTTCAGAG 1620
CTCTTGGCGA GGGTGGAGG AGGAGTGTCA TTTCTATGT TAATTTCTGA GCCATTGTAC 1680
TGCTGGGCT GGGGGGACA CTGTCCAAG GAGTGGCCCC TATGAGTTTA TATTTAAC 1740
ACTGTTCAA ATCTGATT CACTTTTTT ATTTATCCAG TTATATCTAC ATATCTGTCA 1800
TCTAAATAA TGGCTTCAA ACAAGCAAC TGGGTCTATA AACCCAGCTC AAAGGGGGTT 1860
TAAAAAATA AAAACCAGCC CATCCTTTGA GGCTGATTTT TCTTTTTTTT AAGTCTATT 1920
TTAAAAGCTA TCAAACAGC ACATAGCCAT ACATCTGACT GCCTGACATG GACTCTGTCC 1980
CACTTGGGG AAACCTTGA CCCAGAGGAA AATACACACC TGGGGAGTAC ATTTGCACAA 2040
TTTCCCTTAG GATTTCTGTT TCTCACCTG ACCCTCAGCC AAGATTGTTA AAGCTGCTG 2100
CTGGCATTG CAGGAGACCC AGCTGGAAC CTGGCTTCTC CATGTGAGGG GATGGGAAG 2160
GAAAGAAGG AATGAAGACT ACTTAGTAAT TCCCATCAGG AAATGCTGAC CTTTACATA 2220

AAATCAAGGA GACTGCTGAA AATCTCTAAG GGACAGGATT TTCCAGATCC TAATTGGAAA 2280
TTTAGCAATA AGGAGAGGAG TCCAAGGGGA CAAATAAAGG CAGAGAGAGA GAGAGAGAGA 2340
GGGAGAGGAA GAAAAGAGAG AGAGAAAAGA GCCTCGTGCC

5 Seq ID NO: 429 Protein sequence
Protein Accession #: NP_003705

1 11 21 31 41 51
MCAERLQQFM TLALVLATFD PARGTDATNP PEGPQDRSSQ QKGRLSLQNT AEIQHCLVNA 60
GDVGGCVFEC FENNNSCIRG LHGICMFTLH NAGKFDAGQK SFIKDALCKK AHALRRRFGC 120
ISRKCPAIRE MVSQIQRECY LKHDLCAAQ ENTRVIVEMI HFKDLLLHEP YVDLVNLLLT 180
CGEVEKAIT HSVQVQCEQN WGS LCSILSF CTSAIQKPT APPERQPVQD RTKLSRAHHG 240
EAGHHPPEPS SRETGRGAKG ERGSKSHRNA HARGRVGGLG AQQPSGSSEW EDEQSEYSDI 300
RR

Seq ID NO: 430 DNA sequence
Nucleic Acid Accession #: NM_005940
Coding sequence: 23..1489

20 1 11 21 31 41 51
AAGCCCAGCA GCCCCGGGGC GGATGGCTCC GGCCGCGCTGG CTCGCGAGCG CGGCCGGCGG 60
CGCCCTCCTG CCCCCGATGC TGTGCTGTCT GCTCCAGCCG CCGCGCTGC TGGCCCGGGC 120
25 TCTGCCGCGG GAGCTCCACC ACCTCCATGC CGAGAGGAGG GGGCCACAGC CCTGGCATGC 180
AGCCCTGCCC AGTAGCCCGG CACCTGCCCC TGCCACGCAG GAAGCCCCC GCCTGCCAG 240
CAGCCTCAGG CCTCCCCGCT GTGGCGTGCC CGACCCATCT GATGGGTGA GTGCCCGCAA 300
COGACAGAAG AGGTTCTGTG TTCTGGCGG GCGCTGGGAG AAGACGGACC TCACCTACAG 360
GATCCTTCGG TTCCCATGCG AGTTGGTGCA GGAGCAGGTG CGGCAGACGA TGGCAGAGG 420
30 CCTAAAGGTA TGGAGCGATG TGACGCCACT CACCTTTACT GAGGTGCACG AGGGCCGTGC 480
TGACATCATG ATCGACTTCG CCAGGTACTG GCATGGGAGC GACCTGCCGT TTGATGGGCG 540
TGGGGGCATC CTGCGCCATG CCTCTTCCC CAAGACTCAC CGAGAAGGGG ATGTCACACT 600
CGACTATGAT GAGACCTGGA CTATCGGGGA TGACCAGGCG ACAGACCTGC TGCAGGTGGC 660
AGCCCATGAA TTTGGCCAGG TGCTGGGGCT GCAGCACACA ACAGCAGCCA AGGCCCTGAT 720
35 GTCCGCCTTC TACACCTTTC GCTACCCACT GAGTCTCAGC CCAGATGACT GCAGGGGCGT 780
TCAACACCTA TATGGCCAGC CCTGGCCACC TGTCACTCC AGGACCCAG CCTGGGCCC 840
CCAGGCTGGG ATAGACACCA ATGAGATTGC ACCGTGGGAG CCAGAGCGCC CGCCAGATGC 900
CTGTGAGGCC TCCTTTGACG CGGTCTCCAC CATCCGAGGC GAGCTCTTTT TCTTCAAAGC 960
40 GGGCTTTGTG TGGCGCCTCC GTGGGGGCGA GCTGCAGCCC GGCTACCCAG CATTGGCCTC 1020
TCGCCACTGG CAGGGACTGC CCAGCCCTGT GGACGCTGCC TTCGAGGATG CCCAGGGCCA 1080
CATTTGCTTC TTCCAAGGCG CTCAGTACTG GGTGTACGAC GGTGAAAAGC CAGTCTCTGG 1140
CCCCGCACCC CTCACCGAGC TGGCCCTGTT GAGGTTCCCG GTCCATGCTG CCTTGGTCTG 1200
GGGTCCCGAG AAGAACAAGA TCTACTTCTT CCGAGGCAGG GACTACTGGC GTTTCACCC 1260
45 CAGCACCCGG CGTATGACA CTCCCGTGCC CCGCAGGGCC ACTGACTGGA GAGGGGTGCG 1320
CTCTGAGATC GACGCTGCCT TCAGGATGTC TGATGGCTAT GCCTACTTCC TGC GGGGCG 1380
CCTCTACTGG AAGTTTGACC CTGTGAAGGT GAAGGCTCTG GAAGGCTTCC CCGCTCTCGT 1440
GGTCTCTGAC TTCTTTGGCT GTGCCGAGCC TGCCAACACT TTCCTGTGAC CATGGCTTGG 1500
ATGCCCTCAG GGGTGCTGAC CCCTGCCAGG CCACGAATAT CAGGCTAGAG ACCCATGGCC 1560
50 ATCTTTGTGG CTGTGGGCGC CAGGCATGGG ACTGAGCCCA TGTCTCTGCG AGGGGGATGG 1620
GGTGGGTAC AACCACCATG ACAACTGCCG GGAGGGCCAC GCAGGTCGTG GTCACCTGCC 1680
AGCAGTGTTC TCAGACTGCG CAGGGAGGCT TTGGCATGAC TTAAGAGGAA GGGCAGTCTT 1740
GGGACCCGCT ATGCAAGTCC TGGCAAACCT GGCTGCCCTG TCTCATCCCT GTCCCTCAGG 1800
GTAGCACCAT GGCAGGACTG GGGGAAGTGG AGTGTCTCTG CTGTATCCCT GTTGTGAGGT 1860
TCCCTCCAGG GGCTGGCACT GAAGCAAGGG TGCTGGGGCC CCATGGCCTT CAGCCCTGGC 1920
55 TGAGCAACTG GGTGTAGGG CAGGGCCACT TCCTGAGGTC AGGTCTTGGT AGGTGCCTGC 1980
ATCTGTCTGC TTCTGGCTG ACAATCCTGG AAATCTGTTT TCCAGAATCC AGGCCAAAAA 2040
GTTCACTGTC AAATGGGGAG GGGTATTCTT CATGCAGGAG ACCCCAGGCC CTGGAGGCTG 2100
CAACATACTT CAATCCTGTC CCAGGCGCGA TCCTCCTGAA GCCCTTTTGC CAGCACTGCT 2160
60 ATCCTCAAAA GCCATTGTAA ATGTGTGTAC AGTGTGTATA AACCTTCTTC TTCTTTTTTT 2220
TTTTAAACT GAGGATTGTC ATTAACACA GTTGTTTTCT

Seq ID NO: 431 Protein sequence
Protein Accession #: NP_005931

65 1 11 21 31 41 51
MAPAAWLRSA AARALLPPLM LLLLQPPPLL ARALPPDVHH LHAERRGPQP WHAALPSSPA 60
PAPATQEAPR PASSLRPFRG GVDPDSDGLS ARNRQKRFVL SGGRWEKTDL TYRILRFPPQ 120
70 LVQEQVRQTM AEALKVNSDV TBLTFTEVHE GRADIMIDFA RYWHGDDLPF DGPGGILAHA 180
FFPKTHREGD VHFYDEDETWT IGDDQGTDL LQVAAHEFHV LGLQHTTAAK ALMSAFYTFR 240
YPLSLSPDDC RGVQHLVQGP WPTVTSRTPA LGPQAGIDTN EIAPLEPDAP PDACEASFDA 300
VSTIRGELFF FKAGFVWRLR GGLQPGYPA LASRHWQGLP SPVDAAFEDA QGHIWFFQGA 360
QYVVDGEXK VLGFPAPLTEL GLVRFVPHAA LVWGPENKI YFFRGRDYWR FHPSTRRVDS 420
PVPRRATDWR GVPSEIDAAF QDADGYAYFL RGRLYWKFPD VKVALEGFP RLVGPDFFGC 480
AEPANTFL

Seq ID NO: 432 DNA sequence
Nucleic Acid Accession #: NM_024022
Coding sequence: 202..1563

80 1 11 21 31 41 51
ACCGGCCACC GAGCGGCTCG GGTACTTTGCT TICTTAATTA GGTCATGCCG GTGTGAGCCA 60
GGAAAGGGCT GTGTTTATGG GAAGCCAGTA AACTGTGGCC CTACTATCTC TTCCGTGGTG 120
85 CCATCTACAT TTTTGGGACT CGGGAATTAT GAGGTAGAGG TGGAGGCGGA GCCGGATGTC 180
AGAGTCTCTG AAATAGTACC CATGGGGGAA AATGATCCGC CTGCTGTTGA AGCCCCCTTC 240
TCATTCGGAT CGCTTTTGGT CCTTGATGAT TTGAAAATAA GTCTCTGTGC ACCAGATGCA 300

ATGCCTGTGT CTGCTTTTAC TGTTATCTCT TCCAAAGCTT ACCCAGCAAT AGGAACTCCC 1800
 ATACCATTGG ATAAAAATTT GTATAACAGG CAACAGCATT ATGACCCAAG GACTGGAATC 1860
 TTTACTTTGC AGATACCAGG AATATACTAT TTTTCATACC ACGTGCATGT GAAAGGGACT 1920
 CATGTTTGGG TAGGCTGTA TAAGAATGGC ACCCCTGTAA TGTACACCTA TGATGAATAC 1980
 5 ACCAAAGGCT ACCTGGATCA GGCTTCAGGG AGTGCCATCA TCGATCTCAC AGAAAAATGAC 2040
 CAGGTGTGGC TCCAGCTFCC CAATGCCGAG TCAAATGGCC TATACTCCTC TGAGTATGTC 2100
 CACTCTCTTT TCTCAGGATT CCTAGTGGCT CCAATGTGAG TACACCCAC AGAGCTAATC 2160
 TAAATCTGT GCTGAAAAA GCATTCTCTA ACTCTACCCC ACCCTACAAA ATGCAATATG 2220
 10 AGGTAGGCTG AAAAGAATGT AATTTTTATT TTCTGAAATA CAGATTGAG CTATCAGACC 2280
 AACAAACCTT CCCCCTGAAA AGTGAGCAGC AACGTA AAAA CGTATGTGAA GCCTCTCTTG 2340
 AATTTCTAGT TAGCAATCTT AAGGCTCTTT AAGGTTTTCT CCAATATATA AAAAATAC 2400
 CAAAGAAGTC CTGCTATGTT AAAACA AAAC AACA AAAA AAAGCAACAA AAAAAAAT 2460
 TAAAAA AAAA AACAGAAATA GAGCTCTAAG TTATGTGAAA TTTGATTGA GAAACTCGGC 2520
 15 ATTTCTTTT TAAAAAGCC TGTTTCTAAC TATGAATATG AGAAGTCTA GGAACATCC 2580
 AGGAGGTATC ATATAACTTT GTAGA ACTTA AATACTTGAA TAITCAAATT TAAAAGACAC 2640
 TGTATCCCCT AAAATATTTT TGATGGTCA CTACTCTGAG GCCTGTATGG CCCCTTTCAT 2700
 CAATATCTAT TCAAAATATC AGTGCATAT ATACTTGTTA AAGCTCTTAT ATAAAAAGC 2760
 CCCAAATAT CGAATGACT CTGAAAATGCA AGGTGCTTTC ATCAATGAAC CTTTCAAAA 2820
 20 CTTTTCTATG ATTGCAGAGA AGCTTTTTAT ATACCCAGCA TAACTTGGA ACAGGTATCT 2880
 GACCTATTCT TATTTAGTGA ACACAAGTGT GATTAATTTG ATTTCTTTAA TTCCTTATTG 2940
 AATCTTATGT GATATGATTT TCTGGATTTA CAGA ACATTA GCACATGTAC CTTTGCCTC 3000
 CCATTCAGT GAAGTTATAA TTTACACTGA GGGTTTCAA ATTCGACTAG AAGTGGAGAT 3060
 ATATTATTTA TTTATGCACT GTACTGTATT TTTATATTCG TGTTTAAAC TTTTAACTG 3120
 25 TGCCCACTT ATTAAAGCAC AAAATGTTT ACCTACTCCT TATTACGAC ACAATAAAT 3180
 AACATCAATA GATTTTTAGT CTGAATTAAT TTGAAAGCAG CAATTTGCTG TTCTCAACCA 3240
 TTCTTCAAG GCTTTTCAAT CGACACAATA AAATAACATC AATAG

Seq ID NO: 435 Protein sequence
 Protein Accession #: NP_000484.2

1	11	21	31	41	51	
MLPQIPFLLL	VSLNLVHGVF	YAERYQMP TG	IKGPLENTKT	QFFIPYTIKS	KGI AVRGEQG	60
TPGEPGPGAG	RGHFGPSGFP	GKPGYGSPL	QGEPLPGPP	GPSAVGKPGV	PGLPGKPFGR	120
35 GPYGFKGDVG	PAGLPGRPG	PGGPIPGPA	GISVPGKPGQ	QGPTGAPGPR	GFPGERGAPG	180
VPGMNGQKGE	MGYGAPGRPG	ERGLPGPQGP	TGPSGPPGVG	KRGENGVPQG	PGIKGDRGPF	240
GEMPIGPPG	PQGPGRGP	EGIKPGGAA	APGQPGIPGT	KGLPGAPGIA	GPPGPPGFGK	300
PGLPGLKGER	GPAGLPGGPG	AKGEQGPAGL	PKPGLTGPP	GNMGPQGPK	IPGSHGLPGP	360
40 KGETGPAGPA	GYPGKGERG	SPGSDGKPGY	PKPGLDGPK	GMPGLPGPKG	DPGVGGPPL	420
PGVPVPAGAK	GMPGNENGAG	PRGAPGIPGT	RGP GPPGIP	GFPGSKGDPG	SPGPPGPGI	480
ATKGLNGPTG	PPGPPGRGH	SGEPGLPGPP	GPFP GQAV	MPEGFIKAGQ	RPSLSGTPLV	540
SANQGVTGMP	VSAFTVILSK	AYPAIGTPIP	FDKILYNRQQ	HYDPTGIFT	CQIPGIYFYS	600
YHVHVKGTHV	WVGLYKNGTP	VMYTYDEYTK	GYLDQAGSSA	IIDL TENDQV	WLQLPNAESN	660
45 GLYSSEYVHS	SFSGFLVAPM					

Seq ID NO: 436 DNA sequence
 Nucleic Acid Accession #: XM_062811
 Coding sequence: 1..888

1	11	21	31	41	51	
ATGTGGGGCG	CTGCGCGCTC	GTC CGTCTCC	TCATCCTGGA	ACGCCGCTTC	GCTCCTGCAG	60
CTGCTGTCTG	CTGCGCTGCT	GGCGCGGGG	GCGAGGGCCA	GCGGCGAGTA	CTGCCACGGC	120
55 TGGCTGACG	CCACGGGGT	CTGGCGCATC	GGCTTCCAGT	GTCCCGAGCG	CTTCGACGGC	180
GGCGAGCCCA	CAGTCGTCTG	CGGCAGCTFC	GCCTTGCGCT	ACTGCTGCTC	CAGCGCCGAG	240
GCGCGCCTGG	ACCAGGGCGG	CTGCGACAAT	GACCGCCAGC	AGGGGCTGGG	CGAGCCTGGC	300
CGGGCGGACA	AAGACGGCCC	CGAGCGCTCG	GCAGTGGCCA	TCTACGTGCC	GTTCTCTATT	360
60 GTTGGCTCCG	TGTTTGTCTG	CTTTATCATC	TTGGGGTCCC	TGTTGGCAGC	CTGTGTCTGC	420
AGATGTCTCC	GGCTTAAGCA	GGATCCCCAG	CAGAGCCGAG	CCCCAGGGGG	TAAACCCTGT	480
ATGGAGACCA	TCCCCATGAT	CCCCAGTGCC	AGCACCTCCC	GGGGTCTGTC	CTCACGCCAG	540
TCCAGCACAG	CTGCCAGTTC	CAGCTCCAGC	GCCAACTCAG	GGGCCCAGGC	GCCCCAACAA	600
AGGTACACAG	CCAAGTGTG	CTTGCCGGAA	GGGACCATGA	ACAAAGTGTG	TGTTCAACATG	660
CCCACGAATT	TCTCTGTGCT	GAATCTGTCAG	CAGGCCACCC	AGATTTGTGCC	ACATCAAGGG	720
65 CAGTATCTGC	ATCCCCCATA	CCTGGGGTAC	ACGGTGACAGC	AGACTCTGT	GCCCATGACA	780
GCTGTGCCAC	CTTTCATGGA	CGGCCTGAGC	CCTGGCTACA	GGCAGATTC	GTCCCCCTTC	840
CCTCACACCA	ACAGTGAACA	GAGATGTATC	CCAGCGGTGA	CTGTATAA		

Seq ID NO: 437 Protein sequence
 Protein Accession #: XP_062811

1	11	21	31	41	51	
MWGARRSSVS	SSWNAASLLQ	LLLAAALLAAG	ARASGEYCHG	W LDAQGVWRI	GFQCFERFDG	60
GDATICCGSC	ALRYCCSSAE	ARLDQGGCDN	DRQQGAGEPG	RADKDPDGS	AVPIYVPFLI	120
75 VGSVFAPII	LGSLVAACCC	RCLRPKQDFQ	QSRAPGGNRL	METIPMIPSA	STRSGSSSRQ	180
SSTAASSSSS	ANSGARAPPT	RSQTNCCLEP	GTMN NVVM	PTNFSVLNCQ	QATQIVPHQG	240
QYLHPPYVGY	TVQHDSVPMT	AVPPFMDGLQ	PGYRQIQSPF	PHTNSEQKMY	PAVTV	

Seq ID NO: 438 DNA sequence
 Nucleic Acid Accession #: NM_004004.1
 Coding sequence: 1..681

1	11	21	31	41	51	
ATGGATTGGG	GCAAGCTGCA	GACGATCCTG	GGGGGTGTA	ACAAACACTC	CACCAGCATT	60
GGAAAGATCT	GGCTCACCGT	CCTCTTCATT	TTTCGCAITA	TGATCCTOGT	TGTGGCTGCA	120
85 AAGGAGGTGT	GGGAGATGA	GCAAGCCGAC	TTTGTCTGCA	ACACCCTGCA	GCCAGGCTGC	180

```

AAGAACTGT  GCTACGATCA  CTACTCCACC  ATCTCCACA  TCCGGCTATG  GGCCTGCGAG  240
CTGATCTTGG  TGTCCAGCCC  AGCGCTCCTA  GTGGCCATGC  ACGTGGCCTA  CCGGAGACAT  300
GAGAAGAAA  GGAAGTTTCA  CAAGGGGGAG  ATAAAGAGTG  AATTTAAGGA  CATCGAGGAG  360
ATCAAAAACC  AGAAGGTCGG  CATCGAAGGC  TCCCTGTGGT  GGACCTACAC  AAGCAGCATC  420
5   TTCTCCGGG  TCATCTTCGA  AGCCGCCTTC  ATGTAGCTCT  TCTATGTCAT  GTACGACGGC  480
TTCTCCATGC  AGCGGCTGGT  GAAGTGCAC  GCCTGGCCTT  GTCCTCAAC  TGTGGACTGC  540
TTTGTGCC  GGCCACGG  GAAGACTGTC  TTCACAGTG  TCATGATTG  AGTGTCTGGA  600
ATTGTCATCC  TGCTGAATGT  CACTGAATTG  TGTATTGTC  TAATTAGATA  TGTCTCGGG  660
AAGTCAAAA  AGCCAGTTA  A

```

Seq ID NO: 439 Protein sequence
Protein Accession #: NP_003995.1

```

1       11       21       31       41       51
|       |       |       |       |
MDWGLTQLTIL  GGVNKHSTSI  GKIWLTVLFI  FRIMILVVAA  KEVWGDEQAD  FVCNTLQPGC   60
KNVCYDHYFYP  ISHIRLWALQ  LIFVSSPALL  VAMHVAYRRH  EKRRKFKIGE  IKSEPKDIEE  120
IKTKQVRIEGB  SLWWTYSSSI  FFRVIFEAAP  MYVFVVMYDG  FSMQRLVKCN  ANPCPNVTDC  180
FVSRPTEKTV  FTFVMIAVSG  ICILLNVTLE  CYLLIRYCSG  KSKKPV

```

Seq ID NO: 440 DNA sequence
Nucleic Acid Accession #: XM_061091.1
Coding sequence: 1..2481

```

1       11       21       31       41       51
|       |       |       |       |
ATGCCAAATA  CTTCAGGAAC  AACCAGGATT  GAAATTGGC  TTCTCCAAGA  GCGCCCCGGG   60
CACCGAGCGC  TGGTCCGCGC  TCTCCTTCGG  GTGAGTCCCA  GCCCCGAGTT  GGCTCTGGCG  120
CCCGGGTACC  GCGCAGTGCC  GGCTGCCGAT  GACCGATTCA  CGCTCCCGAT  GATTGGAGGT  180
CAGATGCATG  GTGAGAAGGT  AGATCTCTGG  AGCCTTGGTG  TTCTTTGCTA  TGAATTTTFA  240
GTTGGGAAGC  CTCCTTTTGA  GGCAAAAGAA  GTCCATGTAA  GCAAAAGAAC  CATCGGGAAG  300
ATTTCAAGCTG  CCAGCAAAAAT  GATGTGGTGC  TCGGCTGCAG  TGGACATCAT  GTTTCTGTTA  360
GATGGTCTA  ACACGGTCCG  GAAAGGGAGC  TTGAAAGGT  CCAAGCACTT  TGCCATCACA  420
35   GTCTGTGAGC  GTCTGGACAT  CAGCCCCGAG  AGGTTCAGAG  TGGGAGCAAT  CCAAGTTTCA  480
TCCACTCCCT  ATCTGGAATT  CCCCCTGGAT  TCATTTTCAA  CCCAACAGGA  AGTGAAGGCA  540
AGAATCAAGA  GGAATGTTTT  CAAAGAGGG  CGCAGGAGA  CGGAACTGC  TCTGAAATAC  600
CTTCTGCACA  GAGGGTTGCC  TGAGGCAGA  AATGCTTCTG  TGCCCCAGAT  CCTCATCATC  660
GTCACTGATG  GGAAGTCCCA  GGGGATGTG  GCAGTGCAT  CCAAGCAGCT  GAAGAAAAGS  720
GGTGTCACTG  TGTGTGCTGT  GGGGTTCAGG  TTTCAGAGT  GGGAGGAGCT  GCATGCATC  780
40   GCCAGCAGG  CTAGAGGGCA  GCAGGTGCTG  TTGGCTGAG  AGGTGGAGGA  TGCCACCAAC  840
GGCCTCTTCA  GCACCCCTAG  CAGCTCGGCC  ATCTGCTCCA  GCGCCACGCC  AGCTGGGAGC  900
CCCGAGCTTG  TCTTCATGGA  CGGCTTAATG  GGCACTCTCT  TGATAGGCC  CTGTGACTCG  960
CAGCCCTGCC  AGAATGGAGG  CACATGTGTT  CCAGAAGGAC  TGGACGCGTA  CCAATGCCTC  1020
45   TGCCCGCTGG  CCTTTGGAGG  GGAGGCTAAC  TGTGCCCTGA  AGCTGAGCT  GGAATGCAGG  1080
GTGACCTCT  TCTTCTCTGT  GGACAGCTCT  GCGGGCACCA  CTCTGGAAG  CTTCCTGCGG  1140
GCCAAAGTCT  TCGTGAAGCG  GTTTGTGCGG  GCCGTGCTGA  GCGAGGACT  TCGGGCCCGA  1200
GTGGGTGTTG  CCACATACAG  CAGGGAGCTG  CTGGTGGCGG  TGCCCTGTGG  GGAGTACCAG  1260
GATGTGCTGT  ACCTGGTCTG  GAGCCTCGAT  GGCACTCCCT  TCCGTGGTGG  CCCACCCCTG  1320
50   ACCGGCAGT  CTTGTCGGTC  GCGCGCAGAG  CGTGGCTTCC  GGAGCGCCAC  CAGGACAGGC  1380
CAGGACCGGC  CAGTAGAGT  GGTGGTTTTG  CTCACTGAGT  CACTCTCCGA  GGATGAGGTT  1440
GCGGGCCCAG  CGCCTCACGC  AAGGGCCGCA  GAGCTGCTCC  TGCTGGTGT  AGGCAGTGAG  1500
GCGTGCAGG  CAGAGCTGGA  GGAGATCACA  GGCAAGCACA  AGCATGTGAT  GGTCTACTCG  1560
GATCCTCAGG  ATCTGTTCAA  CCAATCCCT  GAGCTGCAGG  GGAAGCTGT  CAGCCGCGAG  1620
55   CGGCCAGGGT  GCGGACACA  AGCCCTGGAC  CTCTCTTCA  TGTGGACAC  CTCTGCCTCA  1680
GTAGGCCCG  AGAATTTTGC  TCAAGTGCAG  AGCTTTTGA  GAAGCTGTG  CCTCCAGTTT  1740
GAGGTGAACC  CTACGCTGAC  ACAGGTTCGG  CTGGTGGTGT  ATGGCAGCCA  GGTGCAGACT  1800
GCCTTCGGG  TGGACACCAA  ACCACCCGG  GCTGCGATGC  TGCCGGCCAT  TAGCCAGGCC  1860
CCCTACCTAG  GTGGGGTGG  CTCAGCCGGC  ACCGCCCTGC  TGACATCTA  TGACAAAGT  1920
60   ATGACCGTCC  AGAGGGGTGC  CCGGCTGGT  GTCCCAAAG  CTGTGGTGGT  GCTCACAGGC  1980
GGGAGAGGG  CAGAGGTGCG  AGCCGTTCC  GCCAGAAAG  TGAGGAACAA  TGCCATCTCT  2040
GTCTTGGTCG  TGGCGTGGG  GCCTGTCTA  AGTGAGGCT  TGCCGAGGCT  TGCCAGTCCC  2100
CGGGATTTCC  TGAATCAAGT  GGCAGCTTAC  GCGGACCTGC  GGTACCACCA  GGACGCTGCT  2160
65   ATTGAGTGG  TGTGTGGAGA  AGCCAAGCAG  CCAAGTCAAC  TCTGCAAACC  CAGCCCGTGC  2220
ATGAATGAG  GCAGCTGCGT  CCTGCAGAA  GGGAGCTACC  GCTGCAAGTG  TCGGATGGC  2280
TGGGAGGGCC  CCCACTGCGA  GAACCGTGAG  TGGAGCTCT  GCTCTGTATG  TGTGAGCCAG  2340
GGATGGATT  TTGAGACGCC  CQTGAGGCAC  ATGGCTCCCG  TGCAAGAGGG  CAGCAGCCGT  2400
70   ACCCTCCCA  GCACACTACAG  AGAAGGCTCG  GGCAGTGA  TGGTGCCTAC  CTCTGGGAAT  2460
GTCGTGCCCC  CAGGTCCCTT  G

```

Seq ID NO: 441 Protein sequence
Protein Accession #: XP_061091.1

```

1       11       21       31       41       51
|       |       |       |       |
MPNNTSGTTRI  EIWLLQEPGP  HRALVAALLP  VSPSELALA  PGPYPVPAAD  DRPTLPMIGG   60
QMGEKVDLW  SLGVLCYEF  VGGKPPFEANE  VHSKETIGK  ISAASKMMC  SAAVDIMPLL  120
DGSNSVKGS  FERSKHFAIT  VCDGLDI  SPE  RVRVGAQF  STPHLEFLD  SFTQQEVA  180
RIKRMVFKG  RTETELALKY  LLHRLPGGR  NASVPQLII  VTDGKSGDV  ALPSKQLKER  240
GVTVAVGVR  FPRWELHAL  ASEPFGQHV  LAEQVEDATN  GLFSTLSSA  ICSSATPAGS  300
BELVFMERLM  GISLIGPDS  QPCQNGTVC  PEGLDGYQL  CPLAFGGEAN  CALKLSLECR  360
VDLLFLLDSS  AGTTLDGFLR  AKVFVKRFR  AVLSEDSR  R  VGVATYSREL  LVAVPVGEYQ  420
DVPDLVWSLD  GIPFRGGPTL  TGSALRQAA  RGFSGATRT  G  QDRPRRVV  LTESHSEDEV  480
AGPARHARAR  ELLLLGVGSE  AVRALEEIT  GSPKHMVYS  DPQDLFNQIP  ELQKLCRSRQ  540
75   RFGCRTQALD  LVFMLDTSAS  VGPNFAQMQ  SFVRSALQF  EVNPDVTQVG  LVVYGSQVQT  600
AFGLDTRPTR  AAMLRAISQA  PYLGGVGSAG  TALLHIYDKV  MTVQRGARPG  VPKAVVVLTG  660
GRGAEDAAP  AQKLRNNGIS  VLVVGVGPVL  SEGLRLLAGP  RDSLIHVAAY  ADLRYHQDVL  720

```


TACACTTTGC CCTCTGTCAG TTCCTTCTCT GCTCCCAACC CCCATCTCAT AGCATCCCCC 1500
TCTATTTCCA ATGCTCCTCT CCAACCGCTT AGTTTCTGAA TTTCTTTTAA ATTACAGTTT 1560
TATGAAAGCA TATTTTATTT ACTTGGTGTT GAAATAGCCC TCATAAAAACC TAAGCACTTG 1620
5 GAAACACAAT AATAGTATA ACTAACTAGA TCTATGAAT TTCAGAGAAG AGCCTTCTAA 1680
CTTGTTTACA CAAAACGAG TATGATTAG CACTCATACT AGTTGAAATT TTTAATAGAA 1740
TCAAGGCACA AAAGTCTTAA AACCATGTGG AAAAATTAGG TAATTATTGC AGATTGATGT 1800
CTCTCAATCC CATGTATTGC GCTTATGTTA CAAGTTGTTG TCACAGTTGA GACTTAATTT 1860
CTCCTAATTT CTTCTGCCCG AAGGGTAAGT GGTGGGTCCA GCTTACACGA TCATAATTC 1920
AAGGTTGGTG GGCAATGTAA TACTTAATTA AAATAATGAT GGAAGAGCTA TCTGGAGATT 1980
10 ATGAGTAAGC TGATTGTAAT TTTTCAGTATA AACCTTTAGT ATAATTGTAG TTTGCAAAGT 2040
TTATTTTCACT TCACATGTAA GGTATTGCAA ATAATTTCTT GGACAATTTT GTATGGAAAC 2100
TTGATATTAA AAACTAGTCT GTGGTTCTTT GCAGTTTCTT GTAATTTTAT AAACCAGGCA 2160
CAAGGTTCAA AGCTTATTT TAAGCACTTT TATAACAATG ATAAGTGCCT TTTTGGAGAT 2220
15 GTAACTTTFA CGAGTTTGT AACTGACAT CTCTGCCAGT CTAGTTTCTG GGCAGGTTTC 2280
CTGTGTCAGT ATTCCCCCTC CTCTTTGAT TAATCAAGGT ATTTGGTAGA GGTGGAATCT 2340
AAGTGTTTGT ATGTCCAAT TACTTGATA TGTA AACCAT TGCTGTGCCA TTCAATGTTT 2400
GATGCATAAT TGGACCTTGA ATCGATAAGT GTAAAACAG CTTTTGATCT GTAATGCTTT 2460
TATACAAAAG TTTATTTTAA TAATAAAATG TTTGTTCTAA AAAAAA AAAA

Seq ID NO: 447 Protein sequence
Protein Accession #: NP_114148.1

1 11 21 31 41 51
1 MDARRVPQKD LRVKKNLKFP RYVKLISMET SSSSDDSCDS FASDNFANTR LQSVREGCRT 60
25 RSQCRHSGPL RVAMKFPARS TRGATNKKAB SRQPSSESVT DSNSDSEDES GMNFLEKRAL 120
NIKQNKAMLA KLMSELESFP GSPFRGRHPLP GSDSQSRFRP RRTFPGVASR RNPERRARPL 180
TRSRRIILGS LDALPMEEBE EEDKMYMLVRK RKTVDGYMNE DDLPRSRRSR SSVTLPHIR 240
PVBEITEEEL ENVCSNSREK IYNRSLGSTC HPCRQKIDT KTCNRPDCW GVRGQPCGFC 300
30 LRNRYGEEVR DALLDPNWHC PPCRGICNCS PCRQDRGCA TGVLVYLAKY HGFGNVHAYL 360
KSLKQEFEMQ A

Seq ID NO: 448 DNA sequence
Nucleic Acid Accession #: NM_019894
Coding sequence: 1..1314

1 11 21 31 41 51
40 ATGTTACAG ATCCTGACAG TGATCAACCT CTGAACAGCC TCGATGTCAA ACCCCGCGC 60
AAACCCGTA TCCCATGGA GACCTCAGA AAGGTGGGGA TCCCATCAT CATAGCACTA 120
CTGAGCCTGG CGAGTATCAT CATGTGGTT GCCTCATCA AGGTGATTCT GGATAAATAC 180
TACTTCTCT GCGGGCAGCC TCTCCACTTC ATCCCGAGGA AGCAGCTGTG TGACGGAGAG 240
CTGAGCTGT CTTGGGGGGA GGACGAGGAG CACTGTGTCA AGAGCTTCCC CGAAGGGCT 300
45 GCAGTGGCAG TCGCTCTC CAAGGACCGA TCCCACTGC AGGTGCTGGA CTCGGCCACA 360
GGGAAGTGGT TCTCTGCCTG TTTGCACAAC TTCACAGAAG CTCTCGCTGA GACAGCCTGT 420
AGGCAGATGG GCTACAGCAG CAAACCCACT TTCAGAGCTG TGGAGATTGG CCCAGACCAG 480
GATCTGGATG TTGTTGAAT CACAGAAAAC AGCCAGGAGC TTCGATGCG GAACTCAAAT 540
GGGCCCTGTC TCTCAGGCTC CCTGGTCTCC CTGCACTGTC TTGCTGTGG GAAGAGCCTG 600
AAGACCCCTG GTGTGGTGGG TGGGGAGGAG GCCTCTGTGG ATTCTTGGCC TTGGCAGGTC 660
50 AGCATCCAGT TGCAGGCTCA GCACGCTGTG GGAGGGAGCA TCCTGGACCC CCACTGGGTC 720
CTCAGGGCAG CCCACTGTCT CAGGAAACAT ACCGATGTGT TCAACTGGAA GGTGCGGGCA 780
GGCTCAGACA AACTGGGCAG CTTCCCATCC CTGGCTGTGG CCAAGATCAT CATCATTGAA 840
TTCAAACCCA TGTACCCCAA AGACAAATGAC ATCGCCCTCA TGAAGCTGCA GTTCCCCTC 900
55 ACTTTCTCAG GCACAGTCAG GCCCATCTGT CTGCCCTCT TTAGTGGAGG GCTCCTCCA 960
GCCACCCAC TCTGGATCAT TGGATGGGGC TTTACGAAGC AGAATGGAGG GAAGATGTCT 1020
GACATACTGC TGCAGGCTGC AGTCCAGGTC ATTGACAGCA CACGGTCAA TGACAGCAT 1080
GCGTACCAGG GGGAAAGTAC CGAAGGATG ATGTGTGACG GCATCCCGGA AGGGGGTGTG 1140
GACACCTGCC AGGGTGACAG TGGTGGGCCC CTGATGTACC AATCTGACCA GTGGCATGTG 1200
60 GTGGGCATCG TTAGCTGGGG CTATGGCTGC GGGGGCCGCA GCACCCACAG AGTATAACCC 1260
AAGTCTCAG CTAATCTCAA CTGGATCTAC AATGTCTGGA AGGCTGAGCT GTAA

Seq ID NO: 449 Protein sequence
Protein Accession #: NP_063947.1

1 11 21 31 41 51
65 MLQDPDSQP LNSLDVKPLR KPRIPII IAL LSLASIIIV VLIKVILDKY 60
YFLCGQLPH IPKQKLDGDE LDCPLGEDEE HCVKSPPEGP AVAVRLSKDR STLQVLD SAT 120
70 GNWFSACFDN FTEALAEATAC RQMGYSSKPT FRAVEIGPDQ DLDVVEITEN SQELMRNSS 180
GPCLSGSLVS LHCLACGKSL KTPRVVGGEE ASVDSWPQV SIQYDKQHCV GGSILDPHW 240
LTAHCFRKH TDVFNKVRRA GSKLGSFPP LAVAKIIIE FNPMPKND IALMQLQFP 300
TFSGTVRPI PC LPPFDEELTP ATPLWIIIGW FTQKQNGKMS DILLQASVQV IDSTRCNADD 360
AYQGEVTEKM MCAIGPEGGV DTCQDSGPP LMQSDQHWV VGIVSWGYGC GGPSTPGVYT 420

Seq ID NO: 450 DNA sequence
Nucleic Acid Accession #: XM_051860.2
Coding sequence: 52..3042

1 11 21 31 41 51
80 GCTCACCCAG GAAAAATATG CAATCGTCCC ATTGATATAC AGGCCACTAC AATGGATGGA 60
GTTAACTCA GCACCGAGGT TGTCTACAAA AAAGGCCAGG ATTATAGGTT TGCTTGTCTAG 120
85 GACCAGGGCA GACGCTGCCG GAGCTACCGT GTACGGTTC TCTGTGGGAA GCCTGTGAG 180
CCCAACTCA CAGTCACCAT TGACACCAAT GTGAACAGCA CCATCTGAAA CTGGAGGAT 240
AATGTACAGT CATGGA AAC TGGAGATACC CTGGTCAATT CCACTACTGA TTACTCCATG 300
TACCAGGCAG AAGAGTTCCA GGTGCTTCCC TGCAGATCCT GCGCCCAAA CCAGGTCAAA 360

ACGCTCCTCT GAAATGCTTG TCTTTTTC TTTGCGGAAA TAGCTGGTCC TTTTCGGGA 5640
GTTAGATGTA TAGAGTGTTT GTATGTAAAC ATTTCTGTGA GGCATCACCA TGAACAAAAG 5700
TATATTTTCT ATTTATTATAT TATATGTGCA CTTCAAGAAG TCACTGTCCAG AGAAATAAAG 5760
AATTGCTCTA AATGTCAAAA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA

5

Seq ID NO: 451 Protein sequence
Protein Accession #: XP_051860.2

10 1 11 21 31 41 51
| | | | | |
MDGVNLSTEV VYKRGQDYRF ACYDRGRACR SYRVRFPLCGK VPRPKLTVTI DTNVNSTITLN 60
LEDNVQSWKP GDTLVIASDT YSMYQAEFQ VLPFCRSCAPN QVKVAGKPMY LHIGEEIDGV 120
DMRAEVGLLS RNIHVMGEME DKCYPYRNHI CNFFDFDTFG GHIKFALGPK AAHLEGTELK 180
15 HMGGQLVGGY PIHFHLAGDV DERGGYDPT YIRDLSIHHT FSRCSVTVHGS NGLLIKDVVG 240
YNSLGHCFPT EDGPERNTF DHCLGLLVKS GTLLPSDRDS KMCKMITGDS YPGYIPKPRQ 300
DCNAVSTFWM ANPNNNLINC AAAGSEETGF WPIFHHVPTG PSVGMYSPPGY SEHILPKFY 360
NNRAHSNYRA GMIIDNGVKF TEASAKDKRP FLSIIISARYS PHQDADPLKP REPAIIRHFI 420
AYKNQDHGAW LRRGGDVWLDL CRPADNGIGL TLAGSGTFPY DDGSKQBIKX SLFVSGESNV 480
20 GTEEMDNRIW GPGGLDHSR TLPDIGNPFI RGIQLYDGP I NIQNTCFRKF VALEGRHTSA 540
LAFRLNNAWQ SCPHNNTVGI AFEDVPITSR VFFGEPGPMF NQLDMDGDKT SVFHDVDGVS 600
SBYPGSLTK NDNWLVRRHD CINVDPWRGA ICSGCAQMY IQAYKTSNLR MKIIKNDPPS 660
HPLYLEGALT RSTHYQYQP VVTLQXGYTI HWDQTAPEL AIWLIINFNG DWIRVGLCYP 720
RGTFFSILSD VHNRLKQTS KTCVFVRTLQ MDKVEQSYFG RSHYYWDEDS GLLPLKKAQ 780
25 NEREKFAFCS MKGGERIKIK ALIPKNAGVS DCTATAYPKF TERAVVDVPM PKKLPQSGLK 840
TKDHFLEV KM ESKQHFFHL WNDPAYIEVD GKKYPSSEDG IQVVDVIGNQ GRVVSHTSPR 900
NSLIQIPWQ LFNVTALIPD NSIVLMSKRG RYVSRGPWTR VLEKLGADRG LKLEKQMAFV 960
GPKGSFRPIW VTLTDEDHKA KIPQVPIPV VKKKKL

30 Seq ID NO: 452 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 261..2861

35 1 11 21 31 41 51
| | | | | |
GAGCTAGCGC TCAAGCAGAG CCCAGCGCGG TGCTATCGGA CAGAGCCTGG CGAGCGCAAG 60
CGCGCGGGGG AGCCAGCGGG GCTGAGCGCG GCCAGGGTCT GAAACCCAGAT TTCAGAGACT 120
AGGTACCACG CCGCTTGCCC ACGCCCGGG AGCTCGCGGC GCCTGGCGGT CAGCGCACAG 180
40 ACGTCCGGGG CGCTGCGCT CCTGGCCCGC GAGGCGTGAC ACTGTCTCGG CTACAGACCC 240
AGAGGGAGCA CAGTCCAGG ATGGGAGCTG CTGGGAGGCA GGACTTCTC TTCAGGCCA 300
TGCTGACCAT CAGCTGGCTC ACTCTGACCT GCTTCCCTGG GCGCACATCC ACAGTGGCTG 360
CTGGGTGCC C TGACAGAGC C CTGAGTTC AACCTGGAA CCCTGGCCAT GACCAAGACC 420
ACCATGTGCA TATCGGCCAG GGCAGAGCAC TGCTGCTCAC CTCCTCTGCC ACGGCTATT 480
CCATCCACAT CTATGGTCTG GGCAGAGGGA TCAATTAAGA CCACGACGAG CCGATTGTTT 540
45 TCGAACCCTG GCACATCCTG ATGACAACG GAGGAGAGCT GCATGCTGGG AGTGCCCTCT 600
GCCCTTTCCA GGGCAATTC ACCATCATT TGTATGGAAG GGCTGATGAA GGTATTACG 660
CGGATCCTTA CTATGGTCTG AAGTACATT GGGTGGTAA AGGAGGGCT CTTGAGTTG 720
ATGGACAGAA AAAAGCTCTCC TGGACATTG TGAACAAGAC CCTTCACCCA GGTGGCATGG 780
CAGAAGGAGG CTATTTTTTT GAAAGAGCT GGGGCCACCG TGGAGTTATT GTTCAATGTC 840
50 TCGACCCCAA ATCAGGCACA GTCATCCAT CTGACCGGTT TGACACCTAT AGATCCAAGA 900
AAGAGAGTGA ACGTCTGGT CAGTATTGA ACGCGGTGCC CGATGGCAGG ATCCTTTCTG 960
TTGCACTGAA TGATGAAGGT TCTCGAAATC TGGATGACAT GGCCAGGAAG GCGATGACCA 1020
AATTGGGAAG CAAACACTTC CTGCACCTTG GATTTAGACA CCCTTGGAGT TTTCTAACTG 1080
TGAAGGAAA TCCATCATCT TCAAGTGAAG ACCATATTGA ATATCATGGA CATCGAGGCT 1140
55 CTGCTCTGCG CCGGTGATTC AAATTGTGCC AGACAGAGCA TGGCGAATAT TTCAATGTTT 1200
CTTTGTCCAG TGAGTGGGTT CAAGACGTGG AGTGGACGGA GTGGTTCGAT CATGATAAAG 1260
TATCTCAGAC TAAAGGTTGG GAGAAAATTT CAGACCTCTG GAAAGCTCAC CCAGGAAAAA 1320
TATGCAATCG TCCATTTGAT ATACAGGCCA CTACAATGGA TGGAGTTAAC CTCAGCACCG 1380
60 AGGTGTTCTA CAAAAAAGGC CAGGATTATA GTTTTGCTTG CTACGACCGG GGCAGAGCCT 1440
GCGGAGCTA CCGTGTACGG TTCTCTGTG GAAAGCCTGT GAGGCCCAAA CTCACAGTCA 1500
CCATTGACAC CAATGTGAAAC AGCACCATTC TGAACCTGGA GGATAAATGA CAGTCAATGA 1560
AACCTGGAGA TACCCTGGTC ATTGCCAGTA CTGATTACTC CATGTACCAG GCAGAAGAGT 1620
TCCAGGTGCT TCCCTGCAGA TCCTGCGCCC CCAACCAGGT CAAAGTGGCA GGGAAACCAA 1680
65 TGTAACCTGA CATCGGGGAG GAGATAGACG GCGTGGACAT GCGGGCGGAG GTTGGGCTC 1740
TGAGCCGAAA CATCATAGTG ATGGGGGAGA TGGAGGACAA ATGCTACCCC TACAGAAACC 1800
ACATCTGCAA TTTCTTTGAC TTCGATACCT TTGGGGGSCA CATCAAGTTT GCTCTGGAT 1860
TTAAGGCAGC ACACCTGGAG GGCACGGAGC TGAAGCATAT GGGACAGCAG CTGGTGGGTC 1920
AGTACCCGAT TCACCTCCAC CTGGCCGGTG ATGTAGACGA AAGGGGAGGT TATGACCCAC 1980
70 CCACATACAT CAGGACCTC TCATCCATC ATACATTTCT TCGCTCGCTC ACAGTCCATG 2040
GCTCCAATGG CTTGTTGATC AAGGAGTTG TGGGCTATAA CTCTTTGGGC CACTGCTTCT 2100
TCACGGAAGA TGGCCCGGAG GAACGCAACA CTTTTGACCA CTGTCTTGGC CTCTTGTCTA 2160
AGTCTGGAAC CTTCTCCCC CCGGACCGTG ACAGCAAGAT GTGCAAGATG ATCAGAGAGG 2220
ACTCCTACCC AGGGTACATC CCCAAGCCCA GGCAAGACTG CAATGCTGTG TCCACTTCT 2280
GGATGGCCAA TCCAAACAAC AACCTCATCA ACTGTGCGCG TGCAGGATCT GAGGAAACTG 2340
75 GATTTGGTT TATTTTTCAC CAGTACCAA CCGGCCCTC CGTGGGAATG TACTCCCCAG 2400
GTTATTGAGA GCACATTTCA CTGGAAAAAT TCTATAACAA CCGAGCATAT TCCAATACC 2460
GGGCTGGCAT GATCATAGAC AACGGAGTCA AAACCACCGA GGCCTCTGCC AAGGACAAGC 2520
GGCCGTTCCT TCCAATATC TCTGCCAGAT ACAGCCCTCA CCAGGACGCT GACCCGCTGA 2580
80 AGCCCGGGGA GCGGCCATC ATCAGACACT TCATTGCTTA CAAGAACCAG GACCACGGGG 2640
CCTGGCTGGC GCGCCGGGAT GTGTGGCTGG ACAGCTGCCA TTTGAGAGG GAGGCTCAGG 2700
AAGGCTTCTT GCTTACAGGA ATGAAAGCTG GGGGCATTTT GCTGGGGGGA GATGAGGCA 2760
CCTCTGGGAA TGCTCAGGGA TTCAGCCCTC CTGCGGCTG CCTGTGAAG CTGGTACTA 2820
CGGGTTCGCC GTTTGCTCAC GTCCTCTCTG CCCACTCATG ATGGAGAAGT GTGGTCAAG 2880
GGGAGCAATG CCTTTCTGTE CTTATGAGCA CAGAGGAATT CAGTCCCCAG GCAGCCCTGC 2940
85 CTCTGACTCC AAGAGGGTGA AGTCCACAGA AGTGAGCTCC TGCCTTAGGG CCTCATTGTC 3000
TCTTCACTCA GGAAGCTGAG CACAGGGGGC CTCCAGGAGA CCCTAGATGT GCTGCTACTC 3060
CCTCGGCTG GGATTTTCAGA GCTGGAATA TAGAAAAATAT CTAGCCCAA GCCTTCATT 3120

5

```

TAAACAGATGG GGAAGTGGAG CCCCCAAGAT GGGAAAGAAC CACACAGCTA AGGGAGGGCC 3180
TGGGGAGCCC CACCTAGGCC CTGCTGCCA CACCACATG CCTCAACAAC CGGCCCCAGA 3240
GTGCCCAGGC ACTCCTGAGG TAGCTTCTGG AAATGGGGAC AAGTCCCCTC GAAGGAAAGG 3300
AAATGACTAG AGTAGAATGA CAGCTAGCAG ATCTCTTCCC TCTGTCTCCC AGGCGACACA 3360
AACCOCOCCT CCCCTGGTGG TTGGCGGTCC CTGTGGCCTT CACTTTGTTT ACTACCTGTC 3420
AGCCCCAGCCT GGGTGCACAG TAGCTGCAAC TCCCATTGG TGCTACCTGG CTCTCCTGTC 3480
TCTGCAGCTC TACAGGTGAG GCCCAGCAGA GGGAGTAGGG CTCGCCATGT TTCTGGTGAG 3540
CCAAATTTGCC TGAATCTGGG TGCTGAAAC GCTATTTGGT CCACCCCACT CCCTTTTCAGC 3600
TGCTGCTTAA TGCCCTGTCT TCTCCCCTGGC CCACCTTATA GAGAGCCCAA AGAGCTCCTG 3660
TAAGAGGGAG AACTCTATCT GTGGTTTATA ATCTTGCCAG AGGCACCAGA GTCTCCCTGG 3720
GTCTTGTGAT GAACTACATTT TATCCCCTTT CCTGCCCCAA CCACAACTC TTTCTCTCAA 3780
AGAGGGCCTG CCTGGCTCCC TCCACCCAAC TGCACCCATG AGACTCGGTC CAAGAGTCCA 3840
TTCCCCAGGT GGGAGCCAAC TGTCAGGGAG GTCTTTCCCA CCAAACATCT TTCAGCTGCT 3900
GGGAGGTGAC CATAGGGCTC TGCTTTTAAA GATATGGCTG CTTCAAAGGC CAGAGTCACA 3960
GGAAGGACTT CTCCAGGGA GATTAGTGGT GATGGAGAGG AGAGTTAAAA TGACCCTCATG 4020
TCCTTCTTGT CCACGGTITT GTTGAGTITT CACTCTTCTA ATGCAAGGGT CTCACACTGT 4080
GAACCACTTA GGAATGTGAT ACTTTCAGGT GGCCAGGAAT GTTGAATGTC TTTGGCTCAG 4140
TTCATTAAA AAGATATCT ATTTGAAAAG TCTCAGAGTT GTACATATGT TTCACAGTAC 4200
AGGATCTGTA CATAAAGTTT TCTTCTCTAA ACCATTCACC AAGAGCCAAT ATCTAGGCAT 4260
TTTCTTGGTA GCACAAATTT TCTTATTGCT TAGAAAATTG TCCCCTTGT TATTTCTGTT 4320
TGTAAGACTT AAGTGTGTTA GGTCTTTAAG GAAAAGCAAG CTCCTCTGAA TTTCTTGTCT 4380
TTTTTCTGTT GCCGAAATAG CTGGCTCTT TTCGGGAGTT AGATGTATAG AGTGTTTGTA 4440
TGTAACATT TCTTGTAGCC ATCACCATGA ACAAAGATAT ATTTCTTATT TATTATTAT 4500
ATGTGCACCT CAAGAAGTCA CTGTACAGGA AATAAAGAAT TGTCTTAAAT GTCATGATTG 4560
GAGATGTCTT TTGCATGTCT TGAAGGGGT GTACCTAGAG CCAAGGAAAT TGGCTCTGGT 4620
TTGGAAAAAT TTTGCTGTTA TTATAGTAAA CATACAAAGG ATGTCAAAAA AAAAAAAAAA 4680
AAAAAAAAAA AAAAAAAAAA AA
    
```

30

Seq ID NO: 453 Protein sequence
Protein Accession #: Eos sequence

35

```

1           11           21           31           41           51
|           |           |           |           |           |
MGAAGRQDFL FKAMLTISWL TLTCPFGATS TVAAGCPDQS PELQPWNPGH DQDHHVHIGQ 60
GKTLILLTSSA TVYSIHISEG GKLVIKHDDE PIVLRLRHIL IDNGGELHAG SALCPFQGNF 120
TIILYGRADE GIQDPDYYGL KYIGVGKGGA LELHGQKRLS WFLNKLTLHP GGMAEGGYFF 180
ERSWGHGRVI VHVIDPKSGT VIHSDRFDY RSKKBSERLV QYLVAVPDGR ILSVAVNDEG 240
SRNLDLMARK AMTLKLSKHF LHLGFRHPWS FLTVMGNPSS SVEDHIEYHG HRGSAARVVF 300
KLPQTEHGEY FNVSLSESWV QDVEWTEWFD HDKVSQTKGG EKISDLWKAH PGKICNRPID 360
IQATMTDGVN LSTEVVYKKG QDYRFACYDR GRACRSYRVR FLCGKPVVRPK LVTVIDTNVN 420
STILNLEDNV SWRPGTDLV IASTDYSMYQ AEEFQVLPDR SCAPNQKVA GKPMYHLIGE 480
EIDGVDMAE VGLLSRNIIV MGEDMKCYP YRNHCNPFDD FDTFGGHKIF ALGPKAAHLE 540
GTELKHMQQQ LVGQYPIHFH LAGDVEDERG YDPPTYIRDL SIHHTFSRCV TVHGSNGLLI 600
KDVVGNVSLG HCFPTEDGFC ERNTPDHCLG LLVKSGLTLP SDRDSKMKCM ITEDSYPGYI 660
PKPRQDCNAV STFMANFNPN NLINCAAAGS EETGFWFIFH HVPTGPSVGM YSPGYSEHIP 720
LGFYNNRAH SNYRAGMIID NGVKTEASA KDKRPFSLII SARYSRQDA DPLKPREPAI 780
IRHFIAVKKQ DHGAWLRRGD VWLDSCHFRG EAQEGFLLTG MKAGGILLGG DEAAASGMAQG 840
FSPPCRCLLK LVTGSPFAH VSLAHS
    
```

50

Seq ID NO: 454 DNA sequence
Nucleic Acid Accession #: NM_013282.2
Coding sequence: 85..2466

55

```

1           11           21           31           41           51
|           |           |           |           |           |
CGACTCCTTA GAGCATGGCA TGCTCAGAG GTGCTGGTAA AACTGATGGG GGTTTTGTCT 60
GTCCCTCCCC TCAGCGCCGA CACCATGTGG ATCCAGGTTC GGACCATGGA CGGGAGGCAG 120
ACCCACACGG TGGACTGCTG GTCCAGGCTG ACCAAGGTGG AGGAGCTGAG GCGGAAGATC 180
CAGGAGCTGT TCCAGCTGGA GCCAGGCCTG CAGAGGCTGT TCTACAGGGG CAAACAGATG 240
GAGGACGGCC ATACCCTCTT CGACTACGAG GTCCGCCTGA ATGACACCAT CCAGCTCCTG 300
GTCCGCCAGA GCCCTGCTGT CCCCCACAG ACCAAGGAGC GGGACTCCGA GCTCTCCGAC 360
ACCGACTCCG GCTGCTGCTT GGGCCAGAGT GAGTCAGACA AGTCTCCAC CCACGGCCAG 420
CGCGCCGCGG AGACTGACAG CAGGCCAGCC GATGAGGACA TGTGGATGA GACGGAATTG 480
GGGCTGTACA AGGTCAATGA GTACGTCGAT GTCGGSACA CGAACATGGG GGCCTGGTTT 540
GAGGCGCAGG TGCTCAGGGT GACGCGGAAG GCCCCTCCC GGGACGAGCC CTGCAGCTCC 600
ACGTCCAGGC CCGCGCTGGA GGAGGACGTC ATTTACCACG TGAATACGA CGACTACCCG 660
GAGAACGGCG TGGTCCAGAT GAACTCCAGG GACGTCCGAG CGCGCGCCCG CACCATCATC 720
AAGTGGCAGG ACCTGGAGGT GGGCCAGGTG GTCATGCTCA ACTACAACC CGACAACCC 780
AAGGAGCGGG GCTTCTGGTA CGACGCGGAG ATCTCCAGGA AGCGCGAGAC CAGGACGGGG 840
CGGAACTCT ACGCCAACGT GGTGCTGGGG GATGATTCTC TGAACGACTG TCGGATCATC 900
TTCTGGAGC AAGTCTCAA GATTGAGCG CCGGTTGAA GAGGCCCAT GGTTGACAAC 960
CCCATGAGAC GGAAGAGCGG CCGTCTCTGC AAGCACTGCA AGGACGACGT GAACAGACTC 1020
TGCCGGTCT GCGCTGCCA CCTGTGCGGG GCGCGGAG ACCCGACAA GCAGCTCATG 1080
TGCGATGAGT GCGACATGGC CTTCCACATC TACTGCCTGG ACCCGCCCT CAGCAGTGT 1140
CCGAGCGAGG CCGAGTGTA CTGCCCTGAG TGCCGAAATG ATGCCAGCGA GGTGGTACTG 1200
CGGGAGAGC GGCTGAGAGA GAGCAAGAAG AAGGCGAAGA TGGCTCGGC CACATCGTCC 1260
TCACAGCGGG ACTGGGGCAA GGGCATGGCC TGTGTGGGCC GCACCAAGGA ATGTACCATC 1320
GTCCCCTCCA ACCACTACGG ACCCATCCCG GGGATCCCG TGGGCACCAT GTGGCGGTTC 1380
CGAGTCCAGG TCAGGAGTC GGGTGTCCAT CCGCCCCAGG TGGCTGGCAT ACACGGCCGG 1440
AGCAACGAGC GAGCGTACTC CCTAGTCTGT GCGGGGGGCT ATGAGGATGA CGTGACCAT 1500
GGGAATTTT TCACATACAC GGTGAGTTGG GTTCGAGATC TTCCGGCAA CAAGAGGACC 1560
GCGGAACAGT CTGTGATCA GAAACTCACC AACACCAACA GGGCCTGGC TCTCAACTGC 1620
TTTGCTCCCA TCAATGACCA AGAAGGGGCC GAGGCCAAGG ACTGGCGTTC GGGGAAGCG 1680
GTCAGGTGG TGCGCAATGT CAAGGGTGGC AAGAATAGCA AGTACGCCCC CGCTGAGGGC 1740
AACCCTACG ATGGATCTTA CAAGGTTGTT AAATACTGCC CCGAGAAGGG GAAGTCCGGG 1800
TTTTCTGTTT GCGCTACTCT TCTGCGGAG GACGATGATG AGCCTGGCCC TTGGACGAAG 1860
GAGGGGAAGG ACCGGATCAA GAAGCTGGGG CTGACCATGC AGTATCCAGA AGGCTACTGT 1920
    
```


5 1 11 21 31 41 51
 MVAGTRCLLA LLLLPQVLLGG AAGLVPPELGR RKFAAASSGR PSSQPSDEVL SEFELRLLSM 60
 FGLKQRPTPS RDAVVPYML DLVRRHSQGP GSPAPDHRLR RAASRANTVR SFHHESLEE 120
 LPETSQKTRR RFFFNLSLIP TEEPITSAEL QVFRQMQDA LGNNSSPFHR INIYEIKPA 180
 TANSKFPVTR LLDT

Seq ID NO: 458 DNA sequence
 Nucleic Acid Accession #: NM_001999.2
 Coding sequence: 1..8736

15 1 11 21 31 41 51
 ATGGGGAGAA GACGGAGGCT GTGTCCTCAG CTCTACTTCC TGTGGCTGGG CTGTGTGGTG 60
 CTCTGGGGCC AGGGCACGGC CGGCCAGCCT CAGCCTCCTC CGCCCAAGCC GCCCGGCCCC 120
 CAGCCGGCCG CGCAACAGGT TCGGTCCGCT ACAGCAGGCT CTGAAGCGGG GTTCTAGCG 180
 CCGAGTATC GCCAGGAGGG TGCCGCAGTG GCCAGCCGCG TCCCGCCGGC AGGACAGCAG 240
 GAGGTGCTCC GAGGGCCCAA CGTGTGCGGC TCAGATTCC ACTCCTACTG CTGCCCTGGA 300
 20 TGAAGAGCGC TCCCTGAGAG AAACCAAGTGC ATTGTCCCGA TTTGTAGAAA TAGTGTGGGA 360
 GATGGATTTT GTTCCCGTCC TAACATGTGT ACTTGTCCA GTGGGCAAA ATCATCAACC 420
 TGTGGATCAA AATCAAATCA GCAGTGCAGT GTGAGATGCA TGAATGGTGG GACCTGTGCA 480
 GATGACCACT GCCAGTGCCA GAAAGGATAT ATTGGAAGTCT ATTGTGGACA ACCTGTCGTGT 540
 25 GAAAATGGAT GTCAGAATGG TGGACGTTGC ATCGCCCAAC CGTGTGCTGT TGTATTATGG 600
 TTCCTGTGTC CACAGTGTGA AGGAGATTAC AGGACAGGCC CGTGTTCAC TCAGGTCAAC 660
 AACCAGATGT GCCAAGGGCA GCTGCAGGC ATTGTCTGCA CGAAGACTCT GTGCTGTGCC 720
 ACCACTGGAC GGGCGTGGGG CCATCCCTGT GAGATGTGTC CAGCCAGGCC TCAGCCCTGC 780
 CGACGGGGTT TCATCCCAA CAATCCGACT GGAGCTTGCC AAGATGTTGA TGAATGCCAG 840
 GCATATCCAG GATATGCCA AGGAGGAAAC TGTATCAATA CAGTGGGCTC TTTGAAATGC 900
 30 AGATGCCCTG CTGTGCACA ACAGAGTGAA ACTACTCAGA AATGTGAAGA CATTGATGAG 960
 TGCAAGCATCA TTCCTGGGAT ATGTGAACT GGTGAATGTT CCAACACCGT GGGGAGCTAT 1020
 TTTTGTGTTT GTCCACGTGG ATATGTAACC TCAACAGATG GCTCTCGATG CATCGATCAG 1080
 AGAACAGGCA TGTGTTTTCT GGGCCTGSTG AATGGCCGCT GTGCACAAGA GCTCCCGGG 1140
 AGAATGACGA AATGTCCAGT CTGCTGTGAG CCTGGCCGCT GCTGGGGCAT CGGAACCATT 1200
 35 CCTGAAGCCT GTCCTGTGAG AGTTCCTGAG GAATATCGCA GACTTTGCAT GGAATGGACTT 1260
 CCAATGGGAG GAATCCAGG GAGTGTGTTT TCCAGACCTG GAGGCACTGG GGGAAATGGC 1320
 TTTGCCCAA GTGGCAATGG CAATGGCTAT GGCCAGGAG GGACAGGCTT CATCCCATC 1380
 CCTGGAGGCA ATGGCTTTTC TCCTGGCGTT GGGGGAGCCG GTGTGGGGGG CGGGGACAG 1440
 GGAACCTATCA TCACCTGACT AACAACTCTG AACAGACAA TAGATATCTG TAAGCATCAT 1500
 40 GCTAACCTTT GTTTAAATGG ACCTGTGATA CCACTGCTC CAAGTACCAG ATGTGAATGC 1560
 AACATGGGTT ATAAGCAGGA TGCAAATGGA GATTGTATAG ATGTGATGA ATGCACATCA 1620
 AATCCCTGCA CTAATGAGAG TGTGTAAAC ACACCTGGTT CCTATTATTG TAAATGTGCT 1680
 GCTGGATTCC AGAGGACTCC TACCAAGCAA GCATGCATTG ATATTGATGA GTGCATCCAG 1740
 45 AATGGGGTTC TTTGTAATAA CGGTCCGATGC GTGAACCTAG ATGGAAGTTC CCAAGTGCATT 1800
 TGCAATGCCG GCTTTGAATT AACTACAGAT GAAAAAACT GTGTGATCA TGATGAATGT 1860
 ACAACTACCA ACATGTGTTT GATGGAATG TGCATCAATG AAGATGGCAG CTTCAAGTGC 1920
 ATCTGCAAAC CAGGATTTGT CTTGGGCTCCA AATGGCCGTT ACTGTACTGA TGTGATGAA 1980
 TGCCAGACCC CAGGAATCTG CATGAATGGG CACTGCATCA ACAGTGAAGG GTCCCTCCCC 2040
 50 TGTGACTGTC CCCAGGCCT GGTGTGGGCC ATGGATGGAC GTGTGTGTTT TGACTACTCAC 2100
 ATGCGCAGTA CCTGCTATGG AGGAATCAAG AAAGGAGTGT GTGTGCGTCC TTTCCCGGTT 2160
 GCAGTAGACA AGTCCGAATG CTGCTGTGCC AATCCAGACT ATGTTTTTGG AGAACCCCTGC 2220
 CAGCCATGCC CTGCAAAAATA TTCAGCTGAA TTCCACGGCC TTTGTAGTAG TGGAGTAGGT 2280
 ATCACTGTGG ATGGAAGAGA TATCAATGAA TGTGCTTGG ATCCTGATAT ATGTGCCAAT 2340
 GGGATTGTG AAAACTTACG TGTGATTTAC CGTGTAAAT GCACAGTGG CTATGAACCA 2400
 55 GATGCCCTCG GAAGAACTG TATTGACAT GATGAATGTT TAGTAAACAG ACTGCTTTGT 2460
 GATAACGGAT TGTGCCGAAA CAGCCAGGA AGTTACAGCT GTACGTGCC ACCAGGGTAT 2520
 GTGTTCAGGA CTGAGACAGA GACCTGTGAA GATATAAATG AATGTGAAAG CAACCCATGT 2580
 GTCAATGGGG CCTGCAGAAA CAACCTTGA TCTTTCAAT GTGAATGTC GCCCGGACG 2640
 60 AACTCAGCT CCACAGGATT GATCTGTATT GACAGCCTGA AGGGGACCTG TTGGCTCAAC 2700
 ATCCAGGACA GCCGCTGTGA GGTGAATAT AATGGAGCCA CTGTGAAATC TGAATGCTGT 2760
 GCCCACCTCG GAGCCCGTGC GGGGAGCCCC TGTGAGCCGT GTGAACCTAG TACAGCTGC 2820
 CCAAGAGGGC TTGCCAGGAT TAAAGGTGTT ACGTGTGAAG ATGTAAATGA GTGTGAGGTG 2880
 TCCCTGGCC TTTGTCCAA TGGACGCTGT GTCAACAGTA AGGGATCTT TCATTGCCAG 2940
 65 TGCCCTGAAAG GCCTTACGTT GATGATGACT GGCCGCTGAT GTTTGGATAT TCGCATGGAG 3000
 CAGTGTACT TGAAGTGGGA TGAAGATGAA TGCAATCCACC CCGTTCCTGG AAGTTCGCC 3060
 ATGGATGCTG GCTGCTGTGC TGTCCGGGCG GCTTGGGGCA CCGAGTGTGA GAGTGCACC 3120
 AAACCTGGCA CCAAGGAATA CGAGACACTG TGCCCCGCG GGGCTGGCTT TGCTAACCGA 3180
 GGGGATGTT TTAATGGGCG GCCATTTTAC AAAGACATCA ATGAATGCAA AGCATTTCTC 3240
 70 GGGATGTGCA CTTATGGGAA GTGCAGAAAT ACAAATCGGAA GCTTCAATG CCGTGTCAAT 3300
 AGTGGCTTTG CTCTAGACAT GGAGGAAGA AACTGCACCG ACATCGACGA GTGCAGGATT 3360
 TCTCCTGACC TCTGTGCGAG TGGAAATCTG GTCAATACAC CGGGCAGCTT TGAGTGCAG 3420
 TGCTTGAAG GCTATGAAAG TGGCTTCATG ATGATGAAGA ACTGCATGGA CATTGACGGA 3480
 TGTGAACGTA ACCCTCTCCT TGTAGGGGT GGCACCTGTG TGAACACTGA GGGCAGCTTT 3540
 CAGTGTGACT GCCCACTGGG ACACGAGCTG TCACCATCCC GTGAGGACTG TGTGGATATT 3600
 75 AATGAATGCT CCTGAGTGA CAATCTCTGC AGAAATGGAA AATGTGTGAA CATGATTGGA 3660
 ACCTATCAGT GCTCTGCAG TCCCTGGATAT CAGGCTAGCG CAGACCGCCA GGGCTGTACA 3720
 GATATTGATG AATGATGAT AATGAACGGA GGCTGTGACA CCCAGTGCAC AAATTCAGAG 3780
 GGAAGCTACG AATGCAGCTG CAATGAGGGT TATGCCCTGA TGCCAGATGG GAGATCGTGT 3840
 GCAGACATG ATGAATGTGA AAACAATCCT GATATCTGTG ATGGCGGCCA GTGTACCAAC 3900
 80 ATTCCTGGAG AGTATCGCTG CCTCTGCTAT GATGGCTTCA TGGCTTCCAT GGACATGAAA 3960
 ACATGCAATT ATGTCAATGA ATGTGACCTA AATTCAATA TCTGCATGTT TGGGGAATGT 4020
 GAGAACACAA AGGGATCCCT CATTTGCCAC GTGCAGCTGG GTTACTCAGT GAAGAGGGG 4080
 ACCACAGGAT GTACAGATGT GATGAGTGT GAAATGTGTG CTCATACTG CGACATGCAT 4140
 85 GCCTCATGTC TGAATATCCC AGGAAAGCTC AAGTGTAGCT GCAGAGAAGG CTGGATTGGA 4200
 AACGGCATCA AGTATATTTA TCTGAGCAA TGTCTAATG GAAACCCCA GTGTAGCATC 4260
 AATGCTCAGT GTGTAATAAC CCCGGCTCA TACCGTGTG CCTGCTCGA AGGTTTCACT 4320
 GGTGATGGCT TTACCTGCTC AGATGTTGAT GAGTGTGCG AAAACATAAA CCTCTGTGAG 4380

5
10
15
20
25
30
35
40
45
50
55

```

CTCACATCTA AAGGGGCGGG GCGGTGGTCT GGTTCGACT TTGTGTTTT GTGCCCTCCT 960
GGGGACCAGA ATCTCCTTTC GGAATGAATG TTCATGGAAG AGGCTCCTCT GAGGGCAAGA 1020
GACCTGTTTT AGTGTCTGCT TCACATGGA AAAGTCCTTT TAACCTGTGC TTGCATCCTC 1080
CTTTCCTCCT CCTCCTCACA ATCCATCTCT TCTTAAGTTC ATAGTGACTA TGTCACTCTA 1140
ATCTCTTGT TTGCCAAGTT CCTAAATTA TTCACTTAAC CATGATGCAA ATGTTTTTCA 1200
TTTTGTGAAG ACCCTCCAGA CTCTGGGAGA GGCTGGTGTG GGCAAGGACA AGCAGGATAG 1260
TGGAGTGAGA AAGGGAGGGT GGAGGGTGG AGCAAAATCAG GTCCAGCAAA AGTCAGTAGG 1320
GACATTGCAG AAGCTTGAAA GGCCAATACC AGAACACAGG CTGATGTCTC TGAGAAAGTC 1380
TTTTCTAGT ATTTAACAGA ACCCAAGTGA ACAGAGGAGA AATGAGATTG CCAGAAAGTG 1440
ATTAACCTTG GCCGTGCAA TCTGCTCAA CCTAACACCA AACTGAAAAC ATAAATACTG 1500
ACCACCTCTA TGTTCGGACC CAAGCAAGTT AGCTAAACCA AACCAACTCC TCTGCTTGT 1560
CCCTCAGGTG GAAAAGAGAG GTAGTTAGA ACTCTCTGCA TAGGGGTGGG AATTAATCAA 1620
AAACCKCAGA GGCTGAAATT CCTAAATCCT TTCCTTTATC GTGGTTATAG TCAGCTCATT 1680
TCCATTCCAG TATTTCCTAT AATGCTCTG AGAGCCACTA ACTTGATTGA TAAAGATCCT 1740
GCCTCTGCTG ASTGTACCTG ACAGTAAGTC TAAAGATGAR AGAGTTTAGG GACTACTCTG 1800
TTTTAGCAAG ARATATTKTG GGGGTCTTTT TGTTTAACT ATTGTGAGGA GATTGGGCTA 1860
RAGAGAAGAC GACGAGAGTA AGGAAATAAA GGGRATTGCC TCTGGCTAGA GAGTAAGTTA 1920
GGTGTAAATA CCTGGTAGAA ATGTAAGGGA TATGACCTCC CTTTCTTAT GTGCTCCTA 1980
AGGATCTGAG GGGACCCTGT TAGGAGAGCA TAGCATCATG ATGTATTAGC TGTTCATCTG 2040
CTACTGGTTC GATGGACATA ACTATTGTAA CTATTGAGTA TTTACTGGTA GGCACTGTCC 2100
TCTGATTAAC CTGGCCTAC TGGCAATGGC TACTTAGGAT TGATCTAAGG GCCAAAGTGC 2160
AGGGTGGGTG AACTTTATTG TACTTTGGAT TTGGTTAACC TGTTTTCTTC AAGCCTGAGG 2220
TTTTATATAC AAATCCCTG AATACTCTTT TTGCCTTGT TCTTCTCAGC CTCCAGGCA 2280
AGTCTCTATG AATATGGAAA ACAAAACACTG CAGACTTGGC ATTCACTTGC CGATCAAGGC 2340
TCTGCGATTG AGAGAACCTT TGCAACTCGA GAAGCTGTTT TTATTTCTGT TTTGTTTTGA 2400
TCCAGTGCTC TCCCATCTAA CAACTAAAAC GGAGCCATTT CAAGGCGGGA GATATTTTAA 2460
ACACCCAAA TGTGGGTCTT GATTTTCAA CTTTTAACT CACTACTGAT GATTCTCAGC 2520
CTAGGCGAAT TTGTCAAAC ACATAGTGTG TGTGTTTTGT ATACACTGTA TGACCCACC 2580
CCAAATCTTT GTATTGTCCA CATTCTCAA CAATAAAGCA CAGAGTGGAT TTAATTAAGC 2640
ACACAAATGC TAAGGCAGAA TTTTGAGGT GGGAGAGAAG AAAAGGGAAA GAAGCTGAAA 2700
ATGTA AACACACAGGGA GGAATAATGA CATTGAGAAC CAGCAAACAC TGAATTTCTC 2760
TTGTTGTTTT AACCTGCTCA CAAGAATGCA ATTTGTTTAA TGGAGATGAC TTAAGTTGGC 2820
AGCAGTAATC TTCTTTTAGG AGCTTGTACC ACAGTCTTGC ACATAAGTGC AGATTGGGCT 2880
CAAGTAAAGA GAAATTCCTC AACACTAACT TCAGTGGGAT AATCAGCAGC GTAACCTACC 2940
TAAAAGCATA TCACTAGCCA AAGAGGGAAA TATCTGTTCT TCTTACTGTG CCTATATTA 3000
GACTAGTACA AATGTGGTGT GTCTTCCAAC TTTTCAATGAA AATGCCATAT CTATACCATA 3060
TTTTATTGGA GTCACTAGTG ATGTAATGAT ATATTTTTC ATTATTATAG TAGAATATTT 3120
TTATGGCAAG ATATTGTGG TCTTGATCAT ACCTATTAAC ATAAATGCAA ACACCAATA 3180
TGAATTTTAT GATGTACACT TTGTGCTTGG CATTAAAAGA AAAAAACACA CATCCTGGAA 3240
GTCTGTAAGT TGTTTTTGT TACTGTAGGT CTTCAAAGTT AAGAGTGTA GTGAAAAATC 3300
TGGAGGAGAG GATAATTTCC ACTGTGTGGA ATGTGAAATAG TTAATGAAA AGTTATGGTT 3360
ATTTAATGTA ATTATTACTT CAAATCCTTT GGTCACTGTG ATTTCAAGCA TGTTTCTTT 3420
TTCTCCTTTA TATGACTTTC TCTGAGTGG GCAAAGAAGA AGCTGACACA CCGTATGTTG 3480
TTAGAGTCTT TTAATCTGGT AGGGGAAAACA AAATCTTGAC CCAGCTGAAC ATGTCTTCTC 3540
GAGTCACTGC CTGAATCTTT ATTTTAA TGAATGTTT CTTAAAGGTT AACATTCTA 3600
AAGCAATATT AAGAAAGACT TTTAAATGTTA TTTTGAAGA CTTACGATGC ATGTATACAA 3660
ACGAATAGTG GATAATGATG ACTAGTTCAC ACATAAAGTC CTTTAAAGGA GAAAATCTAA 3720
AATGAAAAGT GGATAAACAG AACATTTATA AGTGATCAGT TAATGCCTAA GAGTGAAAGT 3780
AGTCTATTG ACATTCCTCA AGATATTTAA TATCAACTGC ATTTATGATT ATGCTGCTT 3840
AAATCATTTA AAAACGCAA AGAATTATAT AGACTATGAG GTACCTTGTCT GTGTAGGAGG 3900
ATGAAAGGGG AGTTGATAGT CTATAAAAC TAATTTGGCT TCAAGTTTCA TGAATCTGTA 3960
ACTAGAATTT AATTTTCACC CCAATAATGT TCTATATAGC CTTTGTCAA GAGCAACTAA 4020
TAAATTAAC CTATTCCTTC AAAAAAAA
    
```

Seq ID NO: 461 Protein sequence
 Protein Accession #: NP_037504.1

60

```

1 11 21 31 41 51
| | | | |
MSRTAYTVGA LLLLGLTLLP AAEKKKKGSQ GAIPPPDKAQ HNDSEQTQSP QQPGSRNRGR 60
GQGRGTAMPG EEVLESGQEA LHVTERKYLK RDWCKTQPLK QTIHEEGCNS RTIINRFYCG 120
QCNSPHYPRH IRKEEGSFQS CSPCKPKKPT TMMVTLNCP E LQPPTKKKRV TRVKQCRCLIS 180
IDLD
    
```

Seq ID NO: 462 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 1..2733

70
75
80
85

```

1 11 21 31 41 51
| | | | |
ATGAAAGTTG GAGTCTGTG GCTCATTCTT TTCTTCACT TCACTGACGG CCACGGTGGC 60
TTCTTGGGGA AAAATGATGG CATCAAACA AAAAAAGAAC TCAITGTGAA TAAGAAAAAA 120
CATCTAGGCC CAGTCGAAGA ATATCAGCTG CTGCTTCAGG TGACCTATAG AGATTCCAAG 180
GAGAAAAGAG ATTTGAGAAA TTTTCTGAAG CTCTTGAAGC CTCCATTATT ATGGTCACAT 240
GGCTAATTA GAATATCAG AGCAAAGGCT ACCACAGACT GCAACAGCCT GAATGGAGTC 300
CTGCACTGTA CCTGTGAAGA CAGCTACACC TGGTTTCTCT CCTCATGCTT TGATCCCCAG 360
AACTGCTACC TTCACACGGC TGGAGCACTC CCAAGCTGTG AATGTCATCT CAACAACCTC 420
AGCCAGAGTG TCAATTTCTG TGAGAGAACA AAGATTGGG GCACCTTCAA AATTAATGAA 480
AGGTTTACAA ATGACCTTTT GAATTCATCT TCTGCTATAT ACTCAAATA TGCAAATGGA 540
ATTGAAATTC AACTTAAAAA AGCATATGAA AGAATTCAGG GTTTTGAAGT GGTTCAGGTC 600
ACCAATTTT GAAATGGAAG CATCTGTTCT GGGTATGAAG TTGTTGGCTC CAGCAGTGA 660
TCTGAATCTG TGTGAGCCTT TGAACATGTT GCCGAGAAGG CTAAGACAGC CCTTCAACAG 720
CTGTTTCCAT TAGAAGACGG CTCTTTTCTG GTGTTGCGAA AAGCCAGTGT TAATGACATT 780
GTCTTTGGAT TTGGTCCAAA GGATGATGAA TATACCCTGC CCTGACAGC TGGCTACAGG 840
GGAAACATCA CAGCCAAGTG TGAGTCTCTT GGGTGGCAGG TCATCAGGGA GACTTGTGTG 900
CTCTCTCTGC TTGAAGAACT GAACAAGAA TFCAGTATGA TTGTAGGCAA TGCCACTGAG 960
GCAGCTGTGT CATCTCTGCT GCAAAATCTT TCTGTATCA TTCGGCAAAA CCCATCAACC 1020
    
```

5
10
15
20
25
30

```

ACAGTGGGGA ATCTGGCTTC GGTGGTGTCC ATTCTGAGCA ATATTTCATC TCTGTCACTG 1080
GCCAGCCATT TCAGGGTGTTC CAATTCAACA ATGGAGGATG TCATCAGTAT AGCTGACAAT 1140
ATCCTTAATT CAGCCTCAGT AACCAACTGG ACAGTCTTAC TGCGGGAAGA AAAGTATGCC 1200
AGCTCACGGT TACTAGAGAC ATTAGAAAAAC ATCAGCACTC TGGTGCCTCC GACAGCTCTT 1260
CCTCTGAATT TTTCTCGGAA ATTCATTGAC TGGAAAGGGA TTCCAGTGAA CAAAAGCCAA 1320
CTCAAAAGGG GTTACAGCTA TCAGATTAAA ATGTGTCCCC AAAATACATC TATTTCCATC 1380
AGAGGCCGTG TGTTAAATGG GTGACAGCAA TTCCAGAGAT CCCTTCCAGA AACTATTATC 1440
AGCATGGCCT CGTTGACTCT GGGGAACATT CTACCCGTTT CCAAAAATGG AAATGCTCAG 1500
GTCAATGGAC CTGTGATATC CACGGTTATT CAAAACATAT CCATAAATGA AGTTTTCCCTA 1560
TTTTTTTCCA AGATAGAGTC AAACCTGAGC CAGCCTCATT GTGTGTTTGG GGATTTTCAGT 1620
CATTTGCACT GGAACAGATG AGCTGCCCAC CTAGTGAATG AAACTCAAGA CATCGTGAGC 1680
TGCCAATGTA CTCACTTGAC CTCTTCTCC ATATTGATGT CACCTTTTGT CCCTCTACA 1740
ATCTTCCCGG TTGTAAAATG GATCACCTAT GTGGGACTGG GTATCTCCAT TGGAACTCTC 1800
ATTTTATGCC TGATCATCGA GGCTTTGTTT TGGAAAGCAGA TTAAAAAAAG CAAAACCTCT 1860
CACACACGTC GTATTTGCAT GGTGAACATA GCCCTGTCCC TCTTGATGTC TGATGCTGCG 1920
TTTATTGTTG GTGCCACAGT GGACACCACG GTGAACCCCT CTGGAGTCTG CACAGCTGCT 1980
GTGTTCTTTA CACACTTCTT CTACCTCTCT TTGTTCTTCT GGATGCTCAT GCTTGGCATC 2040
CTGCTGGCCT ACCGGATCAT CCTCGTGTTC CATCACATGG CCCAGCATTG GATGATGGCT 2100
GTTGGATTTT GCCTGGGTTA TGGGTGCCCT CTCATTATAT CTGTCTTAC CATGTGCTGTC 2160
ACGCAACCTA GCAATACCTA CAAAAGGAAA GATGTGTGTT GGCTTAACTG GTCCAATGGA 2220
AGCAAACCCAC TCCTGGCTTT TGTTGTCCCT GCACTGGCTA TTGTGGCTGT GAACTTCGTT 2280
GTGGTGCTGC TAGTCTCACC AAAGCTCTGG AGGCCGACTG TTGGGGAAAG ACTGAGTCCG 2340
GATGACAAGG CCACCATCAT CCGCGTGGGG AAGAGCCTCC TCATTCTGAC CCCTCTGCTA 2400
GGGCTCACCT GGGGCTTTGG AATAGGAACA ATAGTGGACA GCCAGAATCT GGCCTGGCAT 2460
GTTATTTTGG CTTTACTCAA TGCACTCCAG GGATTTTTTA TCTTATGCTT TGGAAACTCT 2520
TTGGACAGTA AGCTGCGACA ACTTCTGTTC AACAAAGTGT CTGCCTTAAG TTCTTGAAG 2580
CAAACAGAAA AGCAAAACTC ATCAGATTTA TCTGCCAAAC CCAAATCTC AAAGCCTTTC 2640
AACCCACTGC AAAACAAAGG CCATTATGCA TTTTCTCATA CTGGAGATTC CTCGACAAC 2700
ATCATGCTAA CTCAGTTTGT CTCAAATGAA TAA
    
```

Seq ID NO: 463 Protein sequence
 Protein Accession #: Eos sequence

35
40
45
50

```

1 11 21 31 41 51
| | | | |
MKVGVLWLIS FFTFDGHHG FLGKNDGIKT KKELIVNKKK HLGPEVEEYQL LLQVTYRDSK 60
EKRDRLNFKL LKPPPLLWSH GLIRIRAKA TDCNSLNGV LQCTCEDSYT WPPPSCLDPQ 120
NCYLHTAGAL PSCCHLNLNL SQSVNFCERT KIWGTFKINE RPTNDLLNS SAIYSKYANG 180
IETQLKKAYE RIQGFESVQV TQFRNGSIVA GYEVVSSSA SELLSAIEHV AEKAKTALHK 240
LFPLEDGSPR VFGKAQCNDI VFGFGSKDDE YLPCSSGYR GNITAKCESS GWQVIRETCV 300
LSLLEELNKN FSMIVGNATE AAVSSFVQNL SVIIRQNPST TVGNLASVVS ILSNISLSSL 360
ASHFRVSNST MEDVISIADN ILSNASVTNW TVLLREEKYA SSRLLLETLEN ISTLVPEPTAL 420
PLNFSRKFID WKGIPVNKQK LKRGYSYQIK MCPQNTSIPI RGRVLIGSDQ FORSLPETII 480
SMASLTGNI LPSVSKNGNAQ VNGPVIQIV QNYSINEVFL PFSKIESNLS QPHCVFWDPS 540
HLQWNDAGCH LVNETQDIDV CQCTHLTSFS ILMSPFVPT IFFVVKWITY VGLGISIGSL 600
ILCLIEALF WKQIKKSQTS HTRRRCMVNI ALSLLIADVW FIVGATVDTT VNFSGVCTAA 660
VFPTHFFYLS LFFWMLMGI LLAYRIILVF HMAQHLMMMA VGFCGLYGCP LIISVITIAV 720
TQPSNTYKPK DVCLWLNWSNG SKPLLAFVVP ALAIVAVNEF VVLLVLTKLW RPTVGERLSR 780
DDKATIIRVG KSLILPLPFL GLTWGFGIGT IVDSONLAWH VIFALLNAFV GFIFLFCGIL 840
LDSKLRQLLF NKLSALSSWK QTEKQNSDDL SAKPKFSKPF NPLQNKGHYA PSHTGDSDDN 900
IMLTQFVSNE
    
```

Seq ID NO: 464 DNA sequence
 Nucleic Acid Accession #: AB035089.1
 Coding sequence: 9845..10219

55
60
65
70
75
80
85

```

1 11 21 31 41 51
| | | | |
GGGCATGCAG CCATCGGGGA AAATCCATAG TGCAGATAAA GCAAGGAGGA AGAAGAAGGA 60
CAGTCTAGT AAAAGGGAGA ACATCAATAT AGGATGTTTC TTAGCAATAG AAAAGAAGG 120
CCAAGAGGAA TTAGGGAGAG AGTATAAAGA GATCAGCAAG GGGACAGGGT TAGATTTGGT 180
TTGGTTTGAA AGCATAACAGT AAATATGATG TCTGTCCCTG GCAGTGTGG CAGAGTAGGA 240
AGGAGGAAGG GAGGCAAGAG ATAATATCAT TTTCTCTGTG CTCCAACTGT ACTTACATAT 300
GAGACTATTT CCCTCTCTGC TTTTCAAACC TTACTGGAGT TGTTTTCCCT CATGAAAACC 360
AAGAAAGGAA AGCTAGTTAG TCTTGTCTCG AGGTGTGTC ATGTATACAT ATCTATATCT 420
GTAGACAGAA TCCTTGGGAA TCAGTAATT GACATATATT CTGTTATTG ATGCTTGAAA 480
AATCTCCTCC ACTAACCAGT TTCCCTATAG ATTGCCACAA GCACATAATA AGAAACAATA 540
AATAAAATGT TCTCTGACT TTGTTACTTA ACAATGCTGA GAAAACCTTA CAGCCTTCAT 600
AAGAAAGTGA GGTCCAGGAA AATCTAGGAG ATATTCTTA ACCAATCTAT AAAGGCATTA 660
GTAATGACAG GATATTTCTT GAAAGTGTA TTTCCCATG AGGATTTGTT TTTAATTTCT 720
GGATTCCTGG AGCCAAATGAA GTTGGGTGAT GTTTATGAAA TATCAAGAGA CATAAGTTGG 780
CAAGTGTTC AATGCAAAAA CTTCTGGGAA TTTCTGAGTT CTCTGTGGCA ATATATGACA 840
TCAGGATATG TCCAGTCTCA CACACCAGGA TATGTCCCTT CTAGCCTGTC TATCACATGC 900
TAGGAGAACT ATTTAGGAAAC AGAAAAAAAT GCCTGAAATG ATTTCTCAT TGAACCTATC 960
CAAGCTTTCT CFAAATTTAA GCAAACTCCT GGTCAATTTT AGTTAGTACC TTTCTTAAAG 1020
TTCACCTTTC AGGGCAAACC TCCGTGCCTC AGACGTTTAC CCATAGTCTG AAATCTCTCT 1080
CCATAGATTG GTCCCTGTGA ACCCCGGTTC GTCTCAGCTT GTTATCCTGT TTTTCTTCT 1140
CCTCCATTCC CAGGATGAGC TTGTTGCTTC TGTCCATGA GACATTAGAT TCCTTTTCTT 1200
TGGTACCCGA GTAATCCAT CCTACTCAA TAGAGGAAGG FCCATTTTGG TCTTATAGCG 1260
CTGGATGCAG ACTCAGCTGA GAAGACCATT ATTCATTTT GGAATTCCTT ATCTCAGATA 1320
TTTCTCTTTC TTTCTTTTTC TTCTATCTTT GGATTTTTAG TCCATCAACG CCCCATTAGT 1380
CTATTCCCGG ACTTCAATCA GGGAACTTAT ACCTCTTAAA CTCATTGAGA GACTCAAAAC 1440
ATATATATTG ATACAGGAGA CCTAAGAAGA GCATGCTTGG GGGGTTGAGG AAACAGGCAG 1500
GTGAGAAAT TCCAGATTGG AAACACAGCT TCCTTTCTCC CATCCAGCCC CTACTTTCAG 1560
CCTATGTGTT TCTGCCACTT TGTTGTAGAT AAATCTCCCT TGACTTTGTG ATGTGCTGAG 1620
AAAAAACAAC CACGCTGTGT GTTAAAAAGG GCCCATGACA ATACCAAGTG TTGGGGAGAA 1680
TGTGGAGAAA TCAGAACTCT ATTCACGGTC GGTGTGAATG CACACTTGTG CAGAATTTCA 1740
    
```


LSMIVLLPNE IDGLQKLEEK LTAEKLMWET SLQNMRETCV DLHLPRFME ESYDLKDTLR 300
TMGMVNIENG DADLSGMTWS HGLSVSKVLH KAPVEVTEEG VEAAAATAVV VVELSSPSTN 360
BEFCNHPFL PFIRQNTNS ILFYGRFSSP

5 Seq ID NO: 466 DNA sequence
Nucleic Acid Accession #: NM_001910.1
Coding sequence: 50..1240

10 1 11 21 31 41 51
GGAGAGAAGA AAGGAGGGGC CAAGGGAGAA GCTGCTGGTC GGACTCACAA TGAAAAACGCT 60
CCTTCTTTTG CTGCTGGTGG TCCTGGAGCT GGGAGAGGCC CAAGGATCCC TTCACAGGGT 120
GCCCTCAGG AGGCATCCGT CCTCAAGAA GAAGCTGCGG GCACGGAGCC AGCTCTCTGA 180
GTTCTGGAAG FCCCATAAAT TGGACATGAT CCAGTTCACC GAGTCCCTGT CAATGGACCA 240
15 GAGTGCCAAG GAACCCCTCA TCAACTACTT GGATATGGAA TACTTCGGCA CTATCTCCAT 300
TGGCTCCCCA CCACAGAACT TCACTGTCTT CTTGACACT GGCTCCTCCA ACCTCTGGGT 360
CCCTCTGTG TACTGCACTA GCCAGCCTG CAAGACGCAC AGCAGGTTC AGCCTTCCCA 420
GTCCAGACA TACAGCCAGC CAGGTCAATC TTTCTCCATT CAGTATGGAA CCGGGAGCTT 480
GTCCGGGATC ATTGGAGCCG ACCAAGTCTC TGTGGAAGGA CTAACCGTGG TTGGCCAGCA 540
20 GTTTGGAGAA AGTGTACAG AGCCAGGCCA GACCTTTGTG GATGCAGAGT TTGATGGAAT 600
TCTGGCCCTG GGATGCCCTT CCTTGGCTGT GGGAGGAGTG ACTCCAGTAT TTGACAAACAT 660
GATGGCTCAG AACCTGGTGG ACTTGGCCAT GTTTTCTGTC TACATGAGCA GTAACCCAGA 720
AGGTGGTGGC GGGAGCGAGC TGATTTTGGG AGGCTACGAC CACTCCCAT TCTCTGGGAG 780
CCTGAATTGG GTCCCGACTA CCAAGCAAGC TTAGTGGCAG ATTGCACTGG ATAACATCCA 840
25 GGTGGGAGGC ACTGTTATGT TCTGCTCCGA GGGCTGCCAG GCCATTGTGG ACACAGGGAC 900
TTCCCTCATC ACTGGCCCTT CCGACAAGAT TAAGCAGCTG CAAAACGCCA TTGGGGCAGC 960
CCCCGTGGAT GGAGAAATATG CTGTGGAGTG TGCCAACTT AACGTCAATG CCGATGTGAC 1020
CTTCACCATT AACGGAGTCC CCTATACCT CAGCCCACT GCCTACACCC TACTGGACTT 1080
CGTGGATGGA ATGCAGTTCT GCAGCAGTGG CTTTCAAGGA CTTGCATCC ACCCTCCAGC 1140
30 TGGGCCCTC TGGATCTGG GGGATGTCTT CATTGACAG TTTTACTCAG TCTTTGACCG 1200
TGGGAATAAC CGTGTGGGAC TGCCCCAGC AGTCCCTTAA GGAGGGGCTT TGTGTCTGTG 1260
CCTGCTGTG TGACAGACCT TGAATATGTT AGGCTGGGGC ATTCTTTACA CCTACAAAAA 1320
GTTATTTTCC AGAGAAATGTA GCTGTTTCCA GGGTTGCAAC TTGAATTAAG ACCAAACAGA 1380
ACATGAGAAAT ACACACACAC ACACACATAT ACACACACAC ACACCTTACA CATACACACC 1440
35 ACTCCACCA CCGTCAATG GGAGGAATTA CGTTATACAT TCAATTTTG TATTGATTTT 1500
TGATATGAA AATCAAAAAT TTTCACATTT GATTATGAAA ATCTCCAAAC ATATGCACAA 1560
GCAGAGATCA TGGTATAATA AATCCCTTTG CAACTCCACT CAGCCCTGAC AACCCATCCA 1620
CACACGGCCA GGCCTGTTTA TCTACACTGC TGCCCACTCC TCTCTCCAGC TCCACATGCT 1680
GTACCTGGAT CATTCTGAAG CAATTTCCGA GCATTACATC ATTTTGTCCA TAAATATTTT 1740
40 TAACATCCTT AAATATACAA TCGGAATTCA AGCATCTCCC ATTTGCCCCA AAATGTTTGG 1800
CTGTTTTTGT AGTTGGATTG TTTGTATTAG GATTCAAGCA AGGCCCATAT ATTGCATTTA 1860
TTTGAATGT CTGTAAGTCT CTTTCCATCT ACAGAGTTTA GCACATTTGA ACGTTGCTGG 1920
TTGAAATCCC GAGGTGTGAT TTGACATGGT TCTCTGAACT TATCTTTCTT ATAAAATGGT 1980
AGTTAGATCT GGAGTCTGTA TTTTGTGGCA AAAAATCTTC CTAGGTGGT CTGGGTACTT 2040
45 CTTGTTGCAT CCTGTACGGA GGACGATAAT GCTGGTGCTT CTCTATTGGT AATGTTAAGA 2100
CTGCTGGGTG GGTTTGGAGT TCTTGGCTTT AATCATTGAT TACAAAGTTC AGCATTTT

Seq ID NO: 467 Protein sequence
Protein Accession #: NP_001901.1

50 1 11 21 31 41 51
MKTLLELLLV LLELGEAQGS LHRVPLRRHP SLKKKLRARS QLSEFWKSHN LDMIQFTESC 60
SMDQSAKEPL INYLDMEYFG TISIGSPPQN FTVIPTDSS NLWVPSVYCT SPACKTHSRF 120
55 QPSQSSYSY PQSFSIQYV TISIGSPPQN FTVIPTDSS NLWVPSVYCT SPACKTHSRF 180
FDGILGLGYP SLAVGGVTPV FDNMMAQNLV DLPMFVSVYMS SNPEGGAGSE LIFGGYDHS 240
FSGSLNWVFP TKQAYWQIAL DNIQVGGTVM FCSEGCQAIV DTGTSLITGP SDKIKQLQNA 300
IGAAPVDGEY AVECANLNMV PDVPTINGV PYTLSPYATY LLDFVDMQMF CSSGPGGLDI 360
60 HPPAGPLWIL GDVFIQFYS VFDRGNRRVG LAPAVP

Seq ID NO: 468 DNA sequence
Nucleic Acid Accession #: NM_018058.1
Coding sequence: 319..1575

65 1 11 21 31 41 51
TACGCGCTGC GGGACCGGCA GGGGAACGCC ATCGGGGTCA CAGCCTGCGA CATCGACGGG 60
GACGGCCGGG AGGAGATCTA CTTCCCTAAC ACCAATAATG CCTTCTCGGG GGTGGCCACG 120
70 TACACCGACA AGTTGTTCAA GTTCCGCAAT AACCCGTGGG AAGACATCCT GAGCGATGAG 180
GTCAACGTGG CCCGTGGTGT GGGCAGCCTC TTTGCCGGAC GCTCTGTGGC CTGTGTGGAC 240
AGAAAGGGCT CTGACGCTA CTCTATCTAC ATTGCCAAT ACGCCCTACG TAATGTGGGC 300
CCTGATGCC TCATTGAAAT GGACCCTGAG GCCAGTGACC TCTCCCGGG CATTCTGGCG 360
CTCAGAGATG TGGCTGCTGA GGCTGGGGTC AGCAAATATA CAGGGGGCCG AGGCGTCAGC 420
GTGGGCCCCA TCCTCAGCAG CAGTGCCTCG GATATCTTCT GCGACAATGA GAATGGGCCT 480
75 AACTTCTTT TCCACAACCG GGGCGATGGC ACCTTTGTGG ACGCTGCGGC CAGTCTGGT 540
GTGGACGACC CCCACAGCA TGGGCGAGGT GTCGCCCTGG CTGACTTCAA CCGTATGGC 600
AAAGTGGACA TCGTCTATGG CAACTGGAAT GGCCCCACC GCCTCTATCT GCAAATGAGC 660
ACCCATGGGA AGGTCCGCTT CCGGGACATC GCCTCACCA AGTTCTCCAT GCCTCCCT 720
GTCGACAGG TCATCACCGC CGACTTTGAC AATGACCAGG AGCTGGAGAT CTCTTCAAC 780
80 AACATTGCCT ACCGAGCTC CTCAGCCAAC CGCTCTTCC GCGTCATCCG TAGAGAGCAC 840
GGAGACCCCT TCCACAGGA GCTCAATCCC GCGACGCGCT TGGAGCCTGA GGGCCGGGGC 900
ACAGGGGGTG TGGTACCGA CTTGACCGGA GACGGGATG TGGACCTCAT CTGTCCCAT 960
GGAGATCCA TGGCTCAGC GCTGTCCGTC TTCGGGGCA ATCAGGGCTT CAACAACAAC 1020
TGGCTGCGAG TGGCTCAGC CACCCGGGTT GGGGCTTTG CCGAGGGAGT TAAGGTCGTG 1080
CTCTACACCA AGAAGAGTGG GGCCACCTG AGGATCATCG ACGGGGGCTC AGGCTACCTG 1140
75 TGTGAGATGG AGCCCGTGGC AACTTTGGC CTGGGGAAG ATGAAGCCAG CAGTGTGGAG 1200
GTGACGTGGC CAGATGGCAA GATGGTGAGC CGGAACGTGG CCAGCGGGGA GATGAACTCA 1260

GTGCTGGAGA TCCTCTACCC CCGGGATGAG GACACACTTC AGGACCCAGC CCCACTGGAG 1320
 ACACCAATGA ATGCATCCAG TTCCCATTCG TGTGCCCTCG AGACAAGCCC GTATGTGTCA 1380
 ACACCTATGG AAGCTACAGG TGCCGGACCA ACAAGAAGTG CAGTCGGGGC TACGAGCCCA 1440
 ACGAGGATGG CACAGCCTCG GTGGGGACTC TCGGCCAGTC ACCGGGCCCC CGCCCCACCA 1500
 CCCCCACCGC TGCTGCTGCC ACTGCGCTG CTGCTGCCGC TGTGAGGACT GCCACTGTCTG 1560
 CACCGTCTCT CGTAGATGGA GATCTCAATC TGGGGTCCGT GGTAAAGGAG AGCTGCGAGC 1620
 CCAGCTGCTG ACAGGGGGTG GGACATGAAC CAGCGGATGG AGTCCAGCAG GGGAGTGGGA 1680
 AAGTGGGCTT GTGCTGCTGC CTAGACAGTA GGGATGTAAA GGCCTGGGAG CTAGACCCCTC 1740
 CCCAAGCCCA TCCATGCACA TTAGTCTAGT AACAAATTAGG GAGACTCGTA AGGCCAGGCC 1800
 CTGTGCTGGG CACATAGCTG TGATCACAGC AGACAGGGTC GCTGCCCTGA TGGCGCTTAC 1860
 ATTCCAGTGG GTCTAATGAC CATATCTTAG GACACAGATG TGCCCAAGGA GGTGGTGTCA 1920
 CTGCACAGGA AGTATGAGGA CTTTAGTGTG CTGAGTTCAA ATCCTGATTC AGGAACTCAC 1980
 AAAGCTATGT GACCTTACAC CAGTCACTTA ACTTGTTAGC CATCCATTAT CGCATCTGCA 2040
 AAATGGGGAT TAAGAAATAGA ATCTTGGGGT TAGTGTGGAG ATTAGATTAA ATGATGTGTA 2100
 GACACTTGGC ACAAACCTG GCACATAGTA AAGGCTCAAT AAAAACAGT GCCTCTCACT 2160
 GGGCTTTGTC AACACGTG

Seq ID NO: 469 Protein sequence
Protein Accession #: NP_060528.1

1 11 21 31 41 51
 MDPEASDLR GILALRDVAA EAGVSKYTGG RGVSVGPILS SSASDIFCDN ENGNPFLFHN 60
 RGDGTFVDA ASAGVDDEHQ HGRGVALADF NRDGKVDIVY GNWNGPHRLY LQMSTHGKVR 120
 FRDIASPKFS MSPSVRVTIT ADPDNDQELE IFNNIAYRS SSANRLFRVI RREHGDPLIE 180
 ELPNGDALEP EBRGTGGVVT DFDGDMGLDL ILSHGESMAQ PLSVFRGNQG FNNNWLRRVP 240
 RTRVGFARG AKVVLVTKKS GAHLRIIDGG SGVLCMEPV AHFLGLKDEA SSVVETWPDG 300
 KMVSRNVASG EMNSVLEILY PRDEDTLQDP APLETMNAS SSHSCALETS PVVSTPMEAT 360
 GAGPTRSAVG ATSPTRMAQP AWGLSASHRA PAPPFPLLL PLPLLLPLLE LPLLHRSS

Seq ID NO: 470 DNA sequence
Nucleic Acid Accession #: AJ279016
Coding sequence: 1..1962

1 11 21 31 41 51
 ATGTCCAGGA TGTTACCGTT CCTGCTGCTG CTCTGGTTTC TGCCCATCAC TGAGGGGTCC 60
 CAGCGGGCTG AACCCATGTT CACTGCAGTC ACCAACTCAG TTCTGCCTCC TGACTATGAC 120
 AGTAATCCCA CCCAGCTCAA CTATGGTGTG GCAGTACTG ATGTGGACCA TGATGGGGAC 180
 TTTGAGATCG TCGTGGCGGG GTACAAATGGA CCCAACCTGG TTCTGAAGTA TGACCGGGCC 240
 CAGAAGCGCG TGGTGAACAT CGCGGTGCGAT GAGCGCAGCT CACCCTACTA CGCGCTGCGG 300
 GACCGGCAGG GGAACGCCAT CGGGGTCACA GCCTGCGACA TCGACGGGGA CGGCCGGGAG 360
 GAGATCTACT TCCTCAACAC CAATAATGCC TTCTCGGGGG TGGCCACGTA CACCGACAAG 420
 TTGTTCAAAG TCCGCAATAA CCGGTGGGAA GACATCCTGA GCGATGAGGT CAACGTGGCC 480
 CGTGGTGTGG CCAGCCTCTT TGCCGGACGC TCTGTGGCCT GTGTGGACAG AAAGGGCTCT 540
 GGACGCTACT CTATCTACAT TGCCAATTAC GCCTACGGTA ATGTGGGGCC TGATGCCCTC 600
 ATTGAAATGG ACCCTGAGCC CAGTGAACCT TCCCGGGGCA TTCTGGCGCT CAGAGATGTG 660
 GCTGCTGAGG CTGGGGTCAG CAAATATACA GGGGGCCGAG GCGTCAGCGT GGGCCCCATC 720
 CTCAGCAGCA GTGCCTCGGA TATCTTCTGC GACAAATGAGA ATGGGCCTAA CTTCCTTTTC 780
 CACAACCGGG GCGATGGCAC CTTTGTGGAC GCTGCGGCCA GTGCTGGTGT GGACACCCCC 840
 CACCAGCATG GGGCAGGTGT CGCCCTGGCT GACTTCAACC GTGATGGCAA AGTGGACATC 900
 GTCTATGGCA ACTGGAATGG CCCCCACCGC CTCTATCTGC AAATGAGCAC CCATGGGAAG 960
 GTCCGCTTCC GGGACATGCG CTACCCCAAG TTCTCCATGC CCTCCCCTGT CCGCACGGTC 1020
 ATCACGCGCG ACTTTGACAA TGACCCAGGAG CTGGAGATCT TCTTCAACAA CATTGCCTAC 1080
 CGCAGCTCCT CAGCCAAACCG CCTTCTCCGC GTCATCCGTA GAGAGCACGG AGACCCCTC 1140
 ATCGAGGAGC TCAATCCCGG CGACGCCTTG GAGCCTGAGG GCCGGGGCAC AGGGGTGTG 1200
 GTGACCGACT TCGACGGAGA CCGGATGCTG GACCTCATCT TGTCCATGG AGAGTCCATG 1260
 GCTCAGCGCG TGTCCGTCTT CCGGGGCAAT CAGGGCTTCA ACAACAAGT GCTGCGAGTG 1320
 GTGCCACGCA CCGGGTTTGG GGCCTTTGCC AGGGGAGCTA AGGTCGTGCT CTACACCAAG 1380
 AAGAGTGGGG CCCACTGAGG GATCATCGAC GGGGGCTCAG GCTACCTGTG TGAGATGGAG 1440
 CCGTGGCAC ACTTTGGCCT GGGGAAGGAT GAAGCCAGCA GTGTGGAGGT GACGTGGGCA 1500
 GATGGCAAGA TGGTGAAGCG GAACGTGGCC AGCGGGGAGA TGAATCAGT GCTGGAGATC 1560
 CTCTACCCCC GGGATGAGGA CACACTTCAG GACCCAGCCC CACTGGAGTG TGGCCAAGGA 1620
 TTCTCCAGC AGGAAATGG CCTTGTGATG GACACCAATG AATGCATCCA GTTCCCATTC 1680
 GTGTGCCCTC GAGACAAGCC CGTATGTGTC AACACCATG GAAGCTACAG GTGCCGGACC 1740
 AACAGAAGT GCAGTCGGGG CTACGAGCCC AACGAGGATG GCACAGCCTG CGTGGGGACT 1800
 CTCGGCCAGT CACCGGGCCC CCGCCCCACC ACCCCACC GCTGCTGCTG CACTGCCGCT 1860
 GCTGCTGCCG CTGCTGGAGC TGCCACTGCT GCACCGTCC TCGTAGATGG AGATCTCAAT 1920
 CTGGGGTCCG TGGTTAAGGA GAGCTGCGAG CCCAGCTGCT GAGCAGGGGT GGCACATGAA 1980
 CCAGCGGATG GAGTCCAGCA GGGGAGTGGG AAAGTGGGCT TGTGCTGCTG CCTAGACAGT 2040
 AGGGATGTAA AGGCCTGGGA GCTAGACCTT CCCAAGCCC ATCCATGCAC ATTAGTACTG 2100
 TAACAATTAG GGAGACTCGT AAGGCCAGGC CCTGTGCTGG GCACATAGCT GTGATCACAG 2160
 CAGACAGGCT CGCTGCCCTG ATGGCGCTTA CATTCAGTG GGTCTAATGA CCATATCTTA 2220
 GGACACAGAT GTGCCAGGG AGTGGTGTG ACTGCACAGG AAGTATGAGG ACTTTAGTGT 2280
 CCTGAGTTCA AATCCTGATT CAGGAACTCA CAAAGCTATG TGACCTTACA CCAGTCACTT 2340
 AACTTGTTAG CCATCCATTA TCGCATCTGC AAAATGGGGA TTAAGAAATG AATCTTGGGG 2400
 TTAGTGTGGA GATTAGATTA AATGTATGTA AGACACTTGG CACAAAACCT GGCACATAGT 2460
 AAAGGCTCAA TAAAACAAG TGCCTCTCAC TGGCTTTGT CAACACG

Seq ID NO: 471 Protein sequence
Protein Accession #: CAC08451

1 11 21 31 41 51
 MSRMLPFLLL LWFLPITEGS QRAEPMPTAV TNSVLPDIDY SNPTQLNYGV AVTDVDHDDG 60
 FEIVVAGYNG PNLVLKYDRA QKRLVNIADV ERSSPYVALR DRQNAIGVT ACDIDGDGRE 120
 EIYFLNTNNA FSGVATYTDK LPKFRNNRWE DILSDEVNVA RGVASLFAGR SVACVDRKGS 180

ATGAACTCAG TGCTGGAGAT CCTCTACCCC CGGGATGAGG ACACACTTCA GGACCCAGCC 4380
CCACTGGAGT FTGGCCAAGG ATTCTCCCAG CAGGAAAATG GCCATTGCAT GGACACCAAT 4440
GAATGCATCC AGTTCCTTCT CGTGTGCCCT CGAGACAAGC CCGTATGTGT CAACACCTAT 4500
5 GGAAGCTACA GGTGCCGAC CAACAAGAAG TGCAGTCCGG GCTACGAGCC CAACGAGGAT 4560
GGCACAGCCT CGGTGGGTAC TGAGCTAGGC TCTAGGCATA CAATGACGCTG GAAACCAAGG 4620
CCCAAAAAGG AGCTGCAACT TTCCAAAGGC ATCTGCACCC CCGTCTGGTC CTTTTCTCTG 4680
CCGGGTTGCC GGCTGCTCCT CAAAAGAGCT CAGCTCCAGG CTGCTCCAG CACCCTTCTC 4740
CAGAAAGCTC CAGGTATTCC AGAAGCCCAA GTGTATGAAC AAGATCAGGA ATAA

Seq ID NO: 473 Protein sequence
Protein Accession #: FGENESH predicted

1 11 21 31 41 51
MACPGGLPAR CSGWMGLGPP SSSSPASPPH SSSRYNGPNL VLKYDRAQKR LVNIAVDERS 60
SPFYALRDRQ GNAIGVTACD IDGDGREEIY FLNTNNAFSG HSSSAQVPSG LHRNRPVLKP 120
PPTTPAGLLG LPPLSGRDFSS SLLGQASPDSS RQGERVPVPC CRGGLRPTHE PEPFLLRPKS 180
20 GVATYTDKLF KFRNNWEDI LSEVNVVARG VASLFAGRSV ACVDRKSGSR YSIYIANYAY 240
GNVGPDALEI MDPEASDLRS GILALRDVAE EAGVSKYTEG FSHTASPSIG EISGRTEERE 300
GGDPPEADEE HSGDGSSTQL CRLGWKDGQF KEAAALVEE QREAGAAGVP RGRVRTALQT 360
SKSHLADKNL FGPPCYYSVC APSPAHPFA RQAPQHYVPA PLVTQLMTHG RLAGKLARSV 420
PHPRAPGMDP KCKGRHAEFG LMAEALGAWP ALSTTVVPGG LRSWEESRQK GQAMSRCALR 480
ELGGPWSQAT QHLPALEYLD LGEPPILQRT DGDGPRRRDS PKVTQECHLV ATPALGGLE 540
GPGRVAKREI GRETAGVGRP LSHPLVFNPP SCLRPLEAGT VPGAALPGNP GNWVLDMAKA 600
25 LAWNQMEKEE GKIHGDHFRP FRLRKAREAE FPPGSSEEP LQPPSGLRGS PVLQVGLGLA 660
SATHCGSMSF LGGRGVSVGP ILSSSASDIF CDNENGNPFL FHNRRDGTFF DAAASAERLL 720
AFIVHLKYHL CRDFPHSLCH LAETGPPSSC CPWHARLLQA PHCHHGLSMS FTRTGSRFYS 780
FLTQGLASSA HRRTLSLQGS QGAPPCLLAR APCVLGSLIP TAYYIVLWSA IPESLMTHSY 840
LSSERVNVGV DDPHQHGRGV ALADFNRDVK VDIVYGNWNG PHRLYLQMS T HGVKVRFRDIA 900
30 SPKFSMPSPV RTVITADFND DQELEIFFN IAYRSSANR LFRCSILARG SSSLTAGGRN 960
GQEGELRIRR GGFPGPGQGA KVNTGPIMLKX QKGRKDEEWA RCGNAGQSL AKEPASAIAG 1020
KKGKQVAQSV PRTQAPQDTK PHYHKKGLQG PITTTRKRYG VQSLPGKGT GSNHYQEKGL 1080
RGPITTRKRG YGVQSLPGKG ATGSNHQYEQ GLQGPITTRK RGYGLQSLPG KGATGSNHVH 1140
RKGLRAPITT RKRGRVQVSL PGKGTGSNH YQEKGLRGI TTRKRYGLQ SLPGKGTGS 1200
35 NHYQEKGLQG PITTTRKRYR YSLPQKGT GSNHYQEKGL RGPITTRKRG YGLQSLPGKE 1260
AMGSNHQYEQ GLRAPITTRK RGYVQSLPG KGATGSNVIR REHGDPLIEE LNPGDALPE 1320
GRGTGGVVD FDGDMGLDLI LSHGESMAQP LSVFRGNQGF NNNWLRVVPR TRFGAFARGA 1380
KVVLYTKKSG AHLRIIDGGS GYLCEMEPVA HFGLGKDEAS SVEVTWPDGK MVSRRNVASGE 1440
MNSVLEILYP RDEDLQDPA PLECGGQFSQ QENGHCMDTN ECIQFPFVCP RDKPVCVNTY 1500
40 GSYRCRTNKK CSRGYEPNED GTACVGTTEL SRHTMTWKP PKKELQLSQG ICTPVWSPFL 1560
PGCRLLKRA QLQAAPSTLL QKAPGPEAQ VYEQDQE

Seq ID NO: 474 DNA sequence
Nucleic Acid Accession #: NM_003661.1
Coding sequence: 1..1152

1 11 21 31 41 51
ATGAGTGCAC TTTTCTTGG TGTGGGAGTG AGGGCAGAGG AAGCTGGAGC GAGGGTGCAA 60
50 CAAAACGTTT CAAGTGGGAC AGATACTGGA GATCCTCAA GTAAGCCCCT CGGTACTGG 120
GCTGCTGGCA CCATGGACCC AGAGAGCAGT ATCTTTATTG AGGATGCCAT TAAGTATTTT 180
AAGGAAAAAG TGAGCACACA GAATCTGCTA TCCTGCTGA CTGATAATGA GGCCTGGAAC 240
GGATTCTGTT CTGCTGCTGA ACTGCCCAGG AATGAGGCAG ATGAGCTCCG TAAAGCTCTG 300
55 GACAACCTTG CAAGACAAT GATCATGAAA GACAAAACT GGCACGATA AGGCCAGCAG 360
TACAGAAACT GGTTCCTGAA AGAGTTTCTT CCGTTGAAAA GTGAGCTTGA GGATAACATA 420
AGAAGGCTCC GTGCCCTTGC AGATGGGGTT CAGAAGTCC ACAAAGGCAC CACCATCGCC 480
AATGTGGTGT CTGGCTCTCT CAGCATTTC TCTGGCATCC TGACCTCTGT CGGCATGGGT 540
CTGGCACCTT TCACAGAGGG AGGCAGCCTT GTACTCTTGG AACCTGGGAT GGAGTTGGGA 600
60 ATCACAGCCG CTTTGACCGG GAITACCAGC AGTACCATGG ACTACGGAAA GAAGTGGTGG 660
ACACAAGCCC AAGCCCACGA CCTGGTCATC AAAAGCCTTG ACAAAATGAA GGAGGTGAGG 720
GAGTTTTTGG GTGAGAACAT ATCCAACCTT CTTTCTTAG CTGGCAATAC TTACCAACTC 780
ACACGAGGCA TTGGGAAGGA CATCCGTGCC CTCAGACGAG CCAGAGCCAA TCTTCAGTCA 840
GTACCGCATG CACTAGCCTC AGCCCCCGG GTCACGTAGC CAATCTCAGC TGAAAGCGGT 900
65 GAACAGGTGG AGCAGGGTAA TGAACCCAGC ATCCTGAAA TGAGCAGAGG AGTCAAGCTC 960
ACGGATGTGG CCCCTGTAA GCTCTTCTT GTGCTGGATG TAGTCTACCT CGTGTACGAA 1020
TCAAAGCACT TACATGAGG GGCAAAGTCA GAGACAGCTG AGGAGCTGAA GAAGGTGGCT 1080
CAGGAGCTGG AGGAGAAGCT AAACATTCTC AACAATAAT ATAAGATTCT GCAGGCGGAC 1140
CAAGAACTGT GA

Seq ID NO: 475 Protein sequence
Protein Accession #: NP_003652.1

1 11 21 31 41 51
MSALFLGVGV RAEEAGARVQ QNVPSGTDG DPQSKPLGDW AAGTMDPES IFIEDAIKYF 60
75 KEKVSTQNL LLLTNEAWN GFVAAELPR NEADELRKAL DNLARQIMX DKNWHDKGGQ 120
YRWNFLKEFP RLKSELEDNI RRLRALADGV QKVHKGTTIA NVVSGSLIS SGILTLVGMG 180
LAPFTEGSSL VILLEPMELG ITAALTGITS STMDYGGKWW TQAQAHDLVI KSLDKLKEVR 240
80 EFLGENISNF LSLAGNTYQL TRGIGKDIRA LRRARANLQS VPHASASRPR VTEPISAESG 300
EQVERVNEPS ILEMSRGVKL TDVAPVSFFL VLDVVVLVYE SKHLHEGAKS ETAEELKKVA 360
QELEEKLNIL NNNYKILQAD QEL

Seq ID NO: 476 DNA sequence
Nucleic Acid Accession #: NM_014452.1
Coding sequence: 1..1968

1 11 21 31 41 51

ATGGGGACCT CTCGAGCAG CAGCACCGCC CTGGCTCCT GCAGCCGCAT GCGCCGCCGA 60
GCCACAGCCA CGATGATCG GGGCTCCCTT CTCTGTCTG GATTCCCTAG CACCACCACA 120
GCTCAGCCAG AACAGAAGCG CTCGAAATCTC AITGGSCACAT ACCGCCATGT TGACCGTGCC 180
ACCGGGCCAG TGCTAACCTG TGACAAGTGT CCAGCAGGAA CCTATGTCTC TGAGCATTGT 240
ACCAACACAA GCGCTGCGGT CTGCAGCAGT TGGCCTGTGG GGACCTTAC CAGGCATGAG 300
AATGGCATAG AGAAATGCCA TGACTGTAGT CAGCCATGCC CATGGCCAAT GATTGAGAAA 360
TTACCTTGTG CTGCGCTTAC TGACCGAGAA TGCACTTGCC CACCTGGCAT GTTCCAGTCT 420
AACGCTACCT GTGCCCCCA TACGGTGTGT CCTGTGGGT GGGGTGTGG GAAGAAAGGS 480
ACAGAGACTG AGGATGTGCG GTGTAGCAG TGTGCTCGGG GTACCTTCTC AGATGTGCCT 540
TCTAGTGTGA TGAATGCAA AGCATACACA GACTGTCTGA GTCAGAACCT GGTGGTGATC 600
AAGCCGGGGA CCAAGGAGAC AGACAACGTC TGTGGCACAC TCCCGTCTT CTCCAGTCC 660
ACCTCACCTT CCCCTGGCAC AGCCATCTTT CCACGCCCTG AGCATGCGA AATCCATGAA 720
GTCCCTTCCT CCACTTATGT TCCCAAAGGC ATGAACTCAA CAGAATCCAA CTCTTCTGCC 780
TCTGTAGAC CAAAGGTAAT GAGTAGCATC CAGGAAGGGA CAGTCCCTGA CAACACAAGC 840
TCAGCAAGGG GGAAGGAAGA CGTGAACAAG ACCCTCCCAA ACCTTCAGGT AGTCAACCAC 900
CAGCAAGGCC CCCACACAG ACACATCCTG AAGTGTCTGC CGTCCATGGA GGCACCTGGG 960
GGCGAGAAGT ATCCAGCCCA CATCAAGGGC CCCAAGAGGG GACATCCTAG ACAGAACCTA 1020
CACCAAGCATT FTGACATCAA TGAGCATTTG CCTGTGATGA TTGTGCTTTT CCGTCTGCTG 1080
GTGCTTGTGG TGATTGTGGT GTGCAGTATC CGGAAAAGCT CGAGGACTCT GAAAAGGGG 1140
CCCCCGCAGG ATCCAGGATC CATTGTGGAA AAGGCAGGGC TGAAGAAATC CATGACTCCA 1200
ACCCAGAACC GGGAGAAATG GATCTACTAC TGCAATGGCC ATGGTATCGA TATCTGAAG 1260
CTTGTAGCAG CCAAGTGGG AAGCCAGTGG AAAGATATCT ATCAGTTTCT TTGCAATGCC 1320
AGTGAGAGGG AGGTTGTCTG TTTCTCCAAT GGGTACACAG CCGACCAGG GCGGGCTTAC 1380
GCAGCTCTGC AGCACTGAGC CATCCGGGGC CCCGAGGCCA GCCTCGCCCA GCTAATTAGC 1440
GCCCTGCGCC AGCACCGGAG AAACGATGTT GTGGAGAAGA TTCGTGGCT GAATGGAAGAC 1500
ACCACCCAGC TGGAAACTGA CAAACTAGCT CTCGGATGA GCCCCAGCCC GCTTAGCCCG 1560
AGCCCCATCC CCAGCCCAA CGCGAAACTT GAGAAATCCG CTCCTCTGAC GGTGGAGCCT 1620
TCCCACAGG ACAAGAACAA GGGCTTCTC GTGGATGAGT CGGAGCCCTT TCTCCGCTGT 1680
GACTCTACAT CCAGCGGCTC CTCGGCGCTG AGCAGGAACG GTTCTTTAT TACCAAAGAA 1740
AAGAAGGACA CAGTGTTCGG CGAGGTACCG CTGGACCCCT GTGACTTGA GCCTATCTTT 1800
GATGACATGC TCCACTTCT AAATCCTGAG GAGCTGCGGG TGATTGAAGA GATTCCCCAG 1860
GCTGAGGACA AACTAGACC GCTATTGGAA ATTATTGGAG TCAAGAGCCA GGAAGCCAGC 1920
CAGACCCTCC TGGACTCTGT TTATAGCCAT CTCCTGACC TGCTGTAG

Seq ID NO: 477 Protein sequence
Protein Accession #: NP_055267.1

MGTSPPSSSTA LASCRIARR ATATMIAGSL LLLGLPLSTTT AQPEQKASNL IGTYRHVDRA 60
TGQVLTCDDK PAGYVSEHC TNSLRLVCS CPVGFTRHE NGIEKCHDCS QPCPWEMIEK 120
LPCAAITDRE CTCPPGFQMS NATCAPHTVC PVGWVVRKKG TETEDVRCKQ CARGTFSVDP 180
SSVMKCKAYT KLCLQNLFVVI KPQTKETDNV CGTLPSPFSSS TSPSPGTAIF PRPEHMETHE 240
VPSSTYVPGK MNSTESNSSA SVRPKVLSSI QEGTVPDNTS SARGKEDVNK TLPNLQVNVH 300
QQPPhRRHIL KLLPSMEATG GEKSTPIKG PKRGHPRQNL HKHFDINEHL PWMIVLFLLL 360
VLVIVVCSI RKSRTLKKG PRQDPSAIVE KAGLKKSMTP TQNREKWIYY CNGHGDILK 420
LVAAQVGSOW KDIYQFLCNA SEREVAAFSN GYTADHERAY AALQHWIRG PEASLAQLIS 480
ALRQHRNDV KEIRGLMED TTQLETDKLA LPMSPLSLSP SPIPSNAKL ENSALLTVEP 540
SPQDKNKGFV VESEPLLRCS DSTSSGSSAL SRNGSFITKE KKDVTLRQVR LDFCDLQPIF 600
DDMLHFLNPE ELRWIEEIPQ AEDKLDRLFE IIGVKSQEAS QTLDSVYSH LPDLL

Seq ID NO: 478 DNA sequence
Nucleic Acid Accession #: XM_044533
Coding sequence: 238..2751

GCTCTGCCCA AGCCGAGGCT GCGGGGCCGG CGCCGGCGGG AGGACTGCGG TGCCCCCGGG 60
AGGGGCTGAG TTTGCCAGGG CCCACTTGAC CTGTTTCCC ACCTCCCAGC CCCAGGTCC 120
GGAGGCGGGG GCGACTCGGG GCGGACCGCG GGGCGGAGCT GCGCCCCGTC 180
AGTCCGGCCG AGCCACCTGA GCCCGAGCCG CCGGACACCG TCGCTCTGCT TCTCCGAATG 240
CTGCGCACCC CGATGGGCCT GAGGAGCTGG CTCGCCCCC CATGGGCGCG GCTGCGCCCT 300
CGGCCACCCG TGCTGTGCTC CTGTCTGCTG CTGCTCCTGC TGCAGCCGCC GCTCCGAGC 360
TGGCGCTCA GCCCCCGGAT CAGCCTGCTC CTGGGCTCTG AAGAGCGGCC ATTCCTCAGA 420
TTGGAAGCTG AACACATCTC CAACATACCA GCCCTTCTGC TGAGCAGGGA TGGCAGGACC 480
CTGTACGTGG GTGTCTGAGA GGCCTTCTTT GCACTCAGTA GCAACCTCAG CTCTCTGCCA 540
GGCGGGGAGT ACCAGGAGCT GCTTTGGGGT GCAGACGCAG AGAAGAAACA GCAGTGCAGC 600
TTCAGGGCA AGGACCAACA GCGCGACTGT CAAAACACTACA TCAAGATCCT CCGTCCGCTC 660
AGCGGCGAGT ACCTGTTTAC CTGTGGCACA GCAGCCTTCA GCCCCATGTC TACTACATC 720
AACATGGAGA ACTTCAACCT GGCAAGGGAC GAGAAGGGGA ATGCTCTCTT GGAAGATGGC 780
AAGGGCCGTT GTCCCTTCGA CCGGAATTTC AAGTCCACTG CCCTGGTGTG TGATGGCAG 840
CTCTACACTG GAACAGTCA GAGCTTCCAA GGAATGACC CGGCCATCTC GCGAGCCAA 900
AGCTTCTGCC CCACCAAGAC CGAGAGCTCC CTCAACTGGC TGCAAGACCC AGCTTTTGTG 960
GCCTCAGCCT ACATCTCTGA GAGCCTGGGC AGCTTGC AAG GCGATGATGA CAAGATCTAC 1020
TTTTCTTCA GCGAGACTGG CCAGGAATTT GAGTCTTTG AGAACCCAT TGTGTCCTC 1080
ATTGCCCGCA TCTGCAAGGG CGATGAGGGT GGAGAGCGGG TGCTACAGCA GCGCTGGACC 1140
TCTTCTCCTA AGGCCCCGCT GTGTGCTCA CGGCCCGACG ATGCTTCCC CTCACACTG 1200
CTGCAGGATG TCTTCCAGCT GAGCCCCAGC CCCAGGACT GGGGTGACAC CCTTTTCTAT 1260
GGGCTTCTCA CTCCTCAGTG GCACAGGGA ACTACAGAAG GCTCTGCCCT CTGTGTCTTC 1320
ACAATGAAGG ATGTGCAGAG AGTCTTCAGC GGCTCTACA AGGAGGTGAA CCGTGAGACA 1380
CAGCAGTGGT ACACCGTGAC CCACCGGGT CCCACACCCC GGCCTGGAGC GTGCATCACC 1440
AACAGTCCC GGAAGGAAG GATCAACTCA TCCCTGCAGC TCCAGACCG CTGTCTGAAC 1500
TTCTCAAGG ACCACTTCT GATGGACGG GAGGTCGAA GCGCATGCT GCTGCTGCAG 1560
CCCCAGGCTC GCTACCAGCG CGTGGCTGTA CACCGCTGCC CTGGCCTGCA CCACACTAC 1620
GATGTCCTCT TCCGCGCAC TGGTGAACGG CCGCTCCACA AGGCAAGTGG CTGTGGCCCC 1680
CGGCTGCACA TCATGAGGA GCTGAGATC TTCTCATCGG GACAGCCCGT GCAGAAATCTG 1740

CTCTGGACA CCCACAGGG GCTGCTGTAT GCGGCCTCAC ACTCGGGCGT AGTCCAGGTG 1800
 CCCATGGCCA ACTGCAGCCT GTACAGGAGC TGTGGGGACT GCCTCCTCGC CCGGGACCCC 1860
 TACTGTGCTT GGAGCGGCTC CAGCTGCAAG CACGTGAGCC TCTACCAGCC TCAGTGGGCC 1920
 ACCAGGCCGT GGATCCAGGA CATCGAGGGA GCCAGCGCCA AGGACCTTTG CAGCGCGTCT 1980
 5 TCGGTTGTGT CCGCGTCTTT TGTACCAACA GGGGAGAAGC CATGTGAGCA AGTCCAGTTC 2040
 CAGCCCCACA CAGTGAACAC TTTGGCCTGC CCGTCTCTCT CCAACCTGGC GACCCGACTC 2100
 TGGCTACGCA ACGGGGCCCC CGTCAATGCC TCGGCCCTCT GCCACGTGCT ACCCACTGGG 2160
 GACCTGCTGC TGGTGGGCAC CCAACAGCTG GGGGAGTTCC AGTGTGGTC ACTAGAGGAG 2220
 GGCTTCCAGC AGCTGGTAGC CAGTACTGTC CCAGAGTGG TGGAGGACGG GGTGGCAGAC 2280
 10 CA AACACAGATG AAGGTGGCAG TGTACCCGTC ATTATCAGCA CATGCGTGT GAGTGCACCA 2340
 GCTGTGTGGA AGGCAGCTG GGTGAGCAGC AGGTCCTACT GGAAGGAGTT CCTGTTGATG 2400
 TGCCAGCTCT TGTGTGTGCG CGTGTGCTCT CCAGTTTTAT TCTTGTCTTA CCGGCACCGG 2460
 AACAGCATGA AAGTCTTCCT GAAGCAGGGG GAATGTGCCA GCGTGCACCC CAAGACCTGC 2520
 CCTGTGGTGC TGCOCCTGA GACCCGCCCA CTCAACGSGC TAGGGCCCCCC TAGCACCCCG 2580
 15 CTCGATCACC GAGGGTACCA GTCCTGTGCA GACAGCCCC CCGGGTCCCG AGTCTTCACT 2640
 GAGTCAGAGA AGAGGCCACT CAGCATCCAA GACAGCTTCG TGGAGGTATC CCCAGTGTGC 2700
 CCCCCGGCCC GGGTCCGCTT TGGCTCGGAG ATCCGTGACT CTGTGGTGTG AGAGCTGACT 2760
 TCCAGAGGAC GCTGCCCTGG CTTACGGGGG TGTGAATGCT CGGAGAGGTT CAACTGGACC 2820
 TCCCTCCGCG TCTGCTCTTC GTGGAACAGC ACCGTGGTGC CCGGCCCTTG GGAGCCTTGG 2880
 20 GGCCAGCTGG CCTGCTGCTC TCCAGTCAAG TAGCGAAGCT CCTACCACC AGACACCCAA 2940
 ACAGCCGTGG CCCCAGAGT CTGGGCCAAA TATGGGGGCC TGCCTAGGTT GGTGGAAACAG 3000
 TGTCTCCTAT GTAAACTGAG CCCTTTGTTT AAAAAACAAT TCCAAATGTG AAAC TAGAAT 3060
 GAGAGGGAAG AGATAGCATG GCATGCAGCA CACACGGCTG CTCCAGTTCA TGGCCTCCCA 3120
 GGGGTGCTGG GGATGCATCC AAAGTGGTTG TCTGAGACAG AGTTGGAAAC CCTACCAAAC 3180
 25 TGGCCTTTC ACCTTCCACA TTATCCCGCT GCCACCGCT GCCCTGCTC ACTGCAGAIT 3240
 CAGGACCAGC TTGGGCTGGG TGGTTCCTGC CTGGCCAGTC AGCCGAGGAT GTAGTGTGTG 3300
 CTGCGTCTGT CCCACCCT CAGGACCAG AGGGCTAGT TGGCACTGG GCCCTCAAC 3360
 GGTCTCGGC TCGACCCAA CTCTGGACC TTCCAGCCT GTATCAGGCT GTGGCCACAC 3420
 GAGAGGACAG CCGAGCTCA GGAGAGATT CGTGACAATG TAGCCCTTTC CCTCAGAAT 3480
 30 CAGGGAAGAG ACGTGCCTT CCCTTCTCTC GTTGTGCGT GAGAACCCTT GTGCCCCTTC 3540
 CCACCATATC CACCTCGCT CCATCTTGA ACTCAAACAC GAGGAACATA CTCACCCCTG 3600
 GTCCTCTCCC CAGTCCCCAG TTCACCCCTC ATCCCTCACC TTCCTCCACT CTAAGGGATA 3660
 TCAACACTGC CCAGCAGAG GGCCTGAAT TTATGTGTT TTTATACATT TTTTAATAAG 3720
 ATGCACTTTA TGTCATTTT TAATAAAGTC TGAAGAATTA CTGTTT

Seq ID NO: 479 Protein sequence
 Protein Accession #: XP_044533.3

1 11 21 31 41 51
 | | | | |
 40 MLRTAMGLRS WLAAPWGALE FRPPLLRLLL LLLLLQPPPP TWALSPRISL PLGSEERPFL 60
 RFEAEHISNY TALLLSRDRG TLYVGAREAL FALSSNLSFL PGGEYQELLW GADAEEKKQC 120
 SFKGRDQPRD QONIKILLP LSGSHLFTCG TAAPFPMCTY INMENFTLAR DEKNVLLBED 180
 GKGRCPFDPN FKSTALVVDG ELYTGTVSSF QGNDPAISRS QSLRPTKTES SLNLWLQDPAP 240
 45 VASAYIPESL GSLQDDDKI YFFFSETGQE FEFFENTIVS RIARICKGDE GGERVLQQRV 300
 TSPFLKAQLLC SRPDGPFNF VLQDVPFTLSP SPQDWRDTLF YGVFTSQWHR GTTEGSAVCV 360
 FTMKDVQRVF SGLYKEVNR TQQWYVTHP VPTPRGACI TNSARERKIN SSLQLPDRVL 420
 NFLKDHLMD GQVRSRMLLL QPQARYQRVA VHRVPLHHT YDVLFLGTGD GRHLKAVSVD 480
 PRVHIIEELQ IFSSGQPQVN LLLDTHRGLL YAASHSGVVQ VPMANCSLYR SCGDCLLARD 540
 50 PYCAMSGSSC KHVSLYQQL ATRPWIQDIE GASAKDLCSA SSVVSPSPV TGEKPCEQVQ 600
 FQNTVNTLA CPILLSNLATR LWRNMGAPVN ASASCHVLPT GDLLLVGTQQ LGEFQWSLE 660
 EGFQQLVASV CPEVEDGVA DQTEGGSPV VIISTSRVSA PAGGKASWGA DRSYWKEFLV 720
 MCTLPVLAFL LPVLPLLXRH RNSMKVFLKQ GECAVHPKT CPVVLPPETR PLNGLGPPST 780
 PLDHRGYSLS SDSPPGSRVF TESEKRPLSI QDSFVEVSPV CPRPRVRLGS EIRDSVV

Seq ID NO: 480 DNA sequence
 Nucleic Acid Accession #: NM_004217.1
 Coding sequence: 58..1092

1 11 21 31 41 51
 | | | | |
 60 GGCCGGGAGA GTAGCAGTGC CTTGGACCCC AGCTCTCCTC CCCCTTTCTC TCTAAGGATG 60
 GCCCAGAAGG AGAACTCCTA CCCCCTGGCC TACGGCCGAC AGACGGCTCC ATCTGGCCTG 120
 AGCACCTGCG CCCAGCGAGT CCTCCGGAAA GAGCCTGTGA CCCCATCTGC ACTTGTCTTC 180
 65 ATGAGCCGCT CCAATGTCCA GCCCAGAGCT GCCCTGGCC AGAAGGTGAT GGAGAATAGC 240
 AGTGGGACAC CGGACATCTT AACCGGCAC TTCACAATG ATGACTTTGA GATTGGGCGT 300
 CCTCTGGGCA AAGGCAAGTT TGGAAACGTC TACTTGGCTC GGGAGAAGAA AAGCCATTTCT 360
 ATCGTGGCGC TCAAGTCTCT TTCAAGTCC CAGATAGAGA AGGAGGGCGT GGAGCATCAG 420
 CTGCGCAGAG AGATCGAAT CCAGGCCCAC CTGCACCATC CCAACATCCT CGTCTCTAC 480
 70 AACTATTTTT ATGACCCGAG GAGGATCTAC TTGATTCTAG AGTATGCCCC CCGCGGGAG 540
 CTCTACAAGG AGCTGCAGAA GAGCTGCACA TTGACGAGC AGCGAACAGC CACGATCATG 600
 GAGGAGTTGG CAGATGCTCT AATGTACTGC CATGGGAAGA AGGTGATTCA CAGAGCATA 660
 AAGCCAGAAA ATCTGCTCTT AGGGCTCAAG GGAGAGCTGA AGATGTGTA CTTGGGCTGG 720
 TCTGTGCATG CGCCCTCCCT GAGGAGGAAG ACAATGTGTG GCACCCCTGGA CTACCTGCC 780
 75 CCAGAGATGA TTGAGGGGCG CATGCACAAT GAGAAGTGG ATCTGTGTGT CATTTGAGTG 840
 CTTTGTCTAT AGCTCTGGT GGGGAACCCA CCTTGTGAGA GTGCATCACA CAACGAGACC 900
 TATCGCCGCA TGTCAAGTT GGACCTAAG TTCCCGGCT CTGTGCCAC GGGAGCCAG 960
 GACCTCATCT CCAACTGCT CAGGCATAAC CCTCGAAT CGGTGCCCTT GGCCGAGTC 1020
 80 TCAGCCACC CTGGGTGGC GGCACACTCT CGGAGGGTGC TGCTCCCTC TGCCCTCAA 1080
 TCTGTCCCT GATGTCCCT GTCACTTCT CCGGTGCGTG TGTGTTGATG TCTGTGATG 1140
 TATAGGGGAA AGAAGGGATC CCAACTGTT CCTTATCTG TTTCTACCT CCTCCTTGT 1200
 TTAATAAAG CTGAAGCTTT TTGT

Seq ID NO: 481 Protein sequence
 Protein Accession #: NP_004208

1 11 21 31 41 51

5 MAQKENSYPW PYGRQTPAPSG LSTLPQRVLR KEPVTPSALV LMSRSNVQPT AAPGQKVMEN 60
SSGTPDILTR HFTIDDFEIG RPLGKGFKN VYLAREKKSH FIVALVKLFLK SQISKEGVFH 120
QLRRSEIQG HLHHPNLLRL YNYFYDRRRI YLILEYAPRG ELYKELQKSC TFDEQRTATI 180
MEELADALMY CHGKRVHHRD IKPENLLGL KGELKIADFG WSVHAPSLRR KTMCGTLDVL 240
PPEMI EGRMH NEKVDLWCIG VLCYELLVGN PPFESASHNE TYRRIVKVDL KFPASVPTGA 300
QDLISKLLRH NPSERLPLAQ VSAHPWVRAN SRRVLPSPAL QSVQ

10 Seq ID NO: 482 DNA sequence
Nucleic Acid Accession #: AK055663
Coding sequence: 38..1423

15 1 11 21 31 41 51
AGAACGGCCT CCGGCGGGAG CTGTGCAGCT CCTTATCATG GGGACAATTC ATCTCTTTCG 60
AAAACCACAA AGATCCTTTT TTGGCAAGTT GTTACGGGAA TTTAGACTTG TAGCAGCTGA 120
CCGAAGGTC TGGAGAGTAC TGCTCTTTGG TGAATAAATC TTGATATGTA CTGGCTTCCCT 180
GCCTTAGTGG TGCAGTICTA CTAATAGTAT AGCTTTAACT GCCTATACTT ACCTGACCAT 240
TTTGTATCTT TTTAGTTTAA TGACATGTTT AATAAGTTAC TGGGTAACAT TGAGGAAACC 300
TACGCCCCTG TATTCTATTG GGTGTGAAAG ATTAGAAATC CTGGCTGTAT TTGCCCCTCA 360
AGTCTTGGCA CAGTTGGGAG CTCTCTTAT ATTAAAAGAA AGTGCAGAAC GCTTTTGGGA 420
ACAGCCCAGG ATACACACCG GAAGATTATT AGTTGGTACT TTTGTGGCTC TTTGTTTCAA 480
CCTGPTCACG ATGCATTTCTA TTCCGAAATA ACCTTTTGCT TATGCTCAG AAGCTGCTAG 540
TACGAGCTGG CTTCAAGAGC ATGTTGCAGA TCTTAGTCGA AGCTGTGTG GAATTATTCC 600
GGGACTTAGC AGTATCTTCC TTCCCAGAA GAATCCATT GTTTTGATTG ATCTTGCTGG 660
AGCATTGTCT CTTTGTATTA CATATATGCT CATTGAAATT AATAATTATT TTGCCGTAGA 720
CACTGCCTCT GCTATAGCTA TTGCCTTGAT GACATTGGC ACTATGTATC CCATGAGTGT 780
GTACAGTGGG AAGTCTTAC TCCAGACAA ACCACCCCAT GTTATTGGTC AGTTGGACAA 840
ACTCATCAGA GAGGTATCTA CCTTAGATGG AGTTTTAGAA GTCGGAATG AACATTTTGG 900
GACCCTAGGT TTTGGCTCAT TGCCCTGATC AGTGCAATG AGAATTCGAC GAGATGCCAA 960
TGAACAAATG GTTCTGTCT ATGTGACCAA CAGGCTGTAC ACTCTAGTGT CTAECTAAC 1020
TGTTCAAATT TTCAAGGATG ACTGGATTAG GCCTGCCTTA TTGTCTGGC CTGTGTCAGC 1080
CAATGTCCCTA AACTTTTCAG ATCATCACT AATCCCAATG CCTCTTTTAA AGGGTACTGA 1140
TGATTTGAAC CCACTTACAT CAATCCAGC TAAACCTAGT AGTCCACCTC CAGAATTTTC 1200
ATTTAACACT CCTGGGAAAA ATGTGAACCC AGTTATTCTT CTAACACAC AAACAAGGCC 1260
TTATGGTTTT GGTCTCAATC ATGGACACAC ACCTTACAGC AGCATGCTTA ATCAAGGACT 1320
TGGAGTTCCA GGAATTGGAG CAACTCAAGG ATTGAGGACT GGTTTTACAA ATATACCAAG 1380
TAGATATGGA ACTAATAATA GAATTGACA ACCAAGACCA TGATAGACTT TAACATFATT 1440
TTATAAGGAA TATTGACTCC TTGGCTTCCA ATTTATTTAG TAATCCAAC TTGCATTGAC 1500
TGTTAATCA TTTACTCTAA ATGTTAGATA ATAGTAGTCT TGTTCAACTT TCATGAAACC 1560
TATGAAACTA TATTTTGTGA AAATGTATTT GTGACAGTGA AATCCTCGTA AATGTTAAAG 1620
GCTTTAATA GCTTCCCTTT AGAAAATGTG TTTCTTAAA TTTGGATTTT GGTATCTTTG 1680
GTTTGTAGT TGACTGCAGT GTGATGTGAC CTTACCTTTA TAAGAGCCAC TTGATGGAGT 1740
AGATCTGTCA CATTACTAAG ATACGATATT TCTTTTTTTT TCCGAGACGG AGTCTGTGCT 1800
TGCCACTGTG CCGGCCCAAT ACATTATTAT TAACCTAAGC CTGTACTTTA TTAAGGCTTC 1860
CTTAGTTTTT GTTTGTGTTT GTTTTTTGAG ATGGAGTCTC ACTCTGTGCG CCAGGCTGGA 1920
ATGCAGTGGC ATGATCTCAG CTCACCTGCA CCTCTGCTC CTGAGTTCAA ATGATTCTCC 1980
TGCCCTCAGC TCCCGAGTAG CTGGGATTAC AGGCACCTGC CACCACGCC AGCTAATTTT 2040
TGTATTTTTA GTAAGACCGG GGGATTTTAC CATGTGCGC AGGCTGGTCT TGAATCCTG 2100
ACCTCATGAT CCACCCACT TAGCCCTCCA AAGTGCTGGG ATTAGGTGTG AGCCACCGCA 2160
CCTGGCCGAT ATTTCTTTTA ATGAAATTTA TAAATATGCT TCTTGAATAA TACACATTTT 2220
GGGAAAGGGA AAAATGTCTG TTCAAAAAGT AAAGTCTCT TTTATAGCTT TTCCAAACTT 2280
AATTGCTAAA TTTTTCTTTG AGGTTCTCTT GAATTATGTC TTACAACTA AAAGCAAAAA 2340
TTTTAGCAG AAAATTTTGA ATACATCTA TCTAGCACAA TTTGAATTTT TAATTATCAA 2400
GATTTTTGTT AAAGTCTCTC TCCTTAAAA ATTTTAGTAC ATTTGTAAT

Seq ID NO: 483 Protein sequence
Protein Accession #: BAB70980.1

60 1 11 21 31 41 51
MGTIHLFRKP QRSFPGKLLR EFRVAADRR SWKILLFGVI NLICTGFLM WCSSTNSIAL 60
TAYTYLTIFD LFSIMTCLIS YWVTLRKPSP VYSPGFERLE VLVAFSTVL AQLGALFILK 120
ESAERLEQP EIHTGRLLVG TFVALCFNLP TMLSIRNPF AIVSEAASTS WLQEHVADLS 180
RSLCGIIPGL SSIFLPRMNP FVLIDLAGAF ALCITYMLIE INNYPVAVDTA SAIAIALMTF 240
GTMYPMSVYS GKVLVQTPPP HVIGQLDKLI REVSTLDGVL EVRNEHPWTL GFGSLAGSVH 300
VRIRRDANEQ MVLAVHTNRL YTLVSTLTVQ IPKDDWIRPA LLSPVVAANV LNFSDHHVIP 360
MPLLKGTDDL NPVTSTPAKP SSPPEPFSFN TPQKVNVPVI LLNTQTRPYG FGLNHGHTPY 420
SSMLNQGLGV PGIGATQGLR TGFTNIPSRY GTMNRIGQPR P

Seq ID NO: 484 DNA sequence
Nucleic Acid Accession #: FGENESH predicted
Coding sequence: 1..900

75 1 11 21 31 41 51
ATGCCGCGG GGGAGCTGAG CGAGGCOGAG CGGCCCCGC TCCGGGCCCC GACCCCTCCC 60
CCGCGGCGCG GTAGCGCGCC CCCAGAGCTG GGCATCAAGT GCGTGTGTT GGGCGACGGC 120
GCCGTGGGCA AGAGCAGCCT CATCGTCAGC TACACCTGCA ATGGGTACCC CGCGCGCTAC 180
CGGCCCCACT CGCTGGACAC CTCTCTGCTT ACGTACGTTT AATCGCCCGT GCGGCGCGGT 240
GGCTGCGGGG GGCCTGTGCA CCGGGAGCT GGGCGGGCG TCTGCGGGG AGGCGGCGCA 300
GGACCCGGG GAGGAGACTG GAGCAGGCC CGAGGTGGG CTGGTGGGG CCAGGACGCT 360
CTTCCTAACT CAGGCTCTCT CCGCCCGCCC CCTGCAGTGC AAGTCTGTTT GGATGGAGCT 420
CCGGTGGGCA TTGAGCTCTG GGACACAGCG GGACAGGAG ATTTTGACCG ACTTCGTTCC 480
CTTGTCTACC CGGATACCGA TGTCTCCTG GCGTGTCTCA GCGTGGTGA GCCCAGCTCC 540
TTTCAAACA TCACAGAGAA ATGGCTGCCG GAGATCCGCA CGCAACAACC CCAGGCGCCT 600
GTGCTGCTGG TGGGACCCCA GGGCGACTG AGGGACGATG TCAACGTACT AATTCAGCTG 660

GACCAGGGGG GCGGGGAGG CCCCCTGCC CAACCCAGG CTCAGGCTCT GGCCGAGAAG 720
 ATCCGAGCCT GCTGCTACCT TGAGTGCTCA GCCTTGACGC AGAAGAAGCT GAAGGAAGTA 780
 TTTGACTCGG CTATTCTCAG TGCCATTGAG CACAAAGCCC GGCTGGAGAA GAAACTGAAT 840
 GCCAAGGTG TGCCACCCT CTCCCGCTGC CGCTGGAAGA AGTCTCTCTG CTTCTGTTGA

5

Seq ID NO: 485 Protein sequence
 Protein Accession #: FGENESH predicted

10 1 11 21 31 41 51
 | | | | | |
 MPPRELSEAE PPPLRAPTPP PRRRSAPPEL GIKCVLVGDG AVGKSSLIVS YTCNGYPARY 60
 RPTALDTPFSG TYVQSPVPRP GCGGAVHRGA GAGVSAGRR GPRGGDWSRP RGGAGAAQDA 120
 LPNSGSPRPA PAVQVLVDGA PVRIELWDTA GQEDFDRLRS LCYPDTPVFL ACPFSVQPSS 180
 15 FQNI TEKWL P EIRTHNPQAP VLLVGTQADL RDDVNVLIQL DQGGREGPVP QPQAQGLAEK 240
 IRACCYLECS ALTQKNLKEV FDSAILSIAIE HKARLEKRLN AKGVRTLRSR RWKRFPCFV

Seq ID NO: 486 DNA sequence
 Nucleic Acid Accession #: XM_063832.2
 Coding sequence: 1..711

20 1 11 21 31 41 51
 | | | | | |
 ATGCCGCGCC GGGAGCTGAG CGAGGCCGAG CCGCCCCCGC TCCGGGCCCC GACCCCTCCC 60
 CCGCGGCGGC GTAGCGCGCC CCCAGAGCTG GGCATCAAGT GCGTGCTGGT GGGCGACGGC 120
 25 GCGGTGGGCA AGAGCAGCCT CATCGTCAGC TACACCTGCA ATGGGTACCC CGCGCGCTAC 180
 CGGCCCACTG CGCTGGACAC CTCTCTCTGT CAAGTCTCTG TGGATGGAGC TCCGGTGGCC 240
 ATTGAGCTCT GGGACACAGC GGGACAGGAG GATTTTGACC GACTTCGTTT CTTTGTCTAC 300
 CCGGATACCG ATGCTCTTCT GCGTGTCTTC AGCGTGTGTC AGCCAGCTC CTTTCAAAC 360
 ATCACAGAGA AATGGCTGCC CGAGATCCGC ACGCACAAAC CCCAGGCGCC TGTGCTGCTG 420
 30 GTGGGCACCC AGGCCACCT GAGGACGAT GTCACAGTAC TAATTGAGCT GGACCAGGGG 480
 GGCCGGGAGG GCCCGGTGCC CCAACCCAG GCTCAGGTC TGGCCGAGAA GATCCGAGCC 540
 TGCTGCTACC TTGAGTGCTC AGCCTTGACG CAGAAGAAGT TGAAGGAAGT ATTTGACTCG 600
 GCTATTCTCA GTGCCATTGA GCACAAAGCC CGGCTGGAGA AGAAACTGAA TGCCAAAGGT 660
 GTGCGCACCC TCTCCGCTG CCGCTGGAAG AAGTCTCTCT GCTTCGTTTG A

Seq ID NO: 487 Protein sequence
 Protein Accession #: XP_063832.1

40 1 11 21 31 41 51
 | | | | | |
 MPPRELSEAE PPPLRAPTPP PRRRSAPPEL GIKCVLVGDG AVGKSSLIVS YTCNGYPARY 60
 RPTALDTPSV QVLVDGAPVR IELWDTAGQE DFDRLRSLCY PDTDVPLACF SVVQPSFPQN 120
 ITEKNLPEIR THNPQAPVLL VGTQADLRDD VNVLIQLDQG GREGPVPQPO AQGLAEKIRA 180
 45 CCYLECSALT QKNLKEVFDS AILSAIEHKA RLEKRLNAGK VRTLRSRCKW KFFCFV

Seq ID NO: 488 DNA sequence
 Nucleic Acid Accession #: NM_014398.1
 Coding sequence: 64..1314

50 1 11 21 31 41 51
 | | | | | |
 GGCACCGATT CCGGGCTCTG CCGGACTTGG CCGCACGCTG CAGAACCCTG CCCAGCGCCC 60
 ACCATGCCCC GGCAGCTCAG CCGCGCGGCC GCGCTCTTCG CGTCCCTGGC CGTAATTTTG 120
 55 CACGATGGCA GTCAAAATAG AGCAAAAGCA TTTCCAGAAA CCAGAGATTA TTCTCAACCT 180
 ACTGCAGCAG CAACAGTACA GGACATAAAA AAACCTGTCC AGCAACCAGC TAAGCAAGCA 240
 CCTCACAAA CTTTAGCAGC AAGATTGATG GATGGTCATA TCACCTTTCA AACAGCGGCC 300
 ACAGTAAAAA TTCCAACAAC TACCCAGCA ACTACAAAAA AACTGCAAC CACCAGCCCA 360
 ATTACTACA CCCTGGTCC ACCCAGGCC ACACCAACA ACTCACACAC AGCTCCTCCA 420
 60 GTTACTGAAG TTACAGTCGG CCCTAGCTTA GCCCTTATT CACTGCCACC CACCATCACC 480
 CCACAGCTC ATACAGCTGG AACAGTTC AACAACCTCA TCAACCTGCA GCCACACAAC TGGGAACACC 540
 ACTCAACCCA GTAACCCAGC CACCCCTTCA GCAACTTTAT CGATAGCACT GCACAAAAGC 600
 ACAACCGGTC AGAAGCCTGA TCAACCCACC CATGCCCCAG GAACAACGGC AGCTGCCACC 660
 AATACACCCC GCACAGCTGC ACCTGCTCC ACGGTTCCTG GGGCCACCCCT TGCACCTCAG 720
 CCATCGTCAG TCAAGACTGG AATTTATCAG GTTCTAAAAC GAAGCAGACT CTGTATAAAA 780
 65 GCAGAGATGG GGATACAGCT GATTGTTC AACAAGGAGT CGGTTTTTTC ACCTCGGAGA 840
 TACTTCAACA TCGACCCCAA CGCAACGCAA GCCTCTGGGA ACTGTGGCAC CCGAAAAATCC 900
 AACCTTCTGT TGAATTTTCA GGGCGGATTT GTGAATCTCA CATTACCAA GGATGAAGAA 960
 TCATATTATA TCAGTGAAGT GGGAGCCTAT TTGACCGTCT CAGATCCAGA GACAGTTTAC 1020
 CAAGGAATCA AACATGCGGT GGTGATGTT CAGACAGCAG TCGGCATTTC CTTCAAGTGC 1080
 70 GTGAGTGAAC AGAGCCTCCA GTTGTGAGCC CACCTGCAGG TGAACAAC CGATGTCCAA 1140
 CTTCAAGCCT TTGATTTTGA AGATGACCAC TTGGAAATG TGGATGAGTG CTCGTCTGAC 1200
 TACACAATTG TGCTTCTGT GATTGGGGCC ATCGTGGTTG GTCTCTGCTT TATGGGTATG 1260
 GGTGTCTATA AAATCGCCT AAGGTGTCAA TCATCTGGAT ACCAGAGAAT CTAATTGTTG 1320
 75 CCGGGGGGA ATGAAAAATA TGGAAATTAG AGAACTCTT CATCCCTTCC AGGATGGATG 1380
 TTGGGAAATT CCCTCAGAGT GTGGTCTT CAACAATGT AAACCACCA CTTCTATTCA 1440
 AATGAAGTGA GTCATGTGTG ATTTAAGTTC AGGCAGCACA TCAATTTCTA AATACTTTTT 1500
 GTTATTTTTA TGAAGATAT AGTGAGCTGT TTATTTCTA GTTTCCTTTA GAATATTTTA 1560
 GCCACTCAA GTCAACATT GAGATATGTT GAATTAACAT AATATATGTA AAGTAGAATA 1620
 80 AGCCTTCAA TTATAACCA AGGGTCAATT GIACTAATA CTACTGTGTG TGCATTGAAG 1680
 ATTTTATTTT ACCCTGATC TTAACAAAGC CTTTGTCTT TATCAAAATG GACTTTTCACT 1740
 GCTTTTACTA TCTGTGTTT ATGGTTTCAI GTAACATACA TATCTCTGGT GTAGCACTTA 1800
 ACTCCTTTTC CACTTTAAAT TTGTTTTTGT TTTTGTGAGC GGAGTTTTC TCTTGTACC 1860
 CAGGCTGGAG TACAGTGGCA CGATCTCGGC TTATGGCAAC CTCGCTTCC CGGGTTCAAG 1920
 85 TGATTTCTCT GACTTCACTT CCGGAGTAG TGGGATTACA GGCACACACT ACCACGCTG 1980
 GCTAATTTT GTATTTTAT TATAGACGGG TTTCAACATG TTGGCCAGAC TGGTCTGAA 2040
 CTCTGACCT CAGGTGATCC ACCCACCTCA GCCTCCCAA GTGCTGGGAT TACAGGCATG 2100
 AGCCATTGCG CCCGCTCTTA AATGTTTTT TTAATCATCA AAAAGAACA CATATCTCAG 2160

GTTGTCTAAG TGTTTTTATG TAAAACCAAC AAAAAGAACA AATCAGCTTA TATTTTTTAT 2220
 CTTGATGACT CCGTCTCCAG AATTGCTAGA CTAAGAATTA GGTGGCTACA GATGGTAGAA 2280
 CTAACAATA AGCAAGAGAC AATAATAATG GCCCTTAATT ATTAACAAG TGCCAGAGTC 2340
 TAGGCTAAGC ACTTTA7CTA TATCTCATT CATTCTCACA ACTTATAAGT GAATGAGTAA 2400
 ACTGAGACTT AAGGGAATC AATCACTTAA ATGTCACCTG GCTAACTGAT GGCGAGAGCA 2460
 GAGCTTGAAT TCATGTTGGT CTGACATCAA GGTCTTTGGT CTTCTCCCTA CACCAAGTGA 2520
 CCTACAAGAA CAATGACACC ACACTCTGCC TGAAGGCTCA CACCTCATA CAGCATACGC 2580
 TCACCTTACA GGGAAATGGG TTTATCCAGG ATCATGAGAC ATTAGGGTAG ATGAAAGGAG 2640
 AGCTTTGAGC ATAACAAAT AGCCTATCCT TAATAAATCC TCCACTCTCT GGAAGGAGAC 2700
 TGAGGGGCTT TGTAACAAT TAGTCAGTTG CTCATTTTTA TGGGATTGCT TAGCTGGGCT 2760
 GTAAGATGA AGGCATCAA TAAACTCAA GTATTTTTAA ATTTTTTGA TAATAGAGAA 2820
 ACTTCGCTAA CCAACTGTTT TTTCTGAGT GTATAGCCCC ATCTTGTGGT AACTTGCTGC 2880
 TTCTGCACTT CATATCCATA TTTCTATTG TTCACTTAT TCTGTAGAGC AGCCTGCCAA 2940
 GAAATTTTAT TCTGCTGTTT TTTTGTGTC TAAAGAAAGG AACTAAGTCA GGATGTTAAC 3000
 AGAAAGTCC ACATAACCCT AGAATCTTA GTCAGGAAT AATTCAAGTC AGCCTAGAGA 3060
 CCAATGTTGAC TTTCTCATG TGTTCCTTA TGACTCAGTA AGTTGGCAAG GTCCTGACTT 3120
 TAGTCTTAAT AAAACATTGA ATTGTAGTAA AGGTTTTTGC AATAAAAAC TACTTTGG

Seq ID NO: 489 Protein sequence
 Protein Accession #: NP_055213.1

1 11 21 31 41 51
 MPRQLSAAAA LFASLAVILH DGSQMRKAF PETRDYSQPT AAATVQDIKK PVQOPAKQAP 60
 HQTLAAREFMD GHITFQTAAT VKIPTTTPAT TKNTATTSPI TYTLVTTQAT PNNSHATFPV 120
 TEVTVGSPGHA PYSLPPTITP PAHTAGTSSS TVSHTTGNNT QPSNQTLPLA TLSIALHKST 180
 TGQKFDQPTH APGTTAAAHN TTRTAAPAST VPGPTLAPQP SSVKGTGIYQV LNSGRLCIKA 240
 EMGIQLIVQD KESVFSRRY FNIIDPNATQA SGNCGTRKSN LLLNFQGGFV NLTFTKDEES 300
 YYISEVGAYL TVSDPETVYQ GIKHAVVMFQ TAVGHSFKCV SEQSLQLSAH LQVKTTDVQL 360
 QAFDFEDDHF GNVDECSSDY TIVLPVIGAI VVGLCLMGMG VYKIRLRCSQ SGYQRI

Seq ID NO: 490 DNA sequence
 Nucleic Acid Accession #: NM_005409.3
 Coding sequence: 94..378

1 11 21 31 41 51
 TTCCFTTCAT GTTCAGCATT TCTACTCCTT CCAAGAAGAG CAGCAAAGCT GAAGTAGCAG 60
 CAACAGCACC AGCAGCAACA GCAAAAACA AACATGAGTG TGAAGGGCAT GGCTATAGCC 120
 TTGGCTGTGA TATTGTGTGC TACAGTTGTT CAAGGCTTCC CCATGTTCAA AAGAGGACGC 180
 TGTCCTTGCA TAGGCCCTGG GGTAAAAGCA GTGAAAAGTG CAGATATTGA GAAAGCCTCC 240
 ATAATGTACC CAAGTAACAA CTGTGACAAA ATAGAAGTGA TTATTACCCT GAAAGAAAAAT 300
 AAAGGACAAC GATGCCTAAA TCCCAAATCG AAGCAAGCAA GGCTTATAAT CAAAAAGTT 360
 GAAAGAAAAGA ATTTTAAAA ATATCAAAAC ATATGAAGTC CTGGAAAAGG GCATCTGAAA 420
 AACCTAGAAC AAGTTAACT GFGACTACTG AAATGACAAG AATTCTACAG TAGGAAACTG 480
 AGACTTTTCT ATGGTTTTGT GACTTTCAAC TTTGTACAG TTATGTGAAG GATGAAAGGT 540
 GGGTGAAGG ACCAAAAACA GAAATACAGT CTTCTGAAT GAATGACAAT CAGAATTCCA 600
 CTGCCCAAAG GAGTCAGCA ATTAATGGA TTTCTAGGAA AAGCTACCTT AAGAAAGGCT 660
 GGTACCATC GGAGTTTACA AAGTGCTTTC ACGTCTTAC TTGTGTATT ATACATTCAAT 720
 GCATTTCTAG GCTAGAGAAC CTTCTAGATT TGATGCTTAC AACTATTCTG TTGTGACTAT 780
 GAGAACATTT CTGCTCTAG AAGTTATCTG TCTGTATTGA TCTTTATGCT ATATTACTAT 840
 CTGIGGTTAC AGTGGAGACA TTGACATTAT TACTGGAGTC AAGCCCTTAT AAGTCAAAAG 900
 CATCTATGTG TCGTAAAGCA TTCCTCAAAC ATTTTTTCAT GCAAAATACAC ACTTCTTCC 960
 CCAAAATACA TGTAGCACAT CAAATATGTAG GGAACATTC TTATGCATCA TTTGGTTTGT 1020
 TTTATAACCA ATTCATTAAT TGTAATTCAT AAAATGTACT ATGAAAAAAA TTATACGCTA 1080
 TGGGATACTG GCAACAGTGC ACATATTTCA TAACCAAATT AGCAGCACCG GTCCTAATTT 1140
 GATGTTTTTC AACTTTTAT CATTGAGATG TTTTGAAGCA ATTAGGATAT GTGTGTTTAC 1200
 TGTACTTTTT GTTTGATCC GTTTGTATAA ATGATAGCAA TATCTTGAC ACATTGAAA 1260
 TACAAAATGT TTTGTCTAC CAAAGAAAAA TGTGAAAAA TAAGCAAATG TATACTTAGC 1320
 AATCACTTTT ACTTTTGTGA ATTCTGTCTC TTAGAAAAAT ACATAATCTA ATCAATTTCT 1380
 TGTTCATGC CTATATACTG TAAAAATTAG GTATACTCAA GACTAGTTTA AAGAATCAAA 1440
 GTCATTTTTT TCTCTAATAA ACTACCACAA CCTTCTTTT TTAATAAAAA AAA

Seq ID NO: 491 Protein sequence
 Protein Accession #: NP_005400.1

1 11 21 31 41 51
 MSVKGMAIAL AVILCATVVQ GPPMFKRGRG LCIGPGVKAV KVADIEKASI MYPNNCDKI 60
 EVIITLKENK GQRCLNPKSK QARLIKKVE RKNP

Seq ID NO: 492 DNA sequence
 Nucleic Acid Accession #: NM_000577.1
 Coding sequence: 41..520

1 11 21 31 41 51
 GGCACGAGGG GAAGACCTCC TGTCCATCA GCCCTCCCC ATGGCTTTAG AGACGATCTG 60
 CCGACCTCTT GGGAGAAAAT CCAGCAAGAT GCAAGCCTTC AGAATCTGGG ATGTAAACCA 120
 GAAGACCTTC TATCTGAGGA ACAACCAACT AGTTGCCGGA TACTTGCAAG GACCAATGT 180
 CAATTTAGAA GAAAAGATAG ATGTGGTACC CATTGAGCCT CATGCTCTGT TCTTGGGAAT 240
 CCATGGAGGG AAGATGTGCC TGTCCCTGTG CAAGTCTGGT GATGAGACCA GACTCCAGCT 300
 GGAGGCAGTT AACATCACTG ACCTGAGCGA GAACAGAAAG CAGGACAAGC GCTTCGCTCT 360
 CATCCGCTCA GACAGTGGCC CCACCACCAG TTTTGTGACT GCCGCTGCC CCGTGTGGTT 420
 CCTCTGCACA GCGATGAAAG CTGACCAGCC CGTCAGCCTC ACCAATATGC CTGACGAAAG 480
 CGTCATGGTC ACCAATCTT ACTTCCAGGA GGACGAGTAG TACTGCCGAG GCCTGCCTGT 540
 TCCCATTTCT GCAATGGCAAG GACTGCAGGG ACTGCCAGTC CCCCTGCCCC AGGGCTCCCC 600

CTGGACGGGC CCTCCTTCCC TCCTGTGCC CAGCTGCCAG GTGGCCCTGG GGAGGGGTGG 3180
 TGTGGTGTG GGAAGGGGTC CTGCAGGGGG AGGAGGACTT GGAGGGCTG GGGGCAGCTG 3240
 TCCTGAACCG ACTGACCCCTG AGGAGGCCGC TTAGTGCTGC TTTGCTTTTC ATCACCGTCC 3300
 CGCACAGTGG ACGGAGGTCC CCGGTTGCTG GTCAGGTCCC CATGGCTTGT TCTCTGGAAC 3360
 CTGACTTTAG ATGTTTTGGG ATCAGGAGCC CCAACACAG GCAAGTCCAC CCCATAATAA 3420
 CCTGCCCAGT GCCAGGGTGG GCTGGGACT CTGGCACAGT GATGCCGGGC GCCAGGACAG 3480
 CAGCACTCCC GCTGCACACA GACGGCCTAG GGGTGGCGCT CAGACCCAC CCTACGCTCA 3540
 TCTCTGGAAG GGGCAGCCCT GAGTGGTAC TGGTCAGGGC AGTGGCCAAG CCTGCTGTGT 3600
 CCTTCTCCA CAAGGTCCCC CCACCGCTCA GTGTCAGCGG GTGACGTTG TCTTTTGG 3660
 TCCTTGTATG AATAAAAGGC TGGAAACCTA AA

Seq ID NO: 495 Protein sequence
 Protein Accession #: NP_002072.1

1 11 21 31 41 51
 MELRARGWVL LCAAAALVAC ARGDPASKSR SCGEVRQIYG AKGFSLSDVP QAEISGEHLR 60
 ICPQGYTCCT SEMEENLANR SHAELETALR DSSRVLQAML ATQLRSFDDH FQHLLNDSER 120
 TLQATFPFAG GELYTONARA FRDLYSELRL YRGANLHLE ETLAEFWARL LERLFKQLHP 180
 QLLELPDDYLD CLGKQAEALR PFGEAPRELR LRATRAFVA A RSFVQGLGVA SDVVRKVAQV 240
 PLGPECSRVA MCLVYCAHCL GVPGARPCPD YCRNVLKGCL ANQADLDAEW RNLLDSMVL 300
 TDKLWGTSGV ESVGSVHTW LAEAINALQD NRDTLTKAVI QGCGNPKVNP QGPGPEEKRR 360
 RGLAPRPRP PSGTLEKLVS EAKAQLRDVQ DFWISLPGTL CSEKMLSTA SDDRWNMGMA 420
 RGRYLPVVMG DGLANQINNP EVEVDITKPD MTRRQQIMQL KIMTNRLRSA YNGNDVDFQD 480
 ASDDGS GSGS

Seq ID NO: 496 DNA sequence
 Nucleic Acid Accession #: NM_001650.2
 Coding sequence: 40.1011

1 11 21 31 41 51
 GGGGCAGGCA ATGAGAGCTG CACTCTGGCT GGGGAAGGCA TGAGTGACAG ACCCACAGCA 60
 AGGCGGTGGG GTAAGTGTGG ACCTTTGTGT ACCAGAGAGA ACATCATGGT GGCTTTCAA 120
 GGGGTCTGGA CTCAAGCTTT CTGGAAGCA GTCACAGCGG AATTTCTGGC CATGCTTATT 180
 TTTGTTCTCC TCAGCCTGGG ATCCACCATC AACTGGGGTG GAACAGAAAA GCCTTTACCG 240
 GTCGACATGG TTCTCATCTC CCTTTGCTTT GGA CTGAGCA TTGCAACCAT GGTGCACTGC 300
 TTTGGCCATA TCAGCGGTGG CCACATCAAC CCTGCACTGA CTGTGGCCAT GGTGTGCACC 360
 AGGAAGATCA GCATCGCCAA GTCGTCTCTC TACATCGCAG CCCAGTGCCT GGGGGCCATC 420
 ATTGGAGCAG GAATCCTCTA TCTGGTCACA CCTCCAGTG TGGTGGGAGG CTTGGGAGTC 480
 ACCATGGTTC ATGGAATCT TACCGCTGGT CATGGTCTCC TGGTTGAGTT GATAATCACA 540
 TTTCAATTGG TGTTTACTACT CTTTGCCAGC TGTGATTCCA AACGGACTGA TGTCACTGGC 600
 TCAATAGCTT TAGCAATTGG ATTTCTGTGT GCAATTGGAC ATTTATTGC AATCAATTAT 660
 ACTGGTGCCA GCATGAATCC CGCCCGATCC TTTGGACCTG CAGTTATCAT GGGAAATTGG 720
 GAAAACCATT GGATATATTG GGTGGGCCCC ATCATAGGAG CTGTCTCTGC TGGTGGCCCT 780
 TATGAGTATG TCTTCTGTCC AGATGTTGAA TTCAAACGTC GTTTTAAAGA AGCCTTCAGC 840
 AAAGCTGCCC AGCAAAACAA AGGAAGCTAC ATGGAGGTGG AGGACAACAG GAGTCAGGTA 900
 GAGACGGATG ACCTGATCTT AAAACCTGGA GTGGTGCATG TGATTGACGT TGACCGGGGA 960
 GAGGAGAAGA AGGGGAAAGA CCAATCTGGA GAGGTATTGT CTTCAATATG ACTAGAAGAT 1020
 CGCACTGAAA GCAGACAAGA CTCCTTAGAA CTGTCCTCAG ATTTCTCTCC ACCCATTAG 1080
 GAAACAGATT TGTATATAAT TAGAAATGTG CAGGTTTGTG GTTTCACTGC ATATTACTCA 1140
 GTCTAAACAA TAAATATTTC ATAATTACA AAGGAGGAAC GGAAGAAACC TATTGTGAAT 1200
 TCCAAATCTA AAAAAGAAA TATTTTAAAG ATGTTCTTAA GCAATATAT ACCTATTTTA 1260
 TCTAGTTACC TTTCAATTAAC AACCAATTTT AACCGTGTGT CAAGATTGGG TTAAGTCTTG 1320
 CCTGACAGAA CTCAAAGACA CGTCTATCAG CTTATTCCCT CTCTACTGGA ATATTGGTAT 1380
 AGTCAATTCT TATTGAATA TTTATTCTAT TAAACTGAGT TTAACAATGG C

Seq ID NO: 497 Protein sequence
 Protein Accession #: NP_001641.1

1 11 21 31 41 51
 MSDRPTARRW KGGKPLCTRE NIMVAFKGVW TQAFWKAVTA EFLAMLIFVL LSLGSTINWG 60
 GTEKPLPVDV VLISLFCFLS IATMVQCFGH ISGGHINPAV TVAMVCTRKI SIAKSVFYIA 120
 AQLGLAII GA GILLYVTPPS VVGLGVTMV HGNLTAGHGL LVELIITFQL VFTIFASCDS 180
 KRDDVTGSSA LAIGFSVAIG HLFALNYTGA SMNPARSFGP AVIMGNWENH WIYWVGP IIG 240
 AVLAGGLYBY VFCPPDVEFKR RFKEAFSKAA QQTKGSYMEV EDNRSQVETD DLILKPGVVH 300
 VIDVDRGEEK KGGKQSGEVL SSV

Seq ID NO: 498 DNA sequence
 Nucleic Acid Accession #: AB020684.1
 Coding sequence: 1..1744

1 11 21 31 41 51
 CCCCTTGTG ATTAATACAT TAAAAAGATT CAATCTTTAC CCTGAGGTAA TTTTGGCCAG 60
 TTGGTACCGG ATTTATACCA AAATAATGGA CTGTGATTGG ATTCAAACA AGATATGTTG 120
 GACGGTTACC AGAGGAGAAG GACTCAGTCC TATTGAAAGC TGTGAAGGAT TGGGAGATCC 180
 TGCTTGCTTT TATGTTGCTG TAAATTTTAT TTTAAATGGA CTAATGATGG CATATTCTT 240
 CATATATGGC ACATATTTAA GTGGCAGCCG ATTAGGAGGC CTGGTTACAG TGTGTGCTT 300
 CTTTTCAAT CATGGAGAGT GTACCCGTGT AATGTGGACA CCACCTCTCC GTGAAAGCTT 360
 CTCATATCCA TTTCTTGTTC TTCAGATGTT GCTAGTGACT CATATTCTCA GGGCTACAAA 420
 ACTTTATAGA GGAAGCTTGA TTGCACTCTG CATTTCCAAT GTATTTTCA TGTCTCTTG 480
 GCAGTTTGT CAGTTTGTAC TTCTTACTCA GATTGCATCA TTATTGCGAG TATATGTTGT 540
 CGGGTACATT GATATATGTA AATTACGGAA GATCATTAT ATACACATGA TTTCTCTTTC 600
 ACTTTGTTT GTTTGATGT TTGGGAACCT AARGTTATTA ACTTCTTATT ATGCTTCTTC 660
 TTTGTAATT ATTTGGGGTA TTCTGGCAAT GAAACCACAT TTCCTGAAAA TAAATGTATC 720

Table of amino acid sequences with line numbers 5, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60. Each line contains a 5-column sequence of amino acid single-letter codes.

Seq ID NO: 499 Protein sequence
Protein Accession #: BAA74900.1

Table of amino acid sequences with line numbers 70, 75, 80. Each line contains a 5-column sequence of amino acid single-letter codes.

Seq ID NO: 500 DNA sequence
Nucleic Acid Accession #: NM_001276.1
Coding sequence: 127..1278

Table of DNA sequences with line number 85. Each line contains a 5-column sequence of nucleotide bases.

5
10
15
20
25
30

```

GCCAGAATGG GTGTGAAGGC GTCTCAAACA GGCTTTGTGG TCCTGGTGTCT GCTCCAGTGC 180
TGCTCTGCAT ACAAACCTGGT CTGTACTACT ACCAGCTGGT CCCAGTACCG GGAAGGCGAT 240
GGGAGCTGCT TCCCAGATGC CCTTGCACCG TTCTCTGTGA CCCACATCAT CTACAGCTTT 300
GCCAATATAA GCAACGATCA CATCGACACC TGGGAGTGA ATGATGTGAC GCTCTACGGC 360
ATGCTCAACA CACTCAAGAA CAGGAACCCC AACCTGAAGA CTCTCTGTGC TGTCCGAGGA 420
TGGAACTTTG GGTCTCAAAG ATTTTCCAAG ATAGCCTCCA ACACCCAGAG TCGCCGGACT 480
TTCATCAAGT CAGTACCGCC ATTCTGCGC ACCCATGGCT TTGATGGGCT GGACCTTGCC 540
TGGCTCTACC CTGGACGGAG AGACAAACAG CATTTTACCA CCCTAATCAA GGAAATGAAG 600
GCCGAATTTA TAAAGGAAGC CCAGCCAGGG AAAAAGCAGC TCCTGTCTCAG CGCAGCACTG 660
TCTGCGGGGA AGGTCACCAT TGACAGCAGC TATGACATTC CCAAGATATC CCAACACCTG 720
GATTTTCATTA GCATCATGAC CTACGATTTT CATGGAGCCT GGCCTGGGAC CACAGGCCAT 780
CACAGTCCCC TGTTCCGAGG TCAGGAGGAT GCAAGTCTG ACAGATTCAG CAACACTGAC 840
TATGCTGTGG GGTACAGTGT GAGGCTGGGG GCTCCTGCCA GTAAGCTGGT GATGGGCATC 900
CCACACCTCG GGAGGAGCTT CACTCTGGCT TCTTCTGAGA CTGGTGTGG AGCCCCAATC 960
TCAGGACCCG GAATTCAGG CCGGTTCCACC AAGSAGGCAG GGACCCCTGC TACTATGAG 1020
ATCTGTGACT TCTCCGCGG AGCCACAGTC CATAGAACC TCAGCCAGCA GGTCCCTAT 1080
GCCACCAAGG GCAACAGGAT GGTAGGATAC GACGACCAGG AAAGCCTCAA AAGCAAGGTG 1140
CAGTACCTGA AGGATAGGCA CTTGGCAGGC GCCATGGTAT GGGCCCTGGA CCTGGATGAC 1200
TPCCAGGGCT CCTTCTGCGG CCAGGATCTG CGCTTCCCTC TCACCAATGC CATCAAGGAT 1260
GCACTCGTGG CAAGTAGGCC CTCTGTCTG CACACAGCAC GGGGGCCAAG GATGCCCCCT 1320
CCCCCTCTGG CTCCAGCTGG CCGGGAGCCT GATCACCTGC CCTGCTGAGT CCCAGGCTGA 1380
GCCTCAGTCT CCTCCCTTGG GGGCCTATGC AGAGGTCCAC AACACACAGA TTTAGCTCA 1440
GCCTCGTGG GCAGAGAGGT AGGGATGGGG CTGTGGGGAT AGTGGAGCAT CGCAATGTAA 1500
GACTCGGGAT TAGTACACAT TTGTTGATGA TTAATGGA AA TGTTTACAGA TCCCCAAGCC 1560
TGGCAAGGGA ATTTCTTCAA CTCCCTGCCC CCTAGCCCTC CTTATCAAAG GACACCATTT 1620
TGGCAAGCTC TATCACCAG GAGCCAAACA TCCTACAAGA CACAGTGACC ATACTAATTA 1680
TACCCCTGCG AAAGCCTTGC TGAACCTTC ACTTAGGAAC GTAATCGTGT CCCCATCCCT 1740
ACTTCCCTTT CCTAATTTCA CAGCTGCTCA ATAAAGTACA AGAGTTTAA AGTGTGTTGG 1800
CGCTTTGCTT TGTTCTATCT TTGAGCGCCC ACTAGACCCA CTGGACTCAC CTCCCCCTAT 1860
TCTTCTGGGT TCCTTCTCT GAGCCTTGGG ACCCCTGAGC TTGCAGAGAT GAAGGCCCGC 1920
ATGTT
    
```

Seq ID NO: 501 Protein sequence
Protein Accession #: NP_001267.1

35
40
45

```

1      11      21      31      41      51
|      |      |      |      |      |
MGVKASQTGF VVLVLLQCCS AYKLVCIYTS WSQYREGDGS CFPDADRFL CTHIIYSFAN 60
ISNDHIDTWE WNDVTLYGLM NTLKRNPNL KILLSVGGWN FGSQRFSKIA SNTQSRRTFI 120
KSVPPFLRTH GFDGLDLAWL YPGRDRKQHF TLLIKEMKAE FIKEAQPQKK QLLLSAALSA 180
GKVTIDSSVD IAKISQHLDF ISIMTYDFHG AWRGTTGHHS PLFRQEDAS PDRFSNTDYA 240
VGYMLRLGAP ASKLVMIPT FGRSFTLASS ETGVGAPISG PGIPGRFTKE AGTLAYYBIC 300
DPLRGATVHR TLGQQVPYAT KGNQWVGYDD QESVRSKVQY LKDRQLAGAM VWALDLDDPFQ 360
GSFCCGDLRF PLTNAIKDAL AAT
    
```

Seq ID NO: 502 DNA sequence
Nucleic Acid Accession #: NM_006474.1
Coding sequence: 181..669

50
55
60
65

```

1      11      21      31      41      51
|      |      |      |      |      |
GCTGCCTAGG GTCTGGAAGC CTCGGGCACC TCCCTCTCC GGGGCTCCTG CTCCCACCCC 60
TCCGGCCCCC CCACCCGTCG GCTCCTCCAG GCTGGGCCTG TGGCCGCGGT GCTTTTAATT 120
TTCCCCCAGC TCAGAACTTT GCTGCTCGGC CCCCAGGAGA GCAACAATC AACGGGAACG 180
ATGTGGAAGG TGTCAGTCT GCTCTTCGTT TTGGGAAGCG CGTGCCTCTG GTCCTGGCA 240
GAAGGAGCCA GCACAGGCCA GCCAGAAGAT GACTCTGAGA CTACAGGTTT GGAAGCGGGC 300
GTTGCCATCG CAGGTGCCGA AGATGATGTG GTGACTCCAG GAACCAGCGA AGACCGCTAT 360
AAGTCTGGGT TGACACTCT GTGGCAACA AGTGTCAACA GTGTAACAGG CATTGCAATC 420
GAGGATCTGC CAACTTCAGA AAGCACAGTC CACCGCAAG AACAAAGTCC AAGCGCCACA 480
GCCTCAAACG TGGCCACCAG TCACTCCACG GAGAAAGTGG ATGGAGACAC ACAGACAACA 540
GTTGAGAAAG ATGGTTTGT CACAGTGACC CTGGTTGGAA TCATAGTTGG GGTCTTACTA 600
GCCATCGGTT TCATGTTGAG AATCATCGTT GTGGTTATGC GAAAAATGTC GGAAGGTATC 660
TCGCCCTAAA GAGCTGAAGG GTTACGCCCT GCTTGCCAAC GTGCTTTAAA AAAAGACCGT 720
TTCTGACTCT GTGGCCCTGT CCTGAGCTC GTGGGGAGAA GATGACCCCTG GGAACATTTG 780
CGGGCCCATT CAGATTCAC GGTGACTTTC CGTTTGCCAA ATTAACCGAG GAAAGACCTT 840
TCACCAGATT TGGTTCTTAA ACTTT
    
```

Seq ID NO: 503 Protein sequence
Protein Accession #: NP_006465.1

70
75

```

1      11      21      31      41      51
|      |      |      |      |      |
MWKVSALLFV LGSASLVWLA EGASTGQPED DTETTGLEGG VAMPGAEDDV VTPGTSEDRY 60
KSGLTTLVAT SVNSVTGIRI EDLPTSESTV HAQEQSPSAT ASNVATSHST EKVDGDTQTT 120
VEKDLSTVT LVGIIVGVLL AIGFIGGIIV VVMRMSGRY SP
    
```

Seq ID NO: 504 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 62..895

80
85

```

1      11      21      31      41      51
|      |      |      |      |      |
CACTGCTCTG AGAATTTGTG AGCAGCCCTT AACAGGCTGT TACTTCACTA CAACTGACGA 60
TATGATCATC TTAATTTACT TATTTCTCTT GCTATGGGAA GACTACTAAG GATGGGGATT 120
CAAGGATGGA ATTTTTCATA ACTCCATATG GCTTGAACGA GCAGCCGGTG TGTACCACAG 180
AGAAGCACGG TCTGGCAAA ACAAGCTCAC CTACGCAGAA GCTAAGGCGG TGTGTGAATT 240
TGAAGGCGGC CATCTCGCAA CTTACAAGCA GCTAGAGGCA GCCAGAAAAA TTGGATTCCA 300
    
```

5
10
15
20

```
TGCTGTGCT GCTGGATGGA TGGCTAAGGG CAGAGTTGGA TACCCCATG TGAAGCCAGG 360
GCCCACTGT GGATTTGGA AACTGCGCAT TATTGATTAT GGAATCCGTC TCAATAGGAG 420
TGAAGAATGG GATGGCTATT GCTACAACCC ACACGCAAAG GAGTGTGGTG GCGTCTTTAC 480
AGATCCAAAG CAAATTTTFA AATCTCCAGG CTTCCAAAT GAGTACGAAG ATAACCAAAT 540
CTGCTACTGG CACATTAGAC TCAAGTATGG TCAGCGTATT CACCTGAGTT TTTTAGATT 600
TGACCTTGA GATGACCCAG GTTGCTTGGC TGATTATGTT GAAATATATG ACAGTTACGA 660
TGATGTCCAT GGCCTTGTGG GAAGATACTG TGGAGATGAG CTTCCAGATG ACATCATCAG 720
TACAGGAATG GTCATGACCT TGAAGTTTCT AAGTGTATGCT TCAGTGACAG CTGGAGGTTT 780
CCAAATCAA TATGTTGCAA TGGATCCTGT ATCCAATCC AGTCAAGGAA AAAATACAAG 840
TACTACTTCT ACTGGAAATA AAAAATTTT AGCTGGAAGA TTTAGCCACT TATAAAAAAA 900
AAAAAAGGA TGATCAAAAC ACACAGTGT TATGTTGGAA TCTTTTGGAA CTCCTTTGAT 960
CTCACTGTTA TTATAACAT TTATTTATTA TTTTCTAAA TGTGAAAGCA ATACATAATT 1020
TAGGGAAAT TGAATAATAT AGGAAACTTT AAACGAGAAA ATGAAACCTC TCATAATCCC 1080
ACTGCATAGA AATAACAAGC GTTAACATTT TCATATTTT TCTTTTCACT CATTTTTCTA 1140
TTTGTGGTAT AATGATATAT GTACCTATAT GTATTTGCAT TTGAAATTTT GGAATCCTGC 1200
TCTATGTACA GTTTTGTATT ATACTTTTAA AATCTTGAAC TTTATAAACA TTTTCTGAAA 1260
TCATTGATTA TCTACAAAA ACATGATTTT AAACAGCTGT AAAATATTCT ATGATATGAA 1320
TGTTTTATGC ATTATTTAAG CCTGTCTCTA TTGTTGGAAT TTCAGGTCAT TTTCAATAAT 1380
ATTGTTGCAA TAAATATCCT TGAACACACA AAAAAAATAA AA
```

Seq ID NO: 505 Protein sequence
Protein Accession #: Eos sequence

25
30

```
1 11 21 31 41 51
| | | | |
MIILYLFLLL LWEDTQGWGF KDGIFHNSIW LERAAGVYHR EARSQKYKLT YAEAKAVCEP 60
EGGHLATYKQ LEAARKIGFH VCAAGWMAKG RVGYPIVKPG PNCXFGKTI IDYGIKLNRS 120
ERWDAYCYNP HAKECGVFT DPKRIFKSPG FPNEYEDNQI CYWHIRLKYG QRIHLSFLDF 180
DLEDDPGCLA DYVEIYDSYD DVHGFVGRYC GDELDDIIS TGNVMTLKLFL SDASVTAGGF 240
QIKYVAMPDV SKSSQGNKTS TTSTGNKNFL AGRFPHL
```

Seq ID NO: 506 DNA sequence
Nucleic Acid Accession #: NM_007115.1
Coding sequence: 69..902

35
40
45
50
55
60

```
1 11 21 31 41 51
| | | | |
GAATTGCGAC TGCTCTGAGA ATTTGTGAGC AGCCCTAAC AGGCTGTTC TCACTACAA 60
CTGACGATAT GATCATCTTA ATTTACTTAT TTCTCTTGCT ATGGGAAGAC ACTCAAGGAT 120
GGGGATTCAA GGATGGAATT TTTTATAACT CCATATGGCT TGAACGAGCA GCCGGTGTGT 180
ACCAACAGAGA AGCACGGTCT GGCATAATACA AGCTCACCTA CGCAGAAGCT AAGGCGGTGT 240
GTGAATTTGA AGGCGGCCAT CTCGCAACTT ACAAGCAGCT AGAGGCGACC AGAAAAATG 300
GATTTTCATG CTGTGCTGCT GGATGGATGG CTAAGGSCAG AGTTGGATAC CCCATTGTGT 360
AGCCAGGGCC CAACTGATGA TTTGGAAAAA CTGGCATTAT TGATTATGGA ATCCGCTCA 420
ATAGGAGTGA AAGATGGGAT GCCTATTGCT ACAACCCACA CGCAAAGGAG TGTGTGGGG 480
TCTTTACAGA TCCAAGCGGA ATTTTAAAT CTCCAGGCTT CCCAAATGAG TACGAAGATA 540
ACCAAATCTG CTACTGGCAC ATTAGACTCA AGTATGGTCA CGCTATTCA CTGAGTTTTT 600
TAGATTTTGA CCTTGAAGAT GACCCAGGTT GCTTGGCTGA TTATGTTGAA ATATATGACA 660
GTTACGATGA TGTCCATGGC TTTGTGGGAA GATACTGTGG AGATGAGCTT CCAGATGACA 720
TCATCAGTAC AGGAAATGTC ATGACCTTGA AGTTTCTAAG TGATGCTTCA GTGACAGCTG 780
GAGGTTTCCA AATCAAATAT GTTGCAATGG ATCCTGTATC CAAATCCAGT CAAGGAAAAA 840
ATACAAGTAC TACTTCTACT GGAATAAATA ACITTTTAGC TGGAAAGATT AGCCACTTAT 900
AAAAAATAA AAGGATGATC AAAACACACA GTGTTTATGT TGGAAATCTT TGGAACTCCT 960
TTGATCTCAC TGTATTATT AACATTTATT TATTATTTT CTAATATGTA AAGAAATACA 1020
TAATTTAGG AAAATTTGAA AATATAGGAA ACTTTAAACG AGAAAAATGAA ACCTCTCATA 1080
ATCCCACTGC ATAGAAATAA CAAGCGTTAA CATTTCATA TTTTTCCTT TCAGTCATTT 1140
TTGATTTTGT GGTATATGTA TATATGTACC TATATGTATT TGCATTTGAA ATTTTGGAAAT 1200
CTGCTCTAT GTACAGTTT GTATTACT TTTTAAATCT TGAACCTTAT GAACATTTTC 1260
TGAAATCATT GATTATTCTA CAAAAACATG ATTTTAAACA GCTGTAAAT ATTCTATGAT 1320
ATGAATGTTT TATGATTTAT TTAAGCCTGT CTCTATTGTT GGAATTTTCA 1380
TAAATATTTG TGCAATAAAT ATCCTTCGGA ATTC
```

Seq ID NO: 507 Protein sequence
Protein Accession #: NP_009046.1

65
70

```
1 11 21 31 41 51
| | | | |
MIILYLFLLL LWEDTQGWGF KDGIFHNSIW LERAAGVYHR EARSQKYKLT YAEAKAVCEP 60
EGGHLATYKQ LEAARKIGFH VCAAGWMAKG RVGYPIVKPG PNXFGKTI IDYGIKLNRS 120
ERWDAYCYNP HAKECGVFT DPKRIFKSPG FPNEYEDNQI CYWHIRLKYG QRIHLSFLDF 180
DLEDDPGCLA DYVEIYDSYD DVHGFVGRYC GDELDDIIS TGNVMTLKLFL SDASVTAGGF 240
QIKYVAMPDV SKSSQGNKTS TTSTGNKNFL AGRFPHL
```

Seq ID NO: 508 DNA sequence
Nucleic Acid Accession #: NM_001044.1
Coding sequence: 129..1991

75
80
85

```
1 11 21 31 41 51
| | | | |
ACCGCTCCGG AGCGGGAGGG GAGGCTTCGC GGAACGCTCT CGGCGCCAGG ACTCGCGTGC 60
AAAGCCCAGG CCCGGCCGGC CAGACCAAGA GGAAGAAGC ACAGAATTC TCAACTCCCA 120
GTGTGCCCAT GATTAAGAGC AATGCTCCG TGGGACTCAT GTCTTCCGTG GTGSCCCCGG 180
CTAAGGAGCC CAATGCCGTG GGCCTGAGAG AGGTGGAGCT CATCCTTGTG AAGGAGCAGA 240
ACGGAGTGCA GCTCACAGC TCCACCTCA CCAACCCCGG GCAGAGCCCC GTGGAGGCC 300
AGGATCGGGA GACCTGGGGC AAGAAGATCG ACTTCTCCT GTCCGTGATT GCCTTTGCTG 360
TGGACCTGGC CAACGCTGG CCGTCCCT ACCTGTGCTA CAAAAATGTT GCGGTGCTC 420
```

```

5  TCCATGGTCCC CTACTGTCTC TTTCATGGTCA TTGCTGGGAT GCCACTTTTC TACATGGAGC 480
  TGGCCCTCGG CCAGTTC AAC AGGAAGGGG CCGCTGGTGT CTGGAAGATC TGCCCATAC 540
  TGAAGGTGTG GGGCTCACG GTCATCTCA TCTCACTGTA TGTGGGCTC TTCTACAACG 600
  TCATCATCGC CTGGGCGCTG CACTATCTCT TCTCCTCCTT CACCACGGAG CTCCCTCGGA 660
10 TCCACTGCAA CAACTCTCTG AACAGCCCA ACTGCTCGGA TGCCCATCCT GGTGACTCCA 720
  GTGGAGACAG CTCGGGCCTC AACGACACTT TTGGGACCAC ACCTGCTGCC GAGTACTTTG 780
  AACGTGGCGT GCTGCACCTC CACCAGAGCC ATGGCATCGA CGACCTGGGG CCTCCGCGGT 840
  GGCAGCTCAC AGCCTGCTGT GTGCTGGTCA TGTGTGTCT ACTTCCAGC CTCTGGGAAG 900
  GCGTGAAGAC CTCAGGGAAG GTGGTATGGA TCACAGCCAC CATGCCATAC GTGGTCTCA 960
  CTGCCCTGCT CTGGCTGGG GTACCCCTCC CTGGAGCCAT AGACGGCATC AGAGCATACC 1020
  TGAGCGTTGA CTTTACACGG CTCTGCGAGG CGTCTGTTTG GATTGAGCGG GCCACCCAGG 1080
  TGTGCTTCTC CCTGGGCGTG GGGTTCCGGG TGTGATCGC CTTCTCCAGC TACAACAAGT 1140
15 TCACCAACA CTGTCAACAG GACGCGATTG TCACCACTC CATCAACTCC CTGACGAGCT 1200
  TCTCTCCGG CTTGTCGTCT TTCTCCTCC TGGGTACAT GGCACAGAAG CACAGTGTGC 1260
  CCATCGGGGA CGTGGCCAAG GACGGGCCAG GGCTGATCTT CATCATCTAC CCGGAAGCCA 1320
  TCGCCACGCT CCCTCTGTTC TCAGCCCTGG CCGTGTCTTT CTTTCTCATG CTGCTCACCC 1380
  TGGGTATCGA CAGCGCATC GGTGGTATGG AGTCAGTGT CACCAGCGCT ATCGATGAGT 1440
  TCCAGCTGCT CTGGGTCATC GCACATCTCT TCAAGCTCTT CATGTCCTG GCGACTCTCC 1500
20 TCCTGTCCTT GTTCTGCGTC ACCAACGGTG GCATCTACGT CTTCAAGCTC CTGGACCATT 1560
  TTGCAGCCGG CAGCTCCATC CTCTTTGGAG TGTCTATCGA AGCCATCGGA GTGGCTGGT 1620
  TCTATGGTGT TGGGCAGTTT AGCGACGACA TCCAGCAGAT GACCGGCGAG CGGCCACGCT 1680
  TGTACTGGCG GCTGTGTCTG AAGCTGGTCA GCCCTGCTT TCTCTGTTT GTGGTGTGTG 1740
  TCAGCATTGT GACTTTCAGA CCCCCCACT ACAGCAGCTA CATCTTCCC GACTGGGCCA 1800
  ACGGCTGGG CTGGGTCATC GCCATCTCCT CCATGGCCAT GGTGCCCATC TATGCGGCTC 1860
25 ACAAGTTCG CAGCCTGCCT GGGTCCTTTC GAGAGAACT GGCCTACGCC ATGACCCCG 1920
  AGAAGGACCG TGAGCTGGTG GACAGAGGGG AGGTGCGCCA GTTCCAGCTC CGCCACTGGC 1980
  TCAAGGTGTA GAGGAGCAG AGACGAAGAC CCCAGGAAGT CATCCTGCAA TGGGAGAGAC 2040
  ACGAACAAAC CAAGGAAATC TAAGTTTCGA GAGAAAGGAG GGCAACTTCT ACTCTTCAAC 2100
  CTCTACTGAA AACACAACA ACAAGCAGA AGACTCCTCT CTTCTGACTC TTTACACCTT 2160
30 TCCGTGCCGG GAGCGCACCT CGCGCTGCT TGTGTGTCT TAATAACGC TAGATCTGT 2220
  GCAGCGAGGT CCACCCGTT GTTGTCCCTG CAGGGCAGAA AAACGTCTAA CTCTACTGTG 2280
  TGTGTGTGAG GTCCTCTCC TCCTCTCTCC CTGCTCCCG CTTGAGGCT CCCCAGGGG 2340
  CACTGTGTT TCAGGCGGG ATCACGATCC TTGTAGAGCG ACCTGCTGAG AATCCCCTGT 2400
  CTCAAGTAG CTTCTTAGAC CATTACTTTC GCCATATTA AAAAGCCAAG TGTCTGCTT 2460
35 GGTTTAGCTG TGCAGAAGT GAAATGGAG AAACCACAAA TTCATGCAA GTCTTTTCCC 2520
  GATGCGTGGC TCCAGCAGA GGCCTGAAAT TGAGCGTTC GTTGACACAT TGCACACACA 2580
  GTCTGTTCAG AGGCATGGA GATGGGGGT CCTGATGAT CTCACAGGA AATCTGTATT 2640
  ATGTTCTTGC AGCAGAGAGA AATAAACTC CTGAAACCA GCTCAGGCTA CTGCACTCA 2700
40 GGCAGCTGT GGTCTCTGT GGTGTAGGA ACGCCCTGAG AGGAGCGTGT CCTATCCCAG 2760
  GACGCATGCA GGGCCCCAC AGGAGCGTGT CCTATCCCAG GACGCATGCA GGGCCCCAC 2820
  AGGAGCATGT CCTATCCCAG GACGCATGCA GGGCCCCAC AGGAGCGTGT ACTACCCCAG 2880
  AACGCATGCA GGGCCCCAC AGGAGCGTGT ACTACCCCAG GACGCATGCA GGGCCCCAC 2940
  TGGAGCGTGT ACTACCCCAG GACGCATGCA GGGCCCCAC AGGAGCGTGT CCTATCCCAG 3000
45 GACCGAGCGC CTCCAGGGC CCCACAGGAG CGTGTACTAC CCCAGGACGC ATGACGGGCG 3060
  CCCACAGGAG CGTGTACTAC CCCAGGATGC ATGACGGGCG CCCACAGGAG CGTGTACTAC 3120
  CCCAGGACGC ATGACGGGCG CCCATGCAGG CAGCCTGCAG ACCAACACTC TGCCCTGGCT 3180
  TGAGCCGTA CCTCCAGGAA GGGACCCAC TGGAAATTTA TTTCTCTCAG GTGCGTGCCA 3240
  CATCAATAAC AACAGTTTT ATGTTTGGCA ATGGCTTTT AAAATCATAT TTACTGTGTA 3300
50 ATCAAAACA AAATCAAGAAT CGAGTATCCG CGAGCTGCT TGCTGATAT GCACTTTTTG 3360
  TTTACAAGAA TAATTAGCAA TACTGAGTGA AGGATGTTGG CCAAAAGCTG CTTCCATGG 3420
  CACACTGCC CTCTGCCACTG ACAGGAAAGT GGATGCCATA GTTTGAAATC ATGCTTCAAG 3480
  TCGGTGGGCC TGCTACTGTG CTGCCGAGG GCAGGGGCG TGCAGGCGA GTCATGGCTG 3540
55 TCCCTGCAA GTGGACGTGG GCTCCAGGGA CTGGAGTGTA ATGCTCGGTG GAGGCGTCA 3600
  GCCTGTGAAC TGCCAGGAG CTGCAGTTC CACAGAGGAT GGCTTCCCA TTGCTTCTG 3660
  GAGGAGGACA CAGAGGAGG CTTCCTGCAG GCCTTCTGGC CGCTGCAGT AGCACAAGA 3720
  GCGGCTTCCC CATTGCCTTC TGGGAGGGA CACAGAGGAC AGTTTCCCA TCGCTTCTG 3780
  GTTGTGAAG ACACACAGA GACCGGCTC CCCATCGCT TCTGGGAGG GGCTCCGTTG 3840
  AGCAACCCAG GTGTTGTCG TGTCTGTTGA CCAATCTCT TTAGCATCG TGTTGGTCCC 3900
60 TAAGCACAAT AAAAGACATC CACAATGGAA AAAAAAAG GAATTC
  
```

Seq ID NO: 509 Protein sequence
Protein Accession #: NP_001035.1

```

65 1 | 11 | 21 | 31 | 41 | 51 |
  MSKSKCSVGL MSSVVAPAKE FNAVGPKEVE LILVKEQNGV QLTSSLTLPN RQSPVEAQDR 60
  ETWGKKIDFL LSVIGFAVDL ANVWRFPYLC YKNGGAFIV PYLLEFMVIAG MPLFYMELAL 120
  GQFNREGAAG VWKICPILKLG VGFVTLLISL YVGFYFNVII AWALHYLFSS FTLELPWIHC 180
70 NNSWNSPNC DAHPGDSGSD SSGLNDTFTG TPAAEYFERG VLHLHQSHGI DDLGPPRWQL 240
  TACLVLVIVL LYFSLWKGVK TSGKVWITA TMFYVLTAL LLRGVTLPGA IDGIRAYLSV 300
  DFYRLCEASV WIDAAQVCF SLGVGFGVLI AFSSYNKFTN NCRDAIVTT SINSLSFSS 360
  GFVVVPSFLG MAQKHSVPVIG DVAKDGPGLI FIIYPEAIAT LPLSSANAVV FPIMLLTLGI 420
  DSAMGMESV ITGLIDFQFL LHRHRELFTL FIVLATFLLS LFCVTNGGIY VFTLLDHFAA 480
80 GTSILFGVLI EAIQVAFWYV VQGFSDDIQQ MTGQRPSLYW RLCNKLVSPC FLLPVIIVSI 540
  VTRFPHYGA YIFPDWANAL GWVIATSSMA MVPIYAAYKP CSLPGSPREK LAYIAIAPEKD 600
  RELVDRGEVR QFTLRHHLKV
  
```

Seq ID NO: 510 DNA sequence
Nucleic Acid Accession #: NM_001216.1
Coding sequence: 43..1422

```

85 1 | 11 | 21 | 31 | 41 | 51 |
  GCCCGTACAC ACCGTTGTCT GGGACACCC ACAGTACGCC GCATGGCTCC CCTGTGCCCC 60
  AGCCCCGTC TCCCTCTGTT GATCCCGGCC CCGTCCAG GCCTCACTGT GCAACTGCTG 120
  CTGTCACTG TGCTTCTGAT GCCTGTCCAT CCCCAGAGT TGGCCCGGAT CGAGAGGAT 180
  TCCCCCTTG GAGGAGGCTC TTCTGGGGAA GATGACCCAC TGGGCGAGGA GGATCTGCC 240
  
```

AGTGAAGAGG ATTCACCCAG AGAGGAGGAT CCACCCGGAG AGGAGGATCT ACCTGGAGAG 300
 GAGGATCTAC CTGGAGAGGA GGATCTACCT GAAGTTAAGC CTAATCAGA AGAAGAGGGC 360
 TCCTGGAAGT TAGAGGACT ACCTACTGTT GAGGCTCCTG GAGATCCTCA AGAACCCAG 420
 AATAATGCCC ACAGGGACAA AGAAGGGGAT GACCAGAGTC ATTGGCGTA TGGAGGCGAC 480
 CCGCCCTGGC CCGGGGTGTC CCCAGCCTGC GCGGGCCGCT TCCAGTCCC GGTGGATATC 540
 CGCCCCAGC TCGCCGCTT CTGCCCGGCC CTGCGCCCTC TGGAACTCCT GGGCTTCCAG 600
 CTCCGCGCGC TCCAGAACT GCGCTGCGC AACAAATGGCC ACAGTGTGCA ACTGACCCTG 660
 CCTCTGGGC TAGAGATGGC TCTGGGTCCC GGGCGGAGT ACCGGGCTCT GCAGCTGCAT 720
 CTGCACTGGG GGGCTGCAGG TCGTCCGGGC TGGAGCACA CTGTGGAAG CCACCGTTC 780
 CTTGCCGAGA TCCACGTGGT TCACCTCAGC ACCGCTTTG CCAGAGTTGA CGAGGCTTTG 840
 GGGCGCCCGG GAGCCCTGGC CGTGTGGCC GCCTTCTGAG AGGAGGGCCC GGAAGAAAAC 900
 AGTGCCTATG AGCAGTTGCT GTCTCGCTTG GAAGAAATCG CTGAGGAAG CTCAGAGACT 960
 CAGTCCAG GACTGGACAT ATCTGCATCT CTGCCCTCTG ACTTCAGCCG CTACTTCCAA 1020
 TATGAGGGGT CTCTGACTAC ACCGCTCTGT GCCCAGGGTG TCATCTGGAC TGTGTTAAC 1080
 CAGACAGTGA TGCTGAGTGC TAAGCAGCTC CACACCCTCT CTGACACCCT TTGGGGACCT 1140
 GGTGACTCTC GGCTACAGCT GAACCTCCGA GCGACGCAAG CTTTGAATGG GCGAGTGATT 1200
 GAGGCCCTCT TCCCTGTGAG AGTGACAGC AGTCTCGGG CTGCTGAGCC AGTCCAGCTG 1260
 AATTCTGCC TGGCTGCTGG TGACATCCTA GCCCTGGTGT TTGGCTCTCT TTTTGTCTGC 1320
 ACCAGCGTCG CGTTCTTGT GCAGATGAGA AGGCAGCACA GAAGGGGAAC CAAAGGGGGT 1380
 GTGAGCTACC GCCCAGCAGA GGTAGCCGAG ACTGGAGCCT AGAGGCTGGA TCTTGGAGAA 1440
 TGTGAGAGC CAGCCAGAGG CATCTGAGGG GGAGCCGTA ACTGTCTGT CTGTCTCATT 1500
 ATGCCACTTC CTTTAACTG CCAAGAAAT TTTTAAAATA AATATTATA AT

Seq ID NO: 511 Protein sequence
 Protein Accession #: NP_001207.1

1	11	21	31	41	51	
M	P	L	L	P	M	60
G	E	E	D	L	P	120
D	P	Q	E	P	Q	180
E	L	L	G	F	L	240
V	E	G	H	R	F	300
E	E	G	S	E	T	360
D	T	L	W	G	F	420
G	L	L	F	A	V	
T	S	V	A			

Seq ID NO: 512 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 1..3978

1	11	21	31	41	51	
A	A	C	G	A	G	60
T	T	G	C	A	G	120
T	T	A	G	C	A	180
A	C	G	C	G	T	240
T	C	G	A	C	A	300
G	T	A	G	C	A	360
A	C	A	C	G	T	420
C	C	G	A	C	A	480
G	T	T	G	C	A	540
G	C	C	T	G	C	600
T	T	G	T	T	T	660
C	T	C	A	T	A	720
C	C	A	G	C	A	780
C	C	C	A	G	C	840
G	C	C	A	A	G	900
A	C	A	A	T	G	960
T	T	T	T	G	C	1020
T	T	G	T	C	A	1080
A	C	A	T	A	T	1140
A	T	T	G	C	A	1200
A	T	G	C	T	G	1260
C	C	A	T	T	A	1320
T	T	G	A	T	G	1380
A	G	G	C	A	T	1440
G	G	A	C	A	T	1500
T	T	G	T	G	T	1560
G	C	A	G	T	T	1620
A	A	G	G	A	G	1680
G	C	C	A	A	T	1740
C	T	C	T	G	C	1800
A	C	T	T	G	C	1860
C	T	C	T	T	G	1920
C	A	A	G	G	A	1980
A	A	C	T	C	T	2040
C	A	G	C	T	T	2100
T	T	G	A	G	A	2160
C	T	A	G	T	T	2220
A	A	G	G	A	A	2280
C	T	G	O	G	A	2340
T	T	C	A	A	G	2400
C	T	C	T	C	T	2460
C	T	G	G	T	C	2520
A	T	G	T	G	A	2580
A	C	T	G	C	A	2640

5	ACCCACACTGA	TGGCATGCTC	CTCTCTGCAT	GACACGGTGT	TTGATAAGAT	CTTAAAGAGC	2700
	CCAATGAGTT	TCTTTGACAC	GACTCCCCT	GGCAGGCTAA	TGAACCGTTT	TTCCAAGGAT	2760
	ATGGACGAGC	TGGATGTGAG	GCTGCCGTTT	CACGCAGAGA	ACTTTCTGCA	GCAGTTTTTT	2820
	ATGGTGGTGT	TTATTCTCGT	GATCCTGGCT	GCTGTGTTC	CTGCTGTCTT	TTTAGTCGTG	2880
	GCCAGCCTTG	CTGTAGGCTT	CTTCATTCTG	TTACGCATTT	TCCACAGAGG	AGTCCAGGAG	2940
	CTCAAGAAGG	TGGAGAAATG	CAGCCGGTCA	CCCTGGTTCA	CCCACATCAC	CTCCTCCATG	3000
	CAGGCGCTGG	GCATCATTCA	CGCCTATGGC	AAGAAGGAGA	GCTGCATCAC	CTATACTTCA	3060
	TCCAAAGGCC	TGTCATTGTC	ATACATCATC	CAGCTGAGCG	GACTGCTCCA	AGTGTGTGTG	3120
	CGAACGGGAA	CAGAGAGCGA	AGCCAAATTC	ACCTCCGTTG	AGCTGTCTAG	GGAAATACATT	3180
10	TGCACCTGTG	TTCTCTGAATG	CACCTCATCC	CTCAAAGTGG	GGACCTGTCC	CAAGGACTGG	3240
	CCCAGCTGTG	GGGAGATCAC	CTTCAGAGAC	TATCAGATGA	GATACAGAGA	CAACACCCCC	3300
	CTTGTCTCG	ACAGCCTGAA	CTTGAACATA	CAAAGTGGGC	AGACAGTCCG	GATTGTTGGA	3360
	AGAACAGGTT	CCGGAAAGTC	ATCGTTAGGA	ATGGCTTTGT	TTCTGCTGGT	GGAGCCAGCC	3420
	AGTGGACAAA	TCCTTATTGA	TGAGGTGGAT	ATCTGCATTC	TCAGCTTGGG	AGACCTCAGA	3480
15	ACCAAGCTGA	CTGTGATCCC	ACAGGATCCT	GTCTTGTTTG	TAGGTACAGT	AAGGTACAA	3540
	TTGGATCCCT	TTGAGAGTCA	CACCGATGAG	ATGCTCTGGC	AGGTTCTGGA	GAGAACATTC	3600
	ATGAGAGACA	CAATAATGAA	ACTCCCAGAA	AAATTACAGG	CAGAAGTCAC	AGAAAATGGA	3660
	GAAACTTCT	CAGTAGGGGA	ACTGCAGCTG	CITTTGTGTTG	CCCGAGCTCT	TCTCCGTAAT	3720
20	TCAAAGATCA	TTCTCCTTGA	TGAAGCCACC	GCCTCTATGG	ACTCCAAGAC	TGACACCCCTG	3780
	GTTCAGAACA	CCATCAAAGA	TGCCCTCAA	GGCTGCACCTG	TGCTGACCAT	CGCCCACCGC	3840
	CTCAACACAG	TTCTCAACTG	CGATCACGTC	CTGGTTATGG	AAATGGGAA	GGTATTGAG	3900
	TTTGACAAGC	CTGAAGTCTT	TGCAGAGAAG	CCAGATTCTG	CATTTGCGAT	GTTACTAGCA	3960
	GCAGAAGTCA	GATTGTAG					

Seq ID NO: 513 Protein sequence
 Protein Accession #: Eos sequence

	1	11	21	31	41	51	
30	MVGEYLYIS	DLDRQRHRRS	FAERYDPSLK	TMIPVPCAR	LAPNFVDDAG	LLSFATFSWL	60
	TPVMVKGYRQ	RLTVDTLPLP	STVDSSTNA	KRFRVLWDEE	VARVGPEKAS	LSHVVMKFOR	120
	TRVLMDIVAN	ILCIIMAAIG	PTVLIHQILQ	QTERTSGKVV	VGIGLCLALF	AEPFVKVFW	180
	ALAWAINVRT	AIRLKVALST	LVPENLVFSK	TLTHISVGEV	LNILSSDSYS	LFEAALFCPL	240
	PATIPILMVF	CAAYAFFILG	PTALIGISVY	VIFIPVQFMF	AKLNSAFRRS	AILVTDKRVQ	300
35	TMNEFLTCIR	LIKMYAWEKS	FTNTIQDIRR	RERKLEKAG	FVQSGNSALA	PIVSTIAIVL	360
	TLSCHILRRR	KLTA PVAFSV	IAMFNVMKFS	IAILPPSIKA	MAEANVSLRR	MKKILIDKSP	420
	PSYITQPEDP	DTVLLLANAT	LWEHEASRK	STPKKLNQNK	RHLCKQQRSE	AYSERSPPAK	480
	GATGPBEEQSD	SLKSIVLHIS	FVVRKLCRYP	EAQLLAWRWP	AVFVGRI IRG	YRPHGFSKAD	540
40	KDESRRLLTW	PQEVDRTRQRA	AKYLGKILGI	CGNVGSGKSS	LLAALLGQMQ	LQKGVVAVNG	600
	TLAYVSQQAW	IFHGNVREN	LFGEKYDHR	YQHTVRVCGL	QKDLGNLPYG	DLTEIGERGL	660
	NLSGGQRORI	SLARAVYSDR	QLVLLDDPLS	AVDAHVGKHV	FEECIKKTLLR	GKTVVLVTHQ	720
	LQFLESCDEV	ILLEDGEICE	KGTHKELMBE	RGRYAKLIHN	LRGLQFKDPE	HLYNAMVEA	780
	FKESPAREEE	DAGIIGYLLS	LPTVFLFLLM	IGSAAFSNWW	LGLWLDKGRS	MTCGPQGNRT	840
	MCEVGAVLAD	IGQHVYQWVY	TASMVFMVLF	GVTKGVFPTK	TTLMASSSLH	DTVFDKILKS	900
45	PMSFDDTTP	GRLMNRFSKD	MDELDRVLPF	HAENFLQOFF	MVVFILVILA	AVFPAVLLV	960
	ASLAVGFPI	LRIPLHGRVQ	LKKVENVSRS	PWFTHITSSM	QGLGIHAYG	KKESCITYTS	1020
	SKGLSLSYII	QLSGLLQVCV	RTGTETQAKF	TSVELLRREYI	STCVPECTHP	LKVGTCPKDW	1080
	PSCGETFRD	YQMYRDNTP	LVLDSLNLNI	QSGQTVGIVG	RTGSGKSSLG	MALFRLVEFA	1140
	SGTIFIDEVD	ICILSLEDLR	TKLTVIPQDP	VLFVGTVRYN	LDPFESHIDE	MLWQVLERTF	1200
50	MRDTIMKLEP	KLQAEVTENG	ENFSVGERQL	LCVARALLRN	SKIILLDEAT	ASMSKTTDTL	1260
	VQNTIKDAPK	GCTVLTIAHR	LNTVLNCDHV	LVMENKGVIE	FDKPEVLAEK	PDSAFAMLLA	1320
	AEVRL						

Seq ID NO: 514 DNA sequence
 Nucleic Acid Accession #: Z31560
 Coding sequence: 1-966

	1	11	21	31	41	51	
60	CACAGCGCCC	GCATGTACAA	CATGATGGAG	ACGGAGCTGA	AGCCGCGGGG	CCCGCAGCAA	60
	ACTTCGGGGG	GCGGCGGCGG	CAACTCCACC	GCGGCGGCGG	CCGCGCGCAA	CCAGAAAAC	120
	AGCCCCGACC	GGTCGAAAGC	CGCCATGAAT	GCCTTCATGG	TGTGGTCCC	CGGCAGCGG	180
	CGCAAGATGG	CCCAGGAGAA	CCCCAAGATG	CACAACCTGG	AGATCAGCAA	GCGCCTGGGC	240
	GCCAGATGGA	AACTTTTGT	GGAGACGAG	AAGCGGCCGT	TCATCGACGA	GGCTAAGCGG	300
65	CTGCGAGCGC	TGCACATGAA	GGAGCACCCG	GATTATAAAT	ACCGGCCCCG	GCGGAAAACC	360
	AAGACGCTCA	TGAAGAAGGA	TAAGTACACG	CTGCCCGGCG	GGCTGTCTGG	CCCCGGGCGC	420
	AATAGCATGG	CGAGCGGGGT	CGGGGTGGGC	GCCGCGCTGG	GCGCGGGCGT	GAACACGCGC	480
	ATGGACAGTT	ACGCGCACAT	GAACGGCTGG	AGCAACGGCA	GCTACAGCAT	GATGCAGGAC	540
	CAGCTGGGCT	ACCGCAGCA	CCCGGCGCTC	AATGCGCACG	GCGCAGCGCA	GATGCAGCCC	600
70	ATGCACCGCT	ACGACGTGAG	CGCCCTGCAG	TACAACCTCA	TGACCAGCTC	GCAGACCTAC	660
	ATGAACGGCT	CGCCACCTA	CAGCATGTCC	TACTGCGCAG	AGGGCACCCC	TGGCATGGCT	720
	CTTGCTCCA	TGGTTCGGT	GGTCAAGTCC	GAGGCCAGCT	CCAGCCCCC	TGTGGTTACC	780
	TCTTCCTCCC	ACTCCAGGGC	GCCTGCACG	GCCGGGGACC	TCCGGGACAT	GATCAGCATG	840
	TATCTCCCCG	GCGCGGAGGT	GCCGGAACCC	GCCGCCCCCA	GCAGACTTCA	CATGTCCCAG	900
75	CACTACCAGA	GCGGCCCGTA	GCCCGCACG	GCCATTAACG	GCACACTGCC	CCTCTCACAC	960
	ATGTGAGGCG	CGGACAGCGA	ACTGGAGGGG	GGAGAAATTT	TCAAAGAAAA	ACGAGGGAAA	1020
	TGGAGGGG	GCAAAAAGAG	AGAGTAAGAA	ACAGCATGGA	GAAAACCCG	TACGCTCAAA	1080
	AAAA						

Seq ID NO: 515 Protein sequence
 Protein Accession #: CAA83435

	1	11	21	31	41	51	
85	HSARMYNMME	TELKPPGPGQ	TSGGGGGNST	AAAAGGNQKN	SPDRVKRFMN	AFMVWSRGQR	60
	RKMAQENPKM	HNSEISKRLG	AEWKLLSETE	KRPFIDEAKR	LRALHMKEHP	DYKYRPRRKT	120
	KTLMKDKYR	LPGGLLAPFG	NSMASGVGVG	AGLGAGVNR	MDSYAHMNGW	SNGSYSMQD	180

QLGYPOHPGL NAHGAQMOP MHRVDVSALQ YNSMTSSQTY MNGSPTYSMS YSQQGTFGMA 240
LGSMG5VVK5 BASSPFPVVT SSSHSRAPCQ AGDLRDMISM YLPGAEPFEP AAP5RLHMSQ 300
HYQSGPVPPT AINGTLPLSH M

5 Seq ID NO: 516 DNA sequence
Nucleic Acid Accession #: U91618
Coding sequence: 29..541

10 1 11 21 31 41 51
CGGACTTGGC TTGTTAGAAG GCTGAAAGAT GATGGCAGGA ATGAAAATCC AGCTTGTATG 60
CATGCTACTC CTGGCTTTCA GCTCCTGGAG TCTGTGCTCA GATTGAGAAG AGGAAATGAA 120
AGCATTAGAA GCAGATTTCT TGACCAATAT GCATACATCA AAGATTAGTA AAGCACATGT 180
15 TCCTCTTTGG AAGATGACTC TGCTAAATGT TTGCAGTCTT GTAATAAATT TGAACAGCCC 240
AGCTGAGGAA ACAGGAGAAG TTCATGAAGA GGAGCTTGTG GCAAGAAGGA AACTTCCTAC 300
TGCTTTAGAT GGCTTTAGCT TGGAAAGCAAT GTTGACAATA TACCAGCTCC ACAAATCTG 360
TCACAGCAGG GCTTTTCAAC ACTGGGAGTT AATCCAGGAA GATATTCTTG ATACTGGAAA 420
TGACAAAAAT GGAAAGGAAG AAGTCATAAA GAGAAAAATT CCTTATATTG TGAACGGCA 480
GCTGTATGAG AATAAACCCA GAAGACCTCA CATACTCAA AGAGATTCTT ACTATTACTG 540
20 AGAGAAATAA TCAATTTATT ACATGTGATT GTGATTCATC ATCCCTTAAT TAAATATCAA 600
ATTATATTTG TGTGAAAATG TGACAAACAC ACTTATCTGT CTCTTCTACA ATTGTGGTTT 660
ATTGAATGTG TTTTCTGCA CTAATAGAAA TTAGACTAAG TGTTTTCAA TAAATCTAAA 720
TCTTCAAAAA AAAAAAAAAA AAATGGGGCC GCAATT

25 Seq ID NO: 517 Protein sequence
Protein Accession #: AAB50564

30 1 11 21 31 41 51
MMAGMKIQLV CMLLAFSSW SLCSDEEEM KALEADFLTN MHTSKISKAH VPSWKMTLLN 60
VCSLVMNLM5 PAEBTEGVEHE EELVARRKLP TALDGF5LEA MLTIYQLHKI CH5RAFQHWE 120
LIQEDILD5TG NDKNGKEEVI KRKIPYILKR QLYENKPRRP YILKRDSY5Y

35 Seq ID NO: 518 DNA sequence
Nucleic Acid Accession #: NM_006536.2
Coding sequence: 109..2940

40 1 11 21 31 41 51
ACCTAAAAAC TTGCAAGTTC AGGAAGAAAC CATCTGCATC CATATTGAAA ACCTGACACA 60
ATGTATGCAG CAGGCTCAGT GTGAGTGAAC TGGAGGCTTC TCTACAACAT GACCCAAAGG 120
AGCATTGCAG GTCCTATTTG CAACCTGAAG TTGTGACTC TCCTGGTTCG CTTAAGTTCA 180
GAACTCCCAT TCCTGGGAGC TGGAGTACAG CTTCAAGACA ATGGGTATAA TGGATTGCCT 240
45 ATTGCAATTA ATCCTCAGGT ACCTGAGAAI CAGAACCCTA TCTCAAACAT TAAGGAAATG 300
ATAACTGAAG CTTCAATTTA CCTATTTAAT GCTACCAAGA GAAGAGTATT TTTCAGAAAT 360
ATAAAGATT5 TAATACCTGC CACATGGAAA GCTAATAATA ACAGCAAAAT AAAAAAAGAA 420
TCATATGAAA AGGCAAATGT CATAGTACT GACTGGTATG GGGCACATGG AGATGATCCA 480
TACACCCTAC AATACAGAGG GTGTGGAAAA GAGGGAAAT ACATTCATTT CACACCTAAT 540
TTCTACTGA ATGATACTT AACAGCTGGC TACGGATCAC GAGGCCGAGT GTTTGTCCAT 600
50 GAATGGGCCC ACCTCCCTTG GGGTGTGTTT GATGAGTATA ACAATGACAA ACCTTCTTAC 660
ATAAATGGGC AAAATCAAAT TAAAGTGACA AGGTGTTTAT CTGACATCAC AGGCATTTTT 720
GTGTGTGAAA AAGTTCCTTG CCCCCAAGAA AACTGTATTA TTAGTAAGCT TTTTAAAGAA 780
GGATGCACCT TAATCTACAA TAGCACCCAA AATGCAACTG CATCAATAAT GTTCATGC5AA 840
AGTTTATCTT CTGTGGTGA ATTTTGTAAI GCAAGTACCC ACAACCAAGA AGCACC5AAC 900
55 CTACAGAACC AGATGTGCAG CCTCAGAAGT GCATGGGATG TAATCACAGA CTCTGCTGAC 960
TTTCACCACA GCTTTCCCAT GAAITGGACT GAGCTTCCAC CTCCTCCCAC ATTCTGCCTT 1020
GTACAGGCTG GTGACAAAGT GGTCTGTTTA GTGCTGGATG TGTCCAGCAA GATGGCAGAG 1080
GCTGACAGAC TCCTTCAACT ACAACAAGCC GCAGAAITTT ATTTGATGCA GATTGTTGAA 1140
60 ATTCATACCT TCGTGGGCAT TGCCAGTTTC GACAGCAAAG GAGAGATCAG AGCCCAGCTA 1200
CACCAAATTA ACAGCAATGA TGATCGAAAG TTGCTGGTTT CATATCTGCC CACCACTGTA 1260
TCAGCTAAA5 CAGACATCAG CATTGTTC5A GGGCTAAGA AAGGATTG5A GGTGGTTGAA 1320
AAACTGAATG GAAAAGCTTA TGCTCTGTG ATGATATTAG TGACCAGCGG AGATGATAAG 1380
CTTCTTG5CA ATTGCTTACC CACTGTGCTC AGCAGTGGTT CAACAAITCA CTCCATTGCC 1440
65 CTGGGTTCAT CTG5CAGCCC AAATCTGGAG GAATTATCAC GTCTTACAGG AGGTTTAAAG 1500
TTCTTTGTTT CAGATATATC AAATCCCAAT AGCATGATTG ATGCTTTCAG TAGAATTTCC 1560
TCTGGA5ACTG GAGACATTTT CCAGCAACAT ATTCAGCTTG AAAGTACAGG TGAAAATGTC 1620
AAACCTCAC5C ATCAATTGAA AAACACAGTG ACTGTGGATA ATACTGTGGG CAACGACACT 1680
ATGTTTCTAG TTACGTGGCA G5CCAGTGGT CCTCCTGAGA TTATATTATT TGATCCTGAT 1740
GGACGAAAAT ACTACACAAA TAATTTTATC ACCAATCTAA CTTTTCGGAC AGCTAGTCTT 1800
70 TGGATTC5CAG GAACAGCTAA GCCTGGGCAC TGGACTTACA CCCTGAACAA TACCCATCAT 1860
TCTCTCAAG CCCTGAAAGT GACAGTGACC TCTCGCGCCT CCAACTCAGC TGTGCC5CCA 1920
GCCACTGTGG AAGCCTTTGT G5GAAAGAGAC AGCCTCCATT TTCCTCATCC TGTGATGATT 1980
TATGCCAATG TGAACAGGGG ATTTTATCCC ATTC5TAAATG CCACTGT5CAC TGCCACAGTT 2040
GAGCCAGAGA CTGAGAT5CC TGTTACGCTG AGACTCCTTG ATGATGGAGC AGGTGCTGAT 2100
75 GTTATAAAA5 ATGATGGAAT TTA5CTCGAGG TATTTT5TCT CCTTTGCTGC AAATGGT5AGA 2160
TATAGCTTGA AAGTGCATGT CAATCACTCT CCCAGCATAA GCACCC5CAGC CCACTCTATT 2220
CCAGGGAGTC ATGCTATGTA TGTACCAGGT TACACAGCAA ACG5TAATAT TCAGATG5AAT 2280
GCTCCAAGGA AATCAGTAGG CAGAAATGAG GAGGAGCGAA AGTGGGCTT TAGCCGAGTC 2340
AGCTCAGGAG GCTCCTTTTC AGTGTGGGA GTTCCAGCTG GCCCC5CACC TGATGTGTTT 2400
CCACCATGCA AAAT5ATTG5A CCTGGAAGCT GTAAAAGTAG AAGAGGAAIT GACCCTATCT 2460
80 TGGACAGCAC CTG5GAGAAGA CTTTGTATCAG GGCCAGGCTA CAAGCTATGA AATAAGAATG 2520
AGTAAAAGTC TACAGAATAT CCAAGATGAC TTTAACAATG CTATTTT5AGT AAATACATCA 2580
AAGCGAAAAT CTCAGCAAGC TGCCATCAGG GAGATATTTA CGTTCTCACC CCAGATTTCC 2640
ACGAATGGAC CTGAACATCA G5CCAAATGGA GAAACACATG AAAGCCACAG AATTTATGTT 2700
85 GCAATACGAG CAATGGATAG GA5CTCCTTA CAGTCTGCTG TATCTAACAT TGCC5AGGCG 2760
CCTCTGTTTA TTCC5CCCAA TTCTGATCCT GTACCTG5CA GAGATTATCT TATATTG5AA 2820
GGAGTTT5AA CAGCAATGGG TTTGATAGGA ATCAITTGCC TTAT5TATAGT TGTGACACAT 2880

	AGGCGAGCGG	AGGAATCTGC	CTCAGAGATT	CAATCCAGTG	CCCAGCGCTT	GGAGACCCAG	2700
	GTGAGCGCCA	GCCGCTCCCA	GATGGAGGAA	GATGTCAGAC	GCACAAGGCT	CCTAATCCAG	2760
	CAGGTCGGGG	ACTTCTTAAC	AGACCCCGAC	ACTGATGCA	CCACTATCCA	GGAGGTCAGC	2820
5	GAGGCGCTGC	TGGCCCTGTG	GCTGCCACAC	GACTCAGCTA	CTGTTCTGCA	GAAGATGAAT	2880
	GAGATCCAGG	CCATTCGAGC	CAGGCTCCCC	AACGTGGACT	TGGTGCTGTC	CCAGACCAAG	2940
	CAGGACATTT	CGCGTCCCGC	CCGCTTGCCG	GCTGAGGCTG	AGGAAGCCAG	GAGCCGAGCC	3000
	CATGCACTGG	AGGGCCAGGT	GGRAAGATGTG	GTTGGGAACC	TGCGGCAGGG	GACAGTGGCA	3060
	CTGCAGGAAG	CTCAGGACAC	CATGCAAGGC	ACCAGCCGCT	CCCTTCGGCT	TATCCAGGAC	3120
	AGGGTTGCTG	AGGTTCAGCA	GGTACTCGCG	CCAGCAGAAA	AGCTGGTGAC	AAGCATGACC	3180
10	AAGCAGCTGG	GTGACTTCTG	GACACGGATG	GAGGAGCTCC	GCCACCAAGC	CCGGCAGCAG	3240
	GGGGCAGAGG	CAGTCCAGGC	CCAGCAGCTT	GCGGAAGGTG	CCAGCCGAGCA	GGCATTGAGT	3300
	GCCTCAAGAGG	GATTTGAGAG	AATAAACAAC	AAGTATGCTG	AGTTGAAGGA	CCGGTTGGGT	3360
	CAGAGTCCA	TGCTGGGTGA	GCAGGGTGCC	CGGATCCAGA	GTGTGAAGAC	AGAGGCGAGAG	3420
	GAGCTGTTTG	GGGAGACCAT	GGAGATGATG	GACAGGATGA	AAGACATGGA	GTGGGAGCTG	3480
15	CTGCGGGGCA	GCCAGGCCAT	CATGCTGCCG	TCGGCGGACC	TGACAGGACT	GGAGAAGCGT	3540
	GTGGAGCAGA	TCCGTGACCA	CATCAATGGG	CGCGTGTCT	ACTATGCCAC	CTGCAAGTGA	3600
	TGCTACAGCT	TCCAGCCCGT	TGCCCCACTC	ATCTGCCCGC	TTTGCTTTTG	GTGGGGGCA	3660
	GATTGGGTTG	GAATGCTTTC	CATCTCCAGG	AGACTTTCAT	GCAGCCATA	GTACAGCCCTG	3720
20	GACCAACCCT	GGTGTGTAGC	TAGTAAGATT	ACCCTGAGCT	GCAGCTGAGC	CTGAGCCAAT	3780
	GGGACAGTTA	CATTTGACAG	ACAAAGATGG	TGGAGATTGG	CATGCCATTG	AAACTAAGAG	3840
	CTCTCAAGTC	AAGGAAAGCTG	GAGTGGGCAG	TATCCCCCGC	CTTTAGTTCT	CCACTGGGGA	3900
	GGATCTCTGG	ACCAAGCACA	AAAACCTAAC	AAAAGTGATG	TAAAAATGAA	AAGCCAAATA	3960
	AAAATCTTTG	G					

25 Seq ID NO: 521 Protein sequence
Protein Accession #: NP_000219.1

	1	11	21	31	41	51	
30	MRPFFLLCFA	LPGLLHAQQA	CSRGACYPV	GDLLVGRTRF	LRSASSTCGLT	KPETYCTQYG	60
	EWQMCKCKCD	SRQPHNYYS	RVENVASSG	PMRWNQSQND	VNPSVSLQLDL	DRRFQLOEVM	120
	MEFQGPMPAG	MLIERSDDF	KTRVYQYLA	ADCTSTFPRV	RQGRPQSQND	VRCQSLPQRP	180
	NARLNGKVQ	LNLMDLVSG	PATQSQIKQE	VGEITNLRVN	FTRLAPVPQR	GYPHPSAYYA	240
	VSQRLRQGCG	FCHGHADRC	PKPGASAGPS	TAVQVHDCV	CQHNTAGPNC	ERCAPPYNNR	300
35	PWRPABEQDA	HECQRCDNG	HSSTCHFDDA	VFAASQGYG	GVDCNCRDHT	EGKNCRCCQL	360
	HYFRNRRPGA	SIQETICISC	CDPDGAVPGA	PCDPVTGQCV	CKEHVQGERC	DLCKPGFTGL	420
	TYANPQGCRR	CDNCLLSRR	DMPCEBESGR	CLCLPNVVG	KCDQCAPYHW	KLASGQGCPE	480
	CACDPHNSPQ	PTVQPVHRAV	PCREGFGGLM	CSAAAIRQCP	DRTYGDVATG	CRACDCDFRG	540
40	TEGPGCDKAS	GRCLCRPGLT	GPRCDQCQR	YCNRYPVCA	CHPCFQTYDA	DLREQLRFP	600
	RLRNATASLW	SGPGLERDGL	ASRILDASK	IEQIRAVLSS	PAVTEQEVAV	VASAILSLRR	660
	TLQGLQLDLP	LEEETLFLPR	DLESLDRSFN	GLLTMQRKRE	EQFEKISSAD	PSGAFRMLST	720
	AYEQSAQAAQ	QVSDDSRLLD	QLRDSRREAE	RLVVRQAGGG	GTGSPKLVAL	RLEMSLPLD	780
	TPTFNKLCGN	SRQMACTPIS	CPGELCPQDN	GTACGSRCRG	VLPRAGGAF	MAGQVAVQLR	840
	GFNAQLQRT	QMIRAASESA	SQIQAASQRL	ETQVARSRSQ	MEEDVRTRRL	LIQQVDRFLT	900
45	DPDTDAATIQ	EVSEAVLALW	LPTDSATVLQ	KMNEIQATA	RLPNVDLVLS	QTKQDIARAR	960
	RLQAEAEER	SRAHAVEGQV	EDVVGNLRQ	TVALQEAQDT	MQGTSRSLRL	IQDRVAEVQQ	1020
	VLRPAEKLVT	SMTAGGDFW	TRMBELRHQA	RQQAAGAEVQA	QQLAEGASEQ	ALSAQEGERF	1080
	IKQKYAELKD	RLGQSSMLGE	QGARIQSVKT	EAEELFGETM	EMMDRMDKME	LELLRGSQAI	1140
50	MLRSADLTGL	EKRVEQIRDH	INGRVLVYAT	CK			

Seq ID NO: 522 DNA sequence
Nucleic Acid Accession #: NM_001944.1
Coding sequence: 84..3083

	1	11	21	31	41	51	
55	TTTCTTAGA	CATTAACATGC	AGACGGCTGG	CAGGATAGAA	GCAGCGGCTC	ACTTGGACTT	60
	TTCACCCAGG	GAAATCAGAG	ACAATGATGG	GGCTCTCC	CAGAACTACA	GGGGCTCTGG	120
	CCATCTTCGT	GGTGGTCATA	TTGGTTCATG	GAGAAATGCG	AATAGAGACT	AAAGGTCAAT	180
60	ATGATGAAGA	AGAGATGACT	ATGCAACAAG	CTAAAAGAA	GCAAAAACGT	GAATGGGTGA	240
	AATTTGCCAA	ACCTGGCAGA	GAAAGGAAAG	ATAACTCAA	AAGAAACCCA	ATTGCCAAGA	300
	TTACTTCAGA	TTACCAAGCA	ACCCAGAAAA	TCACCTACCG	AATCTCTGGA	GTGGGAATCG	360
	ATCAGCCGCT	TTTGGGAATC	TTTGTGTGTT	ACAAAAACAC	TGGAGATATT	AACATAACAG	420
	CTATAGTCGA	CCGAGGAGAA	ACTCCAAGCT	TCTGTATCAC	ATGTCCGGCT	CTAAATGCC	480
65	AAGGACTAGA	TGTAGAGAAA	CCACTTATAC	TAACGGTTAA	AATTTGGAT	ATTAATGATA	540
	ATCCTCCAGT	ATTTTACACA	CAAAATTTCA	TGGGTGAAAT	TGAAGAAAT	AGTGCTCAA	600
	ACTCACTGGT	GATGATACTA	AATGCCACAG	ATGCAGATGA	ACCAAACC	TTGAATTTCTA	660
	AAATTCCT	CAAATTTGCT	TCTCAGGAAC	CAGCAGGCAC	ACCATGTTTC	CTCCTAAGCA	720
	GAACACTG	GGAGSTCCGT	ACTTTGACCA	ATTCCTTGA	CCGAGAGCAA	GCTAGCAGCT	780
70	ATCGTCTGGT	TGTGAGTGGT	GCAGACAAAG	ATGGAGAAGG	ACTATCAACT	CAATGTGAAT	840
	GTAATATTAA	AGTAAAAGAT	GTCAACGATA	ACTTCCCAAT	GTTTAGAGAG	TCTCAGTATT	900
	CAGCAGTAT	TGAAGAAAT	ATTTAAGATT	CTGAATTACT	TGATTTCAA	GTAACAGATT	960
	TGGATGAAGA	GTACACAGAT	AATTTGGCTG	CAGTATATTT	CTTACCTCT	GGGAATGAAG	1020
	GAAATTTGGT	TGAAATACAA	ACTGATCCCTA	GAACATAATGA	AGGCATCCTG	AAAGTGGTGA	1080
75	AGGCTCTAGA	TTATGAACAA	CTACAAAGCG	TGAAACTTAG	TATTGCTGTC	AAAAACAAG	1140
	CTGAATTTCA	CCAATCAGTT	ATCTCTCGAT	ACCGAGTTCA	GTCAACCCCA	GTCACAATTC	1200
	AGGTAATAAA	TGTAAAGAAA	GGAATTGCAT	TCCGTCCGTC	TTCCAAGACA	TTTACTGTGC	1260
	AAAAAGGCAT	AAGTAGCAAA	AAATTGGTGG	ATTATATCT	GGGAACATAT	CAAGCCATCG	1320
	ATGAGGACAC	TAACAAAGCT	GCCTCAAATG	TCAAATATGT	CATGGGACGT	AACGATGGTG	1380
80	GATACCTAAT	GATGGATTTCA	AAAACGCTG	AAATCAAAAT	TGTCAAAAT	ATGAACCGAG	1440
	ATTCTACTTT	CATAGTTAAC	AAAACAATCA	CAGCTGAGGT	TCTGGCCATA	GATGAATACA	1500
	CGGGTAAAA	TTCTACAGGC	ACGGTATATG	TTAGAGTACC	CGATTTCAAT	GACAATTTCT	1560
	CAACAGCTGT	CCTCGAAAA	GATGCAGTTT	GCAGTCTTTC	ACCTTCGGTG	GTGTCTCCG	1620
	CTAGAACACT	GAAATAATAGA	TACACTGGCC	CCTATACATT	TGCACTGGAA	GATCAACCTG	1680
85	TAAAGTTGCC	TGCGTATGG	AGTATACAAA	CCCTCAATGC	TACCTCGGCC	CTCCTCAGAG	1740
	CCAGGAAACA	GATACCTCCT	GGAGTATACC	ACATCTCCCT	GGTACTTACA	GACAGTCAGA	1800
	ACAATCGGTG	TGAGATGCCA	CGAGCTTGA	CAGTGGAGT	CTGTGATGT	GACAACAGGG	1860

5
10
15
20
25

```

GCATCTGTGG AACTTCTTAC CCAACCACAA GCCTGGGAC CAGGTATGGC AGGCCGCACT 1920
CAGGGAGGCT GGGGCGCTCC GCCATCGGCC TGCTGCTCCT TGGTCTCCTG CTGCTGCTGT 1980
TGCCCCCTCT TCTGCTGTGT ACCTGTGACT GTGGGGCAGG TTCTACTGGG GGAGTGACAG 2040
GTGGTTTAT CCCAGTTCTT GATGGCTCAG AAGGAACAAT TCATCACTGG GGAATTGAAG 2100
GAGCCCATCC TGAAGACAAG GAAATCACAA ATATTGTGT GCCTCCTGTA ACAGCCAATG 2160
GAGCCGATT CATGGAAAGT TCTGAAGTTT GTACAAATAC GTATGCCAGA GGCACAGCGG 2220
TGGAAGGCAC TTCAGGAATG GAAATGACCA CTAAGCTTGG AGCAGCCACT GAATCTGGAG 2280
GTGCTGCAGG CTTTGCAACA GGGACAGTGT CAGGAGCTGC TTCAGGATTC GGAGCAGCCA 2340
CTGGAGTTGG CATCTGTTC TCAGGGCAGT CTGGAACCAT GAGAACAAGG CATTCCACTG 2400
GAGGAACCAA TAAGGACTAC GCTGATGGGG CGATAAGCAT GAATTTTCTG GACTCCTACT 2460
TTTCTCAGAA AGCAATTGCC TGTGCGGAGG AAGACGATGG CCAGGAAGCA AATGACTGCT 2520
TGTTGATCTA TGATAARTGAA GSGCAGATG CCACTGGTTC TCCTGTGGGC TCCGTGGGTT 2580
GTTGCACTTT TATTGCTGAT GACCTGGATG ACAGCTTCTT GGACTCACTT GGACCCAAAT 2640
TTAAAAAAT TGCAGAGATA AGCCTTGGTG TTGATGGTGA AGGCAAAGAA GTTCAGCCAC 2700
CCTCTAAAGA CAGCGGTTAT GGGATTGAAT CCTGTGGCCA TCCCATAGAA GTCCAGCAGA 2760
CAGGATTTGT TAAGTGCCAG ACTTTGTCAG GAAGTCAAGG AGCTTCTGCT TTGTCGCGCT 2820
CTGGGTCTGT CCAGCGGCT GTTCCATCC CTGACCCCTC GCAGCATGGT AACTATTTAG 2880
TAACGGAGAC TFACTGGCT TCTGGTFCCT TCGTGCAACC TTCCACTGCA GGCTTTGATC 2940
CACTTCTCAC ACAAATGTG ATAGTGACAG AAAGGGTGAT CTGTCCCAT TCCAGTGTTC 3000
CTGGCAACCT AGCTGGCCCA ACCGAGCTAC GAGGGTCACA TACTATGCTC TGTACAGAGG 3060
ATCCTTGCTC CCGTCTAATA TGACCAAGAT GAGCTGGAAT ACCACACTGA CCAAATCTGG 3120
ATCTTTGGAC TAAAGTATTC AAAATAGCAT AGCAAAGCTC ACTGTATTGG GCTAATAAAT 3180
TGGCACTTAT TAGCTTCTCT CATAAATCGA TCACGATTAT AAATTAATG TTTGGGTTCA 3240
TACCCCAAAA GCAATATGTT GTCACTCCTA ATCTCAAGT ACTATTCAA TGTAGTAAA 3300
TCTTAAAGT TTTCAAACC CTAATATCAT ATTCCG

```

Seq ID NO: 523 Protein sequence
Protein Accession #: NP_001935.1

30
35
40
45
50

```

1 11 21 31 41 51
MMGLFPRITG ALAIFVVVIL VHGLRIETK QYDEEEMTM QQAKRRQKRE WVKFAKPCRE 60
GEDNSKRNI AKITSDYQAT QKITYRISGV GIDQPPFGIF VVDKNTGDIN ITAIVDREET 120
PSFLITCRAL NAQGLDVEKP LILTVKILDI NDNPPVFSQQ IFMGEIENS ASNLSVMILN 180
ATDADEPNHL NSKIAPKIVS QEPAGTPMFL LSRNTGEVRT LTNSLDREQA SSYRLVVSQA 240
DKDGEGLSTQ CECNLIKVDV NDNPFMFRDS QYSARIEENI LSSELLRFQV TDLDEEYTDN 300
WLAVYFSTSG NEGNWFIEQT DPRTEGILK VVKALDYBQL QSVKLSIAVK NKAEPHQSVI 360
SRYRVQSTPV TIQVINVREG IAFRPASKTF TVQKGISSKK LVDYILGTYO AIDEDTNKAA 420
SNVKYVMGRN DGGYLMIDSK TAEIKFVKNM NRDSTFIVNK TITAEVLAI D EYTGKSTGT 480
VYVRVDFDND NCPTAVLEKD AVCSSSPSVV VSARTLNNRY TGPYTFALD QPVKLPVAVS 540
ITTLNATSAL LRAQEQIIPG VYHISLVLTD SQNNRCMPR SLTLEVCQCD NRGICGTSYP 600
TTSFPTRYGR PHSGRGLPAA IGLLLLGLLL LLLAPLLLT CDCGAGSTGG VTGGFIPVPD 660
GSEBTHQWG IEGAPHEPDE ITNICVPPVT ANGADFMESS EVCNTNYARG TAVEGTSGME 720
MTTKLGAATE SGGAGAFATG TVSGAASGFG AATGVGICSS GQSGTMRTRH STGGTNKDYA 780
DGAISMNPLD SYFSQKAFAC AEEDDGQEAN DCLLIYDNEG ADATGSPVGS VGCCSFIADD 840
LDDSPFLSLG PKFKKLAEIS LGVDGEGKEV QPPSKDSGYG IESCGHPIEV QQTGFVKCQT 900
LSGSQASAL SASGSVQPAV SIPDPLQHG N YLVTETY SAS GSLVQPSTAG FDPLLTQNV I 960
VTERVICPIS SVPGNLGAPT QLRGSHTMLC TEDPCSRLI

```

Seq ID NO: 524 DNA sequence
Nucleic Acid Accession #: XM_058069.2
Coding sequence: 1..1413

55
60
65
70
75
80

```

1 11 21 31 41 51
ATGAAGTTTC TTCTAATACT GTCCTGCAG GCCACTGCTT CTGGAGCTCT TCCCCTGAAC 60
AGCTCTACAA GCCTGGAAAA AAHTAATGTG CTATTGGTG AAAGATACTT AGAAAAATTT 120
TATGGCCTTG AGATAAACAA ACTTCCAGTG ACAAAAATGA AATATAGTGG AAACCTAATG 180
AAGGAAAAAA TCCAAGAAAT GCAGCACTTC TTGGGTCTGA AAGTGACCGG GCAACTGGAC 240
ACATCTACCC TGGAGATGAT GCACGCACCT CGATGTGGAG TCCCCGATGT CCATCATTTC 300
AGGGAATGC CAGGGGGCC CGTATGGAGG AAACATTATA TCACCTACAG AATCAATAAT 360
TACACACCTG ACATGAACCG TGAGGATGTT GACTACGCAA TCCGGAAAGC TTCCAAGTA 420
TGGAGTAATG TTACCCCTT GAAATTGAGC AAGATTAACA CAGGCATGGC TGACATTTTG 480
GTGGTTTTTG CCCGTGGAGC TCATGGAGAC TTCCATGCTT TTGATGGCAA AGGTGGAATC 540
CTAGCCCATG CTTTGGACC TGGATCTGGC ATTGGAGGGG ATGCACATT CGATGAGGAC 600
GAATCTCGA CTACACATTC AGGAGGCACA AACTTGTTC TCACTGTGT TCACGAGATT 660
GGCCATTCCT TAGGCTTGG CCATTCTAGT GATCCAAAG CCGTAATGTT CCCCACCTAC 720
AAATATGTTG ACATCAACAC ATTTGCGCTC TCTGCTGAT ACATACGTGG CATTCAGTCC 780
CTGTATGGAG ACCCAAAAGA GAACCAACGC TTGCCAAATC CTGACAATC AGAACCAGCT 840
CTCTGTGACC CCAATTGAG TTTTGATGCT GTCACTACCG TGGGAAATAA GATCTTTTTT 900
TCAAAGACA GGTCTCTCTG GCTGAAGGTT TCTGAGAGAC CAAAGACCAG TGTTAATTTA 960
ATTTCTTCT TATGGCCAAC CTTGCCATCT GGCATTGAAG CTGCTTATGA AATGGAAGCC 1020
AGAAATCAAG TTTTCTTTT TAAAGATGAC AAATACTGGT TAATTAGCAA TTTAAGACCA 1080
GAGCCAAAT ATCCCAAGAG CATACATCT TTTGGTTTT CTAACCTTGT GAAAAAAT 1140
GATGCAGCTG TTTTAAACC CGTFTTAT AGGACCTACT TCTTTGTAGA TAACCGTAT 1200
TGGAGGTATG ATGAAAGGAG ACAGATGAT GACCCTGGTT ATCCCAACT GATTACCAAG 1260
AACTCCAAG GAATCGGGCC TAAATATGAT GCAGTCTTCT ACTCTAAAAA CAAATACTAC 1320
TATTTCTTCC AAGGATCTAA CCAATTTGAA TATGACTTCC TACTCCAACG TATCACCAAA 1380
ACACTGAAAA GCAATAGCTG GTTTGGTGT TGA

```

Seq ID NO: 525 Protein sequence
Protein Accession #: P39900

85

```

1 11 21 31 41 51
MKFLILLIQ ATASGALPLN SSTSLKNNV LFGERYLEK YGLEINKLKV TKMKYSQNLN 60
KEKIQEMQHF LGLKVTGQLD TSTLEMMHAP RCGVPDVHFF REMPGPVWR KHYITYRINN 120

```

YTPDMNRE DV	DYAIRKAFV	WSNVTLKFS	KINTGMADIL	VVFARGAHD	FHAPDGGGI	180
LAFHFGP	IGGDAHFDE	EFWTTTSHGGT	NLFLETAVHEI	GHSLSGLGHSS	DPKAVMPFTY	240
KYVDINTFRL	SADDIRGQFS	LYGDPKENQR	LPNPDNSEPA	LCDPNLSFDA	VTTVGNKIPF	300
FKDRPFWLK	SRPKTSVNL	ISSLWPTLPS	GIEAAEIEA	RNQVFLPKDD	KYWLISNLRP	360
EPNYPKSIHS	FGFNPFVKKI	DAAVFNPRFY	RTYFPVDNQY	WRDYERRQMM	DPGYPKLITK	420
NFQGIGPKID	AVFYSKNKY	YFFQGSNQFE	YDFLLQRITK	TLKSNSWFGC		

Seq ID NO: 526 DNA sequence
Nucleic Acid Accession #: NM_024423.1
Coding sequence: 64..2590

	1	11	21	31	41	51	
15	GGCAGGTCTC	GCTCTCGGCA	CCCTCCCQGGC	GCCCCGCTTC	TCCTGGCCCT	GCCCGGCATC	60
	CCGATGGGCG	DYCGTFGGCC	COGGCGCTCC	GTGCGGGAG	CCGTCTGCCT	GCATCTGCTG	120
	CTGACCCCTCG	TGATCTTTCAG	TCGTGATGGT	GAAGCCTGCA	AAAAGGTGAT	ACTTAATGTA	180
	CCTTCTAAAC	TAGAGGCAGA	CAAAAATAAT	GGCAGAGTTA	ATTGGGAAGA	GTGCTTCAGG	240
	CTCGCAGACC	TCATCCGGTC	AAGTGATCCT	GATTTTCCAG	TCTTAAATGA	TGGGTCAGTG	300
20	TACACAGCCA	GGGCTGTTGC	GCTGTCGTGAT	AAGAAAAGAT	CATTTACCAT	ATGGCTTCT	360
	GACAAAAGGA	AACAGACACA	GAAGAGGGT	ACTGTGCTGC	TAGAACATCA	GAAGAAGGTA	420
	TCGAAGACAA	GACACACTAG	AGAAACTGTT	CTCAGGCGTG	CCAAGAGGAG	ATGGGCACCT	480
	ATTCTTGCT	CTATGCAAGA	GAATTCCTTG	GGCCCTTCC	CATTGTTCCT	TCAACAAGTT	540
	GAATCTGATG	CAGCACAGAA	CTATCTGTC	TTCTACTCAA	TAAGTGGACG	TGGAGTTGAT	600
	AAAGAACCTT	TAAATTTGTT	TTATATAGAA	AGAGACACTG	GAAATCTATT	TTGCACTCGG	660
25	CCTGTGGATC	GTGAAGAATA	TGATGTTTT	GATTTGATTG	CATTATGGTC	AACTGCAGAT	720
	GGATATTCAG	CAGATCTGCC	CCTCCCACTA	CCCATCAGGG	TAGAGGATGA	AAATGACAAC	780
	CACCCGTGTT	TCACAGAAGC	AAATTTAAT	TTTGAAGTTT	TGGAAAGTAG	TAGACCTGGT	840
	ACTACAGTGG	GGGTGGTTG	TGCCACAGAC	AGAGATGAAC	CGGACACAAT	GCATACGGGC	900
	CTGAAATACA	GCATTTTGCA	CGACACACCA	AGGTCACTG	GGCTCTTTTC	TGTGCATCCC	960
30	AGCACAGGCG	TAATCCACAC	AGTCTCTCAT	TATTTGGACA	GAGAGGTTGT	AGACAAGTAC	1020
	TCATGATATA	TGAAGTACA	AGACATGGAT	GGCCAGTTT	TTGAGTTGAT	AGGCACATCA	1080
	ACTTGTATCA	TAACAGTAA	AGATTCAAAT	GATAATGCAC	CCACTTTCAG	ACAAAATGCT	1140
	TATGAAGCAT	TTGTAGAGGA	AAATGCATTC	AATGTGGA	TCTTACGAAT	ACCTATAGAA	1200
	GATAAGGATT	TAAATTAAC	TGCCAATGG	AGAGTCAAT	TTACCATTTT	AAAGGGAAAT	1260
35	GAATAAGGAT	ATTTCAAAT	CAGCAGAC	AAAGAAAATA	ATGAAGTGT	TCTTCTGT	1320
	GTAAGCCAC	TGAATTATGA	AGAAAACCGT	CAAGTGAACC	TGGAAATGG	AGTAAACAAT	1380
	GAAGCGCAAT	TTGCTAGAGA	TATCCAGG	GTGACAGCCT	TGAACAGAGC	CTTGGTTACA	1440
	GTTCATGTGA	GGGATCTGGA	TGAGGGGCT	GAATGCCTC	CTGCAGCCCA	ATATGTGGCG	1500
	ATTAAGAAA	ACTTAGCAGT	GGGGTCAAG	ATCAACGGCT	ATAAGGCATA	TGACCCCGAA	1560
40	AATAGAAATG	GCAATGCTT	AAGGTACAAA	AAATGCATC	ATCCTAAAGG	TTGGATCACC	1620
	ATTGATGAAA	TTTCTGTCTG	AATCATAACT	TCCAAAATCC	TGGATAGGGA	GGTTGAAACT	1680
	CCCAAAAATG	AGTGTATATA	TATTACAGTC	CTGGCAATAG	ACAAGATGA	TAGATCATGT	1740
	ACTGGAACAC	TTGCTGTGAA	CATTGAAGAT	GTAAATGATA	ATCCACCAGA	AATACTTCAA	1800
	GAATATGTAG	TCATTTCAA	ACCAAAAATG	GGGTATACCG	ACATTTTAGC	TGTTGATCCT	1860
45	GATGAACCTG	TCCATGAGC	TCCATTTTAT	TTCAAGTTG	CCAATACTTC	TCCAGAAATC	1920
	AGTAGACTGT	GGAGCCTCAC	CAAAGTAAAT	GATACAGCTG	CCCCTCTTTC	ATATCAGAAA	1980
	AATGCTGGAT	TCAAGAAATA	TACCATTCCT	ATTACTGTAA	AAGACAGGGC	CGGCCAAGCT	2040
	GCACAAAAT	TATTGAGAGT	TAATCTGTGT	GAATGTACTC	ATCCAACATCA	GTGTGCTGGC	2100
	ACTTCAAGGA	GTACAGGAGT	AATACTTGG	AAATGGGCAA	TCCTTGCAAT	ATTACTGGGT	2160
50	ATAGCACTGC	TCTTCTGTG	ATTGCTAAT	TTAGTATGTG	GAGTTTTTGG	TGCAACTAAA	2220
	GGGAAACGTT	TTCTGTAAGA	TTTAGCACAG	CAAACTTAA	TTATATCAA	CACAGAAGCA	2280
	CCTGGAGACG	ATAGAGTGTG	CTCTGCCAAT	GGATTTATGA	CCCAAACATAC	CAACAACCTC	2340
	AGCCAAGGTT	TTTGTGTGAC	TATGGGATCA	GGAAATGAAA	ATGGAGGGCA	GGAAACCATT	2400
	GAATGATGA	AAGGAGGAAA	CCAGACCTTG	GAATCCTGCC	GGGGGGCTGG	GCATCATCAT	2460
55	ACCCCTGGACT	CCTCAGGGG	AGGACACACG	GAGGTGGACA	ACTGCAGATA	CACCTACTCG	2520
	GAGTGGACA	GTTTTACTCA	ACCCCGTCTC	GGTGAAGAAT	CCATTAGAGG	ACACACTGGT	2580
	TAAAAATTAA	ACATAAAGAA	AATGTCATCG	ATGTAATCAG	AATGAAGACC	GCATGCCATC	2640
	CCAGATTAT	GTCCTCACT	ATAACTATGA	GGGAAGAGGA	TCTCCAGCTG	GTCTGTTGGG	2700
	CTGCTGCAGT	AAAAGCAGG	AAGAAGATGG	CCTTGACTTT	TAAATAATT	TGGAACCCAA	2760
60	ATTTATTACA	TAGCAGAAG	CATGCAAAA	GAGATAATGT	CACAGTGCTA	CAATTAGGTC	2820
	TTGTGAGC	ATTCAGG	TTTTCCAAAA	TAATATTGTA	AAGTCAATT	TCAAATGTA	2880
	TGTATATGAT	GATTTTTTTC	TCAATTTTGA	ATTATGCTAC	TCACCAATT	ATATTTTAA	2940
	AGCCAGTGT	TGCTTATCTT	TTCCAAAAG	TGAAAAATGT	TAAAACAGAC	AACTGGTAAA	3000
	TCTCAAATC	CAGCAGTGA	ATTAAGTCT	CTAAAGCATC	TGCTCTTTT	TTTTTTACG	3060
65	GATATTTTAG	TAAATAAAT	GCTGGATAAA	TATTAGTCCA	ACAATAGCTA	AGTTATGCTA	3120
	ATATCACATT	ATTATGATT	CACTTTAAAT	GATAGTTTAA	AAAATAAACA	AGAAATATTG	3180
	AGTATCACTA	TGTAAGAAA	GTTTTGGAAA	AGAAACAATG	AAGACTGAAT	TAAATTAATA	3240
	ATGTGAGC	TCATAAAGAA	TGGGACTCA	CCCCTACTGC	ACTACCAAT	TCATTTGACT	3300
	TTGGAGGCAA	AATGTTGTA	AGTCCCTAT	GAAGTAGCAA	TTTCTATAG	GAATATAGTT	3360
70	GGAAATAAAT	GTGTGTG	ATATATTAT	TAATCAATGC	AATATTTAA	ATGAAATGAG	3420
	AAACAAAGAG	AAAATGTTAA	AAACTTGAAA	TGAGGCTGGG	GTATAGTTG	TCTTACAATA	3480
	GAAAAAAGAG	AGAGCTTCCT	AGGCCCTGGC	TCTTAAATGC	TGCATTATA	CTGAGTCTAT	3540
	GAGGAAATAG	TTCTGTCCA	ATTTGTGTAA	TTGTTTAAA	ATTGTAAATA	AATTAACCTT	3600
	TTCTGTTTC	TGTGGGAAGG	AAATAGGGAA	TCCAATGGAA	CAGTAGCTTT	GCTTTGCGAT	3660
75	CTGTTCAAG	ATTTCTGAT	CCACAAGTTA	GTAGCAAATC	GGGAAATCT	CGCTGCGACT	3720
	GGGGTTCCCT	GCTTTTTTGT	AGCAAGGGTC	CAGAGATGAG	GTGTTTTTTT	CGGGGAGCTA	3780
	ATAACAAAAA	CATTTTAAAA	CTTACCTTTA	CTGAAGTTAA	ATCCTCTATT	GCTGTTTTCTA	3840
	TTCTCTCTTA	TAGTACCAA	CATCTTTTTA	ATTTAGATCC	AAATAACCT	GTCCTCTAG	3900
	AGTTTAGAGG	CTAGAGGGAG	CTGAGGGGAG	GATCTTACTG	AAAGCACCTC	GGGAGATTG	3960
80	ATTTGCTTA	AACCTAAGCC	CCACAACCTT	GACACCTGAT	CAGGTCTGGG	AGCTACAAAA	4020
	TTTCAATTTT	CTCCTACTG	CCCTTCTCT	GAGTGGCATT	GGCCTGAATC	AAGGAAAGCC	4080
	AGGCCTTTG	GCCCCCTT	TTTGGCTTT	CTGCTAAAGC	AACACCTCCA	GCAGAGATTG	4140
	CCTTAAGTGA	CTCCAGGTTT	TCCACCATCC	TTCAGCGTGA	ATTAATTTT	AATCAGTTT	4200
	CTTCTCCAG	AGAAATTTTA	AAATAATAGA	AGAAATAGAA	ATTTTGAATG	TATAAAAGAA	4260
85	AAAGATCAAG	TGTGCTTTT	AGAACAGAGG	GAACTTTGGG	AGAAAGCAGC	CCAAGTAGTT	4320
	TATTTGTACA	GTCAAGGGC	AACAGGAAGA	TGCAGGCCCT	CAAGGCGCAAG	GAGAGGCCAC	4380
	AAGGAATATG	GGTGGGAGTA	AAGCAACAT	CGTCTGCTTC	ATACTTTTTC	CTAGGCTTGG	4440

5
 10
 15
 20
 25
 30
 35
 40
 45

CCTGCTTT TCCTTTCTA GGCCAATGGC AACTGCCATT TGAGTCCGGT GAGGGATCAG 4500
 CCAACCTCTT CTCTATGGCT CACCTTATTT GGAGTGAGAA ATCAAGGAGA CAGAGCTGAC 4560
 TGCATGATGA GTCTGAAGGC ATTTGCAGGA TGAGCCTGAA CTGGTTGTGC AGAACAACA 4620
 AGGCATTCAAT GGGAAATGTT GTATTCCCTC TGACGCCCTC CTCTGGGCA CTAAGAAAGT 4680
 CTATGAATTA AATGCCATTC TAAAATFCG ATTTATTCCT ACATTTCTG TTTTCTAATT 4740
 TGACCCTAAA ATCTATGTGT TTTAGACTTA GACTTTTTAT TGGCCCCCCC CCCTTTTTTT 4800
 TTGAGACCGA GTCTCGCTCT GAGCCACAGG CTGGAGTGCA GTGGCTCGA TCTCTGTCTA 4860
 CTGAAAGCTC GCCTCCCGG GTTCATGCCA TTCTCCTGCC TCAGCCTCCT GAGTAGCTGG 4920
 GACTAGAGCC GCCCACCACC ACGCCCGGCT AATTTTTTGT ATTTTTAATA GAGACGGGGT 4980
 TPCACTGTGT TAGCCAGGAT GGTCTCGATC TCCTGACCTC GTGATCCGCC TGCCTCGGCC 5040
 TCCCAAAGTG CTGGGATFAC AGGCATGACC CACCGCTCCC GGCCTGTGTT TCCGTTTAAA 5100
 GTCGCTTCT TTTAATGTAA TCATTTTGAA CATGTGTGAA AGTTGATCAT ACGAATTGGA 5160
 TCAATCTGA AATACTCAAC CAAAAGACAG TCGAGAAGCC AGGGGGAGAA AGAACTCAGG 5220
 GCACAAAATA TTTGTCFVAG AATGGAATTC TCTGTAAGCC TAGTTGCTGA AATTTCTGTC 5280
 TGTAACCGA AGCCAGTTTT ATCTAACGGC TACTGAAACA CCCACTGTGT TTGCTCACT 5340
 CCCACTCACC GATCAAAAACC TGCTACCTCC CCAAGACTTT ACTAGTCCGC ATAAAATCTC 5400
 TCAAAGAGCA ACCAGTATCA CTCCCTGTT TATAAAACCT CTAAACCATCT CTTTGTCTT 5460
 TGAACATGCT GAAAACCACC TTGTCTGCAT GTATGCCCGA ATTTGTAAAT CTTTCTCTC 5520
 AAATGAAAAT TTAATTTTAG GGATTCATT CTATATTTTC ACATATGTAG TATTATTATT 5580
 TCCTTATATG TGTAAGGTGA AATTTATGTT ATTTGAGTGT GCAAGAAAAT ATATTTTTAA 5640
 AGCTTTCAAT TTTCCCCAG TGAATGATTT AGAATTTTT ATGTAATAT ACAGAAATGT 5700
 TTTTCTTACT TTTATAAGGA AGCAGCTGTC TAAAATGCAG TGGGGTTTGT TTGCAATGT 5760
 TTTAAACAGA GTTTTAGTAT TGCTATFAAA AGAAGTTACT TTGCTTTTAA AGAAACTTGG 5820
 CTGCTTAAAA TAAGCAAAAA TTTGGATGCA AAAGTAAAT TTACAGATGT GGGGAGATGT 5880
 AATAAACAA TATTAACCTG GCTGCTTAAA ATAAGCAAAA ATTGGATGCA TAAAGTAAATA 5940
 TTTACAGATG TGGGGAGATG TAATAAAAAA ATATTAACCT GGTTCCTTGT TTTTGTGTA 6000
 TTTAGAGATT AAATAATTCT AAGATGATCA CTTTGCAAAA TTATGCTTAT GGCTGGCATG 6060
 GAATAGAAA TACTCAATTA TGCTTTGTT GTATTAATGG GGAATATTTT GGCATATGTT 6120
 TCATTATCAA ATTTGCGACA TCATTAATAT ATATTGTAAT GTTGGGAAGA GATCACTATT 6180
 TTGAAGCACA GCTTTACAGA TGAGTATCTA TGATACATAT GTATAATAAA TTTTGTCCG 6240
 GTATTAAG TATTAGAAGG TGGTATAAT TGCAGAGTAT TCCATGAATA GTCACTGAC 6300
 ACAGGGGTTT TACTTTGAGG ACCAGTGTAG TCAAGGAAAA ACATGAGTTA AAAAGAAAA 6360
 CAGGCAATAT TGCAGTCTG ATCTGCCAC TTACAGGATA GATAATGCCT GAACTTAAAT 6420
 GACAAGATGA TCCAACATA AAGGTGCTCT GTGCTTACA GTGAATCTT TCCCATGCA 6480
 GGAGTGTGCT CCCCTACAAA CGTTAAGACT GATCATTCA AAAATCTATT AGCTATATCA 6540
 AAAGCCTTAC ATTTTAATAT AGGTTGAACC AAAATTTCAA TTCAGTAAC TTCTATTGTA 6600
 ACCATTATTT TTGGTATGT CTCAAGAAT GTTCATTGGA TTTTGTGTT TAATAGTAAA 6660
 ATACCGGATA CATTTCACT GCTCTCAGT ATTGATTGG TTGAATATTG GGTCTAAATG 6720
 GTTGAGAAGC ATGGACACTA GAGCCAGAAT GCTTGGATAT GAATCCTGGA TCTGTCACTT 6780
 ACTTCTGTGT GACCTTTGAA AGGCTACTTA TTCTCTCTC TAGCTTCTC ATTAATAATCA 6840
 ATGAACAATG CCAGCCTCAT GGGGTTGTT AATGATTAATA TTAGTTAATA TACCTAAAGT 6900
 ACATAGAACA CTGCCCTGAC ATAGTAAAG AATTATAAGT GTGAGGTAGT TGGTAAAAT 6960
 ATGTAGTTGG ATATACTACC GAACAATATC TAATCTCTT TTAGGGAAAT AAAGTTTGTG 7020
 CATATATATA ATCCCGAAAC ATG

Seq ID NO: 527 Protein sequence
 Protein Accession #: NP_077741.1

50
 55
 60
 65

1 11 21 31 41 51
 | | | | | |
 MAAAGRRSV RGAVCLHLLL TLVIFSRDGE ACKKVILNVP SKLEADKIIG RVNLEECFRS 60
 ADLIRSSDP FRVINDGSVY TARAVALSDK KRSFTIWLSD KRKQTKQKEVT VLEHQKQKVS 120
 KTRHRTRETVL RRAKRRWAPI PCSMQENSLG PFPLFLQQVE SDAQQNYTVF YSISGRGVDK 180
 EPLNLFYIER DTGNLFCRPR VDREYDVDFD LIAYASTADG YSADLPLPLP IRVEDENDNH 240
 PVPTEAIYNF EVLSSRRPQT TVGVVCATR DEPDTMHTRL KYSILQQTFR SPGLFSVHPS 300
 TGWITTVSHY LDREVVDKYS LIMKVQDMDG QFFGLIGTST CIITVTDSDN NAPTFRQNAV 360
 EAFVEENAFN VEILRIPIED KDILINTANWR VNFTILKNE NGHFKISTDR ETNEGVLSV 420
 KPLNYENRQ VNLBIGVNNE APPARDI PRV TALNRLVTV HVRDLDEGPE CTPAAQYVRI 480
 KENLAVGSKI NGYKAYDPEN RGNGLRYKK LHDPKGMITI DEISGSIITS KILDREVETP 540
 KNELYINITVL AIDKDRSCT GTLAVNIEDV NDNPPAILQE YVICPKPMG YTDILAVDFD 600
 EPVHGAPFFY SLPNTSPEIS RLWSLTKVND TAARLSYQKN AGFQEYTIPI TVKDRAGQAA 660
 TKLLRVNLCE CTHPTQCRAT SRSTGVILGK WAILAILLGI ALLFVLLTL VCGVFGATKG 720
 KRFPEDLAQQ NLIISNTEAP GDDRVCISANG FMTQTNNSS QGFCGTMGSG MKNGGQETIE 780
 MMKGGNQTL ESCRGAGHHHT LDSCRGGHTE VNDNCRYTYSE WBSFTQPRLG BESIRGHTG

Seq ID NO: 528 DNA sequence
 Nucleic Acid Accession #: NM_001941.2
 Coding sequence: 64..2754

70
 75
 80
 85

1 11 21 31 41 51
 | | | | | |
 GGCAGTCTC GCTCTCGGCA CCTCCCGGC GCCCGGTTT TCCTGGCCCT GCCCGCATC 60
 CCGATGGCCG CCGCTGGGCC CCGCGCTCC GTGCGCGGAG CCGTCTCCCT GCATCTGCTG 120
 CTGACCCTCG TGATCTTCAG TCGTGATGTT GAAGCCTGCA AAAAGGTGAT ACTTAATGTA 180
 CCTTCFAAAC TAGAGCCAGA CAAAATAATT GGCAAGTTA ATTTGGAGA GTGCTTCAGG 240
 TCTGCAGACC TCATCCGGTC AAGTGATCTCT GATTTCAAG TTTCTAAATGA TGGGTCAGTG 300
 TACACAGCCA GGGCTGTGTC GCTGCTGTAT AAGAAAAGAT CATTACCCT ATGGCTTTCT 360
 GACAAAAGGA AACAGACACA GAAGAGGTT ACTGTGCTGC TAGAACATCA GAAGAAGGTA 420
 TCGAAGACAA GACACACTAG AGAAACTGTT CTGAGCGTG CCAAGAGGAG ATGGGCACCT 480
 ATTCCTPTGT CATGCAAGA GAATTCCTTG GCCCTTTCC CATTGTTTCT TCAACAAGTT 540
 GAATCTGATG CAGCAGAAA CTATACTGTC TTCTACTCAA TAAGTGGAG TGGAGTTGAT 600
 AAAGAACCTT TAAATTTGTT TTATATAGAA AGAGACACTG GAAATCTATT TTGCACTCGG 660
 CCTGTGGATC GTGAAGAATA TGATGTTTTT GATTTGATTT CTTATGCTC AACTGCAGAT 720
 GGATATTCAG CAGATCTGCC CCTCCCACTA CCCATCAGG TAGAGGATGA AAATGACAA 780
 CACCCTGTTT TCACAGAAGC AATTTATAAT TTTGAAGTTT TGGAAAAGT TAGACCTGGT 840
 ACTACAGTGG GGGTGGTTTG TGCCACAGAC AGAGATGAAC CGGACAAAT GCATACCGCC 900
 CTGAATACA GCATTTTCCA CAGACACCA AGGTCACTTG GGCTCTTTTC TGTGCTATCC 960

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85

Table with 8 columns containing DNA sequences (e.g., AGCACAGGCG, TAAATCACCAC) and their corresponding numerical indices (e.g., 1020, 1080, 1140, 1200, 1260, 1320, 1380, 1440, 1500, 1560, 1620, 1680, 1740, 1800, 1860, 1920, 1980, 2040, 2100, 2160, 2220, 2280, 2340, 2400, 2460, 2520, 2580, 2640, 2700, 2760, 2820, 2880, 2940, 3000, 3060, 3120, 3180, 3240, 3300, 3360, 3420, 3480, 3540, 3600, 3660, 3720, 3780, 3840, 3900, 3960, 4020, 4080, 4140, 4200, 4260, 4320, 4380, 4440, 4500, 4560, 4620, 4680, 4740, 4800, 4860, 4920, 4980, 5040, 5100, 5160, 5220, 5280, 5340, 5400, 5460, 5520, 5580, 5640, 5700, 5760, 5820, 5880, 5940, 6000, 6060, 6120, 6180).

```

AGGGGTTTTA CTTGAGGAC CAGTGTAGTC AAGGGAAAAC ATGAGTTAAA AAGAAAAGCA 6240
GGCAATATTG CAGTCTGTAG TCTGCCACTT ACAGGATAGA TAATGCCTGA ACTTTAATGA 6300
CAAGATGATC CAACCATAAA GGTGCTCTGT GCTTCACAGT GAATCTTTTC CCCATGCAGG 6360
AGTGTGCTCC CCTACAAACG TTAAGACTGA TCATTTCAAA AATCTATTAG CTATATCAAA 6420
AGCCTTACAT TTAATATAG GTTGAACCAA AATTTCAATT CCAGTAACCT CTATTGTAAC 6480
CATTATTTT GTGTATGCT TCAAGAATGT TCATTGGATT TTTGTTTGTG ATAGTAAAT 6540
ACCGGATACA TTTCAAGTGT CCTTCAGTAT TGATTTGGTT GAATATTGGG TCATATGTT 6600
TGAGAAGCAT GGACACTAGA GCCAGAATGC TTGGATATGA ATCCTGGATC TGTCACTTAC 6660
TTCTGTGTGA CTTTGAAGG GCTACTTATT TCCTCTCTTA GCTTTCATC TAAAATCAAT 6720
GAACAATGCC AGCCTCATGG GGTGTGTGAA TGATTAATAT AGTTAATATA CCTAAAGTAC 6780
ATAGAACACT GCCTGCACAT AGTAAAAGAA TTATAAGTGT GAGGTAGTTG GTAAAATTAT 6840
GTAGTTGGAT ATACTACCGA ACAATATCTA ATCTCTTTT AGGGAATAA AGTTTGTGCA 6900
TATATATAAT CCCGAAACAT G

```

Seq ID NO: 529 Protein sequence
 Protein Accession #: NP_001932.1

```

1 11 21 31 41 51
| | | | | |
20 MAAAGRRSV RGAVCLHLLL TLVIFSRDGE ACKKVILNVP SKLEADKIIG RVNLEECFRS 60
ADLIRSSDPD FRVLNDGSSVY TARAVALSDK KRSFTIWLSD KRKQTQKEVT VLEHQKKVS 120
KTRHTRETVL RRAKRRWAPI PCSMQENSLG PFPLFLQQVE SDAAQNYTVF YSISGRGVDK 180
EPLNLFYIER DTGNLFCTRTP VDREYDVDFD LIAYASTADG YSADLPLPLP IRVEDENDNH 240
PVFTEAIYNF EVLESSRPGT TVGVVCAADR DEPDMHTRL KYSILQQTTPR SPGLPSVHPS 300
TGVIITVSHY LDREVVDKYS LIMKVQDMGD QFFGLIGTST CIITVTDSDN NAPTFRQNAV 360
EARVEENAFN VEILRIPIED KDLINTANWR VNFTILKONE NGHFKISTDK ETNEGVLVSV 420
KPLNVEENRQ VNLEIGVNE APPARDIPRV TALNRALVTV HVRDLDEGPE CTPAAQYVRI 480
KENLAVGSKI NGYKAYDPEN RENGGLRYKK LHDPRGWITI DEISGSIITS KILDREVETP 540
KNELYNITVL AIDKDRSCT GTLAVNIEDV NDNPPPEILQE YVVICPKPMG YTDILAVDFD 600
30 EPVHGAPFFY SLPNTSPEIS RLWSLTKVND TAARLSYQKN AGFQEYTIPI TVKDRAGQAA 660
TKLLRVNLCE CTHPTQCRAT SRSTGVILGK WAILAILLGI ALLPSVLLTL VCGVFGATKG 720
KRFPEDLAQQ NLIISNTEAP GDDRVCSANG FMTQTTNNS QGFCGTMGSG MKNGQGETIE 780
MMKGGNQTLE SCRGAGHHT LDSCRGGHTE VDNCRYTYSE WHSFQPRLG EKLHRCNQNE 840
DRMPSQDYVL TYNVEGRGSP AGSVGCCSEK QEEDGLDFLN NLEPKFITLA EACTKR

```

Seq ID NO: 530 DNA sequence
 Nucleic Acid Accession #: NM_016583.2
 Coding sequence: 72..842

```

1 11 21 31 41 51
| | | | | |
45 GGAGTGGGGG AGAGAGAGGA GACCAGGACA GCTGCTGAGA CCTCTAAGAA GTCCAGATAC 60
TAAGAGCAA GATGTTTCAA ACTGGGGGCC TCATTGTCTT CTACGGGCTG TTAGCCCAGA 120
CCATGGCCCA GTTTGGAGGC CTGCCCGTGC CCCTGGACCA GACCCCTGCC TTGAATGTGA 180
ATCCAGCCCT GCCCTGAGT CCCACAGGTC TTGCAGGAAG CTTGACAAAT GCCCTCAGCA 240
ATGGCCTGCT GCTCTGGGGC CTGTTGGGCA TTCTGGAAAA CCTTCCGCTC CTGGACATCC 300
TGAAGCCTGG AGGAGTACT TCTGTGGGCC TCCTTGGGGG ACTGCTTGGG AAAGTGACGT 360
CAGTGATTCC TGGCCTGAAC AACATCATTG ACATAAAGGT CACTGACCCC CAGCTGCTGG 420
50 AACTTGGCCT TGTGCAGAGC CCTGATGGCC ACCGTCTCTA TGTCAACATC CCTCTCGGCA 480
TAAAGTCCA AGTGAATACG CCCCTGGTCG GTGCAAGTCT GTTGAGGCTG GCTGTGAAGC 540
TGGACATCAC TGCAGAAATC TTAGCTGTGA GAGATAAGCA GGAGAGGATC CACCTGGTCC 600
TTGGTGACTG CACCATTCC CCTGGAAGCC TGCAAAATTC TCTGCTTGAT GGACTTGGCC 660
CCCTCCCATC TCAAGTCTT CTGGACAGCC TCACAGGGAT CTTGAATAAA GTCCTGCCTG 720
55 AGTTGGTTCA GGGCAACGTG TGCCCTCTGG TCAATGAGGT TCTCAGAGGC TTGGACATCA 780
CCCTGCTGCA TGACATTGTT AACATGCTGA TCCACGGACT ACAGTTTGTG ATCAAGGTCT 840
AAGCCTTCCA GGAAGGGGCT GGCCTCTGCT GAGCTGCTTC CCAGTGCTCA CAGATGGCTG 900
GCCCATGTGC TGGAAAGTGA CACAGTTGCC TTCTCTCCGA GGAACCTGCC CCCTCTCCTT 960
60 TCCCACCAGG CGTGTGTAAC ATCCATGTG CCTCACCTAA TAAAATGGCT CTCTCTCTGC 1020
AAAAAAAAA AAAAAAAAAA AAAAAAAAAA

```

Seq ID NO: 531 Protein sequence
 Protein Accession #: NP_057667.1

```

1 11 21 31 41 51
| | | | | |
65 MFQTGGLIVF YGLLAQTMAG FGGLPVPLDQ TLPLNVNPAL PLSPTGLAGS LTNALSNGLL 60
SGGLLGILEN LPLLDILKPG GGTSGGLLGG LLGKVTSVIP GLNNIIDIKV TDPQLLELGL 120
VQSPDGHRLY VTIFPLGIKIQ VNTPLVGASL LRLAVKLDIT AEILAVRDKQ ERIHVLVLDG 180
70 THSPGSLQIS LLDGLGPLPI QGLLDSLGTI LNKVLPFLVQ GNVCPVNEV LRGLDITLVH 240
DIVNMLIHGL QFVIKV

```

Seq ID NO: 532 DNA sequence
 Nucleic Acid Accession #: NM_004363.1
 Coding sequence: 115..2223

```

1 11 21 31 41 51
| | | | | |
80 CTCAGGGCAG AGGGAGGAAG GACAGCAGAC CAGACAGTCA CAGCAGCCTT GACAAAAAGT 60
TCCTGGAACT CAAGCTCTTC TCCACAGAGG AGGACAGAGC AGACAGCAGA GACCATGGAG 120
TCTCCCTCGG CCCCTCCCA CAGATGTGTC ATCCCTGGC AGAGGCTCCT GCTCACAGCC 180
TCACTICTAA CCTTCTGAAA CCGCCCAACC ACTGCCAAGC TCACTATGTA ATCCACGCCG 240
85 TTCAATGTCG CAGAGGGGAA GGAGGTGCTT CTACTGTGCC ACAATCTGCC CCAGCATCTT 300
TTTGGCTACA GCTGTGACAA AGTGAAAGA GTGGATGGCA ACCGTCAAT TATAGGATAT 360
GTAATAGGAA CTCACAAGC TACCCAGGG CCGCATACA GTGGTCGAGA GATAATATAC 420
CCCAATGCAT CCTGCTGAT CCAGAATC ATCCAGAATG ACACAGGATT CTACACCTTA 480

```

Table of amino acid sequences with numerical markers on the left (5, 10, 15, 20, 25, 30, 35, 40, 45) and residue numbers on the right.

Seq ID NO: 533 Protein sequence
Protein Accession #: NP_004354.1

Table of amino acid sequences for Seq ID 533, with numerical markers on the left (50, 55, 60) and residue numbers on the right.

Seq ID NO: 534 DNA sequence
Nucleic Acid Accession #: NM_006952.1
Coding sequence: 11..793

Table of DNA sequences for Seq ID 534, with numerical markers on the left (65, 70, 75, 80) and residue numbers on the right.

Seq ID NO: 535 Protein sequence
Protein Accession #: NP_008883.1

Table of amino acid sequences for Seq ID 535, with numerical markers on the left (85) and residue numbers on the right.

MAKDNSTVRC FQGLLIFGNV IIGCCGIALT AECIFFVSDQ HSLYPLLEAT DNDDIYGAAW 60
 IGIPVIGICLF CLSVLGI VGI MKSSR KILLA YFILMPIVYA FEVASCITAA TORDFPTPNL 120
 FLRQMLERVQ NNSPENNDDQ WKVNGVTKTW DRMLMQDNCC GVNGPSDWQK YTSAPRTENN 180
 DADYPWFRQC CVMNCLKSPL NLEACKLGVF GFYHNGQCYE LISGPMNRHA WGVAWFGFAI 240
 LCWTFWVLLG TMYFWSRIEY

5

Seq ID NO: 536 DNA sequence
 Nucleic Acid Accession #: NM_002638.1
 Coding sequence: 120..473

1 11 21 31 41 51
 CAATACAGCT AAGGAATTAT CCCTTGTAAT TACCACAGAC CCGCCCTGGA GCCAGGCCAA 60
 GCTGGACTGC ATAAAGATTG GTATGGCCTT AGCTCTTAGC CAAACACCTT CCTGACACCA 120
 TGAGGGCCAG CAGCTTCTTG ATCGTGGTGG TGTTCCTCAT CGTGGGAGCG CTGGTTCTAG 180
 AGGCAGCTGT CACGCGAGTT CCTGTTAAAG GTCAAGACAC TGTCAAAGGC CGTGTTCAT 240
 TCAATGGACA AGATCCCGTT AAAGGACAAG TTTCAGTTAA AGGTCAAAGT AAAGTCAAAG 300
 CGCAAGAGCC AGTCAAAGTT CCAGTCTCCA CTAAGCCTGG CTCCTGCCCC ATTATCTTGA 360
 TCCGGTGGCG CATGTGAAT CCCCCTAACC GCTGCTTGA AGATACTGAC TGCCCCAGGAA 420
 TCAAGAAGTG CTGTGAAGGC TCTTGCGGGA TGGCCTGTTT CGTTCCCCG TGAAGGGAGC 480
 CGGTCTTTGC TGCACCTGTG CCGTCCCAG AGCTACAGGC CCCATCTGTT CCTAAGTCCC 540
 TGCTGCCCTT CCCCTTCCA CACTGTCCAT TCTTCTCTCC ATTCCAGGATG CCCACGGCTG 600
 GAGCTGCCCT TCTCATCCAC TTCCAATAA A

10

15

20

Seq ID NO: 537 Protein sequence
 Protein Accession #: NP_002629.1

1 11 21 31 41 51
 MRASSFLIVV VFLIAGTLVL EAAVTGVPVK GQDTVKGRVP FNGQDPVKQG VSVKQGDVKV 60
 AQEPVKGVPV TKPGSCEPIL IRCAMLNPPN RCLKDTDCPG IKKCEGSCG MACFPVQ

30

Seq ID NO: 538 DNA sequence
 Nucleic Acid Accession #: NM_001793.2
 Coding sequence: 71..2560

1 11 21 31 41 51
 AAAGGGCAA GAGCTGAGCG GAACACCGGC CCGCCGTGCG GGCAGCTGCT TCACCCCTCT 60
 CTCTGCAGCC ATGGGGCTCC CTCGTGGACC TCTCGCTCT CTCTCTCTC TCCAGGTTTG 120
 CTGCGTGCAG TGGCGCGCTT CCAGACCGTG CCGGGCGTTC TTCAGGGAGG CTGAAGTGAC 180
 CTTGGAGCGG GGAGGCAGCG AGCAGGAGCC CCGCCAGGCG CTGGGAAAG TATTTCATGGG 240
 CTGCCCTGGG CAAGAGCCAG CTCTGTTTAC CACTGATAAT GATGACTTCA CTGTGCGGAA 300
 TGGCGAGACA GTCCAGAAA GAAGTCACT GAAGGAAAGG AATCCATTGA AGATCTTCCC 360
 ATCCAAACGT ATCTTACGAA GACACAAGAG AGATTGGGTG GTTGCTCAA TATCTGTCCC 420
 TGAAAATGBC AAGGGTCCCT TCCCACAGAG ACTGAATCAG CTCAACTCA ATAAAGATAG 480
 AGACACCAAG ATTTTCTACA GCATCACGGG GCCGGGGGCA GACAGCCCGC CTGAGGGTGT 540
 CTTGCTGTGA GAGAAGGAGA CAGGCTGGTT GTTGTGTAAT AAGCCACTGG ACCGGGAGGA 600
 GATTGCAAGG TATGAGCTCT TTGGCCACGC TGTGTGAGAG AATGGTGCCT CAGTGGAGGA 660
 CCCCATGAAC ATCTFCCATCA TCGTGACCGA CCAGAAATGAC CACAAGCCCA AGTTTACCCA 720
 GGACACCTTC CGAGGGAGTG TCTTAGAGGG AGTCCATCCA GGTACTTCTG TGATGCAGGT 780
 GACAGCCACG GATGAGGATG ATGCCATCTA CACCTACAAT GGGGTGGTTG CTTACTCCAT 840
 CCATAGCCAA GAACCAAGG AACCCACGCA CCTCATGTTT ACCATTACC GGAGCACAGG 900
 CACCATCAGC GTCATCTCCA GTGGCCTGGA CCGGAAAAA GTCCCTGAGT ACACACTGAC 960
 CATCCAGGCC ACAGACATGG ATGGGGACGG CTCACCACC ACAGCACTGG CAGTAGTGGA 1020
 GATCCTTGAT GCCAATGACA ATGCTCCCAT GTTTGACCC CAGAAGTACG AGGCCCATGT 1080
 GCCTGAGAA GCACTGGGCC ATGAGGTGCA GAGGCTGACG GTCACTGATC TGGAGGCCCG 1140
 CAACTCACA GCGTGGCGTG CCACCTACCT TATCATGGGC GGTGACGCG GGGACCAAT 1200
 TACCATCAC ACCCACCTG AGAGCAACCA GGCATCCTG ACAACCAGGA AGGTTTGGGA 1260
 TTTTGAAGCC AAAAACCAG ACACCCGTGA CGTTGAAGT ACCAACGAGG CCCCTTTTGT 1320
 GCTGAAGCTC CCAACCTCCA CAGCCACCAT AGTGGTCCAC GTGGAGGATG TGAATGAGG 1380
 ACCTGTGTTT GTCCCACTT CCAAAGTCTG TGAGGTCCAG GAGGGCATCC CCACTGGGGA 1440
 GCCTGTGTGT GTCTACACTG CAGAAGACCC TGACAAGGAG AATCAAAGA TCAGTACC 1500
 CATCTGAGA GACCCAGCAG GGTGGCTAGC CATGGACCCA GACAGTGGGG AGGTACACAG 1560
 TGTGGGCACC CTCGACCGTG AGGATGAGCA GTTTGTGAGG AACACATCT ATGAAGTCAT 1620
 GGTCTTGGCC ATGGACAATG GAAGCCCTCC CACCACTGGC ACGGGAACCC TTCTGCTAAC 1680
 ACTGATTGAT GTCAATGACC ATGGCCCAAGT CCTGAGCCC CGTCAGATCA CCATCTGCAA 1740
 CCAAAGCCCT GTGCGCCAGG TGCTGAACAT CACGGACAAG GACCTGTCTC CCCACACTC 1800
 CCTTTCCAG GCCACGTCA CAGATGACTC AGACATCTAC TGGACGGCAG AGGTCAACGA 1860
 GGAAGGTGAC ACAGTGGTCT TGTCCCTGAA GAAGTTCCTG AAGCAGGATA CATATGACGT 1920
 GCACCTTCT CTGTCTGACC ATGGCAACAA AGAGCAGCTG ACGGTGATCA GGGCCACTGT 1980
 GTGCGACTGC CATGGCCATG TCGAAACCTG CCCTGGACCC TGGAAAGGAG GTTTCATCCT 2040
 CCCTGTGCTG GGGGCTGTCC TGGCTCTGCT GTTCCTCTG CTGGTCTGCT TTTTGTGGT 2100
 GAGAAAGAG CGGAAGATCA AGGAGCCCTT CTTACTCCCA GAAGATGACA CCGTGACAA 2160
 CGTCTCTAC TATGGCGAAG AGGGGGTGG CGAAGAGGAC CAGGACTATG ACATCACCCA 2220
 GCTCCACCGA GGTCTGGAGG CCAAGCCGGA GGTGGTCTC CGCAATGAGG TGGCACCAAC 2280
 CATCATCCCG ACACCAATGT ACCGTCTCTG GCCAGCCAAC CCAGATGAAA TCGGCAACTT 2340
 TATAATTGAG AACCTGAAG CCGCTAACAC AGACCCACA GCCCGCCCT AGGACCCCT 2400
 CTTGGTGTTC GACTATGAGG GCAGCGGCTC CGACGCGCG TCCCTGAGCT CCTCACCTC 2460
 CTCGCCCTCC GACCAAGACC AAGATTACGA TTATCTGAAC GAGTGGGGGC CGCGCTCAA 2520
 GAAGCTGGCA GACATGTACG GTGGCGGGGA GGACGACTAG GCGGCTGCTC TGCAGGGCTG 2580
 GGGACCAAC GTCAGGCCAC AGAGCATCTC CAAGGGTCTC CAGTTCCTCC TTCAGCTGAG 2640
 GACTTCCGAG CTTGTCAGGA AGTGGCCGTA GCAACTTGGC GGAGACAGGC TATGAGTCTG 2700
 ACGTTAGAGT GGTGTCTCTC TTAGCCTTTC AGGATGGAGG AATGTGGGCA GTTTGACTTC 2760
 AGCACTGAAA ACCTCTCCAC CTGGCCACGG GTTGCCTCAG AGGCCAAGTT TCCAGAAGCC 2820
 TCTTACCTGC CGTAAAAATG TCAACCTCTG GTCTGGGGC TGGGCTGTCT GTGACTGACC 2880
 TACAGTGGAC TTTCTCTCTG GAATGGAACC TTCTTAGGCC TCCTGGTGCA ACTTAATTT 2940

85

TTTTTTAAT GCTATCTTCA AAACGTTAGA GAAAGTCTCT CAAAAGTGCA GCCCAGAGCT 3000
 GCTGGGCCCA CTGGCGCTCC TGCATTTCTG GTTCCAGAC CCCAATGCT CCCATTCGGA 3060
 TGGATCTCTG CGTTTTTATA CTGAGTGTGC CTAGTGTGCC CCTTATTTTT TATTTTCCCT 3120
 GTTGGGTTGC TATAGATGAA GGTGAGGAC AATCGTGTAT ATGTACTAGA ACTTTTTTAT 3180
 TAAAGAACT TTTCCAGAA AAAAA

5

Seq ID NO: 539 Protein sequence
 Protein Accession #: NP_001784.2

10 1 11 21 31 41 51
 MGLPRGPLAS LLLLQVCWLO CAASEPCRAV FREAEVTLEA GGAEQEPGQA LGKVPMGCPG 60
 QEPALFSTDN DDFTVRNGET VQERRSLKER NPLKIFPSKR ILRRHKRDWV VAPISVPENG 120
 KGFFPQRLNQ LKSNKDRDTK IPYSITGPGA DSPPEGVFAV EKETGWLLLN KPLDREBIAK 180
 15 YELFGHAYSE NGASVEDPMN ISIVTDQND HKPKFTQDTF RGSVLEGLVP GTSVMQVAT 240
 DEDDAIYTYN GVVAYSISHSQ EPKDPHDLMF TIHRSTGTIS VISSGLDREK VPEYFLTIQA 300
 TMDGDGSGTT TAVAVVEILD ANDNAPMFDP QKYEAHVPEM AVGHEVQRLT VTDLDPNSP 360
 AWRATYLIMG GDDGDHFTIT THESNQIL TTRKGLDPEA KNQHTLYVEV TNEAPFVLKL 420
 PTSTATIVVH VEDVNEAPVF VPPSKVVEVQ EGIPTGEPVC VYTAEDPDKE NQKISYRILR 480
 20 DPAGWLAMDQ DSGQVTAVGT LDREDEQFVR NNIYEVMLA MDNGSPPTTG TGLLLTLID 540
 VNDHGFPEPE RQITICNQSP VRQVLNITDK DLSPHTSPFQ AQLTDDSDIY WTAEVNEEGD 600
 TVVLSLKKFL KQDITYDVHLS LSDHGNKEQL TVIRATVCDK HGHVETCPGP WKGGFILPVL 660
 GAVLALLPLL LRVLLLVRRK RKIKEPLLLP EDDTRDNVVF YGEEGGGEDD QDYDITQLHR 720
 GLEARPEVVL RNDVAPTIIIP TMYRPRPAN PDEIGNPIIE NLKAANTDPT APPYDTLLVF 780
 25 DYEGSGSDAA SLSLSTSSAS DQDQDYDYLN EWGSRFKKLA DMYGGEDED

Seq ID NO: 540 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 1..672

30 1 11 21 31 41 51
 ATGAGGCTCC AAAGACCCCG ACAGGCCCGG CCGGGTGGGA GCGCGCGCC CCGGGCGGG 60
 CGGGGCTCCC CCTACCGGCC AGACCCGGGG AGAGGCGCGC GGAGGCTGCG AAGGTTCCAG 120
 35 AAGGGCGGGG AGGGGGCGCC GCGCGCTGAC CCTCCCTGGG CACCGCTGGG GACGATGGCG 180
 CTGCTCGCCT TGCTGCTGGT CGTGGCCCTA CCGCGGGTGT GGACAGACGC CAACCTGACT 240
 GCGAGACAAC GAGATCCAGA GGAATCCAG CGAACGGACG AGGGTGACAA TAGAGTGTGG 300
 TGTCATGTTT GTGAGAGAGA AAACACTTTC GAGTGCCAGA ACCCAAGGAG GTGCAAAATG 360
 40 ACAGAGCCAT ACTGCGTTAT AGCGGCCGTG AAAATATTTT CACGTTTTTT CATGTTGCG 420
 AAGCAGTCTC CCGCTGTTG TGACGCGATG GAGAGACCCA AGCCAGAGGA GAAGCGGTTT 480
 45 CTCTGGAAG AGCCCATGCC CTCTCTTTAC CTCAAGTGT TAAAAATTCG CTAAGTCAAT 540
 TTAGAGGGGC CACCTATCAA CTCATCAGTG TTCAAAGAAAT ATGCTGGGAG CATGGGTGAG 600
 AGCTGTGGTG GGCTGTGGCT GGCCATCCTC CTGCTGCTGG CCTCCATTGC AGCCGGCCTC 660
 AGCCTGTCTT GA

Seq ID NO: 541 Protein sequence
 Protein Accession #: Eos sequence

50 1 11 21 31 41 51
 MRLQRPRQAP AGRRRAPRGG RGSFYRDPDG RGARRLRRFQ KGGEGAPRAD PFWAPLGTMA 60
 LLALLLVVAL PRVWTDANLT ARQRDPEDSQ RTDEGDNRVW CHVCERENTF ECQNPRRCKW 120
 TEPYCVIAAV KIPRPFMVA KQCSAGCAAM ERPKPBEKRF LLEPMPFFY LKCKIRYCN 180
 55 LEGPPINSSV FKEYAGSMGE SCGGLWLAIL LLLASIAAGL SLS

Seq ID NO: 542 DNA sequence
 Nucleic Acid Accession #: XM_035292.2
 Coding sequence: 53..1576

60 1 11 21 31 41 51
 GCTCGTGGG CCGCGGCTCC CCGGTGTCCC AGGCCCGGCC GGTGCGCAGA GCATGGCGGG 60
 TGCGGCGCCG AAGCGGCGCG CGTACGCGCC GCCCGCGGCC GAGGAGAAGG AAGAGGCGCG 120
 65 GGAGAAGATG CTGGCCGCCA AGAGCGCGGA CCGCTCGGCG CCGCGAGGGC AGGGCGAGGG 180
 CGTGACCCCTG CAGCGGAACA TCACGCTGCT CAACGCGCTG GCCATCATCG TGGGGACCAT 240
 TATCGGCTCG GGCATCTTCG TGACGCCACC GGGCGTGCTC AAGGAGGACG GCTCGCCGGG 300
 GCTGGCGCTG GTGGTGTGGG CCGCGTGCGG CGTCTTCTCC ATCGTGGGCG CGCTCTGCTA 360
 CGCGGAGCTC GGCACCAACA TCTCAAATC GGGCGGCGAC TACGCCTACA TGCTGGAGGT 420
 70 CTACGGCTCG CTGCCCCGCT TCCTCAAGCT CTGGATCGAG CTGCTCATCA TCCGCGCTTC 480
 ATCGCAGTAC ATCGTGGCCC TGCTCTTCGC CACCTACCTG CTCAAGCCGC TCTTCCCCAC 540
 CTGCCGCGTG CCCGAGGAGG CAGCCAAGCT CGTGGCCTGC CTCTGCGTGC TGCTGCTCAC 600
 GGCCGTAAC TGCTACAGCG TGAAGGCCGC CACCCGGGTC CAGGATGCTT TTGCCGCGCG 660
 CRAAGCTCCTG GCCCTGGCCC TGATCATCTT GCTGGGCTTC GTCCAGATCG GAAAGGGTGA 720
 TGTGTCCAAT CTAGATCCCA ACTTCTCATT TGAAGGCACC AAACCTGGATG TGGGGAACAT 780
 75 TGTGTGGCA TTATACAGCG CCCTCTTTCG CTATGGAGGA TGGAAATFACT TGAATTCGT 840
 CACAGAGGAA ATGATCAACC CCTACAGAAA CCTGCCCTGC GCCATCATCA TCTCCCTGCC 900
 CATCGTACG CTGCTGTACG TGCTGACCAA CCTGGCCTAC TTCACCAACC TGTCACCGA 960
 GCAGATGCTG TGGTCCGAGG CCGTGGCCGT GGACTTCGGG AACTATCACC TGGGCGTCAT 1020
 80 GTCCTGGATC ATCCCCGCTC TCGTGGGCTC GTCCTGCTTC GGCTCCGTC AATGGTCCCT 1080
 GTTCAATCC TCCAGGCTCT TCTTCTGTTG GTCCCGGGAA GGCCACCTGC CCTCCATCCT 1140
 CTCCATGATC CACCCACAGC TCCTCACCCC CGTGGCGTCC CTGCTGTCCA CGTGTGTGAT 1200
 GACGCTGCTC TACGCCCTCT CCAAGGACAT CTCTCCGCTC ATCAACTTCT TCAGCTTCTT 1260
 CAACTGGCTC TGGCTGGCCC TGGCCATCAT CGGCATGATC TGGCTGGGCC ACAGAAAGCC 1320
 TGAGCTTGAG GCGCCATCA AGGTGAACTT GGCCCTGCTC GTGTTCTTCA TCTTGGCCTA 1380
 85 CCTCTTCTG ATCGCGCTCT CCTTCTGGAA GACACCCGTC GAGTGTGGCA TCGGCTTCC 1440
 CATCATCTC AGCGGGCTGC CGTCTACTT CTTCGGGGTC TGGTGGAAAA ACAGCCCAA 1500
 GTGGCTCCTC CAGGCATCT TCTCCACGAC CGTCCGTGTG CAGAAGCTCA TGCAGGTGGT 1560

CCCCCAGGAG ACATAGCCAG GAGGCCGAGT GGCTGCCGGA GGAGCATGC

Seq ID NO: 543 Protein sequence
Protein Accession #: XP_035292.2

5
1 11 21 31 41 51
MAGAGPKRRA LAAPAAEKEE EAREKMLAAK SADGSAPAGE GEGVTLQRNI TLLNGVAIIV 60
GTIIGSGIFV TPTGVLEKEAG SPGLALVWVA ACQVPSIVGA LCYAEELGTTI SKSGGDYAYM 120
10 LEVYVGLPAP LKLWIELLII RPSSQYIVAL VFATYLLKPL FPTCPVPEEA AKLVAELCVL 180
LLTAVNCYSV KAATRVQDAF AAKRLALAL IILLGFVQIG KGDVSNLDPN FSEFGTKLDV 240
GNIVLALYSG LFAYGGWNYL NFVTEEMINP YRNLPLAIII SLPVITLVYV LTNLAYFTTL 300
STEQMLSSSEA VAVDFGNVHL GVMSWIIPVF VGLSCFGSVN GSLFTSSRLP FVGSREGHLP 360
15 SILSMIHPQL LTPVPSLVFT CVMTLLYAFS KDIFSVINFP SFFNWLVAL AIIGMIWLRH 420
RKPELERPIK VNLALPVFFI LACLFLIAVS FWKTPVECGI GFTIILSGLP VYFFGVWVKN 480
KPKWLLQGIF STTVLCQKLM QVVPQET

Seq ID NO: 544 DNA sequence
Nucleic Acid Accession #: NM_005268.1
Coding sequence: 168..989

20
1 11 21 31 41 51
TAAAAAGCAA AAGAATTCGC GGCCGCGTCG ACACGGGCTT CCCGAAAAC CTTCCCGCT 60
25 TCTGGATATG AAATTCAGC TGCTTGCTGA GTCCTATTGC CGGCTGCTGG GAGCCAGGAG 120
AGCCCTGAGG AGTAGTCACT CAGTAGCAGC TGACGCGTGG GTCCACCATG AACTGGAGTA 180
TCITTTGAGG ACTCTGAGT GGGTCAACA AGTACTCCAC AGCCTTTGGG CGCATCTGGC 240
TGCTCTGGT CTTTCATCTC CGCGTCTGG TGTACTCTGG GACGCGCCAG CGTGTGTGGA 300
GTGATGACCA CAAGGACTTC GACTGCAATA CTCGCCAGCC CGGCTGCTCC AACGCTGTGCT 360
30 TTGATGAGTT CTTCCCTGTG TCCCATGTGC GCCTCTGGGC CCTGCAGCTT ATCCTGGTGA 420
CATGCCCTC ACTGCTCGTG GTCATGCACG TGGCCTACCG GGAGGTTCCG GAGAAGAGGC 480
ACCGAGAAGC CCATGGGGAG AACAGTGGGC GCCTCTACCT GAACCCCGGC AAGAAGCGGG 540
GTGGGCTCTG GTGACATAT TAGTGTCAA GCGGAGCGTG GACATCGCAT 600
TTCTCTATGT GTTCCATCA TTCTACCCCA AATATATCCT CCCTCCTGTG GTCAGTGGC 660
35 AGCAGATCC ATGTCCCAAT ATAGTGGACT GCTTCATCTC CAAGCCCTCA GAGAAGAACA 720
TTTTCACCT CTTTCATGGT GCCACAGCTG CCATCTGCAT CCTGCTCAAC CTCGTGGAGC 780
TCATCTACCT GGTGAGCAAG AGATGCCAAG AGTGCCTGGC AGCAAGGAAA GCTCAAGCCA 840
TGTCACAGG TCATCACCCC CACGGTACCA CCTCTTCTG CAAACAAGAC GACCTCCTTT 900
40 CGGGTCACT CATCTTCTG GGTCTGAGCA GTCATCTCTC TCTCTTACCA GACCGCCCCC 960
GAGACCATGT GAAGAAAACC ATCTTGTGAG GGGCTGCCTG GACTGGTCTG GCAGGTTGGG 1020
CCTGGATGGG GAGGCTCTAG CATCTCTCAT AGGTGCAACC TGAGAGTGGG GGAGCTAAGC 1080
CATGAGGTAG GGGCAGGCAA GAGAGAGGAT TCAGACGCTC TGGGAGCCAG TTCCTAGTCC 1140
TCAACTCCAG CCACCTGCCC CAGCTCGACG GCACTGGGCC AGTTCGCCCT CTGCTCTGCA 1200
45 GCTCGGTTTC CTTTCTAGA ATGGAATAG TGAGGGCAA TGC

Seq ID NO: 545 Protein sequence
Protein Accession #: NP_005259.1

50
1 11 21 31 41 51
MNWSIFEGLL SGVNYKSTAF GRIWLSLVFI FRVLVYLVT A ERVWSDDHKD FDCNTRQPGC 60
SNVCFDEFFP VSHVRLWALQ LILVTCPSLL VVMHVAYREV QEKRHREAHG ENSGRLYLNP 120
GKKRGGWLWT YVCSLVFKAS VDIAPLYVPH SPYPKYILPP VVKCHADPCP NIVDCFISKP 180
55 SEKNIFTLFM VATAAICLLL NLVELIYLV S KRCHCLAAR KAQAMCTGHH PHGTTSSCKQ 240
DDLSSGDLIF LGSDSHPPLL PDRPRDHVKK TIL

Seq ID NO: 546 DNA sequence
Nucleic Acid Accession #: NM_002391.1
Coding sequence: 26..457

60
1 11 21 31 41 51
CGGGCGAAGC AGCGCGGGCA GCGAGATGCA GCACCGAGGC TTCCTCCTCC TCACCCTCCT 60
65 CGCCCTGCTG GCGCTCACT CCGCGTTCGC CAAAAGAAA GATAAGGTGA AGAAGGGCGG 120
CCCGGGGAGC GAGTGCCTG AGTGGGCTGC GGGGCCCTGC ACCCCAGCA GCAAGGATTG 180
CGGCGTGGGT TTCCCGGAGG GCACCTGCGG GCGCCAGACC CAGCGCATCC GGTGCAGGGT 240
GCCCTGCAAC TGGAGAAGG AGTTTGAGC CCACTGCAAG TACAAGTTG AGAACTGGGG 300
TGCGTGTGAT GGGGCGACAG GCACCAAAGT CCGCCAAGGC ACCCTGAAGA AGGCGCGTA 360
CAATGCTCAG TGCCAGGAGA CCATCCCGGT CACCAAGCCC TGCACCCCA AGACCAAAGC 420
70 AAAGGCCAAA GCCAAGAAAG GGAAGGGAAA GCACTAGACG CCAAGCCTGG ATGCCAAGGA 480
GCCCTGGTG TCACATGGGG CCTGGCCACG CCCTCCCTCT CCCAGGCCG AGATGTGACC 540
CACCAGTGCC TCTGTCTCG TCGTTAGCTT TAATCAATCA TGCCTGCCT TGTCCCTCTC 600
ACTCCCCAGC CCCACCCTA AGTGCCCAA A GTGGGAGGG ACAAGGATT CTGGGAAGCT 660
75 TGAGCCTCCC CCAAGCAAT GTGAGTCCA GAGCCCGCTT TTGTTCTTCC CCACAATTCC 720
ATTACTAAGA AACACATCA ATAACTGAC TTTTCCCCC CAATAAAGC TCTTCTTTT 780
TAATAT

Seq ID NO: 547 Protein sequence
Protein Accession #: NP_002382.1

80
1 11 21 31 41 51
MQHRGFLLLT LLALLAL TSA VAKKDRVKK GPGSECAEW AWGPCTPSSK DCGVGFREGT 60
85 CGAQTQIRIC RVPQNWKEF GADCKYKFN WGACDGGTGT KVRQGTLLKA RYNAQCQETI 120
RVTKPCTPKT KAKAKAKGK GKD

Seq ID NO: 548 DNA sequence

Nucleic Acid Accession #: NM_006783.1
Coding sequence: 1..786

5 1 11 21 31 41 51
| | | | | |
ATGGATTGGG GGACGCTGCA CACTTTCATC GGGGGTGTCA ACAAACACTC CACCAGCATC 60
GGGAAGGTGT GGATCACAGT CATCTTTATT TTCGAGTCA TGATCCTAGT GGTGGCTGCC 120
CAGGAAGTGT GGGGTGACGA GCAAGAGGAC TTCGTCTGCA ACACACTGCA ACCGGGATGC 180
10 AAAAAATGTT GCTATGACCA CTTTTCCCG GTGTCCACA TCCGGCTGTG GGCCTCCAG 240
CTGATCTTCG TCTCCACCCC AGCGCTGCTG GTGGCCATGC ATGTGGCCTA CTACAGGCAC 300
GAAACCACTC GCAAGTTCAG GCCAGGAGAG AAGAGGAAATG ATTTCAAAGA CATAGAGGAC 360
ATTA AAAAGC ACAAGTTCG GATAGAGGGG TCGCTGTGGT GGACGTACAC CAGCAGCATC 420
TTTTTCCGAA TCATCTTTGA AGCAGCCTTT ATGTATGTGT TTTACTTCTT TTACAATGGG 480
TACCACCTGC CCTGGGTGTT GAAATGTGGG ATTGACCCCT GCCCCAACCT TGTGACTGTC 540
15 TTTATTTCTA GGCCACACAGA GAAGACCGTG TTTACCATT TTTATGATTC TGGCTCTGTG 600
ATTTGCATGC TGCTTAACGT GGCAGAGTTG TGCTACCTGC TGCTGAAAGT GTGTTTTAGG 660
AGATCAAAGA GAGCACACAC GCAAAAAAAT CACCCCAATC ATGCCCTAAA GGAGAGTAAG 720
CAGAATGAAA TGAATGAGCT GATTTAGAT AGTGGTCAAA ATGCAATCAC AGGTTTCCCA 780
AGCTAA

Seq ID NO: 549 Protein sequence
Protein Accession #: NP_006774.1

25 1 11 21 31 41 51
| | | | | |
MDWGLHTFI GGVNKHSTSI GKVWITVIFI FRVMILVVAA QEVWGDEQED FVCNTLQPGC 60
KNVCYDHPFP VSHIRLWALQ LIPVSTPALL VAMHVAYYRH ETTRKFRRGE KRNDPKDIED 120
IKKHKVRIEG SLWWTYTSISI FFRIFEEAAT MYVVFELYNG YHLPWVLKCG IDPCPNLVDC 180
30 FISRPTEKTV FTIFMISASV ICMLLNVAEL CYLLLKVCFR RSKRAQTQKN HPNHALKBSK 240
QNEMNELISD SGQNAITGFP S

Seq ID NO: 550 DNA sequence
Nucleic Acid Accession #: NM_002571.1
Coding sequence: 99..587

35 1 11 21 31 41 51
| | | | | |
CATCCCTCTG GCTCCAGAGC TCAGAGCCAC CCACAGCCGC AGCCATGCTG TGCCCTCTGC 60
TCACCCTGGG CGTGGCCCTG GTCTGTGGTG TCCCGCCAT GGACATCCCC CAGACCAAGC 120
40 AGGACCTGGA GCTCCCAAAG TTGGCAGGGA CCTGGCCTC CATGGCCATG GCGACCAACA 180
ACATCTCCCT CATGGCGACA CTGAAGGCC CTCTGAGGGT CCACATCACC TCACTGTTGC 240
CCACCCCGA GGACACCTG GAGATCGTTC TGCACAGATG GGAGAACAC AGCTGTGTTG 300
AGAAGAAGT CCTTGGAGAG AAGACTGGGA ATCCAAAGAA GTTCAAGATC AACTATACGG 360
45 TGGCGAACGA GGCCACGCTG CTGGATACTG ACTACGACAA TTTCTGTTT CTCTGCCTAC 420
AGGACACCAC CACCCCATC CAGAGCATGA TGTGCCAGTA CCTGGCCAGA GTCCCTGGTG 480
AGGACGATGA GATCATGCAG GGATTCATCA GGGCTTTCAG GCCCCTGCCC AGGCACCTAT 540
GGTACTTGCT GGACTTGAAA CAGATGGAAAG AGCCGTGCCG TTTCTAGCTC ACCTCGCCT 600
CCAGGAAGAC CAGACTCCCA CCCTCCACA CCTCCAGAGC AGTGGGACTT CCTCTGCCC 660
50 TTTCAAAGAA TAACCACAGC TCAGAAGAGC ATGACGTGGT CATCTGTGTC GCCATCCCCT 720
TCTGTCTGCA CACCTGCAC ATTGCCATGG GGAGGCTGCT CCTTGGGGGC AGAGTCTCTG 780
GCAGAGGTTA TTAATAAAC CTTGGAGCAT G

Seq ID NO: 551 Protein sequence
Protein Accession #: NP_002562.1

55 1 11 21 31 41 51
| | | | | |
MDIPQTKQDL ELPKLAGTWH SMAMATNNIS LMATLKAPLR VHITSLLEPT EDNLEIVLHR 60
WENNSCVEKK VLGEKTNPK KFKINYTVAN EATLLDTDYD NFLFLCLQDT TTPIQSMMQ 120
60 YLARVLVEDD EIMQGFIRAF RPLPRHLWYL LDLKQMEEPK RF

Seq ID NO: 552 DNA sequence
Nucleic Acid Accession #: NM_006500.1
Coding sequence: 27..1967

65 1 11 21 31 41 51
| | | | | |
ACTTGGCTCT CGCCCTCCGG CCAAGCATGG GGCTTCCCAG GCTGGTCTGC GCCTTCTTGC 60
70 TCGCCGCTG CTGCTGCTGT CCTCGCGTGG CCGGTGTGCC CGGAGAGGCT GAGCAGCCTG 120
CGCCTGAGCT GGTGGAGGTG GAAGTGGGCA GCACAGCCCT TCTGAAAGTGC GGCCTCTCCC 180
AGTCCCAAGG CAACCTCAGC CATGTGCACT GGTTTTCTGT CCACAAGGAG AAGCGGACGC 240
TCATCTTCCG TGTGGCCAG GCCCAGGGCC AGAGCGAAC TGGGGAGTAC GAGCAGCGGC 300
TCAGCCTCCA GGACAGAGGG GCTACTCTGG CCTGACTCA AGTACCCCC CAAGACGAGC 360
GCATCTTCTT GTGCCAGGGC AAGCGCCCTC GGTCCCAGGA GTACCCGATC CAGCTCCGG 420
75 TCTCAAAGC TCCGGAGGAG CCAAACATCC AGGTCAACCC CCTGGGCATC CCTGTGAACA 480
GTAAGGAGCC TGAGGAGGTC GCTACCTGTG TAGGGAGGAA CGGGTACCCC ATTCTCAAG 540
TCATCTGGTA CAAGAAATGG CCGCCTCTGA AGGAGGAGAA GAACCGGGTC CACATTCAGT 600
CGTCCAGAC TGTGGAGTGG AGTGGTTTGT ACACCTTGCA GAGTATTCTG AAGGCACAGC 660
80 TGGTTAAGA AGACAAAGAT GCCCAGTTTT ACTGTGAGCT CAACTACCGG CTGCCCAAGT 720
GGAACCACAT GAAGAGGTCC AGGGAAGTCA CCGTCCCTGT TTTCTACCG ACAGAAAAAG 780
TGTGGCTGGA AGTGGAGCCC GTGGAAATGC TGAAGGAAGG GGACCGCGTG GAAATCAGT 840
GTTTGGCTGA TGGCAACCTT CCACCACACT TCAGCATCAG CAAGCAGAAC CCAGCACCA 900
GGGAGGCGA GGAAGAGACA ACCAACGACA ACGGGTCCCT GGTGCTGGAG CCTGCCCGGA 960
85 AGGAACAACG TGGGCGCTAT GAAATGTGAG CCTGGAACTT GGACACCATG ATATCGCTGC 1020
TGAGTGAACC ACAGGAACTA CTGGTGAAT ATGTGTCTGA CGTCCGAGTG AGTCCCAGC 1080
CCCTGAGAG ACAGGAAGGC AGCAGCCTCA CCCTGACCTG TGAGGCAGAG AGTAGCCAG 1140
ACCTCGAGTT CCAAGTGGCTG AGAGAAGAGA CAGACCAGGT GCTGGAAGG GGCCTGTGC 1200

	TTCAGTTGCA	TGACCTGAAA	CGGGAGGCAG	GAGGCGGCTA	TCGCTGCGTG	GGCTCTGTGC	1260
	CCAGCATACC	CGGCCTGAAC	CGCACACAGC	TGGTCAAGCT	GGCCATTTTT	GGCCCCCCTT	1320
	GGATGGCATT	CAAGGAGAGG	AAGGTGTGGG	TGAAAGAGAA	TATGGTGTG	AATCTGTCTT	1380
5	GTGAAGCGTC	AGGGACCCCC	CGGCCACCA	TCTCTGGAA	CGTCAACGGC	ACGGCAAGTG	1440
	AACAAGACCA	AGATCCACAG	CGAGTCCTGA	GCACCCTGAA	TGTCTCGTG	ACCCCGGAGC	1500
	TGTTGGAGAC	AGGTGTTGAA	TGCACGGCCT	CCAACGACCT	GGGCAAAAAC	ACCAGCATCC	1560
	TCTTCCTGGA	GCTGGTCAAT	TTAACCCACC	TCACACCAGA	CTCCAACACA	ACCACTGGCC	1620
	TCAGCACTTC	CACTGCCAGT	CCTCATACCA	GAGCCCAACAG	CACCTCCACA	GAGAGAAAAG	1680
10	TGCCGGAGCC	GGAGAGCCGG	GGCGTGGTCA	TCGTTGGCTGT	GATTGTGTG	ATCTCGTCC	1740
	TGGCGGTGCT	GGCGCTGTG	CTCTATTTC	TCTATAAGAA	GGGCAAGCTG	CGGTGCAGGC	1800
	GCTCAGGGAA	GCAGGAGATC	ACGCTGCCCC	CGTCTGTA	GACCGAACTT	GTAGTTGAAG	1860
	TTAAGTCAGA	TAAGCTCCCA	GAAGAGATGG	GCCTCCTGCA	GGGCGAGCAG	GGTGACAAGA	1920
	GGGCTCCGGG	AGACCAGGGA	GAGAAATACA	TOGATCTGAG	GCATTAGCCC	CGAATCACTT	1980
15	CAGCTCCCTT	COCTGCCTGG	ACCATTCCCA	GCTCCCTGCT	CACCTCTCTC	TCAGCCAAAG	2040
	CCTCCAAAGG	GACTCGAGAG	AGCCCTCCTG	CTCCCCTCAC	CTGCACACCC	CCTTTCAGAG	2100
	GGCCACTGGG	TTAGGACCTG	AGGACCTCAC	TTGGCCCTGC	AAGCCGCTTT	TCAGGGACCA	2160
	GTCCACCACC	ATCTCCTCCA	CGTTGAGTGA	AGTCCATCCC	AAGCAAGGAG	CCCCAGTCTC	2220
	CCGAGCGGGT	AGGAGAGTTC	CTTGCAGAAC	GTGTTTTTTC	TTTACACACA	TTATGGCTGT	2280
20	AAATACCTGG	CTCCTGCCAG	CAGCTGAGCT	GGGTAGCCCTC	TCTGAGCTGG	TTCTCTGCC	2340
	CAAAGGCTGG	CTTCCACCAT	CCAGGTGCAC	CACTGAAGTG	AGGACACACC	GGAGCCAGGC	2400
	GCCTGCTCAT	GTTGAAGTGC	GCTGTTTACA	CCCGCTCCGG	AGAGCACCCC	AGCGGCATCC	2460
	AGAAGCAGCT	CGAGTGTTCG	TGCCACCACC	CTCCTGCTCG	CCTCTCAA	GTCTCTGTG	2520
	ACATTTTTTC	TTTGGTCTCA	AGCCAGGAAC	TGGTGTCAAT	CCTAAAAGA	TACGTGCCGG	2580
25	GGCCAGGTG	GSTGGCTCAC	GCCTGTAATC	CCAGCACTTT	GGGAGGCCGA	GGCGGGCGGA	2640
	TCACAAAGTC	AGGACGAGAC	CATCCTGGCT	AACACGGTGA	AACCTGTCT	CTACTAAAAA	2700
	TACAAAAAAA	AATTAGCTAG	CGGTAGTGGT	TGGCACCTAT	AGTCCAGCT	ACTCGGAAGG	2760
	CTGAAGCAGG	AGAATGGTAT	GAATCCAGGA	GGTGGAGCTT	GCAGTGAGCC	GAGACCGTGC	2820
	CACTGCACCT	CAGCCTGGGC	AACACAGCGA	GACTCCGTCT	CGAGGAAAAA	AAAAGAAAAA	2880
30	ACGGTACCT	GGGTGAGGA	AGCTGGGCGC	TGTTTTCGAG	TTCAGGTGAA	TTAGCTCAA	2940
	TCCCCGTGT	CACTTGCTCC	CATAGCCCTC	TTGATGGATC	ACGTAAAAGT	GAAAGGCAGC	3000
	GGGGAGCAGA	CAAAGATAG	GTCTACACTG	TCCTTCATGG	GGATTAAGC	TATGTTTATA	3060
	TTAGACCRA	ACTTCTACAA	ACCAAGCTCA	GGGCCCCAAC	CCTAGAAGGG	CCCCAATGAG	3120
	AGAATGGTAC	TTAGGGATGG	AAAACGGGGC	CTGGCTAGAG	CTTGGGTGT	GTGTGCTGT	3180
35	CTGTGTGTAT	GCATACATAT	GTGTGTATAT	ATGGTTTTGT	CAGGTGTGTA	AATTGGCAA	3240
	TTGTTTCCTT	TATATATGTA	TGTATATATA	TATATGAAAA	TATATATATA	TATGAAAAAT	3300
	AAAGCTTAAT	TGCTCCAGAA	AATCATACAT	TGCTTTTTTA	TTCTACATGG	GTACCAACAGG	3360
	AACCTGGGGG	CCTGTGAAAC	TACAACCAA	AGGCACACAA	AACCGTTTCC	AGTTGGCAGC	3420
	AGAGATCAGG	GGTTACCTCT	GCTTCTGAGC	AAATGGCTCA	AGCTCTACCA	GAGCAGACAG	3480
40	CTACCCTACT	TTTCAGCAGC	AAAACGTCCC	GTATGACGCA	GCACGAAGGG	CCTGGCAGGC	3540
	TGTTAGCAGG	AGCTATGTCC	CTTCCATACG	TTTCCGTC	CTT		

Seq ID NO: 553 Protein sequence
Protein Accession #: NP_006491.1

45	1	11	21	31	41	51	
	GLPRLVCAFL	LAACCCCPRV	AGVPGEAEQP	APELVEVEVG	STALLKCGLS	QSQGNLSHVD	60
	WFSVHKKEKRT	LIFRVRQQGG	QSEPEVEYER	LSLQDRGATL	ALTQVTPQDE	RIFLCQGGKR	120
	RSQEYRIQLR	VYKAPEEPNI	QVNLGIPVN	SKEPEEVATC	VGRNGYPIPO	VIWYKNGRPL	180
50	KEEKVRVHIQ	SSQTVBESSL	YTLQSILKAQ	LVKEDKDAQF	YCELNRYLPS	GNHMKESREV	240
	TVPVFYPTFK	VWLEVEPVGM	LKSGDRVEIR	CLADGNPPPH	FSISKQNPST	REAEETTND	300
	NGVLVLEPAR	KEHSRYECQ	AWNLDTMISL	LSEPQELLVN	YVSDVVRVSPA	APERQBGSSL	360
	TLTCEAESQ	DLEFQWLEEE	TDQVLERGPV	LQLHDLKREA	GGGYRCVASV	PSIPGLNRITQ	420
	LVKLAIFGPP	WMAFKERKVV	VKENMVLNLS	CEASGHPRPT	ISWNVNGTAS	EQDQDPRVLA	480
55	STLNVLVTPK	LLETAGEVCTA	SNDLGNKTSI	LFLELVNLT	LTPDNTTTG	LSTSTASPHT	540
	RANSTSTERK	LEPEPSRGVV	IVAVIVCILV	LAVLGAVLYF	LYKKGKLPFR	RSKQSEITLP	600
	PSRKTBLVVE	VKSDKLPPEM	GLLQSSGDK	RAFQDQGEKY	IDLRR		

Seq ID NO: 554 DNA sequence
Nucleic Acid Accession #: NM_003183.3
Coding sequence: 165..2639

60	1	11	21	31	41	51	
65	TCGAGCCTGG	CGGTAGAATC	TTCCCACTAG	GCAGCCCGGG	AGGGAAAAGA	GGATTGAGGG	60
	GCTAGGCCGG	GGGATCCCG	TCCTCCCCCG	ATGTGAGCAG	TTTTCCGAAA	CCCCGTCAGG	120
	CGAAGGCTGC	CCAGAGAGGT	GGAGTCGGTA	GCGGGCCCGG	GAACATGAGG	CAGTCTCTCC	180
	TATTCCTGAC	CAGCGTGGTT	CCTTTCGCTC	TGGCGCCGGG	ACCTCCGGAT	GACCCGGGCT	240
	TCGGCCCCCA	CCAGAGACTC	GAGAAGCTTG	ATCTTTTGCT	CTCAGACTAC	GATATTCTCT	300
70	CTTTATCTAA	TATCCAGCAG	CATTCSGTAA	GAAAAAGAGA	TCTACAGACT	TCAACACATG	360
	TAGAACACT	ACTAAGTTT	TCAGCTTGA	AAAGGCATTT	TAAATTATAC	CTGACATCAA	420
	GTAAGTAAAG	TTTTTCACAA	AAATTCAAGG	TCGTGGTGGT	GGATGGTAAA	AACGAAAAGC	480
	AGTACTCTGC	AAAATGGCAG	GACTTCTTCA	CTGGACACGT	GGTTGGTGGG	CCTGACTCTA	540
	GGGTCTAGC	CCACATAAGA	GATGATGATG	TTATAATCAG	AATCAACACA	GATGGGGCCG	600
75	AAATATAACAT	AGCAGCACTT	TGGAGATTG	TTAATGATAC	CAAAGACAAA	AGAATGTAG	660
	TTATATAATC	TGAAGATATC	AAGAATGTTT	CACGTTTCA	GTCTCCAATA	GTGTGTGGTT	720
	ATTTAAAAGT	GGATAATGAA	GAGTTGCTCC	CAAAAAGGTT	AGTAGACAGA	GAACACCTG	780
	AAGAGCTTGT	TCATCGAGTG	AAAAGAAGAG	CTGACCCAGA	TCCATGAAG	AAACCGTGTA	840
	AATTATTGGT	GGTAGCAGAT	CATCGCTTCT	ACAGATACAT	GGGAGAGGG	GAAGAGAGTA	900
80	CAACTACAAA	TTACTTAATA	GAGCTAATTG	ACAGAGTGA	TGACATCTAT	CGGAACACTT	960
	CATGGGATAA	TGCAGGTTTT	AAAGGCTATG	GAATACAGAT	AGAGCAGATT	CGCATCTCA	1020
	AGTCTCCACA	AGAGGTAAAA	CCTGGTGAAA	AGCACTACAA	CATGGCAAAA	AGTTACCCAA	1080
	ATGAAGAAAA	GGATGCTTGG	GATGTGAAGA	TGTTGCTAGA	GCAATTTAGC	TTTGATATAG	1140
	CTGAGGAAGC	ATCTAAAAGT	TGCTTGGCAC	ACCTTTTTCAC	ATACCAGAT	TTTGATATGG	1200
85	GAACTCTTGG	ATTAGCTTAT	GTGCTGCTCT	CCAGAGCAAA	CAGCCATGGA	GGTGTGTC	1260
	CAAAGGCTTA	TTATAGCCCA	GTTGGGAAGA	AAAATATCTA	TTTGAATAGT	GGTTGACGA	1320
	GCACAAAGAA	TTATGTTAAA	ACCATCCTTA	CAAAGGAAGC	TGACCTGGTT	ACAACCTCATG	1380

	AATTGGGACA	TAATTTTGGG	GCAGAACATG	ATCCGGATGG	TCTAGCAGAA	TGTGCCCGGA	1440
	ATGAGGACCA	GGGAGGGAAA	TATGTCATGT	ATCCCATAGC	TGTGAGTGGC	GATCAGCAGA	1500
	ACAATAAGAT	TTTTTCAAAC	TGCAGTAAAC	AATCAATCTA	TAAGACCATT	GAAGTAAGG	1560
5	CCCAGGAGTG	TTTTCAAGAA	CGCAGCAATA	AAGTTTGTGG	GAACCTCGAG	GTGGATGAA	1620
	GAGAAGAGTG	TGATCCTGGC	ATCATGTATC	TGAACAACGA	CACCTGTCTC	AACAGCGACT	1680
	GCACGTTGAA	GGAAGGTGTC	CAGTGCAGTG	ACAGGAACAG	TCCTTGCTGT	AAAACTGTC	1740
	AGTTTGAGAC	TGCCAGAAAG	AAGTGCCAGG	AGGCGATTAA	TGCTACTTGC	AAAGCGTGT	1800
	CCTACTGCAC	AGGTAAATAGC	AGTGAAGTGC	CGCCTCCAGG	AAATGTCTGA	AATGACACTG	1860
	TTTGCTTGA	TCTTGCCAA	TGTAAGGATG	GGAAATGCAT	CCCTTTCTGC	GAGAGGGAAC	1920
10	AGCAGCTGGA	GTCCTGTGCA	TGTAATGAAA	CTGCAAACTC	CTGCAAGGTG	TGCTGCAGGG	1980
	ACCTTTCTGG	CCGCTGTGTG	CCCTATGTGG	ATGCTGAACA	AAAGAACTTA	TTTTTGAGGA	2040
	AAGGAAAGCC	CTGTACAGTA	GGATTTGTG	ACATGAATGG	CAATGTGAG	AAACGAGTAC	2100
	AGGATGTAAT	TGAACGATTT	TGGGATTTCA	TTGACCAGCT	GAGCATCAAT	ACTTTTGAAA	2160
	AGTTTTTAGC	AGACAACATC	GTTGGGTCCT	TCCTGGTTTT	CTCCTTGATA	TTTTGGATTG	2220
15	CTTTCAGCAT	TCTTGTCAT	TGTGTGGATA	AGAAATTTGA	TAAACAGTAT	GAATCTCTGT	2280
	CTCTGTTTCA	CCCCAGTAA	GTCGAAATGC	TGAGCAGCAT	GGATTCTGCA	TGGGTCGCA	2340
	TTATCAAAAC	CTTTCTCGG	CCCCAGACTC	CAGGCCGCTC	GCAGCCTGCC	CCTGTGATCC	2400
	CTTCGGCCGC	AGCAGTCCA	AACTGGGACC	ACCAGAGAA	GGACACCAAT	CAGGAAGACC	2460
20	CCAGCACAGA	CTCCATATG	GACGAGGATG	GGTTTGAGAA	GGACCCCTTC	CCAAATAGCA	2520
	GCACAGCTGC	CAAGTCATT	GAGGATCTCA	CGGACCATCC	GGTCGCCAGA	AGTGAAAAGG	2580
	TGCGCTCCIT	TAACTGCAG	CGTCAGAATC	GTGTAAACAG	CAAGAAACA	GAGTGCTAAT	2640
	TTAGTTCTCA	GCTCTCTGA	CTTAAGTGTG	CAAAATATTT	TTATAGATTT	GACCTACAAA	2700
	TCAATCACAG	CTTGTATTTT	GTAAGACTGC	GGAAAGTACT	TAGCAGATGC	TGGTCATGTTG	2760
25	TTTGAATTC	CTGCAGGTA	ACAGTTCTTG	TGTGGTTTTG	CCCTTCTCCT	TTTTGAAAAG	2820
	TAAGTGAAA	GTGAATCTAC	TTATTTGAG	GCTTTCAGGT	TTTAGTTTTT	AAAAATCTTT	2880
	TTGACCTGTG	GTGCAAAAG	AGAAAATACA	GCTGGATTGG	GTTATGAATA	TTTACGTTTT	2940
	TGTAAATTA	TCTTTATAT	TGATAACAG	ACTGACTAGG	GAATGATCA	GTTTTTTTTT	3000
	ATACACTGTA	ATGAACCCTC	GAATATGAAG	CATTTGCGAT	TTATTTGTGA	GAAGTGGGAA	3060
30	ATAGTTTTTT	TTTTTTTTTT	TTTTTTTTTG	CTTCAACTAA	AAACAAAGGA	GATAAATTTA	3120
	GTATACATG	TATCTAAAT	TGTTGGTCTAT	TTCTAGTTAT	TACCCAGAGT	TTTTATGTAG	3180
	CAGGGAAAT	ATATATCTAA	ATTTAGAAAT	CATTGGGGTT	AATATGGCTC	TTATAAATTC	3240
	TAAGACTAAT	GCTCAGAACC	TAACCACTAC	CTTACAGTGA	GGGCTATACA	TGGTAGCCAG	3300
	TTGAATTTAT	GGAACTTACC	AACTGTTTAT	GGCCCTGATT	TGCTGGGCG	TTTTCTGTAT	3360
35	TTTTATAAGT	ATCTTCATGT	ATCCCTGTTA	CTGATAGGGA	TACATGTCTT	AGAAAATTC	3420
	CTATTGGCTG	GGAGTGGTGG	CTCATGCCTG	TAATCCAGC	ACTTGAGAG	GCTGAGGTTG	3480
	CGCCACTACA	CTCCAGCCTG	GGTGACAGAG	TGAGATCTGC	CTC		

Seq ID NO: 555 Protein sequence
 Protein Accession #: NP_003174.2

40	1	11	21	31	41	51	
	MRQSLFLFSLTS	VVPFVLAAPRP	PDDPGFPGPHQ	RLEKLDLSLLS	DYDILSLSN	QQHSVVRKRD	60
	QSTSHVETLL	TFSALKRHFK	LYLTSSTERF	SQNPKVAVVVD	GKNESEYAK	WQDFFTGHV	120
45	GEPDSRVLAH	IRDDDDVIRI	NTDGAEYNI	PLWRPVNDTK	DKRMLVKSE	DIKNVSRLLQ	180
	PKVCGYLKVD	NEELLPKGLV	DREPEELVH	RVKRRADPD	MKNTCKLLV	ADHRFYRYMG	240
	RGEESTTNY	LIELLDRVDD	IYRNTSWDNA	GFKGYGIQIE	QIRILKSPQ	VKPFQKHYNM	300
	AKGYPNEEKD	AWDKMLLEQ	FSPDIAEAS	KVCLAHLFY	QDFDMLGLL	AVVGSFRANS	360
	HGGVCPKAY	SPVKGKNIYL	NSGLTSTKNY	GKTIILTKEAD	LVTTHELGH	FGAHEHDPDL	420
50	AECAPNEDQG	GKYVMYPIAV	SGDHENKMF	SNCSKQSYK	TIESKAQECF	QERSNKVCGN	480
	SRVDEGEBCD	PGIMYLNNDT	CCNSDCLTKE	GVQCSDRNSP	CCKNQCQFETA	QKKQCEAINA	540
	TCKGVSYCTG	NSSECPFFGN	AENDTVCLDL	GKCKDQKCP	FCEREQQLES	CACNETDNSC	600
	KVCCRDLSE	CVFVVDABEQ	NLFLRKQKPC	TVGFCMDMNGK	CEKRVQDVIE	RFWDFIDQLS	660
	INTFGKFLAD	NIVGSVLVFS	LIFWIPFSIL	VHCVDKCLKD	QYESLSLFHP	SNVEMLSMDS	720
55	SASVRIKIPF	PAPQTPGRLQ	PAPVIPSAPA	APKLDHQKRM	TIQEDPSTDS	HMDDEDGFEK	780
	PFNSSTAARK	SFEDLTDHPV	ARSEKAASPK	LQRQRNVNSK	ETEC		

Seq ID NO: 556 DNA sequence
 Nucleic Acid Accession #: NM_021832.1
 Coding sequence: 164..2248

60	1	11	21	31	41	51	
	TCGAGCCTGG	CGGTAGAATC	TTCCAGTAG	GCGGCGCGGG	AGGAAAAGAG	GATTGAGGGG	60
65	CTAGGCCGGG	CGGATCCCGT	CCTCCGCCGA	TGTGAGCAGT	TTCCGAAAC	CCCGTCAGGC	120
	GAAGGCTGCC	CAGAGAGGTG	GAGTCGGTAG	CGGGGCGGG	AACATGAGGC	AGTCTCCTC	180
	ATTCTGACC	AGCGTGGTTC	CTTTCGTGCT	GCGCGCCOGA	CCTCCGATG	ACCCGGGCTT	240
	CGGCCCCAC	CAGAGACTCG	AGAAGCTTGA	TTCTTTGCTC	TCAGACTAOG	ATATCTCCTC	300
70	TTTATCTAAT	ATCCAGCAGC	ATTCCGTAAG	AAAAAGAGAT	CTACAGACTT	CAACACATGT	360
	AGAAAACACTA	CTAACTTTT	CAGCTTTGAA	AAGGCATTTT	AAATTATACC	TGACATCAAG	420
	TACTGAACGT	TTTTCAAAA	ATTTCAAGGT	CGTGGTGGTG	GATGGTAAAA	ACGAAAGCGA	480
	GTACACTGTA	AAATGGCAGG	ACTTCTTAC	TGGACACGTG	GTTGGTGAGC	CTGACTCTAG	540
	GGTTCTAGCC	CACATAAGAG	ATGATGATGT	TATAATCAGA	ATCAACACAG	ATGGGCGCGA	600
75	ATATAACATA	GAGCCACTTT	GGAGATTGTT	TAATGATACC	AAAGACAAAA	GAATGTTAGT	660
	TTATAAATCT	GAAGATATCA	AGAAATGTTT	ACGTTTGCGA	TCTCAAAGAG	TGTGTGGTTA	720
	TTTAAAGTG	GATAATGAG	AGTTGCTCCC	AAAAGGGTTA	GTAGACAGAG	AACCACCTGA	780
	AGAGCTTGT	CATCAGATGA	AAAGAAGAGC	TGACCCAGAT	CCCATGAAGA	ACACGTGTAA	840
	ATTATTGGTG	TAGCAGATC	ATCGTCTTCTA	CAGATACATG	GGCAGAGGGG	AAGAGAGTAC	900
80	AACTACAAAT	TACTTAATAG	AGCTAATGTA	CAGAGTTGAT	GACATCTATC	GGAAACTTTC	960
	ATGGGATAAT	GCAGGTTTTA	AAGGCTATGG	AATACAGATA	GAGCAGATTC	GCATTCCTCA	1020
	GTCTCCACAA	GAGGTAANAAC	CTGGTGAANA	GCATACAAC	ATGGCAAAAA	GTAACAAAA	1080
	TGAAGAAAAG	GATGCTTGGG	ATGTGAAGAT	GTGTCTAGAG	CAATTTAGCT	TTGATATAGC	1140
	TGAGGAAGCA	TCTAAGTTTT	GCTTGGCACA	CCTTTTCA	TACCAAGATT	TTGATATGGG	1200
	AACTCTTGA	TTAGCTTATG	TTGGCTCTCC	CAGAGCAAA	AGCCATGGAG	GTGTTGTGCC	1260
85	AAAGGCTTAT	TATAGCCCAG	TTGGGAAGAA	AAATATCTAT	TTGAATAGTG	GTTTGACGAG	1320
	CACAAAGAA	TATGGTAAAA	CCATCTTTAC	AAAGGAAGCT	GACCTGGTTA	CAACTCATGA	1380
	ATTGGACAT	AATTTTGGAG	CAGAACATGA	TCCGGATGGT	CTAGCAGAAT	GTGCCCGGAA	1440

5
10
15
20
25
30
35
TGAGACCAG GGAGGGAAAT ATGTCATGTA TCCCATAGCT GTGAGTGGCG ATCACCAGAA 1500
CAATAAGATG TTTTCAAAC GCAGTAAACA ATCAATCTAT AAGACCATTG AAAGTAAAGC 1560
CCAGGAGTGT TTTCAAGAAC GCAGCAATAA AGTTTGTGGG AACTCGAGGG TGGATGAAGG 1620
AGAAGAGTGT GATCCTGGCA TCATGTATCT GAACAACGAC ACCTGCTGCA ACAGCGACTG 1680
CACGTTGAAG GAAGGTGTCC AGTGCAGTGA CAGGAACAGT CCTGTGCTGA AAAACTGTCA 1740
GTTTGGAGACT GCCCAGAAGA AGTGCCAGGA GCGGATTAAT GCTACTTGCA AAGCGTGTCT 1800
CTACTGCACA GGTAAATAGCA GTGAGTGCCC GCCTCCAGGA AATGCTGAAG ATGACACTGT 1860
TTGCTTGGAT CTTGGCAAGT GTAAGGATGG GAAATGCATC CCTTCTGCGG AGAGGGAAACA 1920
GCAGCTGGAG TCCTGTGCAT GTAATGAAAC TGACAACCTCC TGCAAGGTTG GCTGCAGGGA 1980
CCTTTCGGCG CCGTGTGTCG CCTATGTCGA TGCTGAACAA AAGAACTTAT TTTTGGAGAA 2040
AGGAAAGCCC TGTACAGTAG GATTTGTGA CATGAATGGC AAATGTGAGA AACGAGTACA 2100
GGATGTAAT GAACGATTTT GGGATTTTCT TGACCAGCTG AGCATCAATA CTTTTGAAA 2160
GTTTTTAGCA GACAACATCG TTGGGTCTGT CTGGTTTTTC TCCTTGATAT TTTGGATTCC 2220
TTTCAGCAAT CTTGTCCATT GTGTGTAAAG TCGAAATGCT GAGCAGCATG GATTCTGCAT 2280
CGGTTCCGAT TATCAAACCC TTTCTGCGC CCCAGACTCC AGGCCGCTG CAGCCTGCC 2340
CTGTGATCCC TCGGCGCCA GCAGCTCCA AACTGGACCA CCAGAGAATG GACACCATCC 2400
AGGAAGACCC CAGCACAGAC CACATATAGG ACGAGGATGG GTTTGAGAAG GACCCCTTC 2460
CAATAGCAG CACAGCTCC AACGCATTG AGGATCTCAC GGACCATCCG GTCACAGAA 2520
GTGAAAAGGC TGCCTCCTTT AAAGTGCAGC GTCAGAATCG TGTGACAGC AAAGAACAG 2580
AGTGCTAAT TAGTCTCAG CTCTCTGAC TTAAGTGTGC AAAATATTTT TATAGATTG 2640
ACCTACAATC AATCACAGCT TATATTTGT GAAGACTGGG AAGTGACTTA GCAGATGCTG 2700
GTCATGTGTT TGAACCTCCT GCAGGTAAC AGTTCCTGTG TGGTTTGGCC CTTCTCCTT 2760
TGAAAAGGTA AGGTGAAGT GAATCTAGCT TATTTTGTAG CTTTCAGGTT TTAGTTTTTA 2820
AAATATCTTT TGACCTGTGG TGCAAAAGCA GAAAATACAG CTGGATTGGG TTAGTAT 2880
TTACGTTTTT GTAATTAAT CTTTATATAT GATAACAGGC ACTGACTAGG GAAATGATCA 2940
GTTTTTTTTT ATACACTGTA ATGAACCGCT GAATATGAAG CATTGGCAT TATTTGTGA 3000
GAAAAGTGA ATAGCTTTTT TTTTTTTTT TTTTTTTTGC CTTCAACTAA AAACAAAGA 3060
GATAAATTA GTATACATTG TATCTAAAT GTGGGTCTAT TTCTAGTTAT TACCCAGAGT 3120
TTTTATGTAG CAGGAAAAT ATATATCTAA ATTTAGAAAT CATTGGGTT AATATGGCTC 3180
TTCATAATTC TAGACTAAT GCTCAGAACC TAACCACTAC CTTACAGTGA GGGCTATACA 3240
TGGTAGCCAG TTGAATTTAT GGAATCTACC AACTGTTTAG GGCCTGATT TGCTGGGCAG 3300
TTTTCTGTA TTTTATAAGT ATCTTCATGT ATCCCTGTTA CTGATAGGGA TACATGTCTT 3360
AGAAAATCA CTATGGCTG GAGTGGTGG CTCATGCTG TAATCCAGC ACTTGGAGAG 3420
3421 GCTGAGGTTG GCACCCTACA CTCAGCCTG GGTGACAGAG TGATATCTGC CTC

Seq ID NO: 557 Protein sequence
Protein Accession #: NP_068604.1

40
45
50
1
11 21 31 41 51
MRQSLFLFVS VVPFVLAPRP PDDPGFGRPHQ RLEKLDLSSL DYLILSLSNL QQHSVRKRD 60
QTSTHVELLL TFSALKRHFK LYLTSSSTERF SQNFKVVVVD GKNESEYTVK WQDFFTGHVV 120
GEPDSRVLAH IRDDVIRI NTGDAEYNI PLWRVFNVDK DKRMLVYKSE DIKNVSR 180
PKVCGYLKVD NEELLPKGLV DREPPBELVH RVKRRADPPD MKNTCKLLV ADHRFIRY 240
RGEESTTNY LIELIDRVDD IYRNTSWDNA GFKGYGIQIE QIRILKSPQE VKPGEKH 300
AKSYNNEED AWDVMKMLEQ FSPDIAEBAS KVCLAHLFTY QDFDMGTLGL AYVGSFR 360
HGGVCKKAYI SPVGNKIYL NSGLTSTKNY KXILTKKAD LVTTHELGHV FGAHEP 420
AECAPNEDQG GKVYMPPIAV SGDHENNKMP SNCSKQSIYK TIESKAQECF QERSNKV 480
SRVDBEGBEED PGIMYLNNDT CCNSDCLLKE GVQCSDRNSP CCKNCQFETA QK 540
TCKGVSYCTG NSSCEPPGN AEDDTVCLDL GKCKDKGKIP FCEREQQLS CAC 600
KVCCRDLSGR CVPVDAEQK NLFLRKGKPC TVGFCDMNGK CEKRVQDVIE RFWDFID 660
INTFGKFLAD NIVGSLVVS LIFWIPFISIL VHCV

Seq ID NO: 558 DNA sequence
Nucleic Acid Accession #: NM_004994.1
Coding sequence: 20..2143

60
65
70
75
80
85
1 11 21 31 41 51
AGACACCTCT GCCCTCACCA TGAGCCTCTG GCAGCCCCCTG GTCCTGGTGC TCCTGGTGCT 60
GGGTGTCTCG TTTGCTGCC CCAGACAGOG CCAGTCCACC CTTGTGCTCTI TCCTTGAGA 120
CCTGAGAACC AATCTCACCG ACAGGCAGCT GGCAGAGGAA TACCTGTACC GCTATGGT 180
CACTCGGGTG GCAGAGATGC GTGGAGAGTC GAAATCTCTG GGGCTGCGC TGCTGCTTCT 240
CCAGAAGCAA CTGTCCCTGC CCGAGACCAG TGAGCTGGAT AGCCCCACGC TGAAGGCCAT 300
GCGAACCCEA CGGTGCGGG TCCAGACCT GGGCAGATT CAAACCTTG AGGGCGACCT 360
CAAGTGGCAC CACCACAACA TCACCTATTG GATCCAAAC TACTCGGAG ACTTGCCCG 420
GGCGGTGATT GACGACGCT TTGCCCGCG CTTCCGACTG TGGAGCGCG TGACGCGCT 480
CACCTTCACT CGCTGTACA GCGGGGACGC AGACATCGTC ATCCAGTTTG GTGTCGCGGA 540
GCACGGAGAC GGGTATCCCT TCGACGGGAA GGACGGGCTC CTGGCACAG CTTTCTCTCC 600
TEGCCCGCGC ATTCAAGGAG ACGCCCATTT CGACGATGAC GAGTTGTGGT CCTTGGCAA 660
GGGCGTCTG GTTCAACTC GGTTTGGAAA CGCAGATGGC GCGGCTGCC ACTTCCCTT 720
CATCTTCGAG GGCGCTCTCT ACTCTGCTG CACCACCGAC GGTCTGTCCG ACGCTTGTG 780
CTGGTGCAGT ACCACGGCCA ACTACGACAC CGACGACCG TTTGGCTTCT GCCCCAGCG 840
GAGACTCTAC ACCCGGAGC GCAATGCTGA TGGGAAACCC TGCCAGTTTCT CATCTATCT 900
CCAAGGCCAA TCCTACTCCG CCTGACACC GACGAGCTCG TCCGACGCT ACCGCTGTG 960
CGCCACCACC GCCAACTACG ACCGGGACAA GCTCTTCCGC TTCTGCCCGA CCCGAGCTGA 1020
CTGACGGTG ATGGGGGACT ACTCGGGGG GAGCTGTGCT GTCTTCCCT TCACTTCTCT 1080
GGTAAGGGAG TACTGAGCT TACCAGCGA GGGCCGCGGA GATGGGCGCC TCTGGTGGC 1140
TACCACCTCG AACTTTGACA GCGACAAGAA GTGGGGCTTC TGCCCGGACC AAGGATACAG 1200
TTTTTCTCT GTGGCGGGC ATGAGTTCCG CCACGGCTG GGTTAGATC ATTCTCAGT 1260
GCGGAGGGCG CTCATGTACC CTATGTACCG CTCTACTGAG GGGCCCCCT TGCATAAGA 1320
CGACGTGAAT GGCATCCGGC ACCTCTATGG TCCTCGCCCT GAACCTGAGC CAGGCCTCC 1380
AACCACCACC ACACGAGC CCACGGCTCC CCGACGGTTC TGCCCCACCG GACCCCCAC 1440
TGTCCACCCC TCCAGCGCC CCACAGCTGG CCCCACAGT CCCCCCTAG CTGGCCCCAC 1500
AGGTCCCCCC ACTGTGGCC CTTCTACGGC CACTACTGTG CCTTGTAGTC CGGTGGACCA 1560
TGCTGTCAAC GTGAACATCT TCGACGCTAT CGGGGAGATT GGGAACGAG TGTATTTGTT 1620
CAAGGATGGG AAGTACTGGC GATTTCTGTA GGGCAGGGG AGCCCGCCG AGGGCCCCTT 1680

5
10
15

CCTTATCGCC GACCAAGTGGC CCGCGCTGCC CCGCAAGCTG GACTCGGTCT TTGAGGAGCC 1740
GCTCTCCAAG AAGCTTTTCT TCTTCTCTGG GCGCCAGGTG TGGGTGTACA CAGGCGCGTC 1800
GGTGTGGGCG CCGAGGCGTC TGGACAAGCT GGGCCTGGGA GCGGACGTGG CCCAGGTTGC 1860
CGGGGCCCTC CGGGAAGATG GGGGGAAGAT GCTGCTGTC AGCGGGCGCG GCCTCTGGAG 1920
GTTGACGCTG AAGGCGCAGA TGGTGGATCC CCGGAGCGCC AGCGAGGTGG ACCGGATGTT 1980
CCCCGGGTTG CCTTTGGACA CGCACGAGCT CTTCAGTAC CGAGAGAAAG CCTATTTCTG 2040
CCAGGACCGC TTCCTACTGGC GCGTGAATTC CCGGAGTGGG TTGAACCAGG TGGACCAAGT 2100
GGGCTAGCTG ACCTATGACA TCCTGCAGTG CCCTGAGGAC TAGGGTCTCC GTCTGTCTTT 2160
GCAGTGCCAT TTAATCCCC ACTGGGACCA ACCCTGGGGA AGGAGCCAGT TTGCCGGATA 2220
CAAACCTGGT GTCCTGTCTG GAGGAAAGGG AGGAGTGGAG GTGGGCTGGG CCCTCTCTC 2280
TCACCTTTGT TTTTGTGGT AGTGTTTCTA ATAAACTTGG ATCTCTAAC CTT

Seq ID NO: 559 Protein sequence
Protein Accession #: NP_004985.1

20
25
30

1 11 21 31 41 51
| | | | | |
MSLWQPLVLV LVLVGLCCFAA PRQRQSTLVL FPGDLRTNLT DRQLABEVLY RYGYTRVAEM 60
RGEKSLGPA LLLLQKQLSL PETGELDSAT LKAMRTPRCG VPDLGRFQTF EBDLKWVHHN 120
ITYWIQNYSE DLRAVIDDA FARAFALWSA VTPLTFTRVY SRDADIVIQF GVAEHGDGYP 180
FDGKDGLLAH AFPPFGFIQG DAHFDDDELW SLGKGVVVPT RFGNADGAAC HFFPIPEGRS 240
YSACTTDRGS DGLPWCSTTA NYDTRDRFGF CPSELYTRD GNADGKPCQF PFIQGGQSYS 300
ACTTRDGRSD YRWCAATANY DRDKLFGFCP TRADSTVMGG NSAGELCVFP FTPLGKEYST 360
CTSEGRGDRG LWCATSNFD SDDKWGFPCD QGYSLFLVAA HEFGHALGLD HSSVPEALMY 420
PMYRFTGPP LHKDDVNGIR HLYGPRPEPE PRPPTTTTPQ PTAPPTVCFT GPPTVHPSER 480
PTAGTGPSS AGPTGPPTAG PSTATTVPLS PVDACNVNI FDAIAEIGNQ LYLFKDGKYY 540
RFSBGRGSRP QGPFLLADKW PALPRKLDV FEEPLSKKLF FFSGRQVVVY TGASVLGPRR 600
LDKLGGLGADV AQVTGALRSG RGMKLLFSGR RLWRFDVKAQ MVDPRSASEV DRMPFVGPLD 660
THDVFQYREK AYFCQDRFYW RVSSRSELNQ VDQVGYVTYD ILQCPED

Seq ID NO: 560 DNA sequence
Nucleic Acid Accession #: NM_000213.1
Coding sequence: 127..5385

35
40
45
50
55
60
65
70
75
80
85

1 11 21 31 41 51
| | | | | |
CGCCCGCGCG CTGCGACCCC ATCTCCTAGC GGCAGCCCAG GCGCGGAGGG AGCGAGTCCG 60
CCCCAGAGTA GGTCCAGGAC GGGCGCACAG CAGCAGCCGA GGCTGGCCGG GAGAGGGAGG 120
AAGAGGATGG CAGGGCCACG CCCCGAGCCA TGGCCAGGC TGCTCCTGGC AGCCTTGATC 180
AGCGTCAGCC TCTCTGGGAC CTTGGCAAAC CGCTGCAAGA AGGCCCCAGT GAAGAGCTGC 240
ACGGAGTGTG TCCGTGTGGA TAAGGACTGC GCCTACTGCA CAGACGAGAT GTTCAGGGAC 300
CGGCGTGCAC ACACCCAGGC GGAGCTGCTG GCCCGGGCT GCCAGCGGGA GAGCATCGTG 360
GTATGGAGA GCACCTTCCA AATCACAGAG GAGACCCAGA TTGACACCAC CCTGGCGGGC 420
AGCCAGATGT CCCTCAGAGG CCTGCGGGTC CGTCTGCGGC CCGGTGAGGA GCGGCATTTT 480
GAGCTGGAGG TGTTTGAGCC ACTGGGAGGC CCCGTGGACC TGTACATCCT CATGGACTTC 540
TCCAACCTCA TGTCGATGA TCTGGACAAC CTCAGAAGA TGGGGCAGAA CTTGGCTCGG 600
GTCTTGAGCC AGCTACACCG CAGACTACACT ATTGGAATTG GCAAGTTTGT GCACAAAGTC 660
AGCGTCCCGC AGACGGACAT GAGGCTGAG AAGCTGAAGG AGCCCTGGCC CAACAGTGAC 720
CCCCCTTCT CTTCAAGAA CGTCAATCAG CTGACAGAAG ATGTGGATGA GTTCCGGAAT 780
AAACTGCAGG GAGAGCGGAT CTCAGGCAAC CTGGATGCTC CTGAGGGCGG CTTCCGATCC 840
ATCCTGCAGA CAGCTGTGTG CACGAGGGAC ATTGCTGGC GCCCGGACAG CACCCCACTG 900
CTGGTCTTCT CCACCGAGTC AGCCTTCCAC TATGAGGCTG ATGGCGCCAA CGTGCTGGCT 960
GGCATATGA GCCCAACGA TGAACGCTGC CACCTGGACA CCACGGGCAC CTACACCCAG 1020
TACAGGACAC AGGACTACCC GTCGGTGGCC ACCCTGCTGC GCCTGCTCGC CAAGCAACAC 1080
ATCATCCCA TCTTTGCTGT CACCAACTAC TCCTATAGCT ACTACGAGAA GCTTCACACC 1140
TATTTCCCTG TCTCCTCACT GGGGGTGTG CAGGAGGACT CGTCCAACAT CTTGGAGCTG 1200
CTGGAGGAGG CCTTCAATCG GATCCGCTCC AACCTGGACA TCCGGGCCCT AGACAGCCCC 1260
CGAGGCCTTC GGCAGAGGAT CACTCCAAG ATGTTCAGA AGACGAGGAC TGGGTCTTTT 1320
CACATCCGCG GGGGGAAGT GGTATATAC CAGGTGCAGC TGGCGGCCCT TGAGCAGGTG 1380
GATGGGACGC ACGTGTGCCA GCTGCCGGAG GACCAAGAGG GCAACATCCA TCTGAAACCT 1440
TCCTTCTCCG ACGCCCTCAA GATGGACGCG GGCATCATCT GTGATGTGTG CACCTCCGAG 1500
CTGCAAAAAG AGGTGCGGTC AGTTCGCTGC AGTTCAAAC GAGACTTCGT GTGCCGACAG 1560
TGTGTGTGTA GCGAGGGGCT GAGTGGCCAG ACCTGCAACT GCTCCACCGG CTCTCTGAGT 1620
GACATTACGC CCTGCCCTGG GAGGGGCGAG GACAAGCCGT GCTCCGCGCG TGGGGAGTGC 1680
CAGTGGCGGC ACTGTGTGTG CTACGGCGAA GGCGCTACG AGGGTCAGTT CTGCCAGTAT 1740
GACAACTCC AGTGTCCCGC CACTTCCGGG TTCCTCTGCA ATGACCGAGG ACGCTGTCTC 1800
ATGGGCCAGT GTGTGTGTGA GCCTGTTTGG ACAGGCCCAA GCTGTGACT TCCCCTCAGC 1860
AATGCCACCT GCATCGACAG CAATGGGGGC ATCTGTAATG GACGTGGCCA CTGTGAGTGT 1920
GGCCGCTGCC ACTGCCACCA GCAGTCGCTC TACACGACA CCACTCTGCA GATCAACTAC 1980
TCGGGATCC ACCCGGGCCT CTGGAGGAC CTACGCTCCT GCGTGCAGTG CCAGGCCTGG 2040
GGCACGCGAG AAGAAGAGGG GCGCACGCTG GAGGAATGCA ACTTCAAGGT CAAGATGGTG 2100
GAGAGCTTA AGAGAGCCGA GGAGGTGGTG GTGGCTGTCT CCTTCCGGGA CGAGGATGAC 2160
GACTGCACCT ACAGCTACAC CATGGAAGGT GACGGCGCCC CTGGGCCCAA CAGCACTGTC 2220
CTGGTGACA AGAAGAAGGA GTGCCCTCCG GGCTCCTTCT GGTGGCTCAT CCCCCTGTCT 2280
CTCCTCTCC TGCCGCTCTT GGCCCTGCTA CTGCTGCTAT GCTGGAAGTA CTGTGCTTGC 2340
TGCAAGGCCT GCCTGGCACT TCTCCCGTGC TGCAACCGAG GTCACATGGT GGGCTTTAAG 2400
GAAGACCACT ACATGTCTGC GGAGAACCCT ATGGCCTCTG ACCACTTGA CACGCCCATG 2460
CTGCGCAGCG GGAACCTCAA GGGCCGTGAC GTGGTCCGCT GGAAGGTAC CAACAACATG 2520
CAGCGGCCCT GCTTGGCCAC TCATGCCGCC AGCATCAACC CCACAGAGCT GGTGCCCTAC 2580
GGGCTGTCTT TGCCCTTGGC CGCCCTTTGC ACCGAGAACC TGCTGAAGCC TGACTCTGG 2640
GAGTGGCGCC AGTGCAGGCA GGAGGTGAG GAGAACCCTA ACGAGGTCTA CAGGCAGATC 2700
TCCGTGTAT ACAAGCTTCA GCAGACCAAG TTCGGCAGC AGCCCAATGC CGGAAAAAAG 2760
CAAGACCACA CCATTGTGGA CACAGTGTCT ATGGCGCCCC GCTCGGCCAA GCCGGCCCTG 2820
CTGAAGCTTA CAGAGAAGCA GGTGGAACAG AGGGCCCTTC ACGACTCAA GGTGCCCCCC 2880
GGCTACTACA CCCTCACTGC AGACCAGGAC GCCCGGGGCA TGGTGGAGTT CCAGGAGGGC 2940
GTGGAGCTGG TGCAGCTACG GGTGCCCTCC TTTATCCGGC CTGAGGATGA GCACGAGAA 3000
CAGCTGTGG TGGAGGCCAT CGACGTCCCC GCAGGCATCG CCACCCCTGG CCGCCGCTG 3060

5 10 15 20 25 30 35 40 45
GTAACATCA CCATCATCAA GGAGCAAGCC AGAGACGTTG TGTCCTTGA GCAGCCTGAG 3120
TTCTCGGTCA CCGCCGGGGA CCAGGTGSCC GGCATCCCTG TCATCCGCGG TGTCTGGAC 3180
GGCCGGGAGT CCCAGGTTCT CTACCGCACA CAGGATGGCA CCGCGCAGGG CAACCGGGAC 3240
TACATCCCGG TGGAGGGTGA GCTGCTGTTC CAGCCTGGGG AGGCCTGGAA AGAGCTGCAG 3300
GTGAAGCTCC TGGAGCTGCA AGAAGTTGAC TCCCTCCTGC GGGGCGCCA GGTCCGCCGT 3360
TTCCAGCTCC AGCTCAGCAA CCCTAAGTTT GGGGCCACC TGGGCCAGCC CCACTCCACC 3420
ACCATCATCA TCAGGGACCC AGATGAACTG GACCAGAGCT TCACGAGTCA GATGTTGTCA 3480
TCACAGCCAC CCCCTCAGCG OGACCTGGGC GCCCCGAGA ACCCAATGC TAAGCCCGCT 3540
GGGTCCAGGA AGATCCATTT CAACTGGCTG CCCCTTCTG GCAAGCCAAT GGGGTACAGG 3600
GTAAAGTACT GGATTACAGG TGACTCCGAA TCCGAAGCC ACCTGCTCGA CAGCAAGGTG 3660
CCCTCAGTGG AGCTCACCIA CTTGTACCCG TATTGCGACT ATGAGATGAA GGTGTGCGCC 3720
TACGGGGCTC AGGGGCGAGG ACCCTACAGC TCCCTGGTGT CCTGCGGCAC CCACCAGGAA 3780
GTGCCAGCG AGCCAGGGCG TCTGGCCTTC AATGTCGTCT CCTCCAGGT GACCCAGCTG 3840
AGCTGGGGTG AGCCGGCTGA GACCAACGGT GAGATCAAG CCTACAGAGT CTGCTATGGC 3900
CTGTGTAACG ATGACAACCC ACCATATGGG CCCATGAAGA AAGTGCTGTT TGACAACCCCT 3960
AAGAACCAGG TGCTGCTTAT TGAGAACCTT CCGGAGTCCC AGCCCTACCG CTCACCGGTG 4020
AAGGCGCGCA ACGGGGCGCG CTGGGGGGCT GAGCGGGAGG CCATCATCAA CCGTGCACCC 4080
CAGCCCAAGA GGCCCATGTC CTTCCCATC ATCCCCTGACA TCCCTATCGT GGACGCCAGG 4140
AGCCGGGAGG ACTACGACAG CTTCCCTTATG TACAGCGATG ACGTTCCTAG CTCTCCATCG 4200
GGCAGCCAGA GGCCAGCGCT CTCGGATGAC ACTGAGCACC TGGTGAATGG CCGGATGGAC 4260
TTTGCCTCTC CGGCGACAC CAACTCCCTG CACAGGATGA CCACGACCAG TGCTGTGCC 4320
TATGGCACCC ACTGAGCCCC ACACGTGCC CACCCGCTGC TAAGCACCATC CTCCACCCTC 4380
ACACGGGACT ACAACTCCTC GACCCCGCTCA GAACTACTC ACTCGACCAC ACTGCGGAGG 4440
GACTACTCCA CCCTCAGCTC CGTCTCCTCC CACGACTCTC GCCTGACTGC TGGTGTGCC 4500
GACAGCCCA CCCGCTTGGT GTTCTCTGCC CTGGGGCCCA CATCTCTCAG AGTGAGCTGG 4560
CAGGAGCCGC GGTGCGAGCG GCCGCTGCGG GGCTACAGTG TGGAGTACCA GCTGCTGAAC 4620
GGCGGTGAGC TGCATCCGCT CAACATCCCG AACCCCTGCC AGACCTCGGT GGTGGTGGA 4680
GACCTCTGTC CCAACCATCT CTACGTTGTC CGCGTGCGGG CCAGAGCCA GGAAGGCTGG 4740
GGCCGAGAGC GTGAGGGTGT CATCACCATT GAATCCCAGG TGCACCCGCA GAGCCCACTG 4800
TGTCCCTGTC CAGCTCCGCT CTTCACTTTG AGCACTCCCA GTGCCCCAGG CCGCTGTTGG 4860
TTCACCTGCC TGAGCCGAGA CTGCTGCGG CTGAGCTGGG AGCGGCCACG GAGGCCCAAT 4920
GGGGATATCG TCGGCTACCT GGTGACCTGT GAGATGGCCC AAGGAGGAGG GCCAGCCACC 4980
GCATTCCGGG TGGATGGAGA CAGCCCGGAG AGCCGGCTGA CCGTGCCTGG CCTCAGCGAG 5040
AACGTGCCCT ACAAGTTCAA GGTGCAGGCC AGGACCACCT AGGGCTTCGG GCCAGAGCGC 5100
GAGGGCATCA TCACCATAGA TTCACAGGAT GGAGGACCTC TCCCGCAGCT GGGCAGCCGT 5160
GCCGGCTCTC TCCAGCACCC GCTGCAAAGC GAGTACAGCA GCATCACCAC CACCCACACC 5220
AGCGCCACCG AGCCCTTCTC AGTGGATGGG CCGACCCCTG GGGCCAGCA CCTGAGGCA 5280
GGCGCTCCCG TCACCCGCCA GTGACCCAG GAGTTTGTGA CCGCGACACT GACCACAGC 5340
GGAAACCTTA GCACCCACAT GGACCAACAG TTCTTCCAAA CTTGACCACA CCCTGCCCA 5400
CCCCGCGCAT GTCCACTAGG GCGTCTCTCC GACTCTCTC CCGGAGCCTC CTCAGTACT 5460
CCATCTTGC ACCCTCGGG GCCCAGCCCA CCCGCATGCA CAGAGCAGGG GCTAGGTGTC 5520
TCTCTGGAGG CATGAAGGGG GCAAGGTCCG TCCTCTGTGG GCCCAAACCT ATTTGTAACC 5580
AAAGAGCTGG GAGCAGCACA AGGACCCAGC CTTTGTCTG CACTTAATAA ATGTTTGGC 5640
TACTG

Seq ID NO: 561 Protein sequence
Protein Accession #: NP_000204.1

50 1 11 21 31 41 51
MAGPRPSPWA RLLLAALISV SLSGTLANRC KKAPEVKSCTE CVRVDKDCAY CTDEMFRDRR 60
CNTQAEALLA GQRESIVVM ESSFQITEET QIDTTLRRSQ MSPQGLRVR L RPEEERHPEL 120
EVFEPLSEPV DLYILMDFSN SMSDDLNDLNM KMGNLARVRL SQLTSDYTTG PFGFVDKVS 180
PQDMRPERKL KEPFNSDPP FSPKNVISLT EDVDFRNK L QGERISGNLD APEGGFDAI 240
QTAVCTRIDG WRPDSTHL LV FSTESA FHYE ADGANVL AGI MSRNDERCH DDTGTYYTYR 300
TDYPSVPTL VRLAKHNI I PIFAVTNSY SYEKLHTYF PVSSLVGLQE DSSNIVELLE 360
EAFNLRNSL DIRALDSPRG LRTEVTSMKF QKTRTGSFHI RRGEVGLYQV QLRALRHEVD 420
THVCQLPEDQ KGNHILKPSF SDGLKMDAGI IC DVCTCELQ KEVRSARCSF NGDFVCGQCV 480
CEGWSGQTC NCSTGSLSDI QPCLREGEDK PCSGRGECQC GHCVCYGEGR YEGQFCYDN 540
FQCPRTSGLF CNDRGRCSMG QCVCEPGWTG PSCDCPLSNA TCIDSNGGIC NGRGHCECGR 600
CHCQQSLYT DTICEINYS A IHPGLCEDLR SCVQCQANGT GEKKGRTCEE CNFKVKMVD 660
LKRAEVEVVR CSFRDED DDC TYSYTMEDGD APGPNSTVLV HKKKDCPPGS FWWLIPLLL 720
LPLLLALLL LCWKYCACCK ACCLALLPCCN RGHMVGFKED HYMLREN LMA SDHLDPMLR 780
SGNLKGRD VV RWKVTNMQ R PGFATHAASI NPELTPYGL SLRRLARLCTE NLLKPDTR 840
AQLRQEVEEN LNEVYRQISG VHKLQQTKFR QQPNAKKQD HTIVDTV LMA PRSAKPALK 900
LTEKQVEQRA FHDLKVAPGY YTLTADQDAR GMVEFQEGVE LVDVVRVPLFI RPEDDDEK 960
LVEADIVPAG TATLGRRLVN ITI I KEQARD VVSPEQPEFS VSRGDQVARI PVIRRVL DGG 1020
KSQVSVYRQD GTAQGNRDI Y PVEGELLFQP GEAWKELQVK LLELQEVDSL LRGRQVRRFH 1080
VQLSNPKFGA HLGQPSTTI I IRDPDELDR SFTSQMLSSQ PPHGDLGAP QNPNKAAGS 1140
RKIHFNLWLP SGKPMGYRVR YWIQGDS ESE AHL LSKVPS VELTNLYPC DYEMKVCAYG 1200
AQGEGPYSSL VSCRTHQEPV SEPGRLAFNV VSSTVTQLSW AEP AETNGEI TAYEVCYGLV 1260
NDDNRP I GPM KKVLDVNPK N RMLLIENLRE SQPYRYTVKA R NGAGWGPER EAIINLATQF 1320
KRPMSP IIP DIP IVD AQSG EDYDSFLMYS DOVLRSPSGS QRPVSDDTE HLVNGRM DPA 1380
FPGSTNSLHR MTTTSAAYG THLSPHVPHR VLSTSSLTTR DYNSLTRSEH SHSTTLPRDY 1440
STLTSVSSH D SRLTAGVPDT PTRLVFSALG PTLSLRVSQEQ EPRCERPLQGY SVEYQLLNGG 1500
ELHRLNI PNP AQT S VVVE D L LPNHSYVFRV RAQSQEGWGR EREGVIT IES QVHQSP S LCP 1560
LPGSAFTLST PSAPG PLVFT ALSPDS LQLS WERPRRPNGD IVGYLVTCME AQGGGPATAF 1620
RVDGSPESR LTVPLGSEN V PYKFKVQART TEGFPEREG IIT IESQDGG PFFQLGSRAG 1680
LFQHPLQSEY SSITTTHTSA TEPFLVDGPT LGAQHLEAGG SLTRHVTQEP VSRTLTTS GT 1740
LSTHMQQFP QT

Seq ID NO: 562 DNA sequence
Nucleic Acid Accession #: NM_013332.1
Coding sequence: 1..63

85 1 11 21 31 41 51
| | | | |
| | | | |

GCACGAGGGC GCTTTTGTCT CCGGTGAGTT TTGTGGCGGG AAGCTTCTGC GCTGGTGTCT 60
 AGTAACCGAC TTTCTCTCGG ACTCCTGCAC GACCTGCTCC TACAGCCGGC GATCCACTCC 120
 CCGGTGTTC CCGGAGGGT CCAGAGGCCT TTCAGAAGGA GAAGGCAGCT CTGTTTCTCT 180
 GCAGAGGAGT AGGTCTGTTT CAGCCATGAA GCATGTGTG AACCTCTACC TGTTAGGTGT 240
 5 GGTACTGACC CTACTCTCCA TCTTCGTTAG AGTGTGGAG TCCTTAGAAG GCTTACTAGA 300
 GAGCCCATCG CCTGGGACCT CTTGGACCAC CAGAAGCCAA CTAGCCAACA CAGAGCCAC 360
 CAAGGGCCCT CAGAGCCATC CATCCAGAAG CATGTGATAA GACCTCCTTC CATACTGGCC 420
 ATATTTTGGG ACACGTGACCT AGACATGTCC AGATGGGAGT CCCATTCTTA GCAGACAAGC 480
 TGAGCACCGT TGTAACCAGA GAACTATTAC TAGGCCTTGA AGAACCTGTC TAACCTGGATG 540
 10 CTCATTGCCT GGGCAAGGCC TGTTTAGGCC GGTTCGGGTG GCTCATGCCT GTAATCCTAG 600
 CACTTTGGGA GGCTGAGGTG GGTGGATCAC CTGAGGTGAG GAGTTCGAGA CCAGCCTCGC 660
 CAACATGGCG AAACCCCATC TCTACTAAAA ATACAAAAGT TAGCTGGGTG TGGTGGCAGA 720
 GGCCTGTAAT CCCAGTTCC TGGGAGGCTG AGGCGGGAGA ATTGCTTGAA CCGCGGGACG 780
 GAGGTGAGC TGAACCGAGA TCGCACTGCT GTACCCAGCC TGGGCCACAG TGCAAGACTC 840
 15 CATCTCAAAA AAAAAGAGAA AAGAAAAGC CTGTTTAAATG CACAGGTGTG AGTGGATTGC 900
 TTATGGCTAT GAGATAGGTT GATCTCGCCC TTACCCCGGG GTCTGGTGTG TGCTGTGCTT 960
 TCCTCAGCAG TATGGCTCTG ACATCTCTTA GATGTCCCAA CTTCAGCTGT TGGGAGATGG 1020
 TGATATTTTC AACCTACTT CCTAAAACATC TGTCTGGGGT TCCTTTAGTC TTGAATGTCT 1080
 20 TATGCTCAAT TAITTGGTGT TGAGCCTCTC TTCCACAAGA GCTCCTCCAT GTTTGGATAG 1140
 CAGTGAAGA GGTGTGTGG GTGGGCTGTT GGGAGTGAGG ATGGAGTGTT CAGTGCCCAT 1200
 TTCTCATTTT ACATTTTAAA GTCGTTCCCT CAACATAGTG TGTATTGGTC TGAAGGGGGT 1260
 GGTGGGATGC CAAAGCCTGC TCAAGTTATG GACATTGTGG CCACCATGTG GCTTAAATGA 1320
 TTTTTCTAA CTAATAAAGT GGAATATATA TTCAAAAAA AAAAAAAAAA AA

Seq ID NO: 563 Protein sequence
 Protein Accession #: NP_037464.1

1 11 21 31 41 51
 MKHVLNLYLL GVVLTLLSIF VRVMESLEGL LESPSPGTSW TTRSQLANTE PTKGLPDHPS 60
 RSM

Seq ID NO: 564 DNA sequence
 Nucleic Acid Accession #: NM_023915.1
 Coding sequence: 250..1326

1 11 21 31 41 51
 GGCACGAGGG TTTCTGTTTC ATGCTTTACC AGAAAATCCA CTTCCCTGCC GACCTTAGTT 60
 TCAAAGCTTA TTCTTAATTA GAGACAAGAA ACCTGTTTCA ACTTGAAGAC ACCGTATGAG 120
 GTGAATGGAC AGCCAGCCAC CACAATGAAA GAAATCAAAC CAGGAATAAC CTATGCTGAA 180
 CCCACGCTTC AATCGTCCCC AAGTGTTTCC TGACACGCAT CTTTGTCTAC AGTGCATCAC 240
 AACTGAAGAA TGGGGTTCAA CTGTGACGCTT GCAAAATTAC CAAATAACGA GCTGCACGGC 300
 CAAGAGAGTC ACAATTCAGG CAACAGGAGC GACCGGGCAG GAAAGAACAAC CACCTTCCAC 360
 45 AATGAATTTG ACACAAATGT CTTGCCGGTG CTTTATCTCA TTATATTGT GGCAAGCATC 420
 TTGCTGAATG GTTTAGCAGT GTGGATCTTC TTCCACATTA GGAATAAAAC CAGCTTCATA 480
 TTCTATCTCA AAAACATAGT GGTTCGAGAC CTCATAATGA CGCTGACATT TCCATTTCGA 540
 ATAGTCCATG ATGCAGGATT TGACCTTGG TACTTCAAGT TTATTTCTCTG CAGATACACT 600
 TCAGTTTTGT TTTATGCAAA CATGTATACT TCCATCGTGT TCCTTGGGCT GATAAGCATT 660
 50 GATCGCTATC TGAAGGTTGT CAAGCCATTG GGGGACTCTC GGATGTACAG CATAACCTTC 720
 ACGAAGGTTT TATCTGTTTG TGTTCGGGTG ATCATGGCTG TTTTGTCTTT GCCAAACATC 780
 ATCCTGCACA ATGGTCAGCC AACAGAGGAC AATATCCATG ACTGCTCAA ACTTAAAAGT 840
 CCTTTGGGGG TCAAATGGCA TACGGCAGTC ACCTATGTGA ACAGCTGCTT GTTTGTGGCC 900
 GTGCTGGTGA TTCTGATCGC ATGTTACATA GCCATATCCA GGTACATCCA CAAATCCAGC 960
 55 AGGCAATTA TAAGTCAGT AAGCCGAAAG CGAAAACATA ACCAGAGCAT CAGGGTTGTT 1020
 GTGGCTGTGT TTTTACCTG CTTTCTACCA TATCACTTGT GCAGAATCC TTTTACTTTT 1080
 AGTCACTTAG ACAGGCTTTT AGATGAATCT GCACAAAAA TCCTATATTA CTGCAAAGAA 1140
 ATTCACTTT TCTTGTCTGC GTGTAATGTT TGCCTGGATC CAATAATTTA CTTTTCATG 1200
 60 TGTAGGTCAT TTTCAAGAAG GCTGTTCAAA AAATCAAATA TCAGAACCAG GAGTGAAGC 1260
 ATCAGATCAC TGCAAAGTGT GAGAAGATCG GAAGTTCGCA TATATTATGA TTACTACTGAT 1320
 GTGTAGGCCCT TTTATTGTTT GTTGAATCG ATATGTACAA AGTGTAATAA AATGTTTCTT 1380
 TTCATTATCC TTAATAAAAA AA

Seq ID NO: 565 Protein sequence
 Protein Accession #: NP_076404

1 11 21 31 41 51
 MGFNLTAKL PNNELHQES HNSGNRSDGP GKNTTLHNEF DTIVLPVLYL IIFVASILLN 60
 GLAVWIFPHI RNKTSFIFYL KNIVVADLIM TLTFFPRIVH DAGFGPWYFK FILCRYTSVL 120
 FYANMYTSIV FLGLISIDRY LKVVKPFPGDS RMYSIITFKV LSVCVVWIMA VLSLPNIIIT 180
 NGQPTEDNIH DCSKLSKPLG VKWHTAVTVV NSCLFVAVLV ILIGCYIAIS RYIHKSSRQF 240
 ISQSSRRKRK NQSRVWVAV FFTCFLPYHL CRIPFPFSLH DRLLDESAQR ILYYCKEITL 300
 75 FLSACNVCLD PIIYFFMCRS FSRRLFKXSN IRTRESIRS LQSVRRSEVR IYYDYTDV

Seq ID NO: 566 DNA sequence
 Nucleic Acid Accession #: NM_005365.1
 Coding sequence: 1..948

1 11 21 31 41 51
 ATGTCTCTCG AGCAGAGGAG TCCGCACTGC AAGCCTGATG AAGACCTTGA AGCCCAAGGA 60
 GAGGACTTGG GCCTGATGGG TGCAACAGAA CCCACAGGCG AGGAGGAGGA GACTACCTCC 120
 TCCTCTGACA CCAAGGAGGA GGAGGTGCTT GCTGCTGGGT CATCAAGTCC TCCCAGAGT 180
 85 CCTCAGGGAG GCGCTTCTCT CTCCATTCC GTCTACTACA CTTTATGGAG CCAATTCGAT 240
 GAGGGCTCCA GCAGTCAAGA AGAGGAAGAG CCAAGCTCCT CGGTCCAGCC AGCTCAGCTG 300
 GAGTTCATGT TCCAAGAAGC ACTGAAATG AAGGTGGCTG AGTTGGTTCA TTTCTGCTC 360

CACAATATC GAGTCAAGGA GCGGTCACA AAGGCAGAAA TGCTGGAGAG CGTCATCAAA 420
AATTACAAGC GCTACTTTCC TGTGATCTTC GGCAAAGCCT CCGAGTTCAT GCAGGTGATC 480
TTTGGCAGCT ATGTGAAGGA GGTGGACCCC GCGGGCCACT CCTACATCCT TGCTACTGCT 540
5 CTGGCCCTCT CGTCCGATAG CATGCTGGGT GATGGTCATA GCATGCCCAA GGCCGCCCTC 600
CTGATCATTT TCCTGGGTGT GATCCTAAC AAGACAAC GCGCCCTGA AGAGGTTATC 660
TGGGAAGCGT TGAGTGTGAT GGGGGTGTAT GTTGGAAAG AGCACATGTT CTACGGGGAG 720
CCCAGGAAGC TGCTACCCCA AGATTGGGT CAGGAAAACT ACCTGGAGTA CCGGCAGGTG 780
CCCGCAGTAT ATCCTGGCCA CTACGAGTTC CTGTGGGGT CCAAGGCCA CGCTGAAACC 840
10 AGCTATGAGA AGGTCATAAA TTATTGGTTC ATGCTCAATG CAAGAGAGCC CATCTGCTAC 900
CCATCCCTTT ATGAAGAGGT TTTGGGAGAG GAGCAAGAGG GAGTCTGA

Seq ID NO: 567 Protein sequence
Protein Accession #: NP_005356.1

15 1 11 21 31 41 51
MSLEQRSPHC KPDEDELEAQ EDLGLMGAQE PTGEEEEETS SSDKSEEEVS AAGSSSPQPS 60
PQGGASSIS VYYTLWQFD EGSSEQEE E PSSVDPAPL EFMFQALKL KVAELVHPLL 120
20 HKYRVKEPVT KAEMLESVIK NYKRYFPVIF GKASEFMQVI FGTDVKEVDP AGHSYILVTA 180
LGLSCDSMLG DGHSMPKAAL LIIVLGVILT KDNCAPEEVI WEALSVMGVY VGKHEMPFYGE 240
PRKLLTQDWV QENYLEYRQV PGSDPAHYEF LWGSKAHAET SYEKVINYL VMLNAREPICY 300
PSLYBEVLGE EQBGV

25 Seq ID NO: 568 DNA sequence
Nucleic Acid Accession #: NM_014400
Coding sequence: 86..1126

30 1 11 21 31 41 51
GGTTACTCAT CCTGGGCTCA GGTAAGAGGG CCGAGCTCG GAGGCGGCAC ACCCAGGGGG 60
GACGCCAAGG GAGCAGGACG GAGCCATGGA CCCC GCCCAGG AAAGCAGGTG CCCAGGCCAT 120
GATCTGSACT GCAGGCTGCG TGCTGCTGCT GTCTGCTTGC GGAGGAGCGC AGGCCCTGGA 180
GTGCTACAGC TGCCTGCGAGA AAGCAGATGA CGGATGCTCC CCGAACAAAGA TGAAGACAGT 240
35 GAAGTGCCGC CCGGGCCGTG ACCTCTGCAC CGAGGCCGTT GGGCCGCTGG AGACCATCCA 300
CGGACAATTC TCGCTGGCAG TGCSSGGTTG CGGTTCCGGA CTCGCCGCA AGAATGACC G 360
CGCCCTGGAT CTTACCGGGC TTTCCGCGTT CATCCAGCTG CAGCAATGCG CTCAGGATCG 420
CTGCAACGCC AAGCTCAACC TCACCTCGCG GCGCTCGAC CCGGCAGGTA ATGAGAGTGC 480
ATACCCGCCC AACCGCGTGG AGTGCTACAG CTTGTGGGGC CTGAGCCGGG AGGCGTGCCA 540
GGGTACATCG CCGCCGGTGC TGAGCTGCTA CAACGCCAGC GATCATGTCT ACAAGGGCTG 600
40 CTTGCAACGCC AACCTCTCT TGACGGCAGC TAAATGTACT GTGTCTTGG CTGTCCGGGG 660
CTGTGTCCAG GATGAATCTT GCACCTCGGA TGGAGTAACA GGCCCGGGT TCACGCTCAG 720
TGGCTCTGTG TGCCAGGGGT CCCGCTGTA CTCTGACCTC GCAACAAGA CCTACTTCTC 780
CCCTCGAATC CCACCCCTTG TCCGGCTGCC CCTCCAGAG CCCACGACTG TGGCCCTCAAC 840
45 CACATCTGTC ACCACTTCTA CCTCGGCCCC AGTGAGACCC ACATCCACCA CCAAACCCAT 900
GCCAGCCCA ACCAGTCAGA CTCGAGACA GGGAGTAGAA CACGAGGCCCT CCGGGATGA 960
GGAGCCCAGG TTGACTGGAG GCGCCGCTGG CCACCAGGAC CGCAGCAAT CAGGGCAGTA 1020
TCCTGCAAAA GGGGGGCCCC AGCAGCCCCA TAATAAAGGC TGTGTGGCTC CCACAGCTGG 1080
ATTGGCAGCC CTTCTGTGG CCGTGGCTGC TGGTGTCTA CTGTGAGCTT CTCACCTGG 1140
50 AAAATTCCTC CTCACCTACT TCTCTGGCCC TGGGTACCCC TCTTCTCAT ACTTCCTGTT 1200
CCCACCACTG GACTGGGCTG GCCCAGCCCC TGTTTTTCCA ACATTCCECA GTATCCCCAG 1260
CTTCTGCTGC GCTGGTTTGC GGCTTTGGGA AATAAATAC CGTTGTATAT ATTCTGGCAG 1320
GGGTGTCTA GCTTTTTGAG GACAGCTCCT GTATCCTTCT CATCCTTGTC TCTCCGCTTG 1380
TCCTCTTGTG ATGTTAGGAC AGAGTGAGAG AAGTCAGCTG TCACGGGGAA GGTGAGAGAG 1440
AGGATGCTAA GCTCTCTACT CACTTTCTCC TAGCCAGCCT GGACTTTGGA CCGTGGGGTG 1500
55 GGTGGGACAA TGGCTCCCA CTCTAAGCAC TGCCTCCCT ACTCCCGCA TCTTTGGGA 1560
ATCGGTTCCT CATATGTCTT CTTACTAGA CTGTGAGCTC CTCGAGGGCA GGGACCGTGC 1620
CTTATGTCTG TGTGTGATCA GTTCTGGCA CATAAATGCC TCAATAAAGA TTTAATTA 1680
TTGTATAGTG AAAAAAAA

60 Seq ID NO: 569 Protein sequence
Protein Accession #: NP_055215

65 1 11 21 31 41 51
MDPARKAGAQ AMIWTAGWLL LLLLRRGGAQA LECYSCVQKA DDGCSFNKMK TVKCAPGV DV 60
CTEAVGAVET IHGQFSLAVX GCGSGLPKGN DRGLDLHGLL AFIQLQQCAQ DRCNAKLNLT 120
SRALDPAGNE SAYPPNGVEC YSCVGLSREA CQGTSPPVVS CYNASDHVYK GCFDGNVTLT 180
AANVTVSLFV RGCVDQEFCT RDGVTGPGPT LSGSCCGSR CNSDLRNKTY FSPRIPLVLR 240
LPPPEPTTVA STTSVTSTTS APVRPTSTTK PMPAPTSQTP RQGVHEASR DEEPRLTGGA 300
70 AGHQDRSNISG QYPAKGGFPQ PHNKGCVAPT AGLAALLLAV AAGVLL

75 Seq ID NO: 570 DNA sequence
Nucleic Acid Accession #: NM_005329.1
Coding sequence: 1..1662

80 1 11 21 31 41 51
ATGCCGGTGC AGCTGACGAC AGCCCTGCGT GTGGTGGGCA CCAGCCTGTT TGCCCTGGCA 60
GTGCTGGGTG GCATCCTGGC AGCCTATGTG ACGGGCTACC AGTTCATCCA CAGGAAAAG 120
CACTACCTGT CCTTCGGCCT GTACGGCGCC ATCCTGGGCC TGCACCTGCT CATTGAGAGC 180
CTTTTTCCTC TCCTGGGAGCA CCGGCAGCAT GCAGCTGCCG GCCAGGCCCT GAAGCTGCCC 240
TCCCGCGGC GGGGCTCGGT GGCACCTGTC ATTGCCGCGT ACCAGGAGGA CCTGACTAC 300
TTGCGCAAGT GCCTGCGCTC GGCCAGCGC ATCTCCTTCC CTGACCTCAA GGTGGTCA 360
75 GTGGTGGATG GCAACCCGCC GGAGGACGCC TACATGCTGG ACATCTTCCA CGAGGTGCTG 420
GGCGGCACCG AGCAGGCCGG CTCTTGTGTG TGGCGCAGCA ACTTCCATGA GGCAGGGCAG 480
GGTGAAGCGG AGGCCAGCCT GCAGGAGGGC ATGGACCGTG TGCGGGATGT GGTGCGGGCC 540
85 AGCACCTTCT CGTGCATCAT GCAGAAGTGG GGAGGCAAGC GCGAGGTCAT GTACACGGCC 600

TTCAAGGCC TCGGCGATTC GGTGGACTAC ATCCAGGTGT GCGACTCTGA CACTGTGCTG 660
 GATCCAGCCT GCACCATCGA GATGCTToga GTCCCTGGAGG AGGATCCCCA AGTAGGGGGA 720
 GTCCGGGGAG ATGTCCAGAT CCTCAACAAG TACGACTCAT GGATTTCCCTT CCTGAGCAGC 780
 GTGCGGTACT GGATGGCCTT GAAOCTGGAG CCGGCCCTGCC AGTCCCTACT TGGCTGTGTG 840
 CAGTGTATTA GTGGGCCCTT GGGCATGTAC CGAACACGCC TCCTCCAGCA GTTCTGGAG 900
 GACTGGTACC ATCAGAAGTT CCTAGGCAGC AAGTGCAGCT TCGGGGATGA CCGGCACCTC 960
 ACCAACCCGAG TCCTGAGCCT TGCTACCCGA ACTAAGTATA CCGCGCGCTC CAAGTGCCTC 1020
 ACAGAGACCC CCATTAAGTA CCTCOGGTGG CTCAACCAGC AAACCCGCTG GAGCAAGTCT 1080
 TACTTCCGGG AGTGGCTCTA CAACTCTCTG TGGTTCCATA AGCACCACCT CTGGATGACC 1140
 TACGAGTCAG TGGTCACGGG TTCTTCCCTCA TTGCCACGGT TATACAGCTT TATACAGCTT 1200
 TTCTACCGGG GCGCATCTG GAACATCTCT CTCTTCCCTGC TGACGGTGA GCTGGTGGGG 1260
 ATTATCAAGG CCACCTACGC CTGCTTCCCT CGGGCAATG CAGAGATGAT CTTCATGTCC 1320
 CTCTACTCCC TCCTCTATAT GTCCAGCCTT CTGCCGGCCA AGATCTTTGC CATTGTCTACC 1380
 ATCAACAAT CTGGCTGGGG CACCTCTGGC CGAAAAACCA TTGTGTGAA CTTTATTGGC 1440
 CTCATTCCTG TGTCCATGT GGTGGCAGT CTCTGGGAG GCGTGGCCTA CACAGCTTAT 1500
 TGCCAGGACC TGTTCAGTGA GACAGAGCTA GCCTTCTCTG TCTCTGGGGC TATACTGTAT 1560
 GGCTGCTACT GGGTGGCCCT CCTCATGCTA TATCTGGCCA TCATCGCCCG GCGATGTGGG 1620
 AAGAAGCCGG AGCAGTACAG CTTGGCTTTT GCTGAGGTGT GA

Seq ID NO: 571 Protein sequence
 Protein Accession #: NP_005320.1

1 11 21 31 41 51
 | | | | | |
 25 MPVQLTTLAR VVGTSLFALA VLGGIILAAVY TGYQFIHTEK HYLSPGLYGA IGLHLLLIQS 60
 LPAPLEHRRM RRAGQALKLP SPRRGSVALC IAAYQEDPDY LRKCLRSAQR ISFPDLKVVV 120
 VVDGNRQEDA YMLDI PHEVL GTEQAGPFV WRSNPFHEAGE GETEASLQEG MDRVRDVRRA 180
 STFSCIMQKW GGRKREVMYTA FKALGDSVDY IQVCDSDTVL DPACTIEMLR VLEEDPQVGG 240
 VGGDVQILNK YDSWISFLSS VRYWMAFNVE RACQSYFGCV QCISGPLGMY RNSLLQQPLE 300
 DWYHQKFLGS KCSFGDDRHL TNRVLSLGYR TKYTARSKCL TETPTKYLRW LNQQTRWSKS 360
 YFRENLYNSL WFKHKLHLMWT YESVVTGFFP FFLIATVIQL FYRGRWNL LFLLLTVQLVG 420
 IIKATYACFL RGNAMFIPMS LYSLLYMSL LPAKIPAIAT INKSGWGTSL RKTIVVNFIS 480
 LIPVSIWAV LGGGLAYTAY CQDLFSETEL AFLVSGAILY GCYVWVALLML YLAI IARRCG 540
 KKPEQYSLAF AEV

Seq ID NO: 572 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 148-7095

1 11 21 31 41 51
 | | | | | |
 40 CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACRAACAAA 60
 CAAAAAAAAC ATTTCCCTCG CTCCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA 120
 CGCGGAGGGG CCGCAGACCG TCTGGAAATG CGAATCCTAA AGCGTTTCTT CGCTTGCAAT 180
 CAGCTCCTCT GTGTTGGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA 240
 CTTGTTGAAG AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAAA TTGGGGAAAG 300
 AAATATCCAA CATGTAATAG CCCCAAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA 360
 CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAAC ATCATTGGAA 420
 AACACATCA TTCATAACAC TGGGAAAACA GTGGAAATTA ATCTCACTAA TGACTACCGT 480
 GTCAGCCGAG GAGTTTTAGA AATGGTGTCT AAAGCAAGCA AGATAACTTT TCACTGGGGA 540
 AAATGCAATA TGTCACTCGA TGGATCAGAG CATAGTTTAG AAGGACAAAA ATTTCCACTT 600
 GAGATGCAAA TCTACTGCTT TGATGCGGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAAA 660
 GGAAAAGGGA AGTTAAGAGC TTTATCCATT TTGTTTGAGG TTGGGACAGA AGAAAATTG 720
 GATTTCAAAG GCATTAATGA TGGAGTCGAA AGTGTAGTC GTTTTGGGAA GCAGGCTGCT 780
 TTAGATCCAT TCATACTGTT GAACCTTCTG CCAAACCTAA CTGACAAGTA TTACATTTAC 840
 AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT 900
 ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTGTG AGTTCCTTAC AATGCAACAA 960
 TCTGGTTATG TCGATCTGAT GCTACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG 1020
 TTCTCTAGAC AGGTGTTTTT CTCATACACT GGAAAGGAAG AGATTCATGA AGCAGTTTGT 1080
 AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA 1140
 TGGGAAAAGC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGCAGT TTTGTACCAG 1200
 CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTGA CAGATGGCTA TCAAGACTTG 1260
 GGTGCTATTCT CAATAATTT GCTACCCAAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA 1320
 TGCACTAATG GCTTATATGG AAAATACAGC GACCAACTGA TTGTGACAT GCCTACTGAT 1380
 AATCCTGAAC TTGATCTTTT CCTTGAATTA ATTGGAACCTG AAGAAATAAT CAAGGAGGAG 1440
 GAAGAGGGAA AAGACATGTA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA 1500
 AACCAAAACA GGAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG 1560
 ACGAAAATACA ATGAAGCCAA GACTAACCGA TCCCAACAAA GAGGAAGTGA ATTCTCTGGA 1620
 AAGGGTGATG TTCCCAATAT ATCTTTAAT TCCACTTCCC AACCACTCAC TAAATTAGCC 1680
 ACAGAAAAAG ATATTTCCCTT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG 1740
 GAAGGTACTT CAGCCTCTTT AAATGATGGC TCTAAAACCTG TTCTTAGATC TCCACATATG 1800
 AACTGTGCGG GGACTGCAGA ATCTTAAAT ACAGTTTCTA TAAACAGAATA TGAGGAGGAG 1860
 AGTTTATTGA CCAGTTTCAA GCTTGATACT GGAGCTGAAG ATTCTTCAGG CTCCAGTCCC 1920
 GCAACTCTG CTATCCCATC CATCTCTGAG AACATATCCC AAGGGTATAT ATTTTCCCTCC 1980
 GAAAACCCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC 2040
 GAAGATTCAA CTTTATCAGG TTCAGAAGAA TCACTAAAGG ATCCTTCTAT GGAGGGAAT 2100
 GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTTGGATC AGGCAGAGAG 2160
 AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTGTGAT AATCTGAGAA GACRACCAAG 2220
 TCCTTTCTG CAGGCCCAGT GATGTACAG GGTCCCTCAG TTACAGATCT GGAATGCCA 2280
 CATTATTCTA CCTTTGCCCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC 2340
 TCCAGACAA AGGATTTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAAACG 2400
 GTATACAATG GTGAGACACC TCTTCAACCT TCCTACAGTA GTGAAGTCTT TCCTCTAGTC 2460
 ACCCCCTTGT TGTCTGACAA TCAGATCCTC AACACTACCC CTGCTGCTTC AAGTAGTGT 2520
 TCGCCCTTGC ATGCTACGCC TGTATTCCC AGTGTGATG TGTCAATTGA ATCCATCCTG 2580
 TCTTCTATG ATGTTGACCC TTTGCTTCCA TTTTCTCTG CTTCCTCAG TAGTGAATG 2640
 TTTCCGCATC TGCATACAGT TTCTCAAATC CTTCCACAAG TTACTTCAG TACCGAGAT 2700
 GATAAGGTGC CCTTCTGATC TTCTCTGCCA GTGGCTGGGG GTGATTTGCT ATTAGAGCC 2760

	AGCCTTGCTC	AGTATTCTGA	TGTGCTGTCC	ACTACTCATG	CTGCTTCAGA	GACGCTGGAA	2820
	TTTGGTAGTG	AATCTGGTGT	TCPTTATAAA	ACGCTTATGT	TTTCTCAAGT	TGAACCACCC	2880
	AGCAGTGTAT	CCATGTAGCA	TGCACGTTCT	TCAGGGCCTG	AACCTTCTTA	TGCCTTGTCT	2940
5	GATAATGAGG	GCTCCCAACA	CATCTTCACT	GTTTCTTACA	GTTCTGCAAT	ACCTGTGCAT	3000
	GATTTCTGTTG	GTGTAACCTA	TCAGGGTTC	TTATTTAGCG	GCCTTAGCCA	TATACCAATA	3060
	CCTAAGTCTT	CGTTAATAAC	CCCAACTGCA	TCATTACTGC	AGCCTACTCA	TGCCCTCTCT	3120
	GGTGATGGGG	AATGGTCTGG	AGCCTCTTCT	GATAGTGAAT	TTCTTTTACC	TGACACAGAT	3180
	GGGCTGACAG	CCCTTAACAT	TTCTTCACT	GTTTCTGTAG	CTGAATTTAC	ATATACAACA	3240
	TCTGTGTTTG	GTGATGATAA	TAAAGCGCTT	TCTAAAAGTG	AAATAATATA	TGGAATGAG	3300
10	ACTGAACCTG	AAATCTCTTC	TTTTCAATGAG	ATGGTTTACC	CTTCTGAAAG	CACAGTCATG	3360
	CCCAACATGT	ATGATAATGT	AAATAAGTTG	AATGCGTCTT	TACAAGAAAC	CTCTGTTTCC	3420
	ATTTCTAGCA	CCAAGGCGAT	GTTTCCAGG	TCCCTTGCTC	ATACCACCAC	TAAGGTTTTT	3480
	GATCATGAGA	TTAGTCAAGT	TCCAGAAAAT	AACTTTTCAG	TTCAACCTAC	ACATACTGTC	3540
	TCTCAAGCAT	CTGGTGACAC	TTCCGTTAAA	CCTGTGCTTA	GTGCAAACCT	AGAGCCAGCA	3600
15	TCCTCTGACC	CTGCTTCTAG	TGAAAATGTTA	TCTCCTTCAA	CTCAGCTCTT	ATTTTATGAG	3660
	ACCTCAGCTT	CTTTTAGTAC	TGAAGTATTG	CTACAACCTT	CCTTTCAGGC	TCTGTATGTT	3720
	GACACCTTGC	TTAAAAGTGT	TCTTCCAGCT	GTGCCAGATG	ATCCAATATT	GGTGTAAACC	3780
	CCCAAAGTTG	ATAAAAATTG	TTCTACAATG	TTGCATCTCA	TTGTATCAAA	TTCTGCTTCA	3840
	AGTGAAACAA	TGCTGCACCT	TACATCTGTA	CCAGTTTTTG	ATGTGTCGCC	TACTTCTCAT	3900
20	ATGCACTCTG	CTTCACTTCA	AGGTTTGAAC	ATTTCCCTATG	CAAGTGAGAA	ATATGAACCA	3960
	GTTTGTGTTAA	AAAGTGAAGG	TTCCACCACC	GTGGTAACTT	CTTGTACAG	TAATGATGAG	4020
	TTGTTCACAA	CGGCCAATTT	GGAGATTAAC	CAGGCCCATC	CCCCAAAAGG	AAGGCATGTA	4080
	TTTGCTACAC	CTGTTTATC	AAATGATGAA	CCATTAATAA	CACTAATAAA	TAAGCTTATA	4140
	CATTCCGATG	AAATTTTAAC	TCCACCCAAA	AGTTCTGTA	CTGGTAAAGT	ATTTGCTGGT	4200
25	ATTCCAACAG	TTGCTTCTGA	TACATTTGTA	TCTACTGATC	ATTCTGTTCC	TATAGGAAAT	4260
	GGGCATGTTG	CCATTACAG	TGTTTCTCCC	CACAGAGATG	GTTCTGTAAC	CTCAACAAAG	4320
	TTGCTGTTTC	CTTCTAAGCC	AACTTCTGAG	CTGAGTCATA	GTGCCAAATC	TGATGCCGGT	4380
	TTAGTGGGTG	GTGGTGAAGA	TGGTGACACT	GATGATGATG	GTGATGATGA	TGATGATGAC	4440
	AGAGGTAGTG	ATGGCTTATC	CATTCATAAG	TGTATGTCA	GCTCATCCTA	TAGAGAATCA	4500
30	CAGGAAAAGG	TAATGAATGA	TTCCAGACCC	CACGAAAAACA	GCTTATGGA	TCAGAAATAA	4560
	CCATCTCAT	ACTCACTATC	TGAGAATTCT	GAAGAAGATA	ATAGAGTCAC	AAGTGTATCC	4620
	TCAGACAGTC	AAACTGGTAT	GGACAGAAGT	CCTGGTAAAT	CACCATCAGC	AAATGGGCTA	4680
	TCCAAAAGC	ACAATGATGG	AAAAGAGGAA	AATGACATTC	AGACTGGTAG	TGCTCTGCTT	4740
	CCTCTCAGCC	CTGAATCTAA	AGCATGGGCA	GTTCTGACAA	GTGATGAAGA	AAGTGGATCA	4800
35	GGCAGAGTA	CCTCAGATAG	CTTAAATGAG	AATGAGACTT	CCACAGATTT	CAGTTTGTCA	4860
	GACACTAATG	AAAAAGATGC	TGATGGGATC	CTGGCAGCAG	GTGACTCAGA	AAATAACTCT	4920
	GGATGCCAC	AGTCCCAAC	ATCATCTGTT	ACTAGCGAGA	ACTCAGAAGT	GTTCCACGTT	4980
	TCAGAGGAC	AGGCCGATA	TAGTAGCCAT	GAGTCTGTA	TTGGCTAGC	TGAGGGGTTG	5040
40	GAATCCGAGA	AGAAGGCGAT	TATACCCCTT	GTGATCGTGT	CAGCCCTGAC	TTTTATCTGT	5100
	CTAGTGGTTC	TTGTTGGTAT	TCTCATCTAC	TGGAGGAAAT	GCTTCCAGAC	TGACACCTTT	5160
	TACTTAGAGG	ACAGTAGATC	CCTTAGAGTT	ATATCCACAC	CTCCAACACC	TATCTTTCCA	5220
	ATTTCAATAT	ATGTCGGAGC	AATTTCAATA	AAGCACTTTC	CAAAGCATGT	TGCAGATTTA	5280
	CATGCAAGTA	GTGGGTTTAC	TGAAGAAATTT	GAGACACTGA	AAGAGTTTTA	CCAGGAAAGT	5340
45	CAGAGCTGTA	CTGTTCACTT	AGGTATTACA	GCAGACAGCT	CCAACCACCC	AGACAAACAG	5400
	CACAAGAATC	GATACATAAA	TATCGTTGCC	TATGATCATA	GCAGGGTTAA	GCTAGCACAG	5460
	CTTGCTGAAA	AGGATGGCAA	ACTGACTGAT	TATATCAATG	CCAATTATGT	TGATGGCTAC	5520
	AACAGACCAA	AAAGCTTATAT	TGCTGCCCAA	GGCCCCACTGA	AATCCACACT	TGAAGATTTT	5580
	TGGGAAATGA	TATGGGAACA	TAATGTGGAA	GTTATTGTCA	TGATAACAAA	CCTCGTGGAG	5640
50	AAAGGAAGGA	GAAAATGTGA	TCAGTACTGG	CCTGCCGATG	GGAGTGAAGA	GTACGGGAAC	5700
	TTTCTGTGTA	CTCAGAAAGG	TGTGCAAGTG	CTTGCTTATT	ATACTGTGAG	GAATTTTACT	5760
	CTAAGAAAAC	CAAAAATAAA	AAAGGGCTCC	CAGAAAAGGAA	GAACCACTGG	ACGTTGTGGT	5820
	ACACAGTATC	ACTACACGCA	GTGGCCTGAC	ATGGGAGTAC	CAGAGTACTC	CCTGCCAGTG	5880
	CTGACCTTGG	TGAGAAAGGC	AGCCTATGCC	AAGCGCCATG	CAGTGGGGCC	TGTTGTGCTC	5940
	CAGTGCAGTG	CTGGAGTGG	AAGAACAGGC	ACATATATTG	TGCTAGACAG	TATGTTGCAG	6000
55	CAGATTTCAAC	ACCAAGGAAC	TGTTCAACATA	TTTGGCTTCT	TAAAACACAT	CCGTTTCAAA	6060
	AGAAAATATT	TGGTACAAAC	TGAGGAGCAA	TATGTCTTCA	TTCATGATAC	ACTGGTTGAG	6120
	GCCATACCTA	GTAAGAAAAC	TGAGGTGCTG	GACAGTCATA	TTCATGCCTA	TGTTAAATGCA	6180
	CTCTCATTC	CTGGACCAAC	AGGCAAAACA	AAGCTAGAGA	AAACAATCCA	GCTCCTGAGC	6240
	CAGTCAATA	TACAGCAGAG	TGACTATTCT	GCAGCCCTAA	AGCAATGCAA	CAGGGAAAAG	6300
60	AATCGAACTT	CTTCTATCAT	CCCTGTGGAA	AGATCAAGGG	TTGGCATTTC	ATCCCTGAGT	6360
	GGAGAAAGCA	GACACTACAT	CAATGCCCTC	TATATCATGG	GCTATTACCA	GAGCAATGAA	6420
	TTCAATATTA	CCAGCACACC	TCTCCTTCT	ACCATCAAGG	ATTTCTGGAG	GATGATATGG	6480
	GACCATATG	CCCAACTGGT	GGTTATGATT	CCTGATGGCC	AAAACATGGC	AGAAGATGAA	6540
	TTTGTTACT	GGCCAAATAA	AGATGAGCCT	ATAAATGTTG	AGAGCTTTAA	GGTCACTCTT	6600
65	ATGGCTGAA	AACACAAATG	TCTATCTAAT	GAGGAAAAAC	TTATAATCA	GGACTTTATC	6660
	TTAGAAGCTA	CACAGGATGA	TTATGTACTT	GAAGTGAGGC	ACTTTCAGTG	TCCTAAATGG	6720
	CCAAATCCAG	ATAGCCCCT	TAGTAAAACT	TTTGAACCTA	TAAGTGTAT	AAAAGAAGAA	6780
	GCTGCCAATA	GGATGGGGC	TATGATTGTT	CATGATGAGC	ATGGAGGAGT	GACGGCAGGA	6840
	ACTTTCGTG	CTCGACAAC	CCTTATGACC	CAACTAGAAA	AAGAAAAATC	CGTGGATGTT	6900
70	TACCAGGTAG	CCAAGATGAT	CAATCTGATG	AGGCCAGGAG	TCTTTGCTGA	CATTGAGCAG	6960
	TATCAGTTTC	TCTACAAGT	GATCCTCAGC	CTTGTGAGCA	CAAGGCAGGA	AGAGAATCCA	7020
	TCCACCTCTC	TGGACAGTAA	TGGTGCGACA	TTGCCCTGAT	GAAATATAGC	TGAGAGCTTA	7080
	GAGTCTTTAG	TTTAAACACAG	AAAGGGGTGG	GGGGACTCAC	ATCTGAGCAT	TGTTTTCTCT	7140
	TTCTAAAAAT	TAGGCAGGAA	AATCAGTCTA	GTTCTGTATT	CTGTGATT	CCCATCACTT	7200
75	GACAGTAATC	TTCATGACAT	AGGATTTCTG	CGCCAAATTT	ATATCATTAA	CAATGTGTGC	7260
	CTTTTGTCAA	GACTTGTAAAT	TTACTTATTA	TGTTTGAATC	AAAATGATTG	AAATTTACAG	7320
	TATTTCTAAG	AAATGAAATG	TGGTATTTT	TTCTGTATTG	ATTTTAAACG	AAAATTTCAA	7380
	TTTATAGAGG	TTAGGAATTC	CAAACTACAG	AAAATGTTTG	TTTTTAGTGT	CAAATTTTAA	7440
	GCTGTATTGG	TAGCAATTAT	CAGGTGTGCT	AGAAATATAA	CTTTAATATC	AGTAGCCGTT	7500
80	AAATAAAACA	CTCTTCCATA	TGATATTTCAA	CATTTTACAA	CTGCAGTATT	CACCTAAAGT	7560
	AGAAATAATC	TGTTACTTAT	TGTAATAACT	GCCCTAGTGT	CTCCATGGAC	CAAATTTATA	7620
	TTTATAATTT	TAGATTTTAA	TATTTTACTA	CTGAGTCAAG	TTTTCTAGTT	CTGTGTAAT	7680
	GTTTAGTTTTA	ATGACGTAGT	TCATTAGCTG	GTCTTACTCT	ACCAATTTTC	TGACATTTGA	7740
	TTGTTGTACC	TAGCATTTAA	ACTTTGTTTT	AGCATGPTAA	TTTAACTTTT	GTGGAAAATA	7800
85	GAAATACCTT	CATTTTGAAA	GAAGTTTTTA	TGAGAATAAC	ACCTTACCAA	ACATTTGTCA	7860
	AATGGTTTTT	ATCCAAGGAA	TTGCCAAAAT	AAATATAAAT	ATTGCCATTA	AAAAAAAAAA	7920
	AAAAAAAAAA	AAAAAAAAAA	AAAA				

Seq ID NO: 573 Protein sequence:
Protein Accession #: Eos sequence

5 1 11 21 31 41 51
 MRILKRFLAC IQLLCVCRLD WANGYRQQR KLVEEIGWSY T GALNQNKGW KKYPCTNSPK 60
 QSPINIDEDL TQVNVNLKLL KFOGWDKTSL ENTPIHNTGK TVEINLTNDY RVSGGVSEMV 120
 FKASKITPHW GKNCNMSDGS EHSLEGQKFP LEMQIYCFDA DRFSSPEEAV KGKGLRALS 180
 10 ILFEVGTEN LDPKALIDGV ESVSRFGKQA ALDPPILLNL LPNSTDKYYI YNGSLTSPPC 240
 TDTVDWVFK DTVSISESQL AVFCEVLTNQ QSGVVMLMDY LQNNFREQQY KFSRQVFSY 300
 TGKEEIHNAV CSSEPENVA DPENYTSLLV TWERPRVVYD TMIEKFAVLY QQLDGEDQTK 360
 HEFLTDDGYQD LGAILNLLP NMSYVLQIVA ICTNGLYKGY SDQLIVDMPT DNPFLDLFPE 420
 15 LIGTEEIKE EEEGDIIEG AIVNPRGRSA TNQIRKKEPQ ISTTTHYNRI GTKYNEAKTN 480
 RSPTRGSEFS GKGDVPNTSL NTSQPVTKL ATEKDISLTS QTVTELPPT VEGTSASLND 540
 GSKTVLRSPH MNLGSAESL NTVSITIEYEE ESLLTSPKLD TGAEDSSGSS PATSAIPFIS 600
 ENISQGYIFS SENPETIYD VLIPESARNA SEDSTSSGSE ESLKDPMEG NVWFPSSTDI 660
 TAQPDVGSGR ESFLQNTYE IRVDESEKTT KSFAGPVMS QGPSVTDLEM PHYSTFAVFP 720
 20 TEVTPHAFTP SSRQDLVST VNVVYSQTTQ PVYNGETPLQ PSYSSEVPFL VTPLLLDNQI 780
 LNTTTPAASS DSALHATPVF PSVDVSFESI LSSYDGPALL PFSASFSSE LFRHLHTVSQ 840
 ILPQVTSATE SDKVPLHSL PVAGDILLE PSLAQYSDVL STTHAASETL EFGSESGVLY 900
 KTLMPQVPE PSSDAMHAR SSGPEPSYAL SDNEGSQHIF TVSYSSAIPV HDSVGVTYQG 960
 SLFSGPSHIP IYKSSLIPT ASLLQPTHAL SGDGEWSGAS SDSEFLLPDT DGLTALNISS 1020
 PVSVAEFTYT TSVFGDDNKA LSKSEIYGN ETELQIPSFN EMVYPSSESTV MPNMYDNVVK 1080
 25 LNASLQETS SISSTKGMFF GSLAHTTTKV FDHEISQVPE NNFVQPTHT VSQASGDTSL 1140
 KPVLSANSEP ASSDPASSEM LSPSTQLLFY ETSASFSTEV LLQPSFQASD VDTLLKTVP 1200
 AVPSDFLVE TPKVKISSL MLHLIVSNSA SSENMLHSTS VPVDFVSPS HMHASLQGL 1260
 TISYASEKEY FVLLKSESSH QVVPSLYSND ELFQNTALEI NQAHPPKGRH VFATFVLSID 1320
 EPLNTLINKL IHSDELITST KSSVTGKVFPA GIPTVASDTF VSTDHVSPIG NGHVAITAVS 1380
 30 PHRDGVTST KLLFPKATS ELSHSAKSDA GLVGGEDGD TDDDDGDDDD DRGSDGLSIH 1440
 KCMSCSSVRE SQEKVMNDS THENGLMDQN NPISYSLSEN SEEDNRVTSV SSDSQTGMDR 1500
 SPGKSPSANG LSQKNDGKE ENDIQTGSAL LPLSPESKAW AVLTSDDEESG SGQGTSDSLN 1560
 ENETSDPFSF ADTNEKDADG ILAAGDSEIT PGFPQSPSS VTSENSEVPH VSEAEASNS 1620
 HESRIGLAEG LESEKAVIP LVIVSALTFI CLVVVLGILI YWRKCFQTAH FYLEDSTSPR 1680
 35 VISTPPTPIF PISDDVGAIP IKHFKHVAD LHASSGPTTE FETLKEFYQE VQSCVTLGI 1740
 TADSSMHPDN KIKNRINIV AYDHSRVKLA QLAEKDGKLT DYINANYVDG YNRPKAYIAA 1800
 QGPLKSTAE FWRMINEHV EVIVMITNLV EKGRKCDQY WPADGSEYEG NFLVTQKSVQ 1860
 VLAYYTVRNF TLRNTRIKKG SQKGRPSGRV VTQYHYTQWP DMGVPEYSLP VLTVPVRKAA 1920
 40 AKRHAVGPV VHCASAGVRT GTYIVLDSML QQIQHEGTVN IFGFLKHIRS QRNYLVQTEE 1980
 QYVFIHDLTV EALSKETEV LDSHIAYVN ALLIPGPAGK TKLEKQFQLL SQSNIQQSDY 2040
 SAALKQCNRE KNRSTSIIPV ERSRVGISSL SGEQDVIYNA SYIMGYQSN EFIITQHPLL 2100
 HTIKDFWRMI WDHNALQVVM IPDGQNAED EFVYWPKNDE PINCESPKVT LMAEEHKCLS 2160
 NEEKLIQDF ILEATQDDYV LEVRHFQCPK WPNPDSPIK TPELISVIKE EAANRDGPMI 2220
 45 VHDEHGGVTA GTFCALTTLM HQLEKENSVD VYQVAKMINL MRGPVPADIE QYQFLYKVL 2280
 SLVSTROEEN PSTSLDSNGA ALPDGNIAES LESLV

Seq ID NO: 574 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 148-4518

50 1 11 21 31 41 51
 CACACATACG CAGCGACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA 60
 CAAAAAAGG ATTTCCCTCG CTCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA 120
 55 CGGCGAGGGG CCGCAGACCG TCTGGAATG CGAATCCTAA AGCGTTTCCT CGCTTGCAAT 180
 CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA 240
 CTGTGTCAA AGATTGGCTG GTCCTATACA GGAGCACTGA ATCAAAAAA TTGGGGAAG 300
 AAATATCCAA CATGTAATAG CCCAAACAA TCTCCTATCA ATATTGATGA AGATCTTACA 360
 CAAGTAAATG TGAATCTTAA GAAACTTAAA TTTCAGGGTT GGGATAAAC ATCATTGGAA 420
 60 AACACATCA TTCATAACAC TGGGAAAAA GTGGAAATTA ATCTCACTAA TGACTACCGT 480
 GTCAGCGGAG GAGTTTCAGA AATGGTGT TAAAGCAAGCA AGATAACTTT TCACTGGGCA 540
 AAATGCAATA TGTCACTGTA TGGATCAGAG CATAGTTTAG AAGGACAAA ATTTCCACTT 600
 GAGATGCAA TCTACTGCTT TGATCGGAC CGATTTTCAA GTTTTGAGGA AGCAGTCAA 660
 65 GGAAAAGGGA AGTAAAGAGC TTTATCCATT TTGTTGAGG TTGGGACAGA AGAAAAATTG 720
 GATTTCAAG CGATTATTGA TGGAGTCGAA AGTGTAGTC GTTTTGGGAA GCAGCGTGCT 780
 TTAGATCCAT TCATCTGTTT GAACCTCTG CCAAACCTCA CTGACAAGTA TTACATTAC 840
 AATGGCTCAT TGACATCTCC TCCCTGCACA GACACAGTTG ACTGGATTGT TTTTAAAGAT 900
 ACAGTTAGCA TCTCTGAAAG CCAGTTGGCT GTTTTTGTG AAGTCTTAC AATGCAACAA 960
 70 TCTGGTTATG TCATGCTGAT GGACTACTTA CAAAACAATT TTCGAGAGCA ACAGTACAAG 1020
 TTCTCTAGAC AGGTGTTTTT CTCATACACT GGAAGGAAG AGATTCATGA AGCAGTTTGT 1080
 AGTTCAGAAC CAGAAAATGT TCAGGCTGAC CCAGAGAATT ATACCAGCCT TCTTGTTACA 1140
 TGGGAAAGAC CTCGAGTCGT TTATGATACC ATGATTGAGA AGTTTGAGT TTTGTACCAG 1200
 CAGTTGGATG GAGAGGACCA AACCAAGCAT GAATTTTTGA CAGATGGCTA TCAAGACTTG 1260
 75 GGTGCTATTC TCAATAATT GCTACCCAAT ATGAGTTATG TTCTTCAGAT AGTAGCCATA 1320
 TGCCTAATG GCTTATATG AAAATACAGC GACCAACTGA TTGTCGACAT GCCTACTGAT 1380
 AATCCTGAAC TTGATCTTTT CCTGAAATTA ATTGGAAGT AAGAAATAAT CAAGGAGGAG 1440
 GAAGAGGGAA AAGACATGA AGAAGGCGCT ATTGTGAATC CTGGTAGAGA CAGTGCTACA 1500
 AACCAATCA GGAAAAAGGA ACCCCAGATT TCTACCACAA CACACTACAA TCGCATAGGG 1560
 80 ACGAAATACA ATGAAGCCAA GACTAACCGA TCCCCAACAA GAGGAAGTGA ATTCTCTGGA 1620
 AAGGGTGATG TTCCCAATC ATCTTTAAAT TCCACTTCCC AACCGTCCAC TAAATTAGCC 1680
 ACAGAAAAAG ATATTTCCCT GACTTCTCAG ACTGTGACTG AACTGCCACC TCACACTGTG 1740
 GAAGTACTT CAGCCTCTTT AAATGATGGC TCTAAAAGT TTCTTAGATC TCCCATATG 1800
 AACTTGTGCG GACTGACGA ATCTTTAAAT ACAGTTTCTA TAACAGAATA TGAGGAGGAG 1860
 85 AGTTTATTGA CCGATTTCAA GCTTGATACT GGAGCTGAAG ATCTTCCAG CTCCAGTCCC 1920
 GCAACTTCTG CTATCCCAT CATCTCTGAG AACATATCCC AAGGTATAT ATTTCTCTCC 1980
 GAAAACCAG AGACAATAAC ATATGATGTC CTTATACCAG AATCTGCTAG AAATGCTTCC 2040
 GAAGATTCAA CTTCAATCAG TTCAGAAGAA TCACATAAGG ATCCTCTAT GGAGGGAAT 2100

5 GTGTGGTTTC CTAGCTCTAC AGACATAACA GCACAGCCCG ATGTGGATC AGGCAGAGAG 2160
 AGCTTTCTCC AGACTAATTA CACTGAGATA CGTGTGATG AATCTGAGAA GACAACCAAG 2220
 TCCITTTCTG CAGGCCCACT GATGTCA CAG GGTCCCTCAG TTACAGATCT GGAAATGCCA 2280
 CATTATTCTA CCTTTGGCTA CTTCCCAACT GAGGTAACAC CTCATGCTTT TACCCCATCC 2340
 TCCAGACAAC AGGATTGGT CTCCACGGTC AACGTGGTAT ACTCGCAGAC AACCCAACCG 2400
 GTATACAAT CAGAGGCCAG TAATAGTAGC CATGAGTCTC GTATTGGTCT AGCTGAGGGG 2460
 TTGGAATCCG AGAAGAAGGC AGTTATACCC CTTGTGATCG TGTGAGCCCT GACTTTTATC 2520
 TGTCTAGTGG TTCTTGTGGG TATTCTCATC TACTGGAGGA AATGCTTCCA GACTGCACAC 2580
 10 TTTTACTTAG AGGACAGTAC ATCCCTTAGA GTTATATCCA CACCTCCAAC ACCTATCTTT 2640
 CCAATTTAG ATGATGTCGG AGCAATTTCCA ATAAAGCACT TTCCAAAGCA TGTTCAGATC 2700
 TTACATGCAA GTAGTGGGTT TACTGAAGAA TTTGAGACAC TGAAGAGATT TTACCAGGAA 2760
 GTGCAGAGT GTACTGTTGA CTTAGGTATT ACAGCAGACA GCTCCAACCA CCCAGACAAC 2820
 AAGCACAAGA ATCGATACAT AAATATCGTT GCCTATGATC ATAGCAGGGT TAAAGTAGCA 2880
 CAGCTTGCTG AAAAGGATGG CAAACTGACT GATTATATCA ATGCCAATTA TGTGTATGGC 2940
 15 TACAACAGAC CAAAAGCTTA TATTGCTGCC CAAGGCCAC TGAAATCCAC AGCTGAAGAT 3000
 TTCTGGAGAA TGATATGGGA ACATAATGTG GAAGTTATTG TCATGATAAC AAACTCGTG 3060
 GAGAAAGGAA GGAGAAAATG TGATCAGTAC TGGCCTGCCG ATGGGAGTGA GGATACGGG 3120
 AACCTTCTGG TCACTCAGAA GAGTGTGCAA GTGCTTGCCT ATTACTACTG GAGGAATTTT 3180
 ACTCTAAGAA ACACAAAAT AAAAAGGGC TCCAGAAAG GAAGACCCAG TGGACGTGTG 3240
 20 GTCACACAGT ATCACTACAC GCAGTGGCCT GACATGGGAG TACCAGAGTA CTCCCTGCCA 3300
 GTGCTGACCT TTGTGAGAAA GCGAGCCTAT GCCAAGCGCC ATGCAGTGGG GCCTGTGTCT 3360
 GTCCACTGCA GTGCTGGAGT TGGGAAGACA GGCACATATA TTGTGCTAGA CAGTATGTTG 3420
 CAGCAGATTC AACCAAGGAA AACTGTCAAC ATATTTGGCT TCTTAAAACA CATCCGTTCA 3480
 CAAAGAAATT APTTGTGTACA AACTGAGGAG CAATATGTCT TCATTATGTA TACTCTGGTT 3540
 25 GAGGCCATAC TTAGTAAAGA AACTGAGGTG CTGGACAGTC ATATTCATGC CTATGTTAAT 3600
 GCATCTCTCA TTCTCGGAC AGCAGGCCAA ACAAGGCTAG AGAAAATTA CCAGCTCCTG 3660
 AGCCAGTCAA ATATACAGCA GAGTGACTAT TCTGCAGCCC TAAAGCAATG CAACAGGGAA 3720
 AAGAATCGAA CTTCTCTAT CATCCCTGTG GAAAGATCAA GGGTGGCAT TTCATCCCTG 3780
 AGTGGAGAAG GCACAGACTA CATCAATGCC TCCTATATCA TGGGCTATTA CCAGAGCAAT 3840
 30 GAAITCATCA TTACCCAGCA CCTCTCCCT CATACCATCA AGGATTTCTG GAGGATGATA 3900
 TGGGACCATA ATGCCCACT GGTGGTTATG ATTCTGATG GCCAAAACAT GGCAGAAAGAT 3960
 GAAITTTGTT ACTGGCCAAA TAAAGATGAG CCTATAAAT GTGAGAGCTT TAAGGTCACT 4020
 CTTATGGCTG AAGAACAACA ATGTCTATCT AATGAGGAAA AACTTATAAT TCAGGACTTT 4080
 ATCTTAGAAG CTACACAGGA TGATTATGTA CTTGAAAGTGA GGCACITTCG GTGTCTTAAA 4140
 35 TGGCCAAATC CAGATAGCCC CATTAGTAAA ACTTTTGAAC TTATAAGTGT TATAAAGAA 4200
 GAAGCTGCCA ATAGGATGG GCTTATGATT GTTCATGATG AGCATGGAGG AGTGACGGCA 4260
 GGAACCTTCT GTGCTCTGAC AACCTTATG CACCAACTAG AAAAAGAAA TCCCGTGGAT 4320
 GTTTACCAGG TAGCCAAAGT GATCAATCTG ATGAGGCCAG GAGTCTTTCG TGACATTTAG 4380
 40 CAGTATCAGT TTCTCTACAA AGTGATCCTC AGCCTTGTTGA GCACAAGGCA GGAAGAGAAT 4440
 CCATCCACCT CTCTGAGCAG TAATGGTGCA GCATTGCTG ATGGAAATAT AGCTGAGAGC 4500
 TTAGAGTCTT TAGTTAACA CAGAAAGGGG TGGGGGACT CACATCTGAG CATTGTTTTC 4560
 CTCTTCTTAA AATTAGGCCG GAAAATCAGT CTAGTCTCTG TATCTGTTGA TTTCCCATCA 4620
 CCTGACAGTA ACTTTCATGA CATAGGATTC TGCCGCCAAA TTTATATCAT TAACAAATGTG 4680
 45 TGCCCTTTTG CAAGACTTGT AATTACTTFA TTATGTTTGA ACTAAAATGA TTGAATTTTA 4740
 CAGTATTTCT AAGAATGGAA TTGTGGTATT TTTTCTGTA TTGATTTTAA CAGAAAATTT 4800
 CAAITTTATG AGTTAGGAA TTCCAAAATA CAGAAAATGT TTGTTTTAG TGTCAAATTT 4860
 TTAGCTGTAT TTGTAGCAAT TATCAGGTTT GCTAGAAATA TAACTTTTAA TACAGTAGCC 4920
 TGTAATAAAA ACACCTTTC ATATGATATT CAACATTTTA CAACCTGAGT ATTCACCTAA 4980
 50 AGTAGAATA ATCTGTACT TATTGAAAT ACTGCCCTAG TGCTCCATG GACCAAATTT 5040
 ATATTTATAA TTGTATTATT TTATATTTTA CTACTGAGTC AAGTTTCTA GTTCTGTGTA 5100
 ATTGTTTAGT TTAATGACGT AGTTCATTAG CTGGTCTTAC TCFACCAGT TTCTGACATT 5160
 GTATTTGTTT ACCTAAGTCA TTAACCTTGT TTCAGCATGT AATTTTAACT TTTGTGGAAA 5220
 ATAGAAATAC CTTCATTG AAAGAAGTTT TTATGAGAAT AACACCTTAC CAAACATTTG 5280
 55 TCAAATGTTT TTTATCCAAG GAATTGCAAA AATAAATATA AATATTGCCA TTAACAAAAT 5340
 AAAAAAAAAA AAAAAAAAAA AAAAAA

Seq ID NO: 575 Protein sequence:
 Protein Accession #: Eos sequence

60 1 11 21 31 41 51
 MRILKRFLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY TGALNQKNWG KKYPTCNSPK 60
 QSPINIDEDL TQVNVNLKLL KFGWDKTSL ENTFIHNTGK TVEINLTNDY RVSGGVSEMV 120
 65 FKASKITFWH GKCNMSSDGS EHSLEGQKFP LEMQIYCFDA DRFSSFEEAV KGKGLRLALS 180
 ILFVEVGTEN LDFKAIIDGV ESVSRFGKQA ALDPFILLNL LPNSTDKYYI YNGSLTSPPC 240
 TDTVDWIVFK DTVSISESQL AVFCEVLTMQ QSGYVLMMDY LQNNFREQQY KFSRQVFSY 300
 TGKBEIHEAV CSSEPENVQA DPENYTSLLV TWERPRVVDY TMIEKFAVLY QQLDGEDQTK 360
 70 HEFLTDGYQD LGAILNLLP NMSYVLQIVA ICTNGLYK YSDQLIVDMPT DNPELDFPE 420
 LIGTEEIIKE EEEGKLEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYRNI GTKYNEAKTN 480
 RSPTRGSEFS GKDVPTNSL NSTSQVTKL ATEKDISLTS QVTELEPHT VEGTSASLND 540
 GSKTVLRSPH MNLGTAESL NTVSITEYEE ESLLTSFKLD TGAEDSSGSS PATSAIPFIS 600
 ENISQGYIFS SENPETIYD VLIPESARNA SEDSTSSGSE ESLKDPMEG NWWPSSTDI 660
 75 TAQPDVGSGR ESPLQNTYTE IRVDESEKTT KSFSAGPVM QGPSVTDLEM PHYSTFAYFP 720
 TEVTPHAFPT SSRQDLVST VNVVYSQTTQ PVYNAEASMS SHESRIGLAE GLESEKRAVI 780
 PLVIVSALTF ICLVVLVGLL IYWRKCFQTA HFYLEDSTSP RVISTPPTPI FPISTDDVGA 840
 PIKHPKHVA DLHASSGFTE EPETLKEFYQ EVQSCVLDL ITADSSNHPD NKHKRYINI 900
 VAYDHSRVKL AQLAEKDGKL TDYINANYVD GYNRFKAYIA AQGPLKSTAE DFWRMIWEHN 960
 80 VEVIVMITNL VEKGRKCDQ YWPADGSEB GNFLVTQKSV QVLAYTVRN PTLRNTRIKK 1020
 GSQGRPSGR VVQYHYTQW PDMGVEPEYL PVLTFVRAA YAKRHAVGPV VVHCSAGVGR 1080
 TGTIVLDSM LQIQHEGTV NIFGFLKHIR SQRYLVQTE EQYVFIHDTL VEALLSKETE 1140
 VLDSHIHAYV NALLIPGPG KTKLEKQFQL LSQSNIQQSD YSAAALKQCNR EKNRTSSIIP 1200
 VERSRVGISS LSGEGTYDIN ASYIMGYQYS NEFIITQHPL LHTIKDFWRM IWDHNAQLVV 1260
 MIPDGNMAE DEFVYWNKD EPINCESFKV TLMABEHLCL SNEEKLIQD FILEATQDDY 1320
 85 VLEVRHFQCP KWPNPDPSPIS KTFELISVIK EEAANRDGPM IVHDEHGGVT AGTFCALTTL 1380
 MHQLEKENS VDVYQVAKMIN LMRPGVFADI EQYQPLYKVI LSLVSTRQEE NPSTSLDSNG 1440
 AALPDGNIAE SLESIV

Seq ID NO: 576 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 148-4494

	1	11	21	31	41	51	
5							
	CACACATACG	CACGACGAT	CTCACTTCGA	TCTATACACT	GGAGGATTAA	AACAAACAAA	60
10	CAAAAAAAAAAC	ATTTTCCTCG	CTCCCCTCC	CTCTCCACTC	TGAGAAGCAG	AGGAGCCGCA	120
	CGGCCAGGGG	CCGCAGACCG	CTGGGAAATG	OGAATCCTAA	AGCGTTTCCT	CGCTTGCAAT	180
	CAGCTCCCTCT	GTGTTGCGG	CCTGGATTGG	GCTAATGGAT	ACTACAGACA	ACAGAGAAAA	240
	CTTGTGTAAG	AGATTGGCTG	GTCCATATACA	GGAGCACTGA	ATCAAAAAA	TTGGGGAAG	300
	AAATATCCAA	CATGTAATAG	CCCAAAACAA	TCTCCTATCA	ATATTGATGA	AGATCTTACA	360
15	CAAGTAAATG	TGAATCTTAA	GAAACTTAAA	TTTCAGGGTT	GGGATAAAAC	ATCATTGGAA	420
	AACACATTCA	TTCATAACAC	TGGGAAAACA	GTGGAAATTA	ATCTCACTAA	TGACTACCGT	480
	GTCACGGGAG	GAGTTTTCAGA	AATGGTGTTC	AAAGCAAGCA	AGATAACTTT	TCACTGGGGA	540
	AAATGCAATA	TGTCACTCGA	TGGATCAGAG	CATAGTTTAG	AAGGACAAAA	ATTTCCACTT	600
	GAGATGCAAA	TCTACTGCTT	TGATGCAGAC	CGATTTTCAA	GTTTTGAGGA	AGCAGTCAAA	660
20	GGAAAAGGGA	AGTTAAGAGC	TTTATCCATT	TTGTTTGAGG	TTGGGACAGA	AGAAAAATTTG	720
	GATTTCAAG	CGATTATGA	TGGAGTCGAA	AGTGTAGTTC	GTTTTGGGAA	GCAGCGTGCT	780
	TTAGATCCAT	TCATACTGTT	GAACTTCTG	CAAACCTCAA	CTGACAAGTA	TTACATTTAC	840
	AATGGCTCAT	TGACATCTCC	TCCCTGCACA	GACACAGTTG	ACTGGATTGT	TTTTAAAGAT	900
	ACAGTTAGCA	TCTCTGAAAG	CCAGTGGCT	GTTTTTGTG	AAGTCTTAC	AATGCAACAA	960
25	TCTGGTATG	TCATGCTGAT	GGACTACTTA	CAAAACGATT	TTTCGAGAGCA	ACAGTACAAG	1020
	TTCTCTAGAC	AGGTGTTTTTC	CTCATACACT	GGAAAGGAAAG	AGATTCATGA	AGCAGTTTGT	1080
	AGTTCAGAAC	CAGAAAATGT	TCAGGCTGAC	CCAGAGAATT	ATACCGCCT	TCTTGTTACA	1140
	TGGGAAAGAC	CTCGAGTCGT	TTATGATACC	ATGATTGAGA	AGTTTGCAAT	TTTGATCCAG	1200
	CAGTGGGATG	GAGAGGACCA	AACCAAGCAT	GAAITTTTGA	CAGATGGCTA	TCAAGACTTG	1260
30	GGTGTATTTC	TCAATAATTT	GCTACCCAA	ATGAGTTATG	TTCTTCAGAT	AGTAGCCATA	1320
	TGCATAATG	GCATTATATG	AAATACACGC	GACCAACTGA	TTGTCGACAT	GCCTACTGAT	1380
	AATCCTGAAC	TTGATCTTTT	CCCTGAATTA	ATTGGAACGT	AAGAAATAAT	CAAGGAGGAG	1440
	GAGAGGGGAA	AAGACATTGA	AGAAGGCGCT	ATTGTGAATC	CTGGTAGAGA	CAGTGCTACA	1500
	AACCAAATCA	GGAAAAGGGA	ACCACAGATT	TCTACCACAA	CACACTACAA	TGCGATAGGG	1560
	ACGAAATACA	ATGAAGCCAA	GACTAACCGA	TCCCAACAA	GAGGAAATGA	ATTCTCTGGA	1620
35	AAGGGTGATG	TTCCCAATC	ATCTTTAAAT	TCCACTTCCC	AACCAAGTCA	TAAATTAGCC	1680
	ACAGAAAAAG	ATATTTCCCT	GACTTCAG	ACTGTGACTG	AACTGCCACC	TCACACTGTG	1740
	GAAAGTACTT	CAGCCCTT	AAATGATGGC	TCTAAAACGT	TTCTTAGATC	TCCACATATG	1800
	AACTTGTCGG	GGACTGCAGA	ATCCTTAAAT	ACAGTTTCTA	TAACAGAAAT	TGAGGAGGAG	1860
40	AGTTTATTGA	CCAGTTTCAA	GCTTGATACT	GGAGCTGAAG	ATTCTTCAGC	CCTCCAGTCCC	1920
	GCAACTCTCG	CTATCCCATT	CATCTCTGAG	AACATATCCC	AAGGGTATAT	ATTTTCCTCC	1980
	GAAAACCCAG	AGACAATTAAC	ATATGATGTC	CTTATACCAG	AACTGCTAG	AAATGCTTCC	2040
	GAAAGATTCAA	CTTCACTCAG	TTCAGAAGAA	TCACTAAAGG	ATCCTTCTAT	GGAGGGAAT	2100
	GTGTGGTTTC	CTAGCTCTAC	AGACATAACA	GCACAGCCCG	ATGTGGATC	AGGCAGAGAG	2160
45	AGCTTTCTCC	AGACTATTA	CACCTGAGATA	CGTGTATGATG	AATCTGAGAA	GACAAACCA	2220
	TCCTTTTTCTG	CAGGCCCAGT	GATGTCACAG	GGTCCCTCAG	TTACAGATCT	GGAAATGCCA	2280
	CATTATTCTA	CCTTTGCCCTA	CTTCCCACCT	GAGGTAACAC	CTCATGCTTT	TACCCCATCC	2340
	TCCAGACAAC	AGGATTTGGT	CTCCACGGTC	AACGTTGGTAT	ACTCGCAGAC	AACCCAACCG	2400
	GTATACAATG	AGGCCAGTAA	TAGTAGCCAT	GAGTCTCGTA	TTGGTCTAGC	TGAGGGGTTG	2460
50	GAAATCCGAGA	AGAAGGCAGT	TATACCCCTT	GTGATCGTGT	CAGCCCTGAC	TTTTATCTGT	2520
	CTAGTGGTTC	TTGTGGGTTG	TCTCATCTAC	TGGAGGAAAT	GCTTCCAGAC	TGCACACTTT	2580
	TACTTAGAGG	ACAGTACATC	CCCTAGAGTT	ATATCCACAC	CTCCAACACC	TATCTTTCCA	2640
	ATTTCCAGATG	ATGTCGGAGC	AATTTCCAATA	AAGCACTTTC	CAAAGCATGT	TGCAGATTTA	2700
	CATGCAAGTA	GTGGGTTTAC	TGAAGAAATTT	GAGGAAAGTGC	AGAGCTGTAC	TGTTGACTTA	2760
55	GGTATTACAG	CAGACAGCTC	CAACCACCCA	GACAACAAGC	ACAAGAATCG	ATACATAAAT	2820
	ATCGTTGCCT	ATGATCATAG	CAGGGTTAAG	CTAGCACAGC	TTGCTGAAAA	GGATGGCAAA	2880
	CTGACTGATT	ATATCAATGC	CAATTATGTT	GATGGCTACA	ACAGACCAA	AGCTTATATT	2940
	GCTGCCCAAG	GCCACTGTAA	ATCCACAGCT	GAAGATTCT	GGAGAATGAT	ATGGGAACAT	3000
	AAATGGAAG	TTATTGTCAT	TATAACAAC	CTCGTGAGA	AAGGAAGGAG	AAAATGTGAT	3060
60	CAGTACTGCT	CTGCCGATGG	GAGTGAGGAG	TACGGGAACT	TTCTGGTAC	TCAGAAGAGT	3120
	GTGCAAGTGC	TTGCCATTAT	TACTGTGAGG	AATTTTACTC	TAAGAAACAC	AAAAATAAAA	3180
	AAGGGCTCCC	AGAAAGGAG	ACCCAGTGA	CGTGTGGTCA	CACAGTATCA	CTACACCCAG	3240
	TGGCCTGACA	TGGGAGTACC	AGAGTACTCC	CTGCCAGTGC	TGACCTTGTG	GAGAAAGGCA	3300
	GCCTATGCCA	AGCCCATATG	AGTGGGGCTT	GTGTGCTGCC	ACTGCCAGTGC	TGGAGTTGGA	3360
65	AGAACAGGCA	CATATATTGT	CTAGACAGT	ATGTTGCAAG	AGATTCAACA	CGAAGGAACT	3420
	GTCAACATAT	TTGGCTTCTT	AAAACACATC	CGTTACAAA	GAAATTTATT	GGTACAACT	3480
	GAGGAGCAAT	ATGTCTTCAT	TCATGATACA	CTGGTTGAGG	CCATACTTAG	TAAAGAAACT	3540
	GAGGTGCTGG	ACAGTCATAT	TCATGCCCTAT	GTTAATGCAC	TCTCATTCC	TGGACCAGCA	3600
	GGCAAAACAA	AGCTAGAGAA	ACAATTCAG	CTCCTGAGCC	AGTCAAATAT	ACAGCAGAGT	3660
70	GACTATTCTG	CAGCCCTAAA	GCAATGCAAC	AGGGAAAAAGA	ATCGAACTTC	TTCTATCATC	3720
	CCTGTGGAAA	GATCAAGGGT	TGGCATTTC	TCCCTGAGTG	GAGAAGGCAC	AGACTACATC	3780
	AATGCCTCCT	ATATCATGGG	CTATTACCAG	AGCAATGAAT	TCATCATTAC	CCAGCACCTC	3840
	CTCCTTCATA	CCATCAAGGA	TTTCTGGAGG	ATGATATGGG	ACCATTAATG	CCAAGTGGTG	3900
	GTTATGATTC	CTGATGGCCA	AAACATGGCA	GAAGATGAAT	TTGTTTACTG	GCCAAATAAA	3960
75	GATGAGCCTA	TAAATTGTGA	GAGCTTAAAG	GTCACTCTTA	TGGCTGAAGA	ACACAAATGT	4020
	CTATCTAATG	AGGAAAACT	TATAATTCAG	GACTTTATCT	TAGAAGTAC	ACAGGATGAT	4080
	TATGTACTTG	AAGTGAAGCA	CTTTCAAGT	CCTAAAATGGC	CAAATCCAGA	TAGCCCCATT	4140
	AGTAAACTT	TTGAACCTAT	AAGTGTATA	AAAGAAAGAG	CTGCCAATAG	GGATGGGCTC	4200
	ATGATTTGTT	ATGATGAGCA	TGGAGGAGTG	ACGGCAGGAA	CTTTCTGTGC	TCTGACAACC	4260
80	CTTATGCACC	AACTAGAAAA	AGAAAATTC	GTGGATGTTT	ACCAGGTAGC	CAAGATGATC	4320
	AACTGTAGTA	GGCCAGGAGT	CTTTGCTGAC	ATTGAGCAGT	ATCAGTTTCT	CTACAAAGTG	4380
	ATCCTCAGCC	TTGTGAGCAC	AAGGCAGGAA	GAGAATCCAT	CCACCTCTCT	GGCAGTAAT	4440
	GGTGCAGCAT	TGCCCTGATG	AAATATAGCT	GAGAGCTTAG	AGTCTTTAGT	TTAACACAGA	4500
	AAGGGGTGGG	GGGACTCACA	TCTGAGCATT	GTTTTCTCT	TCTAAAAT	AGGCAGGAAA	4560
	ATCAGTCTAG	TTCTGTATT	TGTTGATTTC	CCATCACCTG	ACAGTAACTT	TCATGACATA	4620
85	GGATTCTGCC	GCCAAATTTA	TATCATTAAC	AATGTGTGCC	TTTTTGCAAG	ACTTGAATTT	4680
	TACTTATTAT	GTTTGAACTA	AAATGATTTA	ATTTTACAGT	ATTTCTAAGA	ATGGAATTTG	4740
	GGTATTTTTT	TCTGTATTGA	TTTTAACAGA	AAATTTCAAT	TTATAGAGGT	TAGGAATTTCC	4800

5
10

```

AAACTACAGA AAATGTTTGT TTTTAGTGTC AAATTTTTAG CTGTATTGT AGCAATTATC 4860
AGGTTTGCTA GAAATATAAC TTTTAATACA GTAGCCTGTA AATAAAACAC TCTTCCATAT 4920
GATATTCAAC ATTTTACAAC TGCAGTATTC ACCTAAAAGTA GAAATAATCT GTTACTTATT 4980
GTAATAACTG CCCTAGTGTCT TCCATGGACC AAATTTATAT TTATAATTGT AGATTTTAT 5040
ATTTTACTAC TGAGTCAAGT TTTCTAGTTC TGTGTAATGT TTTAGTTTAA TGACGTAGTT 5100
CATTAGCTGG TCTTACTCTA CCAGTTTTCT GACATTGTAT TGTGTTACCT AAGTCATTA 5160
CTTTGTTTCA GCAATGTAAT TTAACTTTTG TGGAAAAATAG AAATACCTTC ATTTTGAAAG 5220
AAGTTTTTAT GAGAATAACA CCTTACCAA CATTGTTCAA ATGGTTTTTA TCCAAGGAAT 5280
TGCAAAAATA AATATAAATA TTGCCATTA AAAAAAAAAA AAAAAAAAAA AAAAAAAAAA 5340
AAA

```

Seq ID NO: 577 Protein sequence:
Protein Accession #: EOS sequence

15
20
25
30
35
40

```

1      11      21      31      41      51
|      |      |      |      |      |
MRILKRFLAC IQLLCVCRLD WANGYYRQQR KLVEEIGWSY T GALNQRKNG KKYPTCNSPK 60
QSPINIDEDL TQNVNVLKKL KFGWDKTSL ENTFIHNTGK TVEINLTNDY RVSGGVSEMV 120
FKASKITFWH GKCNMSDDGS EHSLEGQKFP LEMQIYCFDA DRFSSFEEAV KGKGLRALS 180
ILFEVGTGEN LDFKAIIDGV ESVSRFGKQA ALDPPFILLNL LPNSTDKYYI YNGSLTSPPC 240
TDTVDWIVFK DTVVISSEQL AVFCEVLTMQ QSGVVMMLDY LQNNFREQQY KFSRQVFSY 300
TGKEEIEHAV CSSEPENVOA DPENYTSLLV TWERPRVVD TMIEKFAVLY QQLDGEDQTK 360
HEFLTDGYQD LGAILNLLP NMSYVLQIVA ICTNGLYGYK SDQLIVDMPT DNPELDLPPE 420
LIGTEEIKE EEEGKDEEG AIVNPGROSA TNQIRKKEPQ ISTTTHYRI GTKYNEAKTN 480
RSPTRGSEFS GKGDPVNTSL NTSQPVTKL ATEKDISLTS QTVELPPTH VEGTSASLND 540
GSKTVLRSFH MNLGSAESL NTVSITFEEB ESLTTSFKLD TGAEDSSGSS PATSAIPFIS 600
ENISQGYIFS SENPETITVD VLIPESARNA SEDSTSSGSE ESLKDPMEG NVWFPSSDI 660
TAQPDVGSGR ESFLQNTYTE IRVDESEKTT KSFSAGPVMS QGSPVTDLEM PHYSTFAYFP 720
TEVTPHAFTP SSRQDLVST VNVVYSQTTQ PVYNEASNSS HESRIGLAEG LESEKKAVIP 780
LVIVSALTFI CLVVVLVGLI YNRKCFQTAH FYLEDSTSPR VISTPPTPIF PISDDVGAIP 840
IKHFKHVAD LHASSGFTEE FEEVQSCVTD LGITADSSNH PDKHKHNYI NIVAYDHSRV 900
KLAQLAEKDG KLDYINANY VDGYNRPKAY IAAQGPLKST AEDFWRMIWE HNVFVIMIT 960
NLVEKGRRC DQWYPADGSE EYGNFLVTQK SVQVLAYYTV RNFTLRNTKI KKGSKGGRPS 1020
GRVVQYHYT QWPDMGVPEY SLPVLTFRVK AAYAKRHAUG PVVHCSAGV GRTGTYIVLD 1080
SMLQIQHEG TVNIFGLKH IRSQRNYLVQ TEEQYVFIHD TLVEALSKE TEVLDSHIHA 1140
YVNALLIPG AGTKLEKQF QLLSQSNIQQ SDYSAALKQC NREKNTSSI IPVERSRVGI 1200
SSLSGEGTDY INASYMGGY QSNFPIITQH FLHITKDFW RIMWDHNAQL VVMIPDQNM 1260
AEDFVYVFN KDEPINCESF KVTLMAEEHK CLSNEEKLI QDFILEATQD DYVLEVRHFQ 1320
CPKWPNDPSP ISKTFELISV IKEEAANRDG PMIVHDEHGG VTAGTFCALT TLMHOLEKEN 1380
SDVVYQVAKM INLMRPGVFA DIEQYQFLYK VILSLVSTRQ EENPSTSLDS NGAALPDGNI 1440
AESLESVL

```

Seq ID NO: 578 DNA sequence
Nucleic Acid Accession #: EOS sequence
Coding sequence: 501-4514

45
50
55
60
65
70
75
80
85

```

1      11      21      31      41      51
|      |      |      |      |      |
CACACATACG CACGCACGAT CTCACTTCGA TCTATACACT GGAGGATTAA AACAAACAAA 60
CAAAAAAAAAA ATTTCTCTCG CTCCCCTCC CTCTCCACTC TGAGAAGCAG AGGAGCCGCA 120
CGGCAGGGGG CCGCAGACCG TCTGGAAATG CGAATCCTFA AGCGTTTCTC GCCTTGCAAT 180
CAGCTCCTCT GTGTTTGCCG CCTGGATTGG GCTAATGGAT ACTACAGACA ACAGAGAAAA 240
CTTGTGTAAG AGATGGCTG GTCCCTATACA GGAGCACTGA ATCAAAAAAT TGGGGAAAGA 300
AATATCCAAAC ATGTAATAGC CCAAAACAAT CTCCTATCAA TATTGATGAA GATCTTACAC 360
AAGTAAATGT GAATCTTAAG AAACCTAART TTCAGGGTTG GGATAAAACA TCATTGGAAA 420
ACACATTCAT TCATAACTCT GGGAAAAACAG TGGAAATTA TCTCACTAAT GACTACCCTG 480
TCAGCGGAGG AGTTTCAGAA ATGGTGTFTA AAGCAAGCAA GATAACTTTT CACTGGGGAA 540
AATGCAATAT GTCATCTGAT GGATCAGAGC ATAGTTTAGA AGGACAAAAA TTTCCACTTG 600
AGATGCAAAAT CTAAGCTTTT GATGCGGACC GATTTCGCAAG TTTTGAGGAA GCAGTCAAAAG 660
GAAAGGGAA GTTAAGAGCT TTATCCATT TGTGTTGAGT TGGGACAGAA GAAAATTTGG 720
ATTCGAAAGC GATTATTGAT GGAGTCGAAA GTGTTAGTCG TTTTGGGAAG CAGGCTGCTT 780
TAGATCCATT CATACTGTTG AACCTTCTGC CAAACTCAAC TGACAAGTAT TACATTTACA 840
ATGGCTCATT GACATCTCCT CCTGCACAG ACACAGTTGA CTGGATTGTT TTTAAAGATA 900
CAGTTAGCAT CTCTGAAAGC CAGTTGGCTG TTTTTGTGTA AGTTCCTACA ATGCAACAAT 960
CTGTTATGT CATGCTGATG GACTACTTAC AAAACAATTT TOGAGAGCAA CAGTACAAGT 1020
TCTCTAGACA GGTGTTTTCC TCATACACTG GAAAGGAAGA GATTCATGAA GCAGTTTGTA 1080
GTTCAGAACC AGAAAATGTT CAGGCTGACC CAGAGAATTA TACCAGCCTT CTGTTTACAT 1140
GGAAAGACC TCGAGTCGTT TATGATACCA TGATGAGAA GTTTGCAGTT TGTACCAGC 1200
AGTTGGATGG AGAGGACCAA ACCAAGCATG AATTTTTGAC AGATGGCTAT CAAGACTTGG 1260
GTGCTATTCT CAATAATTG CTACCCAATA TGAGTTATGT TCTTCAGATA GTAGCCATAT 1320
GCCTAATGG CTTAATGGA AATACAGCG ACCAAGTGT GTGCGACATG CCTACTGATA 1380
ATCCTGAAC TATCTTTTTT CCTGAATTA TTGAACTGA AGAAATAATC AAGGAGGAG 1440
AAGAGGGAAA AGACATGAA GAAGGCGCTA TTGTGAATCC TGGTAGAGAC AGTGTACAA 1500
ACCAAATCAG GAAAAAGGAA CCCAGATTT CTACCAACAC ACTACTACAT CGCATAGGGA 1560
CGAAATACAA TGAAGCCAAG ACTAACCAGT CCCCAACAAG AGGAAGTGAA TTCTCTGGAA 1620
AGGTGATGTT TCCCAATACA TCTTTAAATT CCCTTCCCA ACCAGTCACT AAATTAGCCA 1680
CAGAAAAAGA TATTTCTTGG ACTTCTCAGA CTGTGACTGA ACTGCCACCT CACACTGTGG 1740
AAGTACTTCT AGCTCTTTA AATGATGGCT CTAACAATCT TCTTAGATCT CCACATATGA 1800
ACTTGTGGGG GACTGCAGAA TCCTTAAATA CAGTTTCTAT AACAGAATAT GAGGAGGAGA 1860
GTTTATTGAC CAGTTTCAAG TCTGATACTG GAGCTGAAGA TTCTTCAGCG TCCAGTCCC 1920
CAACTCTGTC TATCCCATTC ATCTCTGAGA ACATATCCCA AGGGTATATA TTTCTCTCC 1980
AAAACCCAGA GACAATAACA TATGATGTCC TTATACCAGA ATCTGTAGA AATGCTTCC 2040
AAGATTCAAC TTCATCAGT TCAGAAAGAT CACTAAAGGA TCCTTCTATG GAGGGAATG 2100
TGTGGTTTCC TAGCTCTACA GACATAACAG CACAGCCCGA TGTGGATCA GGCAGAGAGA 2160
GCTTCTCCA GACTAATTC ACTGAGATAC GTTGTGATGA ATCTGAGAAG ACAACCAAGT 2220
CCTTCTCTCG AGGCCAGTG ATGTACACAG GTCCCTCAGT TACAGATCTG GAAATGCCAC 2280

```



```

ATTATTCTAC CTTTGCCTAC TTCCCAACTG AGGTAACACC TCATGCTTTT ACCCCATCCT 2340
CCAGACAACA GGATTTTGGTC TCCACGGTCA ACGTGGTATA CTGCAGACA ACCCAACCGG 2400
TATACAAATGA GGCCAGTAAT AGTAGCCATG AGTCTCGTAT TGGTCTAGCT GAGGGGTTGG 2460
AATCCGAGAA GAAGGCAGTT ATACCCCTTG TGATCGTGTC AGCCCTGACT TTTATCTGTC 2520
TAGTGGTCTT TGTGGGTATT CTCATCTACT GGAGGAAATG CTCCAGACT GCACACTTTT 2580
ACTTAGAGGA CAGTACATCC CCTAGAGTTA TATCCACACC TCCAACACCT ATCTTTCCAA 2640
TTTCAGATGA TGTCCGAGCA ATTCCAATAA AGCACTTTCC AAAGCATGTT GCAGATTTAC 2700
ATGCAAGTAG TGGGTTTACT GAAGAATTTG AGACACTGAA AGAGTTTAC CAGGAAGTGC 2760
AGAGCTGTAC TGTGTACTTA GGTATTACAG CAGACAGCTC CAACCACCCA GACAACAAGC 2820
ACAAGAAATC ATACATAAAT ATCGTTGCCT ATGATCATAG CAGGGTTAAG CTAGCACAGC 2880
TTGCTGAAAA GGAATGGCAA CTGACTGATT ATATCAATGC CAATTATGTT GATGGCTACA 2940
ACAGACAAA AGCTTATATT GCTGCCAAG GCCCACTGAA ATCCACAGCT GAAGATTTCT 3000
GGAGAATGAT ATGGGAACAT AATGTGGAAG TTATTGTCTAT GATAACAAC CTCGTGGAGA 3060
AAGGAAGGAG AAAATGTGAT CAGTACTGGC CTGCCGATGG GAGTGGAGG TACGGGAACT 3120
TTCTGGTCA CACAGAAGAT GTGCAAGTGC TTGCCTATTA TACTGTGAGG AATTTTACTC 3180
TAAGAAAAC AAAAAATAAA AAGGGCTCCC AGAAAGGAAG ACCCAGTGGG CGTGTGGTCA 3240
CACAGTATCA CTACACGAGC TGGCCTGACA TGGGAGTACC AGAGTACTCC CTGCCAGTGC 3300
TGACCTTTGT GAGAAAGGCC CCCTATGCCA AGCCCATGTC AGTGGGGCCT GTTGTCTGCC 3360
ACTGCAGTGC TGGAGTTGGA AGAACAGGCA CATATATTGT GCTAGACAGT ATGTGTCAGC 3420
AGATTCAACA CCAAGAAACT GTCAACATAT TTGCTTCTT AAAACACATC CGTTCACAAA 3480
GAAATTTATT GGTACAACAT GAGGAGCAAT ATGTCTTCTAT TCATGATACA CTGGTTGAGG 3540
CCATACTTAG TAAAGAAACT GAGGTGCTGG ACAGTCATAT TCATGCCTAT GTAATGCAC 3600
TCCTCATTCC TGGACCAAGCA GGCAAAACAA AGCTAGAGAA ACAATTCAG CTCTGAGCC 3660
AGTCAAAATG ACAGCGAGAT GACTATTCTG CAGCCCTAAA GCAATGCAAC AGGGAAAAGA 3720
ATCGAACTTC TTCTATCATC CCTGTGGAAA GATCAAGGGT TGGCATTTC TCCCTGAGTG 3780
GAGAAGGCAC AGACTACATC AATGCCTCCT ATATCATGGG CTATTACCAG AGCAATGAAT 3840
TCATCATTAC CCAAGACCCCT CTCCTTCCATA CCATCAAGGA TTTCTGGAGG ATGATATGGG 3900
ACCATAATGC CCAACTGGTG GTTATGATTG CTGATGGCCA AAACATGGCA GAAGATGAAT 3960
TTGTTTACTG GCCAAAATAA GATGAGCCTA TAAATTGTTG GAGCTTTAAG GTCACCTTTA 4020
TGGCTGAAGA ACACAATATG CTATCTAATG AGGAAAACCT TATAATTCAG GACTTTATCT 4080
TAGAAGCTAC ACAGGATGAT TATGTAATG AAGTGAGGCA CTTTCACTGT CCTAAATGGC 4140
CAATCCAGA TAGCCCCAAT AGTAAACTT TGAACCTTAT AAGTGTATA AAAGAAGAAG 4200
CTGCCAATAG GGATGGGCCT ATGATTGTTT ATGATGAGCA TGGAGGAGTG ACGGAGGAA 4260
CTTCTGTGTC TCTGACAACC CTTATGCACC AACTAGAAAA AGAAAAATCC GTGGATGTTT 4320
ACCAGGTAGC CAAGATGATC AATCTGATGA GCCCAGGAGT CTTTCTGAGC ATTGAGCAGT 4380
ATCAGTTTCT CTACAAAGTG ATCCTCAGCC TTGTGAGCAC AAGGCAGGAA GAGAATCCAT 4440
CCACCTCTCT GACAGTAAT GGTGCAGCAT TGCCTGATGG AAATATAGCT GAGAGCTTAG 4500
AGTCTTATG TTAACACAGA AAGGGTGGG GGGACTCACA TCTGAGCAGT GTTTCTCTCT 4560
TCCTAAAAAT AGGCAGGAAA ATCAGTCTAG TTCTGTTATC TGTGATTTT CCATCACCTG 4620
ACAGTAACTT TCATGACATA GGATCTGCC GCCAAATTTA TATCATTAAC AATGTTGCC 4680
TTTTGCAAG ACTGTGAATT TACTATTAT GTTTGAACCTA AAATGATTGA ATTTTACAGT 4740
ATTTCTAAGA ATGGAATTTG GGTATTTTTT TCTGTATTGA TTTAACAGA AAATTTCAAT 4800
TTATAGAGGT TAGGAATTTT AAACACAGA AAATGTTTGT TTTTAGTGT CAAATTTTAG 4860
CTGATTTGT AGCAATATC AGGTTTGTCTA GAAATATAAC TTTAATACA GTAGCCTGTA 4920
AATAAACAC TCCTCCATAT GATATTCAAC ATTTTACAAC TGCAATATC ACCTAAAGTA 4980
GAAATAACT GTTACTTATT GTAAATAGT CCCTAGTGT CCAATGGACC AAATTTATAT 5040
TTATAATTGT AGATTTTAT ATTTTACTAC TGAGTCAAGT TTTCTAGTTC TGTGTAATTG 5100
TTTAGTTTAA TGACGTAGTT CATTAGCTGG TCTTACTCTA CCAAGTTTCT GACATTGTAT 5160
TGTGTTACTT AAGTCATTA CTTTGTTTCA GCATGTAATT TTAACITTTG TGGAAAATAG 5220
AAATACCTTC ATTTGAAAAG AAGTTTTTAT GAGAATAACA CCTTACCAA CATTGTTCAA 5280
ATGGTTTTTA TCCAGGAAT TGCAAAATA AATATAATA TTGCCATTA AAAAAAAAAA 5340
AAAAAAAAA AAAAAAAAAA AAA

```

Seq ID NO: 579 Protein sequence:
 Protein Accession #: EOS sequence

```

1 11 21 31 41 51
MVFKASKITF HWGKCNMSSD GSEHSLEGQK FPLEMQIYCF DADRFSSFEE AVKKGKGLRA 60
LSILPEVGTE ENLDFKAIID QVESVSRFGK QAAALDPPILL NLLPNSTDKY YIYNGSLTSP 120
PCTDVTWIV FKTIVSISES QLAVFCEVLT MQQSGYVMLM DYLNQNFREQ QYKFSRQVFS 180
SYTGKEEIH EAVCSSEPENV QADPENYISL LVTWERPRVV YDTMIEKFAV LYQQLDGEDQ 240
TKHEFLTDGY QDLGAILNML LPMNSYVLQI VAICTNGLYG KYSDQLIVDM PTDNPELDF 300
PELIGTEELI KEEBEGKID EGAIVNPRGD SATNQIRKKE PQISTTTHYN RIGTKYNEAK 360
TNRSPTRGSE FSGKGDVPT SLNSTSQPVT KLATEKDISL TSQVTLEPP HTVEGTSASL 420
NDGSKTVLRS PHMNLSTGAE SLNTVSITBY EESLLTSFK LDTGAEDSSG SSPATSAIPP 480
ISENISQGYI FSSSENPETIT YDVLIPESAR NASEDSTSSG SEESLKDPSM EGNVWFPST 540
DITAGPDVGS GRESFLQTNV TEIRVDESEK TTKSFSAGPV MSQGPSVTL EMPHYSTPAY 600
FPTEVTPHAF TPSSRQQDLV STVNVSYSQ TQPVYNEASN SHESRIGLA EGLESEKAV 660
IPLVIVSALT FICLVVLVGI LIYWRKCFQT AHFYLEDSTS PRVISTPPTP IFPISDDVGA 720
IPIKHFPHKV ADLHASSGFT EEPETLKEFY QEVQSCVVDL GITADSSNH DNKHKRNRYIN 780
IVAYDHSRVK LAQLAEDKDG LTDYINANVV DGYNRPKAYI AAQGPLKSTA EDFWRMINEH 840
NVEVIVMITN LVERGRKCD QYWPDGSEE YGNPLVTQKS VQVLAYTVR NFTLRNTRIK 900
KGSQGRPSG RVVTQYHYT WPDMGVPEYS LPVLTFVRKA AYAKRHAVGP VVVHCSAGVG 960
RTGYIYVLD SMLQIQHEGT VNIYFGLKHI RSQRNYLVQT EEQYVFIDHT LVEAILSKET 1020
EVLDSHIHAY VNALLIPGPA GKTKLEKQPK LLSQSNIQQS DYSAALKQCN REKNRTSSII 1080
PVERSRVGS SLSSEGDYI NASYIMGYQ SNEFIITQHP LLHTIKDFWR MIWDHNAQLV 1140
VMIPDGQNA EDEFVYFPNK DEPINCESFK VTLMAEBHKC LSNEEKLIQ DFILEATQDD 1200
YVLEVRHFQC KWPNPDSPI SKTFELISVI KEAANRDGP MIVHDEHGGV TAGTFCALTT 1260
LMHOLEKENS VDVYQVAKMI NLMRPGVFAD IEQYQFLYKV ILSLVSTRQE ENPSTSLDSN 1320
GAALPDGNIA ESLESLV

```

Seq ID NO: 580 DNA sequence
 Nucleic Acid Accession #: EOS sequence
 Coding sequence: 148-4632

```

1 11 21 31 41 51

```

	CACACATACG	CACGCACGAT	CTCACTTCGA	TCTATACACT	GGAGGATTAA	AACAAACAAA	60
	CAAAAAAAAC	ATTTCTCTCG	CTCCCCCTCC	CTCTCCACTC	TGAGAAGCAG	AGGAGCCGCA	120
5	CGGCGAGGGG	CCGCGAGCCG	TCTGGAAATG	CGAATCCTAA	AACGTTTCCT	CGCTTGCAAT	180
	CAGCTCCTCT	GTGTTTGCCG	CCTGGATTGG	GCTAATGGAT	ACTACAGACA	ACAGAGAAAA	240
	CTTGTGAAG	AGATTGGCTG	GTCCTATACA	GGAGCACTGA	ATCAAAAAAA	TTGGGGAAAG	300
	AAATATCCAA	CATGTAATAG	CCCAAAAACAA	TCTCCTATCA	ATATTGATGA	AGATCTTACA	360
	CAAGTAATG	TGAATCTTAA	GAAACTTAAA	TTTCAGGGTT	GGGATAA AAC	ATCATTGGAA	420
10	AACACATTC	TTCATAACAC	TGGGAAAACA	GTGAAAATTA	ATCTCACTAA	TGACTACCST	480
	GTCAGCCGAG	GAGTTTCAGA	AATGGTGTTT	AAAGCAAGCA	AGATAACTTT	TCAGTGCGGA	540
	AAATGCAATA	TGTCATCTGA	TGGATCAGAG	CATAGTTTAG	AAGGCACAAA	ATTTCCACTT	600
	GAGATGCAAA	TCTACTGCTT	TGATGCGGAC	CGATTTTCAA	GTTTTGAGGA	AGCAGTCAAA	660
	GGAAAAGGGA	AGTTAAGAGC	TTTATCCATT	TTGTTTGAGG	TTGGGACAGA	AGAAAAATTG	720
	GATTTCAAAG	CGATTATTTA	TGGAGTCGAA	AGTGTAGTGC	GTTTTGGGAA	GCAGCGCTGCT	780
15	TTAGATCCAT	TCATACTGTT	GAACCTTCTG	CCAAACTCAA	CTGCAAGTA	TTACATTTAC	840
	AATGGCTCAT	TGACATCTCC	TCCCTGCACA	GACACAGTTG	ACTGGATTGT	TTTTAAAGAT	900
	ACAGTTAGCA	TCTCTGAAAG	CCAGTTGGCT	GTTTTTTGTG	AAGTTCCTAC	AATGCAACA	960
	TCTGGTTATG	TCTAGCTGAT	GCAGTACTTA	CAAAACAATT	TTCCAGAGCA	ACAGTACAAA	1020
20	TTCTCTAGAC	AGGTGTTTTT	CTCATACACT	GGAAAGGAAG	AGATTGATGA	AGCAGTTTGT	1080
	AGTTCAGAAC	CCAGAAATGT	TTCAGCTGAC	CCAGAGAATT	ATACCAGCCT	TCTTGTGTACA	1140
	TGGGAAAGAC	CTCGATGCTG	TTATGATACC	ATGATTGAGA	AGTTTGCAGT	TTTGTACCAG	1200
	CAGTTGGATG	GAGAGGACCA	AACCAAGCAT	GAATTTTGA	CAGATGGCTA	TCAAGACTTG	1260
	GGTGCTATTC	TCAATAAATT	GCTACCCAAT	ATGAGTTATG	TTCTTCAGAT	AGTAGCCATA	1320
	TGCACTAATG	GCTTATATG	AAAATACAGC	GACCAACTGA	TTGTCGACAT	GCCTACTGAT	1380
25	AATCCTGAAC	TTGATCTTTT	CCCTGAATTA	ATTGGAACCTG	AAGAAAATAAT	CAAGGAGGAG	1440
	GAAGAGGGAA	AGACATTTGA	AGAAGGCGCT	ATTGTGAAATC	CTGGTAGAGA	CAGTGCTACA	1500
	AACCAAATCA	GGAAAAGGGA	ACCCAGATTT	TCTACCACAA	CACACTACAA	TCCGATAGGG	1560
	ACGAAATACA	ATGAAGCCAA	GACTAACCGA	TCCCAACAA	GAGGAAGTGA	ATCTCTGGGA	1620
	AAGGGTGATG	TTCCCAATAC	ATCTTTAAAT	TCCACTTCCC	AACCAGTCAC	TAAATTAGCC	1680
30	ACAGAAAAAG	ATATTTCCTT	GACTTCTCAG	ACTGTGACTG	AAGTCCCACC	TCACACTGTTG	1740
	GAAGGACTCT	CAGCCTCTTT	AAATGATGGC	TCTAAAACCTG	TTCTTAGATC	TCCACATATG	1800
	AACTTGTCCG	GGACTGCAGA	ATCCTTAAAT	ACAGTTTCTA	TAACAGAATA	TGAGSAGGAG	1860
	AGTTTATTTA	CCAGTTTCAA	GCTTGATACT	GGAGCTGAAG	ATTTCTCAGG	TCCAGTCCC	1920
	GCAACTTCTG	CTATCCCAT	CATCTCTGAG	AACATAFCCC	AAGGGTATAT	ATTTTCTCTC	1980
35	GAAAACCCAG	AGACAATAAC	ATATGATGTC	CTTATACCCG	AATCTGCTAG	AAATGCTTCC	2040
	GAAGATTCAA	TTTCATCAGG	TTCAGAAGAA	TCACTAAAGG	ATCCTTCTAT	GGAGGGAAAT	2100
	GTGTGGTTTC	CTAGCTCTAC	AGACATAACA	GCACAGCCCG	ATGTTGGATC	AGGCAGAGAG	2160
	AGCTTTCTCC	AGACTAATTA	CATGAGATA	CGTGTGATG	AATCTGAGAA	GACAACCAAG	2220
40	TCCTTTTCTG	CAGGCCAGT	GATGTCACAG	GGTCCCTCAG	TTACAGATCT	GGAAATGCCA	2280
	CATATTCTA	CCTTTGCTTA	CTTCCCACCT	GAGGTAAACAC	CTCATGCTTT	TACCCCATCC	2340
	TCCAGACAAC	AGGATTTGGT	CTCCACGGTC	AACGTGGTAT	ACTCCGACAC	AACCCAACCC	2400
	GTATACAATG	AGGCCAGTAA	TAGTAGCCAT	GAGTCTCGTA	TTGGTCTAGC	TGAGGGGTTG	2460
	GAATCCCAGA	AGAAGGCAGT	TATACCCCTT	GTGATCGTGT	CAGCCCTGAC	TTTTATCTGT	2520
	CTAGTGGTTC	TTGTGGGTAT	TCTCATCTAC	TGGAGGAAAT	GCTTCCAGAC	TGCACACTTT	2580
45	TACTTAGAGG	ACAGTACATC	CCCTAGAGTT	ATATCCACAC	CTCCAAACCC	TATCTTTCCA	2640
	ATTTCAGATG	ATGTCGGAGC	AAATCCAATA	AAGCACTTTC	CAAAGCATGT	TGCAGATTTA	2700
	CATGCAAGTA	GTGGGTTTAC	TGAAGAAATT	GAGACACTGA	AAGAGTTTAA	CCAGGAAGTG	2760
	CAGAGCTGTA	CTGTTGACTT	AGGTATTACA	GCAGACAGCT	CCAACCACCC	AGACAACAAG	2820
	CACAAGAATC	GATACATAAA	TATCGTTGCC	TATGATCATA	GCAGGGTTAA	GCTAGCACAG	2880
50	CCTGCTGAAA	AGGATGGCAA	ACTGACTGAT	TATATCAATG	CCAATTATGT	TGATGGCTAC	2940
	AACAGACCAA	AGCTTATAT	TGCTGCCCAA	GGCCCACTGA	AATCCACAGC	TGAAGATTTC	3000
	TGGAGAATGA	TATGGGAACA	TAATGTGGAA	GTTATTGTCA	TGATAACAAA	CCTCGTGGAG	3060
	AAAGGAAGGA	GAAAATGTGA	TCAGTACTGG	CCTGCCGATG	GGAGTGAGGA	GTACGGGAAC	3120
	TTTCTGGTCA	CTCAGAAAGG	TGTGCAAGTG	CTTGCCTATT	ATACTGTGAG	GAATTTTACT	3180
55	CTAAGAAACA	CAAAAATAAA	AAGGGCTCC	CAGAAGGAAA	GACCCAGTGG	ACGTGTGGTC	3240
	ACACAGTATC	ACTACACGCA	ATGGCCCTGAC	ATGGGAGTAC	CAGAGTACTC	CCTGCCAGTG	3300
	CTGACCTTTG	TGAGAAAGGC	AGCCTATGCC	AAGCGCCATG	CAGTGGGGCC	TGTTGTCTCT	3360
	CACCTGCAGT	CTGGAGTTGG	AAGAACAGCC	ACATATATTG	TGCTAGACAG	TATGTTGCAG	3420
	CAGATTCAAC	ACGAAGGAAC	TGTCAACATA	TTTTGGCTTCT	TAAAACACAT	CCGTTCCAAA	3480
60	AGAAATTATT	TGTCACAAC	TGAGGAGCAA	TATGTCCTCA	TTCATGATAC	ACTGGTTGAG	3540
	GCCATACTTA	GTAAAGAAAC	TGAGGTGCTG	GACAGTCATA	TTCATGCCTA	GGTAAATGCA	3600
	CTCCTCATT	CTGGACCAGC	AGGCCAAAACA	AAGCTAGAGA	AACAATTCCA	GGGTCTCACT	3660
	CTGTCACCCA	GGCTGGAGTG	CAGAGGCACA	ATCTCGGCTC	ACTGCAACTC	TCCTCTCCCT	3720
	GGCTTAACCTG	ATCCTCTAC	CTCAGCCTCC	CGAGTGGCTC	GGACTATACT	CCTGAGCCAG	3780
65	TCAAATATAC	AGCAGAGTGA	CTATTCTGCA	GCCCTAAAGC	AATGCAACAG	GGAAAAGAAT	3840
	CGAACTTCTT	CTATCATCCC	TGTGGAAAAG	TCAAGGGTTG	GCATTTTCTC	CCTGAGTGGG	3900
	GAAGGCACAG	ACTACATCAA	TGCCCTCCAT	ATCATGGGCT	ATFACCAGAG	CAATGAATTC	3960
	ATCATTACCC	AGCACCCCTC	CCTTCATACC	ATCAAGGATT	TCTGGAGGAT	GATATGGGAC	4020
	CATAATGCC	AACCTGGTGT	TATGATTCCCT	GATGGCCAAA	ACATGGCAGA	AGATGAATTT	4080
70	GTTTACTGGC	CAAAATAAAGA	TGAGCCTATA	AATTTGAGGA	GCTTTAAAGT	CACTCTTATG	4140
	GCTGAAGAAC	ACAAATGTCT	ATCTAATGAG	GAAAAACTTA	TAATTGAGGA	CTTTATCTTA	4200
	GAAGCTACAC	AGGATGATTA	GTACTTTGAA	GTAGGCACT	TTCAAGTTC	TAAATGGCCA	4260
	AATCCAGATA	GCCCCATTAG	TAAAACCTTTT	GAACCTTATA	GTGTTATAAA	AGAAGAAGCT	4320
	GCCAAATAGG	ATGGGCCTAT	GATTGTTCAT	GATGAGCATG	GAGGAGTGAC	GGCAGGAATC	4380
75	TTCTGTGCTC	GTAAGAACCT	TATGCACCAA	CTAGAAAAGG	AAAATCCGTT	GGATGTTTAC	4440
	CAGGTAGCCA	AGATGATCAA	TCTGATGAGG	CCAGGAGTCT	TTGCTGACAT	TGAGCAGTAT	4500
	CAGTTTCTCT	ACAAAGTGTG	CCTCAGCCCT	GTGGGCCAAA	GGCAGGAAGA	GAATCCATCC	4560
	ACCTCTCTGG	ACAGTAAATG	TGCAGCATTG	CCTGATGGAA	ATATAGCTGA	GAGCTTAGAG	4620
80	TCTTTAGTTT	AACACAGAAA	GGGGTGGGGG	GACTCACATC	TGAGCACTGT	TTCTCCTCTC	4680
	CTAAAATAG	GCAGGAAAAT	CAGTCTAGTT	CTGTTATCTG	TTGATTTCCC	ATCACCTGAC	4740
	AGTAACTTTC	ATGACTTAGG	ATTCTGCCGC	CAAATTTATA	TCATTAACAA	TGTTGTCCTT	4800
	TTTGAAGAC	TTGTAATTTA	CTTATTTATG	TTGAACTAAA	ATGATTGAAT	TTTACAGTAT	4860
	TTCTAAGAA	GGAAATGTTG	TATTTTTCCT	TGTATTGATT	TTAACAGAAA	ATTTCAATTT	4920
	ATAGAGGTTA	GGAAATCCAA	ACTACAGAAA	ATGTTTGTGTT	TTAGTGTCAA	ATTTTACGCT	4980
85	GTATTGTGAT	CAATTTACAG	GTTTGTCTAGA	AATATAAACC	TTAATACAGT	AGCCCTGAAA	5040
	TAAAACACTC	TTCCATATGA	TATTCACCAT	TTTACAACCT	CAGTATTCC	CTAAAGTAGA	5100
	AATAATCTGT	TACTTATTGT	AAATACCTGC	CTAGTGTCTC	CATGGACCAA	ATTTATATTT	5160

Table with 7 columns of sequence data and 5 rows of sequence numbers (5220-5460).

Seq ID NO: 581 Protein sequence:
Protein Accession #: EOS sequence

Protein sequence table with 7 columns (1, 11, 21, 31, 41, 51) and 22 rows of amino acid sequences (580-800).

Seq ID NO: 582 DNA sequence
Nucleic Acid Accession #: NM_002851.1
Coding sequence: 148..7092

DNA sequence table with 7 columns (1, 11, 21, 31, 41, 51) and 23 rows of nucleotide sequences (580-800).

5 TGGCCTTGC ATGCTAGCC TGTATTCCC AGTGTGATG TGTCAATTGA ATCCATCCTG 2580
TCTTCCTATG ATGGTGCACC TTGCTTCCA TTTCCCTCTG CTTCCTTCAG TAGTGAATTG 2640
TTTCGCCATC TGCATACAGT TTCTCAAATC CTTCACAAAG TTACTTTCAG TACCAGAGAGT 2700
10 GATAAGGTGC CCTGTACGCG TTCTCTGCCA GTGGCTGGGG GTGATTGTCT ATTAGAGCCC 2760
AGCCTTGTCT AGTATTCTGA TGTGCTGTCC ACTACTCATG CTGCTTCAA GACGCTGGAA 2820
TTTGTAGTGG AATCTGGTGT TCTTTATAAA ACGCTTATGT TTTCTCAAGT TGAACCACCC 2880
AGCAGTGATG CCAATGATGCA TGCACGTTCT TCAGGGCCTG AACCTTCTTA TGCCTTGTCT 2940
GATAAATGAG GCTCCCAACA CATCTTCACT GTTCTTACA GTTCTGCAAT ACCTGTGCAT 3000
GATTCTGTGG GTGTAACTTA TCAGGGTPTCC TTATTTAGCG GCCCTAGCCA TATACCAATA 3060
15 CCTAAGTCTT CGTTAAATAAC CCCAAGTCCA TCATFACTGC AGCCTACTCA TGCCCTCTCT 3120
GGTGATGGGG AATGGTCTGG AGCCTCTTCT GATAGTGAAT TTCTTTTACC TGACACAGAT 3180
GGGTGACAGC CCCTTAACTT TTCTTCACT GTTCTGTAG CTGAATTTAC ATATAACAACA 3240
TCTGTGTGTG GTGATGATAA TAAGGCCTT TCTAAAAGT AAATAATATA TGGAAATGAG 3300
ACTGAACATG AAATTCCTTC TTCAATGAG ATGGTPTACC CTCTGAAAG CACAGTCAATG 3360
20 CCCAACATGT ATGATAATGT AAATAAGTGT AATGCGTCTT TACAAGAAC CTCTGTTTCC 3420
ATTTCTAGCA CCAAGGCATG GTTCCAGGG TCCCTGTGCT ATACACCAC TAAGGTTTTT 3480
GATCATGAGA TTAGTCAAGT TCCAGAAAAT AACTTTTCAG TTCAACCTAC ACATACTGTC 3540
TCTCAAGCAT CTGGTGACAC TTCGCTTAAA CTGTGCTTA GTGCAAACTC AGAGCCAGCA 3600
TCCTCTGACC CTGCTCTAG TGAAATGTTA TCTCCTCAA CTCAGCTCTT ATTTTATGAG 3660
ACCTCAGCTT CTTTTAGTAC TGAAATATTG CTACAACCTT CCTTTGAGC TTCTGATGTT 3720
25 GACACCTTGC TTAATACTGT TCTTCCAGCT GTGCCAGTG ATCCAATAT GGTGAAACC 3780
CCCAAAGTTG ATAAAATTAG TTCTACAATG TTGCACTCA TTGATCAAA TTCTGCTTCA 3840
AGTGAANAACA TGCTGCATC TACATCTGTA CCAGTPTTTG ATGTGTGCC TACTTTCTCAT 3900
ATGCACCTG CTTCACCTCA AGGTTTGACC ATTTCTATG CAAAGTGAGAA ATATGAACCA 3960
30 GTTTTGTAA AAAGTGAAG TTCACCAA GTGGTACCTT CTGTTAGAG TAATGATGAG 4020
TTGTTCAAA CCGCTAAATT GGAGATTAA CAGGCCATC CCCCAAAGG AAGGCATGTA 4080
TTTGCTACAC CTGTTTTATC AATTGATGAA CCAATAAATA CACTAATAAA TAAGCTTATA 4140
CATTCGATG AAATTTTAA CTCCACCAA AGTCTGTTA CTGGTAAGG ATTTGTGGT 4200
ATTCACAAG TTGCTCTGA TACATTTGTA TCTACTGATC ATCTGTGTTCC TATAGGAAT 4260
GGGCATGTT CCATATCAGC GTTTCTCCC CACAGAGATG GTTCTGTAAC CTCAACAAA 4320
TTGCTGTTT CTCTAAGGC AACTTCTGAG CTGAGTCATA GTGCCAAATC TGATGCCGGT 4380
TTAGTGGGTG GTGGTGAAGA TGGTGACACT GATGATGATG GTGATGATGA TGATGACAGA 4440
GATAGTGATG GCTTATCCAT TCATAAGTGT ATGTCAATG CATCCTATAG AGAATCAGAG 4500
35 GAAAAGGTAA TGAATGATTC AGACACCCAC GAAAACAGTC TTAGGATCA GAAATAATCCA 4560
ATCTCATACT CACTATCTGA GAATCTGAA GAAGATAATA GAGTCACAAG TGTATCTCCA 4620
GACAGTCAA TGGTATGGA CAGAAGTCCT GGTAATCAC CATCAGCAA TGGGCTATCC 4680
CAAAAGCACA ATGATGAAA AGAGGAAAAT GACATTGAGA CTGGTAGTGC TCTGCTTCT 4740
CTCAGCCCTG AATCTAAGC ATGGCAGTT CTGACAAGT ATGAAGAAAG TGGATCAGGG 4800
CAAGGTACTT CAGATAGCCT TAATGAGAAT GAGACTTCCA CAGATTTCAG TTTTGCAGAC 4860
40 ACTAATGAAA AAGATCTGA TGGATCTCT GCAGCAGGTG ACTCAGAAAT AACTCCTGGA 4920
TTCCACAGT CCCCAACATC ATCTGTACT AGCGAGAAT CAGAAGTGT CCACGTTTCA 4980
GAGGCAGAG CCAGTAATAG TAGCCATGAG TCTCGTATTG GTCTAGCTGA GGGTGGAA 5040
TCCGAGAAGA AGGCAGTTAT ACCCTTGTG ATCGTGTGAG CCCTGACTTT TATCTGTCTA 5100
GTGGTCTTGG TGGTATTCT CATCTACTGG AGGAAATGCT TCCAGACTGC ACACTTTTAC 5160
45 TTAGAGGACA GTACATCCCC TAGAGTTATA TCCACACCTC CAACACTAT CTTTCCAAT 5220
TCAGATGATG TCGGAGCAAT TCCAATAAAG CACTTTCCAA AGCATGTTG AGATTTACAT 5280
GCAAGTATGT GGTTTACTGA AGAATTTGAG ACACTGAAAG AGTTTTACCA GGAATGTCAG 5340
AGCTGTACTG TTGACTTAG TATTACAGCA GACAGCTCCA ACCACCCAGA CAACAAGCAC 5400
AAGAATCGAT ACATAAATAT CGTTGCTTAT GATCATAGCA GGGTTAAGCT AGCACGCTT 5460
50 GCTGAAAAGG ATGGCAAAT GACTGATTAT ATCAATGCCA ATTATGTTGA TGGCTACAAC 5520
AGACCAAAAG CTTATATTGC TGCCCAAGGC CCACTGAAAT CCACAGCTGA AGATTTCTGG 5580
AGAATGATAT GGAACATAA TGTGGAAGTT ATTGTCAATG TAACAAACTT CGTGGAGAAA 5640
GGAAGGAGAA AATGTGATCA GFACTGGCCT GCCGATGGGA GTGAGGAGTA CGGGAACTTT 5700
CTGGTCACTC AGAAGAGTGT GCAAGTGCTT GCCTATTATA CTGTGAGGAA TTTTACTCTA 5760
55 AGAAACAAA AAATAAAAA GGGCTCCCAG AAAGGAAGC CCAGTGAGC TGTGGTCACA 5820
CAGTATCACT ACACCGCAGT GCCGACATG GGAGTACCAG AGTACTCCCT GCCAGTCTG 5880
ACCTTTGTGA GAAAGGCAGC CTATGCCAAG CGCCATGAG TGGGGCTGT TGTCTCCAC 5940
TGCACTGTCT GAGTTGGAAG AACAGGACA TATATTGTGC TAGACAGTAT GTTGAGCAG 6000
60 ATTCACACG AAGGAACTGT CAACATATTT GGCTTCTTAA AACACATCCG TTCACAAAGA 6060
AATTATTGG TACAACTGA GGAGCAATAT GTCTTCAATC ATGATACACT GGTGAGGCC 6120
ATACTTAGTA AAGAACTGA GGTGCTGGAC AGTCATATTC ATGCTTATGT TAATGCCTC 6180
CTCATCTCTG GACCAGCAG CAAAACAAG CTAGAGAAG AATTCCAGCT CCTGAGCCAG 6240
TCAAATATAC AGCAGAGTGA CTATTCTGCA GCCCTAAAAG AATGCAACAG GAAAAGAAAT 6300
CGAACTTCT CTATCATCCC TGTGAAAAGA TCAAGGGTTG GCATTTCTC CCTGATGGA 6360
65 SAAGGCACAG ACTACATCAA TGCTCTCTAT ATCATGGGCT ATTACCAGAG CAATGAATTC 6420
ATCATTACCC AGCACCTCT CTTCATACC ATCAAGGATT TCTGGAGGAT GATATGGGAC 6480
CATAATGCCC AACTGGTGGT TATGATTCCT GATGGCCAAA ACATGGCAGA AGATGAATTT 6540
GTTTACTGGC CAAATAAAGA TGAGCCTATA AATTGTGAGA GCTTTAAGGT CACTCTTATG 6600
70 GCTGAAGAAC ACAATGTCT ATCTAATGAG GAAAACTTA TAATTCCAGG ATTTATCTTA 6660
GAAGCTACAC AGGATGATTA TGTACTTGAA GTGAGGCCT TTAGCTGTC TAAATGGCCA 6720
AATCCAGATA GCCCATTAG TAAAACCTTT GAACCTATAA GTGTATAAAA AGAAGAAGCT 6780
GCCAATAGG ATGGCCCTAT GATTGTTTCA TGTGAGCATG GAGGAGTGC GGCAGGAAC 6840
TTCTGTGCTC TGACAACCTT TATGCCCAA CTAGAAAAG AAAATTCCGT GGATGTTTAC 6900
CAGGTAGCCA AGATGATCAA TCTGATGAG CCAGGAGTCT TTGCTGACAT TGAGCAGTAT 6960
75 CAGTTTCTCT ACAAGTGTAT CCTCAGCCTT GTGAGCAAA GGCAGGAAGA GAATCCATCC 7020
ACCTCTGAG ACAGTAATGT TGCAGCATG CCTGATGGAA ATATAGCTGA GAGCTTAGAG 7080
TCTTTAGTTT AACACAGAAA GGGGTGGGG GACTCACATC TGAGCATTGT TTTCTCTTC 7140
CTAAAATTAG GCAGGAAAAT CAGTCTAGTT CTGTTATCTG TTGATTTCCC ATCACCTGAC 7200
80 AGTAACTTTC ATGACATAGG ATTCTGCCG CAAATTTATA TCATTAACAA TGTGTGCCCT 7260
TTTGCAAGAC TTTGAAATTA CTTATTATGT TTGAACAAA ATGATTGAAT TTTACAGTAT 7320
TTCTAAGAAAT GGAATTTGGG TATTTTTTTC TGTATTGATT TTAACAGAAA ATTTCAATTT 7380
ATAGAGGTTA GGAATTCACA ACTACAGAAA ATGTTTGTGT TTAGTGTCAA ATTTTATGCT 7440
GTATTTGTAG CAATATCAG GTTTGTGAGA AATATAACTT TTAATACAGT AGCCTGTAAA 7500
TAAAACACTC TTTTCAATGA TATTCAACAT TTTCAACTG CAGTATTCC CTAAGTAGA 7560
85 AATAACTCTG TACTTATGT AAATACTGCC CTAGTGTCTC CATGGACCAA ATTTATATTT 7620
ATAAATTGAT ATTTTATAT TTTACTACTG AGTCAAGTTT TCTAGTCTG TGTAATTTGT 7680
TAGTTAATG ACGTAGTTCA TTAGCTGCTC TTAGCTTACC AGTTTTCTGA CATTGTATTG 7740

TGTTACCTAA GTCATTACT TGTITTCAGC ATGTAATTTT AACTTTGTG GAAATAGAA 7800
 ATACCTTCAT TTTGAAAGAA GTTTTTATGA GAATAACACC TTACCAACA TTGTTCAAAT 7860
 GGTTTTTATC CAAGGAATTG CAAAATAAAA TATAATATT GCCATTAAAA AAAAAAAAAA 7920
 AAAAAAAAAA AAAAAAAAAA A

5

Seq ID NO: 583 Protein sequence
 Protein Accession #: NP_002842.1

```

10  1      11      21      31      41      51
    |      |      |      |      |      |
MRILKRFLAC IQLLVCRLRD WANGYYRQOR KLVEEIGWSY TGALNQKNWG KKYPYCNSPK 60
QSPINIDEEDL TQVNVNLLKL KFGQWDRKLSL ENTFIHNTGK TVEINLNDY RVSGGVSEMV 120
FKASKITFHFW GKCNMSSDGS EHSLEGGQKFP LEMQIYCFDA DRFSSFEBAV KGGKGLRALS 180
ILFEVGTVEEN LDFKAIIDGV BSVSRFGKQA ALDPPFILLNL LPNSTDKYYI YNGSLTSPPC 240
15  TDTVDWIVFK DTVSISESQL AVFCEVLTMQ QSGYVMLMDY LQNNFRBQQY KFSRQVFSY 300
TGKEEIHBAV CSSEPEVQA DPENYTSLLV TWERPRVVDY TMIEKFAVLY QQLDGEDQTK 360
HEFLTDGQYD LQALINLPLL NMSYVQLQIVA ICTNGLYGYK SDQLIVDMPT DNPFLDLFPE 420
LIGTBEIIBE EEEGKDIEEG AIVNPGRDSA TNQIRKKEPQ ISTTTHYNR IGTKYNEAKTN 480
RSPTRGSEFS GKGVDVNTSL NSTSQPVTKL ATEKDISLTS QTVTELPPT VEGTASASLND 540
20  GSHTVLRSPH MNLGTAESL NTVSITEYEE ESSLTSFKLD TGAEDSSGSS PATSAIPFIS 600
ENISQGYIFS SENPETIYD VLIPESARNA SEDSTSSGSE ESKLDPSMGE NVWPPSSTDI 660
TAQPVDGSGR ESFLQNTYTE IRVDESEKTT KSFSAGPVMG QGVSVDLEM PHYSTFAYFP 720
TEVTPHAFPT SSRQDLVST VNVVYSQTTQ PVYNGETPLQ PSYSSVFVPL VTPLLLNDQI 780
LNTTPAASSS DSALHKVVF PSVDVSFESI LSSYDGAPLL PFSSASFSSE LFRHLHTVSI 840
25  ILPQVTSATE SDKVPLHASL FVAGDLLLLL PSLAQYSDVL STTHAASETL EFGSESGVLY 900
KTLMFQVQEP PSSDAMMHAR SSGPEPSYAL SDNEGSQHIF TVSYSSAIPV HDSVGVTYQG 960
LPSGSPSHIP IPKSSLITPT ASLQPTHAL SGGGEWSGAS SDSEFLLEDPT DGLTALNISS 1020
PVSVAEFTYT TSVFGDDNKA LSKSEIIYGN ETELQIPFNF EMVYVSESTV MPMYMDVNVK 1080
LNASLQETS SVSISSTKGMPP GSLAHTTKV FDHEISQVPE NNPVSQPTH VSQASGDTSL 1140
30  KPVLSANSEP ASSDPASSE LSPSTQLLFP ETSASFSTE VLLQPSFQASD VDTLLKTVLP 1200
AVSPDPIVLE TPKVDKISST MLHLIVSNSA SSENMLHSTS VPFVDSPTS HMHSASLQGL 1260
TISYASEKYE PVLLKSESSH QVVPSLYSND ELFQTANLEI NQHAPPKGRH VFATPVLSID 1320
EPLNLTINKL IHSDEILTST KSSVTGKVFA GIPTVASDTF VSTDHVSPIG NGHVAITAVS 1380
PHRDGTVST KLLFPKATS ELHSKASDA GLVGGGEDGD TDDDDDDDDD RDSDDLSDHK 1440
35  CMSCSSYRES QEVMDSDT HENSLMDQNN PISYLSSENS EEDNRTVTS SDSQTGMSRS 1500
PGKSPSANG L SQKHNDGKEE NDIQTGSALL PLSPEKAWA VLTSDEESGS CQGTSDSLNE 1560
NETSDFPSFA DTNEKDDAGI LAAGDSEITP GFQSPSTSSV TSENSEVFHV SEAAEANSNH 1620
ESRIGLAEGL ESEKAVIPL VIVSALTFIC LVLVVLGILY WRKCFQTAHF YLEDSTSPRV 1680
40  ISTPTPIFP IISDDVGAIP KHFFKHVADL HASSGFTEEF ETLKEFYQEV QSCTVDLGIT 1740
ADSSNHPDNK HKNYRINIVA YDHSRVLKLA LAEKDGKLT D YINANYVDG NRPKAYIAAQ 1800
GPLKSTAEAF WRMWIWNHVE VIVMINTLVE KGRRKCDQYW PADGSEYNG FLVTQKSVQV 1860
LAYYTVRNP L RNTKIKKGS QKGRPGRV TQYHYTQWFD MGVPEYSLPV LTFVRAKAYA 1920
KRHAVGPFVV HCSAGVGRGT TYIVLDSMLQ QIQHEGTVNI FGFLKHRSQ RNYLVQTEBQ 1980
45  YVFIHDTLVE ALLSKETEVL DSHIHAYVNA LLIPGPAGT KLEKQFQLS QSNIQSDYS 2040
AALKQCNREK NRTSSIIPEV RSRVGISSLS GEGTDYINAS YIMGYQSNE FIIQHPLH 2100
TIKDFWRMIV DHNAQLVMMI PDGQNAEDE FVYWPNKDEP INCBDFKVL MAEHLKLSN 2160
EEKLIQDFI LEATQDDVVL EVRHFCQPKW PNPDSPIKT FELISVKEE AANRDGPMIV 2220
HDEHGGVTA TFCALTMLM QLEKENSVDV YQVAKMINLM RPFVFADIEQ YQFLYKVLIS 2280
50  LVSTRQEENP STSLDSNGAA LPDGNIAESL ESLV

```

Seq ID NO: 584 DNA sequence
 Nucleic Acid Accession #: NM_005688.1
 Coding sequence: 126..4439

```

55  1      11      21      31      41      51
    |      |      |      |      |      |
CCGGGCGAGT GGCTCATGCT CGGGAGCGTG GTTGAGCGGC TGGCGCGGTT GTCCTGGAGC 60
AGGGGCGCAG GAAATCTGAT GTGAAACTAA CAGTCTGTGA GCCCTGGAAC CTCCTGCTCAG 120
60  AGAAGATGAA GGATATCGAC ATAGGAAAAG AGTATATCAT CCCAGTCCT GGTATAGAA 180
GTGTGAGGGA GAGAACCAGC ACTTCTGGGA CGCACAGAGA CCGTGAAGAT TCCAGTTC 240
GGAGAACTCG ACCGTGGAA TGCCAAAGAT CCTTGGAAAC AGCAGCCCCG GCGAGGGGG 300
TCTCTCTTGA TGCCCTCATG CATTCTCAGC TCAGAATCCT GGATGAGGAG CATCCAAGG 360
GAAAGTACCA TCATGGCTTG AGTGCTCTGA AGCCCCATCG GACTACTTCC AAACACCAGC 420
65  ACCCAGTGA CAATGCTGGG CTTTTTCTCT GTATGACTTT TCGTGGCTT TCTTCTCTG 480
CCCGTGTGGC CCACAAGAA GGGGAGCTCT CAATGGAAGA CGTGTGGTCT CTGTCCAAGC 540
ACGAGTCTTC TGACGTGAAC TGCAAGAAC TAGAGAGACT GTGGCAAGAA GAGCTGAATG 600
AAGTTGGGCC AGACGCTGCT TCCTGTGCGAA GGGTTGTGTG GATCTTCTGC CGCACCAGC 660
TCATCTCTGC CATCGTGTGC CTGATGATCA CGCAGCTGGC TGGCTTCAGT GGACACGCT 720
70  TCATGGTGAA ACACCTCTTG GAGTATACCC AGGCAACAGA GTCTAACCTG CAGTACAGCT 780
TGTGTAGT GCTGGGCTCT CTCTGACCG AAATCGTGGC GTCTTGTGCG CTTGCACTGA 840
CTTGGGCATT GAAATACCGA ACCGGGTGCC GCTTGCAGGG GGCATCTCA ACCATGGCAT 900
TTAAGAAGAT CCAATAGTTA AAGAACATTA AAGAGAAATC CTTGGGTGAG CTCATCAACA 960
TTTGCTCCAA CGATGGGCAG AGAATGTTTG AGGCAGCAGC CGTTGGCAGC CTGCTGGCTG 1020
75  GAGGACCCGT TGTGTCCATC TTAGGCATGA TTTATAATGT AATTATTCTG GGACCAACAG 1080
GCTTCTCTGG ATCAGCTGTT TTTATCCTCT TTTACCCAGC AATGATGTTT GCATCAGCGC 1140
TCACAGCATA TTTCAGGAGA AAATGCCTGG CCGCCACGGA TGAACGTGTC CAGAAGATGA 1200
ATGAAGTTCT TACTACATT AAATTTATCA AAATGTATGC CTGGGTCAAA GCATTTTCTC 1260
AGAGTGTCCA AAAATACCGC GAGGAGGAGC GTCGATATT GGAATAAGCG GGTACTTCC 1320
80  AGGGTATCAC TGTGGGTGTG GCTCCCATTT TGGTGGTGAT TGCCAGCGTG GTGACCTTCT 1380
CTGTTTCAAT GACCTCTGGC TTGATCTGA CAGCAGCACA GGCTTTCACA GTGGTGACAG 1440
TCTTCAATTC CATGACTTTT GCTTGAAGG TAACACCGTT TTCAGTAAA GTCCTCTCAC 1500
AAGCTCAGT GGCTGTGAC AGATTTAAGA GTTTGTTTCT AATGGAAGAG GTTCACATGA 1560
TAAAGAACAA ACCAGCCAGT CCTCACATCA AGATAGAGAT GAAAAATGCC ACCTTGGCAT 1620
GGGACTCCTC CCACTCCAGT ATCCAGAACT CGCCCAAGCT GACCCCAAAA ATGAAAAAAG 1680
85  ACRAAGGGCC TTCCAGGGCC AAGAAGAGAG AGGTGAGGCA GCTGCAGCGC ACTGAGCATT 1740
AGGCGGTGCT GGCAGAGCAG AAAGGCCACC TCCTCTCTGGA CAGTCAGGAG CGGCCAGTC 1800
CCGAAGAGGA AGAAGCCAAG CACATCCACC TGGGCCACCT GCGCTTACAG AGGACTGTC 1860

```

```

ACAGCATCGA TCTGGAGATC CAAGAGGGTA AACTGGTGTG AATCTGCGGC AGTGTGGGAA 1920
GTGGAAAAAC CTCTCTCATT TCAGCCATT TAGGCCAGAT GACGCTTCTA GAGGGCAGCA 1980
TTGCAATCAG TGGAAACCTC GCTTATGTGG CCCAGCAGGC CTGGATCCTC AATGCTACTC 2040
TGAGAGACAA CATCTCTGTT GGGAAAGGAAT ATGATGAAGA AAGATACAAC TCTGTGCTGA 2100
ACAGCTGTCTG CCTGAGGCCT GACCTGGCCA TTCTTCCCAG CAGCGACCTG ACGGAGATTG 2160
GAGAGOGAGG AGCCAACCTG AGCGGTGGGC AGCGCCAGAG GATCAGCCTT GCCCGGSCCT 2220
TGATATAGTA CAGGAGCATC TACATCCTGG ACGACCCCTC CAGTGCCTTA GATGCCCATG 2280
TGGGCAACCA CATCTTCAAT AGTGTATACC GGAACATCT CAAGTCCAAG ACAGTCTGT 2340
TTGTTACCCA CCAAGTACAG TACCTGGTTG ACTGTGATGA AGTGATCTTC ATGAAAGAGG 2400
GCTGTATTAC GGAAAGAGGC ACCCATGAGG AACTGATGAA TTTAAATGGT GACTATGCTA 2460
CCATTTTTAA TAACTGTGTG CTGGGAGAGA CACCCCAAGT TGAGATCAAT TCAAAAAAGG 2520
AAACCAGTGG TTCACAGAAG AAGTCACAAG ACAAGGGTCC TAAACAGGA TCAGTAAAGA 2580
AGGAAAAAGC AGTAAAGCCA GAGGAAGGGC AGCTTGTGCA GCTGGAAGAG AAAGGGCAGG 2640
GTTCACTGCC CTGTCTAGTA TATGGTGTCT ACATCCAGGC TGCTGGGGGC CCCTTGGCCAT 2700
TCCTGTTTAT TATGGCCCTT TTCATGCTGA ATGTAGGCAG CACCGCCTTC AGCACCCTGGT 2760
GGTTGAGTTA CTGATCAAG CAAGGAAGCG GGAACACCAC TGTGACTCGA GGAACGAGA 2820
CCTCGTGTAG TGACAGCATG AAGGACAATC CTCATATGCA GTACTATGCC AGCATCTACG 2880
CCCTCTCCAT GGCAGTCACT GTGATCCTGA AAGCCATTGC AGGAGTTGTC TTTGTCAAGG 2940
GCACGCTGGC AGCTTCTCC CCGCTGCATG ACGAGCTTTT CCGAAGGATC CTTTCAAGCC 3000
CTATGAAGTT TTTTGCACAG ACCCCACAGG GGAGGATTCT CAACAGGTTT TCCAAAGACA 3060
TGGATGAAGT TGAOGTGGCG CTGCCGTTCC AGGCCGAGAT GTTCATCCAG AACGTTATCC 3120
TGGTGTCTTT CTGTGTGGGA ATGATCGCAG GAGTCTTCCC GTGGTTCCTT GTGGCAGTGG 3180
GGCCCTTGT CATCTCTTT TCAGTCTGTC ACATTGTCTC CAGGGTCTG ATTCGGGAGC 3240
TGAAGCGTCT GGACAATATC ACGCAGTAC CTTTCTCTC CCACATCAOG TCCAGCATAC 3300
AGGGCCTTGC CACCATCCAC GCCTACAATA AAGGGCAGGA GTTCTGTCAC AGATACCAGG 3360
AGCTGTGGA TGACAACCAA GCTCCTTTTT TTTTGTATC GTGTGCGATG CCGTGGCTGG 3420
CTGTGCGGCT GGACCTCATC AACATCGCCC TCATCACCAC CACGGGCTG ATGATCGTTC 3480
TTATGCAOAG GCAGATTCCC CCAAGCCTATG CCGGTCTGCG CATCTCTTAT GCTGTCCAGT 3540
TAAACGGGCT GTTCCAGTTT ACGGTGAGAC TGGCATCTGA GACAGAAGCT CGATTCACT 3600
CGGTGAGAG GATCAATCAC TACATTAAGA CTCTGTCTTT GGAAGCACCT GCCAGAATTA 3660
AGAACAAGGC FCCCTCCCTT GACTGGCCCC AGGAGGGAGA GGTGACCTTT GAGAACGCG 3720
AGATGAGGTA CCGAAGAAC TCCCTCTTG TCCTAAAGAA AGTATCCTTC ACGATCAAC 3780
CTAAAGAGAA GATTGGCATT GTGGGGCGGA CAGGATCAGG GAAGTCTCTG CTGGGGATGG 3840
CCCTCTTCCG TCTGGTGGAG TTATCTGGAG GCTGCATCAA GATTGATGGA GTGAGAATCA 3900
GTGATATTGG CCTTGCAGAC CTCGGAAGCA AACTCTCTAT CATTCTCAA GAGCCGGTGC 3960
TGTTCACTGG CACTGTGAGA TCAAATTTGG ACCCTTCAA CCAGTACACT GAAGACCAGA 4020
TTTGGGATGC CCTGGAGAG ACACACATGA AAGAATGTAT TGCTCAGCTA CCTCTGAAAC 4080
TTGAATCTGA AGTATAGGG AATGGGGATA ACTTCTCAGT GGGGGAACGG CAGCTCTGT 4140
GCATAGCTAG AGCCCTGCTC CGCCACTGTA AGATCTGAT TTTAGATGAA GCCACAGCTG 4200
CCATGGACAC AGACAGACAG TTATTGATT C AAGAGACCAT CCGAGAAGCA TTTGCAGACT 4260
GTACCATGCT GACCATGACC CATCGCCTGC ACACGGTCTT AGGCTCCGAT AGGATTATGG 4320
TGCTGGCCCA GGGACAGGTG GTGGAGTTG ACACCCATC GGTCTTCTG TCCAACGACA 4380
GTTCCCGATT CTATGCCATG TTTGCTGCTG CAGAGAACAA GGTCCGCTGC AAGGGCTGAC 4440
TCCTCCCTGT TGAAGAAAGT TCCTTTCTTT AGAGCATTGC CATCCCTGC CTGGGGCGGG 4500
CCCTCATCG CGTCTCTTA CCGAAACCTT GCCTTCTCG ATTTTATCT TCGCACAGCA 4560
GTTCCGGATT GGCTTGTGTG TTTCACTTTT AGGGAGAGTC ATATTTGAT TATTGTATTT 4620
ATTCATATT CATGTAACA AAATTAGT TTTGTCTTA ATTGCACTCT AAAAGGTTCA 4680
GGGAACCGTT ATTATAATT TATCAGAGGC CTATAATGAA GCTTTATAG TGTAGCTATA 4740
TCTATATATA ATTTCTGACA TAGCCATAT TTACAGTGAA AATGTAAGCT GTTTATTTA 4800
TATTAAAATA AGCATGTGC TAATAACAGT GCATATTCT TTCTATCAT TTTGTACAGT 4860
TTGCTGTACT AGAGATCTGG TTTGTCTAT AGACTGTAGG AAGAGTAGCA TTTCACTCT 4920
CTCTAGCTGG TGGTTTCAGC GTGCCAGGT TTCTGGTGT CCAAAGGAAG ACGTGTGGCA 4980
ATAGTGGGCC CTCGACAGC CCCCTCTGCC GCCTCCAC AGCCGCTCCA GGGGTGGCTG 5040
GAGACGGGTG GGGCGGTGA GACCATGCA AGCGCGTGA GTTCTCAGG CTCCTGCCTT 5100
CTGTCTGGT GTCACCTACT GTTCTGTCA GGAGAGCAGC GGGCGAAGC CCAAGCCCTT 5160
TTTCACTCCC TCCATCAAGA ATGGGGATCA CAGAGACATT CCTCCGAGCC GGGGAGTTT 5220
TTTCCGCTCT TCTTCTTTT GCTGTGTTT CTAACAAGA ATCAGTCTAT CCACAGAGAG 5280
TCCACTGCC TCAGTTCTCT ATGGCTGGCC ACTGCACAGA GCTCTCCAG TCCAAGACCT 5340
GTTGGTTCCA AGCCCTGGAG CCAACTGCTG CTTTGTGAGG TGGCACTTT TCAATTCCT 5400
ATTCCACAC CTCACAGT CAGTGGCAGG GCTCAGGATT TCGTGGGCT GTTTTCTTT 5460
CTCACCCAG TCGCAGCAG GTCTCTCTCT CTCTCTCCC TCAAAGTCTG CAACPTTAAG 5520
CAGCTCTGCT TAATCAGTGT CTCACTGCG CAGTAGAAGT TTTGACTGT AAAGAGACCT 5580
ACCTCAGGTT GCTGTGTGCT GTGTGGTTG GTGTGTTCCC GCAAACCCCT TTTGTGCTGT 5640
GGGGCTGGTA GCTCAGTGG GCGTGGTCC TGCTGTCTC AGTTGAATGG TCAGCGTTGC 5700
ATGTGCTGAC CAACTAGACA TTCTGTCCGC TTAGCATGTT TGCTGAACAC CTTGTGGAAG 5760
CAAAAATCTG AAAATGTGAA TAAAATTATT TTGGATTTG TAAAAAAA AAAAAAAA 5820
AAAAAAA AAAA

```

Seq ID NO: 585 Protein sequence
 Protein Accession #: NP_005679.1

```

1      11      21      31      41      51
MKDIDIGKEY IIPSPGYRSV RERTSTSGTH RDREDSKPRR TRPLECQDAL ETAARAEGLS 60
LDASMSQLR ILDREHPKPK YHGLSALKP IRTTSKHQHP VDNAGLFSQM TFSWLSLLAR 120
VAHKKGLSM EDVWLSLKHE SSDVNCRRLE RLWQBELNEV GPDAASLRRV VWIFCRRLI 180
LSIVCLMITQ LAGPSGPAPM VKHLLLEYQA TESNLQYSLL LVLGLLLEI VRSWLSLALTW 240
ALNRYRTGVR LGALLTMAFK KILKLNKIKE KSLGELINIC SNDQORMFEA AAVGSLLAG 300
PVVAILGMIY NVIILGPTGF LGSAVFILFY PAMFPASRLT AYFRKCVAA TDERVQKNE 360
VLTYIKFKIM YAWVKAPSQS VQKIREEERR ILEKAGYPQG ITVGVAPIVV VIASVVTFSV 420
HMTLGFDLTA AQAFVTVTVF NSMTFALKVT PFSVKLSSEA SVAVDRFKSL FLMEVHMIIK 480
NKPASPHIKI EMKWATLAWD SSHSSIQNSP KLTPKMKRDK RASRGKKEKV RQLQRTEHQA 540
VLAEQKHILL LDSDERPSP EEBGKHILHG HLRLQRTLHS IDLEIQEGLK VGICGSVSGS 600
KTSLISAILG QMTLLEGSIA ISGTPAYVAQ QAWILNATLR DNILFGKEYD EERYNSVLNS 660
CCLRPDLAIL PSSDLTEIGE RGNLSSGQQR QRISLARALY SDRSIYILDD PLSALDAHVG 720
NHIFNSAIRK HLKSKTVLFF THQLQYLVDK DEVIPMKEGC ITERGTHEEL MNLNGDYATI 780
FNNLLGETP PVEINSKKET SSGSKKSQDK GPKTGSVKKE KAVKPEBGQL VQLEBKGGQS 840

```

VPNSVYGVYI QAAGGPLAFL VIMALFMLNV GSTAFSTWWL SYWIKQSGSN TTVTRGNETS 900
 VSDSMKDNPH MQYYASIYAL SMAVMLILKA IRGVVFKGT LRASSRLHDE LFRRLRSPM 960
 KFFDTTPTGR ILNRFKMDK EVDVRLPFQA EMFIQNVILV FFCVGMIAGV FPWFLVAVGP 1020
 5 LVILFVSLHI VSRVLIRELK RLDMITQSPF LSHITSSIQG LATIHAYNKG QBFHLRYQEL 1080
 LDDNQAPFFL PFCAMRWLAV RLDLISIALI TTGLMIVLM HGOIPPAYAG LAISYAVQLT 1140
 GLFQPTVRLA SETEARFTSV ERINHYIKTL SLEAPARIKN KAPSPDWPQE GEVTFENAEM 1200
 RYRENLPVLV KKVSFYIKPK EKIGIVGRTO SGKSSLMAL FRLVELSGGC IKIDGVRIED 1260
 IGLADLRSLK SIIPQEPVLF SGTVRSNLDP FNQYTEDQIW DALERTHMKR CIAQLPLKLE 1320
 10 SEVMENGDNF SVGERQLLCI ARALLRHCKI LILDEATAAM DTETDLLIQE TIREAFADCT 1380
 MLTIAHRLHT VLGSDRIMVL AQQQVVEFDT PSVLLSNDSS RFYAMFAAAE NKVAVKG

Seq ID NO: 586 DNA sequence
 Nucleic Acid Accession #: NM_001327.1
 Coding sequence: 89..631

1 11 21 31 41 51
 | | | | | |
 AGCAGGGGGC GCTGTGTGTA CCGAGAATAC GAGAATACCT CGTGGGCCCT GACCTTCTCT 60
 CTGAGAGCCG GGCAGAGGCT CCGAGGCCAT GCAGGCCGAA GCGCGGGGCA CAGGGGGTTC 120
 20 GACGGGCGAT GCTGATGGCC CAGGAGGCCC TGGCATTCTT GATGGCCCG GGGGCAATGC 180
 TGGCGGCCCA GGAGAGGCGG GTGCCACGGG CGCAGAGGTT CCCCAGGGGC CAGGGGCGAG 240
 AAGGGCCTCG GGGCCGGGAG GAGGCGCCCC GCGGGTCCG CATGGCGGCG CGGCTTCAGG 300
 GCTGAATGGA TGCTGCAGAT GCGGGGCCAG GGGGCGGAG AGCCGCCTGC TTGAGTTCTA 360
 25 CCTCGCCATG CCTTTCCGCA CACCCATGGA AGCAGAGCTG GCCCGCAGGA GCCTGGCCCA 420
 GGATGCCCCA CCGCTTCCCG TGCCAGGGGT GCTTCTGAAG GAGTCACTG TGTCCGGCAA 480
 CATACTGACT ATCCGACTGA CTGCTGCAGA CCACCCCAA CTGCAGCTCT CCATCAGCTC 540
 CTGCTCCAG CAGCTTCCCG TGTGATGTG GATCACGAG TGCTTCTCG CCGTGTTTT 600
 GGCTCAGCCT CCCTCAGGGC AGAGGCGCTA AGCCAGCCT GGCGCCCTT CCTAGGTGAT 660
 30 GCCTCCTCCC CTAGGGAATG GTCCAGCAC GAGTGGCCAG TTCATTGTGG GGGCCTGATT 720
 GTTTGTGCT GTAGGAGGAC GGCTTACATG TTTGTTCTG TAGAAAATAA AACTGAGCTA

Seq ID NO: 587 Protein sequence
 Protein Accession #: NP_001318.1

1 11 21 31 41 51
 | | | | | |
 MQAEGRGTGG STGDADGPGG PGIPDGPGGN AGGPGEAGAT GGRGPRGAGA ARASGPGGGA 60
 PRGPHGGAAS GLNGCCRCGA RGPESRLLEF YLAMPFATPM EAELARRSLA QDAPPLVPFG 120
 40 VLLKEFTVSG NILTIRLTA A DHRQLQLSIS SCLQQLSLLM WITQCFLPVF LAQPPSQRR

Seq ID NO: 588 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 52..459

1 11 21 31 41 51
 | | | | | |
 CCTCGTGGGC CCTGACCTTC TCTCTGAGAG CCGGGCAGAG GCTCCGGAGC CATGCAGGCC 60
 GAAGGCCAGG GCACAGGGGG TTGACGCGGC GATGCTGATG GCCCAGGAGG CCCTGGCATT 120
 50 CCTGATGGCC CAGGGGGCAA TGCTGCGCGC CCAGGAGAGG CCGGTGCCAC GGGCGGCAGA 180
 GTTCCCGGGG GCGCAGGGGC AGCAAGGGCC TCGGGGCCGA GAGGAGGCGC CCGCGGGGGT 240
 CCGCATGGCG GTGCCGCTTC TGCGCAGGAT GGAAGGTGCC CCTCGGGGGC CAGGAGGCGC 300
 GACAGCGCGC TGCTTCAGTT CCGACTGACT GCTGCAGACC ACCGCCAACT GCAGCTCTCC 360
 ATCAGCTCCT GTCTCCAGCA GCTTTCCTG TTGATGTGGA TCACGCACTG CTTTCTGCCC 420
 55 GTGTTTTTGG CTCAGGCTCC CTGAGGGCAG AGGCGCTAAG CCCAGCCTGG CGCCCTTCC 480
 TAGGTCATGC CTCCTCCCT AGGGAATGGT CCCAGCACGA GTGGCCAGTT CATTGTGGGG 540
 GCCTGATTGT TTGTCGCTGG AGGAGGACGG CTTACATGTT TGTTCCTGTA GAAAATAAAG 600
 CTGAGCTA

Seq ID NO: 589 Protein sequence
 Protein Accession #: Eos sequence

1 11 21 31 41 51
 | | | | | |
 MQAEGQGTGG STGDADGPGG PGIPDGPGGN AGGPGEAGAT GGRGPRGAGA ARASGPRGGA 60
 65 PRGPHGGAAS AQDGRPCPGA RRPDSRLQLF RLTAADHRQL QLSISSCLQQ LSLLMWITQC 120
 FLFVFLAQAP SQRR

Seq ID NO: 590 DNA sequence
 Nucleic Acid Accession #: NM_005562.1
 Coding sequence: 90..3671

1 11 21 31 41 51
 | | | | | |
 ACAGCGGAGC GCAGAGTGAG AACCACCAAC CGAGGCGCCG GGCAGCGACC CCTGCAGCGG 60
 75 AGACAGAGAC TGAGCGGCCC GGCAACGCCA TGCCCTGCGT CTGGCTGGGC TGCTGCCTCT 120
 GCTTCTCGCT CCTCCTGCCC GCAGCCCGGG CCACCTCCAG GAGGGAAGTC TGTGATTGCA 180
 ATGGGAAGTC CAGGCAGTGT ATCTTTGATC GGAACCTCA CAGACAACT GGTAATGGAT 240
 TCCGCTGCCT CCACTGCAAT GACAACAATG ATGGCATTCA CTGCAGAAAG TGCAAGAATG 300
 80 GCTTTTACCG GCACAGAGAA AGGGACCGCT GTTTGCCCTG CAATTGTAAC TCCAAGGTT 360
 CTCTTAGTGC TCGATGTGAC AACTCTGGAC GGTGCAGCTG TAAACCAGGT GTGACAGGAG 420
 CCAGATGCGA CCGATGCTG CCAAGCTTCC ACATGCTCAC GGATGCGGGG TGCACCCAAG 480
 ACCAGAGACT GCTAGACTCC AAGTGTGACT GTGACCCAGC TGGCATCGCA GGGCCCTGTG 540
 ACGCGGGCCG CTGTGTCTGC AAGCCAGCTG TTAAGTGGAG ACCTGTGAT AGGTGTCTGAT 600
 CAGGTTACTA TAACTGGAT GGGGGGAACC CTGAGGGCTG TACCCAGTGT TTCTGCTATG 660
 85 GGCAATCAGC CAGCTGCCCG AGCTCTGCAG AATACAGTGT CCATAAGACT ACCTTACCT 720
 TTCATCAAGA TGTGATGAA TGGAAGGCTG TCCAACGAAA TGGGTCTCTT GCAAAGCTCC 780
 AATGGTCACA CCGCCATCCA GATGTGTTTA GCTCAGCCCA ACGACTAGAC CCTGTCTATT 840

	TTGTGGCTCC	TGCCAAATTT	CTTGGGAATC	AACAGGTGAG	CTATGGGCAA	AGCCTGTCTT	900
	TTGACTACCG	TGTGGACAGA	GGAGGCAGAC	ACCCATCTGC	CCATGATGTG	ATTCTGGAAG	960
	TGCTGGTCT	ACCGATCACA	GCTCCCTTGA	TGCCACTTGG	CAAGACACTG	CCTTGTGGGC	1020
	TCACCAAGAC	TTACACATTG	AGGTTAAATG	AGCATCCAAG	CAATAATTTG	AGCCCCACG	1080
5	TGAGTTACTT	TGAGTATCGA	AGGTTACTGC	GGAACTCTAC	AGCCCTCCGC	ATCCGAGCTA	1140
	CATATGGAGA	ATACAGTACT	GGGTACATTT	ACAATGTGAC	CCTGATTTCA	GCCCCCCCTG	1200
	TCTCTGGAGC	CCCAGCAGAC	TGGGTTGAAC	AGTGTATATG	TCCCTGTGGG	TACAAGGGGC	1260
	AATTTCTGCC	GGATTGTGCT	TCTGGCTACA	AGAGAGATTC	AGCGAGACTG	GGGCTTTTGT	1320
	GCACCCTGTAT	TCCTTGTAAAC	TGTCAAGGGG	GAGGGGCCTG	TGATCCAGAC	ACAGGAGATT	1380
10	GTATTTCAGG	GGATGAGAAT	CCTGACATTG	AGTGTGCTGA	TGCCCAATT	GGTTTCTACA	1440
	ACGATCCGCA	CGACCCCCGC	AGCTGCAAGC	CATGTCCCTG	TCATAACCGG	TTGAGCTGCT	1500
	CAGTGATGCC	GGAGACGGAG	GAGGTGGTGT	GCAATAACTG	CCCTCCCGGG	GTCAACGGTG	1560
	CCCGCTGTGA	GCTCTGTGCT	GATGGCTACT	TTGGGGACCC	CTTTGGTGAA	CATGGCCCAG	1620
	TGAGGCGTTG	TCAGCCCTGT	CAATGCAACA	ACAATGTGGA	CCCCAGTGC	TCTGGGAATT	1680
15	GTGACCCGCT	GACAGGCAGG	TGTTTGAAGT	GTATCCACAA	CACAGCCGGC	ATCTACTCGG	1740
	ACCAGTGCAA	AGCAGGCTAC	TTGGGGGACC	CATTGGCTCC	CAACCCAGCA	GACAAGTGTG	1800
	GAGCTTGCAG	CTGTAAACCC	ATGGGCCTAG	AGCCTGTAGG	ATGTCGAAAT	GATGGCACCT	1860
	GTGTTTGCAG	CCCAGGATT	GGTGGCCCCA	ACTGTGAGCA	TGGAGCATTG	AGCTGTCCAG	1920
20	CTTGCTATAA	TCAAGTGAAG	ATTGAGATGG	ATCAGTTTAT	GCAGCAGCTT	CAGAGAATGG	1980
	AGGCCCTGAT	TTCAAAAGCT	CAGGGTGGTG	ATGGAGTAGT	ACCTGATACT	GAGCTGGAAG	2040
	GCAGGATGCA	GCAGGCTGAG	CAGGCCCTTC	AGGACATTCT	GAGAGATGCC	CAGATTTTCC	2100
	AAGGTGCTAG	CAGATCCCTT	GGTCTCCAGT	TGGCCAAGGT	GAGGAGCCAA	GAGAACAGCT	2160
	ACCAGAGCCG	CCTGGATGAC	CTCAAGATGA	CTGTGGAAAG	AGTTCGGGCT	CTGGGAAGTC	2220
	AGTACCAGAA	CCGAGTTCTG	GATACTCACA	GGCTCATCAC	TGAGATGCAG	CTGAGCCTGG	2280
25	CAGAAAAGTA	AGCTTCCCTG	GGAAACAATA	ACATTCCCTG	CTCAGACCAC	TACGTGGGGC	2340
	CAAAATGGCTT	TAAAAGTCTG	GCTCAGGAGG	CCACAAGATT	AGCAGAAAAG	CACGTTGAGT	2400
	CAGCCAGTAA	CATGGAGCAA	CTGACAAGGG	AAACTGAGGA	CTATTCCAAA	CAAGCCCTCT	2460
	CACCTGGTGC	CAAGGCCCTG	CATGAAGGAG	TCGGAAGCGG	AAGCGGTAGC	CCGGACGGTG	2520
	CTGTGGTGCA	AGGGCTTTGT	GAAAAATTGG	AGAAAACCAA	GTCCCTGGCC	CAGCAGTTGA	2580
30	CAAGGGAGGC	CACCTCAAGC	GAAAATTGAAG	CAGATAGGTC	TTATCAGCAC	AGTCTCCGCC	2640
	TCTCGGATTC	AGTGTCTCGG	CTTCAGGGAG	TCAGTGATCA	GTCCCTTCAG	GTGGAAGGAG	2700
	CAAAAGAGGAT	CAAAACAAAA	GCGGATTCAC	TCTCAACGCT	GGTAACCAGG	CATATGAGATG	2760
	AGTTCAAGCG	TACACAAAAG	AATCTGGGAA	ACTGGAAAGA	AGAAGCACAG	CAGCTCTTAC	2820
	AGAAATGGAAA	AAATGGGAGA	GAGAAATTCG	ATCAGCTGCT	TTCCCTGCCC	AATCTTGCTA	2880
35	AAAGCAGAGC	ACAAGAAGCA	CTGAGTATGG	GCAATGCCAC	TTTTTATGAA	GTGAGAGCA	2940
	TCTTAAAAAA	CCTCAGAGAG	TTTGACCTGC	AGGTGGACAA	CAGAAAAGCA	GAAGCTGAAG	3000
	AAGCCATGAA	GAGACTCTCC	TACATCAGCC	AGAAGGTTTC	AGATGCCAGT	GACAAGACCC	3060
	AGCAAGCAGA	AAGAGCCCTC	GGGAGCGCTG	CTGCTGATGC	ACAGAGGGCA	AAGAATGGGG	3120
40	CCGGGGAGGC	CCTGGAATTC	TCCAGTGAGA	TTGAACAGGA	GATTTGGAGT	CTGAACCTGG	3180
	AAGCCAATGT	GACAGCAGAT	GGAGCCTTGG	CCATGGAAAA	GGGACTGGCC	TCTCTGAAGA	3240
	GTGAGATGAG	GGAAATGGAA	GGAGAGCTGG	AAAGGAAGGA	GCTGGAGTTT	GACACGAATA	3300
	TGGATGCAGT	ACAGATGGTG	ATTACAGAAG	CCCAGAAGGT	TGATACCAGA	GCCAAGAAGC	3360
	CTGGGGTTAC	AACTCAAAGC	ACACTCAACA	CATTAGACGG	CCTCCTGCAT	CTGATGGACC	3420
	AGCCTCTCAG	TGTAGATGAA	GAGGGGCTGG	TCTTACTGGA	GCAGAAAGCTT	TCCCAGGCCA	3480
45	AGACCCAGAT	CAACAGCCAA	CTGCGGCCCA	TGATGTCAGA	GCTGGAAGAG	AGGGCACGTC	3540
	AGCAGAGGGG	CCACCTCAGT	TTGTGTGGGA	CAAGCATAGA	TGGGATTCTG	GCTGATGTTA	3600
	AGAACTTGGG	GAACTATAGG	GACAACCTGC	CCCCAGGCTG	CTACAATACC	CAGGCTCTTG	3660
	AGCAACAGTG	AACTGTCCAT	AAATATTTCT	CAACTGAGGT	TCTTGGGATA	CAGATCTCAG	3720
	GGCTCGGGAG	CCAATGTATG	TGAGTGGGTG	GGATGGGGAC	ATTTGAACAT	GTTTAAATGG	3780
50	TATGCTCAGG	TCAACTGACC	TGACCCCAT	CCTGATCCCA	TGGCCAGGTT	GTGTTCTTAT	3840
	TGCACCATAC	TCTTGTGCTC	CTGATGCTGG	GCAATGAGGC	AGATAGCACT	GGGTGTGAGA	3900
	ATGATCAAGG	ATCTGGACCC	CAAAGAATAG	ACTGGATGGA	AAGACAAACT	GCACAGGCAG	3960
	ATGTTTGGCT	CATAATAGTC	GTAAGTGAGG	TCCCTGGAAAT	TGGACAAGTG	CTGTTGGGAT	4020
	ATAGTCAACT	TATCTTCTGA	GTAATGTGAC	TAAAGGAAAA	AACTTTGACT	TGCCCCAGGC	4080
55	ATGAAATCTT	TCTAATGTCT	AGAACAAGAT	GCAACCCAGT	CACACTGTGG	CCAGTAAAT	4140
	ACTATTGCCT	CATATTGTCC	TCTGCAAGCT	TCTTGTCTGAT	CAGAGTTCTT	CCTACTTACA	4200
	ACCCAGGGTG	TGAACATGTT	CTCCATTTTC	AAGCTGGAAG	AAGTGAAGCG	TGTTGGAGTG	4260
	AGGACCTGTA	AGGAGGCCC	ATTCAGAGCT	ATGGTCTTTG	CTGGTGCCCT	CCACCTTCAA	4320
60	GTCTGGAACC	TGGGCATGAC	ATCCTTTCTT	TAAATGATGC	CATGGCAACT	TAGAGATTGC	4380
	ATTTTATATA	AAGCAATTTC	TACCAGCAAA	GCAAAATGTT	GGAAAGTATT	TACTTTTTCG	4440
	GTTCAAAGT	GATAGAAAAG	TGTGGCTTGG	GCAATGAAAG	AGGTAAATTT	CTCTAGATTT	4500
	ATTAGTCTTA	ATTTCAATCT	ACTTTTTCGA	CACCAAAAT	GATGCGCATC	AATGTTATTT	4560
	ATCTTATTTT	CTCAATCTCC	TCTCTTTTTC	CTCCACCCAT	AATAAGAGAA	TGTTCTTACT	4620
	CACACTTCAG	CTGGGTGACA	TCCATCCCTC	CATTTCATCT	TCCATCCATC	TTTCCATCCA	4680
65	TTACCTCCAT	CCATCTTCC	AACATATATT	TATTGAGTAC	CTACTGTGTC	CCAGGGGCTG	4740
	GTGGGACAGT	GGTGACATAG	TCTCTGCCCT	CATAGAGTTG	ATTGTCTAGT	GAGGAAGACA	4800
	AGCATTTTTA	AAAAATAAAT	TAAAACCTAC	AAACTTTGTT	TGTCACAAGT	GGTGTATTAT	4860
	GCAATAACCG	CTTGGTTTGC	AACTCCTTGT	CTCAACAGAA	CATATGTTGC	AAGACCCTCC	4920
	CATGGGGGCA	CTTGGATTTT	GGCAAGGCTG	ACAGAGCTCT	GGTGTGTCG	CATTTCTTTG	4980
70	CATTCCAGCT	GTCACCTCTG	GCCTTTCTAC	AACTGATTGC	AACAGACTGT	TGAGTTATGA	5040
	TAAACCCAGT	GGGAATGTCT	GGAGGAACCA	GAGGCACTTC	CACCTGGCTG	GGGAAGACTA	5100
	TGGTGTCTCC	TGCTTCTCTG	ATTTCTCTTG	ATTTCTCTGA	AAGTGTTTT	AAATAAGAAA	5160
	CAATTGTTAG	ATGCC					

Seq ID NO: 591 Protein sequence
Protein Accession #: NP_005553.1

	1	11	21	31	41	51	
80							60
	MPALWLGCCL	CFSLLLPAAR	ATSRRREVDCD	NGKSRQCIYFD	RELHRQTGNG	FRCLNCDNDNT	
	DGIHCEKCKN	GFYRHRERDR	CLPCNCNSKG	SLSARCDNSG	RCSCKPGVTG	ARCDRLPFG	120
	HMLTDAGCTQ	DQRLLDSKCD	CDPAGIAGPC	DAGRCVCKPA	VTGERCDRCR	SGYYNLDGGN	180
	PEGCTQCFCY	GHSASCRSSA	EYSVHKITST	FHQDVGWKA	VQRNGSPAKL	QWSQRHODVF	240
	SSAQRDPVY	FVAPAKFLGN	QQVSYGQSLG	FDYRVDRRGR	HPSAHDVILE	GAGLRITAPL	300
85							360
	MPLGKTLPCG	LTKTYTPRLN	EHPSNWNWSPQ	LSYFEYRLL	RNLTA LRIRA	TYGEYSTGYI	
	DNVTLISARP	VSGAPAPWVE	QCICPVGYKG	QFCQDCASGY	KRDSARLGF	GTCIPCNQCG	420
	GGACDPDGD	CYSGDENPDI	ECADCPIGFY	NDPHDPRSC	PCPCNHPFSC	SVMPTETEYV	480

CNNCPGVG ARCELCADGY FGDPFGEHGP VRPCQPCQN NNVDPSASGN CDRLTGRCLK 540
 CIHNTAGIYC DQCKAGYFGD FLAPNPADKC RACNCNPMGS EPVGRSDDGT CVCKPGFGGP 600
 NCEHGAFSCP ACYNQVKIQM DQFMQQLQRM EALISKAQGG DGVVPTDELE GRMQAEQAL 660
 QDILRDAQIS EGASRSLGLQ LAKVRSQENS YQSRLLDLKM TVERVRALGS QYQNRVRDTH 720
 RLITQMLSL AESEASLNT NIPASDHYVG PNGFKSLAQE ATRLAESHVE SASNMEQLTR 780
 ETEDYSKQAL SLVRKALHEG VSGSGSPDG AVVQGLVEKL EKTSLAQQL TREATQAEIE 840
 ADRSYQHSR LLDSVSRLLQ VSDQSFQVEE AKRIKQKADS LSTLVTRHMD EPKRTQKNLG 900
 NWKEEAQQLL QNGKSGRKS DQLLSRANLA KSRAQEALSM GNATFYEVES ILKNLREFDL 960
 QVDNRKAEAE EAMKRLSYIS QKVDASDKT QQAERALGSA AADAQRAKNG AGEALEISSE 1020
 IEQEIGSLNL EANVTDGAL AMEKGLASLK SEMREVEGEL ERKELEFDTN MDAVQMVITE 1080
 AQKVDTRAKN AGVTTQDTLN TLDGLLHMD QPLSVDEEGL VLLEQKLSRA KTQINSQLRP 1140
 MMSELEERAR QQRGHLHLE TSIDGILADV KNLENIRDNL PPGCYNTQAL EQQ

Seq ID NO: 592 DNA sequence
 Nucleic Acid Accession #: AF101051.1
 Coding sequence: 221.856

1 11 21 31 41 51
 | | | | | |
 20 GAGCAACCTC AGCTTCTAGT ATCCAGACTC CAGCGCCGCC CCGGGCGCGG ACCCCAACCC 60
 CGACCCAGAG CTCTCCAGC GCGGGCGCAG CGAGCAGGC TCCCCTTCTC AACTTCTCTC 120
 GCGGGGCCA GCCACCTCG GAGTCCCGG TTGCCACCT GCAAACTCTC CGCTTCTG 180
 ACCTGCCACC CCTGAGCCAG CCGGGCGGCC CGAGCGAGTC ATGGCCAACG CCGGGCTGCA 240
 GCTGTGGGC TCATTCTCG CCTTCTCGG ATGGATCGGC GCCATCGTCA GCACCTGCCT 300
 25 GCCCAGTGG AGGATTTACT CCTATGCCG CGACAACATC GTGACCGCCC AGGCCATGTA 360
 CGAGGGGCTG TGGATGCTCT GCGTGTGCGA GAGCACCGG CAGATCCAGT GCAAAGTCTT 420
 TGACTCTTG CTGAATCTGA GCAGCACATT GCAAGCAACC CGTGCCTTGA TGGTGGTTGG 480
 CATCTCTCTG GGAGTGATAG CAATCTTTGT GCCACCGCTT GGCATGAAGT GTATGAAGTG 540
 CTGGGAAGAC GATGAGGTGC AGAAGATGAG GATGGCTGTC ATTGGGGGTG CGATATTTCT 600
 30 TCTTGCAAGT CTGGCTATTT TAGTTGCCAC AGCATGGTAT GGCAATAGAA TCGTTCAAGA 660
 ATTCTATGAC CCTATGACCC CAGTCAATGC CAGGTACGAA TTTGGTCAGG CTCTCTTCC 720
 TGGCTGGGCT GCTGCTTCTC TCTGCCCTTCT GGGAGGTGCC CTACTTTGCT GTTCTGTCTC 780
 CCGAAAAACA ACCTCTTACC CAACACCAAG GCCCTATCCA AAACCTGCAC CTTCCAGCGG 840
 GAAAGACTAC GTGTGACACA GAGGCAAAA GAGAAAAACA TGTTGAAACA AACCGAAAA 900
 35 GGACATTGAG ATACTATCAT TAACATTAGG ACCTTAGAAT TTTGGGTATT GTAATCTGAA 960
 GTATGGTATT ACAAACAACA CAACAACA AAAAACCCTAT GTGTTAAAT ACTCAGTGCT 1020
 AAACATGGCT TAATCTTATT TTATCTTCTT TCCTCAATAT AGGAGGGAAG ATTTTACCAT 1080
 TTGTATTACT GCTTCCCATT GAGTAATCAT ACTCAATAG GGAAGGGGT GCTCCCTAAA 1140
 TATATATAGA TATGTATATA TACATGTTTT TCTATTAATA ATAGACAGTA AAATACTATT 1200
 40 CTCATTATGT TGACTACTAG ATACTTAAAA TATCTCTAAA ATAGGTAAAT GTATTTAAT 1260
 CCATATTGAT GAAGATGTTT ATTGGTATAT TTTCTTTTTC GTCCTTATAT ACATATGTAA 1320
 CAGTCAAATA TCAATTTACT TTCTTCATTA GCTTTGGGTG CCTTTGCCAC AAGACCTAGC 1380
 CTAATTTACC AAGGATGAAT TCTTTCAATT CTTCAATGCT GCCCTTTTCA TATACTTATT 1440
 45 TTATTTTTTA CATAACTCT ATAGCACTTG CATCGTTATT AAGCCCTTAT TTGTTTTGTG 1500
 TTTCATTGGT CTCTATCTCC TGAATCTAAC ACATTTTATA GCCTACATTT TAGTTTCTAA 1560
 AGCCAAGAAG AATTTATTAC AAATCAGAAC TTTGGAGGCA AATCTTTCTG CATGACCAA 1620
 GTGATAAAT CTGTTGACC TTCCACACA ATCCCTGTAC TGTGACCCAT AGCACTCTTG 1680
 TTTGCTTGA AATATTGTT CCAATTGAGT AGCTGCATGC TGTTCGCCCA GGTGTGTGAA 1740
 50 CACAACCTTA TTGATGAAAT TTTTAACTA CTTATTCATA GTTTTATATC CCCTAAACT 1800
 ACCTTTTTGT TCCCATCTC TTAATGTAT TGTTTTCCA AGTGAATTA TCAATGCGTT 1860
 TATATCTCC TAATAAGGTG TGGTCTGTT GTCTGAACAA AGTGTAGAC TTTCTGGAGT 1920
 GATAATCTGG TGACAAATAT TCTCTGTGA GCTGTAAGCA AGTCACTTAA TCTTCTACC 1980
 TCTTTTTTCT ATCTGCCAAA TTGAGATAAT GATACTTAAC CAGTTAGAAG AGGTAGTGTG 2040
 55 AATATTAAT AGTTTATATT ACTCTCACTC TTGAAACATG AACTATGCCT ATGTAGTGTG 2100
 TTATTTGCT CAGCTGGCTG AGACACTGAA GAAGTCACTG AACAAAACCT ACACACGTAC 2160
 CTTCAATGTA TCACTGCTC TCTCTCTCT ACCAGTCTAT TTCCAAGTAA CAAAACCTAC 2220
 ACACATACCT TCATGTGTT CAGTGCCTTC CTCTCTCTAC CAGTCTATTT CCACTGAACA 2280
 AAACCTAGC ACATAACCTC ATGTGGCTCA GTGCCCTTCT CTCTCTACCA GTCATTTCC 2340
 60 ATCTTTTCTG CTGTGCTGTA CATGTTTGTG CTCTGTCCA TTTTAAACAC TGCTCTTACT 2400
 TTCCAGTCT GTACAGAATG CTATTTCACT TGAGCAAGAT GATGTATGGA AAGGGTGTG 2460
 CCACTGGTGT CTGGAGACT GGAATTTGAGT CTGGTGTGTA TCAATCACCG TCTGTGTTG 2520
 AGCAAGGCAT TTGGCTGCTG TAAGCTTATT GCTTCATCTG TAAGCGGTGG TTTGTAATTC 2580
 CTGATCTTC CACCTCACG TGATGTTGTG GGGATCCAGT GAGATAGAAT ACATGTAAGT 2640
 65 GTGGTTTTGT AATTTGAAAA GTGCTATACT AAGGGAAAAA ATTGAGGAAT TAACCTGATA 2700
 CGTTTTGGTG TTGCTTTTCA AATGTTTGA AATAAAAAAA TGTTAAGAAA TGGGTTTCTT 2760
 GCCTTAACCA GTCTCTCAAG TGATGAGACA GTGAAGTAAA ATTGAGTGCA CTAACCGAAT 2820
 AAGATTCTGA GGAAGTCTTA TCTCTGCGAG TGAGTATGGC CCAATGCTTT CTGTGGCTAA 2880
 ACAGATGTA TGGGAAGAAA TAAAGCCTA CGTGTTGGTA AATCCAACAG CAAGGGAGAT 2940
 70 TTTTGAATCA TAATAACTCA TAAGGTGCTA TCTGTTCACT GATGCCCTCA GAGCTCTG 3000
 TGTAGCTGG CAGCTGAGCG TGCTAGGATA GTTAGTTGG AATGGTACT TCATAATAA 3060
 CTACACAAG AAAGTACGCC ACCGTGCTT ATGAGGAAT GGACCTAATA AATTTTAGT 3120
 TGCTTCCAA ACCTGAGAT ATATGCTTTT GGAAGTAAA ATTTAAATGG CTTTGGCCAC 3180
 ATACATAGAT CTTCAATGAT GTGAGTGTG ATTCCATGTG GATATCAGTT ACCAACCAT 3240
 75 ACAAAAAAT TTTATGGCCC AAAATGACCA ACGAAATGT TACAATAGAA TTTATCCAAT 3300
 TTTGATCTTT TTATATCTCT CTACCAACC TGGAAACAGA CCAATAGACA TTTTGGGGTT 3360
 TTATAATGGG AATTTGTATA AAGCATTACT CTTTTTCAAT AAATGTTTT TTAATTTAAA 3420
 AAAAGGAAA AAAAAAAA AAA

Seq ID NO: 593 Protein sequence
 Protein Accession #: AAD16433.1

1 11 21 31 41 51
 | | | | | |
 85 MANAGLQLLG FILAFLGWIG AIVSTALPQW RIYSYAGDNI VTAQAMYEGL WMSVCSQSTG 60
 QIQCKVFDL LNLSSLTQAT RALMVVGLLL GVIAIFVATV GMKMKCLEED DEVQKMRMAV 120
 IGGAIFFLAG LAILVATAWY GNRIVQBFYD PMTPVFNARYE FGQALFTGWA AASLCLLGG 180
 LKCCSCPRT TSYPTRPYV KPARSSGKDY V

Seq ID NO: 594 DNA sequence
Nucleic Acid Accession #: NM_006180.1
Coding sequence: 352..2820

5
1 11 21 31 41 51
CCCCATTGG CATCTAACAA GGAATCTGCG CCCAGAGAG TCCCGGACGC GCGCGTCCG 60
TGCCCGCGGC GCCCGGCCAT GCAGCGACGG CCGCCGCGGA GCTCCGAGCA GCGGTAGCGC 120
10 CCCCTGTAA AGCGGTTGCG TATGCCGGGA CCACTGTGAA CCCTGCGCGC TGCCGGAAAC 180
CTCTTCGCTC CGSACCAGCT CAGCCTCTGA TAAGCTGGAC TCGGCACGCC CGCAACAAGC 240
ACCGAGGAGT TAAGAGAGCC GCAAGCGCAG GGAAGGCCTC CCCGCACGGG TGGGGGAAAG 300
CGGCCGGTGC AGCGCGGGGA CAGGCACTCG GGCTGGCACT GGCTGTAGG GATGTGCTCC 360
TGGATAAGGT GGCATFGACC CGCCATGGCG CGGCTCTGGG GCTTCTGCTG GCTGGTGTGT 420
15 GGCTTCTGGA GGGCCGCTTT CGCCTGTCCC ACGTCTGCA AATGCAGTGC CTCTCGGATC 480
TGGTGCAGCG ACCCTTCTCC TGGCATCGTG GCATTTCOGA GATTGGAGCC TAACAGTGT 540
GATCCTGAGA ACATCACCGA AATTTTCATC GCAAACCAGA AAAGGTAGA AATCATCAAC 600
GAAGATGATG TTGAAGCTTA TGTGGGACTG AGAAATCTGA CAATGTGGA TTCTGGATTA 660
AAATTTGTGG CTCATAAAGC ATTTCTGAAA AACAGCAACC TGCAGCAT CAATTTTACC 720
20 CGAAACAAC TGACGAGTGT GTCTAGGAAA CATTTCGCTC ACCTTGACTT GTCTGAACTG 780
ATCCTGGTGG GCAATCCATT TACATGCTCC TGTGACATTA TGTGGATCAA GACTCTCCAA 840
GAGGCTAAAT CCAGTCCAGA CACTCAGGAT TTGTACTGCC TGAATGAAAG CAGCAAGAAT 900
ATTCGCCCTG CAACCTGCGA GATACCCAAT TGTGGTTTGC CATCTGCAAA TCTGGCCGCA 960
CCTAACCTCA CTGTGGAGGA AGGAAAGTCT ATCACATTAT CCTGTAGTGT GGCAGGTGAT 1020
25 CCGTTTCCCTA ATATGTATTG GGATGTTGGT AACCTGGTTT CCAAACATAT GAATGAAACA 1080
AGCCACACAC AGGGCTCCTT AAGGATAAAT AACATTTCAAT CCGATGACAG TGGGAAGCAG 1140
ATCTCTTGTG TGGCGGAAA TCTTGTAGGA GAAGATCAAG ATTCTGTCAA CCTCACTGTG 1200
CATTTTGCAC CAACTATCAC ATTTCTCGAA TCTCCAACCT CAGACCACCA CTGGTGCATT 1260
CCATTCACTG TGAAAGGCAA CCCCAAACCA GCGCTTCAGT GGTTCATATA CCGGGCAATA 1320
30 TTGAATGAGT CCAATATCAT CTGTACTAAA ATACATGTTA CCAATCACAC GGAGTACCAC 1380
GGCTGCCTCC AGCTGGATA TCCCACTCAC ATGAACAATG GGGACTACAC TCTAATAGCC 1440
AAGAAATGAGT ATGGGAAGGA TGAGAAACAG ATTTCTGCTC ACTTCATGGG CTGGCTCGGA 1500
ATTGACGATG GTGCAAAACC AAATATTCCT GATGTAATTT ATGAAGATTA TGGAACTGCA 1560
GCGAATGACA TCGGGGACAC CAGAACAGA AGTAATGAAA TCCCTTCCAC AGACGTCAC 1620
35 GATAAAACCG GTCGGGAACA TCTCTCGTCC TATGCTGTGG TGGTGAATGC GTCTGTGGTG 1680
GGATTTTGGC TTTTGTAAAT GCTGTTTCTG CTTAAGTTGG CAAGACACTC CAAGTTTGGC 1740
ATGAAAGGCC CAGCTCCGCT TATCAGCAAT GATGATGACT CTGCCAGCCC ACTCCATCAC 1800
ATCTCCAATG GGAGTAACAC TCCATCTTCT TCGGAAGGTG GCCCAGATGC TGTCAATATT 1860
40 GGAATGACCA AGATCCCTGT CATTGAAAAT CCCCACTACT TTGGCATCAC CAACAGTCAG 1920
CTCAAGCCAG ACACATTTGT TCAGCACATC AAGCGACATA ACATTGTTCT GAAAAGGGAG 1980
CTAGGCCAAG GAGCCTTTGG AAAAGTGTTC CTAGCTGAAT GCTATAACCT CTGTCTCTGAG 2040
CAGGACAAGA TCTTGGTGGC AGTGAAGACC CTGAAGGATG CCAAGTACAA TGCACGCAAG 2100
GACTTCCACC GTGAGGCCGA GCTCCTGACC AACCTCCAGC ATGAGCATCAT CGTCAAGTTC 2160
45 TATGGCGTCT GCGTGGAGGG CGACCCCTCC ATCATGGTCT TTGAGTACAT GAAGCATGGG 2220
GACCTCAACA AGTTCTCTAG GGCACACGGC CCTGATGCCG TGCTGATGCC TGAGGGCAAC 2280
CGCCCCACGG AACTGACGCA CTGCGAGATG CTGCATATAG CCCAGCAGAT CGCCCGGGGC 2340
ATGGTCTACC TGGCGTCCCA GCACCTCGTG CACCGCGATT TGGCCACCAG GAACTGCCTG 2400
GTCGGGGAGA ACTTGTCTGT GAAAATCGGG GACTTTGGGA TGTCCCGGGA CGTGTACAGC 2460
50 ACTGACTACT ACAGGGTCCG TGGCCACACA ATGCTGCCCA TTGCTGTGAT GCCTCCAGAG 2520
AGCATCATGT ACAGGAAATT CACGACGGAA AGCGACGCTC GGAGCCTGGG GGTCTGTGTT 2580
TGGGAGATTT TCACCTATGG CAAACAGCCC TGGTACCAGC TGTCAAACAA TGAGGTGATA 2640
GAGTGTATCA CTCAGGCCCG AGTCTCTGAG CGACCCCGCA CGTGCCCCCA GGAGGTGTAT 2700
GAGCTGATGC TGGGGTGTCT GCAGCGAGAG CCCACATGA GGAAGAACAT CAAGGGCATC 2760
55 CATACCTCC TFCAGAACTT GGCCAGGCA TCTCCGGTCT ACCTGGACAT TCTAGGCTAG 2820
GGCCCTTTTC CCCAGACCGA TCCTTCCCAA CGTACTCCTC AGACGGGCTG AGAGGATGAA 2880
CATCTTTTAA CTGCCGCTGG AGGCCACCAA GCTGCTCTCC TTCACTCTGA CAGTATTAAC 2940
ATCAAAGACT CCGAGAAGCT CTCGAGGAAA GCAGTGTGTA CTTCTTATC CATAGACACA 3000
GTATTGACTT CTTTGTGGCA TTATCTCTTT CTCTCTTCC ATCTCCCTTG GTTGTCTCTT 3060
60 TTTCTTTTTT TAAATTTTCT TTTTCTTCTT TTTTCTCGTC TTCCCTGCTT CAGGATTCTT 3120
ACCTTTCTTT TTGAATCAAT CTGGCTTCTG CATTACTATT AACTCTGCAT AGACAAAGGC 3180
CTTAACAAAC GTAATTTGTT ATATCAGCAG ACACTCCAGT TTGCCACCA CCACTAACAA 3240
TGCCTTGTTG TATTCTGACC TTTGATGTGG ATGAAAAAAA GGGAAAAACA ATATTTCACT 3300
TAAACTTTGT CACTTCTGCT GTACAGATAT CGAGAGTTTC TATGGATTCA CTCTATTATA 3360
65 TTTATTATTA TACTGTCTCT TATGTTTTTT GGATGGCTTA AGCCTGTGTA TAAAAAGAA 3420
AACTTGTGTT CAATCTGTGA AGCCTTTATC TATGGGAGAT TAAAACCAGA GAGAAAGAAG 3480
ATTTATTATG AACCGAATA TGGGAGGAAC AAAGACAACC ACTGGGATCA GCTGGTGTCA 3540
GTCCCTACT AGGAAATACT CAGCAACTGT TAGCTGGGAA GAATGTATTC GGCACCTTCC 3600
CCTGAGGACC TTTCTGAGGA GTAAAAAGAC TACTGGCCTC TGTGCCATGG ATGATCTTTT 3660
70 TCCCATCACC AGAAATGATA GCGTGCAGTA GAGAGCAAAG ATGGCTT

Seq ID NO: 595 Protein sequence
Protein Accession #: NP_006171.1

75
1 11 21 31 41 51
MSSWIRWHGP AMARLWGFVW LVVGFWRAAF ACPTSCCKCSA SRIWCSDFSP GIVAFPRLEP 60
NSVDPENITE IFIANQKRLE IINEDDVEAY VGLRNLITVD SGLKFAVHKA FLKNSNLQHI 120
80 NFRNKLKLSL SRKHFRHLDL SELILVGNPF TCSCDIMWIK TLQEAKSPD TODLYCLNES 180
SKNIPLANLQ IPNCLGPSAN LAAPNLVVEE GKSITLSCSV AGDPVPMYW DVGNLVSXHM 240
NETSHTQGLS RITNISDSDS GKQISCVAEV LVGEDQDSVN LTVHFAPTIT FLESPTSDDH 300
WCIPFTVKGK RKPALQWFYV GAILNESKYI CTKIHVTNHT EYHGCLQLDN PTHMNGDYT 360
LIAKNEYGKD EKQISAHFMG WPGIDDGANP NYPDVIYEDY GTAANDIGDT TNRSNEIPST 420
DVTDKTGREH LSVYAVVVIA SVVGFCLLVM LFLKLARHS KFGMKGPASV ISNDDDSASP 480
LHHISNGSNT PSSSEGLPDA VIIGMTRKIPV IENPOVFGIT NSQLKPDFTFV QHIKRHNIVL 540
85 KRELGEAGFG KVFLAECYNL CPEQDKILVA VKTLKADASN ARKDFHREAE LLTNLQHEHI 600
VKFYGVCEVG DPLIMVFYEM KHGDLNKFLR AHGPDVAVLMA EGNPPTLQ SQMLHIAQHI 660
AAGMVYLASQ HFPVHRDLATR NCLVGENLLV KIGDFGMSRD VYSTDYRVVG GHTMLPIRWM 720

PPESIMYRKF TTBSVDVSLG VVLWEIFTYG KQFWYQLSNN EVIECITQGR VLQRPRTCPO 780
EVYELMLGCW QREPHMRKNI KGIHTLLQNL AKASPVYLDI LG

Seq ID NO: 596 DNA sequence
Nucleic Acid Accession #: AF410899
Coding sequence: 483..2999

1 11 21 31 41 51
| | | | | |
10 GGGAGCAGGA GCCTCGCTGG CTGCTTCGCT CGCGCTCTAC GCGCTCAGTC CCCGGCGGTA 60
GCAGGAGCCT GGACCCAGGC GCGGCGGGCG GCGGTGAGGC GCCCGAGCCC GGCTCGAGG 120
TGCATACCGC ACCCCCAATC GCATCTAACA AGGAATCTGC GCCCCAGAGA GTCCCGGAGC 180
CCGCCGGTCC GTGCCCGGCG CGCCGGGCCA TGCAGCGACG GCCCGCGCGG AGCTCOGAGC 240
15 AGCGGTAGCG CCCCCCTGTA AAGCGGTTCC CTATGCCGGG ACCACTGTGA ACCCTGCCGC 300
CTGCCGGAAC ACTCTTCGCT CCGGACCAGC TCAGCCTCTG ATAAGCTGGA CTCCGCAACG 360
CCGCAACAAG CACCGAGGAG TTAAGAGAGC CGCAAGCGCA GGAAGGCCT CCCCGCACGG 420
GTGGGGGAAA GCGGCCGGTG CAGCGCGGGG ACAGGCACCT GGGCTGGCAC TGGCTGCTAG 480
GGATGTCGTC CTGGATAAGG TTGGCATGGAC CCGCATGGC GCGGCTCTGG GGCTTCTGCT 540
GGCTGGTGT GGGCTTCTGG AGGGCCGCTT TCGCCTGTCC CACGTCCTGC AAATGCAGTG 600
20 CCTCTCGGAT CTGCTGCAGC GACCCCTTCT CTGGCATCGT GGCATTTCCG AGATTGGAGC 660
CTAACAGTGT AGATCCTGAG AACATCACCG AAATTTTCAT CGCAAAACCAG AAAAGGTTAG 720
AAATCATCAA CGAAGATGAT GTTGAAGCTT ATGTGGGACT GAGAAATCTG ACAATTGTGG 780
ATTCTGGAT AAAATTTGTG GCTCATAAAG CATTCTGAAA AAACAGCAAC CTGCAGCACA 840
TCAATTTTAC CCGAAACAAA CTGACGAGTT TGCTAGGAAA ACATTTCCGT CACCTTGACT 900
25 TGCTGAACT GATCCTGGTG GGCAATCCAT TTACATGCTC CTGTGACATT ATGTGGATCA 960
AGACTCTCCA AGAGCTAAA TCCAGTCCAG AACTCAGGA TTTGTACTGC CTGAAAGAAA 1020
GCAGCAAGAA TATTCCCCTG GCAAACTGTC AGATAACCCAA TTGTGGTTTG CCATCTGCAA 1080
ATCTGGCCGC ACCTAACCTC ACTGTGGAGG AAGGAAAGTC TATCACATTA TCCTGTAGTG 1140
TGGCAGGTGA TCCGGTCTCT AATATGTATT GGGATGTTGG TAACCTGGTT TCCAAACATA 1200
30 TGAATGAAAC AAGCCACACA CAGGCTCCTT TAAGGATAAC TAAACATTCA TCCGATGACA 1260
GTGGGAAGCA GATCTCTTGT GTGGCGGAAA ATCTGTAGG AGAAGATCAA GATTCTGTCA 1320
ACCTCACTGT GCATTTTTCG CCAACTATCA CATTCTCGA ATCTCCAACC TCAGACCACC 1380
ACTGGTGCAT TCCATTCACT GTGAAAGGCA ACCCCAAACC AGCGCTTCAG TGGTCTATA 1440
ACGGGCAAT ATTGAATGAG TCCAAATACA TCTGTACTAA AATACATGTT ACCAATCACA 1500
35 CCGAGTACCA CCGCTGCCTC CAGCTGGATA ATCCCACTCA CATGAACAAT GGGGACTACA 1560
CTCTAATAGC CAAGAATGAG TATGGGAAGG ATGAGAAAAC GATTTCTGCT CACTTCATGG 1620
GCTGGCCTGG AATGACAGT GGTGCAAAACC CAAATATCC TGATGTAATT TATGAAGATT 1680
ATGGAAGTGC AGCGAATGAC ATCGGGGACA CCACGAACAG AAGTAATGAA ATCCCTTCCA 1740
CAGACGTAC TGATAAAACC GGTCCGGGAC ATCTCTCGGT CTATGCTGTG GTGGTGATTG 1800
40 CGTCTGTGT GGGATTTTGC CTTTTGGTAA TGCTGTTTCT GCTTAAGTTG GCAAGACACT 1860
CCAAGTTTGG CATGAAAGAT TTCTCATGTT TTGGATTTGG GAAAGTAAAA TCAAGACAAG 1920
GTGTTGGCCC AGCCTCCGTT ATCAGCAATG ATGATGACTC TGCCAGCCCA CTCCATCACA 1980
TCTCCAATGG GAGTACACT CCATCTTCTT CGGAAGGTGG CCCAGATGTG GTCAATTATTG 2040
45 GAATGACCAA AAGCCCTGTC ATTGAAAATC CCCAGTACTT TGGCATCACC AACAGTCAGC 2100
TCAAGCCAGA CACATTTGTT CAGCACATCA AGCGACATAA CATTGTTCTG AAAAGGGAGC 2160
TAGGGGAAGG AGCCTTTGGA AAGTGTGTTCC TAGCTGAATG CTATAACCTC TGTCCGTAGC 2220
AGGACAAGAT CTTGGTGGCA GTGAAGACCC TGAAGGATGC CAGTGAACAAT GCACGCAAGG 2280
ACTTCCACCG TGAGGCGGAG CTCCTGACCA ACCTCCAGCA TGAGCACATC GTCAGTTCT 2340
ATGGCGTCTG CGTGGAGGGC GACCCCTTCA TCATGGTCTT TGAGTACATG AAGCATGGGG 2400
50 ACCTCAACAA TTCTCTCAGG GCACACGGCC CTGATGCCGT GCTGATGGCT GAGGGCAACC 2460
CGCCACGGA ACTGACGAG TCGCAGATGC TGATATAGC CCAGCAGATC GCCCGGGGCA 2520
TGGTCTACCT GCGCTCCGAC CACTTCGTGC ACCCGGATTT GGCCACCAGG AACTGCCTGG 2580
TCGGGGAGAA CTTGCTGTG AAAATCGGGG ACTTTGGGAT GTCCCGGAC GTGTACAGCA 2640
CTGACTACTA CAGGTCGGT GGGCACAAA TGCTGCCCAT TCGCTGGATG CCTCCAGAGA 2700
55 GCATCATGTA CAGAAATTC ACGACGAAA GCGACGCTCT GAGCCTGGGG GTCGTGTGT 2760
GGGAGATTTT CACCTATGGC AAACAGCCCT GGTACCAGCT GTCAAAACAAT GAGGTGATAG 2820
AGTGTATCAT TCAGGGCCGA GTCTGACGC GACCCCGCAC GTGCCCCAG GAGGTGATG 2880
AGCTGATGCT GGGGTGCTGG CAGCGAGAGC CCCACATGAG GAAGAACAATC AAGGGCATCC 2940
60 ATACCTCTCT TCAGAACTTG GCCAAGGCAT CTCGGTCTA CCTGGACATT CTAGGCTAGG 3000
GCCTTTTCC CCAGACCGAT CCTTCCCAAC GACTCTCTCA GACGGGCTGA GAGGATGAAC 3060
ATCTTTTAA CCGCTGTGGA GGCCACCAAG CTGCTCTCCT TCACTCTGAG AGTATTAACA 3120
TCAAAGACTC CGAGAAGCTC TCGAGGGAAG CAGTGTGTAC TTCTTCATCC ATAGACACAG 3180
TATGACTCT TTTTGGGAT TATCTCTTTC TCTCTTCCA TCTCCCTTGG TTGTTCTTT 3240
65 TTCTTTT AAATTTCTT TTTCTCTTT TTTTCTGCT TCCCTGCTC ACGATTCCTA 3300
CCCTTTCTTT TGAATCAATC TGGCTTCTGC ATTACTATTA ACTCTGCATA GACAAAGGCC 3360
TTAACAAACG TAATTTGTTA TATCAGCAGA CACTCCAGTT TGCCACCAC AACTAACAAAT 3420
GCCTGTGTG ATCTCTGCCT TTGATGTGGA TGAATAAAG GGAACAACA TATTTCACTT 3480
AACTTTGTC ACTTCTGCTG TACAGATATC GAGAGTTTCT ATGATTACAC TTCTATTTAT 3540
70 TTATTATAT TACTGTTCTT ATGTTTGTG GATGGCTTAA GCCTGTGTAT AAAAAAGAAA 3600
ACTTGTGTT AATCTGTGAA GCCTTTATCT ATGGGAGATT AAAACCAAG AGAAAGAAAG 3660
TTTATTATGA ACCGCAATAT GGGAGGAACA AAGACAACCA CTGGGATCAG CTGGTGTGAG 3720
TCCTACTTA GGAATACTC AGCAACTGTT AGCTGGGAAG AATGTATTTC GCACCTTCCC 3780
CTGAGGACCT TTCTGAGGAG TAAAAAGACT ACTGGCTCT GTGCCATGGA TGATTCTTT 3840
CCCATACCA GAAATGATAG CGTGCAGTAG AGAGCAAAGA TGGCTTCCGT GAGACACAAG 3900
75 ATGGCCGATA GTGTGCTCGG ACACAGTTT GTCTTCTGAG GTTGTGATGA TAGCACTGTT 3960
TTGTTCTCA AGCGCTATCC ACAGAACCTT TGTCAACTTC AGTTGAAAAG AGTGGGATTC 4020
ATGTCCAGAG CTCATTTCCG GGTGAGGTGG GAAAGCC

Seq ID NO: 597 Protein sequence
Protein Accession #: AAL67965.1

1 11 21 31 41 51
| | | | | |
85 MSSWIRWHP AMARLWGFV LVVGFWRAAF ACPTSCKCSA SRIWCSDPSP GIVAFPRLEP 60
NSVDPENITE IFIANQKRLE IINEDDVEAY VGLRNLITVD SGLKPVARKA FLKNSNLQHI 120
NPNRKLKLSL SRKFRHLDL SELILVGNPF TCSCDIMWIK TLQEARSSPD TQDLYCLNES 180
SKNIPLANLQ IPNCGLPSAN LAAPNLTVEE GKSIITLSCSV AGDPVPMNYM DVGNLVSKHM 240

NETSHTQGS L RITNISSDDS GKQISCVAEN LVGEDQDSVN LTVHFAPTIT FLESPTSDDH 300
 WCIPFTVKG N PKPALQWFYN GAILNESKYI CTKIHVNTHT EYHGCLQLDN PTHMNGDYT 360
 LIAKNBYGK D EQKISAHFMG WPGIDDGANP NYPDVIYEDY GTAANDIGDT TNRSNEIPST 420
 DVTDKTGREH LSVYAVVVIA SVVGFCLLVM LFLKLLARHS KFGMKDFSWF GFGKVKSRQG 480
 VGPASVISND DNASPLHHI SNGSNTPESS EGGPDAVIIG MTKIPVIEENP QYFGITNSQL 540
 KPDTFVQHI K RHNIVLKRLE GEGAFGKVF L ABCYNLCPEQ DKILVAVKTL KDADNARKD 600
 FHREAELLTN LQHEHIVKPY GVCVEGDPLI MVPEYMKHGD LNKPLRAHPG DAVLMAEGNP 660
 PTELTSQML HIAQQAAGM VYLASQHFVH RDLATRNCLV GENLLVKIGD FGMSRDVYST 720
 DYYRVGGHTM LPIRWMPES IMYRKFTTES DVWSLGVVLM EIFTYKQFPW YQLSNNEVIE 780
 CITQGRVLQR PRTCPQEVYE LMLGCWQREP HMRKNIKGHI TLLQNLAKAS PVYLDILG

Seq ID NO: 598 DNA sequence
 Nucleic Acid Accession #: AB052906
 Coding sequence: 74..814

1 11 21 31 41 51
 | | | | | |
 AAAACCTGA GGTGATTCAT CTTCCAGGCT CTCCTTCCAT CAAGTCTCTC CTCCTAGCG 60
 CTCTGGGTCC TTAATGGCAG CAGCCGCCGC TACCAAGATC CTCTGTGCC TCCCGTTCT 120
 GCTCCTGCTG TCCGGCTGGT CCGGGCTGG GCGAGCCGAC CCTCACTCTC TTGTCTATGA 180
 CATCACCGTC ATCCCTAAGT TCAGACCTGG ACCACGGTGG TGTGCGGTT C AAGGCCAGT 240
 GGATGAAAAG ACTTTTCTTC ACTATGACTG TGGCAACAAG ACAGTCAAC CTGTCACTCC 300
 CCTGGGGAAG AAACATAATG TCACAACGGC CTGGAAGCA CAGAACCCAG TACTGAGAGA 360
 GGTGGTGGAC ATACTTACAG AGCAACTGCG TGACATTCAG CTGGAGAATT ACACACCCAA 420
 GGAACCCCTC ACCCTGCAGG CCAGGATGTC TTGTGAGCAG AAAGCTGAAG GACACAGCAG 480
 TGGATCTGG CAGTTCAGT TCGATGGGCA GATCTTCTC CTCTTTGACT CAGAGAAGAG 540
 AATGTGGACA ACGGTTTATC CTGGAGCCAG AAAGATGAAA GAAAAGTGGG AGAATGACAA 600
 GGTGTGGCC ATGTCCTTCC ATTACTTCTC AATGGGAGAC TGTATAGGAT GGCTTGAGGA 660
 CTCTTGATG GGCATGGACA GCACCCCTGGA GCCAAGTGCA GGAGCACCAC TCGCCATGTC 720
 CTCAGGCACA ACCCAACTCA GGGCCACAGC CACCACCCCT ATCCTTTGCT GCCTCCTCAT 780
 CATCCTCCCC TGCTTCAATC TCCTGGCAT CTGAGGAGAG TCCTTTAGAG TGACAGGTTA 840
 AAGCTGATC CAAAAGGCTC CTGTGAGCAC GGTCTTGATC AAACCTCGCC TTCTGTCTGG 900
 CCAGCTGCC CCGACCTACG GTGTATGTCC AGTGGCCTCC AGCAGATCAT GATGACATCA 960
 TGGACCCAAT AGCTCATCA CTGCCTTGAT TCCTTTTGCC AACAAATTTA CCAGCAGTTA 1020
 TACCTAACAT ATTATGCAAT TTCTCTTGG TGCTACCTGA TGGAAATCTT GCACTTAAAG 1080
 TTCTGGCTGA CTAACAAGA TATATCATT TCTTCTTCT CTTTTTGT TT GGAAAATCAA 1140
 GTACTTCTT GAATGATAG CTCTTCTTG CAAATGATAT TGTCAAGTAAA ATAATCACGT 1200
 TAGACTTCAG ACCCTCGGG ATTCTTTCG TGCTCTGAAA GAGAATTTT AAATATTTA 1260
 ATAAGAAAAA ATTTATATTA ATGATTGTT CTTTAGTAA TTTATTGTT TGTACTGATA 1320
 TTTAAATAAA GAGTCTATT TCCAAAAA AAAAAAAAAA AA

Seq ID NO: 599 Protein sequence
 Protein Accession #: BAB61048.1

1 11 21 31 41 51
 | | | | | |
 MAAAAATKIL LCLPLLLLL GWSRAGRADP HSLCYDITVI PKFRPGPRWC AVQQQVDEKT 60
 FLHYDCGKNT VTPVSPGK LNVTTAWKAQ NPVLREVVDI LTEQLRDIQL ENYTPKEPLT 120
 LQARMSCEQK AEGHSSGSWQ FSPDQIFLL FDSEKRMWTT VHPGARKMKE KWENDKVVAM 180
 SFHYFSMGDC IGWLEDFLMG MDSTLEPSAG APLAMSSGTT QLRATATLI LCCLLIILPC 240
 FILEPGI

Seq ID NO: 600 DNA sequence
 Nucleic Acid Accession #: NM_001898.1
 Coding sequence: 57..482

1 11 21 31 41 51
 | | | | | |
 GGCTCTCACC CTCCCTCCT CGAGCTCCAG CTTTGTGCTC TGCCCTGTGAG GAGACCATGG 60
 CCCAGTATCT GAGTACCCTG CTGCTCCTGC TGGCCACCCT AGCTGTGCC CTGGCCTGGA 120
 GCCCRAAGGA GAGGATAGG ATAATCCCGG GTGGCATCTA TAACGCAGAC CTCAATGATG 180
 AGTGGGTACA GCGTCCCTT CACTTCGCCA TCAGCGAGTA TAACAAGGCC ACCAAAGATG 240
 ACTACTACAG ACGTCCGCTG CGGGTACTAA GAGCCAGGCA ACAGACCGTT GGGGGGGTGA 300
 ATTACTTCTT CGACGTAGAG GTGGGCCGCA CCATATGTAC CAAGTCCCGC CCCAACTTGG 360
 ACACCTGTGC CTTCCATGAA CAGCCAGAAC TGCAAGAGAA ACAGTTGTGC TCTTTCGAGA 420
 TCTACGAAGT TCCCTGGGAG AACAGAAGGT CCCTGTGTAA ATCCAGGTGT CAAGAATCCT 480
 AGGGAATCTGT GCCAGGCCAT TCGCACCAGC CACCACCCAC TCCCACCCCC TGTAGTGCTC 540
 CCACCCCTGG ACTGGTGGCC CCCACCCCTG GGGAGGCCTC CCCATGTGCC TGGCCCAAGA 600
 GACAGACAGA GAAGCTGCA GGAGTCTCTT GTTGTCTCAG AGGGCGCTCT GCCTCCCTC 660
 CTTCTTCTT GCTTCTAATA GCCCTGGTAC ATGGTACACA CCCCCCACC TCCTGCAATT 720
 AAACAGTAGC ATCGCC

Seq ID NO: 601 Protein sequence
 Protein Accession #: NP_001889.1

1 11 21 31 41 51
 | | | | | |
 MAQYLSTLLL LLATLAVALA WSPKEEDRII PGGIYNADLN DEWVQRALHF AISEYNKATK 60
 DDYRRLRLV LRARQTVGG VNYFFDVEVG RTICTKSQPN LDTCAFHEQP ELQKKQLCSF 120
 EIYVWPWENR RSLVRSRQES S

Seq ID NO: 602 DNA sequence
 Nucleic Acid Accession #: NM_003976.2
 Coding sequence: 299.961

1 11 21 31 41 51
 | | | | | |

CTCTGAGCTT CTCTGAGCCT GTTGTGCTCA TCTGGA AAAA GGGGATTA AA CCATTTACCT 60
 CATGGAGTTG TGAAGAATA GCTGCAAAGC ACCTAACACA TAGTAAGGTT CCCAGTGCAG 120
 CTACTTCTGC TGGGTTGAGT CTAGCTGTGT AGGCCCTTGT TTCCTCACCT GGAGAACTG 180
 GGGTGGCAGG CCGGTCCCCG ACAAAGATA ACTCATCTCT TAATTGCAA GCTGCCTCAA 240
 CAGGAGGGTG GGGGAACAGC TCAACAATGG CTGATGGGCG CTCTCTGGTGT TGATAGAGAT 300
 GGAAC TTGGA CTCTCCAGCT GTCCCACTGC CCCTGGCCTA GGGGGCAGCC 360
 TGCCCTGTGG CCCAGCCTGG CCGCTCTGGC TCTGCTGAGC AGOGTFCGAG AGGCCTCCCT 420
 GGGCTCCGCG CCCCGCAGCC CTGCCCCCGG CGAAGGCCCG CCGCTGTCC TGCGTCCCC 480
 CGCCGCCAC CTGCGGGGGG GACGCACGGC CCGCTGGTGC AGTGGAAAGAG CCCGGCGGCC 540
 GCGCGCGCAG CCGCGCCCCC CCGCGCTGCA CCCCCATCTG CTCTTCCCG 600
 CGGGGGCCGC GGGCGCGGGG CTGGGGGCCG GGGCAGCGCG GCTCGGGCAG CGGGGGCGCG 660
 GGGCTGCCGC CTGCGCTCGC AGCTGGTGGC GGTGCGCGCG CTGCGCTGG GCCACCGCTC 720
 CGACGAGCTG GTCGTCTGGC GCTTCTGCAG CCGCTCCTGC CGCGCGCGCG GCTCTCCACA 780
 CGACCTCAGC CTGGCCAGCC TACTGGGCGC CGGGGCCCTG CGACCGCCCC CGGGCTCCCG 840
 GCCCGTCAGC CAGCCCTGCT GCCGACCCAC GCGCTACGAA GCGGTCTCCT TCATGGACGT 900
 CAACAGCACC TGGAGAACC TGGACCGCCT CTCGCGCACC GCCTGCGGCT GCCTGGGCTG 960
 AGGGCTCGCT CCAGGGCTTT GCAGACTGGA CCCTTACCGG TGGCTCTTCC TGCTGGGAC 1020
 CCTCCCGCAG AGTCCCACTA GCCAGCGGCC TCAGCCAGGG ACGAAGGCTT CAAAGCTGAG 1080
 AGGCCCTAC CCGTGGTGA TGGATATCAT CCCCAGAACG GTGAAGGGAC AACTGACTAG 1140
 CAGCCCCAGA GCCCTCAGCC TGGGATCCC AGCCTAAAAG ACACCAGAGA CCTCAGCTAT 1200
 GGAGCCCTTC GGACCACCTT CTCACAGACT CTGGCACTGG CCAGGCGCTG AACTGGGAC 1260
 CCCTCCTCTG ATGAACACTA CAGTGGCTGA GGCATCAGCC CCCGCCAGG CCCTGTAGGG 1320
 ACAGCATTTG AAGACACAT ATTGCAGTTG CTGGTTGAA AGTGCCCTGT CTGGAAGTGG 1380
 CCTGTACTCA CTCATGGGAG CTGGCCCC

Seq ID NO: 603 Protein sequence
 Protein Accession #: NP_003967.1

1 11 21 31 41 51
 | | | | | |
 MELGLGGLST LSHCPWPRRQ PALWPTLAAL ALLSSVAEAS LGSAPRSPAP REGPPPVLAS 60
 PAGHLPGGRT ARWCSSGRARR PPPQPSRPAP PPPAPPSALP RGGRAARAGG PGRSARAAGA 120
 RGCRLRSQLV PVRALGLGHR SDELVRFRC SGSCRARRSP HDLSLASLLG AGALRPPPGS 180
 RPSVQPCCRP TRYEAVSFMD VNSTWRTVDR LSATACGCLG

Seq ID NO: 604 DNA sequence
 Nucleic Acid Accession #: NM_057091.1
 Coding sequence: 783..1445

1 11 21 31 41 51
 | | | | | |
 ACTGGCCGCT GAGAGAAGAA TCGGGTGGAG CAGAGAGCAG CTGCTGCAGG GCAGACAGCC 60
 GGACCCCAA ATCTGCACGT ACCAGCAGTC AGCCGCCCCA CGCAGGGACC GGCTTACCCC 120
 TCGCTCCCG CCTCACTCA CTTCTCCCG CCCTCGGCC GGCCTCCAG CTCTCTACTT 180
 CGCGTGTCTA CAAACTCAAC TCCCGGTTTC CGTGCCTCTC CACCGCTCGA GTTCTCTACT 240
 CTCATATCC GAGGGGGCCC TCCAGCATC TACCCCTCTC CCAACCTCGG GGGACCTAGC 300
 CAAGCTAGGG GGGACTGGAT CCGACGGGTG GAGCAGCCAG GTGAGCCCCG AAAGGTGGGG 360
 CGGGCAGGG GCGCTCCAG CCCACCCCGG GGATCTGGTG ACGTGGGGC TGGAAATTTGA 420
 CACCGACGG CTGCGGGCGG GGGCAGGAGG CTGCTGAGGG ATGGAGTTGG GCCCGCCCC 480
 CAGACAAGGC CCGGGGGCTC CGCCAGCAGC AGGTCCCTCG GGGCCCCAGC CTGCTGCCA 540
 CCGGGCCTG GAGCCCCACA CCCGAGGGTG CAGACTGGCT GCCAAGGCCA CACTTTTGGC 600
 TAAAGAGGC ACTGCCAGGT GTACAGTCTT GGGCATGCGC TGTTTGAGCT TCGGGGAGA 660
 GCCCAGCACT GGTCCCCGGA AAGGTGCCTA GAAGAACAAG GTGCAGGACC CCGTGTCTGC 720
 TCAACAGGAG GGTGGGGGAA CAGCTCAACA ATGGCTGATG GGGCTCCTG GTGTGATAG 780
 AGATGGAAT TGGACTTGGG GGCCTCTCCA CGTGTCCCA CTGCCCCTGG CTAAGCGGC 840
 AGCTGCCCT GTGGCCACC CTGGCCGCTC TGGCTCTGCT GAGCAGCGTC GCAGAGGCCT 900
 CCCTGGGCTC CGCCCGCCG AGCCCTGCCC CCGCGAAGG CCCCCCGCT GTCTGGCGT 960
 CCCCAGCCG CCACCTGCCG GGGGACGCA CGGCCGCTG GTGCACTGGA AGAGCCCGG 1020
 GGCCGCGCC GCAGCCTTCT CGGCCCGCG CCCCAGCCG TGCACCCCA TCTGCTCTT 1080
 CCGCGGGGG CCGCGCGCG CCGGCTGGG GCCCGGGCAG CCGCGCTCG GCAGCGGGG 1140
 CGCGGGCTG CCGCTGCGC TCGCAGCTGG TGCCGGTGG CGCGCTCGG CTGGCCACC 1200
 GCTCCGACGA GCTGGTGGT TTCCGCTTCT GCAGCGGCTC CTGCGCCCG GCGGCTCTC 1260
 CACAGCACT CAGCCTGGC AGCCTACTGG GCGCCGGGG CCTGCGACG CCCCCGGGT 1320
 CCGGCCCGT CAGCCAGCCC TGCTGCCGAC CCACGCGCTA CGAAGCGGTC TCCTTCATGG 1380
 ACGTCAACAG CACCTGGAGA ACCGTGGACC GCCTCTCCG CACCGCTGCG GGTGCTCTG 1440
 GCTGAGGGCT CGCTCCAGGG CTTTGCAGC TGGACCCCTA CCGGTGGCTC TTCCTGCTG 1500
 GGACCCCTCC GCAGAGTCCC ACTAGCCAGC GGCTCAGCC AGGGACGAAG GCCTCAAAGC 1560
 TGAGAGGCC CTACCGGTGG GTGATGGATA TCATCCCCGA ACAGTGAAG GGACAACCTGA 1620
 CTAGCAGCCC CAGAGCCCTC ACCCTGCGGA TCCAGCCTA AAAGACACCA GAGACCTCAG 1680
 CTATGGAGCC CTTCGAGCC ACTTCTACA GACTCTGGCA CTGGCCAGGC CTGAAACCTG 1740
 GGACCCCTCC TCTGATGAA ACTACAGTGG CTGAGGCATC AGCCCGGCC CAGGCCCTGT 1800
 AGGGACAGCA TTTGAAGGAC ACATATTGCA GTTGCTTGGT TGAAGTGGC TGTGCTGGAA 1860
 CTGGCCTGTA CTCACTATG GAGCTGGCC

Seq ID NO: 605 Protein sequence
 Protein Accession #: NP_003967.1

1 11 21 31 41 51
 | | | | | |
 MELGLGGLST LSHCPWPRRQ PALWPTLAAL ALLSSVAEAS LGSAPRSPAP REGPPPVLAS 60
 PAGHLPGGRT ARWCSSGRARR PPPQPSRPAP PPPAPPSALP RGGRAARAGG PGRSARAAGA 120
 RGCRLRSQLV PVRALGLGHR SDELVRFRC SGSCRARRSP HDLSLASLLG AGALRPPPGS 180
 RPSVQPCCRP TRYEAVSFMD VNSTWRTVDR LSATACGCLG

Seq ID NO: 606 DNA sequence
 Nucleic Acid Accession #: NM_057160.1

Coding sequence: 1..714

5
 10
 15
 20
 25

1	11	21	31	41	51	
ATGCCCGGCC	TGATCTCAGC	CCGAGGACAG	CCCCTCCTTG	AGGTCCTTCC	TCCCCAAGCC	60
CACCTGGGTG	CCCTCTTTCT	CCCTGAGGCT	CCACTTGGTC	TCTCCGCGCA	GCCTGCCCCG	120
TGGCCACACC	TGGCCGCTCT	GGCTCTGCTG	AGCAGCGCTG	CAGAGGCCTC	CCTGGGCTCC	180
GCGCCCGCA	GCCCTGCCCC	CCGGAAGGC	CCCCCGCTG	TCCTGGGCTC	CCCCGCGGCG	240
CACCTGCCGG	GGGAGCCGAC	GGCCCGCTGG	TGCAGTGGAA	GAGCCCGGCG	GCCGCGCGCG	300
CAGCCTTCTC	GGCCCGCGCC	CCCGCGCCT	GCACCCCAT	CTGCTCTTCC	CCGCGGGGGC	360
CGCGCGGCG	GGGCTGGGGG	CCCGGGCAGC	CGCGCTCGGG	CAGCGGGGGC	GCGGGGCTGC	420
CGCCTGCGCT	CGCAGCTGGT	GCCGGTGGCG	CGCCTCGGCC	TGGGCCACCG	CTCCGACGAG	480
CTGGTGCCTT	TCCGCTTCTG	CAGCGGCTCC	TGCCGCGCG	CGCGCTCTCC	ACACGACCTC	540
AGCTGGCCCA	GCCTACTGGG	CGCCGGGGCC	CTGCGACCGC	CCCCGGGCTC	CCGGCCCGTC	600
AGCCAGCCCT	GCTGCCGACC	CACGCGCTAC	GAAGCGGTCT	CCTTCATGGA	CGTCAACAGC	660
ACCTGGAGAA	CCGTGGACCG	CCTCTCGGCC	ACCGCCTGCG	GCTGCCTGGG	CTGAGGGCTC	720
GCTCCAGGGC	TTTGCAACT	GGACCCCTAC	CGGTGGCTCT	TCCTGCCTGG	GACCCCTCCG	780
CAGAGTCCCA	CTAGCCAGCG	GCCTCAGCCA	GGGACGAAGG	CCTCAAAGCT	GAGAGGCCCC	840
TACCGGTGGG	TGATGGATAT	CATCCCCGAA	CAGGTGAAGG	GACAACTGAC	TAGCAGCCCC	900
AGAGCCCTCA	CCCTGCGGCT	CCCAGCCTAA	AAGACACCAG	AGACCTCAGC	TATGGAGCCC	960
TTGGACCCA	CTTCTCACAG	ACTCTGGCAC	TGGCCAGGCC	TCGAACTGG	GACCCCTCCT	1020
CTGATGAACA	CTACAGTGGC	TGAGGCATCA	GCCCCCGCCC	AGGCCCTGTA	GGACAGCAT	1080
TTGAAGGACA	CATATTGCAG	TTGCTTGGTT	GAAAGTGCCT	GTGCTGGAAC	TGGCCTGTAC	1140
TCACTCATGG	GAGCTGGCCC	C				

Seq ID NO: 607 Protein sequence
Protein Accession #: NP_476501.1

30
 35

1	11	21	31	41	51	
MPGLISARGQ	PLLEVLPPQA	HLGALFLPEA	PLGLSAQPAL	WPTLAALALL	SSVAEASLGS	60
APRSPAPREG	PPPVLASPAQ	HLPGGRTARW	CSGRARRPPP	QPSRPAPPPP	APPSALPRGG	120
RAARAGGPGS	RARAAGARGC	RLRSQLVPVR	ALGLGHRSD	LVRFRFCSGS	CRRARSPHDL	180
SLASLLGAGA	LRPPPGSRPV	SQPCCRPTRY	EAVSFMDVNS	TWRTVDRLSA	TACGCLG	

Seq ID NO: 608 DNA sequence
Nucleic Acid Accession #: NM_057090.1
Coding sequence: 29..715

40
 45
 50
 55
 60

1	11	21	31	41	51	
CTGATGGGCG	CTCCTGGTGT	TGATAGAGAT	GGAACCTGGA	CTTGGAGGCC	TCTCCACGCT	60
GTCCCACTGC	CCCTGGCCTA	GGCGGACGCG	TCCACTTGGT	CTCTCCGCGC	AGCCTGCCCT	120
GTGGCCACCC	CTGGCCGCTC	TGGCTCTGCT	GAGCAGCGTC	GCAGAGGCCT	CCTGGGCTCC	180
GCGCCCGCG	AGCCCTGCC	CCCGCAAGG	CCCCCGCCT	GTCCTGGCGT	CCCCGCGCGG	240
CCACTTGGCG	GGGGAGCGCA	CGGCCCGCTG	GTGCAGTGG	AGAGCCCGGC	GGCCGCGGCC	300
GCAGCCTTCT	CGGCCCGCGC	CCCCGCGGCC	TGCACCCCA	TCTGCTCTC	CCCGCGGGGG	360
CGCGCGGCG	CGGCTGGGG	GCCCGGGCAG	CGCGCTCGG	GCAGCGGGGG	GCGGGGCTG	420
CCGCTTGGCG	TGCGAGCTGG	TGCCGGTGGC	CGCGCTCGGC	CTGGGCCACC	GCTCCGACGA	480
GCTGGTGGCT	TTCGCTTCT	GCAGCGGCTC	CTGCCGCGCG	GCGCGCTCTC	CACACGACTC	540
CAGCCTGGCC	AGCCTACTGG	GCGCGGGGGC	CCTGCGACCG	CCCCCGGGCT	CCCGGCCCGT	600
CAGCCAGCCC	TGCTGCCGAC	CCACGCGCTA	CGAAGCGGTC	TCCTTCATGG	ACGTCAACAG	660
CACCTGGAGA	ACCGTGGACC	GCCTCTCGCG	CACCGCCTGC	GGCTGCCTGG	GCTGAGGGCT	720
CGCTCCAGGG	CTTTGCACTG	TGACCCCTTA	CCGGTGGCTC	TTCTTGCCTG	GGACCCCTCC	780
GCAGAGTCCC	ACTAGCCAGC	GGCCTCAGCC	AGGGACGAAG	GCCTCAAAGC	TGAGAGGCC	840
CTACCGGTGG	GTGATGGATA	TCAATCCCCGA	ACAGGTGAAG	GGACAACTGA	CTAGCAGCCC	900
CAGAGCCCTC	ACCTTGGCGA	TCCACGCCCTA	AAAGACACCA	GAGACCTCAG	CTATGGAGCC	960
CTTCGGACCC	ACTTCTACA	GACTCTGGCA	CTGGCCAGGC	CTCGAACCTG	GGACCCCTCC	1020
TCTGATGAAC	ACTACAGTGG	CTGAGGCATC	AGCCCCCGCC	CAGGCCCTGT	AGGGACAGCA	1080
TTTGAAGGAC	ACATATTGCA	GTTGCTTGGT	TGAAAGTGCC	TGTGCTGGAA	CTGGCCTGTA	1140
CTCACTCATG	GGAGCTGGCC	CC				

Seq ID NO: 609 Protein sequence
Protein Accession #: NP_476431.1

65
 70

1	11	21	31	41	51	
MELGLGLST	LSHCPWPRRQ	APLGLSAQPA	LWPTLAALAL	LSSVAEASLG	SAPRSPAPRE	60
GPPPVLASPA	GHLPGGRTAR	WCSGRARRPP	PQPSRPAPPP	PAPPSALPRG	GRAARAGGPG	120
SRARAAGARG	CRLRSQLVPV	RALGLGHRSD	ELVRFRFCSG	SCRARSPHDL	LSLASLLGAG	180
ALRPPGSRPV	VSQPCCRPTR	YEAVSFMDVN	STWRTVDRLS	ATACGCLG		

Seq ID NO: 610 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1746

75
 80
 85

1	11	21	31	41	51	
ATGCCACTGA	AGCATTATCT	CCTTTTGCTG	GTGGGCTGCC	AAGCCTGGGG	TGCAGGGTTG	60
GCCTACCATG	GCTGCCCTAG	CGAGTGTACC	TGCTCCAGGG	CCTCCCAGGT	GGAGTGCACC	120
GGGGCACGCA	TTGTGGCGGT	GCCCACCCCT	CTGCCCTGGA	ACGCCATGAG	CCTGCAGATC	180
CTCAACACGC	ACATCACTGA	ACTCAATGAG	TCCCGTTCC	TCAATATCTC	AGCCCTCATC	240
GCCTGAGGA	TGAGAAGAA	TGAGCTGTGG	CGCATCAGCG	CTGGGGCTCT	CCGAAACCTG	300
GGCTCCCTGC	GCTATCTCAG	CCTCGCCAAC	AACAAGCTGC	AGGTTCTGCC	CATCGGCCTC	360
TTCCAGGGCC	TGGACAGCCT	TGAGTCTCTC	CTTCTGTCCA	GTAACCAAGT	GTTGCAGATC	420
CAGCCGGCCC	ACTTCTCCCA	GTGCAGCAAC	CTCAAGGAGC	TGCAGTTGCA	CGGCAACCAC	480
CTGGAATACA	TCCCTGACGG	AGCCTTCGAC	CACCTGGTAG	GACTCACGAA	GCTCAATCTG	540

	GGCAAGAATA	GCCTCACCCA	CATCTCACCC	AGGGTCTTCC	AGCACCTGGG	CAATCTCCAG	600
	GTCCCTCCGC	TGTATGAGAA	CAGGCTCACG	GATATCCCCA	TGGGCACFTT	TGATGGGCTT	660
	GTAAACCTGC	AGGAACTGGC	TCTACAGCAG	AACCAGATTG	GACTGCTCTC	CCCTGGTCTC	720
5	TTCCACAACA	ACCACAACCT	CCAGAGACTC	TACCTGTCCA	ACAACCACAT	CTCCAGCTG	780
	CCACCCAGCA	TCTTATGCA	GCTGCCCCAG	CTCAACCCTG	TTACTCTCTT	TGGGAATTCC	840
	CTGAAGGAGC	TCTCTCTGGG	GATCTTCCGG	CCCATGCCCA	ACCTGCGGGA	GCTTTGGCTC	900
	TATGACAACC	ACAICTCTTC	TCTACCCGAC	AATGTCTTCA	GCAACCTCCG	CCAGTTGCAG	960
	GTCCTGATTC	TTAGCCGCAA	TCAGATCAGC	TTCATCTCCC	GGGTGCTT	CAACGGGCTA	1020
	ACGGAGCTTC	GGGAGCTGTC	CCTCCACACC	AACGCACTGC	AGGACCTGGA	CGGGAATGTC	1080
10	TTCCGCATGT	TGGCCAACTT	GCAGAACATC	TCCCTGCAGA	ACAATCGCCT	CAGACAGCTC	1140
	CCAGGGAATA	TCTTCGCCAA	CGTCAATGGC	CTCATGGCCA	TCCAGCTGCA	GAACACCAG	1200
	CTGGAGAACT	TGCCCTCCGG	CATCTTCGAT	CACCTGGGGA	AACTGTGTGA	GCTGCGGCTG	1260
	TATGACAATC	CCTGGAGGTG	TGACTCAGAC	ATCCTTCCGC	TCCGCAACTG	GCTCCTGCTC	1320
	AACCAGCCTA	GGTAGGGAC	GGACTCTGTA	CCTGTGTGTT	TCAGCCCAAGC	CAATGTCCGA	1380
15	GGCCAGTCCC	TCATTATCAT	CAATGTCAAC	GTGCTGTTC	CAAGCGTCCA	TGTCCTGAG	1440
	GTGCCTAGTT	ACCAGAAACC	ACCATGGTAC	CCAGACACAC	CCAGTTACCC	TGACACCACA	1500
	TCCGTCTCTT	CTACCACTGA	GCTAACCAGC	CCTGTGGAAG	ACTACACTGA	TCTGACTACC	1560
	ATTCAAGTCA	CTGATGACCG	CAGCGTTTGG	GGCATGACCC	AGGCCACAG	CGGGCTGGCC	1620
	ATTGCCGCCA	TTGTAATTTG	CATTGTCCGC	CTGGCCTGCT	CCCTGGCTGC	CTGCTGCGC	1680
20	TGTTGTCTGT	GCAAGAAAGC	GACCCAAAGT	GTCCGTGATC	AGATGAAGGC	ACCCAATGAG	1740
	TGTTAAAGAG	GCAGGCTGGA	GCAGGGCTGG	GGAAATGATG	GACTGGAGGA	CCTGGGAATT	1800
	TCATCTTTCT	GCCTCCACCC	CTGGGTCCAT	GGAGCTTTCC	CGTGATTGCT	CTTCTGGCC	1860
	CTAGATAAAG	GTGTGCCTAC	CTCTCTCTGA	CTTGCTGTAT	TCTCCGCTAG	AGAAGCAGGT	1920
	CGTGCCGGAC	CTTCTTACAA	TCAGGAAGAT	AGATCCAAC	GGCCATGGCA	AAAGCCCTGG	1980
25	GGATTTCGGA	TTCCATACCC	TGGGCTTCTT	TCGAGAGGGC	TCTTCTCCA	AATCTCCCC	2040
	ACCTGTCTCT	CAAGAAACAGC	CTTCCCTGGC	CCCAGGCCCC	CTCCGGGCTT	CTGTAGACTC	2100
	AGTTAGTCCA	CAGCTGCTC	ACTTCGTGGG	AATAGTTCTC	CGTGTAGATA	GCCCTCTCG	2160
	CCTAAGTATT	ATGTAAGTTG	ATTTCCCTTC	TTTTGTTTCT	CTTGTGTTG	CTATGGCTTG	2220
	ACCCAGCATG	TCCCTCAAA	TGAAAGTTCT	CCCCTTGATT	TTCTGCTCT	GAAGGCAGGG	2280
30	TGAGTTCTCT	CTCCAAAGAA	GACTTCAAAC	CATTAACTG	GTTTCTTAA	AGCCCTCAAT	2340
	CAGCCTGGTT	TTGGGGATGC	TATGAAAGAG	AGAAGGAAA	TCATGCCGCT	CAGTTCCTGG	2400
	AGACAGAAGA	GCCGTCATCA	GTGTCTCACT	TGTGATTTTT	ATCTGGAAA	GAAGAAAACA	2460
	CCCCAGACA	GCAAGCTCAG	CCTTTTAGAG	AAGGATATT	CCAACTGCA	AACTTTGCTT	2520
	TGAAAAGTTT	AGCCCTTAA	GGATGAAAT	CATGTAGAA	TTTGGACTTC	TAAAACATT	2580
35	AAATCAGCT	TATTAATATC	GGATAGAGAA	AGAAATCTGG	TGCCTGGGG	TCCCTGTGTT	2640
	CACCCCTAGA	GTTTGTTTTA	AAATTTTTAA	TTGAAGCATG	TGAAGTGTAC	STGCAGAAA	2700
	GTGGGAACAT	GATAGTGTAT	GGCTGGTGG	ATTTTCAAA	ACTGAAATA	CCTGTGTAAT	2760
	CAGCATCTAG	ACCCAGACC	AGGACATCAC	AAATATCCCC	CATCTGGCC	TTTTCCAGA	2820
	GGAGATGGGG	GCTTCTGAAG	ATGGACTTAC	CTGGGACCTG	CCCCCATGA	GCCAGGACGG	2880
40	TCCCCCACA	GTACAGCTGT	GCAAAGGCC	CGTGGCCAGG	GGTGGAGGAG	AATATGTGGG	2940
	TGTGGACAGG	ATGGGAGACT	GTGCCCTGAA	CAGGAGATTT	TATTATATCT	GGAGACCCTG	3000
	AGAGACCCTG	AGACCTGGGG	CACCATGGCT	GGCCAGGTC	GAAGCATCCT	GACTGCAGAG	3060
	GTCCGTGACG	CCACACCCTC	TTCCCTGCCA	GCAAGTTGTC	TGGGGCTCAT	CGGAGGCCCC	3120
	TCCGCTGGA	GCCTTCTATG	GACGTGATAT	GCCTGTATCT	GTTTTTAATT	TTTACTTCTC	3180
45	ACTTAGGGGA	AGTGAATCG	CTCAGAGATG	AGATCCTTTA	ATTGAAAACG	AAGTGTAAAG	3240
	GAATCTAGTG	TCTTTCTAAT	TGTGTAATA	TCTCCATCAA	CATCACAGTC	AGCTGGCAGC	3300
	TGAACTTCAG	AATCTCACTT	ACAGCAGGGC	ACACGGGGGT	ACACCCGATG	GTCACTACTG	3360
	GTCTGGGGGC	TCCCTGAGC	TCCCTCTGCG	TGTGTTCTGG	TTAGGAGTTG	AGTTGTTTGC	3420
	TCCAGGGTTA	TTCTCTCTCT	CGAGTCACAG	TCACACGAAT	ACCTGCTTTC	TCTGGCTTTC	3480
50	CTGTATACA	CATATCTCAA	TGCGCTCAA	GAAAGTAGCC	TCATGGCAAC	GTGTGTCTTT	3540
	CTCTGGACAA	CTGGCCAGT	TTACAGTGAA	ATGGAGAATT	TCAGGTCTCC	ACGTCTGCC	3600
	AGGAAAAGAC	TTCACTGAC	TCCACGGGGA	TCTGAAATC	CACGACCAAT	CCGATCCGG	3660
	TCTTATTAGC	TCCCCGCTCC	ACAAGACACC	TGTGCTTTGG	AAATCCACCA	CCAATCCCGA	3720
	TGGCTCTTA	TTAGCTCCCC	GCTTCCAAG	ACACCTGTGA	TCTGAAATC	TACCACCAAT	3780
55	CCCGATCCGG	TCTTATTAGC	TCCCCGCTCC	ACAAGACACC	TGTGACATCC	TCCAGGGCCA	3840
	CAGGAGCAGG	TGCTGACCAG	TTTTCCCTTC	CAGTCTCTGC	ACAAAAGTG	TCCAGAGGGC	3900
	TGTTTGCAAA	CAGTAGTGCA	CTTTGTAGCT	TTTACCCCTC	TGTCCCAGGG	AATCTAGGAG	3960
	AGATGAGGCC	CGTCAAGTGC	AAGAGATGTC	ATCCCCCAG	GGTCTCCAAG	GCATTCCAC	4020
	ACTATTGGTG	GCACCTGGAG	GACATGCACC	AAGGCTTGCC	AGAGCCAACA	GGAGTGAGC	4080
60	CCAGAGCATG	GCAATGAGC	ATCACCCGCT	GATGGTGGCC	TGCTGTCCCT	GGTGCCAACA	4140
	GGGGCATCCC	GGCCCGTACC	CTCCAGACA	GGAAGCATGG	GTTTGGCCCA	AGACCTGTGG	4200
	GGTGTCTCTG	TGAGTGGCCT	CCAGATGTCT	TTGTGCATAG	GCACAAGTGG	GCCAGGGCTG	4260
	GAGGGAGGTG	GGAAACCTCA	TCATCCGGTG	GGCCCTGCCA	ATCTTAACCC	AGAACCCTTA	4320
	GGTATTCCCTG	GCAGTAGCCA	TGACATTGGA	GCACCTTCTT	CTCCAGCCAG	AGGCTGACCT	4380
65	GAGGGCCACT	GTCTCAGAT	GACACCAACC	AGGAGCACCC	TAGGTGAGGG	GTGAGGGCCC	4440
	CCTTATGTGA	ACCTCTTGCC	TCTTCTTTC	TCCCATCAGA	GTGGTTGGAT	GGAGCCATTG	4500
	GCCTCCTTTT	CTTCAAGGGG	CCCTTCAACC	TCTCTGCACC	ATGTTGTCTG	GCTGAGGAGC	4560
	TACTAGAAA	GCTGAGTGA	GTCTCCTTTC	CAACAGGATG	ATGCATTGCT	TCAATCTCA	4620
	GGGCTGGAAT	GAGCCGGCTG	GTCCCCCAGA	AAGCTGGAGT	GGGGTACAGA	GTCAGTTTTT	4680
70	CCTCTCTGTT	TACAGTCTCT	TGACAGTCCC	ACGCCATCT	GGAGTGGGAG	CTGGGAGTTA	4740
	GTGTTGGAGA	AGAAACAACA	AAAGCCAATT	AGAACCCTTA	TTTTTAAAAA	GTGCTTACTG	4800
	TGCACAGATA	CTCTTCAAGC	ACTGGACGCT	GATTTCTCT	CTAGCCCTCA	GCACCCCTGC	4860
	GGTAGGAGTG	CCGCTCTTAC	CCACTTGTGA	TGGGGTACAG	AGGCACTTGC	TCTTCTGCAT	4920
	GGTGTTCAT	AGGCTGGGAG	TTTTATTAT	CTCTTCAAAC	TTTGTACAAG	AGCTCATGGC	4980
75	TTGTCTTGGG	CTTCTGTCT	TAAACCAAAG	GAAATGGAAG	CCATTCCCTT	GTGCTCTCC	5040
	TTAGTCTTGG	TCATCAGAAC	CTCACTTGGT	ACCATATAGA	TCAAAGCTT	TGTAACCACA	5100
	GGAAAAATA	AATCTTCCA	TCCCTTAAAG	AATAGAAATG	TTTGTCCCTC	TCATGGGAAT	5160
	TGGCTGTAT	GATATTGTT	CTTCTCTT	AGAATTAGA	GATACAAGAG	TCTACTTAG	5220
	AACTTTTCAT	GGACACAATT	TCCACAACCT	TTCAAGTCT	GATGTAGAGC	TATTGGGAAA	5280
80	GAACTTCCAA	ACTCAGGAAG	TTTGACAGAG	GCAGACAGCT	AGAGATAACT	CGGGACCCAG	5340
	AGTTGTTCGA	CAGATGTTAG	ATGATCTCTA	GCTTTTAGCC	ATAAACCACT	CAAAGATTCA	5400
	GCCCCAGAT	CCCACAGTCA	GAATGAATC	TGCGTGTGTT	GGAAAGCCAGC	AGTGGCCTTG	5460
	GGAAAGGAGC	CATGGCTGTC	GTTCAGAGAG	GGTGGGCTGG	CAAGCCACTT	CCGGGGAAA	5520
	CTCCTTCCGC	CCAGGTTTTC	TCTTCTCTT	AAGGAGAGAT	TGTTCTCAC	AAACCCGCTC	5580
85	CTTCATGCTG	CCTTCAAAGC	TAGATCAATG	TTGCCTTGCT	TAGAGAATTA	CTGCAAAATCA	5640
	GCCCCAGTGC	TTGGCGATGC	ATTTACAGAT	TTCTAGGCC	TCAGGGTTTT	GTAGAGTGTG	5700
	AGCCCTGGTG	GCCAGGGTTG	GGGGTCTGT	CTTCTGCTGG	ATGCTGCTTG	TAATCCATT	5760

GGTGTACAGA ATCAACAATA AATAATATAC ATGTAT

Seq ID NO: 611 Protein sequence
 Protein Accession #: BAB84587.1

5
 10
 15
 1 11 21 31 41 51
 | | | | | |
 MPLKHYLLLL VGQAWGAGL AYHGCPSSECT CSRASQVECT GARIVAVPTP LPWNAMSLQI 60
 LNWTHITELNE SPFLNISALI ALRIEKNELS RITPGAFRNL GSLRYLSLAN NKLQVLPIGL 120
 FQGLDSLESLE LLSNQQLLQI QPAHFSQCSN LKELQLHGNH LEYIPDGAPD HLVGLTKLNL 180
 GKNSLTHISP RVFQHLGNLQ VLRLYENRLT DIPMGTFDGL VNLQELALQQ NQIGLLSPGL 240
 FHNHNLQRL YLSNNHISQL PPSIFMQLPQ LNRLTLFGNS LKELSLGIFG PMPNLRRELWL 300
 YDNHISLSPD NVFSNLRQLQ VLILSRNQIS FISPGAFNGL TELRELSLHT NALQDLGDNV 360
 FRMLANLQNI SLQNNRLRQL PGNIPANVNG LMAIQLQNNQ LENLPLGIFD HLGKLCCELRL 420
 YDNPWRCDSD ILPLRNWLLL NQPRLGTDIV PVCFSANVR GQSLIIINVN VAVPSVHVPE 480
 VPSYPETPWY PDTSPYDPTT SVSSTELTS PVEDYDLTIT IQVTDDRSVW GMTQAQSGLA 540
 IAAIVIGIVA LACSLAACVG CCCCCKRSQA VLMQMKAPNE C

Seq ID NO: 612 DNA sequence
 Nucleic Acid Accession #: XM_098151
 Coding sequence: 1..447

25
 30
 1 11 21 31 41 51
 | | | | | |
 ATGATGCATT TGCTCAATTC TCAGGGCTGG AATGAGCCGG CTGGTCCCCC AGAAAGCTGG 60
 AGTGGGGTAC AGAGTTCAGT TTTCCCTCTCT GTTTACAGCT CCTTGACAGT CCCACGCCCA 120
 TCTGGAGTGG GAGCTGGGAG TCAAGTGTGG AGAAGAAACA ACAAAGCCA ATTAGAACCA 180
 CTATTTTAA AAAGTGCTTA CTGTGCACAG ATACTCTTCA AGCACTGGAC GTGGA'TTCTC 240
 TCTCTAGCCC TCAGCACCCC TCGCGTAGGA GTGCCGCCTC TACCCACTTG TGATGGGGTA 300
 CAGAGGCAC TGTCTTCTG CATGGTGTTC AATAGGCTGG GAGTTTATT TATCTCTTCA 360
 AACTTTGTAC AAGAGCTCAT GCCTTGTCTT GGCCTTTCGT CATTAAACCA AAGGAATGG 420
 AAGCCATCC CCTGTTGCTC TCCTTAG

Seq ID NO: 613 Protein sequence
 Protein Accession #: XP_098151

35
 40
 1 11 21 31 41 51
 | | | | | |
 MMHLLNSQGW NEPAGPPESW SGVQSSVFLS VYSSLTVPRP SGVGAGSQCW RRNKNSQLEP 60
 LFLKSAYCAQ ILFKHWTWIL SLALSTPAVG VPPLPTCDGV QRHLLFCMVF NRLGLVFISS 120
 NFOELMACL GLSSLNQRKW KPFPCCSP

Seq ID NO: 614 DNA sequence
 Nucleic Acid Accession #: NM_002658.1
 Coding sequence: 77..1372

45
 50
 55
 60
 65
 70
 75
 80
 85
 1 11 21 31 41 51
 | | | | | |
 GTCCCCGAG CGCCGTCGCG CCTCCTGCCC GCAGGCCACC GAGGCCGCCG CCGTCTAGCG 60
 CCCCACCTC GCCACCATGA GAGCCCTGCT GCGCGCCCTG CTTCTCTGCG TCCTGGTCGT 120
 GAGCGACTCC AAAGGCAGCA ATGAATTCA TCAAGTTCCA TCGAACTGTG ACTGTCTAAA 180
 TGGAGGAACA TGTGTGTCCA ACAAGTACTT CTCCAACATT CACTGGTGCA ACTGCCAAA 240
 GAAATTCGGA GGGCAGCACT TGAAATAGA TAAGTCAAAA ACCTGCTATG AGGGGAATGG 300
 TCACTTTTAC CGAGGAAAAG CCAGCACTGA CACCATGGGC CGGCCCTGCC TGCCCTGGAA 360
 CTCTGCGACT GTCCTTCAGC AAACGTACCA TGCCACAGA TCTGATGCTC TTCAGTGGG 420
 CCTGGGGAAA CATAATTACT GCAGGAACCC AGACAACCCG AGGCGACCCCT GGTGCTATGT 480
 GCAGGTGGGC CTAAGCCCGC TTGTCCAAGA GTGCATGGTG CATGACTGCG CAGATGAAA 540
 AAAGCCCTCC TCTCCTCCAG AAGAATTAAA ATTTCAAGTGT GGCCAAAAGA CTCTAGGGCC 600
 CCGCTTTAAG ATTATTGGGG GAGAATTCAC CACCATCGAG AACCCAGCCCT GGTTCGCGC 660
 CATCTACAGG AGGCACCGGG GGGGCTCTGT CACCTACGTG TGTGGAGGCA GCCTCATCAG 720
 CCCTTGCTGG GTGATCAGCG CCACACACTG CTTCAATGAT TACCCAAGA AGGAGGACTA 780
 CATCGTCTAC CTGGGTCGCT CAAGGCTTAA CTCCAACAGC CAAGGGGAGA TGAAGTTTGA 840
 GGTGGA AAAAC CTCATCCTAC ACAAGGACTA CAGCGCTGAC ACGCTTGCTC ACCACAACGA 900
 CATTGCCTTG CTAGAATACC GTTCCAAGGA GGGCAGGTGT GCGCAGCCAT CCGGACTAT 960
 ACAGACCATC TGCCCTGCCCT CGATGTATAA CGATCCCCAG TTTGGCACAA GCTGTGAGAT 1020
 CACTGGCTTT GAAAAGAGA ATTCTACCGA CTATCTCTAT CCGGAGCAGC TGAAAATGAC 1080
 TGTGTGAAG CTGATTTCCC ACCGGGAGTG TCAGCAGCCC CACTACTACG GCTCTGAAGT 1140
 CACCACAAA ATGCTATGTG CTGTGACCC CCAATGGAAA ACAGATTCTC GCCAGGGAGA 1200
 CTCAGGGGGA CCCCTCGCTG GTTCCCTCCA AGGCCGCATG ACTTTGACTG GAATTGTGAG 1260
 CTGGGGCCGT GGATGTGCCC TGAAGGACAA GCCAGGCGTC TACACGAGAG TCTCACACTT 1320
 CTTACCCCTG ATCCGCGAGC ACACCAAGGA AGAGAATGGC CTGGCCCTCT GAGGGTCCCC 1380
 AGGGAGGAAA CGGGCACCC CCGCTTCTCT GCTGGTTGTC ATTTTTGCAG TAGATCATC 1440
 TCCATCAGCT GTAAGAAGAG ACTGGGAAGA TAGGCTCTGC ACAGATGGAT TTGCTGTGG 1500
 CACCACCAGG GTGAACGACA ATAGCTTTAC CCTCAGGAT AGGCCTGGGT GCTGGCTGCC 1560
 CAGACCCTCT GGCCAGGATG GAGGGGTGGT CCTGACTCAA CATGTTACTG ACCAGCAACT 1620
 TGTCTTTTTC TGGACTGAAG CCTGCAGGAG TTA AAAAAGGG CAGGGCATCT CCTGTGCATG 1680
 GGCTCGAAGG GAGAGCCAGC TCCCCCGACC GGTGGGCATT TGTGAGGCC ATGGTTGAGA 1740
 AATGAATAAT TCCCARAFTA GGAAGTGTAA GCAGCTGAGG TCTCTGAGG GAGCTTAGCC 1800
 AATGTGGGAG CAGCGGTTTG GGGAGCAGAG AACTAACA CTTCAGGGCA GGGCTCTGAT 1860
 ATTCCATGAA TGATACAGGA AATATATATG TGTGTGTATG TTTGCACACT TGTGTGTGG 1920
 GCTGTGAGTG TAAGTGTGAG TAAGAGCTGG TGTCTGATTG TTAAGTCTAA ATATTTCTCT 1980
 AAAGTGTGTG GACTGTGATG CCACACAGAG TGGTCTTTCT GGAGAGGTTA TAGGTCACTC 2040
 CTGGGGCCCT TTGGTCCCC CAGGTGACAG TGCCCTGGAA TGTACTTATT CTGCAGCATG 2100
 ACCTGTGACC AGCCTGTCTC CAOITTCACT TTCACATAGA TGTCCCTTTC TTGGCCAGTT 2160
 ATCCCTTCTT TTAGCCTTAG TTCATCCAAT CCTCACTGGG TGGGGTGAGG ACCACTCTCT 2220
 ACACGAATA TTTATATTTT ACTATTTTAA TTTATATTTT TGAATTTTAA AATAAAAGTG 2280
 ATCAATAAAA TGTGATTTT CTGA

Seq ID NO: 615 Protein sequence
 Protein Accession #: NP_002649.1

5
 1 11 21 31 41 51
 | | | | | |
 MRALLARLLL CVLVVSDSKG SNELHQVPSN CDCLNGGTCV SNKYFSNIHW CNCPKKFGGQ 60
 HCEIDKSKTC YBNGNHFYRG KASTDTMGRP CLFWNSATVL QQTYHAHRSD ALQLGLGKHN 120
 YCRNPDNRRR PWCYVQVGLK PLVQECMVHD CADGKPKSSP PEELKFQCGQ KTLRPRFKII 180
 10 GGEFTTIENQ PWFAAIYRRH RGSVTVVCG GSLISPCWVI SATHCFDYP KKEDYIYVLG 240
 RSRLNSNTQG EMKFEVENLI LHKDVSADTL AHENDIALLK IRSKBGRCAQ PSRTIQTICL 300
 PSMYNDPQFG TSCEITGF GK ENSTDYLYPE QLKMTVVKLI SHRECCQPHY YGSEVTTKML 360
 CAADPQWKTD SCQDGGSGPL VCSLQGRMTL TGVVSWGRGC ALRKDKPGVYT RVSHFLPWIR 420
 SHTKEENGLA L

Seq ID NO: 616 DNA sequence
 Nucleic Acid Accession #: NM_024422.1
 Coding sequence: 202..2907

20
 1 11 21 31 41 51
 | | | | | |
 CGCCAAAGGA AAAGCCCTT GGATGAGAGG CAGGCGCTTC AGAGAAGCTA AGAAAAGCAC 60
 CTCTCCGGCG GCCCCACCTC CTCCGCCTCG CGTCTCTCCT GAGCAGCGGG CCCAGACTGC 120
 GCTCCGGCCG CGGCCCTCGC CCGCGGAGC CCTCTACCC CGGCCCGACG CTCGGCCCGC 180
 25 GACCTGCCCC GAGCCCTCTC CATGGAGGCA GCCCGCCCT CCGGCTCCTG GAACGGAGCC 240
 CTCTGCCGGC TGCTCTCTGT GACCCCTCGG ATCTTAATAT TTGCCAGTGA TGCCTGCAAA 300
 AATGTGACAT TACATGTTC CTCCAAACTA.GATGCCGAGA AACTTGTGG TAGAGTTAAC 360
 CTGAAGAGT GCTTTACAGC TGCAAATCTA ATTCAATCAA GTGATCCTGA CTTCCAATT 420
 TTGGAGGATG GTTCAGTCTA TACAACAAT ACTATTCTAT TGTCTCTCGA GAAGAGAAGT 480
 30 TTACCATAT TACTTTCCAA CACTGAGAAC CAAGAAAAGA AGAAAATATT TGTCTTTTGG 540
 GAGCATCAA CAAGGTCCT AAAGAAAAGA CATACTAAG AAAAGTCTT AAGCGCGGCC 600
 AAGAGAAGAT GGGCTCCAAT TCCTTGTTCG ATGCTAGAAA ACTCTCTGGG TCCTTTTCCA 660
 CTTTTCCCTT AACAGGTTC AATCTGACAG GCCCAAACT ATACCATATA CTATTCCATA 720
 AGAGGTCTCT GAGTTGACCA AGAACCTCGG AATTTATTTT ATGTGGAGAG AGACACTGGA 780
 35 AACTTGTATT GTACTCGTCC TGTAGATCGT GAGCAGTATG AATCTTTTGA GATAATTGCC 840
 TTTGCAACAA CTCACAGATG GTATACTCCA GAACCTCCAC TGCCCTAAT AATCAAATA 900
 GAGGATGAAA ATGATACTA CCCAATTTT ACAGAAGAAA CTTATACTTT TACAATTTTT 960
 GAAAATTGCA GAGTGGGCAC TACTGTGGGA CAAGTGTGTG CTACTGACAA AGATGAGCCT 1020
 GACACGATGC ACACACGCCCT GAAGTACTCC ATCATTGGGC AGGTGCCACC ATCACCACC 1080
 40 CTATTTTCTA TGATCCAAC TACAGCCGTC ATCACCACAA CATCATCTCA GCTAGACAGA 1140
 GAGTTAAATTG ACAAATACCA GTTGAAAATA AAAGTACAAG ACATGGATGG TCAGTATTTT 1200
 GGTCTACAGA CAACTTCAAC TTGTATCATT AACATTGATG ATGTAATGA CCACTTGCCA 1260
 ACATTTACTC GTACTTCTTA TGTGACATCA GTGGAAGAAA ATACAGTTGA TGTGGAATC 1320
 TTACGAGTTA CTGTGAGGA TAAGGACTTA GTGAATACTG CTAACCTGGAG AGCTAATTAT 1380
 45 ACCATTTTAA AGGGCAATGA AAATGGCAAT TTTAAAATG TAACAGATGC CAAAACCAAT 1440
 GAAGGAGTTC TTTGTGTAGT TAAGCCCTTG AATTATGAAG AAAAGCAACA GATGATCTTG 1500
 CAAATTGGTG TAGTTAATGA AGCTCCATTT TCCAGAGAGG CTAGTCCAAG ATCAGCCATG 1560
 AGCACAGCAA CAGTACTGT TAATGTAGAA GATCAGGATG AGGGCCCTGA GTGTAAACCCT 1620
 CCAATACAGA CTGTTCCGAT GAAAGAAAAT GCAGAAGTGG GAACAACAAG CAATGGATAT 1680
 50 AAAGCATATG AACCAAGAAC AAGAAGTAGC AGTGGCATAA GGTATAAGAA ATTAACGTAT 1740
 CCAACAGGGT GGGTACCAT TGATGAAAAT ACAGGATCAA TCAAAGTTTT CAGAAGCCTG 1800
 GATAGAGAGG CAGAGACCAT CAAAAATGCG ATATATAATA TTACAGTCTT TGCATCAGAC 1860
 CAAGGAGGGA GAACATGTAC GGGGACACTG GGCATTATAC TTCAAGACGT GAATGATAAC 1920
 AGCCCATFCA TACCTAAAAA GACAGTGATC ATCTGCAAAC CCACCATGTC ATCTGCCGAG 1980
 55 ATGTGTGGCG TTGATCTCTA TGAGCCTATC CATGGCCCACT CTTTGACTT TAGTCTGGAG 2040
 AGTTCTACTT CAGAAGTACA GAGAATGTGG AGACTGAAAG CAATTAATGA TACAGCAGCA 2100
 CGTCTTTCCCT ATCAGAAATG TCCTCCATTT GGCTCATATG TAGTACTCTAT AACAGTGAGA 2160
 GATAGACTTG GCATGTCTAG TTGCACCTTA TTGGATGTTA CACTGTGTGA CTGCATTACC 2220
 GAAAATGACT GCACACATCG TGTAGATCCA AGGATTGGCG GTGGAGGAGT ACAAATGGGA 2280
 60 AAGTGGGCCA TCCTTGCAAT ATGTGTGGCC ATAGCATTGC TCTTTTGCACT CCGTGTTTACG 2340
 CTGGTCTGTG GGGCTCTGG CACGTCTAAA CAACCAAAAG TAATTTCTGA TGATTTAGCC 2400
 CAGCAGAAC TAATGTATC AAACACAGAA GCTCCTGGAG ATGACAAAGT GTATTTCTGG 2460
 AATGGCTTCA CAACCCAAC TGTTGGCGCT TCTGCTCAGG GAGTTTGTGG CACCGTGGGA 2520
 TCAGGAATCA AAAACGGAGC TCAGGAGACC ATCGAAATGG TGAAGAGGAG ACACAGACC 2580
 65 TCGGAATCCT GCCGGGGGGC TGCCACCAT CACACCCTGG ACTCTGCAG GGGAGGACAC 2640
 ACGGAGGTGG ACAACTGCAG ATACACTTAC TCGGAGTGGC ACAGTTTTAC TCAGCCCCGT 2700
 CTTGGTAAAA AAGTGTATCT GTGTAATCAA GATGAAAATC ACAAGCATGC CCAAGACTAT 2760
 GTCCTGACAT ATAACATGAG AGGAAGAGGA TCGGTGGCTG GGTCTGTAGG TTGTGCACT 2820
 GAACGACAAG AAGAAGATGG GCTTGAATTT TTGGATAATT TGGAGCCCAA ATTTAGGACA 2880
 70 CTAGCAGAAG CATGCATGAA GAGATGAGT GTTCTAATA AGTCTCTGAA AGCCAGTGGC 2940
 TTTATGACTT TAAAAAAA TTACAAACCA AGAATTTTTT AAAGCAGAAG ATGCTATTGG 3000
 TGGGGTTTT TCTCTCATT TTTGGATGGA ATCTCTTGG TCAATGCAC ATTTACAGAG 3060
 AGACACTATA AACAAGTACA CAAATTTTTT AATTTTTTACA TATTTTTAAA TTACTTATCT 3120
 TCTATCCAAG GAGGTCTACA GAGAAATTA AGTCTGCCTT ATTTGTACA TTTGGGTATA 3180
 75 ATGACAACAG CCAATTTATA GTGCAATAAA ATGTAATTA TCAAGTCTT TATTATAGAC 3240
 TATTTGAAAG ACAACCTAAT GGAAAATTTG AGAGACCTTG CTTTAACTT ATCTCCAGTT 3300
 AATTAAGTGT TCATGTGGTG CTTGGAAACT GTTGTITTC TGAACATCTA AAGTGTGTAG 3360
 ACTGCATTC TACTTATT TTATTCTTGT AATGTGACCT TTTCACTGTC CAAAGGGAGA 3420
 TTTCTAGCCA GGCATTGACT ATTACAATTT CATT

Seq ID NO: 617 Protein sequence
 Protein Accession #: NP_077740.1

85
 1 11 21 31 41 51
 | | | | | |
 MEAARPSGSW NGALCRLLLL TLAILIPASD ACKNVTLHVP SKLDAEKLVG RVNLKECF TA 60
 ANLIHSSDDP FQILEDGSVY TTNITLLSSE KRSFTILLSN TENQEKKKIF VFLEHQTKVL 120

KKRHTKEKVL RRAKRRWAPI PCSMLNSLG PFPLFLOQVQ SDTAQNYTIY YSIRGPGVDQ 180
EP RNLPYVER DTGNLYCTRP VDREQYESFE IIAFATTPDG YTPLELPLFLI IKIEDENDNY 240
PIPTEETYPF TIFENCRVGT TVGQVCATDK DEPDTMHTRL KYSIIGQVVP SPTLFSMHPT 300
5 TGWITTTSSQ LDRELIDKYQ LKIKVQMDMG QYFGLQTTST CIINIDVDND HLEPTFRTSY 360
VTSVEENTVD VEILRVTVED KDLVNTANWR ANYTILKNE NGNFKIVTDA KTNIEGVLVGV 420
KPLNYEBEQQ MILQIGVNE APFSREASPR SAMSTATVTV NVEDQDEGPE CNPPIQTVRM 480
KENAEVGTTS NGYKAYDPET RSSSGIRYKK LTDPTGWVTI DENTGSIKVF RSLDREASTI 540
KNGIYNTIVL ASDQGGTRCT GTLGIILQDV NDNSPFIPKK TVIICKPTMS SAEIVAVDFD 600
10 EPIHGPPFPD SLESSTSEVQ RMWRKAIND TAARLSYQND PPFQSYVVPY TVRDRLGMS 660
VTSLDVTLCD CITENDCTHR VDPRIIGGGV QLGKWAIIAI LLGIALLFICI LFTLVCGASG 720
TSKQPKVIFD DLAQONLIVS NTSAPGEDDKV YSANGFTTQT VGASAQVCGC TVGSGIKNGG 780
QETIEMVRGG HQTSSECRGA GHHTLDSCR GGHTVDNCR YTYSEHSTFT PRLGEKYYL 840
CNQDENHKHA QDYVLTYNYE GRGSVAGSVG CCSRQEEDG LEFLDNLEPK FRTLAEACMK 900
R

Seq ID NO: 618 DNA sequence
Nucleic Acid Accession #: NM_004949.1
Coding sequence: 202..2745

1 11 21 31 41 51
CGCCAAAGGA AAAGCCCCTT GGATGAGAGG CAGGCGCTTC AGAGAAGCTA AGAAAAGCAC 60
CTCTCCGCGC GCCCCACCCTC CTCGCCCTCG CGCTCCTCCT GAGCAGCGGG CCCAGACTGC 120
25 GCTCCGGGCG CGGCCCTGCG CCCCGGGAGC CCTCCTACCC CGGCCCGACG CTCGGCCCGC
GACCTGCCCC GAGCCCTCTC CATGGAGGCA GCCCGCCCTC CCGCTCCTG GAACGGAGCC 240
CTCTGCCGCG TGCTCCTGCT GACCCTCGCG ATCTTAATAT TTGCCAGTGA TGCCTGCAAA 300
AATGTGACAT TACATGTTC CCTCCAACTA GATGCCGAGA AACTTGTGG TAGAGTTAAC 360
CTGAAAGAGT GCTTTACAGC TGCAAATCTA ATTCATTCAA GTGATCCTGA CTCCAAAT 420
TTGGAGGATG GTTCAGTCTA TACAACAAAT ACTATTCTAT TGCTCTCGGA GAAGAGAAGT 480
30 TTTACCATAT TACTTTCCAA CACTGAGAAC CAAGAAAAGA AGAAAATATT TGTCTTTTG
GAGCATCAAA CAAAGGTCTT AAAGAAAAGA CATACTAAAG AAAAGTCTT AAGGCGCGCC 600
AAGAGAAGAT GGGCTCCAAT TCCTTGTTCC ATGCTAGAAA ACTCCTTGGG TCCTTTTCCA 660
CTTTTCTTC AACAGGTCA ATCTGACACG GCCCAAACT ATACCATATA CTATTCCATA 720
AGAGGTCTCG GAGTTGACCA AGAACCTCGG AATTTATTTT ATGTGGAGAG AGACACTGGA 780
35 AACTTGTATT GTACTCGTCC GTAGATCGT GAGCAGTATG AATCTTTTGA GATAATTGCC
TTTGCAACAA CTCAGATGG GTACTACTCA GAACTTCCAC TGCCCTAAT AATCAAAATA 900
GAGGATGAAA ATGATACTA CCCAAATTTT ACAGAAGAAA CTTATACTTT TACAATTTT 960
GAAAATGCA GAGTGGGCAC TACTGTGGGA CAAGTGTGTG CTAAGTGAAG AGATGAGCCT 1020
GACACGATGC ACACACGCC ATGACTCTCC ATCATTGGGC AGGTGCCACC ATCACCACC 1080
40 CTATTTTCTA TGCATCCAA TCAGGCGTGC ATCACCACAA CATCATCTCA GCTAGACAGA
GAGTTAATTG ACAAGTACA GTTGAAAATA AAAGTACAAG ACATGGATGG TCAGTATTTT 1200
GGTCTACAGA CAACTTCAAC TTGTATCATT AACATTGATG ATGTAATGA CCACTTGCCA 1260
ACATTTACTC GTACTTCTTA TGTGACATCA GTGGAAGAAA ATACAGTTGA TGTGAAAATC 1320
45 TTACGAGTTA CTGTTGAGGA TAAGGACTTA GTGAATACTG CTAACACTGG AGCTAATAT 1380
ACCATTTTAA AGGGCAATGA AAATGGCAAT TTTAAAATG TAAAGATGC CAAAACCAAT 1440
GAAGGAGTTC TTTGTGTAGT TAAGCCTTTG AATTATGAAG AAAAGCAAC GATGATCTTG 1500
CAAAATGGTG TAGTTAATGA AGCTCCATT TCCAGAGAGG CTAGTCCAAG ATCAGCCATG 1560
AGCACAGCAA CAGTTACTGT TAATGTAGAA GATCAGGATG AGGGCCCTGA GTGTAACCTT 1620
50 CCAATACAGA CTGTTCCGAT GAAAGAAAAT GCAGAAGTGG GAACAACAAG CAATGGATAT 1680
AAAGCATATG ACCCAAAAC AAGAAAGTAC AGTGGCATAA GGTATAAGAA ATTAAGTAT 1740
CCAACAGGTT GGGTCCCAT TGATGAAAAT ACAGGATCAA TCAAAGTTT CAGAAGCCTG 1800
GATAGAGAGG CAGAGACCAT CAAAATGGC ATATATAATA TTACAGTCTT TGCATCAGC 1860
CAAGGAGGGA GAACATGTAC GGGGACACTG GGCATTATAC TTCAAGACGT GAATGATRAAC 1920
AGCCCATCA TACTTAAAAA CAGACTGATC ATCTGCAAAC CCACCATGTC ATCTCGGAG 1980
55 ATTTGTGCGG TTGATCTTGA TGAGCCTATC CATGGCCCA CCTTTGACTT TAGTCTGGAG 2040
AGTTCTACTT CAGAAGTACA GAGAATGTGG AGACTGAAAG CAATTAATGA TACAGCAGCA 2100
CGTCTTCTCT ATCAGAATGA TCCTCCATTT GGCTCATATG TAGTACTAT AACAGTGA 2160
GATAGACTTG GCATGTCTAG TGTCACTTCA TTGGATGTTA CACTGTGTGA CTGCATTACC 2220
60 GAAAATGACT GCACACATCG TGTAGATCCA AGGATTGGCG GTGGAGGAGT ACACTTGGGA 2280
AAGTGGGCCA TCCTTGCAAT ATTTGTGGGC ATAGCATTGC TCTTTTGCAT CCTGTTTACG 2340
CTGGTCTGTG GGGCTTCTGG GAGCTCTAAA CAACCAAAAG TAATTCCTGA TGATTTAGCC 2400
CAGCAGAAC TAATGTATC AAACACAGAA GCTCTGGAG ATGACAAAGT GTATTCTGCG 2460
AATGGCTTCA CAACCCAAAC TGTGGGCGCT TCTGCTCAGG GAGTTGTGG CACCGTGGGA 2520
TCAGGAATCA AAAACGGAGG TCAGGAGACC ATCGAAATGG TGAAGAGGAG ACACCAGACC 2580
65 TCGGAATCCT GCCGGGGGGC TGGCCACCAT CACACCCTGG ACTCCTGAG GGGAGGACAC 2640
ACGGAGGTGG ACAACTGCAG ATACACTTAC TCGGAGTGGC ACAGTTTAC TCAGCCCGT 2700
CTTGGTGAAG AATCCATTAG AGGACACACT CTGATTAATA ATTAACAAT GAAAGAAAGT 2760
GTATCTGTGT AATCAAGATG AAATCACAA GCATGCCCAA GACTATGTC TGACATATA 2820
70 CTATGAAGGA AGAGGATCGG TGGCTGGGTC TGTAGGTGT TGCAGTGAAC GACAAGAAGA 2880
AGATGGGCTT GAATTTTGG ATAATTGGA GCCCAAATTT AGGACACTAG CAGAAGCATG 2940
CATGAAGAGA TGAGTGTGTT CTAATAAGTC TCTGAAAGCC AGTGGCTTTA TGACTTTTAA 3000
AAAAAATTAC AAACCAAGAA TTTTAAAG CAGAAGATGC TATTTGTGGG GGTTTTCTC 3060
TCATTATTTG GATGGAATCT CTTTGGTCAA ATGCACATTT ACAGAGAGAC ACTATAAACA 3120
75 AGTACACAAA TTTTCAATT TTTACATATT TTTAAATTAC TTACTTCTA TCCAAGGAGG 3180
TCTACAGAGA AATTAAGTC TGCTTATTT GTTACATTTG GGTATAATGA CAACGCCAA 3240
TTTATAGTGC AATAAAATGT AATTAATTCAGTCTTATT ATAGACTATT TGAAGCACA 3300
CCTAATGGAA AATGTAGAG ACCTTGCTTT AACATTACT CCAAGTAAAT AAGTGTTCAT 3360
GTGGTGTCTG GAAACTGTGT TTTCTGAA CATCTAAAGT GTGTAGACTG CATTCTGCT 3420
80 ATTATTTTAT TCTGTAAATG TGACCTTTTC ACTGTGCAAA GGGAGATTTC TAGCCAGGCA 3480
TTGACTATTA CAATTCATT

Seq ID NO: 619 Protein sequence
Protein Accession #: NP_004940.1

1 11 21 31 41 51
MEARPSGSW NGALCRLLLL TLAILFASD ACKNVLHVP SKLDAEKLVG RVNLKECPA 60

ANLIHSSDPD FQILEDGSVY TTNTILLSSE KRSPTILLSN TENQEKKIF VFLEHQTKVL 120
KKRHTKVKVL RRAKRRWAPI PCSMLENSLG PFPLPLQQVQ SDTAQNYTIY YSIRGPGVDQ 180
EPRNLIFYVER DTGNLYCTRP VDREQYESFE IIAFATTPDG YTEPELPLPLI IKIEDENDNY 240
PIFTEETYTF TIFENCVRGT TVGQVCATDK DEPDTHMTRL KYSIIGQVPP SPTLFSMHPT 300
5 TGVVITTTSSQ LDRELIDKYQ LKIKVQDMDG QYFGLQTTST CIINIDVDND HLPFTFRTSY 360
VTSVEENTVD VEILRVTVED KDLVNTANWR ANYTILKQNE NGNFKIVTDA KTNBGLVCV 420
KFLNYEERQQ MILQIGVVNE APFSREASPR SAMSTATVTV NVEDQDEGPE CNPPIQTVRM 480
KENAEVGTTS NGYKAYDPET RSSSGIRYK LTPDPTGWTI DENTGSIKVF RSLDREAETI 540
KNGIYNIIVL ASDQGGRTCT GTLGIILQDV NDNSPFIPK TVIICKPTMS SAEIVAVIDP 600
10 EPIHGPPDFP SLESSTSEVQ RMWRLKAIND TAARLSYQND PPFGSYVVP I TVRDRMGSS 660
VTSLDVTLCD CITENDCTHR VDPRIIGGGV QLGKWAIIAI LLGIALLFCI LFTLVCGASG 720
TSKQPKVIPD DLAQQNLIVS NTEAPGDDKV YSANGFTTQT VGASAQGVCG TVGSGIRNGG 780
QETIEMVKGQ HQTSESCRGA GHHTLDSCR GGHTVDNCR YTYSEHNSFT QPRLGEBESIR 840
GHTLIKN

Seq ID NO: 620 DNA sequence
Nucleic Acid Accession #: NM_032545.1
Coding sequence: 46..718

1 11 21 31 41 51
AAACTGATCT TCAATGCACT AAGAGAAGGA GACTCTCAA CCAAAAATGA CCTGGAGGCA 60
CCATGTCAGG CTCTCTTTA CGGTCACTTT GGCATTACAG ATCATCAATT TGGGAAACAG 120
25 CTATCAAAGA GAGAAACATA ACGGCGGTAG AGAGGAAGTC ACCAAGGTTG CCATCAGAA 180
GCACCGACAG TCACCGCTCA ACTGGACCTC CAGTCATTTC GGAGAGGTGA CTGGGAGGCG 240
CGAGGGCTGG GGGCCGGAGG AGCCGCTCCC TACTCTCCCG GCTTTCGGAG AGGGTGGCGT 300
CGCGCGGCGG CGCTGCTGCA GSAACGGCGG TACCTGCGTG CTGGGCAGCT TCTGCGTGTG 360
CCCGGCCAC TTACCGGCC GCTACTGCGA GCATGACCAG AGGCGCAGTG AATCGCGCGC 420
CCTGGAGCAC GGAGCCTGGA CCTCCGCGC CTGCCACCTC TGCAGTGCA TCTTCGGGGC 480
30 CCTGCACCTG CTCCCTCTCC AGACGCTGA CCGCTGTGAC CCGAAAGACT TCCTGGCCTC 540
CCAGCTCAC GGGCCGAGG CGGGGGGCGC GCCCAGCCTG CTACTCTTG TGCCCTGCGC 600
ACTCCTGCAC CGCCTCTGC GCCCGGATGC GCCCGCGCAC CCTCGGTCCC TGGTCCCTTC 660
CGTCTCCAG CGGGAAGCGG GCCCTGCGG AAGCCGCGGA CTGGGCATC GCCTTTAATT 720
TCTATGTTG TAAATAATAG ATGTGTTAG TTTACCGTAA GCTGAAGCAC TGGGTGAATA 780
35 TTTTATTGG GTAATAAATA TTTTCATGAA AGCCCAAAA AAAAAAAAAA AAAAAAAAAA 840
AAAAAA

Seq ID NO: 621 Protein sequence
Protein Accession #: NP_115934.1

1 11 21 31 41 51
MTWRHHVRLI FTVSLALQII NLGNSYQREK HNGGREEVTK VATQKHRQSP LNWTSSHFGE 60
45 VTGSAEGWGP EEPLPYSRAF GEGASARPRC CRNGGTCVLG SFCVCPAHFT GRYCEHDQRR 120
SECGALEHGA WTLRACHLCR CIFGALHCLP LQTPDRCDPK DFLASHAHGP SAGGAPSLLL 180
LLPCALLHRL LRPDAPAPHR SILVPSVLQRE RRPCGRPLG HRL

Seq ID NO: 622 DNA sequence
Nucleic Acid Accession #: FGENESH predicted
Coding sequence: 1..390

1 11 21 31 41 51
ATGAGGTTCA GTGTCTCAGG CATGAGGACC GACTACCCCA GGAGTGTGCT GGCTCCTGCT 60
55 TATGTGTGAG TCTGTCTCCT CACTCTGTGT CCAAGGGAAG TCATCGCTCC CGCTGGCTCA 120
GAACCATGGC TGTGCCAGCC GGCACCCAGG TGTGGAGACA AGATCTACAA CCCCTTGGAG 180
CAGTGTCTTT ACAATGACGC CATCGTGTCC CTGAGCGAGA CCGCCCAATG TGGTCCCCCC 240
TGCACCTTCT GGCCCTGCTT TGAGCTCTGC TGTCTTGATT CCTTTGGCCT CACAAACGAT 300
60 TTTGTTGTGA AGCTGAAGGT TCAGGGTGTG AATCCCAGT GCCACTCATC TCCCATCTCC 360
AGTAAATGTG AAAGAGGCCG GATATGTTAG

Seq ID NO: 623 Protein sequence
Protein Accession #: FGENESH predicted

1 11 21 31 41 51
MRFVSVMGRT DYPRSVLAPA YVSVCLLLLC PREVIAPAGS EPWLCQPAPR CGDKIYNPLE 60
70 QCCYNDAIVS LSETRQCGPP CTFWPCFELC CLDSFGLTND FVVKLVQGV NSQCHSSPIS 120
SKCERGRIC

Seq ID NO: 624 DNA sequence
Nucleic Acid Accession #: M18728.1
Coding sequence: 51..1085

1 11 21 31 41 51
GGAGCTCAAG TCCTCTACA AAGAGGTGGA CAGAGAAGAC AGCAGAGACC ATGGGACCCC 60
75 CCTCAGCCCC TCCTGTCAGA TTGCATGTCC CCTGGAAGGA GGTCCGTGTC ACAGCCTCAC 120
TTCTAACCTT CTGGAACCCA CCCACCAGT CCAAGCTCAC TATTGAATCC ACGCCATTCA 180
ATGTCGACAG GGGGAAGGAG GTTCTTCTAC TCGCCACAA CCTGCCCCAG AATCGTATTG 240
80 GTTACAGCTG GTACAAGGC GAAAGAGTGG ATGGCAACAG TCTAATTGTA GGATATGTAA 300
TAGGAATCTA ACAAGCTACC CCAGGGCCCG CATAAGTGG TCGAGAGACA ATATACCCCA 360
ATGCATCCCT GCTGATCCAG AACGTCAACC AGAATGACAC AGGATTCTAT ACCCTACAAG 420
TCATAAAGTC AGATCTTGTG AATGAAGAAG CAACCGGACA GTTCCATGTA TACCGGAGC 480
85 TGCCCAAGCC CTCCATCTCC AGCAACAAC CCAACCCCGT GGAGGACAAG GATGCTGTGG 540
CCTTCACTG TGAACCTGAG GTTCAGAACA CAACCTACCT GTGTGGGTA AATGGTCAGA 600
GCCTCCCGGT CAGTCCAGG CTGCAGCTGT CCAATGGCAA CATGACCCTC ACTCTACTCA 660

GGGTCAAAG GAACGATGCA GGATCCTATG AATGTGAAAT ACAGAACCCA GCGAGTGCCA 720
 ACCGCAAGTGA CCCAGTCACC CTGAATGTCC TCTATGGCCC AGATGTCCCC ACCATTTCCC 780
 CCTCAAAGGC CAATTACCGT CCAGGGGAAA ATCTGAACCT CTCTGCCCAC GCAGCCTCTA 840
 ACCCACCTGC ACAGTCTCT TGGTTTATCA ATGGGACGTT CCAGCAATCC ACACAAGAGC 900
 TCTTTATCCC CAACATCACT GTGAATAATA GCGGATCCTA TATGTGCCAA GCCCATAACT 960
 CAGCCACTGG CCTCAATAGG ACCACAGTCA CGATGATCAC AGTCTCTGGA AGTGTCTCTG 1020
 TCCTCTCAGC TGTGGCCACC FTCCGKATCA CGATTGGAGT GCTGGCCAGG GTGGCTCTGA 1080
 TATAGCAGCC CTGGTGATTT TTCGATATTT CAGGAAGACT GGCAGATTGG ACCAGACCCCT 1140
 GAAATCTTCT AGCTTCCTCCA ATCCCATTTT ATCCCATGGA ACCACTAAAA ACAAGGTCTG 1200
 CTCTGCTCCT GAAGCCCTAT ATGCTGGAGA TGGACAATC AATGAAAAAT TAAAGGGAAA 1260
 ACCCTCAGGC CTGAGGTGTG TGCCACTCAG AGACTTCACC TAACTAGAGA CAGTCAAACCT 1320
 GCAAACCATG GTGAGAAAT GACGACTTCA CACTATGGAC AGCTTTTCCC AAGATGTCAA 1380
 AACAAAGACT CTCATCATGA TAAGGCTCTT ACCCCCTTTT AATTTGTCCCT TGCTTATGCC 1440
 TGCCCTTTTC GCTTGGCAGG ATGATGCTGT CATTAGTATT TCACAAGAAG TAGCTTCAGA 1500
 GGSTAACCTA ACAGAGTGTC AGATCTATCT TGTCAATCCC AACGTTTAC ATAAAAAAG 1560
 AGATCCTTTA GTGCACCCAG TGACTGACAT TAGCAGCATC TTTAACACAG CCGTGTGTTC 1620
 AAATGTACAG TGGTCTTTT CAGAGTTGGA CTTCTAGACT CACTGTCTCT CACTCCCTGT 1680
 TTTAATTCAA CCCAGCCATG CAATGCCAAA TAATAGAATT GCTCCCTACC AGCTGAACAG 1740
 GGAGGAGTCT GTGCAGTTT TGACACTTGT TGTGAAACAT GGCTAAATAC AATGGGTATC 1800
 GCTGAGACTA AGTTGTAGAA ATTAACAAAT GTGCTGCTTG GTTAAAATGG CTCACTCAT 1860
 CTGACTCATT CTTTATCTA TTTTGTGTTG TTTGTATCTT GCCTAAGGTG CGTAGTCCAA 1920
 CTCTTGGTAT TACCCTCCTA ATAGTCATAC TAGTAGTCAT ACTCCCTGGT GTAGTGTATT 1980
 CTCTAAAAGC TTTAAATGTC TGCAATGACG CAGCCATCAA ATAGTGAATG GTCTCTCTTT 2040
 GGCTGGAATT ACAAACCTCA GAGAAATGTG TCATCAGGAG AACATCATAA CCCATGAAG 2100
 ATAAAAGCCC CAAATGGTGG TAACTGATAA TAGCACTAAT GCTTTAAGAT TTGGTCACAC 2160
 TCTCACCTAG GTGAGGCGAT TGAGCCAGTG GTGCTAAAATG CTACATACTC CAACTGAAAT 2220
 GTTAAAGGAG AAGATGATC CAATTAAGAA AATTAAGAA CAATTTAAAA AAAAAAAGA 2280
 ACACAGGAGA TTCCAGTCTA CTTGAGTTAG CATAATACAG AAGTCCCTC TACTTTAACT 2340
 TTTACAAAAA AGTAACCTGA ACTAATCTGA TGTAAACCA TGTATTTATT TCTGTGGTTC 2400
 TGTTFCTTGG TTTCCAAATG ACAAAACCCA CTGTTCTTGT ATTGTATTGC CCAGGGGAG 2460
 CTATCACTGT ACTGTAGAG TGGTGCTGCT TTAATTCATA AATCACAAT AAAAGCCAAT 2520
 TAGCTCTATA ACT

Seq ID NO: 625 Protein sequence
 Protein Accession #: AAA59907.1

1	11	21	31	41	51	
MGPPSAPPCR	LHVPWKEVLL	TASLLTFWNP	PTTAKLTIES	TPFNVAEGKE	VLLLAHNLPO	60
NRIGYSWYK	ERVDGNLSLV	GYVIGTQQAT	PGPAYSGRET	IYPNASLLIQ	NVTQNDTGFY	120
TLQVIKSDLV	NEEATQDFHV	YPELKPSPIS	SNNSNPVEDK	DAVAFTCEPE	VQNTTYLWVV	180
NGQSLPVSPR	LQLSNGNMTL	TLLSVKRND	GSYECEIQNP	ASANRSDPVT	LNVLYGPDVP	240
TISPSKANR	PGENLNLSC	AASNPPAQYS	WFINGTFQQS	TQELFIPNIT	VNNSGSYMCQ	300
AHNSATGLNR	TTVIMITVSG	SAPVLSAVAT	VGITIGVLAR	VALI		

Seq ID NO: 626 DNA sequence
 Nucleic Acid Accession #: M18728.1
 Coding sequence: 1355..1657

1	11	21	31	41	51	
GGAGCTCAAG	CTCCTCTACA	AAGAGGTGGA	CAGAGAAGAC	AGCAGAGACC	ATGGGACCCC	60
CCTCAGCCCC	TCCTCTCAGA	TGCAATGTCC	CCTGGAAGGA	GGTCTGCTC	ACAGCCTCAC	120
TCTTAACCTT	CTGGAACCCA	CCCACCACCTG	CCAAGCTCAC	TATTGAATCC	ACGCCATTCA	180
ATGTGCAGAG	GGGGAAGGAG	GTTCTTCTAC	TGCGCCACA	CCTGCCCCAG	AATCGTATTG	240
GTTACAGCTG	GTACAAAGGC	GAAAGAGTGG	ATGGCAACAG	TCTAATTGTA	GGATATGTAA	300
TAGGAACCTA	ACAAGCTACC	CCAGGGCCCCG	CATACAGTGG	TGCGAGAGACA	ATATACCCCA	360
ATGCATCCCT	GCTGATCCAG	AACGTCAACC	AGAATGACAC	AGGATTTCTAT	ACCCTACAAG	420
TCATAAAGTC	AGATCTGTG	AATGAAGAAG	CAACCCGACA	GTTCCATGTA	TACCCGGAGC	480
TGCCCAAGCC	CTCCTACTCC	AGCAACAAC	CCAACCCCGT	GGAGGACAAG	GATGCTGTGG	540
CCTTCACCTG	TGAACCTGAG	GTTCAGAACA	CAACCTACCT	GTGGTGGGTA	AATGGTCAAG	600
GCCCTCCCGT	CAGTCCCAGG	CTGCAGCTGT	CCAATGGCAA	CATGACCCCT	ACTCTACTCA	660
GCGTCAAAG	GACGATGCA	GGATCCTATG	AATGTGAAAT	ACAGAACCCA	GCGAGTGCCA	720
ACCGCAGTGA	CCAGTCACC	CTGAATGTCC	TCTATGGCCC	AGATGTCCCC	ACCATTTCCC	780
CCTCAAAGGC	CAATTACCGT	CCAGGGGAAA	ATCTGAACCT	CTCTGCCAC	GCAGCCTCTA	840
ACCCACCTGC	ACAGTACTCT	TGGTTTATCA	ATGGGACGTT	CCAGCAATCC	ACACAAGAGC	900
TCTTTATCCC	CAACATCACT	GTGAATAATA	GCGGATCCTA	TATGTGCCAA	GCCATAACT	960
CAGCCACTGG	CCTCAATAGG	ACCACAGTCA	CGATGATCAC	AGTCTCTGGA	AGTGTCTCTG	1020
TCCTCTCAGC	TGTGGCCACC	GTCGGCATCA	CGATTGGAGT	GCTGGCCAGG	GTGGCTCTGA	1080
TATAGCAGCC	CTGGTGATTT	TTCGATATTT	CAGGAAGACT	GGCAGATTGG	ACCAGACCCCT	1140
GAAATCTTCT	AGCTTCCTCCA	ATCCCATTTT	ATCCCATGGA	ACCACTAAAA	ACAAGGTCTG	1200
CTCTGCTCCT	GAAGCCCTAT	ATGCTGGAGA	TGGACAATC	AATGAAAAAT	TAAAGGGAAA	1260
ACCCTCAGGC	CTGAGGTGTG	TGCCACTCAG	AGACTTCACC	TAACTAGAGA	CAGTCAAACCT	1320
GCAAACCATG	GTGAGAAAT	GACGACTTCA	CACTATGGAC	AGCTTTTCCC	AAGATGTCAA	1380
AACAAGACTC	CTCATCATGA	TAAGGCTCTT	ACCCCTTTT	AATTTGTCCCT	TGCTTATGCC	1440
TGCCCTTTTC	GCTTGGCAGG	ATGATGCTGT	CATTAGTATT	TCACAAGAAG	TAGCTTCAGA	1500
GGSTAACCTA	ACAGAGTGTC	AGATCTATCT	TGTCAATCCC	AACGTTTAC	ATAAAAAAAG	1560
AGATCCTTTA	GTGCACCCAG	TAGCTGACAT	TAGCAGCATC	TTTAACACAG	CCGTGTGTTC	1620
AAATGTACAG	TGGTCTTTT	CAGAGTTGGA	CTTCTAGACT	CACCTGTCT	CACTCCCTGT	1680
TTAATTCAA	CCCAGCCATG	CAATGCCAAA	TAATAGAATT	GCTCCCTACC	AGCTGAACAG	1740
GGAGGAGTCT	GTGCAGTTT	TGACACTTGT	TGTGAAACAT	GGCTAAATAC	AATGGGTATC	1800
GCTGAGACTA	AGTTGTAGAA	ATTAACAAAT	GTGCTGCTTG	GTTAAAATGG	CTCACTCAT	1860
CTGACTCATT	CTTTATCTA	TTTTAGTTGG	TTTGTATCTT	GCCTAAGGTG	CGTAGTCCAA	1920
CTCTTGGTAT	TACCCTCCTA	ATAGTCATAC	TAGTAGTCAT	ACTCCCTGGT	GTAGTGTATT	1980
CTCTAAAAGC	TTTAAATGTC	TGCATGCAGC	CAGCCATCAA	ATAGTGAATG	GTCTCTCTTT	2040
GGCTGGAATT	ACAAAACCTCA	GAGAAATGTG	TCATCAGGAG	AACATCATAA	CCCATGAAGG	2100
ATAAAAGCCC	CAAATGGTGG	TAACTGATAA	TAGCACTAAT	GCTTTAAGAT	TTGGTCACAC	2160

TCTCACCTAG GTGAGCGCAT TGAGCCAGTG GTGCTAAATG CTACATACTC CAACTGAAAT 2220
 GTTAAGGAAG AAGATAGATC CAATTAAAAA AAATTA AAC CAATTTAAAA AAAAAAAGA 2280
 ACACAGGAGA TTCCAGTCTA CTTGAGTTAG CATAATACAG AAGTCCCCTC TACTTTAACT 2340
 TTTACAAAAA AGTAACCTGA ACTAATCTGA TGTAAACCAA TGTATTATT TCTGTGGTTC 2400
 TGTTCCTTGT TTCCAATTTG AAAAAACCA CTGTTCTTGT ATTGTATTGC CCAGGGGGAG 2460
 CTATCACTGT ACTGTAGAG TGGTGTCTCT TTAATTCATA AATCACAAT AAAAGCCAAT 2520
 TAGCTCTATA ACT

Seq ID NO: 627 Protein sequence
 Protein Accession #: AAA59908.1

1 11 21 31 41 51
 | | | | | |
 MDSFSQDVKT RLLIMIRLLP PPNLSLLMPA SFAWQDDAVI SISQEVASEG NLTECQIYLV 60
 NPNVLHKIRD PLVHPVTDIS SIFNTAVCSN VQWSFSELD F

Seq ID NO: 628 DNA sequence
 Nucleic Acid Accession #: M18728.1
 Coding sequence: 2370..2501

1 11 21 31 41 51
 | | | | | |
 GGAGCTCAAG CTCCTCTACA AAGAGGTGGA CAGAGAAGAC AGCAGAGACC ATGGGACCCC 60
 CCTCAGCCCC TCCCTGCAGA TTGCATGTCC CCTGGAAGGA GGTCTGTCTC ACAGCCTCAC 120
 TTCTAACCTT CTGGAACCCA CCCACCAGT CCAAGCTCAC TATTGAATCC ACGCCATTCA 180
 ATGTCGCAGA GGGGAAGGAG GTTCTTCTAC TCGCCACAA CCTGCCCCAG AATCGTATTG 240
 GTTACAGCTG GTACAAAGGC GAAAGAGTGG ATGGCAACAG TCTAATTGTA GGATATGTAA 300
 TAGGAACCTA ACAAGCTACC CCAGGGCCCG CATACAGTGG TCGAGAGACA ATATACCCCA 360
 ATGCATCCCT GCTGATCCAG AACGTCAACC AGAATGACAC AGGATTCTAT ACCCTACAAG 420
 TCATAAAGTC AGATCTTGTG AATGAAGAAG CAACCGGACA GTTCCATGTA TACCCGGAGC 480
 TGCCCAAGCC CTCCATCTCC AGCAACAAC CCAACCCCGT GGAGGACAAG GATGCTGTGG 540
 CCTTCACCTG TGAACCTGAG GTTCAGAACA CAACCTACCT GTGGTGGSTA AATGGTCAGA 600
 GCCTCCCCGT CAGTCCAGG CTGCAGCTGT CCAATGGCAA CATGACCCTC ACTCTACTCA 660
 GCGTCAAAG GAAAGCTACC GGATCCTATG AATGTGAAT ACAGAACCA GCGAGTGCCA 720
 ACCGCACTGA CCCAGTACC CTGAAATGTC TCTATGGCCC AGATGTCCCC ACCATTCCC 780
 CCTCAAAGGC CAATTACCGT CCAGGGGAAA ATCTGAACCT CTCTGCCAC GCAGCCTCTA 840
 ACCCACCTGC ACAGTACTCT TGGTTTATCA ATGGGACGTT CCAGCAATCC ACACAAGAGC 900
 TCTTTATCCC CAACATCACT GTGAATAATA GCGGATCCTA TATGTGCCAA GCCCATAACT 960
 CAGCCACTGG CCTCAATAGG ACCACAGTCA CGATGATCAC AGTCTCTGGA AGTGTCTCTG 1020
 TCCCTCAGC TGTGGCCACC GTCGGCATCA CGATTGGAGT GCTGGCCAGG GTGGCTCTGA 1080
 TATAGCAGCC CTGGTGTATT TTCCGATATT CAGGAAGACT GGCAGATTGG ACCAGACCCT 1140
 GAATCTTCT AGCTCCTCCA ATCCATTTT ATCCCATGGA ACCACTAAA ACAAGGTCTG 1200
 CTCTGTCTCT GAAGCCCTAT ATGCTGGAGA TGGACAACCT AATGAAAAT TAAAGGGAAA 1260
 ACCCTCAGGC CTGAGGTGTG TGCCACTCAG AGACTTCACC TAACTAGAGA CAGTCAAAC 1320
 GCAAACCATG GTGAGAATTT GACGACTTCA CACTATGGAC AGCTTTCC C AAGATGTCAA 1380
 AACAAGACTC CTCATCATGA TAAGGCTCTT ACCCCCTTTT AATTTGTCCT TGCTTATGCC 1440
 TGCTCTTTTC GCTTGGCAGG ATGATGCTGT CATTAGTATT TCACAAGAAG TAGCTTCAGA 1500
 GGGTAACTTA ACAGAGTGTG AGATCTATCT TGTCAATCCC AACGTTTAC ATAAAATAAG 1560
 AGATCCTTTA GTGCACCAG TGACTGACAT TAGCAGCATC TTTAACACAG CCGTGTGTTC 1620
 AAATGTACAG TGGTCCTTTT CAGAGTTGGA CTCTAGACT CACTGTCTCT CACTCCCTGT 1680
 TTTAATCAA CCCAGCCATG CAATGCCAAA TAATAGAATT GCTCCCTACC AGCTGAAACAG 1740
 GGAGGAGTCT GTGCAGTTTC TGACACTTGT TGTGAACAT GGCTAAATAC AATGGGTATC 1800
 GCTGAGACTA AGTTGTAGAA ATTAACAAAT GTGCTGTCTG GTTAAATGG CTACACTCAT 1860
 CTGACTCATT CTTTATCTTA TTTAGTTGG TTTGTATCTT GCCTAAGGTG CGTAGTCCAA 1920
 CTCTGGTAT TACCCTCTA ATAGTCATAC TAGTAGTCACT ACTCCCTGGT GTAGTGTATT 1980
 CTCTAAAAGC TTTAAATGTC TGATGCAGC CAGCCATCAA ATAGTGAATG GTCTCTCTTT 2040
 GGCTGGAAAT ACAAACCTCA GAGAAATGTG TCATCAGGAG AACATCATAA CCCATGAAGG 2100
 ATAAAAGCCC CAAATGGTGG TAACTGATAA TAGCACTAAT GCTTTAAGAT TGGTGCACAC 2160
 TCTCACCTAG GTGAGCGCAT TGAGCCAGTG GTGCTAAATG CTACATACTC CAACTGAAAT 2220
 GTTAAGGAAG AAGATAGATC CAATTAAAAA AAATTA AAC CAATTTAAAA AAAAAAAGA 2280
 ACACAGGAGA TTCCAGTCTA CTTGAGTTAG CATAATACAG AAGTCCCCTC TACTTTAACT 2340
 TTTACAAAAA AGTAACCTGA ACTAATCTGA TGTAAACCAA TGTATTATT TCTGTGGTTC 2400
 TGTTCCTTGT TTCCAATTTG AAAAAACCA CTGTTCTTGT ATTGTATTGC CCAGGGGGAG 2460
 CTATCACTGT ACTGTAGAG TGGTGTCTCT TTAATTCATA AATCACAAT AAAAGCCAAT 2520
 TAGCTCTATA ACT

Seq ID NO: 629 Protein sequence
 Protein Accession #: AAA59909.1

1 11 21 31 41 51
 | | | | | |
 MLTNVFIQV LFPSCNLTKP TVLVLYCPGG AITVLVWCC FNS

Seq ID NO: 630 DNA sequence
 Nucleic Acid Accession #: NM_016639.1
 Coding sequence: 40..429

1 11 21 31 41 51
 | | | | | |
 GCGGCGGGG CAGACAGCGG CGGGCGCAGG ACGTGCCTA TGGCTCGGG CTGCTGCGC 60
 CGGTGCTGTC GGCTCCTCGT GCTGGGGCTC TGGCTGGCGT TGCTGCGCTC CGTGGCCGGG 120
 GAGCAAGCGC CAGGACCCGC CCCCTGCTCC CGCGGCAGCT CCTGGAGCGC GGACCTGGAC 180
 AAGTGCATGG ACTCGCGCTC TTGCAGGGCG CGACCGACA GCGACTTCTG CTTGGGCTGC 240
 GCTGCAGCAC CTCTGCCCC CTTCGGGCTG CTTTGGCCCA TCCTTGGGGG CGCTCTGAGC 300
 CTGACCTTCG TGCTGGGGCT GCTTCTGCG TTTTGGTCTT GGAGACGATG CCGCAGGAGA 360
 GAGAAGTTC CCACCCCATG AGAGGAGACC GCGCGAGAGG GCTGCCAGC TGTGGCGCTG 420

```

ATCCAGTGAC AATGTGCCCC CTGCCAGCCG GGGCTCGCCC ACTCATCATT CATTTCATCCA 480
TTCTAGAGCC AGTCTCTGCC TCCCAGAGCC GGGGGGAGCC AAGCTCCTCC AACCCACAAGG 540
GGGGTGGGGG GCGGTGAATC ACCTCTGAGG CCTGGGCCCA GGGTTCAGGG GAACCTTCCA 600
AGGTGTCTGG TTGCCCTGCC TCTGGCTCCA GAACAGAAAG GGAGCCTCAC GCTGGCTCAC 660
5 ACAAAACAGC TGACACTGAC TAAGGAACTG CAGCATTTCG ACAGGGGAGG GGGGTGCCCT 720
CCTTCTCTAG GACCTGGGGG CCAGGCTGAC TTGGGGGGCA GACTTGACAC TAGGCCCCAC 780
TCACTCAGAT GTCTGAAAT TCCACCACGG GGGTCACCCT GGGGGGTTAG GGACCTATTT 840
TTAACACTAG GGGCTGCCCC ACTAGGAGGG CTGGCCCTAA GATACAGACC CCCCCAATCT 900
10 CCAAAGCGG GGAGGAGATA TTTATTTTGG GGAGAGTTTG GAGGGGAGGG AGAATTTATT 960
AATAAAAGAA TCTTTAACTT TAAAAAATAA AAAAAAAA

```

Seq ID NO: 631 Protein sequence
 Protein Accession #: NP_057723.1

```

15 1 11 21 31 41 51
    | | | | | |
MARGSLRRLR RLLVLGLWLW LLRSVAGEQA PGTAPCSRGS SWSADLDKCM DCASCRARPH 60
SDFCLGCAAA PPAPFRLLWP ILGGALSLTF VLGLLSGFLV WRRCRRRREKF TPIEETGGE 120
GCPAVALIQ

```

Seq ID NO: 632 DNA sequence
 Nucleic Acid Accession #: NM_003816.1
 Coding sequence: 79..2538

```

25 1 11 21 31 41 51
    | | | | | |
CGGCAGGGTT GGAATATGAT GGAAGAGGCG GAGGTGGAGG CGACCGAGTG CTGAGAGGAA 60
CCTGCGGAAT CCGCCGAGAT GGGGTCTGGC GCGGCTTTC CCTGGGGGAC CCTTCTGTGC 120
CGGTGGTTGC TGTTCCTTTC CCTGGTGGGC CCAGTCTCTG GTGCGGGCCG GCCAGGCTTT 180
30 CAACAGACCT CACATCTTTC TTCTTATGAA ATTATAACTC CTTGGAGATT AACTAGAGAA 240
AGAAGAGAAG CCCCTAGGCC CTATTCAAAA CAAGTATCTT ATGTTATTCA GGCTGAAGGA 300
AAAGAGCATA TTATTCACTT GGAAGGAAGC AAAGACCTTT TGCCCTGAAGA TTTTGTGGTT 360
TATACTTACA ACAAGGAAGG GACTTTAATC ACTGACCATC CCAATATACA GAATCATTGT 420
CATTATCGGG GCTATGTGGA GGGAGTTCAT AATTCATCCA TTGCTCTTAG GCAGTGTFTT 480
35 GGACTCAGAG GATTGCTGCA TTTAGAGAAT GCGAGTTATG GGATTGAACC CCTGCAGAAC 540
AGCTCTCATT TTGAGCACAT CATTATCGA ATGGATGATG TCTACAAAAG GCCTCTGAAA 600
TGTGGAGTTT CCAACAAGGA TATAGAGAAA GAAACTGCAA AGGATGAAGA GGAAGAGCCT 660
CCCAGCATGA CTCAGCTACT TCGAAGAAGA AGAGCTGTCT TGCCACAGAC CCGGTATGTG 720
GAGCTGTTCA TTGTCTGAGA CAAGGAAAAG TATGACATGA TGGGAAGAAA TCAGACTGCT 780
40 GTGAGAGAAG AGATGATTCT CCTGGCAAAC TACTTGGATA GTATGTATAT TATGTTAAAT 840
ATTCGAATTT TGCTAGTTGG ACTGGAGATT TGGACCAATG GAAACCTGAT CAACATAGTT 900
GGGGGTGCTG GTGATGTGCT GGGGAAC TTC GAGTGTGC GGGAAAAGTT TCTTATCACA 960
CGTCCGAGAC ATGACAGTGC ACAGCTAGTT CTAAGAAAAG GTTTTGGTGG AACTGCAGGA 1020
ATGGCATTTC TGGGAACAGT GTGTTCAGAG AGCCACGCAG GCGGGATTAA TGTGTTTGG 1080
45 CAAATCACTG TGGAGACATT TGCTTCCATT GTTCTCATG AATTGGGTCA TAATCTTGG 1140
ATGAATCACG ATGATGGGAG AGATTGTTCC TGTGGAGCAA AGAGCTGCAT CATGAATTCA 1200
GGAGCATCGG GTTCCAGAAA CTTTAGCAGT TGCAGTGCAG AGGACTTGA GAAGTTAACT 1260
TTAAATAAAG GAGGAAACTG CTTTCTTAAT ATTCCAAAGC CTGATGAAGC CTATAGTGCT 1320
CCTCCTCTGT GTAATAAGTT GGTGGACGCT GGGGAAGAGT GTGACTGTGG TACTCCAAAG 1380
50 GAATGTGAAT TGACCCTTTC CTGCGAAGGA AGTACCTGTA AGCTTAAATC ATTTGCTGAG 1440
TGTGCATATG GTGACTGTTG TAAAGACTGT CGTTCCTTTC CAGGAGGTAC TTTATGCCGA 1500
GGAAAAACCA GTGAGTGTGA TGTTCAGAG TACTGCAATG GTTCTTCTCA GTTCTGTCTG 1560
CCAGATGTTT TTATTCAGAA TGGATATCCT TGCCAGAATA ACAAAAGCCTA TTGCTACAAC 1620
GGCATGTGCC AGTATTATGA TGCTCAATGT CAAGTCACTT TTGGCTCAA AGCCAAAGGCT 1680
55 GCCCCAAAG ATGTGTTTCAT TGAAGTGAAT TCTAAGAGTG ACAGATTTCG CAATGTGGT 1740
TTCTCTGGCA ATGAATACAA GAAAGTGTCC ACTGGGAATG CTTTGTGTGG AAAGCTTCAG 1800
TGTGAGAAAG TACAAGAGAT ACCTGTATTT GGAATTGTGC CTGCTATTAT TCAAACGCT 1860
AGTCGAGGCA CCAAAATGTT GGGTGTGGAT TTCCAGCTAG GATCAGATGT TCCAGATCCT 1920
GGGATGGTTA ACCGAAGCAC AAAATGTGGT GCTGGAAGA TCTGTAGAAA CTTCCAGTGT 1980
GTAGATGCTT CTGTTCTGAA TTATGACTGT GATGTTTACA AAAAGTGTCA TGGACATGGG 2040
GTATGTAAATA GCAATAAGAA TTGTCACTGT GAAATGGCT GGGCTCCCC AAATGTGAG 2100
ACTAAAGGAT ACGGAGGAAG TGTGGACAGT GGACTACAT ACAATGAAT GAATACTGCA 2160
TTGAGGGAGC GACTTCTGGT CTCTCTTCT CTAATTGTTC CCCTTATTGT CTGTGCTATT 2220
TTTATCTTCA TCAAGAGGGA TCAACTGTGG AGAAGCTACT TCAGAAAAGA GAGATCAGAA 2280
65 ACATATGAGT CAGATGGCAA AAATCAAGCA AACCTTCTA GACAGCCGGG GAGTGTTCCT 2340
CGACATGTTT CTCCAGTGC ACCTCCCAGA GAAAGTCTTA TATATGAAA CAGATTGCA 2400
GTACCAACCT ATGCAGCCAA GC AACCTCAG CAGTCCCAT CAAGGCCACC TCCACCACA 2460
CCGAAAGTAT CATCTCAGG AACTTAAAT CCTGCCGTC CTGCTCTGC ACCTCTTITA 2520
TATAGTCCCT TCACTTGATT TTTTAACTT TCTTTTGTCA AATGCTTCA GGGAACTGAG 2580
70 CTAATACTTT TTTTCTTCT TGATGTTTC TTGAAAAGCC TTTCTGTTC AACTATGAAT 2640
GAAACAAAAC CACCACAAA CAGACTTCA TAACACAGAA AAACAGAAAC TGAGTGTGAG 2700
AGTTGTGAAA TACAAGGAAA TGCAGTAAAG CCAGGAAAT TACAATAACA TTTCCGTTTC 2760
CATCATGAAA TAAGTCTTAT TCAGTCAATG GTGAGGTTAA TGCACTAATC ATGGATTTT 2820
TGAACATGTT ATTCAGTGA TTCTCAAAT AACTGATTTG GTGTAAGAT TTTGTCATTA 2880
75 AGTGTTAAG TGTATTCTG AATTTCTAC CTTAGTTATC ATTAAGTGA TTCCTCATG 2940
AACATGTGAT AATCTAATAC CTGTGAAAAC TGACTAATCA GCTGCCAATA ATATCTAATA 3000
TTTTTCATCA TGACGAAAT AATAATCAT ATACTCTAGA ATCTTGTCTG TCACTCACTA 3060
CATGAATAAG CAAATATTGT CTTCAAAAG ATGCACAAGA ACCACAATA AGATGTCTA 3120
TTATTTGAA AGTACAAAAT ATACTAAAAG AGTGTGTGTG TAITCACGCA GTTACTCGCT 3180
80 TCCATTTTA TGACCTTTCA ACTATAGGTA ATAACCTTGA GAGAAATTA TTAATATTA 3240
GAAATTTCTA TATGAATCAT GTGAAAGCAT GACATTCGTT CACAATAGCA CTAATTTTAA 3300
TAAATATAA GCTTTAAGG ACGAAGTATT TAATAGATCT AATCAATAT GTTGATTCAT 3360
GGCTATAATA AAGCAGGAG AATTATAAAA TCTTCAATCA ATTGAACTTT TACAAAACCA 3420
CTTGAGAAAT TCATGAGCAC TTTAAAATCT GAACCTTCAA AGCTTGCTAT TAAATCATTT 3480
85 AGAATGTTA CATTACTAA GGTGTGCTGG GTCATGTAAA ATATTAGACA CTAATATTT 3540
CATAGAAAT AGGCTGGAGA AAGAAGGAAG AAATGGTTTT CTTAAATACC TACAAAAG 3600
TTACTGTGTT ATCTATGAGT TATCATCTTA GCTGTGTTAA AAATGAATTT TTAATATGGC 3660

```

AGATATGGTA TGGATCGTAA AATTTTAAGC ACTAAAAATT TTTTCATAAC CTTTCATAAT 3720
AAAGTTTAAAT AATAGGTTTA TTAACCTGAAT TTCATTAGTT TTTTAAAAGT GTTTTGGTT 3780
TGTGTATATA TACATATACA AATACAACAT TTACAATAAA TAAAAACTT GAAATTCTCA 3840
AAAAAAAAA AAAAAAAAAA AAAAA

5

Seq ID NO: 633 Protein sequence
Protein Accession #: NP_003807.1

10 1 11 21 31 41 51
MGS GARFPSPG TLRVRWLLLL GLVGPVLGAA RPFQQTSHL SSYEIIIPWR LTRERREAPR 60
PYSKQVSYVI QAEGKEHIIH LERNKDLLPE DFVVYTYNKE GTLITDHPNI QNHCHYRGYV 120
EGVHNSIAL SDCFRLRGLL HLENASYGIE PLQNSHFHIE IYRMDVYK EPLKCGVSNK 180
DIEKETAKDE EEEPPSMTQL LRRRRRAVLPO TRYVELFIVV DKERYDMMGR NQTAVREEMI 240
15 LLANYLDSMY IMLNIRIVLV GLEIWTNGNL INIVGGAGDV LGNFVQWREK FLITRRRHDS 300
AQLVLKKGFG GTAGMAFVGT VCSRSHAGGI NVFGQITVET FASIVAHELQ HNLGMNHDDG 360
RDCSCGAKSC IMNSGASGSR NFSSCSAEDF EKLTILNKGGN CLLNI PKPDE AYSAPSCGNK 420
LVDAGEECD C GTPKCELDLP CCBGSTCKLK SFAECAYGDC CKDCRFLPGG TLRGRKTSK 480
DVEPYCNGSS QFCQPDVFIQ NYGPCQNNKA YCNGMCQYY DAQCQVIFGS KAKAAPKDFC 540
20 IEVNSKGRDF GNCGFSGNEY KKCATGNALC GKLCQENVQE IPVFGIVPAI IQTPSRGTTC 600
WGVDFQLGSD VPPDGMVNEG TKCGAGKICR NFQCVDA SVL NYDCDVQKKC HGHGVCNSNK 660
NCHCENGWAP FNCETGYGG SVDSGPTYNE MNTALRDGLL VFFFLIVPLI VCAIFIFIKR 720
DQLWRSYFRK KRSQTYESDG KNQANPSRQP GSVPRHVSFV TPPREVPIYA NRFVAPT YAA 780
KQPQFFSRP PFPQPKVSSQ GNLIPARPA APPLYSSLT

Seq ID NO: 634 DNA sequence
Nucleic Acid Accession #: NM_002091.1
Coding sequence: 56..503

30 1 11 21 31 41 51
AGTCTCTGCT CTTCCAGCC TCTCCGGCGC GCTCCAAGGG CTTCCTCGTG GGACCATGCG 60
CGGCACTGAG CTCCCGCTGG TCTCGCTGGC GCTGGTCTCT TGCTTAGCGC CCCGGGGCGC 120
35 AGCGGTCCCG CTGCCTCGGG GCGGAGGGAC CGTGCTGACC AAGATGTACC CGCGCGGCAA 180
CCACTGGGCG GTGGGGCACT TAATGGGGAA AAAGAGCACA GGGGAGTCTT CTTCTGTTC 240
TGAGAGAGGG AGCCTGAAGC AGCAGCTGAG AGAGTACATC AGGTGGGAAG AAGCTGCAAG 300
GAATTGCTG GGTCTCATAG AAGCAAAGGA GAACAGA AAC CACCAGCCAC CTCACCCAA 360
GGCCTTGGCC AATCAGCAGC CTTCTGGGGA TTCAGAGGAT AGCAGCAACT TCAAAGATGT 420
AGGTTCAAAA GGCAAAAGTT GTAGACTCTC TGCTCCAGGT TCTCAACGTG AAGGAAGGAA 480
40 CCCCCAGCTG AACCAGCAAT GATAATGATG GCCTCTCTCA AAAGAGAAAA ACAAAACCCC 540
TAAGAGACTG AGTTCTGCAA GCATCAGTTC TACGGATCAT CAACAAGATT TCCTTGTGCA 600
AAATATTGTA CTATTTCTGTA TCTTTCATCC TTGACTAAAT TCGTGATTTT CAAGCAGCAT 660
CTTCTGGTTT AAATCTGTTT GCTGTGAACA ATTGTGAAA AGAGTCTTCC AATTAATGCT 720
TTTTATATAT TAGGCTACTT GTTGGTTAGA TTCAAGGCC CAGAGCTGTTA CCATTACAAA 780
TAAAAGCTTA AACACAT

Seq ID NO: 635 Protein sequence
Protein Accession #: NP_002082.1

50 1 11 21 31 41 51
MRGSELPLVL LALVLCIAPR GRAVPLPAGG GTVLTMYPR GNHWAVGHLM GKXSTGESS 60
VSESGSLKQQ LREYIRWEEA ARNLLGLIEA KENRNHQPPQ PKALGNQQPS WDESDSSNFK 120
DVGSRGKVGR LSAPGSQREG RNPQLNQQ

Seq ID NO: 636 DNA sequence
Nucleic Acid Accession #: NM_016522.1
Coding sequence: 265..1299

60 1 11 21 31 41 51
GCGGAAGCAG CGAGAGGGA GCCCCTTTG GCCGTCTTCC GTGGAACCGG TTTTCCGAGG 60
CTGGCAAAAG CCGAGGCTGG ATTTGGGGGA GGAATATTAG ACTCGGAGGA GTCTGCGCGC 120
65 TTTTCTCTCC CCCGCGCCTC CCGGTCGCGG CCGGTTCCACC GCTCAGTCCC CGCGCTCGT 180
CGCACCCCA CCCACTTCCT GTGCTCGCCC GGGGGGGGTG TGCCGTGCGG CTGCGGGAGT 240
TOGGGGAAGT TGTGGCTGTC GAGAAATGGG GTCTGTGGGT ACCTGTTCTT GCCCTGGAAG 300
TGCCTCGTFG TCGTGTCTCT CAGGCTGCTG TTCCTTGTAC CCACAGGAGT GCCCGTGC GC 360
AGCGGAGATG CCACCTTCCC CAAAAGCTATG GACAACTGTA CCGTCCGGCA GGGGGAGAGC 420
GCCACCCTCA GGTGCACTAT TGACAAACCGG GTCACCCGGG TGGCCTGGCT AAACCGCAGC 480
70 ACCATCTCT ATGCTGGGAA TGACRAAGTG TGCCCTGGATC CTCGCGTGGT CCTTCTGAGC 540
AACACCCAAA CGCAGTACAG CATCGAGATC CAGAACGTGG ATGTGTATGA CGAGGGCCCT 600
TACACCTGCT CCGTGCAGAG AGACAACCAC CCAAAGACCT CTAGGGTCCA CCTCATTTGT 660
CAAGTATCTC CCAAAATTGT AGAGATTCTC TCAGATATCT CCATTAATGA AGGGAAACAAT 720
ATTAGCCTCA CCTGCATAGC AACTGGTAGA CCAGAGCCTA CGGTTACTTG GAGACACATC 780
75 TCTCCCAAAG CGGTGTGCTT TGTGAGTGAA GACGAATACT TGGAAATTCA GGGCATCACC 840
CGGAACAGT CAGGGGACTA CAGGTGCAGT GCCTCCAATG ACCTGGCCCG GCCCGTGGTA 900
CGGAGAGTAA AGGTACCCGT GAACTATCCA CCATACATTT CAGAAGCCAA GGTACAGGT 960
GTCCCGCTGG GACAAAAGGG GACACTGCAG TGTGAAGCCT CAGCAGTCCC CTCAGCAGAA 1020
TTCCAGTGGT ACAGGATGA CAAAAGACTG ATTGAAGGAA AGAAAAGGGT GAAAGTGAA 1080
80 AACAGACCTT TCCTCTCAA ACTCATCTTC TTCATGTCT CTGAAACATGA CTATGGGAAC 1140
TACACTTGGG TGGCCTCCAA CAAGCTGGGC CACACCAATG CCAGCATCAT GCTATTTGGT 1200
CCAGGCGCCG TCAGCGAGGT CAGCAACCGC ACGTCAAGGA GGGCAGGCTG CGTCTGGCTG 1260
CTGCTCTTTC TGGTCTTGCA CCGTCTTCTC AAATTTGAT GTGAGTGCCA CTTCCCCACC 1320
CGGAAAGGC TCGCCGCCACC ACCACCACA ACACAACAGC AATGGCAACA CCGCAGCA 1380
85 CCAATCAGAT ATATACAAAT GAAATTAGAA GAAAACACAG CTCAATGGAC AGAAATTTGA 1440
GGGAGGGGAA CAAAGATAC TTTGGGGGA AAAGAGTTTT AAAAAAGAAA TTGAAAATTG 1500
CCTTGACAGT ATTTAGGTAC AATGGAGTTT TCTTTTCCCA AACGGGAAGA ACACAGCACA 1560

CCCGGCTGG ACCCACTGCA AGCTGCATCG TGCAACCTCT TTGGTGCCAG TGTGGGCAAG 1620
 GGCTCAGCCT CTCAGCCAC AGACTGCCCC CACGTGGAAC ATTCTGGAGC TGGCCATCCC 1680
 AAATCAATC AGTCCATAGA GACGAACAGA ATGAGACCTT CCGGCCAAG CGTGGCGCTT 1740
 CCGGCCAAG CGTGGCCTG CGGGCACTTT GGTAGACTGT GCCACCACGG CTGTGTGTTG 1800
 GAAACGTGAA ATAAAAAGAG CAAAAAATA AAAAAAATA

5

Seq ID NO: 637 Protein sequence
 Protein Accession #: NP_057606.1

10 1 11 21 31 41 51
 | | | | | |
 MGVCVGLFLP WKCLVVVSLR LFLVPTGVP VRSGDATFPK AMDNVTVRQG ESATLRCTID 60
 NRVTRVAVLN RSTILYAGND KWCLDPRVVL LSNTQTQYSI EIQNVDVYDE GPHYTCVQTD 120
 NHPKTRVHLL IVQVSPKIVE ISSDISINEG NNISLTCLAT GRPEPTVTRW HISPRAVGFV 180
 15 SDEYLEIQG ITRERQSDYE CSASNDAAP VRRVVKVTVN YPPYISEAKG TGVVPVQKGT 240
 LQCEASAVFS AEFQWYKDDK RLIEGKKGVK VENRPFLSKL IFFNVSEHDY GNYTCVASNK 300
 LGHTNASIML FPGGAVSEVS NGTSRRAGCV WLLPLLVLHL LLLK

20 Seq ID NO: 638 DNA sequence
 Nucleic Acid Accession #: NM_012261.1
 Coding sequence: 203..1045

25 1 11 21 31 41 51
 | | | | | |
 GATTGTCTCT GCCAGCAGCT GTCGGTGCCG CGCTCGACAC CGAGTCTCTAG CTAGGGCGCTC 60
 ACAGAAATAGC CGCTCCCTCC CTCCTCCCTTC TCTGTCCCCC GCCTCTCGCT CACCCCGGCC 120
 CACTCCAGCG GCGACTTTGA GGGATTCCCT CTCTGGGGC CTCTGCAGCA GCACAGCCGG 180
 CCTCATTCCG GGCATGCGA GTATGGATCT CCAAGGAAGA GGGGTCCCCA GCATCGACAG 240
 ACTTCGAGTT CTCCTGATGT TGTTCCATAC AATGGCTCAA ATCATGCGAG AACAGAAGT 300
 30 GAAAATCTC TCAGGCCTTT CCACTAACCC TGAAAAAGAT ATATTTGTGG TGGGGGAAAA 360
 TGGGACGACG TGTCTCATGG CAGAGTTTGC AGCCAAATTT ATGTGTACCTT ATGATGTGTG 420
 GGCCAGCAAC TACGTAGATC TGATCACA GAACAGCCGAT ATGCAATGA CCCGGGGAGC 480
 TGAGGTGAAG GGCCTGTGTG GCCACAGCCA GTCGGAGCTG CAAGTGTCTT GGGTGGATCG 540
 CGCATATGCA CTCAAAATGC TCTTTGTAAA GGAAGGCCAC AACATGTCCA AGGGACCTGA 600
 35 GCGACTTGG AGGCTGAGCA AAGTGCAGTT TGTCTACGAC TCCTCGGAGA AAACCCACTT 660
 CAAAGACGCA GTCAGTGTCT GGAAGCACAC AGCCAACCTC CACCACCTCT CTGCCTTGGT 720
 CACCCCGCTG GGAAGTCCCT ATGAGTGTCA AGCTCAACAA ACCATTTAC TGGCCTCTAG 780
 TGATCCGACG AAGACGGTCA CATGATCCT GTCTGCGGTC CACATCCAAC CTTTGTGACAT 840
 TATCTCAGAT TTTGTCTTCA GTGAAGAGCA TAAATGCCCA GTGGATGAGC GGGAGCAACT 900
 40 GGAAGAAACC TTGCCCCGTA TTTTGGGGCT CATCTGGGGC CTGCTCATCA TGTAACACT 960
 CGCGATTAC CAGTCCACC ACAAAATGAC TGCCCAACCAG GTGCAGATCC CTCGGGACAG 1020
 ATCCAGTAT AAGCACATGG GCTAGAGGCC GTTAGGCAGG CACCCCTAT TCCTGTCTCC 1080
 CCAACTGGAT CAGGTAGAAG AACAAAAGCA CTTTCCATC TTGTACACGA GATACACCAA 1140
 CATAGCTACA ATCAACAGG CCTGGGTATC TGAGGCTTGC TTGGCTTGTG TCCATGCTTA 1200
 45 AACCCACGGA AGGGGAGAC TCTTTCGGAT TTGTAGGGTG AAATGGCAAT TATTCTCTCC 1260
 ATGCTGGGGA GGAGGGGAGG AGGGTCTCAG ACAGCTTTCG TGCTCATGGT GGCTTGGCTT 1320
 TGACTCTCCA AAGAGCAATA AATGCCACTT GGAGCTGTAT CTGGCCCAA AGTTTAGGGA 1380
 TTGAAAACAT GCTTCTTGA GGAGGAAACC CTTTAGGTT CAGAAGAAATA TGGGGTGTCT 1440
 TGCTCCCTTG GACACAGCTG GCTTATCCTA TACAGTTGTC AATGCACACA GAATACAACC 1500
 50 CATAGCTCCC CCGTGAAG CCCCCTGAAAG TGATTCATGC TTCTGGCTGG CATCTGCAT 1560
 GTTTAGTGAT TGCTTGGGA ATGTTTCACT GCTACCCGCA TCCAGCGACT GCAGCACCAG 1620
 AAAACGACTA ATGTAACAT GCAGAGTTGT TTGGACTTCT TCCTGTGCCA GGTCCAAGTC 1680
 GGGGACCTG AAGAAATCAAT CTGTGTGAGT CTGTTTTTCA AAATGAAATA AAACACACTA 1740
 TTCTCTGGC

55 Seq ID NO: 639 Protein sequence
 Protein Accession #: NP_036393.1

60 1 11 21 31 41 51
 | | | | | |
 MDLQRGVPS IDRLRVLLML FHTMAQIMAE QEVENLSGLS TNPEKDI FVV RENGITCLMA 60
 EFAAKFIVPY DVWASNYVDL ITEQADIALT RGAEVKGRCG HSQSELQVFW VDRAYALKML 120
 FVKESHNMMSK GPEATWRLSK VQFVYDSSEK THFRDAVSAG KHTANSHHLS ALVTPAGKSY 180
 65 ECQAQQTISL ASSDPKQTVT MILSAVHIQF FDIISDFVFS EEHKCPVDER EQLEETLPLI 240
 LGLILGLVIM VTLAIYVHHV KMTANQVQIP RDRSQYKRMG

70 Seq ID NO: 640 DNA sequence
 Nucleic Acid Accession #: NM_002993.1
 Coding sequence: 64..408

75 1 11 21 31 41 51
 | | | | | |
 GGCACGAGCC AGTCTCCGCG CCTCCACCCA GCTCAGGAAC CCGCGAACCC TCTCTTGACC 60
 ACTATGAGCC TCCCGTCCAG CCGCGCGGCC CGTGTCCCGG GTCCTTCGGG CTCCTTGTGC 120
 GCGCTGCTCG GCTGCTGCT CTGCTGAGC CCGCGGGGCG CCCTCGCCAG CGCTGGTCTC 180
 GTCTCTGCTG TGCTGACAGA GCTGCGTTGC ACTTGTATTAC GCGTTACGCT GAGAGTAAAC 240
 CCCAAAACGA TTGGTAAACT GCAGGTGTTT CCCGCAGGCC CGCAGTGTCT CAAGGTGGAA 300
 GTGGTAGCCT CCTTGAAGAA CGGGAAAGCAA GTTTGTCTGG ACCCGGAAGC CCCTTTTCTA 360
 80 AAGAAAGTCA TCCAGAAAAT TTTGGACAGT GGAACAAGA AAACTGAGT AACAAAAAAG 420
 ACCATGCATC ATAAAATTGC CCAGTCTTCA GCGGAGCAGT TTTCTGGAGA TCCCTGGACC 480
 CAGTAAGAA AAGAAGGAAG GGTGTTGTTT TTCCATTTC CTACATGGAT TCCCTACTTT 540
 GAAGAGTGTG GGGGAAAGCC TACGCTTCTC CCTGAAGTTT ACAGCTCAGC TAATGAAGTA 600
 CTAATATAGT ATTTCCACTA TTTACTGTTA TTTTACCTGA TAAGTTATTG AACCCTTTGG 660
 85 CAATTGACCA TTTGTGAGC AAAGAAATCAC TGGTTATTAG TCTTTCAATG AATATTGAAT 720
 TGAAGATAAC TATTGTATT CTATCATACA TTCCTTAAAG TCTTACCAGG AAGGCTGTGG 780
 ATTTCTGATG GAAATAATGT TTTATTAGTG TGCTGTGAG GAGGTATCC TGTGTCTCTT 840
 ACTCACTCT CTCATAAAAT AGGAAATATT TTAGTTCTGT TTTCTGGGG AATATGTTAC 900

TCTTTACCCCT AGGATGCTAT TTAAGTTGTA CTGTATTAGA ACACTGGGTG TGCATACCG 960
 TTATCTGTGC AGAATATATT TCCTTATTCA GAATTTCTAA AAATTTAAGT TCTGTAAGGG 1020
 CTAATATATT CTCTTCTAT GGTTTTAGAT GTTTGATGTC TTCTTAGTAT GGCATAATGT 1080
 CATGATTTAC TCATTAACCT TTGATTTTGT ATGCTATTTT TTCACTATAG GATGACTATA 1140
 ATTCGTGGTCA CTAATATAC ACTTTAGATA GATGAAGAAG CCCAAAACA GATAAATTCC 1200
 TGATTGCTAA TTTACATAGA AATGTATTCT CTGTGTTTTT TAAATAAAAG CAAAATTAAC 1260
 AATGATCTGT GCTCTGCAAA GTTTTGAAAA TATATTTGAA CAATTTGAAT ATAAATTCAT 1320
 CATTTAGTCC TCAAATATA TACAGCATTG CTAAGATTTT CAGATATCTA TTGGGATCT 1380
 TTTAAAGGTT TTGACATTTT TGTTATGAGG AATTATACAT GTATCACATT CACTATATTA 1440
 AAATGCACT TTATTTT TCTGTGTGTC ATGTTGGTTT TTGGTACTTG TATTGTCATT 1500
 TGGAGAACA ATAAAGATT TCTAAACCAA AAAAAA AAAA

Seq ID NO: 641 Protein sequence
 Protein Accession #: NP_002984.1

1 11 21 31 41 51
 | | | | | |
 MSLPSSRAAR VPGPSGLCA LLALLLLLP PGPLASAGPV SAVLTELRCV CLRVTLRVNP 60
 KTIGKLVQVF AGPQCSKVEV VASLKNKQV CLDPEAPFLK KVIQKILDSG NKIV

Seq ID NO: 642 DNA sequence
 Nucleic Acid Accession #: NM_013271.1
 Coding sequence: 27..809

1 11 21 31 41 51
 | | | | | |
 TCCGGAGCCA GGCTCGTGG GGCAGCATGG CGGGTGCGCC GCTGCTCTGG GGGCCGCGGG 60
 CCGGGGGCGT CGGCTTTTGG GTGCTGCTGC TGCTCGGCCT GTTTCGGCCG CCCCCCGCGC 120
 TCTGCGCGCG GCCGGTAAAG GAACCCCGCG GCCTAAGCGC AGCGTCTCCG CCCTTGGCTG 180
 AGACTGGCGC TCCTCGCCGC TTCCGGCCGT CAGTGCCTCG AGGTGAGGCG GCGGGGGCGG 240
 TGCAGGAGCT GGGCGGGGCG CTGGCGCATC TGCTGGAGGC CGAACGTCAG GAGCGGGCGC 300
 GGGCCGAGGC GCAGGAGSCT GAGGATCAGC AGCGCGCGT CCTGGGCGAG CTGCTGCGCG 360
 TCTGCGGCGC CCCCCGCAAC TCTGATCCGG CTCTGGGCCT GGACGACGAC CCCGACGCGC 420
 CTGACGGCGA GCTCGCTCGC GCTCTGCTCC GCGCCCGCTC TGACCTGCTC GCCCTAGCAG 480
 CCCAGCTTGT CCCCAGGCCG GTCCCGCGCG CGCGCTCCG ACCCCGGGCC CCGGTCTACG 540
 ACGAGCGGCC CGCGGGCCCC GATGCTGAGG AGGCAGGCGA CGAGACACCC GACGTGGACC 600
 CCGAGCTGTT GAGGTAATTC CTGGGACCGA TTCTTGCGGG AAGCCGCGAC TCCGAGGGGG 660
 TGGCAGCCCC GCGCCGCTC CGCCGTGCCG CCGACCAGCA TGTGGGCTCT GAGCTGCCCC 720
 CTGAGGGCGT GCTGGGGGCG CTGCTGCGTG TGAACGCCT AGAGACCCCG GCGCCCCAGG 780
 TGCTGTCAGC CCGCCTCTTG CCACCCTGAG CACTGCCCGG ATCCCGTGCA CCCTGGGACC 840
 CAGAAGTGC CCGCCATCC CGCCACCAGG ACTTCTCCCC GCCAGCACGT CCAGAGCAAC 900
 TTACCCCGGC CAGCCAGCCC TCTCACCCGA GGATCCCTAC CCCTGGGCC ACAATAACAT 960
 GATCTGAGC

Seq ID NO: 643 Protein sequence
 Protein Accession #: NP_037403.1

1 11 21 31 41 51
 | | | | | |
 MAGSPLLWGP RAGGVLLVL LLLGLFRPPP ALCARPVKEP RGLSAASPPL AETGAPRRFR 60
 RSVPRGEAAG AVQELARALA HLLAERQER ARAEAQEAED QQARVLAQLL RVWGAPRNSD 120
 PALGLDDDDP APAQLARAL LRARLDPAAL AAQLVPAFVP AAALRFRPPV YDDGFAGFDA 180
 EAAGDETPDV DPBLLRYLLG RILAGSADSE GVAAPRRLRR AAHDVVGSEL PPEGVLGALL 240
 RVKRLPAP QVPARRLLPP

Seq ID NO: 644 DNA sequence
 Nucleic Acid Accession #: NM_002214
 Coding sequence: 681..2990

1 11 21 31 41 51
 | | | | | |
 CCCAGAGCCG CCTCCCCCTG TTGCTGGCAT CCCGAGCTTC CTCCTTGCC AGCCAGGACG 60
 CTGCCGACTT GTCTTTGCCG GCTGCTCCGC AGACGGGGCT GCAAAGCTGC AACTAATGGT 120
 GTTGGCCTCC CTGCCACCT GTGGAAGCAA CTGCGCTGAT TGATGCGCCA CAGACTTTT 180
 TCCCTCGAC CTCGCGGGG TACCCTCCA CAGATCCAGC ATCACCCAGT GAATGTACAT 240
 TAGGGTGGTT TCCCCCCAG CTTCGGGCTT TGTTTGGGTT TGATTGTGTT TGGCTCTTCG 300
 CTAAGCTGAT TTATGCAGCA GAAGCCCCAC CGGCTGGAGA GAAACAAAAG CTCTTTTCTT 360
 TGTCCCGGAG CAGGCTGCGG AGCCCTTGCA GAGCCCTCTC TCAGTFCGCC GCCGGGCCCT 420
 TGCCCGTGA AGGAGGTGCT TCTCGGAG ACCGCGGGAC CGCCGTGCC GAGCCGGGAG 480
 GGCCGTAGGG GCCCTGAGAT GCCGAGCGGT GCCCGGGCCC GCTTACTGAC ACCGCTTGCT 540
 CCGAGCCGCG GGGTCCGCT GCTAGGCCCT CGGAAAACGT CCTAGCGACA CTCGCCCGCG 600
 GGCCCCGAGG TCGCCGGGA GGCCGAGCCC GCGTCCGGAA GGCAGCCAGG CCGCGGGCGC 660
 GGGCGGGGCT GTTTTGCAAT ATGTGCGGCT CGGCCCTGGC TTTTITTACC GCTGCATTG 720
 TCTGCTGCA AAACGACCGG CGAGGTCGCG CCTCGTTCCT CTGGGAGCC TGGGTGTTTT 780
 CACTTGTCT TGACTGGGC CRAAGTGAAG ACAATAGAT TGATCTTCA AATGCAGCAT 840
 CCTGTGCCAG GTGCCTTGGC CTGGGTCCAG AATGTGATG GTGTGTTCAA GAGGATTTCA 900
 TTTCAAGTGG ATCAAGAAGT GAACTGTTG ATATTGTTT CAATTTAATA AGCAAAGGCT 960
 GCTCAGTTGA TTCAATAGAA TACCCATCTG TGCAATGTTT AATACCCACT GAAATGAAA 1020
 TTAATACCCA GGTACACCA GGAGAAGTGT CTATCCAGCT GGTCCAGGA GCCGAGCTA 1080
 ATTTATGCT GAAAGTTTCA CCTCTGAAGA AATATCTGTT GGATCTTTAT TATCTTGTG 1140
 ATGCTCAGC ATCAATATAG AATAATATA AAAAATAAA TTCCGTTGGA AACGATTAT 1200
 CTAGAAAAAT GGCATTTTTC TCCCGTGACT TTCGCTTGG ATTTGGCTCA TACGTTGATA 1260
 AAACAGTTTC ACCATACATT AGCATCCACC CCGAAAGGAT TCATAATCAA TGCAGTGACT 1320
 ACAATTTAGA CTCGACTGGC CCCCATGGAT ACATCCAATG GCTGTCTTTG ACAGAGAA 1380
 TCACTGAGTT TGAGAAAGCA GTTCATAGAC AGAAGATCTC TGGAACATA GATACACCAG 1440
 AAGGAGGTTT TGACGCCATG CTTCAGGCAG CTGTCTGTGA AAGTCATATC GGATGGCGAA 1500
 AAGAGGCTAA AAGATTGCTG CTGGTGATGA CAGATCAGAC GTCTCATCTC GCTCTTGATA 1560

5
10
15
20
25
30
35
40

```

GCAAAITGGC AGGCATAGTG GTGCCCAATG ACGGAAACTG TCATCTGAAA AACCAACGTCT 1620
ACGTCAAATC GACAACCATG GAACACCCCT CACTAGGCCA ACTTTCAGAG AAATAAATAG 1680
ACAAACAACAT TAATGTGATC TTGTCAGTTC AAGGAAAACA ATTTTCATTGG TATAAGGATC 1740
TTCTACCCCT CTTGCCAGGC ACCAATGCTG GTGAAATAGA ATCAAAGGCT GCAAACCTCA 1800
ATAAATTTGGT AGTGGAAAGCC TATCAGAAGC TCATTTTCTG AGTGAAGATG CAGGTGGAAA 1860
ACCAGGTACA AGGCATCTAT TTTAACATTA CCGCCATCTG TCCAGATGGG TCCAGAAAGC 1920
CAGGCATGGA AGGATGCAGA AACGTGACGA GCAATGATGA AGTTCTTTTC AATGTAAACAG 1980
TTACAATGAA AAAATGTGAT GTCACAGGAG GAAAAAATA TGCAATTAATC AAACCTATTG 2040
GTTTTAATGA AACCGCTAAA ATTCATATAC ACAGAAACTG CAGCTGTCTG TGTGAGGACA 2100
ACAGAGGACC TAAAGGAAAG TGTGTAGATG AAACTTTTCT AGATTCCAAG TGTTTCCAGT 2160
GTGATGAGAA TAAATGTGAT TTTGATGAAG ATCAGTTTTC TTCTGAGAGT TGCAAGTCA 2220
ACAAGGATCA GCCGTGTTGC AGTGGTCSAG GAGTTTGTGT TGTGGGAAA TGTTCATGTC 2280
ACAAAATTAA GCTTGGAAAA GTGTATGGAA AATACTGTGA AAAGGATGAC TTTTCTGTG 2340
CATATCACC A TGGAAATCTG TGTGCTGGGC ATGAGAGAGT TGAAGCAGGC AGATGCCAAT 2400
GCTTCAGTGG CTGGGAAGGT GATCGATGCC AGTGCCCTTC AGCAGCAGCC CAGCACTGTG 2460
TCAATTCAAA GGGCCAAGTG TGCAGTGGAA GAGGCACGTG TGTGTGTGGA AGGTGTGAGT 2520
GCACCGATCC CAGGAGCATC GGGCCGCTCT GTGAACACTG CCCCACCTGT TATACAGCCT 2580
GCAAGGAAAA CTGGAATGTT GTCAATGCC TTCACCTCA CAATTTGTCT CAGGCTATAC 2640
TTGATCAGTG CAAAACCTCA TGTGCTCTCA TGGAAACAACA GCATTATGTC GACCAAACTT 2700
CAGAATGTTT CTCCAGCCCA AGCTACTTGA GAAATATTTT CATCATTTTC ATAGTTACAT 2760
TCTTGATTGG GTTGCTTAAA GTCTGATCA TTAGACAGGT GATACTACA TGGAAATGTA 2820
ATAAAATTAA GTCTCATCA GATTACAGAG TGTGACGCTC AAAAAAGGAT AAGTTGATTC 2880
TGCAAAAGTT TTGCACAAGA GCAGTCACTC ACCGACGTGA GAAGCCTGAA GAAATAAAAA 2940
TGGATATCAG CAATTAATAT GCTCATGAAA CTTTCAGTGC CAACTCTCAA AAAAAGATTT 3000
TAAACACTT AATGGGAAC TGGAAATTGT AATAATTGCT CCTAAAGATT ATAAATTTAA 3060
AAGTCAAGG AGGAGACAAA TTGCTCAGCG TCATGCCAGT TGTCTGTTGT ACACCTGAA 3120
GAAGACTGAC AAGTATCCTC ATCATGATGT GACTCACATA GCTGCTGACT TTTTCAGAGA 3180
AAAATGTGTC TTACTACTGT TTGAGACTAG TGTGCTGTGA GCACCTTACT GTAATATATA 3240
ACTTATTAG ATCAGCATAG AATGTAGATC CTCTGAAGAG CACTGATTAC ACTTTACAGG 3300
TACCTGTTAT CCCTACGCTT CCGCAGAGAGA ACAATGCTGT GAGAGAGTTT AGCATTGTGT 3360
CACTACAAGG GTACAGTAAT CCCTGCACTG GACATGTGAG GAAAAAATA ATCTGGCAA 3420
TATATTCTAA GGTGCCAAA CACTTCAACA GTTGGTGGTT GAATAGACAA GAACAGCTAG 3480
ATGAATAAAT GATTCGTGTT TCACTCTTTC AAGAGGTGAA CAGATACAAC CTTAATCTTA 3540
AAAGATTAT GCTTTTAAA GTGTGTAGTT TTATGCATGT GTGTTTATGG TTTGCTTATT 3600
TTTGCAAGAT GGATACTAAT TCCAGCATTC TCTCCTCTT GCCTTATGT TTTGTTTCT 3660
TTTTACAGG ATAAATTTAT GTATGTCACA GATGACTGGA TTAATTAAGT GCTAAGTTAC 3720
TACTGCCATA AAAAATAAT AATACAATGT CACTTTATCA GAATACTAGT TTTAAAAGCT 3780
GAATGTTAA
    
```

Seq ID NO: 645 Protein sequence
Protein Accession #: NP_002205

45
50
55

```

1 11 21 31 41 51
| | | | |
MCGSALAPFT AAFVCLQNDR RGPASFLWAA WVFSVLVLGLG QGEDNRCASS NAASCARCLA 60
LGPCEGWCVQ EDFISGSSRS ERCDIVSNLI SKGCSVDSIE YPSVHVIIPT ENEINTQVTP 120
GEVSIQLRFP AEANFLMKVH PLKKYPVDLY YLVDVSASM NNIKLNVSNG NDLSRKMAFF 180
SRDFRLRFGS YVDKTVSPYI SHPERIHNQ CSDYNLDCMP PHGYIHVLSL TENITEFEKA 240
VHRQKISGNI DTPEGGFDAM LQAAVCESHI GWRKEAKRLL LVMTDQTSHL ALDSKLAGIV 300
VENDGNCHLK NNVVYKSTTM EHPSLGQLSE KLIDNNINVI FAVQGRQFHW YKDLLPLLP 360
TIAGEIESKA ANLNLVVEEA YQKLISEVKV QVENQVQGIY FNIATCPDG SRKPGMEGCR 420
NVTNSDEVLF NVVTIMKKCD VTGGKNYAI KPIGFNETAK IHIHRNCSQ CEDNRGPKGK 480
CVDETFLDSK CFQCDENKCH FDEDQFSSES CKSHKQDQVC SGRGVCVCGK CSCHKIKLKG 540
VYGKCEKDD FSCPYHHGNL CAGHGECEAG RCQCFSGWEG DRCCQPSAAA QHCVNSKQV 600
CSGRGTCVCG RCECTDPRS I GRFCEHCPTC YTACKENWNC MQLLHPHNLS QAILDQCKTS 660
CALMEQQHYV DQTSCEPSSP SYLRIFFIIF IVTFLIGLLK VLIIRQVILQ WNSNLIKSSS 720
DYRVSASKKD KLILQSVCTR AVTYRREKPE EIKMDISKLN AHETPRCNF
    
```

Seq ID NO: 646 DNA sequence
Nucleic Acid Accession #: NM_003318.1
Coding sequence: 1..2574

65
70
75
80
85

```

1 11 21 31 41 51
| | | | |
ATGGAATCCG AGGATTTAAG TGGCAGAGAA TTGACAAATG ATTCCATAAT GAACAAAGTG 60
AGAGACATTA AAAATAAGTT TAAAATGAA GACCTTACTG ATGAACCTAG CTGGAATAAA 120
ATTTCTGCTG ATACTACAGA TAACTCGGGA ACTGTTAACC AAATTATGAT GATGGCAAAC 180
AACCCAGAGG ACTGGTTGAG TTTGTTGCTC AAACCTAGAGA AAAACAGTGT TCCCGTAAAGT 240
GATGCTCTTT TAAATAAATF GATTGGTCTG TACAGTCAAG CAATTGAAGC GCTTCCCCCA 300
GATAAATATG GCCAAAATGA GAGTTTGTCT AGAATTCGAG TGAGATTGTC TGAATTAAAA 360
GCTATTCAAG AGCCAGATGA TGCACGTGAC TACTTTCAAA TGGCCAGAGC AAACCTGCAA 420
AAATTTGCTT TTGTTTATAT ATCTTTTGA CAATTTGAAC TGTCAACAAG TAATGTCAAA 480
AAAAGTAAAC AACTTCTTCA AAAAGCTGTA GAAAGTGGAG CAGTACCCT AGAAATGCTG 540
GAAATGCCCC TGGCGAATTT AAACCTCAA AAAAGCAGC TGCTTTTCAA GGAGGAAAAG 600
AAGAATTTAT CAGCATCTAC GTTATTAAC TCCCAAGAAT CATTTCCCG TCACTTGGG 660
CATTTACAGA ATAGGAACA CAGTTGTGAT TCCAGAGGAC AGACTACTAA AGCCAGGTTT 720
TTATATGGAG AGAATGCTC ACCACAAGAT GCAGAAATAG GTTACCGGAA TTCATTGAGA 780
CAAACCTAAC AAACTAAACA GTCATGCCCA TTTGGAAGAG TCCCAAGTAA CCTTCTAAAT 840
AGCCAGATG GTGATGTGAA GACAGATGAT TCAGTTGTAC CTGTTTATG GAAAAGACAA 900
ACCTCTAGAT CAGAATGCCG AGAATTTGTT GTGCCCTGGT CTAACCAAG TGGAAATGAT 960
TCCTGTGAAT TAAGAAATTT AAAGTCTGTT CAAAATAGTC ATTTCAAGGA ACCTCTGGT 1020
TCAGATGAAA AGAGTCTGTA ACTTATATT ACTGATCAA TAACCTGAA GAATAAAACG 1080
GAATCAAGTC TTCTAGCTAA ATTAGAAGAA ACTAAAGAGT ATCAAGAACC AGAGGTTCCA 1140
GAGAGTAACC AGAAGCAGTG GCAATCTAAG AGAAAGTCAG AGTGATTTAA CCAAGATCCT 1200
GCTGCATCTT CAAATCACTG GCAGATTCGG GAGTTAGCCC GAAAAGTTAA TACAGAGCAC 1260
AAACATACCA CTTTGGAGCA ACCTGTCTTT TCAGTTTCAA AACAGTCACC ACCAATATCA 1320
ACATCTAAAT GGTTTGACCC AAAATCTATT TGTAAGACAC CAAGCAGCAA TACCTGGAT 1380
    
```

5
10
15
20

```

GATTACATGA GCTGTTTTAG AACTCCAGTT GTAAAAGAATG ACTTTCCACC TGCTTGTCCAG 1440
TTGTCAACAC CTTATGGCCA ACCTGCCTGT TTCCAGCAGC AACAGCATCA AATACTTGCC 1500
ACTCCACTTC AAAATTTACA GGTTTTAGCA TCTTCTTCCAG CAAATGAATG CATTTCGGTT 1560
AAAGGAAGAA TTTATTCOCAT TTTAAAAGCAG ATAGGAAGTGG GAGGTTCAAG CAAGGTATT 1620
CAGGTGTTAA ATGAAAAGAA ACAGATATAT GCTATAAAAT ATGTGAACTT AGAAGAAGCA 1680
GATAACCAAA CTCTTGATAG TTACCGGAAC GAAATAGCTT ATTTGAATAA ACTACAACAA 1740
CACAGTGATA AGATCATCCG ACTTTATGAT TATGAAATCA CGGACCAGTA CATCTACATG 1800
GTAATGGAGT GTGGAAATAT TGATCTTAAT AGTTGGCTTA AAAAGAAAAA ATCCATTGAT 1860
CCATGGGAAC GCAAGAGTTA CTGAAAAAAT ATGTTAGAGG CAGTTCACAC AATCCATCAA 1920
CATGGCATTG TTCACAGTGA TCTTAAACCA GCTAACTTTC TGATAGTTGA TGGAAATGCTA 1980
AAGCTAATTG ATTTTGGAGT TGCAAACCAA ATGCAACCAG ATACAACAAG TGTGTGTTAA 2040
GATTCTCAGG TTGGCAGCAT TAATTATATG CCACCAGAAG CAATCAAAGA TATGTCTTCC 2100
TCCAGAGAGA ATGGGAATC TAAGTCAAAG ATAAGCCCCA AAAGTGATGT TTGGTCTTCA 2160
GGATGTATTT TGTACTATAT GACTTACGGG AAAACACCAT TTCAGCAGAT AATTAAATCAG 2220
ATTTCTAAAT TACATGCCAT AATTGATCCT AATCATGAAA TTGAATTTC CGATATTCCA 2280
GAGAAAGATC TTCAAGATGT GTTAAAGTGT TGTTTAAAAA GGGACCCAAA ACAGAGGATA 2340
TCCATCTCTG AGCTCCTGGC TCATCCCTAT GTTCAAATTC AAACCTCATCC AGTTAAACCAA 2400
ATGGCCAAAG GAACCACTGA AGAAATGAAA TATGTTCTGG GCCAACTTGT TGGTCTGAAT 2460
TCTCCTAACT CCATTTTGAA AGCTGCTAAA ACTTTATATG AACACTATAG TGGTGGTGAA 2520
AGTCATAATT CTTCATCCTC CAAGACTTTT GAAAAAATAA GGGGAAAAAA ATGA

```

Seq ID NO: 647 Protein sequence
Protein Accession #: NP_003309.1

25
30
35
40

```

1 11 21 31 41 51
MESEDLSSGRE LTIDSIMNKV RDIKNKFKNE DLTDELSLNK ISADTTDMSG TVNQIMMMAN 60
NPEDWLSLLL KLEKNSVPLS DALLNKLIGR YSQAIEALPP DKYQONESFA RIQVRFaelK 120
AIQEPDDARD YFQMARANCK KPAFVHISPA QFELSOGNVK KSKQLLQKAV ERGAVPLEML 180
ETALRNLLVQ KKQLLSBEEK KNLASSTVLT AQESFSGSLG HLQNRNNSCD SRGQTTKARF 240
LYGENMPPQD AEIgyrNSLR QTNKTKQSCP FGRVPVNLNLLN SPDCDVKTDD SVVPCFMKRO 300
TSRSECRDLV VPGSKPsgND SCELRLNLSKV QNSHFKEPLV SDEKSELII TDSITLKNKT 360
ESSLLAKLEE TKEYQEPPEV ESNQKQWQSK RKSECINQNP AASSNHQIP ELARKVNTAQ 420
KHTTFEQPVF SVSQQSPPI SSKWFDPKSI CKTPSSNLDL DYMSCFRTPV VKNDFPPACQ 480
LSTPYGQAPC FQQQHQHILA TPLQNLQVLA SSSANECSIV KGRIVSILKO IGSGGSSKVF 540
QVINEKQIY AIKYVNLLEA DNQTLDSYRN EIAYLNKLQO HSDKIIRLYD YEITDQYIYM 600
VMECNIDLN SWLKKKSID PWERKSYWKN MLEAVHTIHQ HGVHSDLKP ANFLIVDGM 660
KLIDFGIANQ MQPDTTSVVK DSQVGTVNYM PPEALKDMSS SRENGKSKSK ISPKSDVWSL 720
GCILYMYTYG KTPPQIINQ ISKLHAIIDP NHEIEFPDIP EKDLQDVLC CLKRDPKQRI 780
SIPELLAHFY VQIQTHPVNQ MAKGTTEEMK YVLGQLVGLN SPNSILKAAK TLYEHYSGGE 840
SHNSSSKTF EKKRGGK

```

Seq ID NO: 648 DNA sequence
Nucleic Acid Accession #: NM_015507
Coding sequence: 241..1902

45
50
55
60
65
70
75
80
85

```

1 11 21 31 41 51
CCGCAGAGGA GCCTCGGCCA GGCTAGCCAG GCGGCCCCCA GCCCTCCCC AGGCCCGGAG 60
CGCCCTGCC GCGGTGCGCT GCCTCCCCCTC CCAGACTGCA GGGACAGCAC CCGGTAACCTG 120
CGATGGGAGC GGAGGACCCG AGCGGCTGAG GAGAGAGGAG GCGCGCGCTT AGCTGCTACG 180
GGGTCCGGCC GCGGCCCTCC CGAGGGGGGC TCAGGAGGAG GAAGGAGGAC CCGTGCAGAGA 240
ATGCTCTGTC CCTGGAGCCT TGCGCTCCCG CTGCTGCTCT CTTGGTGGC AGGTGGTTTC 300
GGGAACGGG CCGATGCAAG GCATCACGGG TTGTAGCAT CGGCACGTC GCCTGGGGTC 360
TGTCACTATG GACTAAACT GCGCTGCTGC TACCGCTGGA GAAGAAACAG CAAGGGAGTC 420
TGTGAAGCTA CATCGAACC TGGATGTAAG TTTGGTGAGT GCGTGGGACC AAACAAATGC 480
AGATGCTTTC CAGGATACAC CGGAAAAACC TGCACTCAAG ATGTGAATGA GTGTGGAATG 540
AAACCCCGGC CATGCCAAC CAAGATGTGT AATACACAG GAAGCTACAA GTGCTTTTGC 600
CTCAGTGGCC ACATGCTCAT GCCAGATGCT ACGTGTGTA ACTCTAGGAC ATGTGCCATG 660
ATAAATGTC AGTACAGCTG TGAAGACACA GAAGAAGGGC CACAGTGCCT GTGTCCATCC 720
TCAGGACTCC GCTGGGCCCC AAATGGAAGA GACTGTCTAG ATATTGATGA ATGTGCTCT 780
GGTAAAGTCA TCTGTCCCTA CAATCGAAGA TGTGTGAACA CATTGGAAG CTACTACTGC 840
AAATGTCACA TTGTTTTCGA ACTGCAATAT ATCAGTGGAC GATATGACTG TATAGATATA 900
AATGAATGTA CTATGGATAG CCATACGTGC AGCCACCAT CCAATGCTT CAATACCCAA 960
GGGTCTTCA AGTGTAAATG CAAGCAGGGA TATAAAGGCA ATGGACTTCG GTGTCTGTCT 1020
ATCCCTGAAA ATTTCTGTGA GGAAGTCTC AGAGCACCTG GTACCATCAA AGACAGAAATC 1080
AAGAAGTTGC TTGCTCACAA AAACAGCATG AAAAAGAAG CAAAATTTAA AAATGTTACC 1140
CCAGAACCCA CCGAGACTCC TACCCTAAG GTGAACCTGC AGCCCTTCAA CTATGAAGAG 1200
ATAGTTTCCA GAGCGGGAA CTCTCATGGA GGTAAAAAAG GGAATGARGA GAAAATGAAA 1260
GAGGGGCTTG AGGATGAGAA AAGAGAAGAG AAAGCCCTGA AGAATGACAT AGAGGAGCGA 1320
AGCTGCGAG GAGATGTGTT TTTCCCTAAG GTGAATGAAG CAGGTGAAT CGGCCTGATT 1380
CTGGTCCAAA GGAAGCGCT AACTTCCAAA CTGGAACATA AAGATTTAAA TATCTCGT 1440
GACTGCAGCT TCAATCATGG GATCTGTGAC TGGAAACAGG ATAGAGAAGA TGATTTTGAC 1500
TGGAATCCTG CTGATCGAGA TAATGCTATT GGTTCTATA TGGCAGTCC GGCCTTGGA 1560
GGTCACAAGA AAGACATTGG CCGATTGAAA CTTCTCTTAC CTGACCTGCA ACCCCAAAGC 1620
AACTTCTGTT TGCTCTTTGA TTACCGGCTG GCCGGAGACA AAGTCGGGAA ACTTCGAGTG 1680
TTTGTGAAA ACAGTAACAA TGCCCTGGCA TGGGAGAAGA CCACGAGTGA GGATGAAAAG 1740
TGGAAAGATC GGAATAATCA GTTGTATCAA GGAACCTGAT CTACCAAAG CATCATTTT 1800
GAAGCAGAAC GTGGCAAGGG CAAAACCGGC GAAATCGCAG TGGATGGCGT CTTGCTTGT 1860
TCAGGCTTAT GTCCAGATAG CCTTTTATCT GTGGATGACT GAATGTTACT ATCTTTATAT 1920
TTGACTTGT ATGTCAGTTC CCTGGTTTTT TTGATATTGC ATCATAGGAC CTCTGGCATT 1980
TTAGAATTAC TAGCTGAAA ATTGTAAATG ACCAACAGAA ATATTATTGT AAGATGCCTT 2040
TCTGTATATA GATATGCCAA TATTGTCTT AAATATCATA TCACTGTATC TTCTCAGTCA 2100
TTTCTGAATC TTTCCCAATT ATATTATAAA ATATGGAAT GTCACTTTAT CTCCCTCT 2160
CAGTATATCT GATTTGTATA AGTAAGTTGA TGAGCTTCTC TCTACAACAT TTCTAGAAAA 2220
TAGAAAAAAA AGCACAGAGA AATGTTTAACT TGTTTGACTC TTATGATACT TCTTGGAAAC 2280
TATGCATCA AAGATAGACT TTTGCCAAG TGGCTTAGCT GGTCTTTCA TAGCCAAACT 2340

```

TGTATATTTA AATTCTTGT AATAATAATA TCCAATCAT CAAAAA AAAA

Seq ID NO: 649 Protein sequence
Protein Accession #: NP_056322

5

1 11 21 31 41 51
MPLPWSLALP LLLLSWVAGGF GNAASARHHG LLASARQPGV CHYGTKLACC YGWRNRKGV 60
CEATCEPGCK FGECVGNPKC RCFPGYTGKT CSQDVNECGM KPRPCQHRVC NTHGSYKCF 120
LSGHMLMPDA TCVNSRSTCAM INCQYSCEDT BEGPQCLCPS SGLRLAPNGR DCLDIDECAS 180
GKVICPYNRR CVNTFGSYCC KCHIGFELQY ISGRYDCIDI NECTMDSHTC SHHANCFTNQ 240
GSFKCKCKQG YKGNGLRCSA IPENSVKEVL RAPGTIKDRI KCLLAHKNSM KKKAKIKNVT 300
PEPTRTPTFK VMLQPFNYEE IVSRGGNSHG GKKGNEEKMK EGLEDEKREE KALKNDIEER 360
SLRGDVFVFK VNEAGEFLAI LVQRKALTSK LEHKDLNISK DCSFNHGICD WKQDREDDFD 420
WNPADRDAI GFYMAVPAI GHKKDIGRLK LLLPDLQPS NFDLLFDYRL AGDKVQKLRV 480
FVKNSNALLA WEKTTSEDEK WKTGKIQLYQ GTDATKSIIF EAERGGKGTG EIAVDGVLV 540
SGLCPDSLSS VDD

Seq ID NO: 650 DNA sequence
Nucleic Acid Accession #: NM_003506.1
Coding sequence: 259..2379

20

1 11 21 31 41 51
GCAGCTCCAG TCCCGGACGC AACCCCGGAG CCGTCTCAGG TCCCTGGGGG GAACGGTGGG 60
TTAGACGGGG ACGGGAAGGG ACAGCGGCCT TCGACCGCCC CCCGAGTAAT TGACCCAGGA 120
CTCATTTCAC GGAAGCCCTG AAATAGAGTA AAATAGTGAA ATGAGGAATT TGAACATTTT 180
ATCTTTGGAT GGGGATCTTC TGAGGATGCA AAGAGTGATT CATCCAAGCC ATGTGGTAAA 240
ATCAGGAATT TGAAGAAAAT GGAGATGTT ACATTTTGTG TGACGTGTAT TTTTCTACCC 300
CTCCTAAGAG GGCACAGTCT CTTCACTGTG GAACCAATTA CTGTTCCCGA ATGTATGAAA 360
ATGGCCTACA ACATGACGTT TTTCCCTAAT CTGATGGGTC ATTATGACCA GAGTATTGCC 420
GCGGTGGAAA TGGAGCATT TCTTCTCTC GCAAATCTGG AATGTTCAAC AAACATGAAA 480
ACTTTCCTCT GCAAGCATT TGACCAACC TGATAGAAC AAATTCATGT GGTTCCACCT 540
TGTCGTAAC TTTGTGAGAA AGTATATTCT GATTGCAAAA AATTAATTGA CACTTTTGGG 600
ATCCGATGGC CTGAGGAGCT TGAATGTGAC AGATTACAAT ACTGTGATGA GACTGTTCTC 660
GTAACCTTTG ATCCACACAC AGAATTTCTT GGTCTCAGA AGAAAAACA ACAAGTCCAA 720
AGAGACATTG GATTTGGTGT TCCAAGGCAT CTTAAGACTT CTGGGGGACA AGGATATAAG 780
TTTCTGGGAA TTGACCAAGT TCGCCCTCCA TGCCCAACA TGTATTTTAA AAGTATGAG 840
CTAGAGTTTG CAAAAGTTT TATTGGAACA GTTCAATAT TTTGTCTTTG TGCAACTCTG 900
TTCACATCC TTACTTTTTT AATTGATGTT AGAAGATTCA GATACCCAGA GAGACCAATT 960
ATATATTACT CTGCTGTGTA CAGCATTGTA TCTCTTATGT ACTTCATTGG ATTTTGTCTG 1020
GGCGATAGCA CAGCCTCAA TAAGGCAGAT GAGAAGTAG AACTTGGTGA CACTGTTGTC 1080
CTAGGCTCTC AAAATAAGGC TTGCACCGTT TGTTCATGCT TTTTGTATT TTTCAACAATG 1140
GCTGGCACTG TGTGGTGGGT GATTCTTACC ATTACTTGGT TCTTAGCTGC AGGAAGAAA 1200
TGGAGTTGTG AAGCCATCGA GCAAAAAGCA GTGTGGTTTC ATGCTGTTGC ATGGGGAACA 1260
CCAGGTTTCC TGACTGTAT GCTTCTGCT CTGAACAAAG TTGAAGGAGA CAACATTAGT 1320
GGAGTTTGTCT TGTGTGCTT TATGACCTG GATGCTTCTC GCTACTTGT ACTCTTGCCA 1380
CTGTGCCTTT GTGTGTTTGT TGGGCTCTCT CTTCTTTTAG CTGGCATTAT TTCCTTAAAT 1440
CATGTTCCGA AAGTCATAA ACATGATGGC CGGAACCAAG AAAAACAATA GAAATTTATG 1500
ATTCGAATTG GAGTCTTCAG CGGCTGTAT CTGTGCCAT TAGTGACACT TCTCGGATGT 1560
TACGCTATG AGCAAGTGAA CAGGATTACC TGGGAGATAA CTTGGGTCCT TGATCATTGT 1620
CGTCAATACC ATATCCCATG TCCTTATCAG GCAAAAGCAA AAGCTCGACC AGAATTGGCT 1680
TTATTTATGA TAAATACTT GATGACATTA ATTGTGGCA TCTCTGCTGT CTCTGGGTT 1740
GGAAGCAAAA AGACATGCAC AGAATGGGCT GGGTTTTTAA AACGAAATCG CAAGAGAGAT 1800
CCAATCAGTG AAAAGTCGAA AGTACTACAG GAATCATGTG AGTTTTTCTT AAAGCACAA 1860
TCTAAGATTA AACACAAAA GAAGCACTAT AAACCAAGTT CACACAAGCT GAAGGTCATT 1920
TCCAAATCCA TGGGAACCCG CACAGGAGCT ACAGCAATC ATGGCACTTC TGCAGTAGCA 1980
ATTACTAGCC ATGATTACCT AGGACAAGAA ACTTTGACAG AAATCCAAC CTCACCAGAA 2040
ACATCAATGA GAGAGGTGAA AGCGGACGGA GCTAGCACCC CCAGGTTAAG AGAACAGGAC 2100
TGTGGTGAAC CTGCTCGCC AGCAGCATCC ATCTCCAGAC TCTCTGGGGA ACAGGTCGAC 2160
GGGAAGGGCC AGGCAGGCG TGTATCTGAA AGTGGCGGGA GTGAAGGAAG GATTAGTCCA 2220
AAGAGTGATA TTACTGACAC TGGCCTGGCA CAGAGCAACA ATTTGCAGGT CCCCAGTCT 2280
TCAGAACCAA GCAGCCTCAA AGTTCCACA TCTCTGCTTG TTCACCCAGT TTCAGGAGTG 2340
AGAAAAGAGC AGGGAGGTGG TTGTCAATCA GATACTTGA GAACATTTTC TCTCGTTACT 2400
CAGAAGCAAA TTTGTGTAC ACTGGAAGTG ACCTATGCAC TGTTTTGTAA GAATCACTGT 2460
TACGTTCTTC TTTGCACTT AAAAGTGCAT TGCCACTGT TATACTGAA AAAATAGAGT 2520
TCAAGATAA TATGACTCAT TTCACACAAA GGTTAATGAC AACAAATAC CTGAAAACAG 2580
AAATGTGACG GTTAATAATA TTTTTTAAT AGTGTGGGAG GACAGAGTTA GAGGAATCTT 2640
CCTTTCTAT TTATGAAGAT TCTACTCTTG GTAAGAGTAT TTTAAGATG ACTATGCTAT 2700
TTTACCTTTT TGATATAAAA TCAAGATATT TCTTTGCTGA AGTATTTAAA TCTTATCCTT 2760
GTATCTTTTT ATACATATTT GAAAATAAGC TTATATGTAT TTGAACTTTT TTGAAATCCT 2820
ATTCAAGTAT TTTTATCATG CTATTGTGAT ATTTAGCAC TTTGGTAGCT TTTCACTGA 2880
ATTTCTAAGA AAATGTAAA ATAGTCTTCT TTTTACTGT AAAAAAAGAT ATACCAAAAA 2940
GTCTTATAAT AGSAAATTTA CTTTAAAAAC CCACTATFG ATACCTTACC ATCTAAAATG 3000
TGTGATTTTT ATAGTCTCGT TTTAGGAATT TCACAGATCT AAATTATGTA ACTGAAATAA 3060
GGTGCTTACT CAAAGAGTGT CCACTATTGA TTGTATTATG CTGCTCACTG ATCCTTCTGC 3120
ATATTTAAAA TAAAATGTCC TAAAGGGTTA GTAGACAAA TGTAGTCTT TTGTATATTA 3180
GGCCAAGTGC AATTGACTTC CCTTTTTTAA TGTTCATGA CCACCCATTG ATGTATTAT 3240
AACCCTTAC AGTTGCTTAT ATTTTGTGT TTAACTTTG TTTCTTAAAC TTTAGAATAT 3300
TACATTTTGT ATTATACAGT ACCTTTCTCA GACATTTTGT AG

Seq ID NO: 651 Protein sequence
Protein Accession #: NP_003497.1

85

1 11 21 31 41 51

MEMFTPLLTC	IFLPLLRGHS	LFTCEPITVP	RCMKMAYNMT	FFPNLMGHVD	QSIAAVEMEH	60
FLPLANLECS	PNIEITFLCKA	FVPTCIEQIH	VVPPCRKLCE	KVYSDCKKLI	DTFGIRWPBE	120
LECDRLQYCD	ETVPVTFDPH	TEFLGPQKKT	EQVQRDIGFW	CPRHLLKTSGG	QGYKFLGIDQ	180
CAPPCPNMYF	KSDELEFAKS	FIGTVSIFCL	CATLFTPLTF	LIDVRRFRYP	ERPIIYYSVC	240
YSIVSLMYFI	GFLLDGSTAC	NKADEKLELG	DTVVLGSSQNK	ACTVLFMLLY	FPTMAGTVMW	300
VILITITWFLA	AGRKWSCEAI	EQKAVWFHAV	AWGTPGFLTV	MLLALNKVEG	DNISGVCFVG	360
LYLDLDSRYF	VLLPLCLCVF	VGLSLLLAGI	ISLNHVROVI	QHDGRNQEKL	KKFMIRIGVP	420
SGLYLVPLVLT	LLGCYVYEQV	NRITWEITWV	SDHCROVHIP	CPYQAKAKAR	PELALFMIKY	480
LMLTLIVGISA	VFWVGSKKT	TEWAGFFKRN	RKRDFISESR	RVLQESCEFP	LKHNSKVKHK	540
KKHYKPSCHK	LKVISKSMGT	STGATANHGT	SAVAITSHDY	LQGETLTIQ	TSPETSMREV	600
KADGASTPRL	REQDCGEPAS	PAASISRLSG	EQVDGKGQAG	SVSESARSEG	RISPKSDITD	660
TGLAQSNMLQ	VPSSESPSSL	KGSTSLLVHP	VSGVRKEQGG	GCHSDT		

Seq ID NO: 652 DNA sequence
 Nucleic Acid Accession #: NM_014791.1
 Coding sequence: 171..2126

1	11	21	31	41	51	
20	TTGGCGGGCG	GAAGCGGCCA	CAACCCGGCG	ATCGAAAAGA	TTCTTAGGAA	CGCCGTACCA 60
	GCCGCGTCTC	TCAGGACAGC	AGGCCCCCTGT	CCTTCTGTCG	GGCGCCGCTC	AGCCGTGCCC 120
	TCCGCCCTC	AGGTTCTTTT	TCTAATTCCA	AATAAACTTG	CAAGAGGACT	ATGAAAGATT 180
	ATGATGAACT	TCTCAAATAT	TATGAATTAC	ATGAAACTAT	TGGGACAGGT	GGCTTTGCAA 240
	AGGTCAAAC	TGCCCTGCCAT	ATCCTTACTG	GAGAGATGGT	AGCTATAAAA	ATCATGGATA 300
25	AAAACACACT	AGGGAGTGTAT	TTGCCCCGGA	TCAAACCGGA	GATTGAGGCC	TTGAGAACC 360
	TGAGACATCA	GCATATATGT	CAACTCTACC	ATGTGCTAGA	GACAGCCAAC	AAAAATATCA 420
	TGGTCTTGA	GTACTGCCCT	GGAGGAGAGC	TGTTTGACTA	TATAAATTCC	CAGGATCGCC 480
	TGTGAGAAGA	GGAGACCCGG	GTTGTCTTCC	GTCAGATAGT	ATCTGCTGTT	GCTTATGTGC 540
	ACAGCCAGGG	CTATGCTCAC	AGGGACCTCA	AGCCAGAAAA	TTTGTGTTT	GATGAATATC 600
30	ATAAATTAAA	GCTGATTTGAC	TTTGGTCTCT	GTGCAAAACC	CAAGGGTAAC	AAGGATTACC 660
	ATCTACAGAC	ATGCTGTGGG	AGTCTGGCTT	ATGCAAGACC	TGAGTTAATA	CAAGGCAAAT 720
	CATATCTTGG	ATCAGAGGCA	GATGTTTGGG	GCATGGGCAT	ACTGTTATAT	GTTCTTATGT 780
	GTTGATTCTT	ACCATTTTGAT	GATGATAATG	TAATGGCTTT	ATACAAGAAG	ATTATGAGAG 840
	GAAAATATGA	TGTTCCCAAG	TGGCTCTCTC	CCAGTAGCAT	TCTGCTTCTT	CAACAAATGC 900
35	TGCAGGTGGA	CCCAAAGAAA	CGGATTTCTA	TGAAAAATCT	ATTGAACCAT	CCCTGGATCA 960
	TGCAAGATTA	CAACTATCCT	GTTGAGTGGC	AAAGCAAGAA	TCCTTTTATT	CACCTCGATG 1020
	ATGATTTCGT	AACAGAACTT	TCTGTACATC	ACAGAAACAA	CAGGCAACA	ATGGAGGATT 1080
	TAATTTCACT	GTGGCAGTAT	GATCACCTCA	CGGCTACCTA	TCTTCTGCTT	CTAGCCAAGA 1140
	AGGCTCGGGG	AAAACCAAGT	CGTTTAAGGC	TTTCTTCTTT	CTCCTGTGGA	CAAGCCAGTG 1200
40	CTACCCCAT	CACAGACATC	AAGTCAAATA	ATTGGAGTCT	GGAGATGTG	ACCCCAAGTG 1260
	ATAAAAAATTA	TGTGGCGGGA	TFAATAGACT	ATGATTGGTG	TGAAGATGAT	TTATCAACAG 1320
	GTGCTGCTAC	TCCCCGAACA	TCACAGTTTA	CCAAGTACTG	GACAGAATCA	AATGGGGTGG 1380
	AATCTAAATC	ATTAACCTCCA	GCCTTATGCA	GAACACCTGC	AAATAAATTA	AAGAACAAG 1440
	AAAAATGATA	TACTCCCTAAG	TCTGCTGTAA	AGAATGAAGA	GTACTTTATG	TTTCTGAGC 1500
45	CAAAGACTCC	AGTTAATAAG	AACCAGCATA	AGAGAGAAAT	ACTCACTACG	CCAAATCGTT 1560
	ACACTACACC	CTCAAAAGCT	AGAAAACCACT	GCCTGAAAGA	AACTCCAATT	AAAAATCCAG 1620
	TAAATTCAC	AGGAACAGAC	AAGTTAATGA	CAGGTGTCT	TAGCCCTGAG	AGGCGGTGCC 1680
	GCTCAGTGGG	ATTGGATCTC	AACCAGCAC	ATATGGAGGA	GACTCCAAA	AGAAAGGGAG 1740
	CCAAAGTGT	TGGGAGCCTT	GAAAGGGGGT	TGGATAAGGT	TATCACTGTG	CTCACCAGGA 1800
50	CCAAAAGGAA	GGGTTCTGCC	AGAGACGGGC	CCAGAAGACT	AAAGCTTCAC	TATAATGTGA 1860
	CTACAACATG	ATTAGTGAAT	CCAGATCAAC	TGTTGAATGA	AATAATGTCT	ATCTTCCAA 1920
	AGAAGCATGT	TGACTTTGTA	CAAAAGGGTT	ATACACTGAA	GTGTCAAAA	CAGTCAGATT 1980
	TGGGAAAAGT	GACAATGC	TTTGAATTAG	AAAGTGTGCC	GCTTCAAAA	CCCAGTGTGG 2040
	TGGGTATCAG	GAGGCAGCGG	CTTAAGGGCG	ATGCCTGGGT	TTACAAAAGA	TTAGTGGAA 2100
55	ACATCCTATC	TAGCTGCAAG	GTATAATTGA	TGGATTCTC	CATCCTGCCG	GATGAGTGTG 2160
	GGTGTGATAC	AGCCTACATA	AAGACTGTTA	TGATCGCTTT	GATTTTAAAG	TTCATTGGAA 2220
	CTACCAACTT	GTTTCTAAG	AGCTATCTTA	AGACCAATAT	CTCTTTGTTT	TAAACAAAA 2280
	GATATTATT	TGTGTATGAA	TCTAAATCAA	GCCCATCTGT	CATTATGTTA	CTGTCTTTTT 2340
	TAATCATGTG	GTTTTGTATA	TAAATAATTG	TTGACTTTCT	TAGATTCACT	TCCATATGTG 2400
60	AATGTAAGCT	CTTAACTATG	TCTCTTTGTA	ATGTGTAATT	TCTTTCTGAA	ATAAAACCAT 2460
	TTTGAATAT					

Seq ID NO: 653 Protein sequence
 Protein Accession #: NP_055606.1

1	11	21	31	41	51	
70	MKDYDELLKY	YELHETIGTG	GFAKVKLACH	ILTGEMVAIK	IMDKNTLGS	LPRIKTEIEA 60
	LKNLRHQHIC	QLYHVLETAN	KIFMVLEYCP	GGELFDYIIS	QDRLSEBETR	VVFRQIVSAV 120
	AYVHSQGYAH	RDLKPENLLE	DEYHKLKLLD	FGLCAKPKGN	KDYHLQTCG	SLAYAAPALI 180
	QGKSYLGSEA	DVNSMGLILY	VLMCGFLPFD	DDNVMALYKK	IMRGKYDVPK	WLSYSSILLL 240
	QQMLQVDPKK	RISMKNLLNH	PWIMQDYNYP	VEWQSKNFFI	HLDDDCVTEL	SVHHRNRQT 300
	MEDLISLWQY	DHLTATYLLL	LAKKARGKPV	RLRLSSPSCG	QASATPFTDI	KSNNSWLEDV 360
	TASDRNYVAG	LIDYDWCEDD	LSTGAATPRT	SQFTKYWTES	NGVESKSLTP	ALCRTPANKL 420
75	KNKENVYTPK	SAVKNEYFPM	FPEPKTFVNK	NOHKREILTT	PNRYTTPSKA	RNQCLETPI 480
	KIPVNSTGTD	KLMTGVISPE	RRCRSVELDL	NQAHMEETPK	RRGAKVFGSL	ERGLDKVITV 540
	LTRSKRKGSA	RDGPRRLKHL	YNVTTTLVNV	PDQLLNEIMS	ILPKKHVPV	QXGYTLKQCT 600
	QSDFGKVTMQ	FELVEVCLQK	PDVVGIRRRQ	LKGDWVYKR	LVEDILSSCK	V

Seq ID NO: 654 DNA sequence
 Nucleic Acid Accession #: NM_000582
 Coding sequence: 88..990

1	11	21	31	41	51	
85	GCAGAGCACA	GCATCGTCCG	GACCAGACTC	GTCTCAGGCC	AGTTGCAGCC	TTCTCAGCCA 60
	AACGCCGACC	AAGGAAAAC	CACCTACCATG	AGAATTGCAG	TGATTTGCTT	TTGCCTCCTA 120

GGCATCACCT GTGCCATACC AGTTAAACAG GCTGATTCTG GAAGTTCTGA GGAAAAGCAG 180
CTTTACAACA AATACCCAGA TGCTGTGGCC ACATGGCTAA ACCCTGACCC ATCTCAGAAG 240
CAGAATCTCC TAGCCCCACA GACCCTTCCA AGTAAGTCCA ACGAAAAGCCA TGACCACATG 300
GATGATATGG ATGATGAAGA TGATGATGAC CATGTGGACA GCCAGGACTC CATTGACTCG 360
AACGACTCTG ATGATGTAGA TGACACTGAT GATTCTCACC AGTCTGATGA GTCTCACCAT 420
TCTGATGAAT CTGATGAACT GGTCACTGAT TTTCCCACGG ACCTGCCAGC AACCGAAGTT 480
TFCACTCCAG TTGTCCCCAC AGTAGACACA TATGATGGCC GAGGTGATAG TGTGGTTTAT 540
GGACTGAGGT CAAAATCTAA GAAGTTTCGC AGACCTGACA TCCAGTACCC TGATGCTACA 600
GACGAGGACA TCACCTCACA CATGGAAGC GAGGAGTTGA ATGGTGATA CAAGGCCATC 660
CCCGTTGCC AGGACCTGAA CGCGCTTCT GATTGGGACA GCCGTGGGAA GGACAGTTAT 720
GAAACGAGTC AGCTGGATG CCAGAGTGC TAAAACCCACA GCCACAAGCA GTCCAGATTA 780
TATAAGCGGA AAGCCAAATG TAGAGCAAT GAGCATTCCG ATGTGATTGA TAGTCAGGAA 840
CTTTCCAAAG TCAGCCGTGA ATTCCACAGC CATGAATTC ACAGCCATGA AGATATGCTG 900
GTTGTAGACC CAAAAGTAA GGAAGAAGT AAACACCTGA AATTTCTGAT TTCTCATGAA 960
TTAGATAGTG CATCTCTGA GGTCAATTAA AAGGAGAAAA AATACAATTT CTCACCTTTC 1020
ATTTAGTCAA AAAAAAAT GCTTTATAGC AAAATGAAAG AGAACATGAA ATGCTTCTTT 1080
CTCAGTTTAT TGTTGAATG TGTATCTATT TGAGTCTGGA AATAACTAAT GTGTTTGATA 1140
ATTAGTTTAG TTTGTGGCTT CATGGAAACT CCCTGTAAC TAAAAGCTTC AGGGTTATGT 1200
CTATGTTTAT TCTATAGAAG AAATGCAAAC TATCACTGTA TTTTAATATT TGTATTCTC 1260
TCATGAATAG AAATTTATGT AGAAGCAAAC AAAATACTTT TACCCACTTA AAAAGAGAAT 1320
ATAACATTTT ATGTCACTAT AATCTTTTGT TTTTAAAGTT AGTGTATATT TTGTGTGAT 1380
TATCTTTTGT TGGTGTGAAT AAATCTTTTA TCTTGAATGT AATAAGAAIT TGGTGGTGT 1440
AATTGCTTAT TTGTTTCC CCGTTGTCC AGCAATTAAT AAAACATAAC CTTTTTACT 1500
GCCTAAAAAA AAAAAAATA AAAAA

Seq ID NO: 655 Protein sequence
Protein Accession #: NP_000573

1 11 21 31 41 51
MRIAIVICFL LGITCAIPVK QADSGSSEK QLYNKYPDAV ATWLNPDPSQ KQNLLAPQTL 60
PSKNESHHDH MDMDDDEDD DHVDSQDSID SNDSDDVDDT DSHQSDSH HSDESDLVLT 120
DFPTDLPAE VFTPVVFTVD TYDGRDSSVV YGLRSKSKKF RRPDIQYPA TDEDITSHME 180
SEELNGAYKA IPVAQDLNAP SDWDSRGKDS YETSQLDDQS AETHSHKQSR LYKRKANDES 240
NEHSDVIDSQ ELKSVSRFPH SHEFHSHEDM LVVDPKSKEE DKHLKFRISH ELDSASSEVN

Seq ID NO: 656 DNA sequence
Nucleic Acid Accession #: NM_003108.1
Coding sequence: 76..1401

1 11 21 31 41 51
GGGGTGGGAG GGGGAGGGGG ACCTCCGCAC GAGACCCAGC GGCCCGGGTT GGAGCGTCCA 60
GCCCTGCAAC GGATCATGTT GCAGCAGGCG GAGAGCTTGG AAGCGGAGAG CAACCTGCCC 120
CGGGAGGCGC TGGACACGGA GGAGGGCGAA TTCATGGCTT GCAGCCCGGT GCCCTGGAC 180
GAGAGCGACC CACACTGGTG CAAGACGCGC TCGGGCCACA TCAAGCGGCC GATGAACGCG 240
TTCATGGTAT GGTCCAAGAT CGAAGCGCAG AAGATCATGG AGCAGTCTCC GGACATGCAC 300
AACGCGGAGA TCTCCAAGAG GCTGGGCAAG CGCTGGA AAA TGCTGAAGGA CAGCGAGAAG 360
ATCCCGTTCA TCCGGGAGGC GGAGCGGCTG CGGCTCAAGC ACATGGCCGA CTACCCCGAC 420
TACAAATACC GGCCCGGAAA AAAGCCCAAA ATGGACCCCT CGGCCAAGCC CAGCGCCAGC 480
CAGAGCCCGC AGAAGAGCGC GGCCCGGCGC GGCGGGCGGG AGGGCGGGGG 540
GGTGCCAAGA CCTCCAAGGG CTCCAGCAAG AAATGCGGCA AGCTCAAGGC CCCCAGGGCC 600
GCGGGCGCCA AGCGGGGCGC GGGCAAGGCG GCCCAGTCCG GGGACTACGG GGGCGCGGGC 660
GACGACTACG TGTGTGGCAG CCTGCGCGTG AGCGGCTCGG GCGCGGGCGG CGCGGGCAAG 720
ACGGTCAAGT GCGTGTCTCT GGATGAGGAC GACGACGACG ACGACGACGA CGACGAGCTG 780
CAGCTGCAGA TCAAAACAGGA GCCCGACGAG GAGGACGAGG AACCACCGCA CCAGCAGCTC 840
CTGCAGCGCG CGGGGACGCA GCGCTCGCAG CTGCTGAGAC GCTACAACGT GCCTCAAGTG 900
CCCGCCAGCC CTACGCTGAG CAGCTCGGCG GAGTCCCGCG AGGGAGCGAG CCTCTACGAC 960
GAGGTGCGGG CCGGCGCGAC CTCGGGCGCC GGGGGCGGCA GCGGCTCTA CTACAGCTC 1020
AAGAACATCA CCAAGACGCA CCGCGCGCGC CTCGCGCAGC CCGCGCTGTC GCCCGCTTC 1080
TCGCGCTCGG TGTCCACCTC CTCGTCCAGC AGCAGCGGCA GCAGCAGCGG CAGCAGCGGC 1140
GAGGACGCGC ACGACCTGAT GTTCGACCTG AGCTTGAATT TCTCTCAAAG CGCGCACAGC 1200
GCCAGCGAGC AGCAGCTGGG GGGCGGGCGC GCGCGCGGGA ACCTGTCCCT GTCGCTGGTG 1260
GATAAGGATT TGGATTGCTT CAGCGAGGGC AGCCTGGGCT CCCACTTCCA GTTCCCGCAG 1320
TACTGCACGC CGGAGCTGAG CGAGATGATC GCGGGGACT GGCTGGAGGC GAACTTCTCC 1380
GACCTGGTGT TCACATATTG AAAGGCGCCC GCTGCTCGCT CTTTCTCTCG GAGGGTGCAG 1440
AGCTGGGTTT CTTGGGAGGA AGTTGTAGTG GTGATGATGA TGATGATGAT AATGATGATG 1500
ATGATGGTGG TGTTCATGTT GCGGTGAGTA GGTGGAGGG GAGAGAAGAA GATGCTGATG 1560
ATATTGATAA GATGTCGTGA CGCAAGAAA TTGAAAACA TGATGAAAAT TTTGGTGGAG 1620
TTAAAGTAAA ATGATGATGT TTTAAACATT TTTCTGTCC TTTTTTTGTC CCCCTCCCT 1680
TCCTTTATCG TGTCTCAAGG TAGTTGCATA CCTAGTCTGG AGTTGTGATT ATTTTCCCAA 1740
AAAAATGTGT TTTGTAATTA CTATTTCTTT TTCCTGAAAT TCGTGAATTG AACAAAGGCA 1800
GAGGGGGCGG CCGCGGGGAG GGGAGGTAGG ACCCGCTCCG GAAGGCGCTG TTTGAAGCTT 1860
GTCCGTCTTT GAAGTCTGGA AGACGTCTGC AGAGGACCTT TTTGGCAGCA CAACTGTTAC 1920
TCTAGGGAGT TGGTGGAGAT ATTTTTTTTT CTTAAGAGAA CTTAAAGAAC TGGTGATTTT 1980
TTTTTAAACA AAAAAGGG

Seq ID NO: 657 Protein sequence
Protein Accession #: NP_003099.1

1 11 21 31 41 51
MVQQAESLEA ESNLPREALD TEEGEFMACS FVALDESDDP WCKTASGHIK RPMNAFMVWS 60
KIERRKIMEQ SPDMHNAEIS KRLGKRKMKL KDSEKIPFIR EAERLRLKHM ADYDPDYKYRP 120
RKKPKRMPDPA KPSASQSPFK SAAGGGGSSA GGGAGGAKTS KGSKKCGKL KAPAAAGAKA 180
GAGKAAQSGD YGGAGDDYVL GSLRVSGSSG GGAGKTVKCV FLDEDDDDDD DDELQLQIK 240

QEPDEDEBP HQQLLQFPF QPQSLLRRY NVAKVPASPT LSSSAESPEG ASLYDEVKAG 300
ATSGAGGSR LYYSFKNITK QHPPPLAQA LSPASSRSVS TSSSSSSGSS SGSSGEDADD 360
LMFDLSLNFPS QSARSASEQ LGGAAAGNL SLSLVDKDL D SFSEGLSGH FEFPDYCTPE 420
LSEMIAGDWL EANFSDLVFT Y

5

Seq ID NO: 658 DNA sequence
Nucleic Acid Accession #: NM_001719
Coding sequence: 123..1418

10 1 11 21 31 41 51
GGGCGCAGCG GGGCCCGTCT GCAGCAAGTG ACCGACGGCC GGGACGGCCG CCTGCCCCCT 60
CTGCCACCTG GGGCGGTGCG GCGCCGGAGC CCGGAGCCCG GGTAGCGCGT AGAGCCGGCG 120
CGATGCACGT GCGCTCACTG CGAGCTGCGG CGCGCACAG CTTCTGTGGC CTCTGGGCAC 180
15 CCCTGTTCCT GCTGCGCTCC GCCTTGGCCG ACTTCAGCCT GGACAACGAG GTGCACTCGA 240
GCTTCATCCA CCGCGGCTTC CGCAGCCAGG AGCGGCGGGA GATGCAGCGC GAGATCCTCT 300
CCATTTTGGG CTGCCCCAC CGCCCGCGCC CGCACCTCCA GGGCAAGCAC AACTCGGCAC 360
CCATGTTCAT CTGGACCTG TACAACGCCA TGGCGTGGGA GGAGGGCGGC GGGCCCGCG 420
GCCAGGGCTT CTCTACCCC TACAAGGCCG TCTTCAGTAC CCAGGGCCCC CCTCTGGCCA 480
20 GCCTGCAAGA TAGCCATTTT CTCACCGAGC CCGACATGGT CATGAGCTTC GTCACCTCG 540
TGGAAACATGA CAAGGAATTC TTCCACCCAC GCTACCACCA TOGAGAGTTC CGGTTTGATC 600
TTTCCAAGAT CCCAGAAGGG GAAGCTGTCA CGGCAGCCGA ATTCCGGATC TACAAGGACT 660
ACATCCGGGA ACCTTCGAC AATGAGACGT TCCGGATCAG CGTTTATCAG GTGCTCCAGG 720
AGCACTTGGG CAGGGAATCG GATCTCTTCC TGCTCGACAG CCGTACCCTC TGGCCCTCGG 780
25 AGGAGGGCTG GCTGGTGTTC GACATCACAG CCACCAGCAA CCACTGGGTG GTCATCCGC 840
GGCAACAACCT GGGCGTGCAG CTCTCGGTGG AGACGCTGGA TGGGCAGAGC ATCAACCCCA 900
AGTTGGCGGG CTTGATTTGG CGGCACGGGC CCCAGAACA GACAGCCCTC ATGGTGGCTT 960
TCTTCAAGG CACGGAGGTC CACTTCGCGA GCATCCGGTC CAGGGGAGC AAACAGGCA 1020
GCCAGAACCG CTCCAAGAGC CCCAAGAACC AGGAAGCCCT GCGGATGGCC AACGTGGCAG 1080
30 AGAACAGCAG CAGCGACGAG AGGCAGGCCCT GTAAGAAGCA CGAGCTGTAT GTCAGCTTCC 1140
GAGACCTGGG CTGGCAGGAC TGGATCATCG CGCCTGAAGG CTACGCCGCC TACTACTGTG 1200
AGGGGGAGTG TGCTTCCCTT CTGAACCTCT ACATGAACGC CACCAACCAC GCCATCGTGC 1260
AGACGCTGGT CCACCTCATC AACCCGGAAA CCGTGCCCAA GCCCTGCTGT GCGCCACGCG 1320
AGCTCAATGC CATCTCCGTC CTCTACTTCC ATGACAGCTC CAACTGATC CTGAAGAAAT 1380
35 ACAGAAACAT GGTGGTCCGG GCCTGTGGCT GCCACTAGCT CCTCCGAGAA TTCAGACCCT 1440
TTGGGGCCAA GTTTTCTCG ATCCTCCATT GCTCGCCTTG GCCAGGAACC AGCAGACCAA 1500
CTGCCTTTTG TGAGACCTTC CCCTCCCTAT CCCCAACTTT AAAGGTGTGA GAGTATTAGG 1560
AAACATGAGC AGCATATGGC TTTTGTATCAG TTTTTCAGTG GCAGCATCCA ATGAACAAGA 1620
40 TCCATCAAGC TGTGCAGGCA AAACCTAGCA GGAAAAAAA ACAACGCATA AAGAAAAATG 1680
GCCGGGCCAG GTCATTTGGT GGGAAAGTCT AGCCATGCAC GGACTCGTTT CCAGAGGTAA 1740
TTATGAGCGC CTACGAGCCA GGCCACCCAG CCGTGGGAGG AAGGGGGCGT GGCAAGGGGT 1800
GGGCACATTG GTGTCTGTGC GAAAGGAAAA TTGACCCGGA AGTTCTCTGT ATAATGTCA 1860
CAATAAAACG AATGAATG

45

Seq ID NO: 659 Protein sequence
Protein Accession #: NP_001710

1 11 21 31 41 51
MHVRSRRAAA PHSFVALWAP LFLLRSLAD FSLDNEVHSS FIHRRRSQE RREMQREILS 60
ILGLPHRRFP HLQCKNSAP MFMLDLYNAM AVEEGGGPGG QGFSYYPKAV FSTQGPPLAS 120
LQDSHFLTDA DMVMSFVNLV EHDKEFFHPR YHHREFRFDL SKIPEGEAVT AAEFRYIKDY 180
IRERFDNETF RISVYQLQE HIGRESDLFL LDSRTLWASE EGWLVDVITA TSNHWVWNPR 240
HNLGLQLSVE TLDGQSNPK LAGLIGRHGP QNKQPFMVAF FKATEVHFRS IRSTGSKQRS 300
55 QNRSKTPKNQ EALRMANVAE NSSSDQRQAC KKHLYVSFR DLGNQDWIIA PEGYAAYYCE 360
GECAFPLNSY MNATNHAIVQ TLVHFINPET VPKPCCAPTQ LNAISVLVYD DSSNVILKKY 420
RNMVVRACGC H

60

Seq ID NO: 660 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 211..1895

65 1 11 21 31 41 51
GGATCTGAGG GGGCGCCAGT CACTTCTCTC ACGTTCTCGT GCTGGGCGGG AGGAGCGGAT 60
GGGGCTTGGG AGGCAGCCGT CTCTCCAGTC CCTATCCACC CACAGGTTTT TTGGGTCCGA 120
GAGGAATTAT CTGATAAAAT TCCTGGGTTA ATATTTTAA AAACGGAGAG TTTTAAAAA 180
TGATTTTTTT CCCTCGAAAA TGACCTTTTT ATGCTTGAA GCAGTTTGT CACCAGCATA 240
70 GTGCTTTTTT TTTTCTCTC TTTTCTACG ATAATGAAA GCATTTCTC AAGAAAAGG 300
CACAGGTTCC TTGAACAGCT GGATCTGAT GGCACCATTA CTATAGAGGA GCAGATTGTC 360
CTGTGCTGTA AAGCGAAAGT ACAATGTGAA CTCACATCA CAGCTCACT CCAGGAGGGA 420
GAAGGTAATT GTTCCCTGA ATGGGATGGA CTCATTGTT GCGCCAGAG AACAGTGGGG 480
AAAAATCCGG CTGTTCCATG CCCTCCTTAT ATTTATGACT TCAACCATAA AGGAGTTGCT 540
75 TTCCGACACT GTAACCCCAA TGAACATGG GATTTATGC ACAGCTTAAA TAAAACATGG 600
GCCAATTATT CAGACTGCCT TCGCTTCTG CAGCCAGATA TCAGCATAGG AAGCAAGAA 660
TTCTTTGAAC GCCTCTATG AATGTATAAC GTTGGCTACT CCATCTCTT TGGTTCCTTG 720
GCTGTGGCTA TTCTCATCAT TGGTACTTC AGACGATTGC ATTGCACTAG GAACTATATC 780
CACATGCAC TATTTGTGTC TTTCATGCTG AGAGCTACA GCATCTTGT CAAAGACAGA 840
80 GTAGTCCATG CTCACATAGG AGTAAAGGAG CTGGAGTCCC TAATAATGCA GGATGACCCA 900
AAAATTTCCA TTGAGGCAAC TTCTGTGGAC AAATCACAAT ATATCGGGT CAAGATTGCT 960
GTTGTGATGT TTATTTACT CTGGCTACA AATTATTATT GGATCCTGGT GGAAGGTCTC 1020
TACCTGCATA ATCTCATCTT TGTGGCTTTC TTTTCGGACA CCAATACCT GTGGGCTTC 1080
ATCTGTATAG GCTGGGGGTT TCACGACGA TTTGTTGCG CATGGGCTGT GGCACGAGCA 1140
ACTCTGGCTG ATGGGAGGTT CTGGGAACTT AGTGCTGGAG ACATCAAGT GATTATCAA 1200
85 GCACCGATCT TAGCAGCTAT TGGGCTGAAT TTTATTCTGT TTCTGAATAC GGTTAGAGTT 1260
CTAGCTACCA AAATCTGGGA GACCAATGCA GTTGGGCATG ACACAAGGAA GCAATACAGG 1320
AAACTGGCCA AATCGACACT GGTCTGGTCT CTAGTCTTGG GAGTGCAATTA CATCGTCTTC 1380

GTATGCCTGC CTCACCTCCT CACTGGGCTC GGGTGGGAGA TCCGCATGCA CTGTGAGCTC 1440
 TTCTTCAACT CCTTTCAGGG TTCTTTTGTG TCTATCATCT ACTGCTACTG CAATGGAGAG 1500
 GTTCAGGCAAG AGGTGAAGAA GATGTGGAGT CGGTGGAATC TCTCCGTGGA CTGGA AAAAG 1560
 ACACCGCCAT GTGGCAGCG QPDISIGKQE FFERLYVMYT VGSISFGSL AVAILIIGYF 1620
 5 AGCAGCCAGT CACAGGTGGC GGCCAGCACA CGCATGTGTC TTATCTCTGG CAAAGCTGCC 1680
 AAGATCGCCA GCAGACAGCC TGACAGCCAC ATCACTTTAC CTGGCTATGT CTGGAGTAAC 1740
 TCAGAGCAGG ACTGCCTGCC ACACCTTTTC CACGAGGAGA CCAAGGAAGA TAGTGGGAGG 1800
 CAGGGAGATG ATATTCTAAT GGAGAAGCCT TCCAGGCCTA TGGAACTAA CCCAGACACT 1860
 GAAGGATGCC AAGGAGAAAC TGAGGATGTT CTCTGA

Seq ID NO: 661 Protein sequence
 Protein Accession #: Eos sequence

1 11 21 31 41 51
 | | | | | |
 15 MLRSSLSTSI VLFLFSSPST INESISSRKR HRFLEQLDSD GTITIEEQIV LVLKAKVQCE 60
 LNIQAQLQEG EGNCFPEWDG LICWPRGTVG KISAVPCPPY IYDFNHKQVA FRHCNPNGTW 120
 DPMHSLNKTW ANYSDCLRFL QPDISIGKQE FFERLYVMYT VGSISFGSL AVAILIIGYF 180
 20 RRLHCTRNYI HMLHFVSFML RATSIFVKDR VVHAHIGVKE LESLIMQDDP QNSIEATSV 240
 KSQYIGCKIA VVMYIYFLAT NYWILVEGL YLHNLIFVAF FSDTKYLWGF ILIGWGFPA 300
 FVAAWAVARA TLADARWEL SAGDIKIYQ APILAAIGLN FILFLNTRV LATKINETNA 360
 VGHDRKQYR KLAKSTLVLV LVFGVHYIVF VCLPHSFTGL GWEIRMHCEL FNSFQGFV 420
 SIICYCNGE VQAEVKMWS RNWLSVDWKR TPCGSRRCG SVLTTVTHST SSQSQAAS 480
 25 RMVLIQKAA KLAGRQPDH ITPGYVWSN SEQDCLPHSF HEETKEDSGR QGDDILMEKP 540
 SRPMESNPDT EGCQGETEDV L

Seq ID NO: 662 DNA sequence
 Nucleic Acid Accession #: NM_005048
 Coding sequence: 143..1795

1 11 21 31 41 51
 | | | | | |
 30 GGCCGTTGGC CCGGCCCGA CCACCCAGC TCGCGTCTGT TACTGGCCAC AAGTTTGCTC 60
 TGGGCCAGCC AAGTTGGCAA CTGGGAAGCT TCTCCCGGGC TCTGGAGGAG GGTCCCTGCT 120
 35 TCTTCTACA GCCGTTCCGG CATGGCCGG GCTGGGGCG TCGTCCACG TCTGGGGTTG 180
 GCTAATGCTC GGCAGCTGCC TCCTGGCCAG AGCCAGCTG GATTCTGATG GCACCATTAC 240
 TATAGAGGAG CAGATTGTCC TTGTGCTGAA AGCGAAAATA CAATGTGAAC TCAACATCAC 300
 AGCTCACTC CAGGAGGGAG AAGTAATG TTTCCCTGAA TGGGATGGAC TCATTGTTG 360
 40 GCCCAGAGGA ACAGTGGGGA AAATATCGGC TGTTCATGC CCTCCTTATA TTTATGACTT 420
 CAACATAAAA GGAGTTGCTT TCCGACACTG TAACCCCAAT GGAACATGGG ATTTTATGCA 480
 CAGCTTAAAT AAAACATGGG CCAATTATTC AGACTGCCTT CGCTTTCTGC AGCCAGATAT 540
 CAGCATAGGA AAGCAAGAAT TCTTTGAACG CCTCTATGTA ATGTATACCG TTGGCTACTC 600
 CATCTCTTTT GGTTCCTTGG CTGTGGCTAT TCTCATCATT GGTACTTCA GACGATTGCA 660
 45 TTGCACTAGG AACTATATCC ACATGCACAT ATTTGTGCTT TTCACTGCTG GAGCTACAAG 720
 CATCTTTGTC AAAGACAGAG TAGTCCATGC TCACATAGGA GTAAGGAGC TGGAGTCCCT 780
 AATAATGCAG GATGACCCAC AAAATCCCAT TGAGGCAACT TCTGTGGACA AATCACAATA 840
 TATCCGGTGC AAGATTGCTG TTGTGATGTT TATTTACTTC CTGGCTACAA ATTTATATFG 900
 GATCCTGGTG GAAGTCTCT ACCTGCATAA TCTCATCTTT GTGGCTTCT TTTCCGACAC 960
 50 CAAATACCTG TGGGGCTTCA TCTTGATAGG CTGGGGGTTT CCAGCAGCAT TTGTTGCAGC 1020
 ATGGGCTGTG GCACGAGCAA CTTGGCTGA TGCCAGGTGC TGGGAACCTA GTGCTGGAGA 1080
 CATCAAGTGG ATTTATCAAG CACCGATCTT AGCAGCTATT GGGCTGAATT TTATCTGTT 1140
 TCTGAATACG GTTAGAGTTC TAGTACCAA AATCTGGGAG ACCAATGCAG TTGGCATGA 1200
 CACAAGGAAG CAATACAGGA AACTGGCCAA ATCGACACTG GTCCTGGTCC TAGTCTTTGG 1260
 55 AGTGCATTAC ATCGTGTTCG TATGCCCTGC TCACTCCTTC ACTGGGCTCG GGTGGGAGAT 1320
 CCGCATGCAC TGTGAGCTCT TCTTCAACT CTTTCAGGGT TTCTTTGTGT CTATCATCTA 1380
 CTGCTACTGC AATGGAGAGG TTCAGGCAGA GGTGAAGAAG ATGTGGAGTC GGTGGAATCT 1440
 CTCCTGGGAC TGGAAAAGGA CACCGCCATG TGGCAGCCGC AGATGCCGCT CAGTCTCAC 1500
 CACCGTGACG CACAGCACA GCAGCCAGTC ACAGGTGGCG GCCAGCACAC GCATGGTGTCT 1560
 60 TATCTCTGGC AAAGCTGCCA AGATCGCCAG CAGACAGCCT GACAGCCACA TCACCTTACC 1620
 TGGCTATGT TGGAGTAACT CAGAGCAGGA CTGCCCTGCC CACTCTTTCC ACGAGGAGAC 1680
 CAAGGAAGAT AGTGGGAGGC AGGGAGATGA TATTCTAATG GAGAAGCCTT CCAGCCCTAT 1740
 GGAATCTAAC CCAGACACTG AAGGATGCCA AGSAGAACT GAGGATGTT TCTGAATGGA 1800
 CATTTGTGGC TGACTTTTCAT GGGCTGTGCC AATGGCTGGT TGTGTGAGAG GGCTTGGCTG 1860
 65 ATACTCTAT GCTTGAGTTC AAAGGCTGAA AATTCAGTTA AGGTGTTACT TAATAATAG 1920
 TTTTAGGCTC CATGAATGG CTCTGTAAA TACTAACGAC ATGAAAATGC AAGTGTCAAT 1980
 GGAGTAGTTT ATTACCTTCT ATTGGCATCA AGTTTTCTCT TAAATTAATG TATGGTATTT 2040
 GCTCTGTGAT TGTTCATTTT TTTCTGCTAC TTTTGGGTAG AAAAAAGATT CAATTGCTTG 2100
 GCTGTAGCTT TCTCTCATAT ATATCACCCT AAATATAATG AAGATCTTTT AGTGTGTATC 2160
 ATTTTCTTT TAGAAAACAG TATTCTCTTA TTTCTTACTT TAATGTACTT CTATCACTGC 2220
 70 ATTTATTTG CTTGTGCATA GGAGCAATTA GGATCTAAAA AAATATATGG GAAGATAAAA 2280
 GATCTAAGAA CAAGTACTTG CTGGAATTT AGTGGCTGG ACATTGATAA AATAATGCAT 2340
 TTATAACAAT TACATGTGTT TTTGGGAACA AGGAAAATTT CTCAAAAAG AATATTTAC 2400
 ACATCCCTTC TTTGAAATGG CCTCTTTGTC ACCAGCCAGA CCTCAGGTCT TCACCTTTTC 2460
 75 TTCTTTGTA ACCATGTGAT GTGGAAAGAT TTCTCAGTT AGTGAGCTTG TGTCTGCAAAA 2520
 TTGATTTGT TGTGATGTA TTTGATAGC AAATCATGCT GCATCTATAT CTTTCTCTG 2580
 TTTGAGCTGT TACTACATTG TACATGGCAT GTGGATCAA TTAATAATTT GTTTTAAAAA 2640
 T

Seq ID NO: 663 Protein sequence
 Protein Accession #: NP_005039

1 11 21 31 41 51
 | | | | | |
 85 MAGLGASLHV WGWMLGSL LARAQLSDG TITIEEQIVL VLKAKVQCEL NITIAQLQEGE 60
 GNCPEWDGL ICWPRGTGK ISAVPCPPYI YDFNHKQVAF RHCNPNGTWD FMHSLNKTWA 120
 NYSDCLEFLQ PDISIGKQEP FERLYVMYT VGSISFGSLA VAILIIGYFR RLHCTRNYIH 180
 HMLFVSFMLR ATSIFVKDRV VHAHIGVKEL ESLIMQDDPQ NSIEATSVDK SQYIGCKIAV 240

VMEIYFLATN YYWILVSGLY LHNLIQVAFV SDTKYLWGF I LIGWGFPAAP VAANAVARAT 300
 LADARCWELS AGDIKWIYQA PILAAIQLNF ILPLNTVRVL ATKIWETNAV GHDTRKQYRK 360
 LAKSTLVLVL VFGVHYIVFV CLPHSFTGLG WEIRMHCELF FNSFQGFVVS I IYCYCNGEV 420
 QAEVKKMWRN WNLSDWKRRT PPGSRRCGS VLTVTVHTS SQSQVAASR MVLISGKAAK 480
 5 IASRQPDSHI TLPQVYVNS EQDCLPHSFH BETKEDSGRO GDDILMEKPS RPEMSNPDETE 540
 GCQGETEDVL

Seq ID NO: 664 DNA sequence
 Nucleic Acid Accession #: NM_012152
 Coding sequence: 43..1104

1 11 21 31 41 51
 | | | | | |
 15 CTTCITTA AAA TTTCTTTCTA GGATGTTT CAC TTCTTCTCCA CAATGAATGA GTGCACTAT 60
 GACAAGCACA TGGACTTTTT TTATAATAGG AGCAACACTG ATACTGFCGA TGACTGGACA 120
 GGAAACAAAGC TTGTGATTGT TTTGTGTGTT GGGACGTTTT TCTGCCTGTT TATTTTTTTT 180
 TCTAATTCTC TGGTCATCGC GGCAGTGTAT AAAAACAGAA AATTTCAATT CCCCTTCTAC 240
 TACCTGTTGG CTAATTTAGC TGCTGCCGAT TTCTTCGCTG GAATTCGCTA TGTATTCTCTG 300
 20 ATGTTTAA CAAGCCCACT TCAAAAAC TTGACTGTCA ACCGCTGGTT TCTCCGTCAG 360
 GGGCTTCTGG ACAGTAGCTT GACTGCTTCC CTCACCAACT TGCTGGTTAT CGCCGTGGAG 420
 AGGCACATGT CAATCATGAG GATGCGGGTC CATAGCAACC TGACCAAAA GAGGGTGACA 480
 CTGCTCATT TGCTTGTCTG GGCCATCGCC ATTTTATG GGGCGTCCC CACACTGGGC 540
 TGAATTGCC TCTGCAACAT CTCTGCCCTG TCTTCCCTGG CCCCCATTTA CAGCAGGAGT 600
 TACCTTGT TTCTGGACAGT GTCCAACCTC ATGGCCCTTC TCATCATGGT TGTGGTGTAC 660
 25 CTGCGGATCT ACGTGTACGT CAAGAGGAAA ACCAACGTCT TGCTCCGCA TACAAGTGGG 720
 TCCATCAGCC GCCCGAGGAC ACCCATGAAG CTAATGAAGA CGGTGATGAC TGTCTTAGGG 780
 GCGTPTGTGG TATGCTGGAC CCGGGCCCTG GTGGTTCTCG TCCTCGACGG CCTGAACTGC 840
 AGGCAGTGTG GCGTGCAGCA TGTGAAAAGG TGGTTCCTGC TGCTGGCGCT GCTCAACTCC 900
 GTCGTGAACC CCATCATCTA CTCTACAAG GACGAGGACA TGTATGGCAC CATGAAGAAG 960
 30 ATGATCTGCT GCTTCTCTCA GGAGAACCCA GAGAGCGCTC CCTCTCGCAT CCCCTCCACA 1020
 GTCTCAGCA GGAGTGACAC AGGCAGCCAG TACATAGAGG ATAGTATTAG CCAAGGTGCA 1080
 GTCTGCAATA AAAGCACTTC CTAAACTCTG GATGCCTCTC GGCCCAACCA GGTGATGACT 1140
 GTCTTAGG

Seq ID NO: 665 Protein sequence
 Protein Accession #: NP_036284

1 11 21 31 41 51
 | | | | | |
 40 MNECHYDKHM DFFYNRSNTD TVDDWTGTKL VIVLCVGTFF CLPIFFNSNL VIAAVIKNRK 60
 FHFPFYLLA NLAADFFAG IAYVFLMNT GPVSKLTVN RWFLRQLLD SSLTASLNL 120
 LVIAVERHMS IMRMRVHNSL TKKRVLLIL LVWAIAPMG AVPTLGNL CNISACSSLA 180
 PIYSRSLYV WTVSNLMAFL IMVVYLRIY VYVKKRNTVL SPHTSGSISR RRTPKMLMKT 240
 45 VMTVLGAFV CWTPLVLL LDGLNCRQCG VQHVKRWFL LALLNSVNVN I IYSYKDEDM 300
 YGTMKMKMIC PSQENPERR SRIPSTVLSR SDTGSQYIED SISQGAVCNK STS

Seq ID NO: 666 DNA sequence
 Nucleic Acid Accession #: NM_002821
 Coding sequence: 150..3362

1 11 21 31 41 51
 | | | | | |
 50 AACTCCCGCC TCGGGAGGCC TCGGGGTCGG GCTCCGGCTG CGGCTGCTGC TGCGGGCGCC 60
 GCGCTCCGGT GCGGTCGCTT CCTGTGCCCG CCGCGGAGCA GTCTGCGGCC CGCCGTGCGC 120
 55 CCTCAGCTCC TTTTCTGTAG CCGCCCGCGA TGGGAGCTGC GCGGGGATCC CCGGCCAGAC 180
 CCCGCCGGTT GCCTCTGCTC AGCGTCTCTG TGCTGCCGCT GCTGGGCGGT ACCCAGACAG 240
 CCATTGTCTT CATCAAGCAG CCGTCTCTCC AGGATGCACT GCAGGGGCGC CGGGCGCTGC 300
 TTGCTGTGA GGTGTGAGGT CCGGGCCCGG TACATGTGTA CTGGCTGCTC GATGGGGCCC 360
 60 CTGTCCAGGA CACGGAGCGG CGTTTCGCCC AGGGCAGCAG CCTGAGCTTT GCAGCTGTGG 420
 ACCGGCTGCA GGACTCTGGC ACCCTCCAGT GTGTGGCTCG GGATGATGTC ACTGGAGAAG 480
 AAGCCCGCAG TGCCAAGGCC TCCTTCAACA TCAAATGGAT TGAGGCAGGT CCTGTGGTCC 540
 TGAAGCATCC AGCCTCGGAA GCTGAGATCC AGCCACAGAC CCAGGTCACT CTTGCTTCC 600
 ACATTGATGG GCACCCCTCG CCCACCTACC AATGTTCCG AGATGGGACC CCCCTTCTG 660
 ATGGTCAAG CAACCAAGCA GTGAGCAGCA AGGAGCGGAA CCTGACGCTC CGGCCAGCTG 720
 65 GTCTGAGCA TAGTGGGCTG TATTCCTGCT GCGCCACAG TGCTTTGGC CAGGCTTGCA 780
 GCAGCCAGAA CTTACCTTG AGCATTGCTG ATGAAAGCTT TGCCAGGGTG GTGCTGGCAC 840
 CCCAGGACGT GGTAGTAGCG AGGTATGAGG AGGCCATGTT CCATTGCCAG TTCTCAGCCC 900
 AGCCACCCCG GAGCCTCGAG TGCTCTTTG AGGATGAGAC TCCCATCACT AACCGCAGTC 960
 70 GCCCCCCACA CCTCCGAGA GCCACAGTGT TTGCCAACGG GTCTCTGCTG CTGACCCAGG 1020
 TCCGGCCAG CAATGCAAGG ATCTACCGCT GCATTGGCCA GGGGAGAGG GGGCCACCCA 1080
 TCATCTGGA AGCCACACT CACCTAGCAG AGATTGAAGA CATGCCGCTA TTGAGCCAC 1140
 GGGTGTTCAG AGCTGGCAGC GAGGAGCGTG TGACCTGCTT TCCCCCAAG GGTCTGCCAG 1200
 AGCCAGCGT GTGGTGGGAG CACGCGGGAG TCCGGCTGCC CACCCATGGC AGGGTCTACC 1260
 75 AGAAGGGCCA CGAGCTGGT TGGCCAAATA TTGCTGAAAG TGATGCTGGT GTCTACACT 1320
 GCCACGCGGC CAACCTGGCT GTGACGCGA GACAGGATGT CAACATCACT GTGGCCACTG 1380
 TGCCCTCCTG GCTGAAGAAG CCCCAGACA GCCAGCTGGA GGAGGGCAA CCGGCTACT 1440
 TGGATTGCTT GACCCAGCGC ACACAAAAC CTACAGTTGT CTGTAACAGA AACAGATGC 1500
 TCATCTCAGA GGACTCAGG TTGAGGCTCT TCAAGAATGG GACCTTGCCG ATCAACAGCG 1560
 80 TGGAGGTGTA TGATGGGACA TGGTACCGTT GTATGAGCAG CACCCAGCC GGCAGCATCG 1620
 AGCGCAAGC CCGTGTCCAA GTCTGGAAA AGCTCAAGTT CACACCACCA CCCCAGCCAC 1680
 AGCAGTGCAT GGAGTTTGAC AAGGAGGCCA CGGTGCCCTG TTCAGCCACA GGCCGAGAGA 1740
 AGCCCACTAT TAAGTGGGAA CGGGCAGATG GGAGCAGCCT CCCAGAGTGG GTGACAGACA 1800
 ACGCTGGGAC CCTGCAATTT GCCCGGGTGA CTCGAGATGA CGCTGGCAAC TACACTTGCA 1860
 85 TTGCCTCAA CGGGCCGAGG GCGCCAGATTC GTGCCCATGT CCAGCTCACT GTGGCAGTTT 1920
 TTATCACTT CAAGTGGGAA CCAGAGOGTA CGACTGTGTA CCAGGGCCAC ACAGCCCTAC 1980
 TGCAAGTGCBA GGCCAGGGG GACCCCAAGC CGCTGATTCA GTGGAAAGGC AAGGACCGCA 2040
 TCCTGGACCC CACCAGACTG GAGCCAGGA TGCACATCTT CCAGAATGGC TCCTGGTGA 2100

	TCCATGACGT	GGCCCTCGAG	GACTCAGGCC	GCTACACCTG	CATTGCAGGC	AACAGCTGCA	2160
	ACATCAAGCA	CACGGAGGCC	CCCTCTATG	TOGTGGACAA	GCCTGTGCCG	GAGGAGTCGG	2220
	AGGGCCCTGG	CAGCCCTCCC	CCCTACAAGA	TGATCCAGAC	CATTGGGTTG	TCGGTGGGTG	2280
5	CGCTGTGGC	CTACATCAT	GCCGTGCTGG	GCCTCATGTT	CTACTGCAAG	AAGCGCTGCA	2340
	AAGCCAAGCG	GCTGCAGAAG	CAGCCCGAGG	GGGAGGAGCC	AGAGATGGAA	TGCCTCAACG	2400
	GAGGGCCCTT	GCAGAACGGG	CAGCCCTCAG	CAGAGATCCA	AGRAGAAGTG	GCCTTGACCA	2460
	GCTTGGGCTC	CGGCCCCGCG	GCCACCAACA	AACGCCACAG	CACAAGTGAT	AAGATGCACT	2520
	TCCCACGGTG	TAGCCTGCAG	CCCATCACCA	CGCTGGGAAA	GAGTGAGTTT	GGGGAGGTGT	2580
10	TCCTGGCAA	GGCTCAGGGC	TTGGAGGAGG	GAGTGGCAGA	GACCCGGTA	CTTGTAAGA	2640
	GCCTGCAGAC	GAAGGATGAG	CAGCAGCAGC	TGGACTTCCG	GAGGGAGTTG	GAGATGTTTG	2700
	GGAAAGCTGAA	CCACGCCAAC	GTGGTGCCGG	TCCTGGGGCT	GTGCCGGGAG	GCTGAGCCCC	2760
	ACTACATGGT	GCTGGAAATAT	GTGGATCTGG	GAGACCTCAA	GCAGTTCCTG	AGGATTTCCA	2820
	AGAGCAAGGA	TGAAAAATTG	AAGTCAACAG	CCCTCAGCAC	CAAGCAGAAG	GTGGCCCTAT	2880
	GCACCCAGGT	AGCCCTGGGC	ATGGAGCACC	TGTCCAACAA	CCGCTTTGTG	CATAAGGACT	2940
15	TGGCTGCGCG	TAACCTGCTG	GTCAATGCC	AGAGACAAGT	GAAAGTGCTC	GCCCTGGGCC	3000
	TCAGCAAGGA	TGTGTACAAC	AGTGAGTACT	ACCACTCCCG	CCAGGCCTGG	GTGCCGCTGC	3060
	GCTGGATGTC	CCCCGAGGCC	ATCCTGGAGG	GTGACTTCTC	TACCAAGTCT	GATGTCCTGG	3120
	CCTTCGGTGT	GCTGATGTTG	AAAGTGTGGA	CACATGGAGA	GATGCCCCAT	GGTGGGCAGG	3180
20	CAGATGATGA	AGTACTGGCA	GATTTGCAGG	CTGGGAAGGC	TAGACTTCTC	CAGCCCGAGG	3240
	GCTGCCCTTC	CAAACCTCAT	CGGCTGATGC	AGCGCTGCTG	GGCCCTCAGC	CCCAAGSACC	3300
	GGCCCTCCTT	CAGTGAATGC	GCCAGCGCCC	TGGGAGACAG	CACCGTGGAC	AGCAAGCCGT	3360
	GAGGAGGGAG	CCCCTCAGG	ATGGCCTGGG	CAGGGGAGGA	CATCTCTAGA	GGGAAGCTCA	3420
	CAGCATGATG	GGCAAGATCC	GTCTCCTCCT	GGCCCTGAG	GTGCCCTAGT	GCAACAGGCA	3480
25	TTGCTGAGGT	CTGAGCAGGG	CCTGGCCTTT	CCTCCTCTTC	CTCACCTCA	TCCTTTGGGA	3540
	GGCTGACTTG	GACCCAAACT	GGGCGACTAG	GGCTTTGAGC	TGGGCAGTTT	CCCCTGCCAC	3600
	CTCTTCTCTG	ATCAGGGACA	GTGTGGGTGC	CACAGGTAAC	CCCAATTCTC	GGCCTTCAAC	3660
	TTCTCCCTTT	GACCGGGTCC	AACTCTGCCA	CTCATCTGCC	AACTTTGCCT	GGGGAGGGCT	3720
	AGGCTTGGGA	TGAGCTGGGT	TTGTGGGGAG	TTCTTAATA	TTCTCAAGT	CTGGGCACAC	3780
30	AGGGTTAATG	AGTCTCTTGG	CCACTGGTCC	ACTTGGGGGT	CTAGACCAGG	ATTATAGAGG	3840
	ACACAGCAAG	TGAGTCTCTC	CCACTCTGGG	CTTGTGCACA	CTGACCAGA	CCCAGTCTT	3900
	CCCCACCTTT	CTCTCTTTC	CTCATCTAA	GTGCCTGGCA	GATGAAGGAG	TTTTCAGGAG	3960
	CTTTTGACAC	TATATAAAC	GCCTTTTTC	TATGCACCAC	GGGCGGCTT	TATATGTAAT	4020
	TGCAGCGTGG	GGTGGGTGGG	CATGGGAGGT	AGGGGTGGGC	CCTGGAGATG	AGGAGGGTGG	4080
35	GCCATCCTTA	CCCCACACTT	TTATTGTTGT	CGTTTTTGT	TGTTTTTGT	TTTTTGT	4140
	TGTTTTTGT	TTTACACTCG	CTGCTCTCAA	TAAATAAGCC	TTTTTTA		

Seq ID NO: 667 Protein sequence
Protein Accession #: NP_002812

40	1	11	21	31	41	51	
	MGAARGSPAR	PRRLPLLSVL	LLPLLGGTQT	AIVFIKQPSS	QDALQGRRAL	LRCEVEAPGP	60
	VHVYLLDGA	PVQDTERRFA	QGSSLSFAAV	DRLQDSGTFQ	CVARDVDTGE	EARSANASFN	120
45	IKWIEAGPVV	LKHPASEAEI	QPQTQVTLRC	HIDGHPRPTY	QWFRDGTPLS	DGQSNHTVSS	180
	KERNLTLRPA	GPEHSLGYSC	CAHSAFGQAC	SSQNFLLSIA	DEFARVVLA	PQDVVVARYE	240
	EAMFHQQFSA	QPPPSLQWLF	EDETPIITNRS	RPPHLRRATV	FANGSLLLQ	VRPRNAGIYR	300
	CIGQQGRGPP	IILEATLHLA	EIEDMPLFEP	RVFTAGSEER	VTCCLPPKGLP	EPSVWWEHAG	360
	VRLPHTHRVY	QKGHELVLAN	IAESDAGVYT	CHAANLAGQR	RQDVNITVAT	VPSWLKPKPD	420
	SQLEEGKRGY	LDCLTQATPK	PTVVWYRNQM	LISEDSTRFEV	FKNGTLRINS	VEVYDGTWYR	480
50	CMSSTPAGSI	EAQARVQVLE	KLKFTPPPQP	QQCFEFDKEA	TVPCSATGRE	KPTIKWERAD	540
	GSLSPEWVD	NAGTLHFARV	TRDDAGNYTC	IASNGPQGI	RAHVQLTVAV	FITFKVEPER	600
	TTVYQGHIAL	LQCEAQQDPK	PLIQWKGRDR	ILDPTKLGPR	MHIFQNGSLV	IHDVAPEDSG	660
	RYTCIAGNSC	NIKTEAPLY	VVDKPVPEES	EGPGSPPPYK	MIQTIGLSVG	AAVAVIIAVL	720
	GLMFYCKKRC	KAKRLQKQPE	GEEPEMECLN	GGPLQNGQPS	AEIQEEVALT	SLGSGPAATN	780
55	KRHSTSDKNH	FPRSLQYQIT	TLGKSEFGEV	FLAKAQGLEE	GVAETLVLVK	SLQTKDEQQQ	840
	LDFRRELEMF	GKLNHANVVR	LLGLCREAEP	HYMVLEVVDL	GDLKQFLRIS	KSKDEKLSQ	900
	PLSTKQKVAL	CTQVALGMEH	LSNNRFVHKD	LAARNCLVSA	QRQVKVSALG	LSKDVIYNSY	960
	YHFRQAWVPL	RWMSPEVLE	GFSTKSDVW	AFGLVMWEVF	THGEMPHGGQ	ADDEVLADLQ	1020
60	AGKARLPQPE	GCPSKLYRLM	QRWALSPKD	RPSFSEIASA	LG DSTVDSKP		

Seq ID NO: 668 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1389

65	1	11	21	31	41	51	
	ATGGGCTACC	AGAGGCAGGA	GCCTGTGCATC	CCGCCGCGAGA	GAGATTTAGA	TGACAGAGAA	60
	ACCCTTGTTT	CTGAACATGA	GTATAAAGAG	AAAACCTGTC	AGTCTGCTGC	TCTTTTTAAT	120
70	GTTGTCAACT	CGATTATAGG	ATCTGGTATA	ATAGGATTGC	CTTATTCAAT	GAAGCAAGCT	180
	GGGTTTCCCT	TGGGAATATT	GCTTTTATTC	TGGGTTTCAT	ATGTTACGGA	CTTTCCCTT	240
	GTTTTATTGA	TAAAGGAGG	GGCCCTCTCT	GGAACAGATA	CCTACCAGTC	TTTGGTCAAT	300
	AAAACCTTCG	GCTTCCAGG	GTATCTGCTC	CTCTCTGTTT	TTCAGTTTTT	GTATCCTTTT	360
	ATAGCAATGA	TAAGTTACAA	TATAATAGCT	GGAGATACTT	TGAGCAAAGT	TTTTCAAAGA	420
75	ATCCCAGGAG	TTGATCTCTG	AAACGTGTTT	ATTGGTCCGC	ACTTCATTAT	TGGACTTTCC	480
	ACAGTTACCT	TTACTCTGCC	TTTATCCTTG	TACCGAAATA	TAGCAAAGCT	TGGAAGGTC	540
	TCCTCATCT	CTACAGGTTT	AACAACCTCG	ATTCTGGAA	TTGTAATGGC	AAGGGCAATT	600
	TCACTGGGTC	CACACATACC	AAAAACAGAA	GACGCTTGGG	TATTTGCAA	GCCCAATGCC	660
	ATTCRAAGCG	TCGGGGTTAT	TTCTTTTGA	TTTATTGCC	ACCATAACTC	TCTCTTAGTT	720
80	TACAGTTCTC	TAGAAGAACC	CACAGTAGCT	AAGTGGTCCC	GCCTTATCCA	TATGTCCATC	780
	GTGATTTCTG	TATTTATCTG	TATATTCTTT	GCTACATGTG	GATACITGAC	ATTTACTGGC	840
	TTACCCCAAG	GGGACTTATT	TGAAAATTAC	TGCAGAAATG	ATGACCTGGT	AACATTTGGA	900
	AGATTTTGT	ATGGTGTGAC	TGTCATTTG	ACATACCCTA	TGGAATGCTT	TGTGACAAGA	960
85	GAGGTAATTG	CCAATGTGTT	TTTTGGTGGG	AATCTTTTCA	CGGTTTTCCA	CATTGTGTGA	1020
	ACAGTATG	TCATCACTGT	AGCCACGCTT	GTGTCATTGC	TGATTGATTG	CCTCGGGATA	1080
	GTCTAGAAC	TCATGTGTGT	GCTCTGTGCA	ACTCCCCTCA	TTTTTATCAT	TCCATCAGCC	1140
	TGTTATCTGA	AACTGTCTGA	AGAACCAAGG	ACACACTCCG	ATAAGATTAT	GTCTTGTGTC	1200
	ATGCTTCCA	TTGGTGCTGT	GGTGATGGTT	TTTGGATTCC	TCATGGCTAT	TACAAATACT	1260

CAAGACTGCA CCCATGGGCA GGAAATGTTT TACTGCTTTC CTGACAATTT CTCTCTCACA 1320
AATACCTCAG AGTCTCATGT TCAGCAGACA ACACAACITTT CTACTTTAAA TATTAGTATC 1380
TTTCAATGA

5 Seq ID NO: 669 Protein sequence
Protein Accession #: Eos sequence

1 11 21 31 41 51
MGYQRQEPVI PPQRDLDDRE TLVSEHEYKE KTCQSAALFN VVNSIIIGSGI IGLPYSMKQA 60
GFPLGILLFL WVSYVDFSL VLLIKGGALS GTDTYQSLVN KTFGFPYGLL LSVLQFLYPP 120
IAMISYNIIA GDTLRSKVFQR IPGVDPENVF IGRHFIIIGLS TVTFTLPLSL YRNIAKLGKV 180
SLISTGLTTL ILGIVMARAI SLGPHIPKTE DAWVFAKFA IQAVGVMSFA FICHNSFLV 240
YSSLEEPTVA KWSRLIHMSI VISVFICIFF ATCGYLTFPTG FTQGLDFENY CRNDDLVTFG 300
RPGYGVTVIL TYPMECFVTR EVIANVFFPG NLSSVPHIVV TVMVITVATL VSLLDCLGI 360
VLELNGVLCA TPLFIIPSA CYLKLSEEP RTHSKIMSCV MLPIGAVVMV FGFVMAITNT 420
QDCTHGQEMF YCFPDNFSLT NTSSEHVQQT TQLSTLNI SI FQ

20 Seq ID NO: 670 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1284

1 11 21 31 41 51
ATGGGCTACC AGAGGCAGGA GCCTGTCTAT CCGCCGCAGA GAGGATTGCC TTATTCAATG 60
AAGCAAGCTG GGTTCCTTT GGAATATTG CTTTATCTT GGGTTTCATA TGTTACAGAC 120
TTTTCCCTFG TTTTATTGAT AAAAGGAGGG GCCCTCTCTG GAACAGATAC CTACCAGTCT 180
TTGGTCAATA AAATCTTCGG CTTTCCAGGG TATCTGCTCC TCTCTGTTCT TCAGTTTTTG 240
TATCCTTTTA TAGCAATGAT AAGTTACAAT ATAATAGCTG GAGATACTTT GAGCAAAGTT 300
TTTCAAGAA TCCAGGAGT TGATCCTGAA AACGTGTTA TTGGTCGCCA CTTCAATTAT 360
GGACTTTCCA CAGTTACCTT TACTCTGCCT TTATCCTTGT ACCGAAATAT AGCAAAGCTT 420
GGAAAGGCTC CCCTCATCTC TACAGGTTA ACAACTCTGA TTCTTGGAA TGTAAATGGCA 480
AGGGCAATTT CACTGGGTCC ACACATACCA AAAACAGAAG ACGCTTGGGT ATTTGCAAAG 540
CCCAATGCCA TTCAAGCGGT CGGGGTTATG TCTTTTGCAT TTATTTGCCA CCATAACTCC 600
TTCTTAGTIT ACAGTCTCT AGAAGAACC ACAGTAGCTA AGTGGTCCCG CCTTATCCAT 660
ATGTCCATCG TGATTTCTGT ATTTATCTGT ATATCTTTG CTACATGTGG ATACTTGACA 720
TTTACTGGCT TCACCCAAGG GGACTTATTT GAAAATTACT GCAGAAATGA TGACTTGGTA 780
ACATTTGGAA GATTTTGTTA TGGTCTACT GTCATTTGA CATACCCTAT GGAATGCTTT 840
GTGACAAGAG AGGTAATGTC CAATGTGTTT TTTGGTGGGA ATCTTTCATC GGTTTTCCAC 900
ATTGTTGTAA CAGTGATGTT CATCACTGTA GCCACGCTG TGTCATGCT GATTGATTGC 960
CTCGGGATAG TTTAGAACT CAATGGTGTG CTCTGTGCAA CTCCTCAT TTTTATCATT 1020
CCATCAGCT GTTATCTGAA ACTGTCTGAA GAACCAAGGA CACACTCCGA TAAGATTATG 1080
TCTGTGTCA TGCTTCCAT TGGTCTGTG GTGATGTTT TTGGATCGT CATGGCTATT 1140
ACAAATACTC AAGACTGCAC CCATGGGCAG GAAATGTTCT ACTGCTTTC TGACAATTC 1200
TCTCTCACA ATACCTCAGA GTCTCATGTT CAGCAGACAA CACAACITTT TACTTTAAAT 1260
ATTAGTATCT TCAACTCGA GTAA

50 Seq ID NO: 671 Protein sequence
Protein Accession #: Eos sequence

1 11 21 31 41 51
MGYQRQEPVI PPQRGLPYSM KQAGFPGLIL LFWVSYVTD FSLVLLIKGG ALSGTDYQS 60
LVNKTFFPFG YLLSLVQLP YPFIAMISYN IAGDTLSKV FORIPGVDP NVFIRHFII 120
GLSTVTFPLP LSLYRNIAKL KRVSLISTGL TTLILGIVMA RAISLPHIP KTEDAWVFAK 180
PNAIQAVGVM SFAFICHNS FLVYSSLEEP TVAKWSRLIH MSIVISVVIC IFPATCGYLT 240
FTGFTQGLDF ENYCRNDLV TFRFCYGVV VILTYPMECF VTREVIANVF PGNLSSVVFH 300
IVTVMVITV ATLVSLIDC LGIVLELNGV LCATPLIFII PSACYLKLSE EPRTHSKIM 360
SCVMLPIGAV VMVFGVMAI TMTQDCTHGO EMPYCFPDNF SLTNTSESHV QTTTQLSTLN 420
ISIFQLE

65 Seq ID NO: 672 DNA sequence
Nucleic Acid Accession #: Eos sequence
Coding sequence: 1..1203

1 11 21 31 41 51
ATGGGCTACC AGAGGCAGGA GCCTGTCTAT CCGCCGCAGT TTCCCTTGT TTATTGATA 60
AAAGGAGGGG CCCTCTCTGG AACAGATACC TACCAGTCTT TGTCATAAA AACTTCCGGC 120
TTTCCAGGGT ATCTGCTCCT CTCTGTCTT CAGTTTTGT ATCCTTTTAT AGCAATGATA 180
AGTTACAATA TAATAGCTGG AGATACTTTG AGCAAAGTTT TTCAAAGAAT CCCAGGAGTT 240
GATCCTGAAA ACGTGTATAT TGGTCGCCAC TTCATTATG GACTTCCAC AGTTACCTTT 300
ACTCTGCCTT TATCCTGTGA CCGAAATATA GCAAAGCTTG GAAAGGTCTC CCTCATCTCT 360
ACAGGTTTAA CAACTCTGAT TCTTGGAAAT GTAATGGCAA GGGCAATTTT ACTGGGTTCA 420
CACATACCAA AAACAGAAGA CGCTTGGGTA TTTGCAAAGC CCAATGCCAT TCAAGCGGTC 480
GGGGTTATGT CTTTGTGATT TATTGCCCAC CATAACTCCT TCTTAGTTTA CAGTCTCTA 540
GAAGAACCAC CAGTAGCTAA GTGGTCCCGC CTTATCCATA TGTCATCGT GATTCTGTA 600
TTTATCTGTA TATCTTTGC TACATGTGGA TACTTGACAT TTACTGGCTT CACCCAAGGG 660
GACTTATTG AAAATTACTG CAGAAATGAT GACCTGGTAA CATTGGAAG ATTTTGTAT 720
GGTGTCACTG TCAATTTGAC ATACCCTATG GAATGCTTTG TGACAAGAGA GGTAATTGCC 780
AATGTGTTTT TTGGTGGGAA TCTTTCATCG GTTTTCCACA TTGTTGTAAC AGTGATGGTC 840
ATCACTGTAG CCACGCTTGT GTCAATGCTG ATGATGTC TCAGGATAGT TCTAGAACTC 900
AATGTGTGTC TCTGTGCAAC TCCCCTCAT TTTATCATT CATCAGCCTG TTATCTGAAA 960
CTGTCTGAAG AACCAAGGAC ACACTCCGAT AAGATTATGT CTTGTGTCTG GCTTCCCAT 1020
GGTGTGTGTC TGATGGTTTT TGGATCTGCT ATGGCTATTA CAAACTACTCA AGACTGCACC 1080
CATGGGCAGG AAATGTTCTA CTGCTTTCCT GACAATTTCT CTCTCAGAAA TACCTCAGAG 1140
TCTCATGTTT AGCAGACAAC ACAACTTTCT ACTTTAAATA TTAGTATCTT TCAACTCGAG 1200

TAA

Seq ID NO: 673 Protein sequence
 Protein Accession #: Eos sequence

5

```

1      11      21      31      41      51
|      |      |      |      |      |
MGYQRQEPVI PPQPSLVLLI KGGALSGTDT YQSLVNKTFG FPGYLLLSVL QFLYPFIAMI 60
SYNIAGDTL  SKVFQRIQV DPENVFIGRH FIIGLSTVTF TLPLSLYRNI AKLGRVSLIS 120
10 TGLTTLILGI VMARAIISLP HIPKTEDAWV FAKPNAIQAV GVMSFAPICH HNSFLVYSSL 180
EPTVAKWSR  LIHMSIVISV PICIFPATCG YLTFGTQGD DLFENYCRND DLVTFGRFCY 240
GVTVLITYPM ECFVTRVIA NVFFGGNLSV VFHIVVTVMV ITVATLVSLI IDCLGIVLEL 300
NGVLCATPLI FIIPSACYLK LSEPRTHSD KIMSCVMLPI GAVVMVFGFV MAITNTQDCT 360
15 HGQEMFYCFP DNPSLTMSE SHVQQTQLS TLNISIFQLE
    
```

Seq ID NO: 674 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 1..1140

20

```

1      11      21      31      41      51
|      |      |      |      |      |
ATGGGCTACC AGAGGCAGGA GCCTGTTCATC CCGCCGCGAG TCAATAAAAC TTTCGGCTTT 60
CCAGGGTATC TGCTCCTCTC TGTTCTTCAG TTTTGTATC CTTTATAGC AATGATAAGT 120
25 TACAAATATA TGCTGGAGA TACTTTGAGC AAAGTTTTC AAAGAATCCC AGGAGTTGAT 180
CCTGAAAACG TGTTTATGG TCGCCACTTC ATTATTGGAC TTCCACAGT TACCTTTACT 240
GTGCTTTAT CCTGTACC GAAATAGCA AAGCTTGGAA AGGTCTCCCT CATCTCTACA 300
GGTTAAACAA CTCGTATTCT TGGAAATTGTA ATGGCAAGGG CAATTTCACT GGGTCCACAC 360
ATACAAAAAA CAGAAGACGC TTGGGTATTG GCAAAGCCCA ATGCCATTCA AGCGGTCCGG 420
GTTATGCTTT TTGCATTAT TTGCCACCAT AACTCCTTCT TAGTTTACAG TTCTCTAGAA 480
30 GAACCCACAG TAGCTAAGTG GTCCCGCCTT ATCCATATGT CCATCGTGAT TTCTGTATTT 540
ATCTGTATAT TCTTTGTCTC ATGTGGATAC TTGACATTTA CTGGCTTCC CCAAGGGGAC 600
TTATTTGAAA ATTACTGCAG AAATGATGAC CTGGTAACAT TTGGAAGATT TTGTTATGGT 660
GTCACGTGTA TTTTGACATA CCCTATGGAA TGCTTTGTGA CAAGAGAGGT AATGCCAAT 720
GTGTTTTTTG GTGGGAATCT TTCATCGGTT TTCCACATTTG TTGTAACAGT GATGGTCAATC 780
35 ACTGTAGCCA CGCTGTGTGC ATTCGTGATT GATTGCCTCG GGATAGTTCT AGAACTCAAT 840
GGTGTGCTCT GTGCACTCC CCTCATTTTT ATCATTCCAT CAGCCTGTTA TCTGAACTG 900
TCTGAAGAAC CAAGGACACA CTCGGATAAG ATTATGTCTT GTGTCATGCT TCCCATTTGG 960
GCTGTGGTGA TGTTTTTTGG ATTCGTGATG GCTATTACAA ATACTCAAGA CTGCACCCAT 1020
40 GGGCAGGAAA TGTTCTACTG CTTTCTGAC AATTTCTCTC TCACAAATAC CTCAGAGTCT 1080
CATGTTTCAGC AGACAACACA ACTTCTACT TTAATATTA GTATCTTTCA ACTCGAGTAA
    
```

Seq ID NO: 675 Protein sequence
 Protein Accession #: Eos sequence

45

```

1      11      21      31      41      51
|      |      |      |      |      |
MGYQRQEPVI PPQVNKTFGF PGYLLLSVLQ FLYPFIAMIS YNIAGDTLS KVFQRIQVVD 60
PENVFIGRHF IIGLSTVFTF LPLSLYRNIA KLGKVSLLST GLTTLILGIV MARAISLGP 120
10 IPKTEDAWVF AKPNAIQAVG VMSFAPICH NSFLVYSSLE EPTVAKWSRL IHMSIVISVF 180
ICIFPATCGY LTFGTQGD LFNENYCRND LVTFGRFCY VTVLITYPME CFVTRVIAN 240
VFFGGNLSV FHIVVTVMV TVATLVSLI DCLGIVLELN GVLCAATPLIF IIPSACYLKL 300
SEPRTHSDK IMSCVMLPIG AVVMVFGFVM AITNTQDCTH GQEMFYCFPD NFSLNTSES 360
15 HVQQTQLSTL LNISIFQLE
    
```

Seq ID NO: 676 DNA sequence
 Nucleic Acid Accession #: NM_006853.1
 Coding sequence: 26..874

60

```

1      11      21      31      41      51
|      |      |      |      |      |
AGGAATCTGC GCTCGGTTTC CGCAGATGCA GAGGTTGAGG TGGCTGCGGG ACTGGAAGTC 60
ATCGGGCAGA GGTCTCACAG CAGCCAAGGA ACCTGGGGCC CGCTCCTCCC CCTCCAGGC 120
65 CATGAGGATT CTGCAGTTAA TCTGCTTGC TCTGGCAACA GGGCTGTAG GGGGAGAGAC 180
CAGGATCATC AAGGGTTTCG AGTGCAAGCC TCACTCCAG CCCTGGCAGG CAGCCCTGTT 240
CGAGAAGACG CGGCTACTCT GTGGGGCGAC GCTCATCGCC CCCAGATGGC TCCCTGACAGC 300
AGCCCACTGC CTCAGGCCCT GCTACATAGT TCACCTGGGG CAGCACAACC TCCAGAAGGA 360
GGAGGGCTGT GAGCAGACCC GGACAGCCAC TGAGTCTTTC CCCACCCTGG GCTTCAACAA 420
CAGCCCTCCC AACAAAGACC ACCGCAATGA CATCATGCTG GTGAAGATGG CATCGCCAGT 480
70 CTCCATCAC TGGGCTGTGC GACCCCTCAC CCTCTCCTCA CGCTGTGTA CTGCTGGCAC 540
CAGCTGCCTC ATTTCCGGCT GGGGCGACAC GTCCAGCCCC CAGTACGCC TGCCCTCACAC 600
CTTGGCATGC GCCAACATCA CCATCATTGA GCACCAGAAG TGTGAGAAGC CCTACCCCGG 660
CAACATCACA GACACCATGG TGTGTGCCAG CGTGCAGGAA GGGGGCAAGG ACTCCTGCCA 720
GGGTGACTCC GGGGGCCCTC TGGTCTGTAA CCAGTCTCTT CAAGGCATTA TCTCCTGGGG 780
85 CCAGGATCCG TGTGCGATCA CCCGAAAGCC TGGTGTCTAC ACGAAAGTCT GCAAATATGT 840
GGACTGGATC CAGGAGACGA TGAAGAACAA TTAGACTGGA CCCACCACC ACAGCCCATC 900
ACCTTCATT FCCACTTGGT GTTTGGTTCC TGTCACTCT GTTAATAAGA AACCCTAAGC 960
CAAGACCCCT TACGAACATT CTTTGGGCCCT CCTGGACTAC AGGAGATGCT GTCATTTAAT 1020
AATCAACCTG GGGTTCGAAA TCAGTGAGAC CTGGATTCAA ATTCCTGCTT GAAATATTGT 1080
80 GACTCTGGGA ATGACAACAC CTGGTTTGT CTCTGTGTA TCCCAGCCC CAAAGACAGC 1140
TCCTGGCCAT ATATCAAGGT TTCAATAAAT ATTTGCTAAA TGAGTG
    
```

Seq ID NO: 677 Protein sequence
 Protein Accession #: NP_006844.1

85

```

1      11      21      31      41      51
|      |      |      |      |      |
MRILQLILLA LATGLVGGET RIIKGFECKP HSQPWQALF EKTRLLCGAT LIAPRWLLTA 60
    
```

AHCLKPRYIV HLGQHNLQKE EGCEQTRTAT ESFPHPGFNN SLPNKDHRND IMLVKMASFV 120
 SITWAVRPLT LSSRCVTAGT SCLISGWGST SSPQLRLPHT LRCANITIE HOKCENAYFG 180
 NITDTMVCAS VQEGGKDSQC GDSGGPLVCN QSLQGIISWG QDPCAITRKP GVYTKVCKYV 240
 DWIQETMKNN

5

Seq ID NO: 678 DNA sequence
 Nucleic Acid Accession #: Eos sequence
 Coding sequence: 1..933

10 1 11 21 31 41 51
 | | | | | |
 ATGTGCAGCA ATGGACGGTG CATCCCGGGC GCCTGGCAGT GTGACGGGCT GCCTGACTGC 60
 TTCGACAAGA GTGATGAGAA GGAGTGCACC AAGGCTAAGT CGAAATGTGG CCCGACCTTC 120
 TTCCCTCTGT CCAGCGGCAT CCATTGCATC ATTGGTCGCT TCCGGTGCAA TGGGTTTGAG 180
 15 GACTGTCCCG ATGGCAGCGA TGAAGAGAAC TGCACAGCAA ACCCTCTGCT TTGCTCCACC 240
 GCCCGCTACC ACTGCAAGAA CGGCCTCTGT ATTGACAAGA GCTTCATCTG CGATGGACAG 300
 AATAACTGTG AAGACAACAG TGATGAGGAA AGCTGTGAAA GTTCTCAAGA ACCCGCAGT 360
 GGGCAGGTGT TTGTGACTTC AGAGAACCAG CTGTGTGATT ACCCCAGCAT CACCTATGCC 420
 ATCATCGGCA GCTCCGTCAT TTTTGTGCTG GTGGTGGCCC TGCTGGCATT GTCTTGAC 480
 20 CACCGCGGA AGCGGAACAA CCTCATGACG CTGCCCCGTC ACCGGCTGCA GCACCCCTGTG 540
 CTGCTGTCCC GCCTGGTGGT CCTGGACCAC CCCACCACCT GCAACGTCAC CTACAACGTC 600
 AATAATGGCA TCCAGTATGT GGCCAGCCAG GCGGAGCAGA ATGCGTCGGA AGTAGGCTCC 660
 CCACCCTCCT ACTCCGAGGC CTTGTGGAC CAGAGGCTCG CGTGGTATGA CCTTCCTCCA 720
 25 CCGCCCTACT CTTCTGACAC GGAATCTCTG AACCAAGCCG ACCTGCCCCC CTACCCGCTCC 780
 CGTCCGCGGA GTGCCAACAG TGCCAGCTCC CAGGCAGCCA GCAGCCTCCT GAGCGTGGAA 840
 GACACCAGCC ACAGCCCGGG GCAGCCTGGC CCCAGGAGG GCACTGCTGA GCCCAGGGAC 900
 TCTGAGCCCA GCCAGGGCAC TGAAGAAGTA TAA

30

Seq ID NO: 679 Protein sequence
 Protein Accession #: Eos sequence

35 1 11 21 31 41 51
 | | | | | |
 MCSNGRCIPG AWQCDGLPDC PDKSDEKECP KAKSKCGPTF PFCASGIHCI IGRFRNGFPE 60
 DCPDGSDEEN CTANPLLCST ARYHCKNGLC IDKSFICDQG NNCQDNSDEE SCESSQEPGS 120
 GOVFTVSEHQ LVYYPSTIYA IIGSSVIVFL VVALLALVLH HQRKRNNLMT LRVHRLQHPV 180
 LLSRLVLDLH PHHCNVTVNV NNGIQYVASQ AEQNASEVGS PPSYSEALLD QRPAYWDLPP 240
 PPSYSDTESL NQADLPPYRS RSGSANSASS QAASSLLSVE DTSHSPGQPG PQEGTAEPRD 300
 SEPSQGTVEV

40

Seq ID NO: 680 DNA sequence
 Nucleic Acid Accession #: S78203.1
 Coding sequence: 1..2190

45 1 11 21 31 41 51
 | | | | | |
 ATGAATCCTT TCCAGAAAAA TGAGTCCAAG GAAACTCTTT TTTCACCTGT CTCCATTGAA 60
 GAGGTACCAC CTCGACCACC TAGCCCTCCA AAGAAGCCAT CTCGACAAT CTGTGGCTCC 120
 AACTATCCAC TGAGCATTGC CTTTCATTGT GTGAATGAAT TCTGCGAGCG CTTTCTCTAT 180
 50 TATGGAATGA AAGCTGTGCT GATCCTGTAT TTCCCTGTATT TCCTGCACCTG GAATGAAGAT 240
 ACCTCCACAT TATATACCA TGCCTTCAGC AGCCTCTGTT ATTTTACTCC CATCCTGGGA 300
 GCAGCCATTG CTGACTCGTG GTTGGGAAAA TTCAGACAA TCATCTATCT CTCCTTGGTG 360
 TATGTGCTTG GCCATGTGAT CAAGTCCCTG GGTGCCCTAC CAATACTGAG AGGACAAGTG 420
 55 GFACACACAG TCCTATCATT GATCGGCCTG AGTCTAATAG CTTTGGGGAC AGGAGGCATC 480
 AAACCCTGTG TGGCAGCTTT TGGTGGAGAC CAGTTTGAAG AAAAACATGC AGAGGAACGG 540
 ACTAGATACT TCTCAGTCTT CTACCTGTCC ATCAATGCAG GGAGCTTGAT TTCTACATTT 600
 ATCACACCCA TGCTGAGAGG AGATGTGCAA TGTTTTGGAG AAGACTGCTA TGCATTGGCT 660
 TTTGGAGTTC CAGGACTGCT CATGGTAAT GCACCTGTTG TGTGTGCAAT GGGAAAGCAA 720
 60 ATATACAATA AACCAACCCC TGAAGGAAAC ATAGTGGCTC AAGTTTTCAA ATGTATCTGG 780
 TTTGCTATTT CCAATCCTTT CAAGAACCGT TCTGGAGACA TTCCAAGCG ACAGCACTGG 840
 CTAGACTGGG CAGCTGAGAA ATATCCAAG CAGCTCATA TGGAATGAAA GGCACCTGACC 900
 AGGGTACTAT TCCTTTATAT CCCATTGCCC ATGTTCTGGG CTCTTTTGA TCAGCAGGGT 960
 65 TTTGTCAATT ATCGTCTGGT TCCTCAAGTGT GGAATTAAT TCTCATCACT TAGGAAAATG 1140
 GCTGTTGGTA TGATCCTAGC GTGCCTGGCA TTTGCAGTTG CGGCAGCTGT AGAGATAAAA 1200
 ATAAATGAAA TGGCCCCAGC CCAGTCAAGT CCCAGGAGG TTTTCTTACA AGTCTTGAAT 1260
 CTGGCAGATG ATGAGGTGAA GGTGACAGTG GTGGGAAATG AAAACAATTC TCTGTTGATA 1320
 GAGTCCATCA AATCCTTTCA GAAAACACCA CACTATTCCA AACTGCACCT GAAAACAAAA 1380
 70 AGCCAGGATT TTCACTTCCA CCTGAAATAT CACAATTTGT CTCTCTACAC TGAGCATTCT 1440
 GTGCAGGAGA AGAAGTGGTA CAGTCTTGTC ATTCTGTAAG ATGGGAACAC TATCTCCAGC 1500
 ATGATGGTAA AGGATACAGA AAGCAAAACA ACCAATGGGA TGACAACCGT GAGGTTTGT 1560
 AACACTTTGC ATAAAGATGT CAACATCTCC CTGAGTACAG ATACCTCTCT CAATGTTGGT 1620
 75 GAAGACTATG GTGTGCTGTC TTATAGAATC GTGCAAAAGAG GAGAATACCC TGCAGTGCAC 1680
 TGTAGAACAG AAGATAAGAA CTTTTCTCTG AATTGGGGTC TTCTAGACTT TGGTGCAGCA 1740
 TATCTGTTTG TTATTACTAA TAACACCAAT CAGGGTCTTC AGGCCTGGAA GATTGAAGAC 1800
 ATTCCAGCCA ACAAAATGTC CATTGCCGTTG CAGCTACCAC AATATGCCCT GGTTCACGCT 1860
 GGGGAGGTCA TGTTCTCTGT CACAGGCTT GAGTTTTCTT ATTCTCAGGC TCCCTCTAGC 1920
 80 ATGAAATCTG TGCTCCAGGC AGCTTGGCTA TTGACAATTG CAGTTGGGAA TATCATCGTG 1980
 CTTGTTGTGG CACAGTTCAG TGGCCTGGTA CAGTGGGCCG AATTCATTTT GTTTCCTGCG 2040
 CTCTCTGCTG TGATCTGCTT GATCTTCTCC ATCATGGGCT ACTACTATGT TCCGTGTAAG 2100
 ACAGAGGATA TGCCGGGTCC AGCAGATAAG CACATTCCTC ACATCCAGGG GAACATGATC 2160
 AAAC TAGAGA CCAAGAAGAC AAAACTCTGA

85

Seq ID NO: 681 Protein sequence
 Protein Accession #: AAB34388.1

1 11 21 31 41 51
 MNPFQKNESK ETLFSPVSIE EVPPRPPSP KKPSPPTICGS NYPLSIAFIV VNEFCERFSY 60
 YGMKAVLILY FLYFLHWNED TSTSIYHAFS SLCYFTPILG AAIADSWLGG FKTIIYLSLV 120
 5 YVLGHVIKSL GALPILGGQV VHTVLSLIGL SLIALGTGGI KPCVAAFGGD QPEEKHAEER 180
 TRYFSVYFLS INAGSLISTF ITPMLRGDVQ CFGEDCYALA FGVPGLLMVI ALVVFAMGSK 240
 IYNKPPPEGN IVAQVFKCIW FAISNRFKNR SGDIPKRQHW LDWAAEKYPK QLIMDVKALT 300
 RVLFYIPLP MPWALLDQOG SRWTLQAIM NRNLGPFVLQ PDQMQLVLPF LVLFIPLFD 360
 FVIYRLVSKC GINFSRLRM AVGMILACLA FAVAAAVEIK INEMAPAQSG PQEVFLQVLN 420
 10 LADDEVKVTV VGNENMLLI ESIRSFQKTP HYSKHLKTK SDDPHFHLKY HNLSTLYTEHS 480
 VQEKNWYSLV IREDGNSISS MMVVDTESKT TNGMTTVRFV NTLHKDVNIS LSTDTSLNVG 540
 EDYGVSAYRT VORGEYPAVH CRTEDKNFSL NLGLLDFGAA YLFVITNNTN QGLQAWKIED 600
 IPANKMSIAW QLFQYALVTA GEVMFSVTGL EFSYSQAPSS MKSVLQAAWL LTIAVGNIIV 660
 15 LVVAQFSGLV QWAEFILFSC LLLVICLIFS IMGYYVVPVK TEDMRGPADK HIPHIQGNMI 720
 KLETKKTKL

Seq ID NO: 682 DNA sequence
 Nucleic Acid Accession #: NM_016077.1
 Coding sequence: 128..667

1 11 21 31 41 51
 TCGCTTTGTG ATTCCTGATC CGGAACCTTG TCACCCAGGA ACCCCGGAAG AGGTAGCTCA 60
 CGCGATAGAA ACGTGTTCGC TTGCCAGAA GAAGGGAAG CGCGAGTGAG GAAAGGAGGT 120
 25 ACTGTAGATG CCTCCCAAT CCTTGGTTAT GSAATATTG GCTCATCCCA GTACACTCGG 180
 CTTGGCTGTT GGAGTTGCTT GTGGCATGTG CCTGGGCTGG AGCCTTCGAG TATGCTTTGG 240
 GATGCTCCCC AAAAGCAAGA CGAGCAAGAC ACACACAGAT ACTGAAAAGT AAGCAAGCAT 300
 CTTGGGAGAC AGCGGGGAGT ACAAGATGAT TCTTGTGTT CGAAATGACT TAAAGATGGG 360
 AAAAGGGAAA GTGGCTGCC AGTGTCTCA TGCTGTGTT TCAGCCTACA AGCAGATTCA 420
 30 AAGAAGAAAT CCTGAAATGC TCAACAATG GGAATACTGT GGCCAGCCCA AGGTGGTGGT 480
 CAAAGCTCCT GATGAAGAAA CCCTGATTGC ATTATTGGCC CATGCAAAA TGCTGGGACT 540
 GACTGTAAGT TTAATTCAG ATGCTGGACG TACTCAGAT GCACCAGCT CTCAACTGT 600
 CCTAGGATT GGGCCAGGAC CAGCAGACT AATTGACAAA GTCAGTGGTC ACCTAAAAC 660
 35 TTACTAGGTG GACTTTGATA TGACAACAAC CCCTCCATCA CAAGTGTGTTG AAGCCTGTCA 720
 GATTCTAACA ACAAAGCTG AATTTCTCA CCCAECTTAA ATGTTCTGA GATGAAAATA 780
 AAACCTATTC CCATGTTCTA AAAAAA

Seq ID NO: 683 Protein sequence
 Protein Accession #: NP_057161.1

1 11 21 31 41 51
 MPKSLVMEY LAHPSTLGLA VGVACGMCLG WSLRVCFGML PKSKTSKTHT DTESEASILG 60
 DSGEYKMLIV VRNDLKMKGK KVAQCCHAA VSAYKQIQR NEPEMLKQNEY CGQPKVVVKA 120
 45 PDEETLIALL AHAKMLGLTV SLIQDAGRTQ IAPGSQTVLG IGPFPADLID KVTGHLKLY

Seq ID NO: 684 DNA sequence
 Nucleic Acid Accession #: NM_004864.1
 Coding sequence: 26..952

1 11 21 31 41 51
 CGGAACGAGG GCAACCTGCA CAGCCATGCC CGGGCAAGAA CTCAGGACGG TGAATGGCTC 60
 TCAGATGCTC CTGGTGTTC TGGTGTCTC GTGGCTGCCG CATGGGGCG CCCTGTCTCT 120
 55 GGCCGAGGCG AGCCGCGCAA GTTCCCGGG ACCCTCAGAG TTGCACTCCG AAGACTCCAG 180
 ATTCCGAGAG TTGCGGAAC GCTACGAGGA CCTGCTAACC AGGCTCGGG CCAACCAGAG 240
 CTGGGAAGAT TGAACACCG ACCTCGTCCC GGGCCCTGCA GTCCGGATAC TCACGCCAGA 300
 AGTGGCGCTG GGATCCGGCG GCCACCTGCA CCTGCGTATC TCTCGGGCG CCCTTCCCGA 360
 60 GGGGCTCCCC GAGGCTCCCC GCCTTCACCG GGCCTGTTC CGGCTGTCCC CGACGGCGTC 420
 AAGTCTGTGG GACGTGACAC GACCGCTGCG GCGTCAGCTC AGCCTTGCAA GACCCCAAGC 480
 GCCCGCGCTG CACCTGCGAC TGTGCGCCGC GCCGTGCGAG TCGGACCAAC TGCTGGCAGA 540
 ATCTTCGTCC GCACGGCCCC AGCTGGAGTT GCACTTGGCG CCGCAAGCCG CCAGGGGGCG 600
 CCGCAGAGCG CGTGGCGCA ACGGGGAGCA CTGTCCGCTC GGGCCCGGG GTTGCTGCCC 660
 65 TCTGCACACG GTCCCGCGT CCGTGGGAAGA CCTGGGCTGG GCCGATTGGG TGCTGTGCCC 720
 ACGGAGGAGT CAAGTGACCA TGTGCATCGG CGCGTGGCG AGCCAGTTC GGGCGGCAAA 780
 CATGCAGCGC CAGATCAAGA CGAGCCTGCA CCGCCTGAAG CCCGACACGG AGCCAGCGCC 840
 CTGCTGCGTG CCCCGAGCT ACAATCCCAT GGTGCTCATT CAAAAGACCG ACACCGGGGT 900
 GTCGCTCCAG ACCTATGATG ACTTGTAGC CAAAGACTGC CACTGCATAT GAGCAGTCTC 960
 70 GGTCTCTCCA CTGTGCACCT GCGCGGGGGA GCGACCTCA GTTGTCTGTC CCTGTGGAAT 1020
 GGGCTCAAGG TTCCGTGAGAC ACCCGATTCC TGCCCAACA GCTGTATTTA TATAAGTCTG 1080
 TTATTATTA TTAATTTATT GGGGTGACCT TCTTGGGGAC TCGGGGGCTG GTCTGATGGA 1140
 ACTGTGTATT TATTTAAAC TCTGTTGATA AAAATAAAGC TGTCTGAAC GTTAAAAAAA 1200
 AAAA

Seq ID NO: 685 Protein sequence
 Protein Accession #: NP_004855.1

1 11 21 31 41 51
 MPGQELRTVN GSQMLLVLLV LSWLPHGGAL SLAEASRAS FPGPSELHSED SRFRELRKRY 60
 EDLLTRLRAN QSWEDSNTDL VPAPAVRILT FEVRLGSGGH LHLRISRAL PEGLEASRL 120
 80 HRALFRLSPT ASRSWDVTRP LRRQLSLARP QAPALHLRLS PPSQSDQLL AESSSARPL 180
 ELHLRPOAAR GRRRARARNG DDCPLGPGRC CRLHTVRASL EDLGWADWVL SPREVOVTMC 240
 85 IGACPSQFRA ANMHAQKTS LHRLKPDTEP APCCVPASYN PMVLIQKTDI GVSILQTYDDL 300
 LAKDCHCI

Seq ID NO: 686 DNA sequence

Nucleic Acid Accession #: NM_002423.2
 Coding sequence: 48..851

```

5      1      11      21      31      41      51
      |      |      |      |      |      |
      ACCAAATCAA CCATAGGTCC AAGAACAATT GTCTCTGGAC GGCAGCTATG CCACTCACCG 60
      TGCTGTGTGC TGTGTGCTCG CTGCCTGGCA GCCTGGCCCT GCOGCTGCCT CAGGAGGCGG 120
      GAGGCATGAG TGAGCTACAG TGGGAACAGG CTCAGGACTA TCTCAAGAGA TTTTATCTCT 180
10     ATGACTCAGA AACAAAAAAT GCCAACAGTT TAGAAGCCAA ACTCAAGGAG ATGCAAAAAAT 240
      TCTTTGGCCT ACCTATAACT GGAATGTTAA ACTCCCGCGT CATAGAAATA ATGCAGAAGC 300
      CCAGATGTGG AGTGCCAGAT GTTGCCAGAAT ACTCACTATT TCCAAATAGC CCAAAATGGA 360
      CTTCCAAAAG GGTCACTTAC AGGATCGTAT CATATACTCG AGACTTACCG CATATTACAG 420
      TGGATCGATT AGTGTCAAAG GCTTTAAACA TGTGGGGCAA AGAGATCCCC CTGCATTTCA 480
      GGAAGTGTGT ATGGGGAAT GCTGCATCA TGATTGGCTT TGC CGGAGGA GCTCATGGGG 540
15     ATCTCTACCC ATTTGATGGG CCAGGAAACA CGCTGGCTCA TGCCTTTGCG CCTGGGACAG 600
      GTCTCGGAGG AGATGCTCAC TTCGATGAGG ATGAACGCTG GACGGATGGT AGCAGTCTAG 660
      GGATTAACCT CCGTATGCT GCAACTCATG AACTTGGCCA TTCCTTGGGT ATGGGACATT 720
      CCTCTGATCC TAATGCAGTG ATGTATCCAA CCTATGGAAA TGGAGATCCC CAAAATTTTA 780
      AACCTTCCCA GGATGATATT AAAGGCATTC AGAAACTATA TGGAAGAGA AGTAATTCAA 840
20     GAAAGAAATA GAAACTTCAG CCAGAACATC CATTATTCA TTCATTGGAT TGTATATCAT 900
      TGTGTGACAA TCAGAATTGA TAAGCACTGT TCCTCCACTC CATTAGCAA TTATGTCACC 960
      CTTTTTATT GCAGTGTGTT TTTGAATGTC TTTCACTCCT TTTATTGGTT AAACCTCTTT 1020
      ATGGTGTGAC TGTGTCTTAT TCCATCTATG AGCTTTGTCA GTGCGCGTAG ATGTCAATAA 1080
      ATGTTACATA CACAAATAAA TAAAATGTTT ATTCATGGT AAATTTA
    
```

Seq ID NO: 687 Protein sequence
 Protein Accession #: NP_002414.1

```

30     1      11      21      31      41      51
      |      |      |      |      |      |
      MRLTVLCAVC LLPGLSLPL PQEAGGMSLE QWEQAQDYLK RPYLYDSETK NANSLEAKLK 60
      EMQKFFGLPI TGMNLSRVIE IMQKPRCGVP DVAEYSLFPN SPKWTSKVVT YRIVSYTRDL 120
      PHITVDRLVS KALNMWGKEI PLHFRKVVWG TADIMIGFAR GAHGDSYPPD GPGNTLAHAF 180
      APGTGLGGDA HFDEDERWTD GSSSLGINFLY AATHELGHSL GMGHSSDPNA VMYPTYGNDD 240
35     PQNFRLSQDD IKGIQKLYGK RSNRSRKK
    
```

Seq ID NO: 688 DNA sequence
 Nucleic Acid Accession #: NM_005221.3
 Coding sequence: 1..870

```

40     1      11      21      31      41      51
      |      |      |      |      |      |
      ATGACAGGAG TGTGTGACAG AAGGGTCCCC AGCATCCGAT CCGGCGACTT CCAAGCTCCG 60
      TTCCAGACGT CCGCAGCTAT GCACCATCCG TCTCAGGAAT CGCCAACCTT GCCCGAGTCT 120
45     TCAGTACCG ATTCTGACTA CTACAGCCCT ACGGGGGGAG CCCGCGCAGG CTAAGTCTCT 180
      CCTACCTCGG CTTCTATGG CAAAGCTCTC AACCCTTACC AGTATCAGTA TCACGGCGTG 240
      AAGGGTCCGG CCGGAGCTA CCCAGCCAAA GCTTATGCCG ACTATAGCTA CGCTAGCTCC 300
      TACCACCACT ACGCGGCGC CTACAACCGC GTCCCAAGCG CCACCAACCA GCCAGAGAAA 360
50     GAAGTGACCG AGCCCGAGGT GAGAATGGTG AATGGCAAAC CAAAGAAAGT TCGTAAACCC 420
      AGGACTATTT ATTCAGCTT TCAGCTGGCC GCATTACAGA GAAGGTTTCA GAAGACTCAG 480
      TACCTCGCCT TGCCGGAACG CGCCGAGCTG GCCGCTCGC TGGGATTGAC ACAAACACAG 540
      GTGAAAATCT GGTTCAGAA CAAAAGATCC AAGATCAAGA AGATCATGAA AAACGGGGAG 600
      ATGCCCCCGG AGCACAGTCC CAGCTCCAGC GACCCAATGG CGTGAACTC GCCCGAGTCT 660
55     CCAGCGGTGT GGGAGCCCCA GGGCTCGTCC CGCTCGCTCA GCCACCACCC TCATGCCAC 720
      CTCCGACCT CCAACAGTC CCCAGCGTCC AGCTACCTGG AGAACTCTGC ATCCTGGTAC 780
      ACAAGTGCAG CCAGCTCAAT CAATTCCCAC CTGCCGCCGC CGGGCTCCTT ACAGCACCCG 840
      CTGGCGCTGG CCTCCGGGAC ACTCTATTAG
    
```

Seq ID NO: 689 Protein sequence
 Protein Accession #: NP_005212.1

```

60     1      11      21      31      41      51
      |      |      |      |      |      |
      MTGVFDRRVP SIRSGDFQAP FQTSAAHHP SQESPTLPES SATDSDYSP TGGAPHGYCS 60
      PTSASYGKAL NPYQYQYHG VNGSAGSYPK AYADYSYASS YHQYGGAYNR VPSATNQPEK 120
      EVTEPEVRMV NGKPKVKRKP RTIYSSFLA ALQRRFQKTQ YLALPERAEL AASLGLTQTO 180
      VKIWFQNKRS KIKKIMKNGE MPPEHSPSSS DPMA CNSPQS PAVWEPQSSS RSLSHHPPAH 240
      PPTSINQSPAS SYLENSASWY TSAASSINSH LPPPGSLQHP LALASGTLY
    
```

It is understood that the examples described above in no way serve to limit the true scope of this invention, but rather are presented for illustrative purposes. All publications, sequences of accession numbers, and patent applications cited in this specification are herein incorporated by reference as if each individual publication or patent application were specifically and individually indicated to be incorporated by reference.

WHAT IS CLAIMED IS:

- 1 1. A method of detecting a lung cancer-associated transcript in a cell
2 from a patient, the method comprising contacting a biological sample from the patient with a
3 polynucleotide that selectively hybridizes to a sequence at least 80% identical to a sequence
4 as shown in Tables 1A-16.

- 1 2. The method of claim 1, wherein the polynucleotide selectively
2 hybridizes to a sequence at least 95% identical to a sequence as shown in Tables 1A-16.

- 1 3. The method of claim 1, wherein the biological sample is a tissue
2 sample.

- 1 4. The method of claim 1, wherein the biological sample comprises
2 isolated nucleic acids.

- 1 5. The method of claim 4, wherein the nucleic acids are mRNA.

- 1 6. The method of claim 4, further comprising the step of amplifying
2 nucleic acids before the step of contacting the biological sample with the polynucleotide.

- 1 7. The method of claim 1, wherein the polynucleotide comprises a
2 sequence as shown in Tables 1A-16.

- 1 8. The method of claim 1, wherein the polynucleotide is labeled.

- 1 9. The method of claim 8, wherein the label is a fluorescent label.

- 1 10. The method of claim 1, wherein the polynucleotide is immobilized on
2 a solid surface.

- 1 11. The method of claim 1, wherein the patient is undergoing a therapeutic
2 regimen to treat lung cancer.

- 1 12. The method of claim 1, wherein the patient is suspected of having lung
2 cancer.

- 1 13. A method of monitoring the efficacy of a therapeutic treatment of lung
2 cancer, the method comprising the steps of:

- 3 (i) providing a biological sample from a patient undergoing the therapeutic
4 treatment; and
- 5 (ii) determining the level of a lung cancer-associated transcript in the
6 biological sample by contacting the biological sample with a polynucleotide that selectively
7 hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16,
8 thereby monitoring the efficacy of the therapy.

1 14. The method of claim 13, further comprising the step of: (iii) comparing
2 the level of the lung cancer-associated transcript to a level of the lung cancer-associated
3 transcript in a biological sample from the patient prior to, or earlier in, the therapeutic
4 treatment.

1 15. The method of claim 13, wherein the patient is a human.

1 16. A method of monitoring the efficacy of a therapeutic treatment of lung
2 cancer, the method comprising the steps of:

- 3 (i) providing a biological sample from a patient undergoing the therapeutic
4 treatment; and
- 5 (ii) determining the level of a lung cancer-associated antibody in the biological
6 sample by contacting the biological sample with a polypeptide encoded by a polynucleotide
7 that selectively hybridizes to a sequence at least 80% identical to a sequence as shown in
8 Tables 1A-16, wherein the polypeptide specifically binds to the lung cancer-associated
9 antibody, thereby monitoring the efficacy of the therapy.

1 17. The method of claim 16, further comprising the step of: (iii) comparing
2 the level of the lung cancer-associated antibody to a level of the lung cancer-associated
3 antibody in a biological sample from the patient prior to, or earlier in, the therapeutic
4 treatment.

1 18. The method of claim 16, wherein the patient is a human.

1 19. A method of monitoring the efficacy of a therapeutic treatment of lung
2 cancer, the method comprising the steps of:

- 3 (i) providing a biological sample from a patient undergoing the therapeutic
4 treatment; and

5 (ii) determining the level of a lung cancer-associated polypeptide in the
6 biological sample by contacting the biological sample with an antibody, wherein the antibody
7 specifically binds to a polypeptide encoded by a polynucleotide that selectively hybridizes to
8 a sequence at least 80% identical to a sequence as shown in Tables 1A-16, thereby
9 monitoring the efficacy of the therapy.

1 20. The method of claim 19, further comprising the step of: (iii) comparing
2 the level of the lung cancer-associated polypeptide to a level of the lung cancer-associated
3 polypeptide in a biological sample from the patient prior to, or earlier in, the therapeutic
4 treatment.

1 21. The method of claim 19, wherein the patient is a human.

1 22. An isolated nucleic acid molecule consisting of a polynucleotide
2 sequence as shown in Tables 1A-16.

1 23. The nucleic acid molecule of claim 22, which is labeled.

1 24. The nucleic acid of claim 23, wherein the label is a fluorescent label

1 25. An expression vector comprising the nucleic acid of claim 22.

1 26. A host cell comprising the expression vector of claim 25.

1 27. An isolated polypeptide which is encoded by a nucleic acid molecule
2 having polynucleotide sequence as shown in Tables 1A-16.

1 28. An antibody that specifically binds a polypeptide of claim 27.

1 29. The antibody of claim 28, further conjugated to an effector component.

1 30. The antibody of claim 29, wherein the effector component is a
2 fluorescent label.

1 31. The antibody of claim 29, wherein the effector component is a
2 radioisotope or a cytotoxic chemical.

1 32. The antibody of claim 29, which is an antibody fragment.

- 1 33. The antibody of claim 29, which is a humanized antibody
- 1 34. A method of detecting a lung cancer cell in a biological sample from a
2 patient, the method comprising contacting the biological sample with an antibody of claim
3 28.
- 1 35. The method of claim 34, wherein the antibody is further conjugated to
2 an effector component.
- 1 36. The method of claim 35, wherein the effector component is a
2 fluorescent label.
- 1 37. A method of detecting antibodies specific to lung cancer in a patient,
2 the method comprising contacting a biological sample from the patient with a polypeptide
3 encoded by a nucleic acid comprises a sequence from Tables 1A-16.
- 1 38. A method for identifying a compound that modulates a lung cancer-
2 associated polypeptide, the method comprising the steps of:
3 (i) contacting the compound with a lung cancer-associated polypeptide, the
4 polypeptide encoded by a polynucleotide that selectively hybridizes to a sequence at least
5 80% identical to a sequence as shown in Tables 1A-16; and
6 (ii) determining the functional effect of the compound upon the polypeptide.
- 1 39. The method of claim 38, wherein the functional effect is a physical
2 effect.
- 1 40. The method of claim 38, wherein the functional effect is a chemical
2 effect.
- 1 41. The method of claim 38, wherein the polypeptide is expressed in a
2 eukaryotic host cell or cell membrane.
- 1 42. The method of claim 38, wherein the functional effect is determined by
2 measuring ligand binding to the polypeptide.
- 1 43. The method of claim 38, wherein the polypeptide is recombinant.

1 44. A method of inhibiting proliferation of a lung cancer-associated cell to
2 treat lung cancer in a patient, the method comprising the step of administering to the subject a
3 therapeutically effective amount of a compound identified using the method of claim 38.

1 45. The method of claim 44, wherein the compound is an antibody.

1 46. The method of claim 45, wherein the patient is a human.

1 47. A drug screening assay comprising the steps of
2 (i) administering a test compound to a mammal having lung cancer or a cell
3 isolated therefrom;
4 (ii) comparing the level of gene expression of a polynucleotide that selectively
5 hybridizes to a sequence at least 80% identical to a sequence as shown in Tables 1A-16 in a
6 treated cell or mammal with the level of gene expression of the polynucleotide in a control
7 cell or mammal, wherein a test compound that modulates the level of expression of the
8 polynucleotide is a candidate for the treatment of lung cancer.

1 48. The assay of claim 47, wherein the control is a mammal with lung
2 cancer or a cell therefrom that has not been treated with the test compound.

1 49. The assay of claim 47, wherein the control is a normal cell or mammal.

1 50. A method for treating a mammal having lung cancer comprising
2 administering a compound identified by the assay of claim 47.

1 51. A pharmaceutical composition for treating a mammal having lung
2 cancer, the composition comprising a compound identified by the assay of claim 47 and a
3 physiologically acceptable excipient.